No. 200300157

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Lebanon Seaboard Corporation

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PERMITTED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BLUEGRASS, KENTUCKY

'Sonoma'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twentieth day of August, in the year two thousand and eight.

Attest:

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF OWNER: Lebanon Seaboard Corporation (BT: 6/2/2008)
2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME: A97-1323&LTP1323
3. VARIETY NAME: Sonoma
4. ADDRESS *(Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)*: P.O. Box 10, Huntsville, Utah 84317-0010
5. TELEPHONE *(include area code)*: 503-580-7333
6. FAX *(include area code)*: 801-745-4610
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION *(corporation, partnership, association, etc.)*: Corporation
8. IF INCORPORATED, GIVE STATE OF INCORPORATION: Pennsylvania
9. DATE OF INCORPORATION: 1949

FOR OFFICIAL USE ONLY
PVPO NUMBER: 200300157
FILING DATE: 2/10/2003
FEES RECEIVED
FILING AND EXAMINATION FEES: $ 2,705.00 DATE 2/10/2003
CERTIFICATION FEE: $ 768.00 DATE 8/13/2008

10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. *(First person listed will receive all papers)*
Tim Ford, Research Agronomist
P.O. Box 10
Huntsville, Utah 84317-0010

11. TELEPHONE (include area code): 503-580-7333
12. FAX (include area code): 801-745-4610
13. E-MAIL: tford@lebsea.com
14. CROP KIND *(Common Name)*: Kentucky Bluegrass
15. GENUS AND SPECIES NAME OF CROP: Poa pratensis
16. FAMILY NAME *(Botanical)*: Poaceae
17. IS THE VARIETY A FIRST GENERATION HYBRID? ☐ YES ☒ NO
18. DOES THE VARIETY CONTAIN ANY TRANSGENES? *(OPTIONAL)* ☐ YES ☒ NO
IF SO, PLEASE GIVE THE ASSIGNED USDA-APHIS REFERENCE NUMBER FOR THE APPROVED PETITION TO DEREGULATE THE GENETICALLY MODIFIED PLANT FOR COMMERICALIZATION. _____

19. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)
- a. ☒ Exhibit A. Origin and Breeding History of the Variety
- b. ☒ Exhibit B. Statement of Distinctness
- c. ☒ Exhibit C. Objective Description of Variety
- d. ☒ Exhibit D. Additional Description of the Variety *(Optional)*
- e. ☒ Exhibit E. Statement of the Basis of the Owner's Ownership
- f. ~~☒~~ Exhibit F. Declaration Regarding Deposit (BT: 7/8/08)
- g. ☒ Voucher Sample *(3,000 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository)*
- g. ☒ Filing and Examination Fee ($4,382), made payable to "Treasurer of the United States" *(Mail to the Plant Variety Protection Office)*

20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? *(See Section 83(a) of the Plant Variety Protection Act)*
☐ YES *(If "yes", answer items 21 and 22 below)* ☒ NO *(If "no", go to item 23)*
21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES?
☐ YES ☐ NO
IF YES, WHICH CLASSES? ☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED
22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?
☐ YES ☐ NO
IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS.
☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED
(If additional explanation is necessary, please use the space indicated on the reverse.)

23. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES?
☒ YES ☐ NO Oct. 15, 2002
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. *(Please use space indicated on reverse.)*
24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT *(PLANT BREEDER'S RIGHT OR PATENT)*?
☐ YES ☒ NO
IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. *(Please use space indicated on reverse.)*

25. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Owner(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF OWNER		SIGNATURE OF OWNER	
Tim Ford			
NAME *(Please print or type)*		NAME *(Please print or type)*	
Timothy M. Ford			
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE	DATE
Research Agronomist	02/05/03 amended 10/15/06		

(See reverse for instructions and information collection burden statement)

Origin and Breeding History of Sonoma (A97-1323) Kentucky Bluegrass

Sonoma (A97-1323) Kentucky bluegrass (*Poa pratensis* L.) is a turf-type cultivar. It originated as a single, apomictic plant selected from the progeny of a cross between C-74 and Lakeshore Kentucky bluegrass. C-74 is a vigorous, apomictic plant that originated from a plant collected from an old turf area in Exeter, RI in 1987. This is similar in appearance and performance to Unique Kentucky bluegrass (Rose-Fricker et al., 1999). Lakeshore originated as a single, highly apomictic plant selected from the open-pollinated progeny of A80-336. A80-336 is an exceptionally vigorous, moderately apomictic F_1 hybrid selected from the progeny of the cross between Warren's A-25 x 'Touchdown' (Dale et al., 1975; Rewinski et al., 1978).

Typical plants of Lakeshore pollinated a plant of C-74 during the late winter of 1994-1995 in a greenhouse located on the Cook College campus of Rutgers University. Environmental conditions prior to and during pollination were modified to increase sexual reproduction of facultative apomictic Kentucky bluegrass (4,5,6). Seed from the C-74 female parent was harvested in the spring of 1995. Seedlings were seeded into a spaced -plant nursery in the spring of 1996. An attractive F1 hybrid was identified as 96-2289-2. This was a medium-late maturing, above-average yielding plant compared to other Kentucky bluegrasses harvested from that nursery. In the fall of 1997, it was planted in a turf plot at Adelphia, New Jersey with the designation A97-1323. A97-1323 is 85% apomictic observed from seedling taken from the original turf plot. A97-1323 has good floret fertility and a seed head rating of 7 based on a 1-9 scale (9=most seed heads). Sonoma (A97-1323) was entered in the 2000 National Turfgrass Evaluation Program to be evaluated through out the US. Sonoma has average turf quality, medium green color,

good winter color, and medium leaf texture (Morris and Shearman, 2001). Sonoma has exhibited good leaf spot resistance (caused by the fungus *Dreschlera poae* (Baudys) Shoemaker) and very good stem rust resistance (caused by the fungus *Puccinia graminis* Pers.:Pers.) (Morris and Shearman, 2001). Sonoma has exhibited moderate susceptibility to powdery mildew (caused by the fungus *Erysiphe graminis* DC) (Bonos et al. 2001). Seed of this selection was sent to Lebanon Turf Products for Breeder seed production.

References

Bashaw, E.C, and C.R. Funk. 1987. Apomictic grasses. P. 40-82. In F. Lemaire (ed.) Proc. Int. Turfgrass Res. Conf. 5th Avignon, France. INRA Publ., Versailles.

Bonos, S.A., E. Watkins, R.F. Bara, M.M. Mohr, and W.A. Meyer. 2001. Evidence of Resistance to powdery mildew in Kentucky bluegrass cultivars and selections in the 2000 National Kentucky bluegrass test. 2000 Rutgers Turfgrass Proceedings. 32:179-190.

Dale, M.R. M.K. Ahmed, G. Jelenkovic, and C.R. Funk. 1975. Characteristics and performance of interspecific hybrids between Kentucky bluegrass and Canada bluegrass. Crop Sci. 15: 797-799.

Hintzen, J.J. and A.J.P. van Wijk. 1985. Ecotype breeding and hybridization in Kentucky bluegrass (Poa pratensis L.) p. 213-219. In F. Lemaire (ed.) Proc. Int. Turfgrass Res. Conf. 5th Avignon, France. INRA Publ., Versailles.

Morris, K.N. and R. Shearman. 2001. NTEP 02-1. National Kentucky bluegrass Test-2000. Progress Report 2001. National Turfgrass Evaluation Program. Beltsville, MD. 20705.

Pepin, G.W. and C.R. Funk. 1971. Intraspecific hybridization as a method of breeding Kentucky bluegrass for turf. Crop Sci. 11:445-448.

Rewinski, T.F. , A.M. Radko, W.K. Wiley, M.C. Pick, and C.R. Funk. 1978. Registration of Touchdown Kentucky bluegrass. Crop Sci. 18:163.

Rose-Fricker, C.A., M.L. Fraser, W.A. Meyer, and C.R. Skogley. 1999. Registration of 'Unique' Kentucky bluegrass. Crop Sci. 39:290.

ADDENDUM TO 'SONOMA 'ORIGIN AND BREEDING HISTORY

The initial greenhouse selection of Sonoma was based on a dark color and freedom from powdery mildew. Subsequent selections were based on dark color, freedom from disease, mowing qualities, turf density, overall turf performance, excellent floret fertility, and high panicle production.

Sonoma has remained stable and uniform in both turf plots and as mature plants from Breeder seed, Foundation Seed and Certified seed. Additionally, because of the high degree of uniformity and stability the Oregon Seed Certification Service has allowed Certified to Certified production plantings and they have remained uniform and stable. Sonoma has remained stable and uniform through three generations. Through six years and three generations the turf performance under turf situations has remained stable and uniform. Additionally, Sonoma has remained stable and uniform in seed production fields.

It has been my observation as the breeder and field production manager that Sonoma is a very stable and uniform variety with no aberrant plants, no variants, and no off-types observed in turf, nurseries, or seed production fields. No variants have been observed since inception through the present. Sonoma is 99+% apomictic under normal field and turf conditions.

REVISED STATEMENT OF DISTINCTNESS

Sonoma Kentucky bluegrass is most similar to Unique Kentucky bluegrass. However, Sonoma is significantly darker in genetic color than Unique (6.6 vs. 6.3), see NTEP data (Table 12). Unique has significantly finer leaf texture than Sonoma (6.9 vs. 6.0), see NTEP data (Table 14). Sonoma has significantly darker winter color than Unique (6.6 vs. 4.8), see NTEP data (Table 22).

In a trial near Hubbard, Oregon, Sonoma was very similar in heading date to Unique. However, Sonoma had a significantly higher flag leaf height, and a significantly longer flag leaf sheath than Unique both in data collected in 2001 and 2002 (see Hubbard, Oregon data given which follow immediately).

2001 mean morphological measurements for entries in a Kentucky bluegrass seed yield trial seeded fall of 2000 near Hubbard, OR. (includes 2000 commercial national test entries)

Entry	Plant Height (cm)	Flag Leaf Height (cm)	Flag Leaf Sheath Length (cm)
Unique	69.4	32.4	9.9
America	72.9	39.2	11.7
Sonoma (LTP-1323)	76.5**	44.4**	12.2***
LTP-329	75.1	44.4	16.1
Bordeaux (LTP-1135)	73.0***	43.4**	12.1***
LSD (0.05)	3.3	3.1	0.8

* = Significant compared to America
** = Significant compared to America and Unique
*** = Significant compared to Unique

#20030157

2002 mean morphological measurements for entries in a Kentucky bluegrass seed yield trial seeded fall of 2000 near Hubbard, OR.

Entry	Plant Height (cm)	Flag Leaf Height (cm)	Flag Leaf Sheath Length (cm)	Tiller Leaf Sheath Length (cm)	Panicle Length (cm)	Length from Flag Leaf to Influorescence (cm)	Branches In Lowest Whorl (#)	Tiller Leaf Length (cm)	Tiller Leaf Width (mm)	Flag Leaf Length (cm)	Flag Leaf Width (mm)	Tiller Count (#/12.7 cm Row)
Bordeaux (LTP-1135)	75.4**	34.1**	10.7**	7.8**	9.9**	33.8**	3.5	6.7**	2.8**	4.8**	2.7*	87.6**
Sonoma (LTP-1323)	61.1**	29.1**	8.5	6.6	8.3*	29.3*	3.4*	5.8*	3.0*	3.5***	2.8*	54.9
Unique	57.0	23.4	8.5	5.2	8.1	30.6	3.5	5.6	3.1	4.0	2.7	70.1
Midnight	56.8	28.2	9.1	7.0	8.0	27.2	3.6	6.7	3.7	4.1	2.7	49.3
America	54.6	27.1	8.5	6.8	7.0	23.7	3.8	5.0	3.5	3.8	3.6	68.7
LSD (0.05)	2.4	2.0	1.1	0.6	0.8	1.6	0.3	0.6	0.3	0.4	0.3	17.6

* = Significant compared to America
** = Significant compared to America and Unique
*** = Significant compared to Unique

#20030157

2002 mean morphological measurements for entries in a single row Kentucky bluegrass seed yield trial seeded fall of 2001 near Hubbard, OR.

Entry	Plant Height (cm)	Flag Leaf Height (cm)	Flag Leaf Sheath Length (cm)	Tiller Leaf Sheath Length (cm)	Panicle Length (cm)	Length from Flag Leaf to Top of Influorescence (cm)	Branches In Lowest Whorl (#)	Tiller Leaf Length (cm)	Tiller Leaf Width (mm)	Flag Leaf Length (cm)	Flag Leaf Width (mm)	Tiller Count (#/12.7 cm Ro
Bordeaux (LTP-1135)	64.4***	34.2***	11.0***	8.2***	9.1***	29.9	3.2***	10.7***	3.2***	6.7***	2.6***	33.8***
Unique	59.1	24.2	8.7	5.6	7.9	29.3	3.8	6.1	1.9	5.2	2.0	99.4
Sonoma (LTP-1323)	56.9	27.4***	9.1	8.0***	9.2***	30.8	3.5***	8.0***	3.0***	5.1	2.5***	21.6***
Midnight	45.7	23.7	8.6	7.3	7.1	22.2	3.8	7.4	3.0	4.5	2.1	44.2
LSD (0.05)	**2.3**	**2.1**	**0.7**	**0.6**	**0.5**	**1.8**	**0.3**	**0.7**	**0.3**	**0.5**	**0.3**	**8.5**

***** = Significant compared to Unique**

#20030157

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN, & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Bluegrass)

OBJECTIVE DESCRIPTION OF VARIETY
BLUEGRASS (*Poa* spp.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Lebanon Seaboard Corporation (ST: 7/8/2008)	A97-1323&LTP-1323	Sonoma

ADDRESS *(Street and No. or R.F.D. No., City, State, and Zip Code)*
P.O. Box 10
Huntsville, UT 84317

OFFICIAL USE ONLY
PVPO NUMBER
#200300157

Select the number which characterizes the variety in the features described below. For measured characteristics use leading zeros as necessary in order to fill all blanks (e.g., [0 9], [0 8 1]). Those characteristics marked with a star * are preferred to be recorded. Any others should be recorded to help establish novelty or uniqueness. Characteristics described, including numerical measurements, should represent those that are typical for the variety. Measured data should be for SPACED PLANTS. Royal Horticultural Society or any recognized color fan may be used to determine plant colors; designate system used: 1-9. Describe location of test area, conditions, and number of plants used: Hubbard, OR 10 measurments/rep

1. SPECIES:

[2] 1 = Poa compressa 2 = P. pratensis 3 = P. trivialis 4 = Others *(Specify)*

[ ] Chromosome number

2. ADAPTATION: (0 = Not tested, 1 = Not adapted, 2 = Adapted, 3 = Well adapted)

[3] Northeast	[2] Transitional zone	[2] Southeast	[2] North Central
[3] Pacific N.W.	[2] Intermountain	[2] Southwest (CA., AZ.)	
[ ] Other *(Specify)*			

3. MATURITY (At first anthesis): *Give test area*

* [3.5] 1 = Very early 2 = Early (Delta, Mystic) 3 = Medium early (Fylking, Nugget)
4 = Medium late (Newport, Adelphi, Aquila) 5 = Late (Merion, Baron, Enmundi)
6 = Very late (Pacific) Sonoma = 3.5

[ ] Date of First Anthesis

[ ] Number of days earlier than *
Maturity same as *
[0 3] Number of days later than * [1]

1 = Nugget 2 = Fylking 3 = Delta
4 = Merion 5 = Newport 6 = Baron
7 = Mystic 8 = Sabre 9 = Reubens

4. PLANT HEIGHT (At maturity-Average of longest shoot of 10 plants from soil surface to top of panicle): *Test area*

* [2] 1 = Short (Nugget) 2 = Medium short (Baron, Fylking, Mystic)
3 = Medium tall (Merion, Adelphi) 4 = Tall (Delta) 5 - Very tall

* [6 1 1] cm Height (61.1)

[ ] cm Shorter than *
Height same as *
[4 1] cm Taller than (4.1) * [10]

1 = Nugget 2 = Fylking 3 = Delta 4 = Merion
5 = Newport 6 = Baron 7 = Mystic 8 = Sabre
9 = Reubens 10. Midnight

5. GROWTH HABIT:

* [2] Habit: 1 = Prostrate (Nugget) 2 = Semi-prostrate (Merion) 3 = Erect (Delta)

tiller count = 54.9 tillers per 12.7 cm row

[ ] cm Amount of spread by rhizomes in 1 year (give test area

FORM LMGS 470-60 (7-82)

6. LEAF BLADE:

#200300157

*	4	Green Color:	1 = Light green (Mystic)	2 = Medium green (Fylking, Bonnieblue)
			3 = Moderately dk. green (Merion, Adelphi)	4 = Very dk. green (Nugget, Glade, Enmundi)
*	1	Bluegreen color:	1 = Not bluegreen (Mystic, Touchdown, Parade)	2 = Moderately bluegreen (Merion, A-34)
			3 = Bluegreen (Nugget, Enmundi, Adelphi)	4 = Strongly bluegreen (Majestic)
	2	Winter color:	1 = Light green	2 = Dark green
			4 = Dark purple	5 = Not purple
				3 = Light purple
				6 = Not green or purple
*	2	Hairs upper side:	1 = Absent (Nugget)	2 = Sparse (Merion)
				3 = Dense (Park)
	2	Hairs lower side:	1 = Absent (Fylking, Merion)	2 = Sparse
				3 = Dense (Nugget)
	1	Luster upper side:	1 = Shiny (Eclipse, Enmundi)	2 = Dull (Aquila, Parade)
	2	Luster lower side:	1 = Shiny (Mystic, Enmundi)	2 = Dull (Barbie, Eclipse)
*	2	Margin hairs (Fringe on Margin or Base):	1 = Absent (Delta)	2 = Present (Fylking, Merion)
*	3	Width:	1 = Very fine (Mystic)	2 = Fine (Nugget)
				3 = Medium (Merion, Fylking)
			4 = Broad (Adelphi, Baron)	5 = Very broad (Monopoly)

2 8	mm Width (flag leaf)	(2.8)			
8	mm Narrower than	(.8) * 11	1 = Nugget	2 = Fylking	3 = Delta
	Width same as	* 10	4 = Merion	5 = Newport	6 = Baron
	mm Wider than	*	7 = Mystic	8 = Sabre	9 = Reubens
3 5	mm Length (flag leaf)		10. Midnight	11. America	
6	mm Shorter than	* 10	1 = Nugget	2 = Fylking	3 = Delta
	Length same as	*	4 = Merion	5 = Newport	6 = Baron
	mm Longer than	*	7 = Mystic	8 = Sabre	9 = Reubens
2	Position of flag leaf (angle to stem):		1 = Appressed	2 = Open angle, yet stiff	10. Midnight 3 = Nodding

7. LEAF SHEATH:

6 6	mm sheath length			
* 1	Seedling Color (base of sheath):	1 = Green (Nugget, Merion)	2 = Red (Delta)	
* 2	Hairs on Margin:	1 = Absent (Fylking)	2 = Present (Nugget)	
* 1	Margin Roughness (to touch):	1 = Smooth (Delta)	2 = Rough (Sabre)	
2	Hairs on Surface:	1 = Absent ( )	2 = Present (Nugget)	
1	Surface Roughness (to touch):	1 = Smooth (Fylking)	2 - Rough (Ram I)	
2	Hairs on both sides just beneath leaf blade (under collar):	1 = Absent (Merion)	2 = Present (Nugget)	
* 2	Hairs on Ligule:	1 = Absent (Fylking)	2 = Short (Baron)	3 = Long (Nugget)
1	Glaucosity:	1 = Absent (Mystic, Enmundi)	2 = Present (Birka)	
2	Keel:	1 = Absent (Ram I)	2 = Present (Adelphi)	

#200300157

8. PANICLE (Mature Plant):

8 3 mm Length (Lowest branch whorl to top, for 10 plants) Test area: near Hubbard, OR PST

* mm Shorter than
* Panicle same as
* 1 3 mm Longer than 10

1 = Nugget 2 = Fylking 3 = Delta
4 = Merion 5 = Newport 6 = Baron
7 = Mystic 8 = Sabre 9 = Reubens 10. Midnight

* 1 Color (at 50% flowering): 1 = Not red (Fylking) 2 = Red (Nugget)

1 Shape of Rachis (opposite lower side branches): 1 = No bend (Nugget 2 = Bend (Merion)

* 1 Collar: 1 = Opened (Nugget) 2 = Closed (Merion)

* 1 Branches Attitude (Lowest whorl): 1 = Drooping (America, Prato) 2 = Horizontal (Merion) 3 = Ascending (Tundra)

3 4 Number of main branches in lowest whorl 3 . 4

* 2 Panicle Habit: 1 = Nodding (Newport) 2 = Upright (Nugget)

* 2 Panicle Type: 1 = Open 2 = Intermediate 3 = Compact

2 Anther color (anthesis): 1 = Purple 2 = Yellow 3 = Brown

9. LEMMA

* 2 Keel
* 1 Marginal Nerves
1 = Glabrous 2 = Slightly pubescent 3 = Pubescent

2 Intermediate Nerves: 1 = Distinct 2 = Obscure

2 Basal Webbing: 1 = Absent 2 = Scant (Baron) 3 = Copious (Merion)

10. SEED: (Floret-not dehulled)

* 1 Apomixis Percentage: 1 = more than 95 2 = 85 to 95 3 = less than 85
T.F.

Phenol Reaction: 1 = none-lemma removed (Merion) 2 = Beige (Cougar) 3 = Brown (Windsor)
4 = Black (Mystic-2 hrs) 5 = Black (-24 hours)

1 mm. Width (average of 10) 2 2 mm Length 2 . 2

3 3 5 2 Milligrams per 10,000 seed

* Milligrams less than
* Weight same as
* 11 Milligrams more than

1 = Nugget 2 = Fylking 3 = Delta
4 = Merion 5 = Newport 6 = Baron
7 = Reubens 8 = Sabre 11. America

* 2 Weight Class (g per 10,000 seed):
1 = Light (< 3g Sydsport, Merion)
2 = Medium (3g — 4g Adelphi, Parade)
3 = Heavy (> 4g Fylking, Nugget)

11. ENVIRONMENTAL RESISTANCE: (0 = Not tested; 1 = Very susceptible; 2 = Moderately susceptible; 3 = Moderately resistant; 4 = Highly resistant)

4 Cool Temperature (Winter color)	3 Cold (injury)	3 Heat	3 Drought
3 Shade	3 Low Fertility	0 Acid Soil (<pH 5.5)	0 Alkalinity (pH > 7.5)
0 Salinity	0 Soil Compaction	0 Poor Drainage	0 Air Pollution

Other *(Specify)* _____

12. DISEASE RESISTANCE: (0 = Not tested, 1 = Very susceptible, 2 = Moderately susceptible, 3 = Moderately resistant, 4 = Highly Resistant)

* 0 Melting-Out Drechslera poae (Helminthosporium vagans)	0 Sclerotina Patch S. borealis
* 3 Helminthosporium Leaf Spot Bipolaris sorokiniana	3 Stem Rust Puccinia graminis
3 Brown Patch Rhizoctonia solani	3 Stripe Rust P. striiformis
T.F. 2 Powdery Mildew Erysiphe graminis	* 3 Leaf Rust P. poae-nemoralis
* 4 Stripe Smut Ustilago striiformis	0 Orange Stripe Rust P. poarum

12. DISEASE RESISTANCE (Continued)

#200300157

0	Flag Smut Urocystis agropyri	0	Pythium Blight Pythium spp.
3	Pink Snow Mold Fusarium nivale	0	Red Thread Corticium fuciforme
3	Ergot Claviceps purpurea		Other _____
* 2	Fusarium Blight Fusarium roseum, F. tricinctum		Other _____
2	Typhula Blight Typhula spp.		
2	Dollar Spot Sclerotinia homoeocarpa		

13. INSECTS, NEMATODES, RESISTANCE: (0 = Not tested; 1 = Very susceptible; 2 = Moderately susceptible; 3 = Moderately resistant; 4 = Highly resistant)

0	Chinch Bug Blissus spp. (give species: _____)
0	Sod Webworm Crambus spp. (give species: _____)
0	Bluegrass Billbug Sphenophorus parvulus _____)
0	White Grub (Japanese Beetle, Chafers. (give species: _____)
0	Greenbug Aphid Schizaphis graminum
	Other _____
	Other _____

14. *Give variety or varieties that most closely resemble the application variety. For the following characteristics indicate Degree of Resemblance by placing in the column marked D.R., one of the following numbers: 1 = Application variety is less than comparison variety; 2 = Same as; 3 = More than, better, greater, darker, more disease resistant, etc.*

CHARACTER	VARIETY	D.R.	CHARACTER	VARIETY	D.R.
Maturity-heading	Unique	2	Leaf width	Midnight	2
Height	Unique	2	Leaf color spring	Rita	2
Seed size	America	2	Leaf color summer	Rita	2
Seed weight	America	2	Leaf color winter	Langara	2
Cold injury	America	2	Drought	Unique	2
Heat	Unique	2	Disease **		
Shade	Unique	2	leaf spot	Unique	2

** *Specify each disease evaluated.*

15. ADDITIONAL DESCRIPTION:

Describe all characteristics and conditions that cannot be adequately described in this form in Exhibit D.

Mean initial heading dates for entries in a Kentucky bluegrass seed yield trial seeded fall of 2000 near Hubbard, OR.

Entry	2001	2002
Unique	05 May	02 May
Sonoma (LTP-1323)	03 May*	01 May*
America	23 April	26 April
Bordeaux (LTP-1135)	28 April	26 April
LSD (0.05)	**7 days**	**4 days**

2002 mean initial heading dates for entries in a single row Kentucky bluegrass seed yield trial seeded fall of 2001 near Hubbard, OR.

Entry	2002
Midnight	14 May
Sonoma (LTP-1323)	7 May
Bordeaux (LTP-1135)	6 May
Unique	4 May
Nugget	4 May
LSD (0.05)	**7 days**

*** = Significant compared to America**
**** = Significant compared to America and Unique**
***** = Significant compared to Unique**

#20030157

14.

TABLE 12.

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	CO1	IA1	IL2	IL3	IN1	KY1	MA1	MD1	ME1	MI1	MO1	NC1	NE1	NE2	NJ1	NJ2	NY1	OH1	OK1	PA1	RI1	SD1	UT1	VA1	WA1	WA3	WI1	MEAN
BA 84-140	7.0	8.7	7.7	8.3	7.7	8.0	9.0	9.0	9.0	7.7	7.3	7.7	9.0	9.0	7.7	7.7	6.0	8.7	9.0	8.7	8.0	7.7	7.0	6.7	9.0	7.0	6.0	7.9
MOONLIGHT	8.0	8.0	8.0	8.0	7.3	9.0	7.0	7.3	9.0	7.7	8.3	7.7	8.0	8.7	7.7	7.7	6.0	8.7	8.0	8.3	8.3	7.0	7.3	7.7	8.7	6.7	6.0	7.8
CHICAGO II	7.3	8.3	8.3	8.0	7.3	8.0	8.3	8.0	9.0	6.7	7.3	7.7	8.3	8.3	8.0	7.3	6.0	9.0	8.7	8.7	8.0	6.0	6.7	5.7	8.0	7.3	6.7	7.7
IB7-308	6.3	8.3	8.0	7.0	7.0	9.0	7.0	8.0	9.0	6.3	6.7	8.0	8.7	8.0	8.3	8.0	6.3	8.7	8.0	9.0	7.0	7.0	7.0	6.7	9.0	7.3	6.0	7.6
PST-B5-89	7.3	8.3	8.3	8.3	7.3	8.7	6.3	8.0	9.0	7.0	6.7	7.3	8.0	8.0	8.0	8.7	5.7	8.7	8.0	8.7	7.3	6.0	7.0	7.0	8.7	7.0	5.7	7.6
BLUE RIDGE (A97-1449)	7.3	8.0	6.3	6.3	7.7	9.0	7.0	8.7	8.0	7.0	7.7	7.0	7.7	8.3	6.7	8.7	5.7	8.0	7.7	7.7	8.0	7.3	6.0	7.0	8.7	7.0	6.3	7.4
QUANTUM LEAP	7.7	8.3	8.0	6.0	7.0	9.0	6.7	8.0	8.7	7.3	7.0	6.3	8.0	7.7	7.7	6.3	6.0	8.0	8.3	7.7	8.7	6.7	6.3	6.3	8.3	7.0	6.3	7.4
AWARD	7.7	8.3	7.0	6.3	6.7	9.0	6.7	7.7	8.7	7.7	7.3	7.7	7.3	7.3	6.7	6.0	6.0	8.3	8.3	6.7	7.7	6.0	6.3	6.3	9.0	7.0	6.7	7.3
PST-222	7.0	8.0	5.3	7.7	7.3	9.0	6.7	8.0	8.7	7.0	6.3	7.3	7.3	7.7	7.7	7.0	6.0	8.0	8.0	7.7	7.7	6.7	6.3	6.7	9.0	6.7	5.7	7.3
J-1513	7.0	8.7	8.0	5.7	7.0	9.0	6.3	7.0	8.7	7.7	7.3	7.0	7.3	7.7	7.7	5.0	6.0	8.0	8.0	7.7	8.3	6.3	6.3	6.0	8.3	7.0	7.0	7.3
J-2890	6.3	8.3	8.7	5.7	7.0	9.0	6.0	7.3	9.0	7.0	6.7	6.0	7.0	8.0	7.7	6.0	6.0	8.0	8.0	8.0	7.7	5.7	6.7	6.7	9.0	7.7	6.3	7.2
BOOMERANG	7.0	8.3	7.0	6.7	7.0	7.7	7.3	7.7	8.0	6.7	6.0	7.0	8.3	9.0	6.3	7.7	6.3	8.3	8.0	7.0	8.0	7.0	6.7	6.0	8.7	5.7	6.0	7.2
BAR PP 0566	6.7	8.3	5.7	7.3	7.3	8.0	6.3	8.0	8.7	7.3	7.7	7.0	7.7	7.7	8.3	7.0	6.0	7.3	8.0	7.3	7.3	7.0	6.7	5.3	8.0	6.7	6.0	7.2
BLUESTONE (PST-731)	7.7	8.3	8.0	5.3	6.3	8.7	6.3	7.7	7.7	7.0	7.7	6.0	7.7	8.0	7.3	5.7	5.7	8.0	8.7	7.7	8.0	6.7	6.7	5.3	8.7	7.0	7.0	7.2
IMPACT	8.0	8.0	7.3	4.3	6.7	9.0	6.3	7.7	8.3	7.3	7.3	6.7	8.0	8.3	7.0	6.3	6.0	8.0	8.0	8.0	7.3	5.7	6.7	6.0	9.0	7.3	6.0	7.2
J-1515	6.7	8.3	7.7	6.0	6.3	8.7	6.7	7.0	8.7	7.3	8.0	6.7	7.7	7.0	7.7	6.0	6.0	8.3	8.3	8.0	7.7	6.3	6.3	5.7	8.7	6.3	6.3	7.2
J-1838	6.3	8.0	6.7	6.0	7.0	9.0	6.7	7.3	8.7	7.0	7.7	6.3	7.3	8.3	7.3	6.0	6.0	7.7	8.0	7.7	7.3	6.0	6.3	6.3	9.0	7.0	7.0	7.2
RUGBY II	8.0	8.0	7.0	5.3	7.0	8.7	6.7	7.3	8.7	7.3	7.3	5.3	7.7	7.7	7.7	5.0	6.0	8.0	8.7	7.0	8.0	6.0	5.7	6.7	8.7	7.7	7.0	7.2
BARRISTER (J-1655)	6.3	8.3	8.0	5.7	7.0	9.0	6.7	7.0	8.7	7.3	8.0	6.3	7.7	7.3	7.0	6.0	5.7	8.3	8.0	7.3	7.7	5.3	7.3	5.3	9.0	7.0	6.3	7.2
BLACKSTONE	8.0	8.3	5.7	6.3	6.7	8.7	6.3	7.0	8.7	7.7	7.7	7.7	8.0	7.3	6.3	6.7	6.0	8.3	7.3	6.7	7.3	6.0	6.7	6.7	9.0	6.3	6.3	7.2
J-1420	7.3	8.3	7.3	5.7	6.3	9.0	6.3	7.3	8.7	7.0	7.3	7.0	7.7	7.3	7.0	6.3	6.0	7.7	8.3	8.0	7.3	5.3	6.0	6.7	8.3	7.3	6.7	7.2
MIDNIGHT	8.0	8.0	7.3	5.0	6.3	8.3	6.0	8.0	8.7	7.0	7.3	7.0	7.7	7.3	7.0	6.3	5.7	8.0	8.3	7.3	8.3	6.7	6.7	6.0	8.7	6.3	6.3	7.2
A97-1409	5.7	8.0	7.7	7.7	7.0	8.7	7.0	7.7	8.3	7.0	6.3	8.3	7.0	7.0	6.7	7.3	4.7	7.3	7.7	7.3	7.7	6.3	6.3	7.3	8.7	7.0	6.0	7.2
EVEREST	7.0	8.0	7.0	4.7	7.0	9.0	6.7	7.3	8.7	6.7	7.3	6.3	7.7	8.0	7.3	6.0	6.0	7.7	8.0	8.0	7.7	6.3	6.7	7.0	8.7	6.3	6.3	7.2
EVERGLADE	7.0	8.0	7.7	4.7	6.7	9.0	6.3	7.3	8.3	7.0	7.3	5.7	7.3	7.7	7.7	6.0	5.7	8.0	8.3	7.7	7.7	6.3	6.7	6.7	9.0	7.3	6.3	7.2
MIDNIGHT II (A98-739)	5.0	8.7	7.7	6.7	6.3	9.0	6.0	8.0	8.7	6.7	6.7	6.3	7.7	7.7	7.3	5.7	6.0	8.0	8.3	8.0	7.7	5.3	6.3	6.7	8.3	7.3	6.7	7.1
J-1368	7.0	8.3	8.3	5.3	6.3	8.7	6.3	7.3	8.3	6.7	7.0	5.7	7.3	7.7	8.3	6.0	6.0	8.0	7.7	8.0	7.0	6.0	6.3	6.7	8.7	7.0	6.7	7.1
A98-407	5.7	8.0	6.3	5.0	7.0	8.0	6.7	7.7	9.0	6.3	7.0	6.3	8.0	7.7	7.7	7.7	6.0	7.7	8.0	8.7	8.0	7.0	6.3	6.0	8.3	7.0	5.3	7.1
BLUE KNIGHT	7.0	8.3	5.3	5.7	7.0	7.3	7.3	8.0	8.3	7.0	7.3	7.0	8.0	8.0	6.7	6.7	5.7	8.0	8.0	7.3	8.0	5.7	6.3	7.3	8.3	6.7	6.0	7.1
EXCURSION (J-1648)	7.0	8.0	7.0	6.7	7.0	9.0	7.0	7.0	8.7	7.0	6.7	6.3	7.7	7.3	7.3	6.0	5.7	8.0	8.3	7.0	7.0	5.3	6.0	6.3	9.0	7.0	6.7	7.1
J-2561	6.7	8.3	7.3	5.0	6.7	8.7	6.3	7.3	8.0	7.0	7.3	6.7	7.7	7.7	7.3	6.0	5.7	7.7	8.0	7.7	7.7	6.0	6.0	6.3	8.7	7.3	7.0	7.1
NA-K991	7.0	8.0	6.3	6.0	7.3	7.7	7.0	8.0	9.0	6.3	7.0	6.0	7.7	7.7	6.3	8.0	6.0	8.0	8.0	6.3	7.3	6.7	6.3	6.3	8.3	7.0	6.3	7.1
J-2695	7.0	8.7	7.3	5.0	7.0	9.0	6.7	7.0	8.7	7.0	7.0	6.7	7.3	7.7	6.7	5.3	6.0	8.0	8.0	7.7	7.7	6.0	6.3	6.0	8.7	7.0	6.7	7.1
BEYOND (J-1880)	6.0	8.0	7.3	5.3	6.7	8.3	5.7	7.3	8.7	7.3	7.3	6.7	7.0	7.3	7.3	7.3	5.0	8.3	7.7	8.0	7.7	6.3	6.3	6.3	8.3	7.3	6.3	7.1
PST-604	7.7	8.0	5.7	8.3	7.3	8.0	6.3	7.3	8.7	6.0	7.3	6.7	8.0	7.3	7.0	7.7	6.0	8.0	8.0	6.7	7.0	5.0	6.0	6.3	8.0	6.7	6.3	7.1
FREEDOM II	7.0	8.3	6.7	7.3	6.7	8.0	6.7	7.7	8.3	7.7	7.3	7.7	7.0	7.3	5.7	6.0	6.0	8.0	7.7	6.7	7.7	6.0	7.0	6.0	8.0	5.3	7.0	7.1
ARCADIA	7.3	8.0	7.7	4.0	6.7	9.0	6.0	7.7	9.0	7.0	7.3	6.7	7.3	7.3	6.7	5.7	6.0	8.0	8.0	7.3	7.3	5.3	6.3	6.7	8.7	6.3	7.0	7.0
UNKNOWN	6.3	8.7	7.0	5.7	6.3	8.0	6.3	7.7	9.0	7.0	7.3	6.3	7.7	7.7	7.3	5.7	5.7	7.7	8.3	7.7	7.3	5.3	6.7	6.0	8.3	6.3	6.3	7.0
TOTAL ECLIPSE	8.0	8.0	6.7	4.3	6.0	8.7	6.3	7.7	9.0	8.0	7.7	5.7	7.3	7.7	7.3	5.3	5.7	7.3	7.7	7.0	7.0	6.3	6.3	6.3	8.7	6.7	7.0	7.0
TSUNAMI (J-2487)	7.0	8.7	7.0	4.7	6.7	9.0	6.0	7.3	8.3	7.0	7.0	5.7	7.3	7.3	7.0	5.7	6.0	8.7	8.0	7.7	7.3	5.7	6.3	5.7	8.3	6.7	7.0	7.0
A97-1432	5.3	9.0	6.0	6.3	6.7	8.7	6.0	7.3	9.0	7.0	7.0	7.0	7.7	8.0	6.7	5.7	5.7	7.3	8.0	7.0	8.0	6.0	6.7	5.7	8.0	6.7	6.0	7.0
MALLARD (A97-1439)	6.7	8.0	6.0	6.0	7.0	8.7	6.3	7.7	9.0	7.3	7.0	7.3	7.7	7.3	6.3	6.0	5.0	7.3	8.0	6.7	7.0	6.7	6.0	6.7	8.0	6.7	6.0	7.0
A98-365	5.3	8.0	6.0	8.0	7.0	9.0	6.3	7.0	8.7	7.0	6.7	5.7	7.7	8.0	7.0	5.7	6.0	7.3	7.7	7.0	7.7	6.0	6.0	6.0	8.3	7.0	6.0	7.0
SRX 27921	7.0	8.3	6.0	7.0	6.0	7.0	5.3	7.3	8.3	7.0	5.7	6.3	7.7	7.7	7.7	4.7	5.7	8.7	8.0	6.7	7.3	7.0	6.3	6.0	9.0	7.3	6.7	7.0

15.

2003015 7

TABLE 12. (CONT'D)

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	CO1	IA1	IL2	IL3	IN1	KY1	MA1	MD1	ME1	MI1	MO1	NC1	NE1	NE2	NJ1	NJ2	NY1	OH1	OK1	PA1	RI1	SD1	UT1	VA1	WA1	WA3	WI1	MEAN
BH 00-6003	6.3	8.0	7.3	6.0	7.0	9.0	6.7	7.7	8.7	6.7	5.7	6.7	7.7	8.0	6.7	6.3	5.7	7.0	8.0	7.0	7.7	6.0	6.0	6.0	8.7	5.7	5.7	7.0
BOUTIQUE	7.3	8.3	5.3	6.7	6.0	7.7	6.3	7.3	9.0	7.0	7.0	7.3	7.3	7.3	6.3	6.3	6.0	8.7	8.0	7.0	6.3	5.0	6.7	7.0	7.7	6.7	6.0	7.0
BORDEAUX	7.0	8.0	6.0	6.3	6.7	9.0	6.7	8.0	9.0	6.7	6.7	6.7	8.0	7.3	6.7	5.3	6.0	7.7	7.7	6.0	6.0	6.0	6.3	6.3	8.7	6.7	6.0	6.9
J-2885	6.7	8.0	7.7	5.7	6.3	8.7	6.7	7.0	7.3	6.7	6.7	6.0	7.7	8.0	7.0	5.3	5.7	8.3	8.0	7.0	7.3	6.0	6.0	6.0	7.7	6.3	7.0	6.9
NA-K992	6.7	8.0	7.3	6.3	6.7	9.0	6.3	7.3	8.3	7.0	6.0	5.0	7.3	7.3	5.7	7.0	6.0	8.0	7.0	6.3	8.3	6.3	6.0	6.7	8.7	5.3	6.0	6.9
SRX 2394	6.3	8.0	5.3	6.7	6.0	8.0	6.3	7.0	8.7	7.0	6.3	7.7	7.0	7.3	6.3	6.0	6.0	8.3	8.0	6.7	7.0	6.0	6.0	6.3	8.3	7.0	6.0	6.9
BLACKSBURG II (PST-1BMY)	7.7	8.0	6.7	4.7	7.0	9.0	6.3	8.0	7.3	6.7	7.0	7.0	7.0	7.7	6.0	7.0	5.7	7.3	7.3	6.0	7.0	6.0	6.3	6.7	7.7	6.3	6.0	6.9
NUGLADE	8.0	8.0	6.0	4.3	6.3	8.7	6.0	7.3	8.3	8.0	7.7	6.3	7.3	6.7	6.3	5.0	5.7	8.0	8.0	6.0	7.0	5.3	6.7	6.3	8.7	6.7	6.7	6.9
PICK-232	6.3	8.0	6.0	8.3	6.3	9.0	6.3	7.3	8.3	7.3	7.0	6.7	7.3	7.7	7.3	5.0	6.0	7.0	8.0	6.3	6.3	5.7	6.7	5.0	8.0	6.0	6.0	6.9
MOON SHADOW (PICK 113-3)	7.7	8.7	7.3	8.0	6.7	9.0	4.7	7.3	9.0	6.3	5.7	6.3	6.3	7.0	5.3	6.0	6.0	7.7	7.7	6.3	7.0	6.3	7.0	5.0	8.3	6.0	6.3	6.9
A96-451	5.7	8.0	6.0	5.7	6.0	8.3	6.7	8.0	8.7	7.3	6.7	7.3	7.0	7.0	6.7	7.3	6.0	8.0	7.7	7.0	6.3	5.3	6.3	4.7	8.3	6.3	6.0	6.8
A98-183	5.0	8.0	7.7	5.0	7.0	9.0	4.3	7.0	9.0	6.7	6.0	7.0	7.7	7.0	6.7	7.3	5.3	7.3	7.7	8.0	7.3	6.3	6.3	6.0	7.7	6.0	6.0	6.8
ODYSSEY	7.7	8.3	7.3	4.0	6.3	8.3	6.0	7.0	8.7	7.0	6.7	6.3	7.3	7.0	6.3	5.3	6.0	8.0	8.0	7.0	8.0	5.0	6.3	5.0	8.3	6.3	6.3	6.8
A96-739	6.0	8.0	5.7	7.0	7.0	8.7	6.0	6.3	8.7	7.0	6.0	6.3	7.3	7.0	6.3	6.0	5.3	7.7	8.3	6.7	7.0	6.0	6.3	5.7	8.3	7.0	6.0	6.8
MONTE CARLO (A96-402)	6.3	8.0	6.0	6.0	7.0	7.3	6.7	7.3	8.7	7.0	6.3	6.3	6.7	7.3	7.7	6.3	6.3	7.3	7.7	6.7	7.3	5.3	6.3	5.7	8.0	6.0	6.0	6.8
BA 83-113	7.7	8.0	6.0	5.3	6.7	8.7	5.3	7.7	8.3	7.0	6.3	6.3	7.0	7.0	6.3	6.7	6.0	7.7	7.7	6.3	7.3	5.7	5.3	7.3	7.7	5.7	6.0	6.8
LIBERATOR	8.0	8.0	5.0	4.3	6.0	8.7	5.3	7.0	8.0	6.7	7.3	7.0	7.0	7.0	6.0	5.3	5.7	8.0	8.0	6.7	8.0	5.7	6.7	6.3	8.3	6.7	6.3	6.8
BA 00-6001	7.0	8.3	4.7	6.7	6.3	9.0	6.0	7.0	8.3	6.7	6.3	7.0	6.7	7.0	6.7	4.7	5.7	7.7	8.0	7.3	7.0	6.0	6.3	5.7	8.3	6.0	6.0	6.8
BODACIOUS	7.0	8.0	6.0	5.7	6.0	7.3	6.3	7.7	8.0	6.7	5.7	5.3	7.7	8.3	6.7	6.3	6.3	8.3	7.7	6.7	7.7	6.0	6.3	5.0	8.3	6.0	5.3	6.8
BAR PP 0573	6.7	8.0	5.0	6.3	6.3	8.3	4.3	7.7	8.3	6.7	7.3	6.3	7.0	7.7	5.3	5.3	6.3	8.0	7.7	6.7	7.3	7.0	6.3	5.7	8.0	6.3	6.0	6.7
A97-1715	5.7	8.0	8.0	5.7	6.0	9.0	5.3	7.3	8.0	7.0	6.7	8.0	7.3	7.0	5.7	5.3	6.3	7.7	7.7	5.7	7.0	5.0	6.0	5.7	8.0	7.0	6.0	6.7
PICK 453	6.7	8.0	6.3	5.7	6.3	8.0	5.7	7.3	8.0	7.0	6.3	6.3	7.3	7.3	7.7	7.0	6.0	7.3	7.3	5.7	6.3	6.0	6.0	5.3	8.0	6.0	6.3	6.7
PICK 417	6.3	8.0	6.0	4.7	6.0	7.7	5.3	7.0	8.0	7.0	6.7	7.0	7.7	7.3	7.0	7.3	5.3	7.7	7.7	5.7	6.3	6.0	6.0	6.0	8.3	6.0	6.3	6.7
H92-558	6.0	8.3	6.3	4.0	7.0	8.0	5.7	7.7	8.0	6.7	7.0	7.0	7.3	6.7	7.3	6.0	6.0	8.0	7.7	5.3	6.7	6.0	6.0	5.0	8.3	5.7	6.3	6.7
PP H 7907	6.7	8.0	5.3	5.7	6.3	7.3	6.3	7.0	8.0	7.0	6.7	7.0	7.3	7.3	6.0	5.7	5.7	8.3	7.3	6.3	7.3	6.3	5.7	5.7	8.0	6.0	5.7	6.7
SR 2284 (SRX 2284)	6.7	8.0	4.7	7.7	6.3	8.3	5.3	6.3	8.0	7.3	6.3	8.0	6.0	7.0	6.0	6.7	5.7	8.0	7.7	5.7	6.0	5.7	6.3	6.0	7.7	6.7	6.0	6.7
BA 82-288	7.7	8.0	5.3	5.3	6.3	8.0	5.3	8.0	8.3	7.7	6.3	6.7	7.3	7.0	5.7	6.3	6.0	6.7	8.0	5.0	6.7	6.0	6.3	6.0	7.3	6.0	6.0	6.6
PST-B5-125	7.3	8.0	5.0	5.7	6.0	8.3	4.3	7.0	8.7	7.3	6.3	6.7	6.7	7.3	5.7	6.0	5.7	7.7	8.0	6.7	6.7	5.3	7.3	6.0	7.7	6.0	6.0	6.6
SONOMA	6.3	8.0	5.7	5.3	6.3	8.7	5.0	7.3	8.7	6.7	6.3	6.0	7.0	7.3	6.0	5.3	6.0	7.7	8.0	6.7	7.0	5.0	6.0	6.3	8.0	6.7	6.0	6.6
GOLDSTAR (A98-296)	7.0	8.0	5.3	5.0	6.7	8.3	5.7	7.7	8.3	7.0	5.3	6.0	7.0	7.0	7.3	6.0	5.3	7.3	7.3	5.7	7.7	5.7	6.3	5.3	7.3	6.3	6.7	6.6
PST-161	6.7	8.0	5.7	8.0	6.0	8.7	4.0	7.3	7.3	7.3	6.0	7.7	7.0	7.0	6.0	5.7	6.3	8.0	7.3	4.7	7.3	5.0	6.3	5.3	8.0	5.3	6.3	6.6
RITA	6.3	8.3	6.0	5.0	6.7	9.0	6.0	7.7	8.3	7.0	5.3	6.0	7.3	6.7	5.3	6.0	6.0	7.7	7.7	4.3	6.7	5.7	6.0	6.7	8.7	6.0	6.0	6.6
ARROW (A97-1567)	6.0	8.0	4.7	5.0	6.3	9.0	4.3	7.3	8.3	7.0	6.7	5.7	7.0	7.7	6.0	5.7	6.0	8.0	7.7	6.7	6.3	6.0	6.3	5.7	8.3	6.0	6.0	6.6
BARONETTE (BA 81-058)	7.0	8.0	5.7	4.7	6.0	9.0	6.3	7.0	8.7	7.0	7.0	6.0	7.0	6.7	6.0	6.3	6.0	7.3	7.7	5.7	6.3	5.3	5.7	6.7	7.0	5.7	6.0	6.6
BEDAZZLED	6.0	7.3	4.3	6.0	6.7	8.3	5.7	7.0	8.7	7.0	7.3	7.3	6.3	6.7	5.3	4.7	6.7	8.0	8.0	6.3	6.7	5.3	6.0	5.3	7.3	6.0	6.7	6.6
PST-YORK HARBOR 4	7.3	8.3	4.0	6.0	6.3	8.7	4.7	7.7	8.3	7.0	6.0	6.0	7.0	6.7	6.0	6.7	5.0	7.3	8.0	6.0	6.7	5.0	6.3	5.7	8.7	6.0	5.7	6.6
PST-B3-170	7.3	8.0	4.3	4.3	7.0	8.0	4.3	7.3	8.3	7.0	6.3	7.0	7.0	7.3	5.0	6.0	5.7	7.7	7.7	6.7	6.3	5.3	6.0	5.3	8.0	6.7	5.7	6.5
ROYALE (A97-1336)	6.3	7.7	5.7	5.3	6.0	8.3	5.3	6.7	9.0	7.0	6.0	6.7	7.0	7.3	5.7	4.0	6.3	7.0	7.3	6.3	6.7	5.3	6.3	5.7	8.0	6.7	6.0	6.5
ASCOT	7.0	8.0	5.0	5.7	6.3	7.7	4.0	7.3	8.0	6.7	6.0	5.3	7.3	7.3	7.3	4.7	5.7	7.7	7.7	6.7	6.7	6.3	6.0	5.7	7.7	5.7	6.0	6.5
PST-H5-35	7.0	8.0	4.7	4.3	6.3	6.7	6.0	7.0	8.0	7.0	6.7	5.3	7.0	7.3	7.0	5.0	6.0	7.0	8.0	6.0	6.7	5.7	6.3	5.3	8.0	6.7	6.3	6.5
SRX 2114	6.7	8.0	3.3	6.3	6.3	8.0	4.3	8.0	7.7	6.7	6.0	7.0	7.0	7.3	5.7	5.7	5.7	8.0	7.3	6.0	6.0	6.3	6.0	5.7	7.7	6.0	6.3	6.5
PRINCETON 105	.	8.0	5.3	4.7	6.0	8.3	5.7	7.0	8.0	7.0	5.7	6.3	7.0	7.0	5.7	5.3	6.0	7.3	7.3	6.3	7.3	5.7	4.7	7.0	8.3	5.3	6.0	6.5
H94-293	6.0	8.0	3.7	6.7	6.7	7.3	5.7	7.0	8.7	7.3	6.3	6.3	7.0	7.3	5.7	3.3	5.7	7.3	8.3	6.7	6.0	5.0	5.7	6.0	8.0	6.3	6.7	6.5
CHAMPLAIN (A98-1275)	7.0	8.0	5.3	5.0	6.0	8.7	5.3	7.3	7.7	6.7	5.7	6.7	7.0	7.3	6.7	5.7	5.0	7.0	7.0	6.3	6.3	5.0	6.0	6.3	7.7	5.0	6.0	6.4
PP H 7929	7.0	8.0	5.7	4.3	6.0	7.0	5.3	6.7	8.0	7.0	6.3	5.7	6.7	7.7	5.0	5.0	5.3	8.0	7.7	6.0	7.0	5.7	6.0	5.7	8.7	6.0	6.3	6.4

2003 0157

16.

TABLE 12. (CONT'D)

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	CO1	IA1	IL2	IL3	IN1	KY1	MA1	MD1	ME1	MI1	MO1	NC1	NE1	NE2	NJ1	NJ2	NY1	OH1	OK1	PA1	RI1	SD1	UT1	VA1	WA1	WA3	WI1	MEAN
PRO SEEDS - 453	.	8.0	4.7	6.0	6.0	9.0	4.7	6.3	8.3	6.3	5.7	5.7	6.7	7.0	6.0	4.3	6.0	7.0	7.7	6.3	7.0	5.3	6.3	6.3	8.0	6.0	6.3	6.4
NORTH STAR	7.0	7.7	5.3	5.3	5.7	8.3	4.7	6.7	8.0	7.3	6.3	5.7	7.3	7.0	4.7	4.3	6.0	7.3	7.7	6.7	7.0	5.7	6.0	5.7	8.3	6.0	5.7	6.4
WILDWOOD	7.0	8.0	4.7	5.7	6.3	8.0	4.3	7.7	8.0	7.0	5.7	6.7	6.7	7.3	5.0	6.0	5.3	7.3	7.3	5.3	6.3	5.3	6.0	6.0	7.3	6.3	6.3	6.4
PST-B4-246	7.7	8.0	3.3	4.3	6.3	8.0	3.3	7.3	7.7	7.0	6.0	6.0	6.7	7.7	5.7	4.7	5.7	7.7	8.0	5.7	7.0	6.3	6.3	6.0	8.3	6.0	6.0	6.4
A98-139	5.3	8.0	4.7	5.0	6.0	8.0	4.3	6.7	8.3	6.7	6.0	6.7	6.7	7.0	6.3	6.0	6.0	7.0	7.7	5.3	7.3	4.3	6.3	6.7	8.3	6.0	6.0	6.4
SI A96-386	6.7	8.0	4.7	5.3	6.0	8.0	4.7	7.0	8.3	7.3	5.3	6.7	6.7	7.0	5.7	4.7	5.7	8.0	7.3	6.7	6.7	6.0	6.0	4.3	8.3	5.7	6.0	6.4
SRX QG245	6.7	7.7	6.0	5.0	6.3	7.7	5.0	7.0	8.0	7.3	6.3	5.3	6.7	6.7	4.7	6.0	5.7	7.7	7.3	6.0	6.3	4.0	6.3	7.0	7.7	6.3	6.0	6.4
HALLMARK	6.0	8.0	4.3	5.3	6.0	7.7	3.7	8.0	7.0	7.3	5.7	6.7	7.0	7.3	6.0	5.0	6.0	8.0	7.7	5.7	6.7	5.3	5.7	6.3	7.7	6.3	6.0	6.4
A96-427	5.7	7.7	6.0	5.3	6.7	8.0	5.3	7.7	8.3	6.3	6.7	6.7	6.7	7.0	5.0	5.3	5.7	7.3	7.3	5.3	6.3	5.0	5.7	5.0	7.7	6.0	6.3	6.4
PP H 7832	6.0	8.3	3.7	6.0	6.0	7.3	4.0	7.3	8.0	6.3	6.7	7.0	7.7	7.7	5.0	4.3	5.7	7.0	7.7	5.3	7.0	5.7	6.3	5.7	8.7	5.0	6.3	6.4
LANGARA	6.7	8.0	3.0	7.3	5.3	8.7	5.0	6.7	7.7	7.3	5.7	5.7	6.7	6.3	6.0	4.7	5.7	7.3	8.0	5.0	6.7	5.3	6.0	5.7	8.0	6.0	6.3	6.3
RAMBO	6.7	7.3	4.7	3.0	5.7	8.7	6.0	7.7	8.0	7.3	5.7	6.0	7.0	7.0	6.7	4.3	6.0	7.3	7.7	5.0	7.0	5.0	6.0	6.0	7.0	6.0	6.0	6.3
99AN-53	6.0	8.0	3.7	7.3	6.3	8.3	5.7	7.0	7.7	6.7	6.3	6.0	6.7	6.7	4.7	5.7	6.3	7.3	7.3	5.7	6.0	5.3	5.7	6.3	7.7	5.3	5.0	6.3
SRX 26351	6.0	8.0	5.3	5.0	6.0	7.3	5.3	6.3	8.3	6.7	5.0	6.0	7.0	7.7	4.7	5.0	5.7	8.0	8.0	5.7	6.3	5.0	6.3	6.3	8.3	4.7	6.0	6.3
SHOWCASE	7.3	8.0	4.0	8.0	5.7	7.3	5.0	6.7	8.3	7.0	5.7	6.0	7.7	6.0	5.0	4.0	6.0	8.0	7.7	5.7	6.0	5.3	6.0	3.7	7.7	6.0	6.3	6.3
PST-1QG-27	7.3	8.0	3.0	7.3	6.0	8.0	4.7	6.7	8.0	7.0	6.3	5.3	6.3	6.7	5.7	3.7	5.7	7.7	8.0	6.3	6.0	5.0	5.3	4.3	8.3	6.7	6.3	6.3
* UNIQUE	7.0	7.3	2.3	8.3	6.3	7.7	5.0	6.3	8.0	7.0	6.3	6.3	6.3	6.0	4.7	3.3	5.7	8.3	8.0	6.3	6.0	6.0	6.3	5.0	7.3	5.7	6.3	6.3
B3-171	7.0	8.0	2.0	8.0	5.7	7.7	4.7	6.7	8.0	7.0	6.3	6.0	6.3	7.0	5.3	4.7	5.3	7.3	8.0	6.0	5.7	6.0	6.3	4.0	7.3	6.7	6.3	6.3
A98-881	5.7	7.3	6.0	4.7	6.3	8.3	5.3	7.0	7.7	7.0	6.3	6.3	7.0	6.7	4.3	5.3	6.0	7.0	7.0	5.7	6.7	5.7	5.3	6.3	7.7	4.7	5.3	6.2
CABERNET	6.7	8.0	5.3	4.7	5.3	9.0	3.7	7.0	8.0	6.3	5.7	7.3	6.7	7.0	5.7	4.3	5.7	7.3	7.7	5.0	6.0	5.7	6.0	5.7	7.0	6.0	6.0	6.2
PST-H6-150	7.7	7.7	2.7	7.0	6.0	7.3	5.7	7.0	8.3	6.7	5.0	7.3	6.3	6.3	5.7	3.7	5.3	7.3	7.7	6.0	5.3	6.0	6.0	4.7	8.3	5.0	6.3	6.2
HV 140	6.0	8.0	3.0	5.0	5.3	7.3	4.7	7.0	7.0	7.0	6.3	5.0	7.3	7.0	5.3	4.0	6.3	7.7	8.3	6.0	6.3	5.7	6.0	6.3	8.0	6.3	6.0	6.2
BAR PP 0471	6.7	8.0	3.7	6.7	5.7	7.3	4.3	6.7	7.7	6.7	5.3	6.3	6.3	6.3	5.3	3.7	6.3	8.0	7.7	6.0	6.3	5.7	6.3	3.7	8.0	6.7	6.3	6.2
DLF 76-9037	6.3	7.7	2.0	7.3	5.7	8.0	4.7	7.0	8.0	6.7	6.0	6.3	7.0	6.7	6.0	4.0	6.0	7.3	8.0	5.7	5.7	5.0	6.3	4.3	8.0	5.3	6.3	6.2
HV 238	6.7	8.0	4.0	4.7	6.0	8.0	5.0	7.0	7.7	7.0	7.0	6.7	7.0	7.0	4.7	5.7	6.0	5.7	7.0	5.0	6.0	5.0	5.7	7.0	6.7	5.3	6.0	6.2
JULIA	6.3	8.0	4.3	4.3	6.0	7.0	4.7	7.0	8.0	7.3	6.7	4.3	7.7	7.0	5.3	5.0	6.0	7.0	7.0	5.3	7.0	5.3	5.7	6.3	8.0	4.7	6.0	6.2
SHAMROCK	6.3	7.0	5.3	5.0	6.0	8.0	6.3	7.0	7.7	6.7	6.7	6.0	6.7	6.3	5.3	5.0	6.0	7.3	7.0	4.3	7.0	4.7	4.7	6.0	7.3	5.0	6.0	6.2
PP H 6370	6.7	8.0	1.7	5.0	5.7	8.7	6.0	6.3	7.7	7.0	6.3	7.3	6.7	7.0	4.7	4.7	5.7	7.0	6.7	5.0	6.3	5.3	6.0	6.3	7.3	5.0	6.0	6.1
A97-1330	6.0	8.0	2.7	7.7	5.7	8.0	4.3	6.7	7.7	6.7	6.0	6.3	6.3	7.0	5.3	3.7	6.0	7.3	7.7	6.3	5.7	5.0	6.3	4.0	7.7	6.0	6.0	6.1
H92-203	6.7	7.7	2.7	6.3	5.7	7.7	4.7	6.7	8.0	7.0	5.7	6.0	7.0	6.0	5.3	3.7	6.0	7.7	8.0	5.3	5.7	6.0	6.7	3.3	7.7	5.7	6.3	6.1
APOLLO	.	7.7	2.3	7.3	6.3	7.3	5.0	6.3	7.7	7.3	5.7	5.7	6.0	6.0	5.0	4.0	5.3	7.7	8.0	5.3	6.3	5.0	6.0	5.0	8.3	6.0	6.0	6.1
B3-185	6.7	8.0	2.0	6.3	5.7	7.7	4.0	7.0	7.7	6.7	5.7	6.0	6.3	6.3	5.3	3.7	6.0	7.7	8.0	6.3	6.0	5.3	6.0	4.3	7.7	6.3	6.0	6.1
CVB-20631	6.0	8.0	4.0	4.7	5.7	6.7	4.0	7.0	7.3	6.7	6.3	5.0	7.7	7.7	5.7	4.7	5.7	7.7	7.3	5.7	6.3	5.3	5.7	5.0	7.7	4.7	5.7	6.1
BRILLIANT	7.0	7.7	1.7	7.7	5.3	7.0	4.3	6.7	8.0	6.3	6.3	5.7	6.0	6.3	5.7	4.0	6.3	7.3	8.0	6.0	6.0	5.0	6.0	3.7	7.7	6.0	6.0	6.1
A97-857	5.7	8.0	3.3	4.7	5.0	8.3	3.3	5.7	7.3	6.3	5.7	7.3	6.7	7.0	5.3	4.7	6.0	7.3	8.0	4.7	6.3	6.0	5.7	5.7	6.7	6.3	6.3	6.0
MARQUIS	6.3	8.0	4.3	3.3	6.0	7.7	5.7	6.0	7.7	6.7	6.7	5.0	6.3	6.3	4.7	4.3	6.3	7.3	7.0	5.3	6.3	6.0	6.0	5.3	8.0	5.0	5.7	6.0
ALPINE	6.0	8.0	3.0	4.3	5.7	8.0	3.0	7.3	7.7	7.0	6.0	6.0	6.7	6.7	6.3	4.0	5.3	6.7	7.3	6.0	6.7	5.0	5.3	5.7	8.0	5.0	6.3	6.0
CHELSEA	6.3	7.7	2.7	4.7	6.0	7.3	4.7	6.3	7.3	7.0	5.0	7.0	7.7	8.0	4.7	3.0	5.3	7.7	7.7	6.3	6.0	5.3	6.0	5.3	7.7	4.7	5.7	6.0
B5-43	7.3	8.0	3.0	4.3	5.7	8.0	5.7	6.0	7.7	6.7	6.0	4.7	7.3	7.7	4.7	3.0	6.0	7.7	7.7	5.0	6.0	4.7	6.0	5.7	8.0	4.7	6.0	6.0
PST-1804	7.0	7.3	5.0	4.0	5.3	8.7	5.7	6.7	6.3	7.0	6.3	5.3	6.7	6.7	4.0	4.3	6.3	6.7	7.0	5.0	6.7	4.3	5.0	6.3	7.0	5.7	6.3	6.0
CHAMPAGNE	6.7	7.0	4.7	5.3	6.0	8.3	3.7	6.7	8.0	6.7	6.3	6.3	6.3	7.0	5.0	5.3	6.3	6.3	7.7	3.7	6.0	4.0	5.0	5.3	7.0	5.7	6.3	6.0
ROYCE (A98-304)	6.3	8.0	1.7	6.7	5.7	7.3	4.3	6.7	8.7	7.0	5.3	5.7	6.3	6.7	5.0	3.3	5.7	7.7	8.0	6.3	5.7	5.0	5.7	3.7	8.0	6.3	6.0	6.0
BARON	6.0	7.7	4.0	4.0	5.3	7.3	4.7	7.0	7.0	7.0	6.0	5.7	6.3	6.7	4.7	4.7	6.3	7.3	7.3	5.3	6.7	5.0	6.0	6.0	7.3	5.3	5.7	6.0
GOLDRUSH	6.3	8.0	4.3	5.0	5.7	8.3	3.7	6.7	6.7	6.7	6.0	4.7	6.3	6.0	4.7	4.0	5.7	7.3	7.0	5.3	6.3	6.0	6.0	6.3	7.3	6.0	6.0	6.0
BAR PP 0468	6.7	7.7	1.7	5.3	5.3	7.7	4.3	6.7	8.0	6.7	5.3	5.7	6.3	6.3	6.0	3.3	5.3	7.3	8.0	6.3	6.3	5.7	6.3	4.3	8.0	6.0	5.3	6.0

TABLE 12. (CONT'D)

GENETIC COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

2003 0015 7

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	CO1	IA1	IL2	IL3	IN1	KY1	MA1	MD1	ME1	MI1	MO1	NC1	NE1	NE2	NJ1	NJ2	NY1	OH1	OK1	PA1	RI1	SD1	UT1	VA1	WA1	WA3	WI1	MEAN
JEWEL	6.0	7.7	3.0	5.7	6.0	9.0	4.3	7.0	6.7	6.0	5.3	4.7	6.0	6.3	5.0	4.3	6.0	7.0	7.0	6.3	6.7	5.0	6.3	5.7	7.0	6.3	5.7	6.0
BARITONE	6.3	8.0	4.3	4.3	5.7	7.3	3.3	6.7	7.3	7.0	6.3	5.7	7.3	7.0	4.3	5.3	5.7	7.0	7.3	4.3	7.0	5.3	5.0	6.0	8.0	3.3	6.0	6.0
DLF 76-9032	6.7	8.0	3.0	5.0	6.0	7.0	3.3	6.3	8.0	6.7	5.0	4.7	5.7	6.7	6.0	3.7	6.3	7.7	7.3	5.7	6.3	6.0	5.3	5.3	7.7	5.7	6.3	6.0
ABBEY	6.0	7.7	4.0	4.0	5.7	8.0	5.3	6.3	6.3	7.0	5.3	5.0	6.3	6.0	3.7	4.7	6.3	7.7	7.0	5.7	5.7	5.0	6.0	6.3	7.7	6.0	6.3	6.0
A98-1028	6.0	7.3	5.0	4.0	5.7	8.7	4.7	6.3	7.7	6.3	6.0	5.0	6.7	7.0	4.3	5.0	6.0	7.3	7.0	4.7	6.3	5.0	5.0	6.0	7.0	4.7	6.0	6.0
LAKESHORE (A93-200)	7.0	7.3	4.7	4.0	6.0	7.7	5.7	6.3	7.0	5.7	6.3	5.3	7.0	7.0	5.0	4.3	5.3	6.7	7.0	4.7	7.0	4.7	5.7	5.7	7.0	5.0	5.7	6.0
B5-144	6.7	8.0	3.0	5.0	5.3	7.7	6.0	6.0	8.0	7.0	6.3	4.7	6.7	6.7	4.7	3.3	6.0	7.3	7.3	3.7	6.0	5.3	6.0	5.3	8.0	4.3	5.7	5.9
SERENE	6.0	7.7	3.3	6.3	5.3	7.3	5.0	6.3	7.7	7.0	6.7	6.0	6.7	6.0	3.7	3.0	5.7	7.0	7.0	4.7	5.7	5.7	6.0	6.3	7.0	4.7	6.3	5.9
MISTY	6.0	7.7	2.3	4.0	5.3	7.7	4.7	6.7	8.0	6.7	6.0	6.0	6.3	6.3	4.7	4.0	5.7	7.3	7.3	4.7	6.0	5.3	6.3	6.3	7.7	5.0	6.0	5.9
BARTITIA	6.0	8.0	3.0	4.3	5.3	7.0	4.0	6.7	7.3	7.0	6.3	5.0	6.7	7.0	4.0	3.7	5.7	7.0	7.0	5.7	7.3	5.0	5.3	5.3	7.7	5.7	6.7	5.9
BARZAN	6.3	7.0	2.3	4.7	5.0	6.7	5.0	6.7	7.3	6.3	6.3	5.7	7.3	7.3	3.7	3.7	5.7	7.0	7.3	5.3	6.3	5.7	6.0	6.7	7.3	5.0	6.0	5.9
FAIRFAX	7.0	7.7	3.7	5.0	5.3	7.3	6.0	6.7	7.3	6.7	5.7	4.7	6.3	7.3	4.0	2.7	6.0	7.3	7.0	4.7	6.3	5.0	6.0	5.3	8.0	5.0	5.3	5.9
RAVEN	6.3	7.7	3.7	4.0	5.3	6.7	4.7	6.0	6.3	7.0	6.0	4.0	6.3	6.0	3.7	4.7	6.0	7.3	7.0	6.0	7.0	6.0	5.7	5.7	8.3	6.0	6.0	5.9
ALLURE	6.0	8.0	4.0	4.3	5.7	8.0	5.0	6.7	7.0	6.7	5.7	3.7	6.7	7.0	4.7	3.3	6.0	8.0	7.7	5.0	6.7	4.7	6.0	5.0	7.3	4.7	5.3	5.9
BROOKLAWN	6.7	7.3	4.0	3.7	5.7	8.0	4.7	7.0	7.0	6.0	6.3	6.3	6.3	7.3	5.0	4.0	6.0	6.7	7.0	4.3	6.7	4.3	5.3	6.0	6.3	5.0	5.7	5.9
PST-108-79	7.0	8.0	5.0	4.3	5.3	7.3	4.0	6.7	8.3	6.7	5.7	5.0	6.0	6.7	4.7	3.7	6.0	7.0	7.3	4.3	5.0	4.7	6.0	6.0	7.3	5.0	5.7	5.9
PST-1701	7.3	7.3	3.0	6.0	5.7	8.3	3.7	6.7	7.7	7.0	5.7	6.0	6.7	6.0	4.0	4.7	6.0	6.0	7.0	4.7	6.7	3.3	6.0	3.7	8.0	5.7	6.0	5.9
LIMERICK	6.7	7.7	3.3	5.0	5.3	8.3	4.0	6.3	7.7	7.3	6.0	6.0	6.3	5.7	4.0	3.7	6.7	7.0	7.0	4.3	6.0	5.0	6.0	4.3	7.3	4.3	6.3	5.8
BARIRIS	6.0	8.0	4.0	4.7	5.3	7.3	3.3	6.7	7.3	6.7	5.7	5.7	7.0	7.0	4.3	5.0	5.7	6.3	7.3	4.3	6.0	5.0	5.7	5.7	7.7	4.0	6.0	5.8
CHATEAU	6.0	8.0	2.3	4.3	5.3	7.0	5.7	6.7	7.7	7.3	5.7	4.0	7.3	7.0	4.0	3.0	5.7	7.3	7.3	4.7	6.0	4.7	6.0	5.3	7.7	5.3	6.0	5.8
DLF 76-9036	6.3	7.7	4.3	2.7	5.3	8.0	4.0	6.0	7.0	6.7	5.7	5.0	6.0	6.7	4.0	4.3	5.7	7.7	7.3	4.7	6.3	5.0	5.7	5.7	7.3	5.7	6.0	5.8
ENVICTA	6.3	7.7	3.3	3.3	5.7	7.0	4.3	6.3	6.0	6.7	6.0	4.0	6.0	5.3	4.7	5.0	6.0	7.0	7.3	6.3	6.3	5.7	6.0	5.3	7.3	5.7	6.0	5.8
LILY	7.0	7.7	3.0	4.3	5.7	7.7	6.0	6.7	7.7	7.0	5.7	5.0	6.7	6.3	3.3	3.0	6.3	7.7	7.0	4.0	5.7	4.0	5.3	6.0	7.7	4.7	5.7	5.8
B5-45	7.0	7.7	2.7	4.7	6.0	7.7	5.3	6.0	7.3	6.3	5.7	4.7	6.7	7.0	4.3	3.0	5.3	7.3	7.0	4.3	6.0	4.7	6.0	5.7	7.7	4.7	5.7	5.8
B4-128A	6.7	7.3	2.3	5.7	5.3	7.3	4.7	6.3	8.0	7.0	5.7	5.7	6.7	6.7	5.3	3.3	6.0	7.0	8.0	3.7	5.0	5.0	6.0	3.3	7.7	3.7	6.0	5.8
COVENTRY	6.0	7.3	2.3	4.7	5.3	7.3	5.0	6.3	6.7	7.3	5.7	4.7	6.7	7.0	4.0	3.0	5.7	7.7	7.0	4.0	6.0	4.0	5.7	5.7	8.0	5.0	6.3	5.7
JEFFERSON	6.0	7.3	2.0	3.3	5.7	8.0	4.7	7.0	8.3	6.7	5.7	5.7	6.7	6.0	3.7	4.0	6.0	5.7	7.0	3.7	5.7	4.3	5.7	5.3	7.3	5.3	6.0	5.7
LIMOUSINE	6.3	8.0	3.3	3.0	5.3	6.7	5.0	6.3	7.0	6.7	5.0	5.7	6.0	6.7	4.3	3.0	6.0	7.3	7.3	4.0	5.7	5.0	5.7	5.0	6.7	5.0	6.3	5.6
JULIUS	6.3	8.0	2.0	4.3	5.3	7.0	5.7	6.7	7.7	6.7	5.7	5.3	6.7	7.0	4.3	1.3	6.3	7.0	7.0	4.7	5.3	4.0	5.7	5.0	7.0	3.7	6.0	5.6
BARONIE	5.7	7.0	1.3	4.0	6.3	8.3	4.0	7.0	8.3	7.0	6.3	5.0	6.3	6.0	4.7	4.0	5.0	5.7	7.0	3.0	5.3	4.3	5.3	5.0	7.0	4.7	6.3	5.6
BH 00-6002	6.0	7.0	3.7	2.7	5.3	8.3	3.3	6.3	7.7	7.0	5.7	4.7	5.7	5.3	3.7	3.3	6.0	6.7	7.0	3.7	6.3	4.7	5.7	5.0	6.7	5.3	6.3	5.5
PP H 6366	6.0	8.0	1.0	5.3	5.3	6.7	5.0	6.0	6.0	6.7	5.7	5.0	6.7	6.0	4.0	2.3	6.0	7.3	7.7	3.7	6.0	3.3	6.3	4.0	8.0	4.7	6.0	5.5
WELLINGTON	7.0	7.3	2.7	6.3	5.0	7.7	2.3	6.0	5.7	6.0	5.0	4.7	5.7	5.3	4.0	3.0	5.7	6.3	7.0	5.3	5.7	4.0	6.0	5.7	7.0	5.0	5.7	5.4
WASHINGTON	7.0	7.0	1.0	4.7	5.3	7.3	4.0	6.0	6.3	6.3	5.0	3.7	6.3	6.3	3.3	3.7	5.7	5.7	7.0	5.0	6.3	4.0	5.0	5.3	6.7	4.7	6.3	5.4
A96-742	5.7	7.0	1.7	3.7	5.3	7.0	3.3	6.0	6.3	6.7	5.0	3.7	6.0	6.0	4.0	4.3	6.0	6.3	7.0	4.7	5.3	5.0	5.0	4.7	6.7	6.3	6.0	5.4
GO-9LM9	6.0	6.7	3.7	5.0	5.0	6.7	4.7	5.7	6.3	6.3	5.0	5.7	5.0	5.0	2.7	3.0	5.7	5.7	6.7	5.0	5.3	3.3	5.0	6.3	6.7	4.3	5.3	5.2
DLF 76-9034	6.3	7.0	1.3	3.7	5.0	7.0	4.0	6.7	6.0	6.0	5.0	5.3	5.0	6.3	4.0	4.7	6.3	5.7	7.0	3.7	5.7	3.3	4.7	5.3	5.7	5.3	5.7	5.2
EAGLETON	6.7	7.0	1.7	3.3	5.0	7.3	3.7	6.0	7.0	6.3	5.0	5.3	6.0	5.0	4.0	2.3	5.7	5.7	7.0	3.7	5.3	3.0	5.7	5.3	6.3	5.3	6.0	5.2
KENBLUE	4.7	7.3	1.3	4.3	5.0	6.7	3.0	5.3	6.7	7.0	5.0	3.3	5.0	6.0	3.7	2.7	5.7	5.3	6.7	5.7	5.0	4.0	4.7	4.3	6.0	5.7	6.0	5.0
LSD VALUE	0.7	0.6	1.6	1.9	0.8	1.0	1.3	0.8	1.1	0.9	1.3	1.3	0.8	1.0	1.3	1.4	0.9	0.9	0.7	1.1	1.1	0.8	1.0	1.2	0.9	1.1	0.8	0.2
C.V. (%)	6.6	4.7	20.7	21.1	8.4	7.4	15.0	7.2	8.7	8.1	13.1	12.9	7.5	8.4	13.9	16.5	9.8	7.0	6.0	11.1	10.6	9.5	10.3	13.2	7.4	11.7	8.0	10.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

18

TABLE 14. LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	IL2	IL3	MD1	NJ1	NJ2	MEAN
KENBLUE	9.0	7.0	8.7	7.7	9.0	8.3	8.3
A97-857	8.7	8.0	9.0	8.0	7.7	7.7	8.2
GO-9LM9	9.0	6.0	8.7	8.0	8.0	8.3	8.0
B4-128A	8.0	7.3	7.7	7.7	7.3	8.0	7.7
ALPINE	8.0	6.0	9.0	7.3	7.7	7.7	7.6
SRX 26351	8.7	6.0	8.0	8.0	7.3	7.7	7.6
NORTH STAR	8.0	6.3	8.0	7.7	7.3	8.0	7.6
DLF 76-9032	8.0	7.7	8.3	8.0	6.7	6.0	7.4
PP H 6366	8.0	6.3	7.0	8.0	7.7	7.7	7.4
APOLLO	8.7	8.3	7.7	7.3	6.0	6.3	7.4
CHELSEA	8.0	7.0	7.7	7.3	6.7	7.7	7.4
PP H 6370	8.0	6.7	7.0	7.0	7.7	7.7	7.3
WELLINGTON	9.0	6.7	6.3	7.0	7.3	7.3	7.3
JULIUS	8.0	5.7	8.0	7.7	7.7	6.7	7.3
WASHINGTON	9.0	6.7	6.7	7.3	7.7	6.0	7.2
HV 140	8.0	5.3	7.7	7.0	7.7	7.3	7.2
PST-1701	8.3	6.3	7.7	7.0	7.3	6.0	7.1
A97-1330	8.3	6.7	7.7	7.0	6.3	6.0	7.0
UNIQUE	8.0	6.7	8.3	7.0	6.3	5.3	6.9
PST-108-79	8.0	4.3	8.3	7.0	6.7	7.3	6.9
SRX 27921	8.3	5.3	7.3	7.0	7.0	6.7	6.9
PST-B4-246	8.0	6.0	7.7	7.0	6.3	6.3	6.9
PST-B5-125	8.0	6.0	7.3	7.0	6.7	6.3	6.9
BAR PP 0471	8.0	6.7	8.0	7.0	6.0	5.3	6.8
HALLMARK	8.0	5.7	7.0	7.0	6.7	6.7	6.8
J-1513	9.0	5.7	8.0	7.0	5.7	5.7	6.8
ROYCE (A98-304)	8.3	7.3	6.3	7.0	6.3	5.7	6.8
WILDWOOD	8.3	5.7	6.3	7.0	6.7	7.0	6.8
BAR PP 0468	8.0	6.7	7.3	7.0	6.3	5.3	6.8
IMPACT	8.3	5.3	8.0	7.0	6.0	6.0	6.8
H92-203	8.3	6.0	7.3	7.0	6.3	5.7	6.8
J-2890	8.3	5.7	7.7	7.0	6.3	5.7	6.8
LANGARA	8.0	6.3	7.0	7.3	6.0	6.0	6.8
MOON SHADOW (PICK 113-3)	8.0	6.3	7.0	7.0	6.0	6.3	6.8
ODYSSEY	8.3	5.7	8.7	7.0	5.7	5.3	6.8
SRX 2114	8.3	5.7	8.0	7.0	6.0	5.7	6.8
BLACKSTONE	8.3	5.0	6.3	7.7	6.7	6.3	6.7
J-2695	8.7	6.3	7.0	7.0	6.0	5.3	6.7
TSUNAMI (J-2487)	8.7	5.0	8.3	6.7	6.0	5.7	6.7
B3-185	8.0	6.0	7.7	7.0	5.7	5.7	6.7
CABERNET	8.0	5.3	7.0	7.0	6.3	6.3	6.7
DLF 76-9037	8.0	6.0	7.7	7.0	5.3	6.0	6.7
PST-H6-150	8.0	6.7	7.7	7.0	5.7	5.0	6.7
PST-1QG-27	8.0	5.7	8.3	7.0	5.3	5.3	6.6

19.

200300157

TABLE 14. LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2001 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	IL2	IL3	MD1	NJ1	NJ2	MEAN
BRILLIANT	8.0	6.3	7.3	7.0	5.3	5.7	6.6
J-1368	8.3	5.3	7.3	7.0	6.0	5.7	6.6
J-1838	8.0	5.3	8.3	7.0	5.7	5.3	6.6
J-2561	8.3	4.7	8.0	7.0	6.0	5.7	6.6
PST-B3-170	8.0	5.3	8.0	6.7	6.0	5.7	6.6
UNKNOWN	8.3	5.0	8.0	7.0	5.7	5.7	6.6
B3-171	8.0	5.7	7.3	7.0	6.0	5.3	6.6
JULIA	8.0	5.0	7.3	7.0	6.3	5.7	6.6
PST-YORK HARBOR 4	8.0	6.3	7.3	6.7	6.0	5.0	6.6
ARCADIA	8.0	5.0	8.3	6.7	5.3	5.7	6.5
BARRISTER (J-1655)	8.0	5.7	7.3	7.0	6.0	5.0	6.5
HV 238	7.3	7.7	6.7	7.0	5.3	5.0	6.5
MIDNIGHT	8.3	5.0	7.0	7.0	5.7	6.0	6.5
NUGLADE	8.3	5.0	7.7	7.0	5.7	5.3	6.5
ROYALE (A97-1336)	8.0	6.0	5.3	7.0	6.7	6.0	6.5
SHOWCASE	8.0	5.7	7.0	7.0	5.7	5.7	6.5
A96-742	8.7	5.3	6.3	6.7	6.3	5.3	6.4
A97-1715	8.3	6.0	6.3	6.3	5.7	6.0	6.4
BEYOND (J-1880)	8.0	5.0	7.3	7.0	5.7	5.7	6.4
FREEDOM II	8.3	5.3	7.0	7.0	5.3	5.7	6.4
RUGBY II	8.0	4.3	8.0	7.0	6.0	5.3	6.4
SR 2284 (SRX 2284)	8.0	5.7	6.7	7.0	5.7	5.7	6.4
AWARD	8.3	5.3	7.0	7.0	5.3	5.3	6.4
J-1420	8.0	5.0	7.7	6.7	5.7	5.3	6.4
J-2885	8.0	5.3	7.3	7.0	5.3	5.3	6.4
LIMERICK	8.3	5.3	5.0	7.0	6.7	6.0	6.4
PRO SEEDS - 453	8.0	4.7	7.0	7.0	6.3	5.3	6.4
SRX 2394	8.0	5.0	8.0	7.0	5.3	5.0	6.4
BARIRIS	8.0	5.7	7.3	7.0	4.7	5.7	6.4
BARZAN	8.0	3.3	7.3	7.0	7.0	5.3	6.3
JEFFERSON	8.3	6.3	6.3	7.0	4.3	5.7	6.3
MIDNIGHT II (A98-739)	8.3	5.7	6.3	7.0	5.7	5.0	6.3
SRX QG245	8.7	4.0	5.7	6.7	6.7	6.0	6.3
CVB-20631	8.0	5.0	6.3	7.0	5.0	6.3	6.3
EVEREST	8.3	4.3	7.3	6.7	5.7	5.0	6.2
EVERGLADE	8.0	5.3	6.7	6.7	5.3	5.3	6.2
PP H 7929	8.0	3.0	8.3	7.0	5.3	5.7	6.2
TOTAL ECLIPSE	8.3	5.0	7.0	7.0	5.3	4.7	6.2
BARTITIA	8.0	3.7	5.3	8.0	6.3	5.7	6.2
BLUE KNIGHT	8.0	3.7	6.3	7.0	6.3	5.7	6.2
H94-293	8.0	4.7	6.3	7.0	5.7	5.3	6.2
RAMBO	8.0	4.0	7.0	7.0	5.7	5.3	6.2
BLUESTONE (PST-731)	8.0	4.3	7.3	7.0	5.7	4.7	6.2
BAR PP 0573	8.0	5.3	6.7	7.0	5.3	4.3	6.1
J-1515	8.0	5.0	6.3	6.7	5.7	5.0	6.1

20

2003001157

TABLE 14. LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2001 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	IL2	IL3	MD1	NJ1	NJ2	MEAN
BOOMERANG	8.3	4.0	7.7	7.0	5.7	4.0	6.1
LIBERATOR	8.0	4.0	6.0	7.0	6.0	5.7	6.1
PICK-232	8.0	5.0	6.7	6.3	5.3	5.3	6.1
PST-1804	8.0	4.3	5.3	7.0	6.3	5.7	6.1
A98-1028	8.0	5.7	4.3	7.0	6.0	5.3	6.1
BA 00-6001	8.0	5.3	5.7	6.7	5.3	5.3	6.1
BA 82-288	8.0	4.3	7.0	7.0	5.7	4.3	6.1
BORDEAUX	8.0	4.7	7.3	7.0	5.0	4.3	6.1
EXCURSION (J-1648)	8.0	5.0	6.7	6.7	5.3	4.7	6.1
A97-1432	8.0	4.7	6.3	7.0	5.3	5.0	6.1
BOUTIQUE	8.0	4.3	7.0	6.3	5.0	5.7	6.1
LAKESHORE (A93-200)	8.0	5.0	4.3	7.0	6.0	6.0	6.1
A98-881	8.0	3.3	6.0	7.0	5.7	6.0	6.0
ASCOT	8.0	4.0	6.0	7.0	5.7	5.3	6.0
CHAMPAGNE	7.7	4.0	6.0	7.0	6.0	5.3	6.0
QUANTUM LEAP	8.0	4.7	6.0	7.0	5.7	4.7	6.0
SONOMA	8.0	4.7	6.7	7.0	5.0	4.7	6.0
PP H 7832	8.0	3.3	7.0	7.0	4.3	6.0	5.9
A97-1409	8.0	5.7	7.0	6.3	4.3	4.3	5.9
MALLARD (A97-1439)	8.0	5.0	6.3	7.0	5.3	3.7	5.9
A96-427	8.0	4.7	6.0	6.0	5.3	5.0	5.8
BARONETTE (BA 81-058)	8.0	4.7	6.0	6.7	4.7	5.0	5.8
GOLDSTAR (A98-296)	8.0	4.7	6.3	6.3	5.3	4.3	5.8
LIMOUSINE	8.0	3.0	5.3	7.7	5.7	5.3	5.8
PST-161	8.0	4.7	6.3	7.0	4.3	4.7	5.8
PST-H5-35	8.0	4.7	5.7	6.7	5.3	4.7	5.8
BARITONE	8.0	4.0	6.0	7.0	4.7	5.0	5.8
CHAMPLAIN (A98-1275)	8.0	4.3	6.0	6.7	4.7	5.0	5.8
RITA	8.0	4.3	6.7	6.7	4.7	4.3	5.8
A96-739	8.3	4.0	6.7	7.0	5.0	3.3	5.7
BROOKLAWN	8.0	4.0	4.7	6.3	6.0	5.3	5.7
ARROW (A97-1567)	8.0	3.7	7.0	7.0	4.3	4.3	5.7
A98-139	8.0	4.0	6.0	7.0	4.0	5.0	5.7
GOLDRUSH	8.0	3.3	5.0	7.0	5.7	5.0	5.7
NA-K992	8.3	4.7	6.3	6.0	5.0	3.7	5.7
PRINCETON 105	8.0	4.0	4.3	7.0	5.3	5.3	5.7
SHAMROCK	8.0	2.7	5.3	7.0	6.0	5.0	5.7
BARONIE	7.7	4.7	6.3	7.0	3.7	4.3	5.6
A98-183	8.0	4.7	7.0	6.0	4.3	3.3	5.6
BODACIOUS	8.0	3.7	7.3	6.7	4.3	3.3	5.6
DLF 76-9036	8.0	3.7	5.7	7.0	4.0	5.0	5.6
H92-558	8.0	3.7	8.0	6.3	4.3	3.0	5.6
BARON	8.0	2.7	5.7	7.0	4.7	5.0	5.5
BEDAZZLED	8.0	4.0	5.7	7.0	4.3	4.0	5.5
EAGLETON	8.0	4.0	6.0	7.0	4.0	4.0	5.5

TABLE 14. LEAF TEXTURE RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
(CONT'D) 2001 DATA

21.

2003 0157

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	IA1	IL2	IL3	MD1	NJ1	NJ2	MEAN
SERENE	8.0	3.3	4.3	7.0	6.0	4.0	5.4
BA 84-140	7.7	3.3	5.3	6.0	5.7	4.7	5.4
CHICAGO II	8.0	4.0	5.3	7.0	4.3	4.0	5.4
BAR PP 0566	8.0	3.7	6.3	6.0	5.0	3.3	5.4
PP H 7907	8.0	3.3	4.3	6.7	5.7	4.3	5.4
BA 83-113	7.7	5.0	6.3	6.3	4.0	3.0	5.4
PST-604	8.3	4.3	5.3	6.3	4.0	4.0	5.4
A98-365	8.0	3.7	6.3	6.7	4.3	3.0	5.3
ABBEY	8.0	2.7	4.3	7.0	5.3	4.7	5.3
PICK 453	8.0	4.0	6.3	6.7	3.3	3.7	5.3
BLACKSBURG II (PST-1BMY)	8.0	5.0	6.0	6.0	3.7	3.0	5.3
MOONLIGHT	8.0	3.3	7.0	6.3	3.3	3.7	5.3
SI A96-386	8.0	3.7	5.7	6.7	3.7	4.0	5.3
JEWEL	8.0	4.0	5.0	6.3	3.7	4.3	5.2
PST-B5-89	8.0	4.0	7.0	6.0	3.7	2.7	5.2
BH 00-6003	7.3	4.3	7.3	5.7	4.0	2.3	5.2
A96-451	8.0	4.3	6.0	6.0	3.3	3.3	5.2
B5-43	8.0	2.3	6.0	6.7	3.7	4.0	5.1
BH 00-6002	7.7	2.7	5.0	6.3	4.3	4.7	5.1
PICK 417	7.7	4.7	5.3	6.7	2.7	3.7	5.1
B5-45	8.0	2.7	4.7	6.7	4.0	4.0	5.0
MONTE CARLO (A96-402)	8.0	3.0	6.0	6.7	3.3	3.0	5.0
NA-K991	8.0	3.3	5.7	6.0	3.7	3.0	4.9
RAVEN	7.7	2.7	4.3	7.0	4.7	3.3	4.9
BLUE RIDGE (A97-1449)	7.7	3.3	6.3	6.3	3.7	2.0	4.9
IB7-308	8.0	4.3	5.0	6.0	2.7	3.3	4.9
COVENTRY	8.0	2.0	3.7	7.0	3.3	5.0	4.8
MISTY	8.0	3.7	3.7	7.0	4.3	2.3	4.8
LILY	8.0	1.7	5.0	6.3	4.0	3.7	4.8
PST-222	7.7	3.0	6.7	6.0	3.3	2.0	4.8
ALLURE	7.7	2.0	5.0	6.3	4.0	3.3	4.7
MARQUIS	8.0	2.0	3.3	7.0	3.7	4.3	4.7
99AN-53	8.0	2.0	6.0	6.3	2.3	3.3	4.7
A98-407	8.0	2.3	6.3	6.0	2.7	2.3	4.6
ENVICTA	8.0	2.0	4.0	6.7	3.0	4.0	4.6
B5-144	8.0	2.3	4.0	6.3	3.3	2.7	4.4
DLF 76-9034	7.7	3.7	2.7	5.7	3.0	4.0	4.4
FAIRFAX	8.0	2.0	3.0	6.3	4.0	3.0	4.4
CHATEAU	7.3	1.7	3.0	6.3	2.0	2.7	3.8
LSD VALUE	0.5	1.5	1.9	0.6	1.3	1.3	0.5
C.V. (%)	3.8	19.3	18.1	5.1	15.5	16.0	13.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

20030157

22

TABLE 22.

WINTER COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	NJ1	NJ2	VA1	MEAN
A97-1409	5.7	8.3	9.0	7.7
BARONETTE (BA 81-058)	6.7	8.0	7.7	7.4
A96-451	5.7	8.7	7.7	7.3
BLUE RIDGE (A97-1449)	6.0	7.0	9.0	7.3
PST-222	5.3	8.0	8.7	7.3
RITA	7.0	7.7	7.3	7.3
BA 83-113	7.0	6.7	8.0	7.2
SR 2284 (SRX 2284)	5.7	7.7	8.3	7.2
MALLARD (A97-1439)	6.7	7.0	7.7	7.1
BA 82-288	6.3	7.0	7.7	7.0
MISTY	7.3	7.0	6.7	7.0
BARONIE	7.0	7.0	6.7	6.9
BEDAZZLED	6.0	7.3	7.3	6.9
MOONLIGHT	5.0	7.0	8.3	6.8
BAR PP 0566	6.0	7.3	7.0	6.8
LANGARA	6.3	7.0	7.0	6.8
A97-1432	6.3	5.7	8.0	6.7
BLACKSTONE	6.0	5.7	8.3	6.7
BOUTIQUE	6.0	7.0	7.0	6.7
IB7-308	4.7	7.3	8.0	6.7
PST-B5-89	5.0	6.7	8.3	6.7
A96-427	5.7	6.3	7.7	6.6
A98-407	4.7	7.0	8.0	6.6
MONTE CARLO (A96-402)	5.3	6.7	7.7	6.6
PST-604	5.0	7.0	7.7	6.6
BH 00-6003	5.3	5.7	8.7	6.6
BLACKSBURG II (PST-1BMY)	5.3	7.0	7.3	6.6
BLUE KNIGHT	6.0	5.0	8.7	6.6
PST-108-79	7.0	6.3	6.3	6.6
SONOMA	5.3	7.0	7.3	6.6
BARZAN	7.0	5.0	7.3	6.4
NA-K991	5.3	6.0	8.0	6.4
PST-H5-35	6.7	6.3	6.3	6.4
PST-YORK HARBOR 4	6.0	6.3	7.0	6.4
SRX 2394	4.7	7.3	7.3	6.4
ARROW (A97-1567)	7.0	6.0	6.0	6.3
FREEDOM II	6.0	6.0	7.0	6.3
HV 238	5.7	6.3	7.0	6.3
JULIA	6.3	5.7	7.0	6.3
PP H 7832	5.7	5.3	8.0	6.3
SHAMROCK	6.7	5.3	7.0	6.3
SRX 2114	5.3	6.7	7.0	6.3
SRX 26351	6.7	5.3	7.0	6.3
A98-881	6.0	5.0	7.7	6.2
BAR PP 0573	5.7	6.0	7.0	6.2
CHICAGO II	6.0	5.7	7.0	6.2
CVB-20631	6.0	6.0	6.7	6.2
J-1368	6.0	5.0	7.7	6.2
JEFFERSON	7.0	5.7	6.0	6.2
PST-161	5.7	5.7	7.3	6.2
QUANTUM LEAP	6.7	5.0	7.0	6.2
SERENE	6.7	5.3	6.7	6.2
CHAMPAGNE	6.3	5.3	7.0	6.2
99AN-53	4.7	5.0	8.7	6.1
H94-293	5.0	6.7	6.7	6.1
PST-B5-125	5.7	6.0	6.7	6.1
BEYOND (J-1880)	6.3	5.3	6.7	6.1
GOLDSTAR (A98-296)	5.0	6.0	7.3	6.1
LILY	7.0	5.3	6.0	6.1
A96-739	4.7	6.0	7.3	6.0
BARITONE	6.7	5.3	6.0	6.0
BLUESTONE (PST-731)	6.7	4.7	6.7	6.0
EXCURSION (J-1648)	6.7	5.0	6.3	6.0
IMPACT	6.7	4.7	6.7	6.0
J-1420	6.0	4.7	7.3	6.0
J-1515	6.0	5.0	7.0	6.0
ROYALE (A97-1336)	5.0	6.3	6.7	6.0
SI A96-386	5.3	5.7	7.0	6.0
UNKNOWN	6.7	4.3	7.0	6.0
WILDWOOD	5.7	5.3	7.0	6.0
A98-1028	5.7	5.3	6.7	5.9
ALLURE	6.3	5.7	5.7	5.9
BARRISTER (J-1655)	5.7	5.0	7.0	5.9
BORDEAUX	4.3	6.7	6.7	5.9
H92-558	5.3	5.7	6.7	5.9
J-2561	5.7	5.3	6.7	5.9
J-2885	6.7	4.7	6.3	5.9
J-2890	6.0	5.0	6.7	5.9
PP H 6370	6.0	4.7	7.0	5.9
PST-B3-170	5.7	6.0	6.0	5.9
TOTAL ECLIPSE	6.3	4.7	6.7	5.9
A97-857	6.3	6.0	5.3	5.9
A98-139	5.3	5.0	7.3	5.9
A98-183	4.3	6.0	7.3	5.9
A98-365	4.3	6.0	7.3	5.9
MIDNIGHT	6.3	4.3	7.0	5.9
MOON SHADOW (PICK 113-3)	5.3	6.0	6.3	5.9
SRX QG245	4.3	5.0	8.3	5.9
B5-144	6.0	5.7	5.7	5.8

23.

20030157

TABLE 22. (CONT'D)

WINTER COLOR RATINGS OF KENTUCKY BLUEGRASS CULTIVARS 1/
2001 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	NJ1	NJ2	VA1	MEAN
EAGLETON	5.7	6.0	5.7	5.8
EVERGLADE	5.7	4.7	7.0	5.8
ARCADIA	6.0	4.3	7.0	5.8
BA 84-140	3.3	5.3	8.7	5.8
BROOKLAWN	6.3	4.3	6.7	5.8
CHAMPLAIN (A98-1275)	5.3	5.0	7.0	5.8
EVEREST	6.0	4.3	7.0	5.8
FAIRFAX	6.0	5.3	6.0	5.8
HALLMARK	5.0	5.3	7.0	5.8
J-2695	6.3	4.3	6.7	5.8
PICK 417	5.3	5.3	6.7	5.8
RAMBO	6.0	5.3	6.0	5.8
AWARD	5.3	4.7	7.0	5.7
B4-128A	6.3	6.0	4.7	5.7
B5-43	5.3	5.7	6.0	5.7
BARIRIS	5.7	5.0	6.3	5.7
CABERNET	5.3	5.3	6.3	5.7
COVENTRY	5.3	5.7	6.0	5.7
J-1513	6.0	4.0	7.0	5.7
J-1838	5.7	4.3	7.0	5.7
LAKESHORE (A93-200)	6.0	4.0	7.0	5.7
LIMOUSINE	5.3	6.0	5.7	5.7
MIDNIGHT II (A98-739)	6.3	4.0	6.7	5.7
NUGLADE	5.7	5.0	6.3	5.7
PST-B4-246	4.7	5.7	6.7	5.7
RUGBY II	5.7	4.3	7.0	5.7
TSUNAMI (J-2487)	6.0	4.3	6.7	5.7
HV 140	6.7	3.3	6.7	5.6
PICK 453	5.0	5.0	6.7	5.6
PRINCETON 105	4.7	5.0	7.0	5.6
A97-1715	4.0	5.3	7.3	5.6
B3-171	5.3	7.0	4.3	5.6
B5-45	5.3	5.3	6.0	5.6
LIBERATOR	6.0	4.3	6.3	5.6
PST-1804	5.3	4.3	7.0	5.6
PRO SEEDS - 453	4.0	6.7	5.7	5.4
BARTITIA	6.0	4.3	6.0	5.4
CHATEAU	5.3	5.7	5.3	5.4
ALPINE	5.7	3.3	7.0	5.3
BA 00-6001	5.0	4.3	6.7	5.3
CHELSEA	5.3	4.0	6.7	5.3
JULIUS	5.3	5.3	5.3	5.3
NORTH STAR	5.7	3.7	6.7	5.3
PICK-232	5.0	5.7	5.3	5.3

NAME	NJ1	NJ2	VA1	MEAN
A96-742	4.7	4.7	6.3	5.2
BODACIOUS	4.7	4.3	6.7	5.2
PST-1701	4.7	5.7	5.3	5.2
SRX 27921	4.7	4.0	6.7	5.1
APOLLO	4.0	7.3	4.0	5.1
ASCOT	6.0	3.0	6.3	5.1
BAR PP 0468	4.0	7.3	4.0	5.1
BOOMERANG	4.3	3.7	7.3	5.1
PP H 6366	4.3	6.0	5.0	5.1
ROYCE (A98-304)	4.0	7.0	4.3	5.1
SHOWCASE	4.0	7.3	4.0	5.1
A97-1330	3.7	7.0	4.3	5.0
H92-203	4.0	7.0	4.0	5.0
ODYSSEY	5.0	3.7	6.3	5.0
PP H 7907	4.3	4.7	6.0	5.0
PP H 7929	5.7	4.0	5.3	5.0
PST-1QG-27	3.7	6.3	5.0	5.0
PST-H6-150	3.7	7.0	4.3	5.0
WELLINGTON	5.7	3.7	5.7	5.0
BAR PP 0471	4.0	6.7	4.0	4.9
ENVICTA	4.7	4.0	6.0	4.9
WASHINGTON	4.7	4.0	6.0	4.9
B3-185	3.7	7.0	4.0	4.9
DLF 76-9037	3.7	7.0	4.0	4.9
NA-K992	3.0	3.7	8.0	4.9
UNIQUE	3.0	6.7	4.7	4.8
BRILLIANT	4.3	6.0	4.0	4.8
ABBEY	3.7	4.0	6.3	4.7
BARON	4.3	3.3	6.3	4.7
GO-9LM9	5.0	2.3	6.7	4.7
JEWEL	3.7	2.3	8.0	4.7
GOLDRUSH	3.3	4.0	6.0	4.4
RAVEN	3.3	3.3	6.7	4.4
BH 00-6002	3.3	4.3	5.3	4.3
LIMERICK	4.0	4.3	4.7	4.3
DLF 76-9034	3.0	4.3	5.3	4.2
KENBLUE	4.3	3.3	5.0	4.2
DLF 76-9036	4.0	3.0	5.3	4.1
MARQUIS	3.0	3.0	6.0	4.0
DLF 76-9032	3.3	3.0	5.3	3.9
LSD VALUE	1.2	1.3	1.1	0.7
C.V. (%)	14.0	14.8	10.0	12.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

24

2003 0157

REPRODUCE LOCALLY. *Include form number and date on all reproductions.*

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

FORM APPROVED – OMB NO. 0581-00

EXHIBIT E
STATEMENT OF THE BASIS OF OWNERSHIP

The following statements are made in accordance with the Privacy Act 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protectio certificate is to be issued (7 U.S.C. 2421). Information is held confidenti until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
Lebanon Seaboard Corporation	A97-1323 & LTP-1323	Sonoma
4. ADDRESS *(Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)*	5. TELEPHONE *(include area code)*	6. FAX *(include area code)*
P.O. Box 10 Huntsville, UT 84317-0010	503-580-7333	801-745-4610
	7. PVPO NUMBER 200300157	

8. Does the applicant own all rights to the variety? *Mark an "X" in appropriate block.* If no, please explain. [X] YES [ ] NO

9. Is the applicant *(individual or company)* a U.S. national or U.S. based company?
If no, give name of country _____ [X] YES [ ] NO

10. Is the applicant the original owner? [X] YES [ ] NO *If no, please answer the following:*

a. If original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. national(s)?
[ ] YES [ ] NO *If no, give name of country* _____

b. If original rights to variety were owned by a company, is the original owner(s) a U.S. based company?
[ ] YES [ ] NO *If no, give name of country* _____

11. Additional explanation on ownership *(If needed, use reverse for extra space):*

Sonoma was acquired through an Option agreement with Rutgers University and The New Jersey Agricultural Experiment Station as an experimntal selection for testing. Royalties will be paid to Rutgers annually, based on production level.

PLEASE NOTE:

Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.

2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.

3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition.

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).
To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.