No. 7400060

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Ferry-Morse Seed Company

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF seventeen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BEAN

'Amigo'

In Testimony Whereof, *I have hereunto set my hand and caused the seal of the* Plant Variety Protection Office *to be affixed at the City of* Washington *this* sixth *day of* March *in the year of our Lord one thousand nine hundred and* seventy-five

Attest:

Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Service

Secretary of Agriculture

VARIETY: Amigo (formerly E8206)

EXHIBIT A: Origin and Breeding History of the Variety

Amigo originated as a single plant selection involving the pedigree method of breeding from a cross made in 1961 between the following parents:

seed parent: Greencrop

pollen parent: (OSU 836 x /Wade x (Tendergreen 240F x Stringless Blue Lake)F_3/F_3)F_2

The F_2 generation of the cross was bulk-massed and the first single plant selections for flat pod types were made in the F_3 generation. The F_4 progeny row was massed; a single plant selection for long, flat pod was taken from the F_5 progeny rows. An F_8 progeny row, appearing quite uniform and superior to related lines, was bulk-massed. The F_9 progeny continued to show the improvement and uniformity desired and the decision to increase the line as a possible new variety was made on August 27, 1968. F_9 plants were inoculated and found resistant to the New York strain of Common Bean Mosaic Virus (BV1-A) in the spring of 1968.

During the first generation of increase (F_{10}), no variants were removed in a population of approximately 6500 plants, though 6 obvious round podded mixtures were rogued. In a small second generation increase (F_{11}) no variants were removed from a population of 1200 plants.

FORM GR-470
(12-15-72)

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782

FORM APPROVED
OMB NO. 40-R3712

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: *See Reverse.*

1. VARIETY NAME OR TEMPORARY DESIGNATION Amigo	2. KIND NAME Snap Bean	FOR OFFICIAL USE ONLY PV NUMBER 74 00060
3. GENUS AND SPECIES NAME Phaseolus vulgaris L.	4. FAMILY NAME *(Botanical)* Leguminosae	FILING DATE 2.6.74 TIME 3 P.M.
	5. DATE OF DETERMINATION August 27, 1968	FEE RECEIVED $ 250 $ 250 $ 250 BALANCE DUE $ — $ — $ —
6. NAME OF APPLICANT(S) Ferry-Morse Seed Company Dr. George C. Emery, Breeder	7. ADDRESS *(Street and No. or R.F.D. No., City, State, and ZIP Code)* P.O. Box 100 111 Ferry-Morse Way Mountain View, California 94040	8. TELEPHONE AREA CODE AND NUMBER (415) 967-6974

9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: *(Corporation, partnership, association, etc.)*	10. STATE OF INCORPORATION	11. DATE OF INCORPORATION
Corporation	California	7 April 1969

12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers:

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

- [X] 13A. Exhibit A, Origin and Breeding History of the Variety *(See Section 52 of the Plant Variety Protection Act.)*
- [X] 13B. Exhibit B, Botanical Description of the Variety
- [X] 13C. Exhibit C, Objective Description of the Variety
- [X] 13D. Exhibit D, Data Indicative of Novelty
- [X] 13E. Exhibit E, Statement of the Basis of Applicant's Ownership

14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? *(See Section 83(a). (If "Yes," answer 14B and 14C below.)* [ ] YES [X] NO

14B. Does the applicant(s) specify that this variety be limited as to number of generations? [ ] YES [ ] NO

14C. If "Yes," to 14B, how many generations of production beyond breeder seed? [ ] FOUNDATION [ ] REGISTERED [ ] CERTIFIED

The applicant declares that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable.

The undersigned applicant(s) of this sexually-reproduced novel plant variety believes that the variety is distinct, uniform, and stable as required in Section 41 and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant is informed that false representation herein can jeopardize protection and result in penalties.

January 21, 1974 (DATE) — George C. Emery (SIGNATURE OF APPLICANT) 1

January 31, 1974 (DATE) — FERRY-MORSE SEED COMPANY by: [signature] Executive Vice Pres. (SIGNATURE OF APPLICANT)

VARIETY: Amigo (formerly E8206)

EXHIBIT B: Botanical Description of the Variety

Seed germination and emergence are moderately rapid; early seedling growth is vigorous. Flowering occurs one day earlier than Tendercrop. Pods mature at the same time as Tendercrop, but mature pod size is much larger. Seed and fiber development is more rapid than Tendercrop.

The determinate, bush plants are erect, tall (17 to 23 inches), with a moderate spread; the plant stands taller and wider than Tendercrop. The foliage is a medium green, slightly darker than Tendercrop; the leaves are larger, heavier, and not as numerous as Tendercrop. The leaflets are deltoid ovate, acuminate, with rounded or truncate bases. Stems and leaves are slightly pubescent. The inflorescences arise from the apex and leaf axils and produce 4 to 8 white flower buds per inflorescence. The pods are produced relatively high in the plant and only infrequently touch the soil.

The stringless pods are 7 to 8 inches in length, flat in shape, ¼ inches in diameter in cross-section and ½ to 5/8 inches from suture to suture. The neck and spur are medium long. Pod surface is smooth and slightly pubescent. Pod color is a medium dark green. Compared to Tendercrop the pods are flat instead of round, 1½ to 2 inches longer, have a longer neck, but a shorter spur, and are similar in color.

The seed are white, short, oblong, round to elliptical in cross-section, and slightly reniform. Compared to Tendercrop, the seed are longer, wider in cross-section from the hilar to the dorsal edge, and more reniform in shape.

FORM APPROVED. OMB NO. 40-R3712

FORM GR-470-12
(11-15-72)

EXHIBIT C
(Bean)

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782

OBJECTIVE DESCRIPTION OF VARIETY

BEAN (*PHALEOLUS VULGARIS*)

INSTRUCTIONS: *See Reverse.*

NAME OF APPLICANT(S)
Ferry-Morse Seed Company, Dr. George C. Emery

ADDRESS *(Street and No. or R.F.D. No., City, State, and ZIP Code)*
P.O. Box 100
111 Ferry-Morse Way
Mountain View, California 94040

FOR OFFICIAL USE ONLY

PVPO NUMBER
7400060

VARIETY NAME OR TEMPORARY DESIGNATION
AMIGO

Place the appropriate number that describes the varietal character of this variety in the boxes below.
Place a zero in first box (e.g. [0 8 9] or [0 9]) when number is either 99 or less or 9 or less.

1. TYPE:

[1] 1 = SNAPBEAN 2 = GREEN SHELL 3 = DRY EDIBLE 4 = MULTIPURPOSE

2. SEASON AND REGION OF ADAPTABILITY IN THE U.S.:

[2] Grows best during: 1 = SPRING 2 = SUMMER 3 = FALL 4 = WINTER

[6] Best adapted in: 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 4 = SOUTHEAST 5 = SOUTHWEST 6 = MOST REGIONS

3. MATURITY *(Days from seeding to first harvest):*

[5 3] GREEN PODS [ ] GREEN SHELLS [ ] DRY SEEDS

[~~0 1~~ 03] NO. DAYS EARLIER THAN ~~SPRITE~~ RJS [1]
[0 3] NO. DAYS LATER THAN [7]

1 = TENDERCROP 2 = KENTUCKY WONDER 3 = KINGHORN WAX 4 = WHITE KIDNEY 5 = MICHELITE 62 6 = DWARF HORTICULTURAL 7 = BUSH BLUE LAKE 8 = OTHER *(Specify)*

4. PLANT:

[1] 1 = DETERMINATE, ERECT BUSH 2 = DETERMINATE, SPRAWLING BUSH 3 = DETERMINATE, SEMIPOLE 4 = INDETERMINATE, POLE

[0 5 7] CM. HEIGHT OR LENGTH OF VINE FROM PRIMARY LEAF NODE

[0 0 5] NUMBER PRIMARY BRANCHES PER MAIN STALK

[5 0] CM. SPREAD

[2] Branching habit: 1 = COMPACT 2 = OPEN

[0 4] NUMBER INTERNODES ON MAIN STALK BETWEEN PRIMARY LEAF AND BASE OF TERMINAL INFLORESCENCE

[1 3] CM. LENGTH OF FIRST INTERNODE ABOVE PRIMARY LEAF

[1 1] MM. STALK DIAMETER ABOVE FIRST TRIFOLIATE LEAF

[2] Main stalk: 1 = BRITTLE 2 = WIREY [1] 1. STOUT 2. THIN

[3] Flower position:
[3] Pod Position:
1 = LOW, CONCENTRATED 2 = HIGH, CONCENTRATED 3 = SCATTERED

5. LEAVES:

[2] 1 = SMOOTH 2 = WRINKLED [1] 1 = DULL 2 = GLOSSY [3] Thickness: 1 = THIN 2 = MEDIUM 3 = THICK

[3] Size: 1 = SMALL *(Earliwax)* 2 = MEDIUM 3 = LARGE *(Tendercrop)*

[16] CM. PETIOLE LENGTH *(To basal leaflets of first trifoliate leaf)*

[2] Tip shape of center leaflet: 1 = ROUNDED 2 = TAPER POINTED 3 = SHARP POINTED

[2] PUBESCENCE - Dorsal:
[2] PUBESCENCE - Ventral:
1 = NONE 2 = SLIGHT 3 = CONSIDERABLE

[2] Color: 1 = LIGHT GREEN *(Bountiful)* 2 = MEDIUM GREEN 3 = DARK GREEN *(Bush Blue Lake)*

VARIETY: Amigo (formerly E8206)

REVISED
EXHIBIT D: Data Indicative of Novelty

Amigo most closely resembles the variety Greencrop. Amigo is distinct from Greencrop by being resistant to Common Bean Mosaic virus, New York Strain (BV1-A), having a taller bush, slightly wider pods darker green in color, and seed that are shorter, less reniform, and more round in cross-section.

	AMIGO	GREENCROP	$\bar{d}$	$s_{\bar{d}}$
Plant height	71.2 cm	48.5 cm	22.7	3.1
Pod width	15.4 mm	13.2 mm	2.2	0.32

(Measurements were made in the greenhouse with a minimum night temperature of 55°F at San Juan Bautista, Calif. The seed was planted March 27, 1974 and pods measured May 23, 1974. Measurements represent 10 paired comparisons.)

May 29, 1974

EXHIBIT "E"

Plant Variety Protection
Application

No: _____

ASSIGNMENT

I, DR. GEORGE C. EMERY, agree and hereby do transfer and assign to FERRY-MORSE SEED COMPANY all of my rights, title, and interest in and to that certain variety namely, AMIGO, for which application for Plant Variety Protection Certificate has been filed. This agreement shall be binding on my administrators, successors and assigns.

In Witness Whereof, I have executed this agreement this _____ day of January 21, 1974.

BREEDER

George C. Emery

ASSIGNMENT OF INTELLECTUAL PROPERTY

WHEREAS, HARRIS MORAN SEED COMPANY, a corporation duly organized and existing under the laws of the State of Maryland, having its principal place of business at 4511 Willow Road, Suite 3, Pleasanton, California 94588 ("**Assignor**"), has, pursuant to that certain Bill of Sale and Assignment dated as of June 30, 1997, transferred to FERRY-MORSE SEED COMPANY (CALIFORNIA), a corporation duly organized and existing under the laws of the State of California, having its principal place of business at 555 Codoni Avenue, P.O. Box 4938, Modesto, California 95352-4938 ("**Assignee**"), all of the intellectual property Assignor had adopted, used and was using as of the effective date of this Assignment, including without limitation, the intellectual property represented by the United States Plant Variety Protection Certificates of Assignor identified on Schedule A hereto (collectively, the "**Property**"); and

WHEREAS, on the date hereof, Assignee has changed its name to "Harris Moran Seed Company";

NOW, THEREFORE, effective by this instrument as of the close of business on June 30, 1997, and for good and valuable consideration, receipt of which is hereby acknowledged, Assignor hereby assigns to Assignee any and all right, title and interest worldwide in and to the Property and any and all recordations thereof, including, but not limited to, the use of the Property in any manner, all benefit of any and all prior use of the Property, and any and all rights to initiate claims or proceedings for past, present or future infringements of Assignor's rights, title and interest in and to the Property.

Dated: as of June 30, 1997

HARRIS MORAN SEED COMPANY

By: _____
Philip Ashcraft, President

NEWY01A:171511:1:09/26/97
26757-1

A496370

ENDORSED
FILED
In the office of the Secretary of State
of the State of California

JUN 30 1997

BILL JONES, Secretary of State

CERTIFICATE OF AMENDMENT

OF THE

ARTICLES OF INCORPORATION

OF

FERRY-MORSE SEED COMPANY (CALIFORNIA)

(a California corporation)

To the Secretary of State
State of California

Pursuant to the provisions of the General Corporation Law of the State of California, the undersigned officers of FERRY-MORSE SEED COMPANY (CALIFORNIA), a California corporation (the "Corporation"), do hereby certify as follows:

1. The name of the Corporation is Ferry-Morse Seed Company (California).

2. Article One of the Corporation's Articles of Incorporation, which relates to the name of the Corporation, is hereby amended in its entirety to read as follows:

One. The name of this Corporation is:
HARRIS MORAN SEED COMPANY.

3. The amendment herein provided for has been approved by the Corporation's Board of Directors.

4. The amendment herein provided for was approved by the written consent of the Corporation's sole shareholder in accordance with the provisions of Section 902 of the California General Corporation Law. The total number of outstanding shares of the corporation is 5,000.

IN WITNESS WHEREOF, each of the undersigned does hereby declare under the penalty of perjury that he or she signed the foregoing Certificate of Amendment as of June 30,

1997, in the Town of Modesto, State of California, in the official capacity set forth beneath his or her signature and that the statements set forth in this certificate are true of his or her own knowledge.

Yves Queste, President

Helen Andritsakis, Secretary

NEWY01A:163794:1:06/25/97
26757-1

A493976

State of California

SECRETARY OF STATE

OFFICE OF THE SECRETARY OF STATE

VB

3 PAGES

I, *BILL JONES*, Secretary of State of the State of California, hereby certify:

That the attached transcript has been compared with the record on file in this office, of which it purports to be a copy, and that it is full, true and correct.

IN WITNESS WHEREOF, I execute this certificate and affix the Great Seal of the State of California this

JUN 30 1997

THE GREAT SEAL OF THE STATE OF CALIFORNIA

EUREKA

Bill Jones

Secretary of State

SEC/STATE FORM CE-107 (REV. 4/97)

97 35085

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and $250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

5 Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.

13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.

13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.

13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.

13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.

13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

FORM APPROVED. OMB NO. 40-R3712

FORM GR-470-12 (11-15-72)

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782

EXHIBIT C (Bean)

OBJECTIVE DESCRIPTION OF VARIETY

BEAN (*PHALEOLUS VULGARIS*)

INSTRUCTIONS: *See Reverse.*

NAME OF APPLICANT(S)
Ferry-Morse Seed Company, Dr. George C. Emery

ADDRESS (*Street and No. or R.F.D. No., City, State, and ZIP Code*)
P.O. Box 100
111 Ferry-Morse Way
Mountain View, California 94040

FOR OFFICIAL USE ONLY

PVPO NUMBER
7400060

VARIETY NAME OR TEMPORARY DESIGNATION
AMIGO

Place the appropriate number that describes the varietal character of this variety in the boxes below.
Place a zero in first box (e.g. 0 8 9 or 0 9) when number is either 99 or less or 9 or less.

1. TYPE:

1 — 1 = SNAPBEAN 2 = GREEN SHELL 3 = DRY EDIBLE 4 = MULTIPURPOSE

2. SEASON AND REGION OF ADAPTABILITY IN THE U.S.:

2 — Grows best during: 1 = SPRING 2 = SUMMER 3 = FALL 4 = WINTER

6 — Best adapted in: 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 4 = SOUTHEAST 5 = SOUTHWEST 6 = MOST REGIONS

3. MATURITY (*Days from seeding to first harvest*):

5 3 — GREEN PODS ___ — GREEN SHELLS ___ — DRY SEEDS

~~0 1~~ 03 — NO. DAYS EARLIER THAN SPRITE RJS 1
0 3 — NO. DAYS LATER THAN 7

1 = TENDERCROP 2 = KENTUCKY WONDER 3 = KINGHORN WAX
4 = WHITE KIDNEY 5 = MICHELITE 62 6 = DWARF HORTICULTURAL
7 = BUSH BLUE LAKE 8 = OTHER (*Specify*)

4. PLANT:

1 — 1 = DETERMINATE, ERECT BUSH 2 = DETERMINATE, SPRAWLING BUSH 3 = DETERMINATE, SEMIPOLE 4 = INDETERMINATE, POLE

0 5 7 — CM. HEIGHT OR LENGTH OF VINE FROM PRIMARY LEAF NODE

0 0 5 — NUMBER PRIMARY BRANCHES PER MAIN STALK

5 0 — CM. SPREAD

2 — Branching habit: 1 = COMPACT 2 = OPEN

0 4 — NUMBER INTERNODES ON MAIN STALK BETWEEN PRIMARY LEAF AND BASE OF TERMINAL INFLORESCENCE

1 3 — CM. LENGTH OF FIRST INTERNODE ABOVE PRIMARY LEAF

1 1 — MM. STALK DIAMETER ABOVE FIRST TRIFOLIATE LEAF

2 — Main stalk: 1 = BRITTLE 2 = WIREY 1 — 1. STOUT 2. THIN

3 — Flower position:
3 — Pod Position:
1 = LOW, CONCENTRATED 2 = HIGH, CONCENTRATED 3 = SCATTERED

5. LEAVES:

2 — 1 = SMOOTH 2 = WRINKLED 1 — 1 = DULL 2 = GLOSSY 3 — Thickness: 1 = THIN 2 = MEDIUM 3 = THICK

3 — Size: 1 = SMALL (*Earliwax*) 2 = MEDIUM 3 = LARGE (*Tendercrop*) 16 — CM. PETIOLE LENGTH (*To basal leaflets of first trifoliate leaf*)

2 — Tip shape of center leaflet: 1 = ROUNDED 2 = TAPER POINTED 3 = SHARP POINTED

2 — PUBESCENCE - Dorsal:
2 — PUBESCENCE - Ventral:
1 = NONE 2 = SLIGHT 3 = CONSIDERABLE

2 — Color: 1 = LIGHT GREEN (*Bountiful*) 2 = MEDIUM GREEN 3 = DARK GREEN (*Bush Blue Lake*)

6. FLOWERS:

[1] Color: 1 = WHITE 2 = CREAM 3 = PINK 4 = LILAC 5 = PURPLE 6 = OTHER *(Specify)*_____

[2] Racemes: 1 = LONG 2 = MEDIUM 3 = SHORT [8] NUMBER FLOWERS PER RACEME

7. FRESH PODS: ***(Edible maturity, averages for 10 pods)***

[2] Color: 1 = LIGHT GREEN *(Bountiful)* 2 = MEDIUM GREEN *(Tendergreen)* 3 = DARK GREEN *(Wade)* 4 = LIGHT YELLOW *(Brittlewax)* 5 = GOLDEN YELLOW *(Cherokee Wax)* 6 = GREEN-RED VARIAGATED *(Horticultural)* 7 = OTHER *(Specify)* _____

[1 8] CM. LENGTH [2 0] MM. WIDTH *(Between sutures)* [1 2] MM. THICKNESS [1 7] WIDTH / THICKNESS X 10

[1] Cross section pod shape: 1 = FLAT 2 = OVAL 3 = CREASEBACK 4 = ROUND

[1] Curvature: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED

[2] Pubescence: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE

[1] Constrictions: 1 = NONE 2 = SLIGHT 3 = DEEP

[2] Spur: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED

[2] Surface: 1 = SHINY 2 = DULL

[1] Surface: 1 = SMOOTH 2 = BLISTERED

[2] Pod flesh: 1 = LIGHT 2 = DARK

[1] Pod flesh: 1 = FIRM 2 = WATERY

[20] MM. SPUR LENGTH

[2] Suture string: 1 = PRESENT 2 = ABSENT

[2] Fiber: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE

[2] Seed development: 1 = SLOW 2 = MEDIUM 3 = FAST

[7] NUMBER OF SEEDS PER POD

[15] NUMBER PODS PER PLANT *(Once over harvest)*

[8] NUMBER MARKETABLE PODS PER PLANT *(Once over harvest)*

[1] Machine harvest: 1 = ADAPTED 2 = NOT ADAPTED

8. SEED COAT COLOR:

[1] 1 = MONOCHROME 2 = POLYCHROME

[1] 1 = SHINY 2 = DULL

[1] Primary color: [0] Secondary color:
1 = WHITE 2 = YELLOW 3 = BUFF 4 = TAN
5 = BROWN 6 = PINK 7 = RED 8 = PURPLE
9 = BLUE 10 = BLACK 11 = OTHER *(Specify)*_____

[0] Color pattern: 1 = SPLASHED 2 = MOTTLED 3 = STRIPED 4 = FLECKED 5 = DOTTED

[0] Secondary color location:
1 = HILAR RING
2 = HILAR SURFACE
3 = STROPHIOLE
4 = MICROPYLE
5 = SIDES
6 = DORSAL SURFACE
7 = NOT RESTRICTED TO ANY AREA
8 = COMBINATION OF LOCATIONS *(Specify)*_____

[1] Hilar ring: 1 = NOT PRESENT 2 = NARROW 3 = BUTTERFLY SHAPED

[2] Vein-like under coat pattern: 1 = ABSENT 2 = PRESENT

9. SEED SHAPE AND SIZE:

[1] Hilum view: 1 = ELLIPTICAL 2 = OVAL 3 = ROUND

[3] Side view: 1 = OVAL 2 = ROUND 3 = KIDNEY 4 = TRUNCATE ENDS

[2] Cross section: 1 = ELLIPTICAL 2 = OVAL 3 = CORDATE 4 = ROUND

[56] GM. WEIGHT PER 100 SEEDS

[0] Classification: 1 = PEA 2 = MEDIUM 3 = MARROW 4 = KIDNEY 5 = PINTO

[0 9] MM. WIDTH *(Dorsal to ventral)*

[0 4] MM. THICKNESS *(Side to side)*

4 5

[1 5] MM. LENGTH

[0 4 3] WIDTH / THICKNESS X 10

10. ANTHOCYANIN: *(1 = Absent 2 = Present):*

[1] FLOWERS [1] STEMS [1] PODS [1] SEEDS [1] LEAVES

11. DISEASE RESISTANCE *(0 = Not tested; 1 = Susceptible; 2 = Resistant):*

[0] RUST *(Specify race)* _____

[0] BACTERIAL WILT

[0] ANTHRACNOSE

[0] SOUTHERN BEAN MOSAIC

[0] CURLY TOP

[0] POWDERY MILDEW

[0] HALO BLIGHT

[0] ALFALFA MOSAIC VIRUS

[0] POD MOTTLE VIRUS

[0] ROOT KNOT NEMATODE

[0] ANGULAR LEAF SPOT

[2] COMMON BEAN MOSAIC

[0] YELLOW BEAN MOSAIC

[0] FUSARIUM ROOT ROT

[2] N.Y. 15 BEAN MOSAIC

[0] BEAN MOSAIC VIRUS 4

[0] FUSCOUS BLIGHT

[0] ALFALFA MOSAIC VIRUS 2

[0] RED NODE VIRUS

[0] OTHER *(Specify)* _____

12. INSECT RESISTANCE: *(0 = Not tested; 1 = Susceptible; 2 = Resistant)*

[0] APHIDS

[0] POD BORER

[0] THRIPS

[0] SEED CORN MAGGOT

[0] LEAF HOPPERS

[0] LYGUS

[0] WEAVILS

[0] OTHER *(Specify)* _____

13. PHYSIOLOGICAL RESISTANCE: *(0 = Not tested; 1 = Susceptible; 2 = Resistant)*

[0] HEAT [0] COLD [0] DROUGHT [0] OTHER *(Specify)* _____

REFERENCES: The following publications may be used as a reference in completing this form:

1. Beans of New York. Vol. 1 Part II of Vegetables of New York. U.P. Hedrick et al. J. B. Lyon Company, Albany, N.Y. 1931.

2. Yarnell, S. H., Cytogenetics of the Vegetable Crops IV. Legumes. Bot. Rev. 31:247 - 330. 1965.

3. USDA Yearbook of Agriculture. 1937.

COLOR: Nickerson's or any recognized color fan may be used to determine the colors.