

COTTON
PRICE
STATISTICS
1995 - 1996



UNITED STATES DEPARTMENT OF AGRICULTURE

Agricultural Marketing Service - Cotton Division

Memphis, Tennessee

Vol. 77, No. 13

August 1996

COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 23.5-25.4 grams per tex, in the designated markets, averaged 83.03 cents per pound, according to the Cotton Division, Agricultural Marketing Service, USDA. Transactions reported in the designated markets totaled 2,314,500 running bales. The value of the 1995 cotton crop was 7.34 billion dollars, down slightly from 7.57 billion in 1994.

Quotations for color 41, leaf grade 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4 cotton, in the designated markets averaged 83.03 cents per pound in the 1995-96 season. This was down from 88.14 cents for the 1994-95 season. Quotations averaged 85.90 cents per pound in August 1995, the first month of the marketing year. Average quotations strengthened in September and then declined through March 1996. Quotations strengthened in April, then declined the remainder of the marketing year. The highest monthly average for the marketing year was 90.00 cents per pound in September 1995 and the lowest was 76.84 in July 1996. The season's highest daily average quotation for the base quality occurred on September 21, 1995 at 93.51 cents per pound and the season's lowest daily quotation was 75.84 cents on July 3, 1996.

Prices received by farmers for upland cotton averaged 75.65 cents per pound for the first eight months of the 1995-96 marketing year, according to the National Agricultural Statistics Service, USDA. This compares with 72.00 cents for the entire 1994-95 marketing year and 58.10 cents for the 1993-94 marketing year. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

The value of the 1995 cotton crop (lint and seed) was 7.34 billion dollars, according to a preliminary estimate of the Agricultural Statistics Board, NASS, USDA. This compares with 7.57 billion dollars in 1994 and 5.24 billion in 1993. The 1995 lint was valued at 6.60 billion dollars.

Spot cotton transactions in the designated markets totaled 2,314,500 running bales in the 1995-96 season, down from 4,326,400 bales in 1994-95, and 5,020,800 bales in 1993-94.

CCC-loan stocks on July 31, 1996

1994-crop upland loan stocks	11
1995-crop American Pima loan stocks	5,704
1995-crop upland loan stocks	312,172
Total	317,887

Table 1. Season average prices for the base quality, by designated markets, cents per pound, 1990-1995 1/

Market Areas	1990 2/	1991 2/	1992 2/	1993 3/	1994 3/	1995 3/
Southeast	75.90	57.70	56.73	67.46	87.17	83.86
North Delta	75.49	56.18	55.03	67.04	87.25	83.76
South Delta	75.53	56.21	55.03	67.04	87.25	83.76
East Texas-Oklahoma	71.40	55.63	53.78	66.22	86.96	80.89
West Texas	71.09	55.79	53.53	65.92	86.66	80.64
Desert Southwest	75.90	57.77	51.61	64.16	87.96	80.90
San Joaquin Valley	78.30	57.50	52.84	65.04	93.73	87.40
Average	74.80	56.68	54.10	66.12	88.14	83.03

1/ Year beginning August 1. 2/ 1990-92 prices are for mixed lots, net weight, uncompressed in warehouse. 3/ 1993-95 prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 2. Average prices in cents per pound for American Pima cotton by qualities, by season, 1995-1996 1/

Staple	Grade 1/						Mike Ranges 1/	
	01	02	03	04	05	06		
	Desert Southwest						26 & below	-2121
							27-29	-1650
							30-32	-1203
44	151.83	151.58	150.07	138.73	114.56	102.51	33-34	-213
46	152.57	152.32	150.82	139.47	114.56	102.51	35 & above	0
	San Joaquin Valley						26 & below	-2137
							27-29	-1637
							30-32	-1365
44	154.04	153.81	152.26	138.99	117.83	105.85	33-34	-275
46	154.52	154.28	152.74	139.46	117.83	105.85	35 & above	0

1/ Quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34 in the designated markets, daily and monthly averages, 1995-96 1/

Date	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July
	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents
1	83.35	92.16	Sun.	84.34	84.13	H	83.07	80.04	82.70	85.32	Sat.	76.82
2	82.56	Sat.	88.24	84.06	Sat.	79.44	82.79	Sat.	83.47	84.95	Sun.	76.62
3	83.00	Sun.	88.86	84.29	Sun.	80.46	Sat.	Sun.	84.57	85.67	81.41	75.84
4	82.91	H	90.26	Sat.	84.46	81.32	Sun.	79.49	86.32	Sat.	82.17	H
5	Sat.	90.80	88.37	Sun.	84.25	81.77	82.33	79.20	Closed	Sun.	81.71	Closed
6	Sun.	89.37	86.36	85.29	83.39	Sat.	81.21	79.82	Sat.	86.26	81.56	Sat.
7	82.82	86.94	Sat.	84.79	84.07	Sun.	81.45	80.61	Sun.	86.41	82.86	Sun.
8	81.89	87.14	Sun.	83.33	84.46	Closed	82.50	80.15	86.37	86.14	Sat.	76.49
9	81.16	Sat.	87.96	82.52	Sat.	82.25	82.49	Sat.	86.14	85.17	Sun.	77.31
10	80.69	Sun.	86.06	82.90	Sun.	81.21	Sat.	Sun.	86.48	82.61	83.26	76.09
11	81.86	87.61	84.74	Sat.	84.51	80.66	Sun.	80.09	86.04	Sat.	81.91	76.54
12	Sat.	89.04	84.49	Sun.	83.39	80.50	81.59	79.85	85.49	Sun.	81.79	76.95
13	Sun.	89.46	83.86	83.14	83.96	Sat.	81.64	80.18	Sat.	82.74	80.01	Sat.
14	83.86	90.89	Sat.	84.50	83.97	Sun.	81.44	81.46	Sun.	82.94	79.31	Sun.
15	83.86	93.18	Sun.	85.75	83.39	80.93	82.11	81.17	84.14	82.96	Sat.	76.46
16	83.75	Sat.	82.51	84.65	Sat.	79.85	82.24	Sat.	83.62	82.22	Sun.	77.04
17	85.75	Sun.	81.68	84.46	Sun.	79.64	Sat.	Sun.	83.98	82.32	80.32	76.64
18	87.75	92.99	82.61	Sat.	81.75	79.47	Sun.	81.49	84.64	Sat.	79.89	77.14
19	Sat.	90.85	82.02	Sun.	80.10	81.50	H	81.46	84.46	Sun.	80.21	77.98
20	Sun.	91.80	82.38	84.63	79.68	Sat.	82.43	83.00	Sat.	81.52	80.22	Sat.
21	89.75	93.51	Sat.	85.11	80.67	Sun.	81.21	82.32	Sun.	81.55	79.79	Sun.
22	91.89	92.01	Sun.	85.49	79.54	81.37	80.36	82.64	84.38	81.98	Sat.	78.36
23	90.97	Sat.	82.57	H	Sat.	81.58	80.99	Sat.	84.09	82.03	Sun.	77.07
24	88.11	Sun.	81.71	Closed	Sun.	83.62	Sat.	Sun.	84.16	83.00	80.00	76.93
25	88.14	89.09	82.68	Sat.	H	84.87	Sun.	82.89	84.89	Sat.	77.97	76.30
26	Sat.	89.25	82.88	Sun.	78.99	84.77	81.25	82.17	84.60	Sun.	76.87	76.37
27	Sun.	88.29	83.25	84.29	79.47	Sat.	80.07	82.03	Sat.	H	77.00	Sat.
28	89.00	87.46	Sat.	83.00	79.86	Sun.	80.20	82.04	Sun.	82.25	76.35	Sun.
29	89.75	88.17	Sun.	83.14	79.57	85.27	79.86	81.69	83.61	81.48	Sat.	76.11
30	91.64	-	84.84	83.46	Sat.	84.38	-	-	84.44	80.61	Sun.	76.88
31	91.18		83.99		Sun.	83.10				80.66		77.64
Average	85.90	90.00	84.65	84.16	82.18	81.81	81.56	81.13	84.69	83.22	80.23	76.84
High	91.89	93.51	90.26	85.75	84.51	85.27	83.07	83.00	86.48	86.41	83.26	78.36
Low	80.69	86.94	81.68	82.52	78.99	79.44	79.86	79.20	82.70	80.61	76.35	75.84

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34 in the designated markets, monthly and annual averages, 1995-96 1/

Market Areas	Aug. 1995	Sept. 1995	Oct. 1995	Nov. 1995	Dec. 1995	Jan. 1996	Feb. 1996	Mar. 1996	Apr. 1996	May 1996	June 1996	July 1996	Average
	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents
Southeast	85.45	89.21	83.04	83.13	80.75	81.23	81.66	82.02	87.17	87.27	84.20	81.20	83.86
North Delta	86.69	88.50	82.51	81.88	80.17	80.69	80.85	82.02	87.36	86.79	84.31	83.39	83.76
South Delta	86.69	88.50	82.51	81.88	80.17	80.69	80.85	82.02	87.36	86.79	84.31	83.39	83.76
East Texas-Oklahoma	83.98	87.60	84.72	82.45	80.13	79.79	79.66	79.35	82.70	80.05	77.23	73.01	80.89
West Texas	83.98	87.60	83.77	82.51	79.96	79.75	79.76	79.25	82.70	80.05	77.23	71.10	80.64
Desert Southwest	85.75	92.80	86.30	85.88	84.67	81.46	81.10	77.50	78.93	76.89	71.88	67.67	80.90
San Joaquin Valley	88.75	95.80	89.71	91.36	89.42	89.05	87.03	85.78	86.64	84.69	82.48	78.11	87.40
Average	85.90	90.00	84.65	84.16	82.18	81.81	81.56	81.13	84.69	83.22	80.23	76.84	83.03

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34 in the designated markets, monthly and annual averages, 1995-96 1/

Market Areas	Aug. 1995	Sept. 1995	Oct. 1995	Nov. 1995	Dec. 1995	Jan. 1996	Feb. 1996	Mar. 1996	Apr. 1996	May 1996	June 1996	July 1996	Average
	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents	Cents
Southeast	85.60	90.57	83.79	83.88	81.25	81.75	82.16	82.59	88.17	88.27	84.79	82.20	84.59
North Delta	87.44	89.25	83.26	82.63	80.92	81.34	81.35	82.52	87.86	87.29	84.81	83.89	84.38
South Delta	87.44	89.25	83.26	82.63	80.92	81.34	81.35	82.52	87.86	87.29	84.81	83.89	84.38
East Texas-Oklahoma	85.23	88.85	86.20	83.98	81.24	80.97	80.91	80.60	84.15	81.74	78.84	74.39	82.26
West Texas	85.23	88.85	85.25	84.04	81.07	81.01	81.01	80.50	84.15	81.74	78.84	72.60	82.02
Desert Southwest	90.75	97.80	89.95	87.88	86.67	88.17	87.10	83.50	84.93	82.89	77.13	69.92	85.56
San Joaquin Valley	92.50	99.55	92.97	94.36	92.42	92.19	90.03	88.78	89.64	87.69	85.48	81.11	90.56
Average	87.74	92.02	86.38	85.63	83.50	83.83	83.42	83.00	86.68	85.27	82.10	78.29	84.82

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. Spot cotton prices: Monthly and annual averages for specified qualities in the designated markets, in cents per pound, 1975-1995 1/

Year	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Avg.
Grade 41 staple 34													
1975	48.40	50.74	50.38	50.87	55.12	57.17	56.96	55.47	57.18	62.07	72.74	78.73	57.99
1976	73.25	72.26	76.98	76.53	73.10	66.95	72.15	75.75	73.67	70.65	61.08	58.18	70.88
1977	52.54	49.30	49.06	47.98	48.42	51.05	52.89	55.01	54.72	57.59	57.35	56.99	52.74
1978	59.78	60.04	64.08	65.65	64.39	61.48	60.59	58.70	58.05	60.90	63.38	61.87	61.58
1979	62.08	62.15	62.88	63.40	66.20	72.40	80.66	79.24	79.05	78.27	72.41	79.01	71.48
1980	85.60	87.51	85.78	87.05	87.23	85.11	83.30	81.52	81.15	78.46	78.12	75.08	82.99
1981	66.44	60.81	60.63	57.47	55.11	57.82	57.26	59.73	62.03	62.44	61.10	64.96	60.48
1982	60.38	58.98	58.58	58.20	59.65	60.16	61.72	66.05	65.33	66.88	70.74	70.27	63.08
1983	72.93	71.68	72.01	73.41	73.04	70.55	71.38	74.89	75.64	79.44	75.00	67.35	73.11
1984	63.01	61.16	61.15	60.43	60.45	59.96	58.65	60.18	61.71	60.11	59.76	59.55	60.51
1985	57.87	56.38	56.14	56.03	56.25	58.39	59.81	61.75	62.62	63.95	65.24	65.73	60.01
1986	26.81	33.56	43.95	45.74	54.19	57.17	54.75	54.60	57.72	65.94	70.42	73.07	53.16
1987	75.89	71.41	64.30	64.66	62.26	59.69	57.83	59.64	60.07	61.55	62.86	57.40	63.13
1988	55.20	51.25	52.20	53.40	54.80	55.67	55.37	57.59	61.43	63.70	64.06	67.39	57.67
1989	69.88	68.46	69.40	68.33	63.56	62.21	64.95	68.06	71.31	74.61	77.06	79.53	69.78
1990	76.27	71.01	70.54	69.48	69.92	70.50	77.69	77.92	79.94	83.94	79.05	71.33	74.80
1991	66.44	62.39	58.28	54.70	53.89	51.54	50.76	52.01	54.97	55.45	58.82	60.93	56.68
1992	57.56	53.49	49.47	49.98	51.85	53.72	55.38	56.45	56.17	56.37	54.38	54.35	54.10
Color 41, leaf 4, staple 34													
1993	53.04	54.01	54.58	55.61	60.29	66.53	72.69	72.74	76.12	79.30	76.85	71.71	66.12
1994	70.32	71.10	67.57	72.00	81.92	88.11	91.89	104.20	104.94	105.38	106.96	93.28	88.14
1995	85.90	90.00	84.65	84.16	82.18	81.81	81.56	81.13	84.69	83.22	80.23	76.84	83.03

1/ Year beginning August 1.

Table 7. High and low average prices for base quality in the designated spot markets, by seasons, 1975-1995 1/

Year	High		Year	Low	
	Date 2/ 3/	Grade 41 Staple 34		Date 2/ 3/	Grade 41 Staple 34
1975	July 6, 1976	86.84	1975	Aug. 11, 1975	46.74
1976	Oct. 8, 1976	79.36	1976	July 29, 1977	55.21
1977	May 17, 1978	59.28	1977	Dec. 12, 1977	47.02
1978	Nov. 24, 1978	67.57	1978	Apr. 3, 1979	56.46
1979	July 30, 1980	84.82	1979	Aug. 3, 1979	60.62
1980	Sept. 12, 1980	92.29	1980	July 31, 1981	72.65
1981	Aug. 3, 1981	71.31	1981	Dec. 9, 1981	53.51
1982	June 24, 1983	73.35	1982	Nov. 5, 1982	57.34
1983	May 29, 1984	81.61	1983	July 30, 1984	63.79
1984	Aug. 3, 1984	65.46	1984	Feb. 25, 1985	57.60
1985	July 31, 1986	65.94	1985	Dec. 10, 1985	55.09
1986	July 30, 1987	76.00	1986	Aug. 1, 1986	25.94
1987	Aug. 20, 1987	77.17	1987	Feb. 23, 1988	56.45
1988	July 31, 1989	69.91	1988	Sept. 30, 1988	50.05
1989	July 5, 1990	80.67	1989	Jan. 26, 1990	60.69
1990	May 20, 1991	87.82	1990	Nov. 6, 1990	68.45
1991	Aug. 6, 1991	69.96	1991	Jan. 31, 1992	49.04
1992	Aug. 4, 1992	61.08	1992	Oct. 28, 1992	47.11
Color 41, leaf 4, staple 34					
1993	May 3, 1994	81.06	1993	Aug. 12, 1993	51.48
1994	May 26, 1995	111.53	1994	Oct. 4, 1994	65.98
1995	Sep. 21, 1995	93.51	1995	July 3, 1996	75.84

1/ Year beginning August 1. 2/ Dates for high and low prices, 1975-92, for base quality, grade 41 staple 34. 3/ Dates for high and low prices, 1993-95, for base quality, color 41, leaf 4, staple 34.

Table 8. United States spot cotton differences, season averages, 1995-96

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1-2	-632	-395	-251	-175	-53	183	250	252	255
	3	-632	-395	-252	-176	-53	181	248	250	253
	4	-682	-485	-308	-223	-96	121	193	195	198
	5	-787	-576	-439	-381	-347	-231	-177	-175	-172
	6	-942	-785	-685	-618	-692	-681	-643	-643	-643
31	7	-1073	-1023	-998	-955	-897	-990	-969	-969	-969
	1-2	-632	-420	-261	-200	-54	179	245	247	250
	3	-632	-420	-261	-201	-54	179	245	247	250
	4	-682	-489	-313	-248	-108	108	179	181	184
	5	-787	-576	-439	-381	-347	-231	-177	-175	-172
41	6	-942	-785	-685	-618	-692	-697	-657	-657	-657
	7	-1073	-1023	-998	-955	-914	-1000	-980	-980	-980
	1-2	-703	-521	-353	-304	-197	1	57	59	61
	3	-703	-521	-353	-304	-197	1	57	59	61
	4	-703	-521	-354	-304	-197	0	55	58	59
51	5	-832	-656	-531	-488	-446	-378	-330	-329	-328
	6	-966	-840	-765	-727	-732	-732	-691	-691	-691
	7	-1144	-1119	-1094	-1055	-998	-1072	-1050	-1050	-1050
	1-2	-893	-718	-592	-567	-537	-446	-407	-407	-407
	3	-893	-718	-592	-567	-537	-446	-407	-407	-407
61	4	-918	-743	-617	-593	-547	-455	-416	-416	-416
	5	-919	-743	-693	-643	-602	-542	-503	-503	-501
	6	-1075	-1025	-1000	-975	-845	-922	-904	-904	-904
	7	-1226	-1175	-1150	-1125	-1043	-1150	-1132	-1132	-1132
	1-2	-1152	-1102	-1002	-903	-897	-860	-860	-860	-860
71	3	-1152	-1102	-1002	-903	-897	-860	-860	-860	-860
	4	-1152	-1102	-1077	-1002	-917	-879	-879	-879	-879
	5	-1152	-1102	-1077	-1053	-984	-956	-956	-956	-956
	6	-1152	-1102	-1077	-1053	-1006	-978	-978	-978	-978
	7	-1354	-1304	-1253	-1228	-1118	-1100	-1100	-1100	-1100
12 & 22	1-2	-1354	-1304	-1254	-1229	-1264	-1247	-1247	-1247	-1247
	3	-1354	-1304	-1254	-1229	-1264	-1247	-1247	-1247	-1247
	4	-1429	-1403	-1378	-1354	-1285	-1267	-1267	-1267	-1267
	5	-1429	-1403	-1378	-1354	-1285	-1267	-1267	-1267	-1267
	6	-1429	-1403	-1378	-1354	-1285	-1267	-1267	-1267	-1267
32	7	-1429	-1403	-1378	-1354	-1285	-1267	-1267	-1267	-1267
	1-2	-687	-456	-280	-205	-149	53	112	114	117
	3	-687	-456	-280	-205	-217	-10	48	50	53
	4	-750	-565	-346	-262	-291	-210	-142	-140	-137
	5	-829	-653	-504	-426	-511	-461	-412	-412	-412
42	6	-942	-798	-742	-700	-804	-915	-891	-891	-891
	7	-1112	-1062	-1037	-999	-1070	-1205	-1184	-1184	-1184
	1-2	-714	-515	-330	-242	-218	-48	3	4	5
	3	-714	-515	-330	-242	-220	-54	-4	-2	-1
	4	-767	-607	-372	-333	-361	-308	-246	-246	-246
52	5	-840	-702	-509	-455	-533	-490	-437	-437	-437
	6	-952	-808	-752	-703	-821	-941	-913	-913	-913
	7	-1122	-1072	-1047	-1009	-1086	-1226	-1201	-1201	-1201
	1-2	-805	-604	-395	-345	-457	-386	-348	-348	-348
	3	-805	-604	-410	-360	-474	-430	-392	-392	-392
62	4	-830	-654	-435	-410	-493	-465	-426	-426	-426
	5	-929	-778	-610	-565	-629	-695	-656	-656	-656
	6	-1043	-943	-868	-824	-897	-1025	-1000	-1000	-1000
	7	-1194	-1145	-1120	-1076	-1125	-1298	-1275	-1275	-1275
	1-2	-929	-803	-703	-678	-705	-710	-687	-687	-687
82	3	-929	-803	-703	-678	-705	-710	-687	-687	-687
	4	-979	-878	-804	-779	-799	-970	-945	-945	-945
	5	-979	-904	-854	-829	-842	-1006	-978	-978	-978
	6	-1186	-1161	-1136	-1111	-1083	-1274	-1254	-1254	-1254
	7	-1261	-1236	-1186	-1162	-1206	-1387	-1367	-1367	-1367
92	1-2	-1238	-1213	-1188	-1163	-1117	-1097	-1088	-1088	-1088
	3	-1238	-1213	-1188	-1163	-1117	-1097	-1088	-1088	-1088
	4	-1238	-1213	-1188	-1163	-1127	-1107	-1098	-1098	-1098
	5	-1288	-1263	-1239	-1214	-1190	-1170	-1161	-1161	-1161
	6	-1288	-1263	-1239	-1214	-1191	-1171	-1163	-1163	-1163

Table 8. United States spot cotton differences, season averages, 1995-96 (continued)

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1-2	-864	-713	-588	-544	-418	-418	-418	-418	-418
	3	-889	-713	-663	-623	-472	-472	-472	-472	-472
	4	-933	-832	-782	-771	-620	-592	-592	-592	-592
	5	-1050	-1025	-1000	-1000	-849	-820	-820	-820	-820
	6	-1201	-1176	-1169	-1163	-1025	-996	-996	-996	-996
7	-1351	-1326	-1295	-1295	-1151	-1122	-1122	-1122	-1122	
33	1-2	-908	-782	-682	-641	-515	-672	-672	-672	-672
	3	-908	-782	-682	-641	-515	-672	-672	-672	-672
	4	-983	-945	-920	-866	-735	-1184	-1184	-1184	-1184
	5	-1075	-1050	-1000	-1000	-875	-1277	-1277	-1277	-1277
	6	-1226	-1201	-1201	-1157	-1050	-1477	-1477	-1477	-1477
7	-1351	-1326	-1283	-1283	-1151	-1612	-1612	-1612	-1612	
43	1-2	-973	-898	-886	-844	-966	-1005	-995	-995	-995
	3	-1030	-1005	-992	-951	-1009	-1131	-1124	-1124	-1124
	4	-1055	-1030	-1030	-983	-1034	-1173	-1166	-1166	-1166
	5	-1206	-1181	-1181	-1144	-1202	-1350	-1343	-1343	-1343
	6	-1306	-1281	-1281	-1245	-1401	-1520	-1513	-1513	-1513
7	-1400	-1376	-1376	-1339	-1474	-1612	-1605	-1605	-1605	
53	1-2	-1082	-1082	-1076	-1022	-1212	-1174	-1166	-1166	-1166
	3	-1082	-1082	-1082	-1028	-1212	-1174	-1166	-1166	-1166
	4	-1208	-1208	-1208	-1153	-1341	-1302	-1294	-1294	-1294
	5	-1233	-1233	-1233	-1178	-1353	-1314	-1307	-1307	-1307
	6	-1334	-1334	-1334	-1279	-1458	-1419	-1411	-1411	-1411
7	-1427	-1427	-1427	-1373	-1522	-1484	-1476	-1476	-1476	
63	1-2	-1425	-1400	-1375	-1296	-1564	-1538	-1533	-1533	-1533
	3	-1425	-1400	-1375	-1296	-1564	-1538	-1533	-1533	-1533
	4	-1425	-1400	-1375	-1296	-1564	-1538	-1533	-1533	-1533
	5	-1475	-1475	-1475	-1402	-1599	-1573	-1568	-1568	-1568
	6	-1476	-1476	-1476	-1402	-1601	-1575	-1570	-1570	-1570
34	1-2	-1200	-1175	-1150	-1150	-1024	-1024	-1024	-1024	-1024
	3	-1200	-1175	-1150	-1150	-1024	-1024	-1024	-1024	-1024
	4	-1351	-1275	-1250	-1250	-1150	-1150	-1150	-1150	-1150
	5	-1401	-1376	-1351	-1351	-1225	-1225	-1225	-1225	-1225
	6	-1489	-1463	-1413	-1413	-1288	-1288	-1288	-1288	-1288
44	1-2	-1361	-1285	-1260	-1260	-1160	-1160	-1160	-1160	-1160
	3	-1411	-1361	-1335	-1335	-1235	-1235	-1235	-1235	-1235
	4	-1411	-1361	-1335	-1335	-1235	-1235	-1235	-1235	-1235
	5	-1549	-1498	-1449	-1449	-1348	-1348	-1348	-1348	-1348
	6	-1549	-1498	-1449	-1449	-1348	-1348	-1348	-1348	-1348
54	1-2	-1485	-1435	-1410	-1410	-1309	-1309	-1309	-1309	-1309
	3	-1485	-1435	-1410	-1410	-1309	-1309	-1309	-1309	-1309
	4	-1585	-1535	-1485	-1485	-1384	-1384	-1384	-1384	-1384
	5	-1585	-1535	-1485	-1485	-1384	-1384	-1384	-1384	-1384

Mike	
Range	Diff.
24 & Below	-1435
25-26	-1238
27-29	-965
30-32	-484
33-34	-233
35-36	0
37-42	33
43-49	0
50-52	-310
53 & Above	-516

Strength (grams per tex)	
Range	Diff.
18.5-19.4	-111
19.5-20.4	-86
20.5-21.4	-117
21.5-22.4	-69
22.5-23.4	-16
23.5-25.4	-1
25.5-26.4	0
26.5-27.4	0
27.5-28.4	1
28.5-29.4	13
29.5-30.4	27
30.5 & Above	39

Extraneous Matter	
Level	Diff.
Except bark for TX and OK	
1	-429
2	-763
BARK - TX and OK only	
1	-150
2	-377

Table 8. Southeast spot cotton differences, season averages, 1995-96

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1-2	-46	72	93	93	93	43	1-2	-1181	-1049	-1027	-1027	-1027
	3	-46	72	93	93	93		3	-1181	-1049	-1027	-1027	-1027
	4	-38	39	93	93	93		4	-1181	-1049	-1027	-1027	-1027
	5	-311	-177	-167	-167	-167		5	-1331	-1200	-1178	-1178	-1178
	6	-693	-619	-619	-619	-619		6	-1482	-1351	-1328	-1328	-1328
	7	-735	-678	-678	-678	-678	7	-1582	-1451	-1429	-1429	-1429	
31	1-2	-51	72	93	93	93	53	1-2	-1416	-1285	-1263	-1263	-1263
	3	-51	72	93	93	93		3	-1416	-1285	-1263	-1263	-1263
	4	-40	38	89	89	89		4	-1516	-1385	-1363	-1363	-1363
	5	-311	-177	-167	-167	-167		5	-1516	-1385	-1363	-1363	-1363
	6	-693	-619	-619	-619	-619		6	-1617	-1486	-1464	-1464	-1464
	7	-774	-720	-720	-720	-720	7	-1717	-1586	-1564	-1564	-1564	
41	1-2	-154	0	48	48	48	63	1-2	-1836	-1705	-1683	-1683	-1683
	3	-154	0	48	48	48		3	-1836	-1705	-1683	-1683	-1683
	4	-154	0	48	48	48		4	-1836	-1705	-1683	-1683	-1683
	5	-350	-245	-235	-235	-235		5	-1836	-1705	-1683	-1683	-1683
	6	-708	-632	-632	-632	-632		6	-1836	-1705	-1683	-1683	-1683
	7	-789	-734	-734	-734	-734							
51	1-2	-329	-211	-201	-201	-201							
	3	-329	-211	-201	-201	-201							
	4	-329	-211	-201	-201	-201							
	5	-504	-426	-416	-416	-416							
	6	-843	-787	-787	-787	-787							
	7	-918	-861	-861	-861	-861							
61	1-2	-720	-630	-630	-630	-630							
	3	-720	-630	-630	-630	-630							
	4	-720	-630	-630	-630	-630							
	5	-905	-816	-816	-816	-816							
	6	-1014	-924	-924	-924	-924							
	7	-1039	-949	-949	-949	-949							
71	1-2	-1218	-1129	-1129	-1129	-1129							
	3	-1218	-1129	-1129	-1129	-1129							
	4	-1218	-1129	-1129	-1129	-1129							
	5	-1218	-1129	-1129	-1129	-1129							
	6	-1218	-1129	-1129	-1129	-1129							
	7	-1218	-1129	-1129	-1129	-1129							
12 & 22	1-2	-177	-121	-102	-102	-102							
	3	-177	-121	-102	-102	-102							
	4	-343	-292	-231	-231	-231							
	5	-519	-459	-391	-391	-391							
	6	-770	-716	-672	-672	-672							
	7	-995	-941	-897	-897	-897							
32	1-2	-185	-129	-110	-110	-110							
	3	-185	-129	-110	-110	-110							
	4	-369	-319	-258	-258	-258							
	5	-546	-486	-417	-417	-417							
	6	-774	-716	-672	-672	-672							
	7	-999	-941	-897	-897	-897							
42	1-2	-395	-318	-269	-269	-269							
	3	-395	-318	-269	-269	-269							
	4	-458	-381	-326	-326	-326							
	5	-614	-527	-459	-459	-459							
	6	-858	-773	-729	-729	-729							
	7	-1058	-973	-929	-929	-929							
52	1-2	-541	-459	-432	-432	-432							
	3	-541	-459	-432	-432	-432							
	4	-597	-508	-458	-458	-458							
	5	-765	-671	-603	-603	-603							
	6	-996	-904	-859	-859	-859							
	7	-1186	-1094	-1049	-1049	-1049							
62	1-2	-1014	-916	-872	-872	-872							
	3	-1014	-916	-872	-872	-872							
	4	-1064	-966	-922	-922	-922							
	5	-1278	-1180	-1136	-1136	-1136							
	6	-1284	-1186	-1142	-1142	-1142							

Mike	
Range	Diff.
25-26	-1285
27-29	-916
30-32	-428
33-34	-215
35-36	0
37-42	28
43-49	0
50-52	-246
53 & Above	-467

Strength (grams per tex)	
Range	Diff.
20.5-21.4	-201
21.5-22.4	-100
22.5-23.4	-33
23.5-25.4	-8
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	0
29.5-30.4	12
30.5 & Above	25

Extraneous Matter	
Level	Diff.
1	-341
2	-665

Table 8. North Delta spot cotton differences, season averages, 1995-96

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1-2	-177	62	118	118	118	43	1-2	-1133	-1133	-1133	-1133	-1133
	3	-177	62	118	118	118		3	-1133	-1133	-1133	-1133	-1133
	4	-214	25	111	111	111		4	-1133	-1133	-1133	-1133	-1133
	5	-414	-221	-211	-211	-211		5	-1274	-1274	-1274	-1274	-1274
	6	-849	-849	-849	-849	-849		6	-1642	-1642	-1642	-1642	-1642
	7	-1039	-1039	-1039	-1039	-1039		7	-1642	-1642	-1642	-1642	-1642
	31	1-2	-177	62	118	118		118	53	1-2	-1576	-1576	-1576
3		-177	62	118	118	118	3	-1576		-1576	-1576	-1576	-1576
4		-214	25	111	111	111	4	-1576		-1576	-1576	-1576	-1576
5		-414	-221	-211	-211	-211	5	-1576		-1576	-1576	-1576	-1576
6		-849	-849	-849	-849	-849	6	-1659		-1659	-1659	-1659	-1659
7		-1100	-1100	-1100	-1100	-1100	7	-1659		-1659	-1659	-1659	-1659
41		1-2	-239	0	56	56	56	63		1-2	-1807	-1807	-1807
	3	-239	0	56	56	56	3		-1807	-1807	-1807	-1807	-1807
	4	-239	0	56	56	56	4		-1807	-1807	-1807	-1807	-1807
	5	-542	-348	-338	-338	-338	5		-1807	-1807	-1807	-1807	-1807
	6	-849	-849	-849	-849	-849	6		-1807	-1807	-1807	-1807	-1807
	7	-1100	-1100	-1100	-1100	-1100							
	51	1-2	-627	-526	-523	-523	-523						
3		-627	-526	-523	-523	-523							
4		-627	-526	-523	-523	-523							
5		-651	-534	-531	-531	-531							
6		-849	-849	-849	-849	-849							
7		-1100	-1100	-1100	-1100	-1100							
61		1-2	-1032	-1032	-1032	-1032	-1032						
	3	-1032	-1032	-1032	-1032	-1032							
	4	-1032	-1032	-1032	-1032	-1032							
	5	-1032	-1032	-1032	-1032	-1032							
	6	-1032	-1032	-1032	-1032	-1032							
	7	-1123	-1123	-1123	-1123	-1123							
	71	1-2	-1399	-1399	-1399	-1399	-1399						
3		-1399	-1399	-1399	-1399	-1399							
4		-1399	-1399	-1399	-1399	-1399							
5		-1399	-1399	-1399	-1399	-1399							
6		-1399	-1399	-1399	-1399	-1399							
7		-1399	-1399	-1399	-1399	-1399							
12 & 22		1-2	-289	-50	6	6	6						
	3	-289	-50	6	6	6							
	4	-339	-100	-44	-44	-44							
	5	-592	-399	-389	-389	-389							
	6	-997	-997	-997	-997	-997							
	7	-1198	-1198	-1198	-1198	-1198							
	32	1-2	-289	-50	6	6	6						
3		-289	-50	6	6	6							
4		-339	-100	-44	-44	-44							
5		-592	-399	-389	-389	-389							
6		-997	-997	-997	-997	-997							
7		-1198	-1198	-1198	-1198	-1198							
42		1-2	-537	-444	-440	-440	-440						
	3	-537	-444	-440	-440	-440							
	4	-537	-444	-440	-440	-440							
	5	-672	-590	-587	-587	-587							
	6	-997	-997	-997	-997	-997							
	7	-1198	-1198	-1198	-1198	-1198							
	52	1-2	-842	-842	-842	-842	-842						
3		-842	-842	-842	-842	-842							
4		-842	-842	-842	-842	-842							
5		-842	-842	-842	-842	-842							
6		-997	-997	-997	-997	-997							
7		-1198	-1198	-1198	-1198	-1198							
62		1-2	-1198	-1198	-1198	-1198	-1198						
	3	-1198	-1198	-1198	-1198	-1198							
	4	-1198	-1198	-1198	-1198	-1198							
	5	-1198	-1198	-1198	-1198	-1198							
	6	-1198	-1198	-1198	-1198	-1198							

Mike	
Range	Diff.
25-26	-1305
27-29	-979
30-32	-532
33-34	-311
35-36	0
37-42	68
43-49	0
50-52	-402
53 & Above	-553

Strength (grams per tex)	
Range	Diff.
20.5-21.4	-100
21.5-22.4	-75
22.5-23.4	0
23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	15
29.5-30.4	20
30.5 & Above	25

Extraneous Matter	
Level	Diff.
1	-452
2	-803

Table 8. South Delta spot cotton differences, season averages, 1995-96

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1-2	-177	62	118	118	118	43	1-2	-1133	-1133	-1133	-1133	-1133
	3	-177	62	118	118	118		3	-1133	-1133	-1133	-1133	-1133
	4	-214	25	111	111	111		4	-1133	-1133	-1133	-1133	-1133
	5	-414	-221	-211	-211	-211		5	-1274	-1274	-1274	-1274	-1274
	6	-849	-849	-849	-849	-849		6	-1642	-1642	-1642	-1642	-1642
	7	-1100	-1100	-1100	-1100	-1100		7	-1642	-1642	-1642	-1642	-1642
	31	1-2	-177	62	118	118		118	53	1-2	-1576	-1576	-1576
3		-177	62	118	118	118	3	-1576		-1576	-1576	-1576	-1576
4		-214	25	111	111	111	4	-1576		-1576	-1576	-1576	-1576
5		-414	-221	-211	-211	-211	5	-1576		-1576	-1576	-1576	-1576
6		-849	-849	-849	-849	-849	6	-1659		-1659	-1659	-1659	-1659
7		-1100	-1100	-1100	-1100	-1100	7	-1659		-1659	-1659	-1659	-1659
41		1-2	-239	0	56	56	56	63		1-2	-1807	-1807	-1807
	3	-239	0	56	56	56	3		-1807	-1807	-1807	-1807	-1807
	4	-239	0	56	56	56	4		-1807	-1807	-1807	-1807	-1807
	5	-542	-348	-338	-338	-338	5		-1807	-1807	-1807	-1807	-1807
	6	-849	-849	-849	-849	-849	6		-1807	-1807	-1807	-1807	-1807
	7	-1100	-1100	-1100	-1100	-1100							
	51	1-2	-627	-526	-523	-523	-523						
3		-627	-526	-523	-523	-523							
4		-627	-526	-523	-523	-523							
5		-651	-534	-531	-531	-531							
6		-849	-849	-849	-849	-849							
7		-1100	-1100	-1100	-1100	-1100							
61		1-2	-1032	-1032	-1032	-1032	-1032						
	3	-1032	-1032	-1032	-1032	-1032							
	4	-1032	-1032	-1032	-1032	-1032							
	5	-1032	-1032	-1032	-1032	-1032							
	6	-1032	-1032	-1032	-1032	-1032							
	7	-1123	-1123	-1123	-1123	-1123							
	71	1-2	-1399	-1399	-1399	-1399	-1399						
3		-1399	-1399	-1399	-1399	-1399							
4		-1399	-1399	-1399	-1399	-1399							
5		-1399	-1399	-1399	-1399	-1399							
6		-1399	-1399	-1399	-1399	-1399							
7		-1399	-1399	-1399	-1399	-1399							
12 & 22		1-2	-289	-50	6	6	6						
	3	-289	-50	6	6	6							
	4	-339	-100	-44	-44	-44							
	5	-592	-399	-389	-389	-389							
	6	-997	-997	-997	-997	-997							
	7	-1198	-1198	-1198	-1198	-1198							
	32	1-2	-289	-50	6	6	6						
3		-289	-50	6	6	6							
4		-339	-100	-44	-44	-44							
5		-592	-399	-389	-389	-389							
6		-997	-997	-997	-997	-997							
7		-1198	-1198	-1198	-1198	-1198							
42		1-2	-537	-444	-440	-440	-440						
	3	-537	-444	-440	-440	-440							
	4	-537	-444	-440	-440	-440							
	5	-672	-590	-587	-587	-587							
	6	-997	-997	-997	-997	-997							
	7	-1198	-1198	-1198	-1198	-1198							
	52	1-2	-842	-842	-842	-842	-842						
3		-842	-842	-842	-842	-842							
4		-842	-842	-842	-842	-842							
5		-842	-842	-842	-842	-842							
6		-997	-997	-997	-997	-997							
7		-1198	-1198	-1198	-1198	-1198							
62		1-2	-1198	-1198	-1198	-1198	-1198						
	3	-1198	-1198	-1198	-1198	-1198							
	4	-1198	-1198	-1198	-1198	-1198							
	5	-1198	-1198	-1198	-1198	-1198							
	6	-1198	-1198	-1198	-1198	-1198							

Mike	
Range	Diff.
25-26	-1305
27-29	-979
30-32	-532
33-34	-311
35-36	0
37-42	68
43-49	0
50-52	-402
53 & Above	-553

Strength (grams per tex)	
Range	Diff.
20.5-21.4	-100
21.5-22.4	-75
22.5-23.4	0
23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	15
29.5-30.4	20
30.5 & Above	25

Extraneous Matter	
Level	Diff.
1	-452
2	-803

Table 8. East Texas-Oklahoma spot cotton differences, season averages, 1995-96

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1-2	-645	-409	-265	-190	-69	138	167	167	167
	3	-645	-409	-266	-191	-69	137	167	167	167
	4	-682	-486	-312	-231	-127	88	88	88	88
	5	-783	-575	-446	-396	-288	-203	-153	-153	-153
	6	-942	-785	-686	-631	-579	-499	-499	-499	-499
	7	-1083	-1033	-1007	-977	-850	-795	-790	-790	-790
	31	1-2	-645	-442	-275	-223	-69	137	162	162
3		-645	-442	-275	-224	-69	137	162	162	162
4		-682	-494	-321	-264	-136	64	64	64	64
5		-783	-575	-446	-396	-288	-203	-153	-153	-153
6		-942	-785	-686	-631	-579	-504	-499	-499	-499
7		-1083	-1033	-1007	-977	-850	-795	-790	-790	-790
41		1-2	-703	-520	-359	-310	-148	6	6	6
	3	-703	-520	-359	-310	-148	6	6	6	6
	4	-703	-520	-360	-311	-149	0	0	0	0
	5	-839	-664	-538	-506	-381	-282	-257	-257	-257
	6	-973	-848	-772	-742	-665	-592	-585	-585	-585
	7	-1147	-1122	-1098	-1067	-965	-910	-904	-904	-904
	51	1-2	-897	-721	-596	-572	-409	-310	-309	-309
3		-897	-721	-596	-572	-409	-310	-309	-309	-309
4		-922	-747	-621	-597	-446	-346	-345	-345	-345
5		-923	-748	-697	-647	-497	-397	-396	-396	-396
6		-1079	-1029	-1004	-979	-828	-804	-803	-803	-803
7		-1230	-1180	-1155	-1130	-1029	-1004	-1004	-1004	-1004
61		1-2	-1157	-1107	-1008	-909	-857	-808	-808	-808
	3	-1157	-1107	-1008	-909	-857	-808	-808	-808	-808
	4	-1157	-1107	-1082	-1008	-906	-857	-857	-857	-857
	5	-1157	-1107	-1082	-1058	-982	-957	-957	-957	-957
	6	-1157	-1107	-1082	-1058	-982	-957	-957	-957	-957
	7	-1359	-1309	-1259	-1234	-1156	-1156	-1156	-1156	-1156
	71	1-2	-1359	-1309	-1260	-1235	-1158	-1158	-1153	-1158
3		-1359	-1309	-1260	-1235	-1158	-1158	-1158	-1158	-1158
4		-1433	-1408	-1383	-1359	-1209	-1209	-1209	-1209	-1209
5		-1433	-1408	-1383	-1359	-1209	-1209	-1209	-1209	-1209
6		-1433	-1408	-1383	-1359	-1209	-1209	-1209	-1209	-1209
7		-1433	-1408	-1383	-1359	-1209	-1209	-1209	-1209	-1209
12 & 22		1-2	-701	-474	-299	-225	-108	46	46	46
	3	-701	-474	-299	-225	-108	46	46	46	46
	4	-757	-574	-357	-277	-166	-86	-86	-86	-86
	5	-825	-649	-505	-444	-324	-266	-266	-266	-266
	6	-943	-799	-744	-713	-612	-531	-531	-531	-531
	7	-1114	-1064	-1040	-1008	-883	-829	-829	-829	-829
	32	1-2	-721	-531	-349	-256	-134	-5	-5	-5
3		-721	-531	-349	-256	-134	-5	-5	-5	-5
4		-766	-613	-383	-352	-211	-155	-155	-155	-155
5		-839	-707	-519	-476	-362	-329	-316	-316	-316
6		-956	-812	-756	-720	-625	-569	-558	-558	-558
7		-1127	-1078	-1054	-1022	-897	-842	-837	-837	-837
42		1-2	-809	-608	-395	-346	-233	-152	-152	-152
	3	-809	-608	-415	-366	-283	-209	-209	-209	-209
	4	-834	-659	-440	-416	-308	-234	-234	-234	-234
	5	-933	-782	-615	-578	-472	-447	-447	-447	-447
	6	-1047	-947	-872	-836	-784	-737	-737	-737	-737
	7	-1199	-1149	-1124	-1088	-964	-940	-940	-940	-940
	52	1-2	-929	-803	-703	-679	-559	-510	-510	-510
3		-929	-803	-703	-679	-559	-510	-510	-510	-510
4		-979	-878	-804	-780	-678	-653	-653	-653	-653
5		-979	-904	-854	-830	-704	-679	-679	-679	-679
6		-1186	-1161	-1137	-1112	-987	-937	-937	-937	-937
7		-1262	-1237	-1187	-1163	-1062	-1037	-1037	-1037	-1037
62		1-2	-1239	-1214	-1190	-1165	-1088	-1088	-1088	-1088
	3	-1239	-1214	-1190	-1165	-1088	-1088	-1088	-1088	-1088
	4	-1239	-1214	-1190	-1165	-1088	-1088	-1088	-1088	-1088
	5	-1289	-1264	-1240	-1215	-1138	-1138	-1138	-1138	-1138
	6	-1289	-1264	-1240	-1215	-1138	-1138	-1138	-1138	-1138

Table 8. East Texas-Oklahoma spot cotton differences, season averages, 1995-96 (Continued)

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1-2	-878	-727	-602	-567	-441	-441	-441	-441	-441
	3	-903	-727	-677	-642	-491	-491	-491	-491	-491
	4	-934	-834	-784	-777	-627	-598	-598	-598	-598
	5	-1050	-1025	-999	-999	-849	-821	-821	-821	-821
	6	-1201	-1176	-1170	-1164	-1025	-997	-997	-997	-997
	7	-1352	-1327	-1296	-1296	-1151	-1123	-1123	-1123	-1123
	33	1-2	-909	-784	-683	-648	-522	-522	-522	-522
3		-909	-784	-683	-648	-522	-522	-522	-522	-522
4		-985	-953	-928	-879	-741	-713	-713	-713	-713
5		-1075	-1050	-1000	-1000	-876	-846	-846	-846	-846
6		-1226	-1201	-1189	-1145	-1051	-1021	-1021	-1021	-1021
7		-1352	-1327	-1296	-1296	-1151	-1123	-1123	-1123	-1123
43		1-2	-975	-901	-896	-859	-708	-708	-708	-708
	3	-1033	-1008	-1002	-966	-831	-831	-831	-831	-831
	4	-1058	-1034	-1034	-991	-866	-866	-866	-866	-866
	5	-1209	-1184	-1184	-1148	-988	-974	-974	-974	-974
	6	-1310	-1285	-1285	-1249	-1074	-1059	-1059	-1059	-1059
	7	-1404	-1380	-1380	-1343	-1218	-1203	-1203	-1203	-1203
	53	1-2	-1088	-1088	-1081	-1028	-859	-859	-859	-859
3		-1088	-1088	-1088	-1034	-859	-859	-859	-859	-859
4		-1214	-1214	-1214	-1160	-982	-982	-982	-982	-982
5		-1239	-1239	-1239	-1185	-1025	-1025	-1025	-1025	-1025
6		-1340	-1340	-1340	-1285	-1110	-1110	-1110	-1110	-1110
7		-1433	-1433	-1433	-1380	-1253	-1253	-1253	-1253	-1253
63		1-2	-1433	-1408	-1383	-1299	-1182	-1182	-1182	-1182
	3	-1433	-1408	-1383	-1299	-1182	-1182	-1182	-1182	-1182
	4	-1433	-1408	-1383	-1299	-1182	-1182	-1182	-1182	-1182
	5	-1483	-1483	-1483	-1411	-1277	-1277	-1277	-1277	-1277
	6	-1484	-1484	-1484	-1411	-1286	-1286	-1286	-1286	-1286
	34	1-2	-1206	-1181	-1156	-1156	-1031	-1031	-1031	-1031
3		-1206	-1181	-1156	-1156	-1031	-1031	-1031	-1031	-1031
4		-1357	-1282	-1257	-1257	-1156	-1156	-1156	-1156	-1156
5		-1407	-1382	-1357	-1357	-1232	-1232	-1232	-1232	-1232
6		-1501	-1476	-1426	-1426	-1300	-1300	-1300	-1300	-1300
44		1-2	-1363	-1287	-1262	-1262	-1162	-1162	-1162	-1162
	3	-1413	-1363	-1337	-1337	-1237	-1237	-1237	-1237	-1237
	4	-1413	-1363	-1337	-1337	-1237	-1237	-1237	-1237	-1237
	5	-1557	-1507	-1457	-1457	-1356	-1356	-1356	-1356	-1356
	6	-1557	-1507	-1457	-1457	-1356	-1356	-1356	-1356	-1356
	54	1-2	-1493	-1443	-1418	-1418	-1317	-1317	-1317	-1317
3		-1493	-1443	-1418	-1418	-1317	-1317	-1317	-1317	-1317
4		-1594	-1544	-1493	-1493	-1392	-1392	-1392	-1392	-1392
5		-1594	-1544	-1493	-1493	-1392	-1392	-1392	-1392	-1392

Mike		Strength (grams per tex)		Extraneous Matter	
Range	Diff.	Range	Diff.	Level	Diff.
24 & Below	-1395				
25-26	-1125	18.5-19.4	-112	1	Bark
27-29	-630	19.5-20.4	-86	2	
30-32	-312	20.5-21.4	-75		
33-34	-176	21.5-22.4	-33		
35-36	0	22.5-23.4	-8	1	Other
37-42	8	23.5-25.4	0	2	
43-49	0	25.5-26.4	0		
50-52	-300	26.5-27.4	1		
53 & Above	-420	27.5-28.4	2		
		28.5-29.4	5		
		29.5-30.4	19		
		30.5 & Above	25		

Table 8. West Texas spot cotton differences, season averages, 1995-96

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1-2	-619	-381	-236	-161	-67	140	169	169	169
	3	-619	-381	-237	-162	-67	139	169	169	169
	4	-682	-485	-304	-214	-127	90	90	90	90
	5	-790	-577	-431	-366	-272	-194	-144	-144	-144
	6	-941	-785	-685	-606	-555	-491	-488	-488	-488
	7	-1063	-1013	-988	-934	-808	-758	-744	-744	-744
	31	1-2	-619	-398	-248	-178	-67	139	164	164
3		-619	-398	-248	-179	-67	139	164	164	164
4		-682	-485	-305	-232	-136	65	65	65	65
5		-790	-577	-431	-366	-272	-194	-144	-144	-144
6		-942	-785	-685	-606	-555	-502	-488	-488	-488
7		-1063	-1013	-988	-934	-808	-758	-744	-744	-744
41		1-2	-703	-521	-348	-298	-148	6	6	6
	3	-703	-521	-348	-298	-148	6	6	6	6
	4	-703	-521	-348	-298	-148	0	0	0	0
	5	-825	-649	-524	-470	-353	-274	-249	-249	-249
	6	-959	-833	-758	-712	-637	-584	-561	-561	-561
	7	-1140	-1115	-1090	-1044	-943	-894	-871	-871	-871
	51	1-2	-889	-714	-588	-563	-412	-312	-312	-312
3		-889	-714	-588	-563	-412	-312	-312	-312	-312
4		-914	-739	-613	-588	-438	-337	-337	-337	-337
5		-914	-739	-689	-638	-488	-387	-387	-387	-387
6		-1071	-1021	-995	-970	-820	-795	-795	-795	-795
7		-1221	-1171	-1146	-1121	-1021	-995	-995	-995	-995
61		1-2	-1148	-1097	-997	-897	-846	-796	-796	-796
	3	-1148	-1097	-997	-897	-846	-796	-796	-796	-796
	4	-1148	-1097	-1072	-997	-897	-846	-846	-846	-846
	5	-1148	-1097	-1072	-1047	-972	-947	-947	-947	-947
	6	-1148	-1097	-1072	-1047	-972	-947	-947	-947	-947
	7	-1348	-1298	-1248	-1223	-1148	-1148	-1143	-1148	-1148
	71	1-2	-1348	-1298	-1248	-1223	-1148	-1148	-1148	-1148
3		-1348	-1298	-1248	-1223	-1148	-1148	-1148	-1148	-1148
4		-1424	-1399	-1374	-1348	-1198	-1198	-1198	-1198	-1198
5		-1424	-1399	-1374	-1348	-1198	-1198	-1198	-1198	-1198
6		-1424	-1399	-1374	-1348	-1198	-1198	-1198	-1198	-1198
7		-1424	-1399	-1374	-1348	-1198	-1198	-1198	-1198	-1198
12 & 22		1-2	-674	-439	-261	-186	-99	48	48	48
	3	-674	-439	-261	-186	-99	48	48	48	48
	4	-744	-556	-336	-246	-169	-85	-85	-85	-85
	5	-833	-657	-502	-408	-292	-250	-250	-250	-250
	6	-941	-797	-740	-687	-586	-511	-511	-511	-511
	7	-1110	-1060	-1035	-989	-864	-814	-814	-814	-814
	32	1-2	-706	-500	-311	-229	-128	-5	-5	-5
3		-706	-500	-311	-229	-128	-5	-5	-5	-5
4		-769	-600	-362	-314	-205	-146	-146	-146	-146
5		-841	-697	-500	-433	-324	-294	-281	-281	-281
6		-948	-804	-747	-687	-593	-543	-530	-530	-530
7		-1117	-1066	-1041	-996	-870	-820	-814	-814	-814
42		1-2	-800	-599	-394	-344	-223	-142	-142	-142
	3	-800	-599	-405	-354	-273	-197	-197	-197	-197
	4	-825	-649	-430	-405	-298	-223	-223	-223	-223
	5	-925	-775	-605	-553	-447	-421	-421	-421	-421
	6	-1040	-939	-864	-812	-762	-712	-712	-712	-712
	7	-1190	-1140	-1115	-1063	-937	-912	-912	-912	-912
	52	1-2	-929	-803	-703	-678	-571	-521	-521	-521
3		-929	-803	-703	-678	-571	-521	-521	-521	-521
4		-979	-878	-803	-778	-678	-653	-653	-653	-653
5		-979	-904	-853	-828	-703	-678	-678	-678	-678
6		-1185	-1160	-1135	-1110	-985	-934	-934	-934	-934
7		-1261	-1236	-1185	-1160	-1060	-1035	-1035	-1035	-1035
62		1-2	-1237	-1212	-1187	-1162	-1087	-1087	-1087	-1087
	3	-1237	-1212	-1187	-1162	-1087	-1087	-1087	-1087	-1087
	4	-1237	-1212	-1187	-1162	-1087	-1087	-1087	-1087	-1087
	5	-1287	-1262	-1237	-1212	-1137	-1137	-1137	-1137	-1137
	6	-1287	-1262	-1237	-1212	-1137	-1137	-1137	-1137	-1137

Table 8. West Texas spot cotton differences, season averages, 1995-96 (continued)

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1-2	-850	-700	-574	-521	-395	-395	-395	-395	-395
	3	-875	-700	-650	-604	-454	-454	-454	-454	-454
	4	-931	-831	-780	-765	-614	-585	-585	-585	-585
	5	-1050	-1025	-1000	-1000	-849	-820	-820	-820	-820
	6	-1201	-1175	-1169	-1163	-1025	-996	-996	-996	-996
	7	-1351	-1326	-1295	-1295	-1150	-1121	-1121	-1121	-1121
	33	1-2	-906	-780	-680	-635	-509	-509	-509	-509
3		-906	-780	-680	-635	-509	-509	-509	-509	-509
4		-981	-937	-912	-853	-728	-699	-699	-699	-699
5		-1075	-1050	-1000	-1000	-874	-845	-845	-845	-845
6		-1226	-1201	-1213	-1169	-1050	-1021	-1021	-1021	-1021
7		-1351	-1326	-1270	-1270	-1150	-1121	-1121	-1121	-1121
43		1-2	-970	-895	-876	-830	-692	-692	-692	-692
	3	-1027	-1001	-983	-936	-823	-823	-823	-823	-823
	4	-1052	-1027	-1027	-974	-849	-849	-849	-849	-849
	5	-1202	-1177	-1177	-1140	-990	-983	-983	-983	-983
	6	-1303	-1278	-1278	-1241	-1065	-1059	-1059	-1059	-1059
	7	-1397	-1372	-1372	-1335	-1210	-1203	-1203	-1203	-1203
	53	1-2	-1077	-1077	-1071	-1015	-846	-846	-846	-846
3		-1077	-1077	-1077	-1022	-846	-846	-846	-846	-846
4		-1202	-1202	-1202	-1147	-990	-990	-990	-990	-990
5		-1227	-1227	-1227	-1172	-1022	-1022	-1022	-1022	-1022
6		-1328	-1328	-1328	-1273	-1097	-1097	-1097	-1097	-1097
7		-1422	-1422	-1422	-1367	-1241	-1241	-1241	-1241	-1241
63		1-2	-1417	-1392	-1367	-1293	-1186	-1186	-1186	-1186
	3	-1417	-1392	-1367	-1293	-1186	-1186	-1186	-1186	-1186
	4	-1417	-1392	-1367	-1293	-1186	-1186	-1186	-1186	-1186
	5	-1467	-1467	-1467	-1393	-1268	-1268	-1268	-1268	-1268
	6	-1467	-1467	-1467	-1393	-1268	-1268	-1268	-1268	-1268
	34	1-2	-1194	-1169	-1144	-1144	-1018	-1018	-1018	-1018
3		-1194	-1169	-1144	-1144	-1018	-1018	-1018	-1018	-1018
4		-1344	-1269	-1244	-1244	-1144	-1144	-1144	-1144	-1144
5		-1395	-1369	-1344	-1344	-1219	-1219	-1219	-1219	-1219
6		-1476	-1451	-1401	-1401	-1275	-1275	-1275	-1275	-1275
44		1-2	-1359	-1283	-1258	-1258	-1158	-1158	-1158	-1158
	3	-1409	-1359	-1333	-1333	-1233	-1233	-1233	-1233	-1233
	4	-1409	-1359	-1333	-1333	-1233	-1233	-1233	-1233	-1233
	5	-1540	-1490	-1440	-1440	-1340	-1340	-1340	-1340	-1340
	6	-1540	-1490	-1440	-1440	-1340	-1340	-1340	-1340	-1340
	54	1-2	-1477	-1427	-1401	-1401	-1301	-1301	-1301	-1301
3		-1477	-1427	-1401	-1401	-1301	-1301	-1301	-1301	-1301
4		-1577	-1527	-1477	-1477	-1376	-1376	-1376	-1376	-1376
5		-1577	-1527	-1477	-1477	-1376	-1376	-1376	-1376	-1376

Mike	
Range	Diff.
24 & Below	-1403
25-26	-1149
27-29	-640
30-32	-316
33-34	-183
35-36	0
37-42	8
43-49	0
50-52	-287
53 & Above	-420

Strength (grams per tex)	
Range	Diff.
18.5-19.4	-111
19.5-20.4	-85
20.5-21.4	-75
21.5-22.4	-32
22.5-23.4	-7
23.5-25.4	0
25.5-26.4	0
26.5-27.4	1
27.5-28.4	2
28.5-29.4	5
29.5-30.4	19
30.5 & Above	25

Extraneous Matter	
Level	Diff.
Bark	
1	-148
2	-376
Other	
1	-335
2	-543

Table 8. Desert Southwest spot cotton differences,

season averages, 1995-96

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1-2	216	467	542	552	563	43	1-2	-951	-851	-800	-800	-800
	3	216	467	542	552	563		3	-951	-851	-826	-826	-826
	4	141	392	467	477	487		4	-1042	-941	-916	-916	-916
	5	-380	-129	-79	-69	-59		5	-1353	-1252	-1227	-1227	-1227
	6	-625	-399	-349	-349	-349		6	-1499	-1399	-1374	-1374	-1374
	7	-851	-751	-725	-725	-725	7	-1553	-1453	-1428	-1428	-1428	
31	1-2	216	467	542	552	563	53	1-2	-1001	-901	-876	-876	-876
	3	216	467	542	552	563		3	-1001	-901	-876	-876	-876
	4	91	342	417	427	437		4	-1403	-1302	-1277	-1277	-1277
	5	-380	-129	-79	-69	-59		5	-1403	-1302	-1277	-1277	-1277
	6	-625	-399	-349	-349	-349		6	-1604	-1503	-1478	-1478	-1478
	7	-851	-751	-725	-725	-725	7	-1604	-1503	-1478	-1478	-1478	
41	1-2	-253	-2	48	58	58	----- Mike -----						
	3	-253	-2	48	58	58	Range		Diff.				
	4	-253	0	48	58	58	24 & Below		-1506				
	5	-508	-349	-299	-299	-299	25-26		-1255				
	6	-685	-459	-409	-409	-409	27-29		-1046				
	7	-1091	-991	-966	-966	-966	30-32		-452				
51	1-2	-819	-640	-590	-590	-590	33-34		-151				
	3	-819	-640	-590	-590	-590	35-36		0				
	4	-819	-640	-590	-590	-590	37-42		25				
	5	-819	-640	-590	-590	-590	43-49		0				
	6	-879	-720	-695	-695	-695	50-52		-430				
	7	-1091	-991	-966	-966	-966	53 & Above		-682				
12 & 22	1-2	69	320	396	406	416	----- Strength (grams per tex) -----						
	3	-341	-90	-15	-5	5	Range		Diff.				
	4	-390	-139	-89	-79	-69	20.5-21.4		-151				
	5	-750	-524	-474	-474	-474	21.5-22.4		-100				
	6	-859	-759	-734	-734	-734	22.5-23.4		-50				
	7	-1279	-1179	-1154	-1154	-1154	23.5-25.4		0				
32	1-2	-283	-32	18	28	38	25.5-26.4		0				
	3	-293	-42	8	18	28	26.5-27.4		0				
	4	-700	-474	-424	-424	-424	27.5-28.4		0				
	5	-780	-554	-504	-504	-504	28.5-29.4		25				
	6	-938	-837	-812	-812	-812	29.5-30.4		50				
	7	-1353	-1252	-1227	-1227	-1227	30.5 & Above		75				
42	1-2	-819	-640	-590	-590	-590	----- Extraneous Matter -----						
	3	-819	-640	-590	-590	-590	Level		Diff.				
	4	-819	-640	-590	-590	-590	1		-629				
	5	-896	-750	-725	-725	-725	2		-1031				
	6	-984	-884	-859	-859	-859							
	7	-1392	-1292	-1267	-1267	-1267							
52	1-2	-877	-700	-650	-650	-650							
	3	-877	-700	-650	-650	-650							
	4	-1159	-1053	-1028	-1028	-1028							
	5	-1194	-1088	-1063	-1063	-1063							
	6	-1533	-1433	-1408	-1408	-1408							
	7	-1533	-1433	-1408	-1408	-1408							

Table 8. San Joaquin Valley spot cotton differences,

season averages, 1995-96

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1-2	341	542	547	557	33	1-2	-984	-984	-984	-984
	3	326	527	532	542		3	-984	-984	-984	-984
	4	191	392	397	407		4	-2139	-2139	-2139	-2139
	5	-473	-272	-267	-257		5	-2139	-2139	-2139	-2139
	6	-1058	-849	-849	-849		6	-2390	-2390	-2390	-2390
	7	-1808	-1707	-1707	-1707		7	-2591	-2591	-2591	-2591
	31	1-2	316	517	522		532	43	1-2	-1467	-1467
3		316	517	522	532	3	-2093		-2093	-2093	-2093
4		196	397	402	412	4	-2239		-2239	-2239	-2239
5		-473	-272	-267	-257	5	-2490		-2490	-2490	-2490
6		-1158	-950	-950	-950	6	-2490		-2490	-2490	-2490
7		-1778	-1678	-1678	-1678	7	-2691		-2691	-2691	-2691
41		1-2	0	180	185	195	Mike				
	3	0	180	185	195	-----					
	4	0	180	185	195	Range	Diff.				
	5	-795	-594	-589	-579	-----					
	6	-1158	-950	-950	-950	27-29	-1565				
	7	-1778	-1678	-1678	-1678	30-32	-818				
	51	1-2	-600	-394	-394	-394	33-34	-283			
3		-600	-394	-394	-394	35-36	0				
4		-600	-394	-394	-394	37-42	25				
5		-874	-673	-668	-658	43-49	0				
6		-1648	-1548	-1548	-1548	50-52	-100				
7		-2000	-1899	-1899	-1899	-----					
12 & 22		1-2	181	382	387	397	Strength				
	3	149	349	354	364	(grams per tex)					
	4	-667	-412	-407	-396	-----					
	5	-931	-723	-723	-723	Range	Diff.				
	6	-1894	-1794	-1794	-1794	23.5-25.4	0				
	7	-2277	-2202	-2202	-2202	25.5-26.4	0				
	32	1-2	-64	108	108	108	26.5-27.4	0			
3		-99	73	73	73	27.5-28.4	0				
4		-859	-651	-651	-651	28.5-29.4	25				
5		-972	-764	-764	-764	29.5-30.4	50				
6		-1924	-1824	-1824	-1824	30.5 & Above	75				
7		-2332	-2239	-2239	-2239	-----					
42		1-2	-562	-405	-405	-405	Extraneous Matter				
	3	-759	-602	-602	-602	-----					
	4	-887	-731	-731	-731	Level	Diff.				
	5	-1539	-1367	-1367	-1367	1	-441				
	6	-2073	-1973	-1973	-1973	2	-929				
	7	-2574	-2480	-2480	-2480	-----					
	52	1-2	-1095	-1010	-1010	-1010					
3		-1095	-1010	-1010	-1010						
4		-2239	-2139	-2139	-2139						
5		-2239	-2139	-2139	-2139						
6		-2716	-2641	-2641	-2641						
7		-2716	-2641	-2641	-2641						

Table 9. Transactions reported in running bales in designated spot markets, monthly and season totals, 1995-96

Market	Aug. 1995	Sept. 1995	Oct. 1995	Nov. 1995	Dec. 1995	Jan. 1996	Feb. 1996	Mar. 1996	Apr. 1996	May 1996	June 1996	July 1996	Total
	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Southeast	4,708	8,296	4,062	9,924	17,504	46,545	16,535	13,204	6,523	4,222	3,470	3,601	138,594
North Delta	6,489	5,690	8,234	10,508	27,823	55,866	14,570	24,410	18,979	4,865	333	0	177,767
South Delta	21,022	11,788	25,752	43,216	102,176	179,551	53,926	66,546	44,868	32,424	24,252	18,431	623,952
East Texas - Oklahoma	25,695	8,305	20,099	18,855	25,746	56,046	3,805	8,307	15,287	1,090	395	3,547	187,177
West Texas	3	404	6,206	110,579	180,730	391,752	42,901	108,164	106,461	14,271	13,225	4,851	979,547
Desert Southwest	1,000	234	2,195	4,486	3,070	13,463	10,932	8,324	11,515	774	10,512	0	66,505
San Joaquin Valley	1,525	4,138	7,309	11,711	24,894	22,279	11,089	12,242	22,164	15,813	6,855	894	140,913
Total	60,442	38,855	73,857	209,279	381,943	765,502	153,758	241,197	225,797	73,459	59,042	31,324	2,314,455

Table 10. Transactions reported in running bales in designated spot markets, season totals, 1989-95 1/

Market	1989	1990	1991	1992	1993	1994	1995
	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Southeast	92,044	99,641	342,526	326,191	133,506	292,697	138,594
North Delta	190,035	158,877	798,754	1,016,875	636,459	610,781	177,767
South Delta	421,280	424,173	1,422,884	1,892,343	1,322,367	1,618,203	623,952
East Texas - Oklahoma	161,506	251,500	492,845	494,903	492,298	312,931	187,177
West Texas	753,204	1,072,379	1,228,685	876,502	1,232,744	1,105,948	979,547
Desert Southwest	169,879	147,049	172,411	240,501	183,309	140,914	66,505
San Joaquin Valley	205,845	159,309	410,714	521,433	1,020,119	244,914	140,913
Total	1,993,593	2,312,928	4,868,819	5,368,748	5,020,802	4,326,388	2,314,455

1/ Year beginning August 1.

Table 11. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 1990-1995

Year beginning August 1	Aug.	Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Avg.
Average prices received by farmers for upland cotton 1/													
1990	64.80	65.10	67.70	68.40	67.10	64.90	67.90	68.90	69.50	70.10	67.50	66.30	67.10
1991	66.30	64.90	62.90	61.20	55.70	51.70	49.80	50.30	53.10	53.20	58.00	56.30	56.80
1992	52.70	52.80	53.90	52.70	54.30	53.00	53.80	56.30	55.10	54.40	53.60	53.70	53.70
1993	52.40	51.40	52.40	53.30	56.50	62.70	65.70	66.60	67.50	69.00	63.30	58.70	58.10
1994	66.80	65.90	66.20	68.50	73.30	78.70	80.20	82.60	77.60	76.20	86.50	80.10	72.00
1995	72.80	75.40	74.90	75.80	76.00	76.80	76.50	77.20	79.60	78.10	78.60	77.40 2/	75.90 3/
Grade 41 staple 34 cotton in the designated spot markets													
1990	76.27	71.01	70.54	69.48	69.92	70.50	77.69	77.92	79.94	83.94	79.05	71.33	74.80
1991	66.44	62.39	58.28	54.70	53.89	51.54	50.76	52.01	54.97	55.45	58.82	60.93	56.68
1992	57.56	53.49	49.47	49.98	51.85	53.72	55.38	56.45	56.17	56.37	54.38	54.35	54.10
Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 23.5-26.4 cotton in the designated spot markets													
1993	53.04	54.01	54.58	55.61	60.29	66.53	72.69	72.74	76.12	79.30	76.85	71.71	66.12
1994	70.32	71.10	67.58	72.00	81.92	88.11	91.89	104.20	104.94	105.38	106.96	93.28	88.14
1995	85.90	90.00	84.65	84.16	82.18	81.81	81.56	81.13	84.69	83.22	80.23	76.84	83.03
Grade 31 staple 34 cotton in the designated spot markets													
1990	77.64	72.29	71.78	70.55	71.08	71.64	78.88	79.19	81.36	85.36	80.47	72.75	76.08
1991	67.86	63.79	59.36	55.25	54.29	52.06	51.52	52.79	56.06	56.59	59.94	62.04	57.63
1992	58.75	54.68	50.52	50.76	52.66	54.54	56.22	57.54	57.28	57.48	55.49	55.46	55.12
Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 23.5-26.4 cotton in the designated spot markets													
1993	54.15	55.10	55.70	56.51	60.97	67.21	73.31	73.35	76.73	79.91	77.46	72.32	66.89
1994	70.96	71.87	68.31	72.82	82.92	89.25	93.50	106.01	106.75	107.22	108.80	95.12	89.46
1995	87.74	92.02	86.38	85.63	83.50	83.83	83.42	83.00	86.68	85.28	82.10	78.29	84.82
Grade 41 staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1990	83.65	79.22	78.29	78.50	79.79	80.44	86.78	90.08	89.54	93.56	88.91	79.90	84.06
1991	74.73	71.83	67.55	62.92	62.34	60.30	57.33	58.76	63.09	63.41	65.28	68.77	64.69
1992	65.37	61.49	57.63	59.92	61.67	64.18	64.82	65.41	65.13	64.99	62.73	62.81	63.01
Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1993	57.80	58.02	58.79	59.54	64.96	71.51	79.59	79.42	81.38	85.40	82.57	75.93	71.24
1994	75.45	75.71	72.98	76.91	87.53	95.17	100.06	111.91	113.17	113.94	117.65	100.04	95.04
1995	89.71	96.34	90.82	90.58	89.70	88.86	89.76	88.77	92.10	90.20	85.99	82.18	89.58
Grade 31 staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1990	85.31	80.96	79.89	80.42	81.78	82.57	88.91	88.30	91.61	95.85	91.34	82.47	85.78
1991	77.77	75.16	69.47	64.52	63.85	61.53	58.64	60.29	64.68	65.10	66.77	70.30	66.51
1992	66.89	63.04	59.30	61.48	62.92	65.55	66.16	67.08	66.45	66.27	63.98	64.06	64.42
Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1993	60.48	60.92	61.71	62.33	67.71	73.51	80.82	80.21	82.17	86.19	83.63	76.77	73.04
1994	76.40	76.83	73.84	78.02	88.68	96.50	101.88	114.34	115.48	116.15	120.70	103.39	96.85
1995	92.80	98.84	92.54	92.31	91.25	90.44	91.42	90.38	94.18	92.53	88.31	84.86	91.66

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for un-redeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ Marketing year average price to April 1, 1996. 4/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths.