

**COTTON  
PRICE  
STATISTICS  
1999 - 2000**



**UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service - Cotton Programs  
Memphis, Tennessee**

**Vol. 81, No. 13**

**August 2000**

## COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 23.5-25.4 grams per tex, in the designated markets, averaged 52.36 cents per pound for the 1999-2000 marketing year, according to the USDA, Agricultural Marketing Service's Cotton Programs. Transactions reported in the designated markets totaled 2,599,167 running bales.

Quotations for color 41, leaf grade 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4 cotton, in the designated markets averaged 52.36 cents per pound for the 1999-2000 season. This was down from 60.12 cents for the 1998-99 season. Quotations averaged 49.72 cents per pound in August 1999, the first month of the marketing year. Average quotations weakened for September but then fluctuated the remainder of the marketing year. The lowest monthly average was 46.65 cents per pound in December 1999 and the highest was 58.31 in May 2000. The season's lowest daily average quotation for the base quality occurred on December 20, 1999, at 45.94 cents per pound and the season's highest daily quotation was 60.71 cents on May 22, 2000.

Prices received by farmers for upland cotton averaged 48.30 cents per pound in mid July, according to the National Agricultural Statistics Service, USDA. This compares with 46.40 cents for the entire month of June and 53.80 cents in July 1999. The average price received by farmers during the 1999-2000 marketing year was 44.90 cents and 60.20 cents for the 1998-99 marketing year. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions in the designated markets totaled 2,599,167 running bales in the 1999-2000 season, up from 1,983,660 bales in 1998-99 but down from 3,445,654 bales in 1997-98.

### CCC-loan stocks on August 15, 2000

1998-crop upland loan stocks	364
1999-crop upland loan stocks	55,522
1999-crop American Pima loan stocks	150,756
2000-crop upland loan stocks	<u>129,966</u>
Total	336,608

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 1994-1999 1/ 2/

Market Areas	1994	1995	1996	1997	1998	1999
Southeast	87.17	83.86	72.33	68.60	62.06	53.81
North Delta	87.25	83.76	72.11	68.36	61.82	53.34
South Delta	87.25	83.76	72.11	68.36	61.82	53.34
East Texas-Oklahoma	86.96	80.89	70.29	65.93	57.66	50.49
West Texas	86.66	80.64	69.89	65.88	57.76	50.12
Desert Southwest	87.96	80.90	69.88	65.63	55.92	48.79
San Joaquin Valley	93.73	87.40	74.47	71.79	63.78	56.67
Average	88.14	83.03	71.58	67.79	60.12	52.36

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. Season average prices for American Pima cotton, by qualities, cents per pound, 1999-2000 1/

Staple	Grade						Mike Ranges		
	01	02	03	04	05	06			
44	Desert Southwest						26 & below	-2049	
							27-29	-1579	
46	Desert Southwest						30-32	-1108	
							33-34	-377	
								35& above	0
44	San Joaquin Valley						26 & below	-1986	
							27-29	-1517	
46	San Joaquin Valley						30-32	-1045	
							33-34	-315	
								35& above	0
44	Average						26 & below	-2017	
							27-29	-1548	
46	Average						30-32	-1076	
							33-34	-346	
								35& above	0

1/ In mixed lots, net weight, uncompressed, FOB warehouse.

Table 3. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/ 2/

Year	HIGH		LOW	
	Date	Price	Date	Price
1995	21-Sep-95	93.51	3-Jul-96	75.84
1996	3-Sep-96	78.11	12-Nov-96	68.00
1997	8-Jul-98	77.79	8-Apr-98	59.82
1998	24-Aug-98	74.19	12-Jul-99	47.21
1999	22-May-00	60.71	20-Dec-99	45.94

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4, in the designated markets, daily and monthly averages, 1999-00 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1		47.53	48.11	49.39	47.37		54.02	57.61		54.01	57.75	
2	49.80	47.11		49.51	47.10		53.96	57.02		55.57	56.49	
3	50.04	47.63		49.15	46.79	47.84	53.03	57.29	55.46	54.99		
4	49.96		47.35	49.16		47.59	52.88		54.47	54.68		
5	49.84		46.79	48.51		48.47			53.75	56.54	56.12	52.01
6	50.28		46.80		46.46	48.84		57.62	52.95		55.50	51.68
7		48.00	47.19		47.19	50.47	52.95	57.85	53.67		56.32	52.65
8		47.86	48.77	47.86	46.70		52.32	59.03		56.26	56.28	
9	51.03	48.28		48.17	46.79		52.82	59.40		57.40	56.42	
10	50.04	49.05		47.84	46.89	50.47	54.21	60.04	53.46	58.53		52.63
11	50.00		48.74	47.80		51.02	54.01		52.36	58.07		52.66
12	51.11		49.04	48.31		50.69			52.79	59.09	54.75	52.90
13	50.79	49.75	50.01		46.86	51.54		59.54	54.12		55.13	54.34
14		48.46	50.94		46.95	52.26	54.51	59.94	53.98		55.14	54.26
15		48.41	50.99	48.22	46.65		53.64	59.91		59.43	56.22	
16	51.34	48.04		47.34	45.95		53.49	59.42		59.48	55.57	
17	51.58	48.67		47.35	46.07		53.70	59.53	53.91	59.23		57.26
18	51.43		50.56	47.49		51.72	55.71		54.20	59.26		58.15
19	50.96		50.56	47.36		54.50			53.69	58.75	54.74	57.16
20	49.99	48.63	50.26		45.94	54.39		57.99	53.84		55.32	55.82
21		48.92	50.21		46.06	53.36		58.16			54.49	56.13
22		47.92	50.62	48.09	46.31		56.73	57.08		60.71	54.43	
23	48.88	48.17		47.95	46.81		56.36	56.14		60.62	54.41	
24	48.54	48.37		47.94		53.50	55.99	55.83	53.60	60.02		57.87
25	48.02		50.89			54.58	54.95		53.81	60.63		56.46
26	48.21		50.45			54.26			54.04	60.44	53.26	56.32
27	47.51	49.03	50.77		46.19	54.31		56.11	54.21		52.85	55.66
28		49.23	50.04		46.23	54.18	55.46	56.07	53.04		53.24	56.22
29		49.03	49.55	48.04	46.72		55.06	54.93			52.86	
30	46.96	48.01		46.96	47.53			54.73		58.86	52.04	
31	47.49					54.47		55.28		60.17		57.19
<b>Average</b>	49.72	48.39	49.46	48.12	46.65	51.92	54.29	57.67	53.76	58.31	54.97	55.13
<b>High</b>	51.58	49.75	50.99	49.51	47.53	54.58	56.73	60.04	55.46	60.71	57.75	58.15
<b>Low</b>	46.96	47.11	46.79	46.96	45.94	47.59	52.32	54.73	52.36	54.01	52.04	51.68

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 5. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4, in the designated markets, monthly and annual averages, 1999-00 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	52.83	50.64	51.12	49.36	47.26	52.57	55.34	58.04	54.70	60.71	56.78	56.37	53.81
North Delta	51.64	49.73	50.74	49.21	47.26	52.57	54.89	57.76	54.10	60.00	56.12	56.05	53.34
South Delta	51.64	49.73	50.74	49.21	47.26	52.57	54.89	57.76	54.10	60.00	56.12	56.05	53.34
East Texas-Oklahoma	48.77	47.75	47.80	46.16	44.71	48.98	51.28	55.50	51.64	55.56	53.53	54.21	50.49
West Texas	47.33	46.04	46.90	46.26	44.76	49.34	51.43	55.50	51.64	55.56	53.53	53.11	50.12
Desert Southwest	45.74	45.21	46.22	42.73	42.00	48.44	51.09	55.28	50.68	53.79	50.70	53.64	48.79
San Joaquin Valley	50.08	49.60	52.68	53.91	53.26	59.02	61.14	63.90	59.43	62.54	57.99	56.46	56.67
Average	49.72	48.39	49.46	48.12	46.65	51.92	54.29	57.67	53.76	58.31	54.97	55.13	52.36

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 23.5-25.4, in the designated markets, monthly and annual averages, 1999-00 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	53.29	50.89	51.37	49.61	47.70	53.07	55.84	58.56	55.45	61.46	57.53	57.12	54.32
North Delta	53.14	51.23	51.60	49.71	47.76	53.07	55.56	58.76	55.10	61.00	57.12	57.05	54.26
South Delta	53.14	51.23	51.60	49.71	47.76	53.07	55.56	58.76	55.10	61.00	57.12	57.05	54.26
East Texas-Oklahoma	49.15	48.00	48.30	47.81	45.40	49.29	52.21	57.07	53.14	58.06	55.63	55.89	51.66
West Texas	47.83	46.29	47.30	47.45	45.40	49.69	52.45	57.07	53.14	58.06	55.63	55.00	51.27
Desert Southwest	49.74	49.21	49.65	45.73	45.00	51.44	54.09	58.28	53.68	56.79	53.70	56.01	51.94
San Joaquin Valley	56.58	56.10	58.04	58.06	55.76	61.52	63.64	66.40	61.93	65.04	60.49	58.96	60.21
Average	51.84	50.43	51.12	49.73	47.83	53.01	55.62	59.26	55.37	60.20	56.75	56.73	53.99

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 7. United States spot cotton differences, season averages

August 1999-July 2000

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-1085	-934	-740	-639	-268	180	368	397	400
	3	-1110	-959	-765	-658	-278	173	362	390	393
	4	-1137	-1011	-839	-708	-371	70	241	270	273
	5	-1236	-1103	-953	-878	-576	-252	-106	-99	-97
	6	-1311	-1186	-1048	-1072	-770	-522	-446	-446	-446
	7	-1411	-1284	-1113	-1258	-1017	-817	-766	-767	-767
	31	1 & 2	-1123	-974	-784	-659	-285	164	351	378
3		-1148	-999	-809	-676	-294	163	348	373	376
4		-1174	-1051	-867	-722	-385	62	230	257	259
5		-1274	-1154	-982	-908	-583	-276	-130	-123	-120
6		-1349	-1226	-1101	-1103	-784	-549	-474	-474	-474
7		-1449	-1316	-1158	-1284	-1034	-849	-798	-798	-798
41		1 & 2	-1225	-1081	-868	-745	-409	42	217	234
	3	-1225	-1081	-868	-746	-413	34	209	226	227
	4	-1265	-1121	-926	-779	-434	52.36	183	203	204
	5	-1331	-1206	-1051	-975	-665	-379	-266	-258	-256
	6	-1431	-1330	-1162	-1164	-869	-654	-579	-578	-578
	7	-1506	-1386	-1218	-1344	-1120	-977	-926	-925	-925
	51	1 & 2	-1370	-1255	-1003	-961	-680	-383	-276	-274
3		-1370	-1255	-1003	-962	-682	-385	-277	-275	-275
4		-1395	-1280	-1053	-1035	-740	-450	-343	-341	-341
5		-1430	-1328	-1144	-1125	-823	-584	-487	-487	-487
6		-1505	-1386	-1235	-1271	-978	-835	-777	-777	-777
7		-1555	-1428	-1289	-1410	-1191	-1080	-1037	-1037	-1037
61		1 & 2	-1497	-1351	-1146	-1138	-904	-759	-753	-752
	3	-1497	-1351	-1146	-1138	-904	-759	-753	-752	-752
	4	-1522	-1376	-1187	-1178	-950	-801	-795	-793	-793
	5	-1559	-1420	-1256	-1235	-1002	-869	-867	-867	-867
	6	-1609	-1475	-1346	-1350	-1127	-984	-981	-981	-981
	7	-1659	-1525	-1392	-1480	-1274	-1150	-1150	-1150	-1150
	71	1 & 2	-1579	-1457	-1240	-1401	-1243	-1136	-1135	-1135
3		-1579	-1457	-1240	-1401	-1243	-1136	-1135	-1135	-1135
4		-1600	-1482	-1265	-1454	-1284	-1169	-1168	-1168	-1168
5		-1626	-1507	-1326	-1501	-1330	-1202	-1202	-1202	-1202
6		-1683	-1568	-1402	-1535	-1352	-1220	-1220	-1220	-1220
7		-1733	-1618	-1447	-1564	-1379	-1248	-1248	-1248	-1248
12 & 22		1 & 2	-1148	-1026	-817	-754	-423	11	164	193
	3	-1173	-1051	-844	-771	-444	-12	141	170	173
	4	-1211	-1096	-919	-848	-562	-191	-52	-36	-33
	5	-1324	-1203	-1041	-1001	-721	-417	-326	-321	-321
	6	-1399	-1278	-1134	-1167	-915	-742	-691	-691	-691
	7	-1488	-1350	-1178	-1353	-1177	-1029	-982	-982	-982
	32	1 & 2	-1196	-1094	-887	-789	-483	-76	75	96
3		-1208	-1094	-894	-796	-485	-86	64	86	87
4		-1262	-1151	-972	-885	-631	-263	-142	-128	-128
5		-1366	-1271	-1077	-1033	-780	-490	-400	-395	-395
6		-1446	-1356	-1187	-1197	-978	-818	-768	-768	-768
7		-1521	-1406	-1236	-1381	-1230	-1119	-1069	-1069	-1069
42		1 & 2	-1322	-1219	-998	-918	-656	-352	-255	-248
	3	-1322	-1219	-998	-928	-660	-368	-270	-263	-263
	4	-1347	-1243	-1042	-993	-724	-433	-336	-329	-329
	5	-1412	-1323	-1149	-1134	-871	-631	-553	-553	-553
	6	-1502	-1398	-1238	-1278	-1051	-935	-893	-893	-893
	7	-1577	-1448	-1295	-1453	-1296	-1210	-1181	-1181	-1181
	52	1 & 2	-1446	-1324	-1128	-1083	-849	-706	-662	-661
3		-1446	-1324	-1128	-1083	-849	-706	-662	-661	-661
4		-1471	-1349	-1184	-1144	-937	-848	-808	-807	-807
5		-1521	-1399	-1271	-1248	-1019	-921	-883	-883	-883
6		-1608	-1482	-1373	-1366	-1186	-1141	-1119	-1119	-1119
7		-1658	-1532	-1408	-1515	-1356	-1330	-1308	-1308	-1308
62		1 & 2	-1613	-1441	-1258	-1333	-1129	-980	-979	-979
	3	-1613	-1441	-1258	-1333	-1129	-980	-979	-979	-979
	4	-1629	-1456	-1303	-1387	-1176	-1035	-1034	-1034	-1034
	5	-1647	-1491	-1397	-1464	-1249	-1108	-1108	-1108	-1108
	6	-1713	-1566	-1472	-1560	-1342	-1212	-1212	-1212	-1212

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-1343	-1200	-993	-774	-622	-503	-503	-503	-503
	3	-1343	-1200	-1018	-799	-647	-528	-528	-528	-528
	4	-1368	-1225	-1075	-886	-740	-637	-637	-637	-637
	5	-1468	-1351	-1201	-990	-833	-760	-760	-760	-760
	6	-1533	-1421	-1276	-1112	-997	-882	-882	-882	-882
33	1 & 2	-1633	-1471	-1301	-1200	-1119	-1017	-1017	-1017	-1017
	3	-1423	-1281	-1111	-935	-724	-586	-586	-586	-586
	4	-1423	-1281	-1111	-935	-724	-586	-586	-586	-586
	5	-1498	-1331	-1169	-991	-848	-870	-870	-870	-870
	6	-1560	-1406	-1253	-1075	-939	-967	-967	-967	-967
43	1 & 2	-1610	-1473	-1303	-1181	-1088	-1153	-1153	-1153	-1153
	3	-1660	-1541	-1403	-1256	-1185	-1336	-1336	-1336	-1336
	4	-1575	-1368	-1215	-1171	-977	-933	-904	-903	-903
	5	-1600	-1393	-1240	-1205	-1010	-963	-936	-936	-936
	6	-1625	-1418	-1265	-1270	-1070	-1037	-1011	-1010	-1010
53	1 & 2	-1675	-1468	-1308	-1406	-1271	-1238	-1216	-1216	-1216
	3	-1700	-1527	-1392	-1540	-1411	-1365	-1343	-1343	-1343
	4	-1750	-1616	-1467	-1646	-1552	-1533	-1511	-1511	-1511
	5	-1652	-1484	-1351	-1401	-1215	-1105	-1079	-1079	-1079
	6	-1652	-1484	-1351	-1401	-1215	-1105	-1079	-1079	-1079
63	1 & 2	-1702	-1534	-1426	-1452	-1306	-1204	-1178	-1178	-1178
	3	-1752	-1559	-1467	-1545	-1386	-1284	-1258	-1258	-1258
	4	-1777	-1614	-1534	-1677	-1538	-1446	-1421	-1421	-1421
	5	-1827	-1664	-1584	-1774	-1659	-1572	-1546	-1546	-1546
	6	-1750	-1576	-1445	-1625	-1476	-1408	-1408	-1408	-1408
34	1 & 2	-1750	-1576	-1445	-1625	-1476	-1408	-1408	-1408	-1408
	3	-1750	-1576	-1445	-1625	-1476	-1408	-1408	-1408	-1408
	4	-1800	-1626	-1495	-1675	-1520	-1459	-1459	-1459	-1459
	5	-1850	-1676	-1570	-1795	-1651	-1590	-1590	-1590	-1590
	6	-1875	-1701	-1611	-1894	-1762	-1701	-1701	-1701	-1701
44	1 & 2	-1536	-1354	-1200	-1070	-1000	-921	-921	-921	-921
	3	-1536	-1354	-1200	-1070	-1000	-921	-921	-921	-921
	4	-1636	-1428	-1300	-1170	-1090	-996	-996	-996	-996
	5	-1711	-1503	-1375	-1255	-1165	-1096	-1096	-1096	-1096
	6	-1811	-1603	-1475	-1350	-1265	-1196	-1196	-1196	-1196
54	1 & 2	-1703	-1495	-1393	-1238	-1120	-1047	-1047	-1047	-1047
	3	-1728	-1520	-1418	-1288	-1185	-1097	-1097	-1097	-1097
	4	-1753	-1570	-1468	-1363	-1220	-1147	-1147	-1147	-1147
	5	-1778	-1620	-1543	-1463	-1320	-1247	-1247	-1247	-1247
	6	-1828	-1670	-1610	-1538	-1370	-1297	-1297	-1297	-1297

Mike	
Range	Diff.
24 & Below	-1385
25-26	-1217
27-29	-935
30-32	-467
33-34	-211
Base 35-36	0
37-42	21
Base 43-49	0
50-52	-464
53 & Above	-674

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-240
19.5-20.4	-214
20.5-21.4	-254
21.5-22.4	-177
22.5-23.4	-89
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	1
28.5-29.4	13
29.5-30.4	31
30.5 & Above	47

Extraneous Matter	
Level	Diff.
Except bark for TX and OK	
1	-468
2	-833
BARK - TX and OK only	
1	-227
2	-541

Table 8. Southeast spot cotton differences, season average.

August 1999-July 2000

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1 & 2	-351	51	206	219	219	43	1 & 2	-1011	-942	-924	-917	-917
	3	-351	51	206	219	219		3	-1011	-942	-924	-917	-917
	4	-376	40	181	194	194		4	-1201	-1132	-1113	-1107	-1107
	5	-563	-150	-50	-50	-50		5	-1428	-1421	-1421	-1421	-1421
	6	-763	-350	-300	-300	-300		6	-1615	-1607	-1607	-1607	-1607
	7	-1113	-700	-700	-700	-700	7	-1777	-1770	-1770	-1770	-1770	
31	1 & 2	-351	51	206	219	219	53	1 & 2	-1297	-1228	-1224	-1224	-1224
	3	-351	51	206	219	219		3	-1297	-1228	-1224	-1224	-1224
	4	-376	40	181	194	194		4	-1301	-1232	-1228	-1228	-1228
	5	-563	-150	-50	-50	-50		5	-1497	-1428	-1428	-1428	-1428
	6	-763	-350	-300	-300	-300		6	-1732	-1724	-1724	-1724	-1724
	7	-1113	-700	-700	-700	-700	7	-1839	-1832	-1832	-1832	-1832	
41	1 & 2	-401	0	171	184	184	63	1 & 2	-1619	-1612	-1612	-1612	-1612
	3	-401	0	171	184	184		3	-1619	-1612	-1612	-1612	-1612
	4	-401	53.81	171	184	184		4	-1749	-1741	-1741	-1741	-1741
	5	-688	-275	-175	-175	-175		5	-2035	-2028	-2028	-2028	-2028
	6	-938	-525	-475	-475	-475		6	-2349	-2341	-2341	-2341	-2341
	7	-1243	-875	-875	-875	-875							
51	1 & 2	-676	-312	-142	-129	-129							
	3	-676	-312	-142	-129	-129							
	4	-726	-362	-192	-179	-179							
	5	-744	-475	-375	-375	-375							
	6	-992	-625	-525	-525	-525							
	7	-1256	-941	-941	-941	-941							
61	1 & 2	-768	-575	-556	-550	-550							
	3	-768	-575	-556	-550	-550							
	4	-818	-625	-606	-600	-600							
	5	-849	-725	-725	-725	-725							
	6	-1099	-975	-975	-975	-975							
	7	-1304	-1180	-1180	-1180	-1180							
71	1 & 2	-1247	-1130	-1126	-1126	-1126							
	3	-1247	-1130	-1126	-1126	-1126							
	4	-1247	-1130	-1126	-1126	-1126							
	5	-1347	-1230	-1230	-1230	-1230							
	6	-1347	-1230	-1230	-1230	-1230							
	7	-1347	-1230	-1230	-1230	-1230							
12 & 22	1 & 2	-526	-125	-37	-24	-24							
	3	-526	-125	-37	-24	-24							
	4	-576	-175	-87	-74	-74							
	5	-720	-400	-400	-400	-400							
	6	-945	-625	-625	-625	-625							
	7	-1266	-953	-953	-953	-953							
32	1 & 2	-526	-125	-37	-24	-24							
	3	-526	-125	-37	-24	-24							
	4	-576	-175	-87	-74	-74							
	5	-720	-400	-400	-400	-400							
	6	-945	-625	-625	-625	-625							
	7	-1266	-953	-953	-953	-953							
42	1 & 2	-706	-239	-141	-128	-128							
	3	-706	-239	-141	-128	-128							
	4	-756	-289	-191	-178	-178							
	5	-894	-582	-582	-582	-582							
	6	-1044	-732	-732	-732	-732							
	7	-1349	-1037	-1037	-1037	-1037							
52	1 & 2	-863	-625	-606	-600	-600							
	3	-863	-625	-606	-600	-600							
	4	-913	-675	-656	-650	-650							
	5	-1013	-775	-775	-775	-775							
	6	-1163	-925	-925	-925	-925							
	7	-1387	-1230	-1230	-1230	-1230							
62	1 & 2	-1079	-925	-921	-921	-921							
	3	-1079	-925	-921	-921	-921							
	4	-1179	-1025	-1021	-1021	-1021							
	5	-1279	-1125	-1125	-1125	-1125							
	6	-1539	-1385	-1385	-1385	-1385							

Mike	
Range	Diff.
25-26	-1204
27-29	-854
30-32	-452
33-34	-225
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-460
53 & Above	-621

Strength (Grams per Tex)	
Range	Diff.
20.5-21.4	-478
21.5-22.4	-289
22.5-23.4	-100
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	10
29.5-30.4	15
30.5 & Above	25

Extraneous Matter	
Level	Diff.
1	-450
2	-893



Table 9. North Delta spot cotton differences, season average.

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1 & 2	-321	96	278	304	304	43	1 & 2	-1128	-1062	-1056	-1056	-1056
	3	-325	92	274	301	301		3	-1130	-1064	-1058	-1058	-1058
	4	-370	47	227	254	254		4	-1143	-1077	-1070	-1070	-1070
	5	-613	-268	-141	-123	-123		5	-1337	-1271	-1271	-1271	-1271
	6	-914	-799	-775	-775	-775		6	-1492	-1426	-1426	-1426	-1426
	7	-1247	-1116	-1092	-1092	-1092		7	-1751	-1686	-1685	-1685	-1685
	31	1 & 2	-321	96	278	304		304	53	1 & 2	-1368	-1303	-1303
3		-325	92	274	301	301	3	-1368		-1303	-1303	-1303	-1303
4		-367	50	231	257	257	4	-1420		-1355	-1355	-1355	-1355
5		-613	-268	-141	-123	-123	5	-1512		-1447	-1447	-1447	-1447
6		-914	-799	-775	-775	-775	6	-1672		-1607	-1607	-1607	-1607
7		-1247	-1116	-1092	-1092	-1092	7	-1899		-1833	-1833	-1833	-1833
41		1 & 2	-402	15	197	224	224	63		1 & 2	-1635	-1569	-1569
	3	-406	11	194	220	220	3		-1635	-1569	-1569	-1569	-1569
	4	-421	53.34	177	204	204	4		-1647	-1581	-1581	-1581	-1581
	5	-702	-358	-230	-212	-212	5		-1756	-1690	-1690	-1690	-1690
	6	-972	-833	-808	-808	-808	6		-1852	-1786	-1786	-1786	-1786
	7	-1292	-1171	-1147	-1147	-1147							
	51	1 & 2	-736	-369	-291	-291	-291						
3		-740	-372	-295	-295	-295							
4		-808	-431	-353	-353	-353							
5		-897	-537	-456	-456	-456							
6		-1067	-953	-953	-953	-953							
7		-1318	-1208	-1208	-1208	-1208							
61		1 & 2	-1006	-926	-919	-919	-919						
	3	-1006	-926	-919	-919	-919							
	4	-1020	-940	-933	-933	-933							
	5	-1061	-980	-974	-974	-974							
	6	-1171	-1091	-1085	-1085	-1085							
	7	-1374	-1304	-1304	-1304	-1304							
	71	1 & 2	-1476	-1407	-1407	-1407	-1407						
3		-1476	-1407	-1407	-1407	-1407							
4		-1503	-1441	-1441	-1441	-1441							
5		-1516	-1442	-1442	-1442	-1442							
6		-1525	-1445	-1445	-1445	-1445							
7		-1541	-1457	-1457	-1457	-1457							
12 & 22		1 & 2	-460	-43	117	144	144						
	3	-463	-46	114	140	140							
	4	-581	-195	43	-25	-25							
	5	-780	-419	-316	-298	-298							
	6	-1039	-906	-882	-882	-882							
	7	-1374	-1251	-1227	-1227	-1227							
	32	1 & 2	-500	-83	77	103	103						
3		-504	-87	74	100	100							
4		-642	-268	-116	-98	-98							
5		-816	-456	-352	-334	-334							
6		-1056	-929	-904	-904	-904							
7		-1397	-1274	-1250	-1250	-1250							
42		1 & 2	-679	-293	-215	-215	-215						
	3	-683	-296	-219	-219	-219							
	4	-734	-348	-271	-271	-271							
	5	-893	-520	-442	-442	-442							
	6	-1094	-992	-992	-992	-992							
	7	-1439	-1316	-1316	-1316	-1316							
	52	1 & 2	-880	-709	-703	-703	-703						
3		-880	-709	-703	-703	-703							
4		-935	-764	-758	-758	-758							
5		-999	-821	-815	-815	-815							
6		-1160	-1085	-1085	-1085	-1085							
7		-1466	-1376	-1376	-1376	-1376							
62		1 & 2	-1277	-1197	-1197	-1197	-1197						
	3	-1277	-1197	-1197	-1197	-1197							
	4	-1290	-1210	-1210	-1210	-1210							
	5	-1322	-1242	-1242	-1242	-1242							
	6	-1375	-1297	-1297	-1297	-1297							

Mike	
Range	Diff.
25-26	-1255
27-29	-901
30-32	-466
33-34	-237
Base 35-36	0
37-42	27
Base 43-49	0
50-52	-484
53 & Above	-696

Strenath (Grams per Tex)	
Range	Diff.
20.5-21.4	-151
21.5-22.4	-107
22.5-23.4	-25
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	0
29.5-30.4	15
30.5 & Above	20

Extraneous Matter	
Level	Diff.
1	-435
2	-785

Table 10. South Delta spot cotton differences, season average.

August 1999-July 2000

Color	Leaf	Staple					Color	Leaf	Staple				
		33	34	35	36	37			33	34	35	36	37
11 & 21	1 & 2	-321	96	278	304	304	43	1 & 2	-1128	-1062	-1056	-1056	-1056
	3	-325	92	274	301	301		3	-1130	-1064	-1058	-1058	-1058
	4	-370	47	227	254	254		4	-1143	-1077	-1070	-1070	-1070
	5	-613	-268	-141	-123	-123		5	-1337	-1271	-1271	-1271	-1271
	6	-914	-799	-775	-775	-775		6	-1492	-1426	-1426	-1426	-1426
	7	-1247	-1116	-1092	-1092	-1092	7	-1751	-1686	-1685	-1685	-1685	
31	1 & 2	-321	96	278	304	304	53	1 & 2	-1368	-1303	-1303	-1303	-1303
	3	-325	92	274	301	301		3	-1368	-1303	-1303	-1303	-1303
	4	-367	50	231	257	257		4	-1420	-1355	-1355	-1355	-1355
	5	-613	-268	-141	-123	-123		5	-1512	-1447	-1447	-1447	-1447
	6	-914	-799	-775	-775	-775		6	-1672	-1607	-1607	-1607	-1607
	7	-1247	-1116	-1092	-1092	-1092	7	-1899	-1833	-1833	-1833	-1833	
41	1 & 2	-402	15	197	224	224	63	1 & 2	-1635	-1569	-1569	-1569	-1569
	3	-406	11	194	220	220		3	-1635	-1569	-1569	-1569	-1569
	4	-421	53.34	177	204	204		4	-1647	-1581	-1581	-1581	-1581
	5	-702	-358	-230	-212	-212		5	-1756	-1690	-1690	-1690	-1690
	6	-972	-833	-808	-808	-808		6	-1852	-1786	-1786	-1786	-1786
	7	-1292	-1171	-1147	-1147	-1147							
51	1 & 2	-736	-369	-291	-291	-291							
	3	-740	-372	-295	-295	-295							
	4	-808	-431	-353	-353	-353							
	5	-897	-537	-456	-456	-456							
	6	-1067	-953	-953	-953	-953							
	7	-1318	-1208	-1208	-1208	-1208							
61	1 & 2	-1006	-926	-919	-919	-919							
	3	-1006	-926	-919	-919	-919							
	4	-1020	-940	-933	-933	-933							
	5	-1061	-980	-974	-974	-974							
	6	-1171	-1091	-1085	-1085	-1085							
	7	-1374	-1304	-1304	-1304	-1304							
71	1 & 2	-1476	-1407	-1407	-1407	-1407							
	3	-1476	-1407	-1407	-1407	-1407							
	4	-1503	-1441	-1441	-1441	-1441							
	5	-1516	-1442	-1442	-1442	-1442							
	6	-1525	-1445	-1445	-1445	-1445							
	7	-1541	-1457	-1457	-1457	-1457							
12 & 22	1 & 2	-460	-43	117	144	144							
	3	-463	-46	114	140	140							
	4	-581	-195	-43	-25	-25							
	5	-780	-419	-316	-298	-298							
	6	-1039	-906	-882	-882	-882							
	7	-1374	-1251	-1227	-1227	-1227							
32	1 & 2	-500	-83	77	103	103							
	3	-504	-87	74	100	100							
	4	-642	-268	-116	-98	-98							
	5	-816	-456	-352	-334	-334							
	6	-1056	-929	-904	-904	-904							
	7	-1397	-1274	-1250	-1250	-1250							
42	1 & 2	-679	-293	-215	-215	-215							
	3	-683	-296	-219	-219	-219							
	4	-734	-348	-271	-271	-271							
	5	-893	-520	-442	-442	-442							
	6	-1094	-992	-992	-992	-992							
	7	-1439	-1316	-1316	-1316	-1316							
52	1 & 2	-880	-709	-703	-703	-703							
	3	-880	-709	-703	-703	-703							
	4	-935	-764	-758	-758	-758							
	5	-999	-821	-815	-815	-815							
	6	-1160	-1085	-1085	-1085	-1085							
	7	-1466	-1376	-1376	-1376	-1376							
62	1 & 2	-1277	-1197	-1197	-1197	-1197							
	3	-1277	-1197	-1197	-1197	-1197							
	4	-1290	-1210	-1210	-1210	-1210							
	5	-1322	-1242	-1242	-1242	-1242							
	6	-1375	-1297	-1297	-1297	-1297							

Mike	
Range	Diff.
25-26	-1255
27-29	-901
30-32	-466
33-34	-237
Base 35-36	0
37-42	27
Base 43-49	0
50-52	-484
53 & Above	-696

Strenath (Grams per Tex)	
Range	Diff.
20.5-21.4	-151
21.5-22.4	-107
22.5-23.4	-25
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	0
29.5-30.4	15
30.5 & Above	20

Extraneous Matter	
Level	Diff.
1	-435
2	-785

Table 11. East Texas-Oklahoma spot cotton differences, season average.

August 1999-July 2000

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-1104	-950	-757	-529	-285	134	247	264	264
	3	-1129	-975	-782	-560	-310	125	239	257	257
	4	-1157	-1023	-852	-628	-382	97	167	186	186
	5	-1259	-1120	-964	-752	-566	-391	-386	-386	-386
	6	-1334	-1200	-1067	-891	-739	-582	-582	-582	-582
	7	-1434	-1309	-1142	-986	-844	-717	-717	-717	-717
31	1 & 2	-1141	-993	-800	-559	-305	119	233	244	244
	3	-1166	-1018	-825	-590	-330	117	229	237	237
	4	-1195	-1066	-877	-657	-423	89	147	161	161
	5	-1297	-1173	-991	-810	-596	-424	-419	-419	-419
	6	-1372	-1243	-1123	-953	-781	-625	-625	-625	-625
	7	-1472	-1343	-1188	-1037	-893	-778	-778	-778	-778
41	1 & 2	-1245	-1098	-882	-670	-421	70	135	139	139
	3	-1245	-1098	-882	-670	-432	70	135	139	139
	4	-1288	-1137	-936	-727	-471	50.49	106	118	118
	5	-1347	-1217	-1060	-869	-685	-502	-497	-484	-484
	6	-1447	-1342	-1177	-1000	-837	-676	-676	-669	-669
	7	-1522	-1405	-1239	-1087	-945	-829	-829	-822	-822
51	1 & 2	-1377	-1263	-1022	-820	-632	-416	-416	-416	-416
	3	-1377	-1263	-1022	-820	-632	-416	-416	-416	-416
	4	-1402	-1288	-1073	-897	-712	-501	-501	-501	-501
	5	-1447	-1347	-1163	-1036	-845	-622	-622	-622	-622
	6	-1522	-1406	-1256	-1125	-989	-781	-781	-781	-781
	7	-1572	-1452	-1306	-1192	-1064	-928	-928	-928	-928
61	1 & 2	-1506	-1358	-1161	-1014	-895	-700	-700	-700	-700
	3	-1506	-1358	-1161	-1014	-895	-700	-700	-700	-700
	4	-1531	-1383	-1207	-1064	-970	-765	-765	-765	-765
	5	-1581	-1435	-1283	-1141	-1045	-845	-845	-845	-845
	6	-1631	-1494	-1377	-1216	-1120	-895	-895	-895	-895
	7	-1681	-1544	-1418	-1287	-1181	-998	-998	-998	-998
71	1 & 2	-1596	-1467	-1266	-1107	-1033	-886	-886	-886	-886
	3	-1596	-1467	-1266	-1107	-1033	-886	-886	-886	-886
	4	-1612	-1492	-1291	-1182	-1108	-936	-936	-936	-936
	5	-1640	-1517	-1358	-1249	-1167	-974	-974	-974	-974
	6	-1703	-1588	-1435	-1312	-1216	-1019	-1019	-1019	-1019
	7	-1753	-1638	-1476	-1353	-1263	-1074	-1074	-1074	-1074
12 & 22	1 & 2	-1167	-1045	-837	-609	-369	-38	18	43	43
	3	-1192	-1070	-865	-639	-408	-53	3	28	28
	4	-1231	-1109	-929	-718	-547	-201	-185	-160	-160
	5	-1348	-1220	-1053	-859	-714	-456	-451	-451	-451
	6	-1423	-1295	-1158	-982	-859	-670	-670	-670	-670
	7	-1512	-1374	-1203	-1061	-964	-799	-799	-799	-799
32	1 & 2	-1220	-1106	-898	-665	-439	-80	-32	-7	-7
	3	-1232	-1106	-912	-676	-439	-80	-32	-7	-7
	4	-1291	-1161	-982	-768	-602	-265	-257	-232	-232
	5	-1396	-1282	-1085	-920	-772	-525	-525	-525	-525
	6	-1476	-1366	-1207	-1042	-932	-709	-709	-709	-709
	7	-1551	-1416	-1259	-1116	-1016	-856	-856	-856	-856
42	1 & 2	-1337	-1234	-1013	-789	-575	-336	-333	-315	-315
	3	-1337	-1234	-1013	-802	-576	-361	-358	-340	-340
	4	-1362	-1255	-1055	-869	-704	-452	-449	-431	-431
	5	-1433	-1340	-1169	-1026	-866	-635	-635	-635	-635
	6	-1523	-1416	-1258	-1137	-1007	-798	-798	-798	-798
	7	-1598	-1466	-1321	-1213	-1081	-955	-955	-955	-955
52	1 & 2	-1459	-1332	-1148	-938	-780	-573	-573	-573	-573
	3	-1459	-1332	-1148	-938	-780	-573	-573	-573	-573
	4	-1484	-1357	-1205	-1013	-853	-693	-693	-693	-693
	5	-1534	-1407	-1291	-1132	-958	-799	-799	-799	-799
	6	-1627	-1496	-1399	-1230	-1085	-936	-936	-936	-936
	7	-1677	-1546	-1434	-1305	-1160	-1047	-1047	-1047	-1047
62	1 & 2	-1621	-1446	-1288	-1138	-1032	-813	-813	-813	-813
	3	-1621	-1446	-1288	-1138	-1032	-813	-813	-813	-813
	4	-1632	-1458	-1329	-1188	-1088	-888	-888	-888	-888
	5	-1654	-1496	-1417	-1273	-1188	-988	-988	-988	-988
	6	-1721	-1571	-1492	-1344	-1238	-1063	-1063	-1063	-1063

Table 11. East Texas-Oklahoma (Continued)

August 1999-July 2000

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-1358	-1217	-1021	-787	-654	-526	-526	-526	-526
	3	-1358	-1217	-1046	-812	-679	-551	-551	-551	-551
	4	-1384	-1242	-1102	-904	-768	-663	-663	-663	-663
	5	-1504	-1387	-1244	-1027	-857	-776	-776	-776	-776
	6	-1569	-1457	-1319	-1145	-1025	-894	-894	-894	-894
33	1 & 2	-1669	-1507	-1344	-1231	-1145	-1025	-1025	-1025	-1025
	3	-1457	-1305	-1146	-972	-759	-608	-608	-608	-608
	4	-1457	-1305	-1146	-972	-759	-608	-608	-608	-608
	5	-1532	-1355	-1213	-1028	-883	-781	-781	-781	-781
	6	-1594	-1440	-1294	-1109	-968	-856	-856	-856	-856
43	1 & 2	-1644	-1507	-1344	-1214	-1122	-945	-945	-945	-945
	3	-1694	-1581	-1444	-1289	-1216	-1059	-1059	-1059	-1059
	4	-1604	-1397	-1262	-1017	-857	-780	-780	-780	-780
	5	-1629	-1422	-1287	-1080	-952	-880	-880	-880	-880
	6	-1654	-1447	-1312	-1105	-977	-905	-905	-905	-905
53	1 & 2	-1704	-1498	-1349	-1195	-1111	-998	-998	-998	-998
	3	-1729	-1557	-1433	-1281	-1197	-1085	-1085	-1085	-1085
	4	-1779	-1637	-1508	-1356	-1261	-1138	-1138	-1138	-1138
	5	-1667	-1501	-1373	-1198	-1097	-988	-988	-988	-988
	6	-1667	-1501	-1373	-1198	-1097	-988	-988	-988	-988
63	1 & 2	-1717	-1551	-1448	-1273	-1172	-1088	-1088	-1088	-1088
	3	-1767	-1576	-1490	-1306	-1218	-1132	-1132	-1132	-1132
	4	-1792	-1630	-1556	-1406	-1317	-1232	-1232	-1232	-1232
	5	-1842	-1680	-1606	-1456	-1376	-1307	-1307	-1307	-1307
	6	-1749	-1594	-1470	-1371	-1263	-1154	-1154	-1154	-1154
34	1 & 2	-1749	-1594	-1470	-1371	-1263	-1154	-1154	-1154	-1154
	3	-1799	-1644	-1520	-1419	-1298	-1204	-1204	-1204	-1204
	4	-1849	-1694	-1595	-1494	-1373	-1279	-1279	-1279	-1279
	5	-1874	-1719	-1636	-1516	-1398	-1304	-1304	-1304	-1304
	6	-1556	-1373	-1228	-1098	-1036	-949	-949	-949	-949
44	1 & 2	-1556	-1373	-1228	-1098	-1036	-949	-949	-949	-949
	3	-1656	-1450	-1328	-1198	-1126	-1024	-1024	-1024	-1024
	4	-1731	-1525	-1403	-1295	-1201	-1124	-1124	-1124	-1124
	5	-1831	-1625	-1503	-1384	-1301	-1224	-1224	-1224	-1224
	6	-1720	-1513	-1417	-1267	-1156	-1075	-1075	-1075	-1075
54	1 & 2	-1745	-1538	-1442	-1317	-1221	-1125	-1125	-1125	-1125
	3	-1770	-1588	-1492	-1392	-1256	-1175	-1175	-1175	-1175
	4	-1795	-1638	-1567	-1492	-1356	-1275	-1275	-1275	-1275
	5	-1845	-1688	-1634	-1567	-1406	-1325	-1325	-1325	-1325
	6	-1845	-1663	-1567	-1492	-1381	-1275	-1275	-1275	-1275
54	1 & 2	-1845	-1663	-1567	-1492	-1381	-1275	-1275	-1275	-1275
	3	-1845	-1663	-1567	-1492	-1381	-1275	-1275	-1275	-1275
	4	-1895	-1713	-1617	-1542	-1431	-1325	-1325	-1325	-1325
	5	-1895	-1713	-1617	-1542	-1431	-1325	-1325	-1325	-1325

Mike	
Range	Diff.
24 & Below	-1280
25-26	-1104
27-29	-672
30-32	-329
33-34	-169
Base 35-36	0
37-42	12
Base 43-49	0
50-52	-401
53 & Above	-558

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-266
19.5-20.4	-238
20.5-21.4	-204
21.5-22.4	-174
22.5-23.4	-147
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	6
28.5-29.4	18
29.5-30.4	38
30.5 & Above	57

Extraneous Matter		
Level		Diff.
1	Bark	-248
		-598
2	Other	-420
		-690

Table 12. West Texas spot cotton differences, season average

August 1999-July 2000

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-1067	-918	-723	-481	-263	139	270	297	297
	3	-1092	-943	-748	-521	-288	124	254	280	280
	4	-1117	-999	-827	-596	-347	98	171	196	196
	5	-1213	-1086	-942	-729	-537	-379	-374	-374	-374
	6	-1288	-1172	-1029	-865	-708	-549	-549	-549	-549
31	1 & 2	-1388	-1259	-1084	-945	-812	-674	-674	-674	-674
	3	-1104	-956	-768	-521	-293	117	240	260	260
	4	-1129	-981	-793	-555	-318	116	227	243	243
	5	-1154	-1036	-857	-620	-394	86	151	172	172
	6	-1251	-1134	-973	-777	-565	-399	-394	-394	-394
41	1 & 2	-1326	-1209	-1080	-914	-749	-580	-580	-580	-580
	3	-1426	-1289	-1129	-985	-860	-730	-730	-730	-730
	4	-1206	-1063	-854	-628	-402	64	140	147	147
	5	-1243	-1105	-915	-696	-463	50.12	100	121	121
	6	-1315	-1195	-1042	-834	-639	-462	-457	-457	-457
51	1 & 2	-1415	-1317	-1148	-963	-795	-627	-627	-627	-627
	3	-1490	-1367	-1198	-1038	-909	-777	-777	-777	-777
	4	-1364	-1247	-983	-803	-575	-371	-371	-371	-371
	5	-1364	-1247	-983	-803	-575	-371	-371	-371	-371
	6	-1389	-1272	-1034	-879	-655	-456	-456	-456	-456
61	1 & 2	-1414	-1308	-1124	-1013	-820	-563	-563	-563	-563
	3	-1489	-1367	-1213	-1091	-937	-728	-728	-728	-728
	4	-1539	-1404	-1271	-1157	-1030	-876	-876	-876	-876
	5	-1488	-1344	-1131	-968	-847	-671	-671	-671	-671
	6	-1488	-1344	-1131	-968	-847	-671	-671	-671	-671
71	1 & 2	-1513	-1369	-1168	-1018	-922	-736	-736	-736	-736
	3	-1538	-1406	-1230	-1104	-997	-816	-816	-816	-816
	4	-1588	-1456	-1316	-1179	-1072	-866	-866	-866	-866
	5	-1638	-1506	-1366	-1241	-1135	-966	-966	-966	-966
	6	-1563	-1448	-1213	-1054	-987	-848	-848	-848	-848
12 & 22	1 & 2	-1563	-1448	-1213	-1054	-987	-848	-848	-848	-848
	3	-1588	-1473	-1238	-1129	-1062	-898	-898	-898	-898
	4	-1613	-1498	-1295	-1186	-1104	-923	-923	-923	-923
	5	-1663	-1548	-1369	-1236	-1149	-960	-960	-960	-960
	6	-1713	-1598	-1419	-1286	-1204	-1023	-1023	-1023	-1023
32	1 & 2	-1129	-1008	-797	-590	-346	-32	26	49	49
	3	-1154	-1033	-823	-625	-377	-48	10	33	33
	4	-1191	-1083	-908	-700	-505	-203	-187	-162	-162
	5	-1300	-1186	-1030	-858	-649	-434	-429	-429	-429
	6	-1375	-1261	-1110	-958	-791	-635	-635	-635	-635
42	1 & 2	-1464	-1327	-1154	-1030	-909	-764	-764	-764	-764
	3	-1172	-1082	-876	-636	-404	-85	-31	-6	-6
	4	-1184	-1082	-876	-654	-409	-85	-31	-6	-6
	5	-1233	-1142	-962	-741	-556	-274	-266	-241	-241
	6	-1337	-1261	-1069	-898	-702	-492	-492	-492	-492
52	1 & 2	-1417	-1346	-1167	-995	-901	-671	-671	-671	-671
	3	-1492	-1396	-1214	-1063	-986	-821	-821	-821	-821
	4	-1307	-1204	-982	-748	-545	-320	-316	-298	-298
	5	-1307	-1204	-982	-761	-558	-345	-341	-323	-323
	6	-1332	-1230	-1030	-834	-659	-451	-447	-429	-429
62	1 & 2	-1392	-1305	-1129	-982	-825	-627	-627	-627	-627
	3	-1481	-1380	-1219	-1080	-985	-778	-778	-778	-778
	4	-1556	-1430	-1270	-1155	-1075	-910	-910	-910	-910
	5	-1433	-1316	-1107	-910	-740	-542	-542	-542	-542
	6	-1433	-1316	-1107	-910	-740	-542	-542	-542	-542
72	1 & 2	-1458	-1341	-1163	-985	-824	-648	-648	-648	-648
	3	-1508	-1391	-1251	-1104	-941	-762	-762	-762	-762
	4	-1589	-1468	-1346	-1194	-1059	-891	-891	-891	-891
	5	-1639	-1518	-1382	-1269	-1141	-1002	-1002	-1002	-1002
	6	-1606	-1435	-1227	-1086	-979	-767	-767	-767	-767
82	1 & 2	-1606	-1435	-1227	-1086	-979	-767	-767	-767	-767
	3	-1625	-1454	-1277	-1136	-1035	-842	-842	-842	-842
	4	-1639	-1485	-1377	-1230	-1135	-942	-942	-942	-942
	5	-1706	-1560	-1452	-1292	-1185	-1017	-1017	-1017	-1017
	6	-1706	-1560	-1452	-1292	-1185	-1017	-1017	-1017	-1017

Table 12. West Texas (Continued)

August 1999-July 2000

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-1327	-1184	-966	-762	-590	-480	-480	-480	-480	
	3	-1327	-1184	-991	-787	-615	-505	-505	-505	-505	
	4	-1352	-1209	-1047	-868	-712	-611	-611	-611	-611	
	5	-1432	-1314	-1158	-954	-809	-744	-744	-744	-744	
	6	-1497	-1384	-1233	-1080	-969	-869	-869	-869	-869	
	7	-1597	-1434	-1258	-1168	-1094	-1009	-1009	-1009	-1009	
	33	1 & 2	-1389	-1258	-1075	-899	-689	-551	-551	-551	-551
3		-1389	-1258	-1075	-899	-689	-551	-551	-551	-551	
4		-1464	-1308	-1125	-953	-814	-726	-726	-726	-726	
5		-1527	-1372	-1212	-1041	-910	-819	-819	-819	-819	
6		-1577	-1438	-1262	-1148	-1055	-919	-919	-919	-919	
7		-1627	-1500	-1362	-1223	-1155	-1044	-1044	-1044	-1044	
43		1 & 2	-1546	-1338	-1169	-936	-779	-707	-707	-707	-707
	3	-1571	-1363	-1194	-991	-874	-807	-807	-807	-807	
	4	-1596	-1388	-1219	-1016	-899	-832	-832	-832	-832	
	5	-1646	-1438	-1266	-1118	-1058	-963	-963	-963	-963	
	6	-1671	-1497	-1351	-1221	-1157	-1063	-1063	-1063	-1063	
	7	-1721	-1594	-1426	-1296	-1220	-1125	-1125	-1125	-1125	
	53	1 & 2	-1636	-1468	-1328	-1154	-1047	-957	-957	-957	-957
3		-1636	-1468	-1328	-1154	-1047	-957	-957	-957	-957	
4		-1686	-1518	-1403	-1229	-1122	-1057	-1057	-1057	-1057	
5		-1736	-1543	-1444	-1267	-1173	-1107	-1107	-1107	-1107	
6		-1761	-1598	-1512	-1367	-1272	-1207	-1207	-1207	-1207	
7		-1811	-1648	-1562	-1417	-1331	-1282	-1282	-1282	-1282	
63		1 & 2	-1750	-1557	-1421	-1334	-1227	-1137	-1137	-1137	-1137
	3	-1750	-1557	-1421	-1334	-1227	-1137	-1137	-1137	-1137	
	4	-1800	-1607	-1471	-1371	-1262	-1187	-1187	-1187	-1187	
	5	-1850	-1657	-1546	-1446	-1337	-1262	-1262	-1262	-1262	
	6	-1875	-1682	-1586	-1458	-1362	-1287	-1287	-1287	-1287	
	34	1 & 2	-1515	-1335	-1173	-1041	-964	-894	-894	-894	-894
		3	-1515	-1335	-1173	-1041	-964	-894	-894	-894	-894
4		-1615	-1407	-1273	-1141	-1054	-969	-969	-969	-969	
5		-1690	-1482	-1348	-1216	-1129	-1069	-1069	-1069	-1069	
6		-1790	-1582	-1448	-1316	-1229	-1169	-1169	-1169	-1169	
44		1 & 2	-1686	-1478	-1369	-1209	-1084	-1020	-1020	-1020	-1020
		3	-1711	-1503	-1394	-1259	-1149	-1070	-1070	-1070	-1070
	4	-1736	-1553	-1444	-1334	-1184	-1120	-1120	-1120	-1120	
	5	-1761	-1603	-1519	-1434	-1284	-1220	-1220	-1220	-1220	
	6	-1811	-1653	-1585	-1509	-1334	-1270	-1270	-1270	-1270	
	54	1 & 2	-1811	-1628	-1519	-1434	-1309	-1220	-1220	-1220	-1220
		3	-1811	-1628	-1519	-1434	-1309	-1220	-1220	-1220	-1220
4		-1861	-1678	-1569	-1484	-1359	-1270	-1270	-1270	-1270	
5		-1861	-1678	-1569	-1484	-1359	-1270	-1270	-1270	-1270	

Mike	
Range	Diff.
24 & Below	-1274
25-26	-1084
27-29	-640
30-32	-308
33-34	-160
Base 35-36	0
37-42	10
Base 43-49	0
50-52	-358
53 & Above	-530

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-214
19.5-20.4	-189
20.5-21.4	-164
21.5-22.4	-139
22.5-23.4	-114
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	15
29.5-30.4	36
30.5 & Above	53

Extraneous Matter	
Level	Diff.
Bark	
1	-206
2	-484
Other	
1	-369
2	-551

Table 13. Desert Southwest spot cotton differences, season average.

August 1999-July 2000

Color	Leaf	Staple					Color	Leaf	Staple																																																													
		33	34	35	36	37			33	34	35	36	37																																																									
11 & 21	1 & 2	-66	365	718	778	788	43	1 & 2	-960	-696	-520	-520	-520																																																									
	3	-66	365	718	778	788		3	-962	-698	-545	-545	-545																																																									
	4	-380	91	442	502	512		4	-1060	-796	-643	-643	-643																																																									
	5	-564	-177	280	285	295		5	-1352	-1088	-936	-936	-936																																																									
	6	-584	-181	46	47	47		6	-1512	-1248	-1095	-1095	-1095																																																									
	7	-841	-484	-274	-279	-278	7	-1556	-1292	-1140	-1140	-1140																																																										
31	1 & 2	-115	315	668	728	738	53	1 & 2	-1112	-848	-696	-696	-696																																																									
	3	-115	315	668	728	738		3	-1112	-848	-696	-696	-696																																																									
	4	-381	57	408	466	476		4	-1402	-1138	-986	-986	-986																																																									
	5	-551	-164	288	298	308		5	-1404	-1140	-988	-988	-988																																																									
	6	-585	-181	46	46	47		6	-1562	-1298	-1146	-1146	-1146																																																									
	7	-841	-482	-279	-279	-278	7	-1611	-1343	-1190	-1190	-1190																																																										
41	1 & 2	-425	1	353	363	364	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1600</td> </tr> <tr> <td>25-26</td> <td>-1400</td> </tr> <tr> <td>27-29</td> <td>-1250</td> </tr> <tr> <td>30-32</td> <td>-700</td> </tr> <tr> <td>33-34</td> <td>-150</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-742</td> </tr> <tr> <td>53 &amp; Above</td> <td>-942</td> </tr> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> <tr> <td>20.5-21.4</td> <td>-373</td> </tr> <tr> <td>21.5-22.4</td> <td>-248</td> </tr> <tr> <td>22.5-23.4</td> <td>-124</td> </tr> <tr> <td>Base 23.5-25.4</td> <td>0</td> </tr> <tr> <td>25.5-26.4</td> <td>0</td> </tr> <tr> <td>26.5-27.4</td> <td>0</td> </tr> <tr> <td>27.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>25</td> </tr> <tr> <td>29.5-30.4</td> <td>50</td> </tr> <tr> <td>30.5 &amp; Above</td> <td>75</td> </tr> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> <tr> <td>1</td> <td>-763</td> </tr> <tr> <td>2</td> <td>-1200</td> </tr> </tbody> </table>						Mike		Range	Diff.	24 & Below	-1600	25-26	-1400	27-29	-1250	30-32	-700	33-34	-150	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-742	53 & Above	-942	Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-373	21.5-22.4	-248	22.5-23.4	-124	Base 23.5-25.4	0	25.5-26.4	0	26.5-27.4	0	27.5-28.4	0	28.5-29.4	25	29.5-30.4	50	30.5 & Above	75	Extraneous Matter		Level	Diff.	1	-763	2	-1200
	Mike																																																																					
	Range	Diff.																																																																				
	24 & Below	-1600																																																																				
	25-26	-1400																																																																				
27-29	-1250																																																																					
30-32	-700																																																																					
33-34	-150																																																																					
Base 35-36	0																																																																					
37-42	25																																																																					
Base 43-49	0																																																																					
50-52	-742																																																																					
53 & Above	-942																																																																					
Strength																																																																						
(Grams per Tex)																																																																						
Range	Diff.																																																																					
20.5-21.4	-373																																																																					
21.5-22.4	-248																																																																					
22.5-23.4	-124																																																																					
Base 23.5-25.4	0																																																																					
25.5-26.4	0																																																																					
26.5-27.4	0																																																																					
27.5-28.4	0																																																																					
28.5-29.4	25																																																																					
29.5-30.4	50																																																																					
30.5 & Above	75																																																																					
Extraneous Matter																																																																						
Level	Diff.																																																																					
1	-763																																																																					
2	-1200																																																																					
	3	-423	1	353	363	364																																																																
	4	-430	48.79	351	361	361																																																																
	5	-573	-210	21	22	22																																																																
	6	-700	-386	-154	-153	-153																																																																
	7	-1038	-807	-601	-601	-600																																																																
51	1 & 2	-729	-499	-274	-273	-273																																																																
	3	-729	-499	-274	-273	-273																																																																
	4	-729	-498	-274	-273	-273																																																																
	5	-734	-502	-279	-278	-278																																																																
	6	-814	-582	-379	-379	-379																																																																
	7	-1160	-903	-701	-701	-701																																																																
12 & 22	1 & 2	-378	27	375	438	448																																																																
	3	-426	-20	327	387	397																																																																
	4	-582	-242	105	115	125																																																																
	5	-683	-294	-75	-75	-75																																																																
	6	-815	-474	-271	-271	-271																																																																
	7	-1175	-895	-693	-693	-693																																																																
32	1 & 2	-531	-135	205	215	225																																																																
	3	-531	-135	205	215	225																																																																
	4	-770	-342	-108	-107	-107																																																																
	5	-852	-452	-228	-228	-228																																																																
	6	-979	-607	-401	-401	-401																																																																
	7	-1320	-1022	-821	-821	-821																																																																
42	1 & 2	-753	-484	-258	-258	-258																																																																
	3	-754	-484	-259	-259	-259																																																																
	4	-756	-488	-262	-262	-262																																																																
	5	-857	-590	-390	-390	-390																																																																
	6	-1078	-767	-567	-567	-567																																																																
	7	-1395	-1121	-920	-920	-920																																																																
52	1 & 2	-952	-686	-509	-509	-509																																																																
	3	-952	-686	-509	-509	-509																																																																
	4	-1161	-882	-729	-729	-729																																																																
	5	-1207	-932	-780	-780	-780																																																																
	6	-1487	-1213	-1061	-1061	-1061																																																																
	7	-1514	-1257	-1105	-1104	-1104																																																																

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse.

Staple	Grade						mike ranges	Points per pound
	01	02	03	04	05	06		
44	86.29	86.04	80.71	74.86	64.10	49.11	26 & Below	-2049
							27-29	-1579
							30-32	-1108
46	87.08	86.83	81.47	75.61	64.11	49.11	33-34	-377
							35 & Above	0

Table 14. San Joaquin Valley spot cotton differences, season average.

August 1999-July 2000

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	379	579	609	619	33	1 & 2	-599	-599	-599	-599
	3	364	564	594	604		3	-599	-599	-599	-599
	4	74	274	304	314		4	-1104	-1104	-1104	-1104
	5	-131	69	74	84		5	-1227	-1227	-1227	-1227
	6	-391	-191	-191	-191		6	-1596	-1596	-1596	-1596
	7	-914	-814	-814	-814		7	-1905	-1905	-1905	-1905
	31	1 & 2	354	554	584		594	43	1 & 2	-1284	-1284
3		354	554	584	594	3	-1284		-1284	-1284	-1284
4		59	259	289	299	4	-1442		-1442	-1442	-1442
5		-256	-56	-51	-41	5	-1656		-1656	-1656	-1656
6		-510	-310	-310	-310	6	-1699		-1699	-1699	-1699
7		-1017	-917	-917	-917	7	-2034		-2034	-2034	-2034
41		1 & 2	127	327	357	367	41		1 & 2	127	327
	3	77	277	307	317	3		77	277	307	317
	4	56.67	200	230	240	4		56.67	200	230	240
	5	-488	-290	-285	-275	5		-488	-290	-285	-275
	6	-700	-502	-502	-502	6		-700	-502	-502	-502
	7	-1209	-1109	-1109	-1110	7		-1209	-1109	-1109	-1110
	51	1 & 2	-349	-149	-149	-149		51	1 & 2	-349	-149
3		-349	-149	-149	-149	3	-349		-149	-149	-149
4		-474	-274	-274	-274	4	-474		-274	-274	-274
5		-855	-659	-659	-659	5	-855		-659	-659	-659
6		-1221	-1121	-1121	-1121	6	-1221		-1121	-1121	-1121
7		-1494	-1394	-1394	-1394	7	-1494		-1394	-1394	-1394
12 & 22		1 & 2	329	529	559	569	12 & 22		1 & 2	329	529
	3	254	454	484	494	3		254	454	484	494
	4	-126	74	79	89	4		-126	74	79	89
	5	-495	-295	-295	-295	5		-495	-295	-295	-295
	6	-976	-876	-876	-876	6		-976	-876	-876	-876
	7	-1289	-1214	-1214	-1214	7		-1289	-1214	-1214	-1214
	32	1 & 2	63	263	288	288		32	1 & 2	63	263
3		-2	198	223	223	3	-2		198	223	223
4		-247	-47	-47	-47	4	-247		-47	-47	-47
5		-653	-453	-453	-453	5	-653		-453	-453	-453
6		-1260	-1160	-1160	-1160	6	-1260		-1160	-1160	-1160
7		-1631	-1531	-1531	-1531	7	-1631		-1531	-1531	-1531
42		1 & 2	-501	-305	-305	-305	42		1 & 2	-501	-305
	3	-551	-355	-355	-355	3		-551	-355	-355	-355
	4	-655	-463	-463	-463	4		-655	-463	-463	-463
	5	-943	-752	-752	-752	5		-943	-752	-752	-752
	6	-1488	-1393	-1393	-1393	6		-1488	-1393	-1393	-1393
	7	-1813	-1813	-1813	-1813	7		-1813	-1813	-1813	-1813
	52	1 & 2	-1097	-1000	-1000	-1000		52	1 & 2	-1097	-1000
3		-1097	-1000	-1000	-1000	3	-1097		-1000	-1000	-1000
4		-1510	-1413	-1413	-1413	4	-1510		-1413	-1413	-1413
5		-1534	-1438	-1438	-1438	5	-1534		-1438	-1438	-1438
6		-1852	-1852	-1852	-1852	6	-1852		-1852	-1852	-1852
7		-2023	-2023	-2023	-2023	7	-2023		-2023	-2023	-2023

Mike	
Range	Diff.
27-29	-1328
30-32	-550
33-34	-300
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-319

Strength (Grams per Tex)	
Range	Diff.
Base 23.5-25.4	0
25.5-26.4	0
26.5-27.4	0
27.5-28.4	0
28.5-29.4	25
29.5-30.4	50
30.5 & Above	75

Extraneous Matter	
Level	Diff.
1	-400
2	-925

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse.

Staple	Grade						Mike range	Points per pound
	01	02	03	04	05	06		
44	88.09	87.84	82.90	76.72	66.30	53.25	26 & Below	-1986
46	88.60	88.35	83.42	77.22	66.31	53.25	27-29	-1517
							30-32	-1045
							33-34	-315
							35 & Above	0



Table 15. Average quotations in cents per pound for American Pima cotton

August 1999-July 2000

Staple	Grade						Mike Range		
	01	02	03	04	05	06			
DESERT SOUTHWEST								26 & Below	-2049
44	86.29	86.04	80.71	74.86	64.10	49.11	27-29	-1579	
46	87.08	86.83	81.47	75.61	64.11	49.11	30-32	-1108	
								33-34	-377
								35 & Above	0
SAN JOAQUIN VALLEY								26 & Below	-1986
44	88.09	87.84	82.90	76.72	66.30	53.25	27-29	-1517	
46	88.60	88.35	83.42	77.22	66.31	53.25	30-32	-1045	
								33-34	-315
								35 & Above	0
UNITED STATES AVERAGE								26 & Below	-2017
44	87.19	86.94	81.81	75.79	65.20	51.18	27-29	-1548	
46	87.84	87.59	82.44	76.42	65.21	51.18	30-32	-1076	
								33-34	-346
								35 & Above	0

Quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse.

Table 16. Spot transactions reported, in running bales, in the designated spot markets.

August 1999-July 2000

Month	Southeast	North Delta	South Delta	East Texas Oklahoma	West Texas	Desert SW	SJ Valley	All Markets
BALES REPORTED								
Aug-98								
UP	0	4,681	4,138	39,079	31,662	277	494	80,331
AP						1,905	1,328	3,233
Sep-98								
UP	1325	2274	4461	44358	22708	8000	10903	94029
AP						100	1112	1212
Oct-98								
UP	6148	10847	44809	67432	53427	10686	1075	194424
AP						0	946	946
Nov-98								
UP	17744	15287	39847	60334	137389	24492	22120	317213
AP						1220	2001	3221
Dec-98								
UP	47597	12754	52528	32699	287619	46811	29306	509314
AP						2749	5516	8265
Jan-99								
UP	97521	39472	151625	48840	304942	47636	40629	730665
AP						2592	11143	13735
Feb-99								
UP	30136	32907	130271	3635	36538	22680	15059	271226
AP						2890	20727	23617
Mar-99								
UP	24782	21929	72643	2559	33622	7540	8830	171905
AP						6148	11407	17555
Apr-99								
UP	9409	6419	34478	4954	18071	3508	3628	80467
AP						1068	7938	9006
May-99								
UP	27862	15662	8350	3294	21502	3251	3922	83843
AP						15905	30131	46036
Jun-99								
UP	10229	5650	5922	202	9319	2805	3875	38002
AP						7247	3763	11010
Jul-99								
UP	6505	12537	1275	3481	2674	1276	0	27748
AP						2954	3240	6194
Total								
UP	279,258	180,419	550,347	3,108,67	9,594,73	178,962	139,841	2,599,167
AP						44,778	99,252	144,030
All	279,258	180,419	550,347	3,108,67	9,594,73	223,740	239,093	2,743,197

Table 17. Total spot transactions in the designated markets, running bales, by month and season, 1999-00.

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
	Bales											
Southeast	0	1,325	6,148	17,744	47,597	97,521	30,136	24,782	9,409	27,862	10,229	6,505
North Delta	4,681	2,274	10,847	15,287	12,754	39,472	32,907	21,929	6,419	15,662	5,650	12,537
South Delta	4,138	4,461	44,809	39,847	52,528	151,625	130,271	72,643	34,478	8,350	5,922	1,275
East Texas-Oklahoma	39,079	44,358	67,432	60,334	32,699	48,840	3,635	2,559	4,954	3,294	202	3,481
West Texas	31,662	22,708	53,427	137,389	287,619	304,942	36,538	33,622	18,071	21,502	9,319	2,674
Desert Southwest	2,182	8,100	10,686	25,712	49,560	50,228	25,570	13,688	4,576	19,156	10,052	4,230
San Joaquin Valley	1,822	12,015	2,021	24,121	34,822	51,772	35,786	20,237	11,566	34,053	7,638	3,240
Total	83,564	95,241	195,370	320,434	517,579	744,400	294,843	189,460	89,473	129,879	49,012	33,942

Table 18. Upland cotton spot transactions in the designated markets, running bales, season totals, 1994-99. 1/

Market Area	1994	1995	1996	1997	1998	1999
Southeast	292,697	138,594	216,283	294,739	240,014	279,258
North Delta	610,781	177,767	208,894	251,313	120,298	180,419
South Delta	1,618,203	623,952	839,635	793,921	252,632	550,347
East Texas-Oklahoma	312,931	187,177	211,500	242,778	121,454	310,867
West Texas	1,105,948	979,547	1,501,599	1,611,929	1,081,017	959,473
Desert Southwest	140,914	66,505	108,593	143,220	117,602	178,962
San Joaquin Valley	244,914	140,913	137,757	107,754	50,643	139,841
Total	4,326,388	2,314,455	3,224,261	3,445,654	1,983,660	2,599,167

1/ Year beginning August 1.

Table 19. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 1994-1999.

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for upland cotton 1/													
1994	66.80	65.90	66.20	68.50	73.20	78.70	80.20	82.60	77.60	76.20	86.50	80.10	72.00
1995	72.20	74.80	74.20	75.00	75.70	76.40	75.70	76.80	78.90	76.70	76.90	73.60	75.40
1996	71.90	71.70	71.50	69.70	69.30	67.90	68.10	69.30	67.60	68.30	67.10	67.50	69.30
1997	67.00	69.60	69.40	67.90	66.40	61.10	62.50	63.90	63.60	63.50	69.70	68.00	65.20
1998	66.00	66.20	65.90	64.60	60.60	58.10	55.60	55.10	55.60	55.00	54.60	53.80	60.20
1999	53.00	46.20	45.90	44.70	43.00	43.10	45.90	47.90	46.00	47.30	46.40	48.30 /2	44.90 /3

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 23.5-26.4 cotton in the designated markets

1994	70.32	71.10	67.58	72.00	81.92	88.11	91.89	104.20	104.94	105.38	106.96	93.28	88.14
1995	85.90	90.00	84.65	84.16	82.18	81.81	81.56	81.13	84.69	83.22	80.23	76.84	83.03
1996	76.15	75.24	72.21	70.12	71.98	70.53	70.53	71.12	69.09	69.30	71.03	71.83	71.59
1997	71.61	70.75	69.46	68.90	64.57	62.75	63.66	67.04	61.88	65.21	73.50	74.18	67.79
1998	71.87	71.75	67.61	64.95	59.88	56.20	55.46	58.17	57.01	55.54	53.74	49.23	60.12
1999	49.72	48.39	49.46	48.12	46.65	51.92	54.29	57.67	53.76	58.31	54.97	55.13	52.36

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 23.5-26.4 cotton in the designated markets

1994	70.96	71.87	68.31	72.82	82.92	89.25	93.50	106.01	106.75	107.22	108.80	95.12	89.46
1995	87.74	92.02	86.38	85.63	83.50	83.83	83.42	83.00	86.68	85.28	82.10	78.29	84.82
1996	77.32	76.13	73.06	70.96	73.06	71.89	72.15	72.82	70.50	70.70	72.53	73.33	72.87
1997	72.94	71.95	70.41	69.94	65.72	63.91	65.08	68.47	63.31	66.70	74.97	75.55	69.08
1998	73.15	73.01	69.08	66.38	61.29	57.91	57.29	60.38	59.37	57.90	55.96	51.43	61.93
1999	51.84	50.43	51.12	49.73	47.83	53.01	55.62	59.26	55.37	60.20	56.75	56.73	53.99

Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/

1994	75.45	75.71	72.98	76.91	87.53	95.17	100.06	111.91	113.17	113.94	117.65	100.04	95.04
1995	89.71	96.34	90.82	90.58	89.70	88.86	89.76	88.77	92.10	90.20	85.99	82.18	89.58
1996	82.61	82.99	78.96	76.89	79.14	77.97	77.68	77.95	75.18	75.54	77.09	78.47	78.37
1997	77.59	76.56	74.96	74.97	71.57	69.45	69.48	72.95	69.50	71.78	80.87	83.62	74.44
1998	79.80	79.02	75.35	71.48	67.16	64.47	63.39	66.31	64.69	63.17	60.87	56.24	67.66
1999	57.14	55.98	57.79	55.88	53.94	58.52	61.67	64.76	61.04	64.05	62.10	61.05	59.49

Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/

1994	76.40	76.83	73.84	78.02	88.68	96.50	101.88	114.34	115.48	116.15	120.70	103.39	96.85
1995	92.80	98.84	92.54	92.31	91.25	90.44	91.42	90.38	94.18	92.53	88.31	84.86	91.66
1996	85.29	84.99	80.46	78.50	80.81	79.70	79.66	79.79	76.99	77.40	78.85	80.01	80.20
1997	79.21	78.26	76.62	76.30	72.69	70.74	70.66	74.27	70.92	73.71	83.02	85.89	76.02
1998	81.85	80.84	77.07	73.46	69.81	67.09	65.94	68.83	67.43	66.20	63.66	58.80	70.08
1999	59.59	58.39	60.71	58.55	56.36	60.83	63.73	66.46	62.75	65.52	63.91	62.90	61.64

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ The 1999 price is a weighted average price for August-June. 4/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths.