

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 1995-2000 1/ 2/

Market Areas	1995	1996	1997	1998	1999	2000
Southeast	83.86	72.33	68.60	62.06	53.81	52.63
North Delta	83.76	72.11	68.36	61.82	53.34	52.32
South Delta	83.76	72.11	68.36	61.82	53.34	52.32
East Texas-Oklahoma	80.89	70.29	65.93	57.66	50.49	51.03
West Texas	80.64	69.89	65.88	57.76	50.12	50.71
Desert Southwest	80.90	69.88	65.63	55.92	48.79	49.47
San Joaquin Valley	87.40	74.47	71.79	63.78	56.67	52.45
Average	83.03	71.58	67.79	60.12	52.36	51.56

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. Season average prices for American Pima cotton, by qualities, cents per pound, 2000-2001 1/

Staple	Grade						Mike		Extraneous Matter	
	01	02	03	04	05	06			Level	Diff.
	Desert Southwest						26 & below	-1388	Preparation	
44	96.84	96.36	93.52	87.04	77.16	62.31	27-29	-988	1	-306
46	98.42	97.94	95.10	88.03	77.56	62.46	30-32	-438	2	-906
48	98.87	98.39	95.55	88.03	77.56	62.46	33-34	-196	Other	
	San Joaquin Valley						35& above	0	1	-326
	San Joaquin Valley						26 & below	-1429	2	-878
44	99.79	99.32	96.37	89.58	79.66	64.81	27-29	-992	1	-334
46	101.55	101.08	97.94	90.51	80.05	64.95	30-32	-442	2	-934
48	102.00	101.52	98.39	90.51	80.11	64.95	33-34	-200	Other	
	Average						35& above	0	1	-334
	Average						26 & below	-1409	2	-934
44	98.32	97.84	94.94	88.31	78.41	63.56	27-29	-990	1	-320
46	99.99	99.51	96.52	89.27	78.81	63.70	30-32	-440	2	-920
48	100.43	99.96	96.97	89.27	78.83	63.70	33-34	-198	Other	
	Average						35& above	0	1	-330
	Average						26 & below	-1409	2	-906

1/ In mixed lots, net weight, uncompressed, FOB warehouse.

Table 3. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/ 2/

Year	HIGH		LOW	
	Date	Price	Date	Price
1996	3-Sep-96	78.11	12-Nov-96	68.00
1997	8-Jul-98	77.79	8-Apr-98	59.82
1998	24-Aug-98	74.19	12-Jul-99	47.21
1999	22-May-00	60.71	20-Dec-99	45.94
2000	30-Nov-00	63.57	20-Jun-01	35.39

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4, in the designated markets, daily and monthly averages, 1999-00 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	56.44	60.53		59.51	62.84		55.70	50.16		41.44	38.12	36.54
2	56.10		60.87	59.94		55.82	56.01	50.94	41.70	42.36		35.77
3	56.28		61.35	60.75		56.44			42.17	41.54		
4	55.86		60.89		63.21	55.22			43.03	41.54	37.72	36.36
5		61.53	61.19		62.82	55.16	56.46	50.93	42.84		37.74	36.48
6		61.40	61.56	62.36	62.81		56.52	51.38	43.63		38.99	
7	57.91	61.17		62.89	62.68		55.71	51.27		41.77	38.85	
8	57.97	61.76		62.86	62.59	56.41	55.50	50.90		40.78	39.61	37.88
9	59.38		62.02	61.97		56.09	54.73	49.11	43.28	41.13		37.51
10	57.97		61.84	62.29		56.49			43.19	40.56		38.32
11	58.88	61.82	61.11		62.98	57.01			42.20	40.87	37.62	38.25
12		60.45	61.61		61.10	57.26	55.46	48.23	41.74		37.97	36.32
13		59.73	60.23	62.23	60.56		56.06	48.74			38.04	
14	59.39	60.21		61.73	61.17		57.02	49.00		42.39	37.59	
15	58.86	60.22		61.76	60.91		53.94	46.56		41.74	36.45	36.89
16	58.81		59.75	62.64		57.19	53.76	46.24	41.91	40.41		36.77
17	59.68		59.79	62.19		56.62			43.26	40.23		37.54
18	60.09	60.24	58.98		60.57	56.68			42.57	39.64	36.07	37.18
19		60.20	59.01		60.50	56.84		46.83	42.56		35.52	36.44
20		60.21	59.87	62.82	61.24		53.08	46.10	41.07		35.39	
21	61.14	61.02		61.54	60.88		52.70	45.05		39.17	37.01	
22	60.82	60.60		62.77	59.86	55.61	52.52	43.81		38.65	35.83	37.46
23	60.74		59.36			55.77	52.25	44.86	41.41	38.76		37.27
24	60.30		59.68			57.54			41.91	38.69		37.82
25	61.56	61.10	60.36			56.96			41.50	36.75	36.66	39.24
26		60.88	60.27		58.71	57.75	50.41	45.84	41.41		36.96	39.03
27		59.85	60.60	63.55	58.76		49.98	44.24	41.06		36.98	
28	61.92	59.74		62.92	58.87		50.00	44.22			38.26	
29	62.25	59.74		62.92	57.70	57.32		42.31		37.35	37.57	38.92
30	61.79		61.31	63.57		58.22		42.03	41.28	37.12		39.04
31	60.41		60.30			57.51				37.52		37.48
Average	59.33	60.62	60.54	62.16	61.04	56.66	54.10	47.22	42.19	40.02	37.38	37.48
High	62.25	61.82	62.02	63.57	63.21	58.22	57.02	51.38	43.63	42.39	39.61	39.24
Low	55.86	59.73	58.98	59.51	57.70	55.16	49.98	42.03	41.06	36.75	35.39	35.77

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 5. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4, in the designated markets, monthly and annual averages, 2000-2001 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	60.80	61.93	61.42	63.08	62.18	57.90	55.45	48.08	43.22	41.39	38.21	37.86	52.63
North Delta	59.81	61.10	61.14	62.59	61.67	57.80	55.11	47.94	43.22	40.95	37.98	38.51	52.32
South Delta	59.81	61.10	61.14	62.59	61.67	57.80	55.11	47.94	43.22	40.95	37.98	38.51	52.32
East Texas-Oklahoma	58.90	60.23	59.52	60.96	59.81	55.74	53.25	46.85	41.71	40.05	37.65	37.63	51.03
West Texas	56.98	58.49	59.07	60.99	60.11	55.73	53.25	46.85	41.71	40.05	37.65	37.63	50.71
Desert Southwest	58.24	59.50	59.35	58.98	57.86	53.44	51.83	44.81	40.61	37.87	35.58	35.60	49.47
San Joaquin Valley	60.74	62.00	62.17	65.94	63.97	58.24	54.66	48.05	41.61	38.87	36.58	36.60	52.45
Average	59.33	60.62	60.54	62.16	61.04	56.66	54.10	47.22	42.19	40.02	37.38	37.48	51.56

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 23.5-25.4, in the designated markets, monthly and annual averages, 2000-2001 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	59.05	60.18	59.21	60.33	59.43	55.13	52.45	45.22	40.30	38.39	35.21	35.53	50.04
North Delta	58.09	58.91	58.60	58.84	57.97	54.73	51.90	44.91	40.22	38.45	35.67	36.51	49.57
South Delta	58.09	58.91	58.60	58.84	57.97	54.73	51.90	44.91	40.22	38.45	35.67	36.51	49.57
East Texas-Oklahoma	59.47	60.70	60.00	62.01	61.49	57.88	55.50	48.93	43.14	41.19	38.17	38.11	52.22
West Texas	57.66	58.49	59.07	61.04	61.11	57.15	54.75	48.18	42.39	40.57	37.75	37.63	51.32
Desert Southwest	60.24	61.50	61.35	60.98	59.86	55.44	53.83	46.81	42.61	39.87	37.58	37.60	51.47
San Joaquin Valley	61.24	62.50	62.67	66.44	64.47	58.74	55.16	48.55	42.11	39.37	37.08	37.10	52.95
Average	60.58	61.78	61.69	63.39	62.51	58.38	55.85	48.92	43.81	41.46	38.65	38.79	52.98

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 7. United States spot cotton differences, season averages

August 2000-July 2001

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-664	-533	-381	-433	-196	163	314	359	366
	3	-689	-558	-406	-443	-206	160	308	345	352
	4	-736	-610	-466	-476	-245	68	200	236	241
	5	-791	-674	-537	-569	-340	-152	-40	-22	-18
	6	-850	-738	-619	-691	-479	-337	-266	-264	-263
	7	-945	-837	-710	-852	-692	-556	-513	-511	-510
31	1 & 2	-727	-600	-439	-450	-211	144	296	327	338
	3	-736	-610	-450	-459	-221	142	295	325	336
	4	-786	-660	-506	-496	-270	60	197	219	226
	5	-837	-723	-579	-589	-356	-189	-77	-62	-58
	6	-918	-803	-681	-717	-500	-375	-302	-301	-301
	7	-1008	-879	-760	-876	-712	-579	-538	-534	-534
41	1 & 2	-779	-651	-496	-517	-278	53	177	208	212
	3	-779	-651	-496	-517	-289	43	169	199	203
	4	-842	-697	-566	-546	-332	51.56	126	156	160
	5	-906	-771	-656	-663	-467	-280	-191	-181	-178
	6	-1007	-888	-747	-795	-615	-478	-411	-409	-409
	7	-1072	-938	-828	-943	-805	-702	-664	-663	-661
51	1 & 2	-906	-788	-625	-673	-446	-250	-172	-165	-163
	3	-906	-788	-625	-673	-447	-252	-174	-167	-166
	4	-946	-817	-713	-722	-486	-309	-229	-222	-220
	5	-1004	-871	-774	-786	-571	-438	-374	-372	-368
	6	-1107	-985	-864	-923	-723	-605	-556	-554	-554
	7	-1170	-1048	-928	-1030	-883	-808	-776	-773	-773
61	1 & 2	-1026	-899	-759	-838	-678	-541	-510	-505	-505
	3	-1026	-899	-759	-838	-678	-541	-510	-505	-505
	4	-1056	-924	-811	-866	-723	-573	-542	-537	-537
	5	-1103	-988	-904	-942	-789	-653	-635	-635	-635
	6	-1167	-1058	-987	-1046	-898	-806	-788	-788	-788
	7	-1222	-1120	-1049	-1170	-1024	-942	-934	-934	-934
71	1 & 2	-1121	-1012	-884	-1094	-969	-889	-881	-881	-881
	3	-1121	-1012	-884	-1094	-969	-889	-881	-881	-881
	4	-1146	-1037	-909	-1147	-1019	-934	-926	-926	-926
	5	-1176	-1067	-985	-1204	-1090	-983	-976	-976	-976
	6	-1241	-1147	-1071	-1235	-1128	-1033	-1027	-1027	-1027
	7	-1296	-1205	-1128	-1268	-1162	-1065	-1058	-1058	-1058
12 & 22	1 & 2	-722	-607	-454	-507	-283	46	170	197	200
	3	-747	-632	-479	-517	-295	26	147	173	177
	4	-799	-684	-538	-568	-350	-74	35	57	61
	5	-859	-744	-618	-669	-446	-263	-187	-179	-178
	6	-926	-817	-711	-791	-585	-455	-403	-403	-402
	7	-1018	-899	-797	-944	-786	-691	-648	-648	-647
32	1 & 2	-799	-682	-532	-548	-330	-11	97	118	119
	3	-808	-684	-533	-552	-338	-20	88	109	111
	4	-865	-728	-607	-619	-395	-121	-7	12	14
	5	-906	-785	-666	-708	-491	-357	-293	-285	-285
	6	-1004	-898	-779	-834	-642	-523	-469	-469	-469
	7	-1091	-960	-860	-992	-832	-738	-703	-703	-703
42	1 & 2	-885	-741	-619	-628	-425	-202	-119	-110	-110
	3	-885	-741	-619	-628	-428	-217	-133	-125	-125
	4	-919	-780	-670	-677	-477	-278	-195	-191	-191
	5	-986	-845	-725	-777	-590	-450	-397	-397	-397
	6	-1082	-957	-846	-906	-731	-628	-604	-604	-604
	7	-1159	-1019	-932	-1063	-907	-819	-802	-802	-802
52	1 & 2	-987	-861	-734	-754	-585	-471	-441	-437	-437
	3	-987	-861	-734	-754	-585	-471	-441	-437	-437
	4	-1023	-899	-808	-817	-675	-558	-528	-524	-524
	5	-1073	-949	-852	-902	-749	-641	-619	-619	-619
	6	-1164	-1049	-980	-1024	-892	-800	-792	-792	-792
	7	-1223	-1115	-1045	-1141	-1034	-972	-965	-961	-961
62	1 & 2	-1099	-999	-865	-963	-829	-743	-733	-733	-733
	3	-1099	-999	-865	-963	-829	-743	-733	-733	-733
	4	-1128	-1024	-911	-1013	-885	-802	-792	-792	-792
	5	-1176	-1068	-1012	-1104	-977	-892	-884	-884	-884
	6	-1232	-1158	-1103	-1219	-1060	-1005	-997	-997	-997

Table 7. United States (Continued)

August 2000-July 2001

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-869	-728	-598	-492	-360	-254	-254	-254	-254	
	3	-869	-728	-623	-517	-385	-279	-279	-279	-279	
	4	-909	-760	-698	-601	-485	-388	-388	-388	-388	
	5	-994	-877	-800	-703	-601	-494	-494	-494	-494	
	6	-1026	-930	-875	-799	-718	-614	-614	-614	-614	
	7	-1114	-980	-912	-859	-806	-714	-714	-714	-714	
33	1 & 2	-905	-782	-683	-603	-478	-375	-375	-375	-375	
	3	-905	-782	-683	-603	-478	-375	-375	-375	-375	
	4	-988	-837	-778	-700	-591	-513	-513	-513	-513	
	5	-1047	-910	-855	-804	-698	-650	-650	-650	-650	
	6	-1104	-989	-908	-867	-792	-810	-810	-810	-810	
	7	-1179	-1064	-1008	-946	-874	-927	-927	-927	-927	
43	1 & 2	-1016	-854	-792	-806	-721	-675	-653	-649	-649	
	3	-1037	-875	-813	-825	-752	-702	-679	-675	-675	
	4	-1066	-907	-854	-882	-821	-768	-740	-736	-736	
	5	-1116	-965	-904	-1003	-957	-916	-881	-881	-881	
	6	-1178	-1044	-988	-1097	-1056	-1024	-1013	-1013	-1013	
	7	-1244	-1135	-1068	-1205	-1158	-1141	-1130	-1130	-1130	
53	1 & 2	-1121	-973	-897	-990	-914	-851	-831	-831	-831	
	3	-1121	-973	-897	-991	-914	-854	-833	-833	-833	
	4	-1171	-1023	-981	-1054	-988	-934	-913	-913	-913	
	5	-1221	-1052	-1006	-1108	-1059	-1005	-986	-986	-986	
	6	-1268	-1133	-1069	-1200	-1168	-1121	-1102	-1102	-1102	
	7	-1322	-1199	-1134	-1302	-1289	-1241	-1230	-1230	-1230	
63	1 & 2	-1249	-1098	-1034	-1187	-1134	-1085	-1077	-1077	-1077	
	3	-1249	-1098	-1034	-1187	-1134	-1085	-1077	-1077	-1077	
	4	-1299	-1148	-1084	-1227	-1172	-1126	-1118	-1118	-1118	
	5	-1354	-1217	-1159	-1287	-1234	-1188	-1179	-1179	-1179	
	6	-1384	-1251	-1189	-1335	-1277	-1231	-1223	-1223	-1223	
34	1 & 2	-1031	-894	-814	-755	-678	-558	-558	-558	-558	
	3	-1031	-894	-814	-755	-678	-558	-558	-558	-558	
	4	-1127	-962	-909	-850	-753	-633	-633	-633	-633	
	5	-1202	-1037	-984	-926	-832	-733	-733	-733	-733	
	6	-1299	-1137	-1084	-1025	-932	-833	-833	-833	-833	
44	1 & 2	-1139	-975	-920	-841	-776	-677	-677	-677	-677	
	3	-1164	-1000	-945	-891	-826	-727	-727	-727	-727	
	4	-1189	-1044	-995	-939	-876	-777	-777	-777	-777	
	5	-1228	-1109	-1070	-1030	-976	-877	-877	-877	-877	
	6	-1288	-1176	-1135	-1100	-1030	-932	-932	-932	-932	
54	1 & 2	-1264	-1113	-1049	-1010	-958	-846	-846	-846	-846	
	3	-1264	-1113	-1049	-1010	-958	-846	-846	-846	-846	
	4	-1314	-1163	-1099	-1060	-1015	-927	-927	-927	-927	
		5	-1315	-1163	-1099	-1060	-1015	-927	-927	-927	-927

Mike	
Range	Diff.
24 & Below	-1292
25-26	-1147
27-29	-893
30-32	-435
33-34	-206
Base 35-36	0
37-42	22
Base 43-49	0
50-52	-415
53 & Above	-581

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-233
19.5-20.4	-208
20.5-21.4	-315
21.5-22.4	-231
22.5-23.4	-164
23.5-25.4	-103
25.5-26.4	-23
Base 26.5-28.4	0
28.5-29.4	47
29.5-30.4	67
30.5-32.4	88
32.5 & Above	96

Uniformity	
Length	Points
77 & below	-53
78	-43
79	-33
80	0
Base 81	0
82	0
83	25
84	33
85	43
86 & above	53

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-714
Other except bark for TX and OK	
1	-427
2	-764
Bark - TX and OK only	
1	-187
2	-531

Table 8. Southeast spot cotton differences, season average.

August 2000-July 2001

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-616	-241	81	208	238	43	1 & 2	-915	-820	-800	-757	-732
	3	-616	-241	81	208	238		3	-915	-820	-800	-757	-732
	4	-641	-266	71	183	213		4	-1065	-969	-950	-885	-860
	5	-755	-380	-166	-66	-66		5	-1232	-1169	-1150	-1150	-1150
	6	-927	-552	-350	-300	-300		6	-1333	-1269	-1250	-1250	-1250
	7	-1177	-902	-700	-700	-700	7	-1422	-1369	-1350	-1350	-1350	
31	1 & 2	-634	-259	71	199	229	53	1 & 2	-1187	-1053	-1033	-1023	-1023
	3	-634	-259	71	199	229		3	-1187	-1053	-1033	-1023	-1023
	4	-659	-284	61	174	204		4	-1232	-1097	-1078	-1068	-1068
	5	-755	-380	-166	-66	-66		5	-1310	-1175	-1155	-1155	-1155
	6	-927	-552	-350	-300	-300		6	-1428	-1369	-1350	-1350	-1350
	7	-1177	-902	-700	-700	-700	7	-1528	-1469	-1450	-1450	-1450	
41	1 & 2	-684	-309	0	153	183	63	1 & 2	-1428	-1369	-1350	-1350	-1350
	3	-684	-309	0	153	183		3	-1428	-1369	-1350	-1350	-1350
	4	-684	-309	52.63	153	183		4	-1478	-1419	-1400	-1400	-1400
	5	-780	-505	-275	-175	-175		5	-1528	-1469	-1450	-1450	-1450
	6	-1002	-727	-522	-472	-472		6	-1638	-1569	-1550	-1550	-1550
	7	-1227	-977	-872	-872	-872							
51	1 & 2	-817	-517	-221	-143	-113							
	3	-817	-517	-221	-143	-113							
	4	-867	-567	-271	-193	-163							
	5	-887	-587	-421	-321	-321							
	6	-1075	-775	-596	-496	-496							
	7	-1250	-1000	-879	-879	-879							
61	1 & 2	-943	-743	-575	-510	-485							
	3	-943	-743	-575	-510	-485							
	4	-943	-793	-625	-560	-535							
	5	-993	-843	-725	-725	-725							
	6	-1169	-1024	-975	-975	-975							
	7	-1318	-1174	-1125	-1125	-1125							
71	1 & 2	-1270	-1113	-1075	-1065	-1065							
	3	-1270	-1113	-1075	-1065	-1065							
	4	-1270	-1113	-1075	-1065	-1065							
	5	-1367	-1210	-1175	-1175	-1175							
	6	-1357	-1200	-1175	-1175	-1175							
	7	-1357	-1200	-1175	-1175	-1175							
12 & 22	1 & 2	-729	-354	-88	3	33							
	3	-729	-354	-88	3	33							
	4	-779	-404	-138	-47	-17							
	5	-836	-479	-344	-344	-344							
	6	-998	-691	-569	-569	-569							
	7	-1248	-966	-869	-869	-869							
32	1 & 2	-729	-354	-88	3	33							
	3	-729	-354	-88	3	33							
	4	-779	-404	-138	-47	-17							
	5	-836	-479	-344	-344	-344							
	6	-998	-691	-569	-569	-569							
	7	-1248	-966	-869	-869	-869							
42	1 & 2	-762	-462	-188	-97	-67							
	3	-762	-462	-188	-97	-67							
	4	-812	-512	-238	-147	-117							
	5	-911	-629	-519	-519	-519							
	6	-1048	-770	-669	-669	-669							
	7	-1298	-1020	-919	-919	-919							
52	1 & 2	-903	-703	-535	-498	-473							
	3	-903	-703	-535	-498	-473							
	4	-953	-753	-585	-548	-523							
	5	-1049	-867	-722	-722	-722							
	6	-1148	-969	-872	-872	-872							
	7	-1298	-1194	-1122	-1122	-1122							
62	1 & 2	-1061	-904	-872	-862	-862							
	3	-1061	-904	-872	-862	-862							
	4	-1161	-1004	-972	-962	-962							
	5	-1261	-1109	-1072	-1072	-1072							
	6	-1398	-1247	-1222	-1222	-1222							

  

Mike	
Range	Diff.
25-26	-1182
27-29	-832
30-32	-478
33-34	-253
Base 35-36	0
37-42	33
Base 43-49	0
50-52	-452
53 & Above	-596

  

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-521
21.5-22.4	-347
22.5-23.4	-247
23.5-25.4	-181
25.5-26.4	-22
Base 26.5-28.4	0
28.5-30.4	41
29.5-30.4	59
30.5-32.4	61
32.5 & Above	63

  

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-476
2	-900

  

Uniformity	
Unit	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 9. North Delta spot cotton differences, season average.

August 2000-July 2001

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-518	-236	116	222	251	43	1 & 2	-870	-811	-770	-750	-750
	3	-518	-241	112	218	247		3	-870	-811	-770	-750	-750
	4	-551	-276	67	167	196		4	-895	-836	-795	-775	-775
	5	-645	-376	-166	-71	-42		5	-1028	-970	-953	-933	-933
	6	-765	-536	-406	-345	-345		6	-1128	-1070	-1053	-1033	-1033
	7	-930	-764	-656	-595	-595		7	-1278	-1220	-1203	-1183	-1183
	31	1 & 2	-518	-242	111	216		246	53	1 & 2	-1070	-1020	-1020
3		-518	-246	106	212	241	3	-1070		-1020	-1020	-1000	-1000
4		-551	-279	64	164	193	4	-1128		-1078	-1078	-1058	-1058
5		-645	-376	-166	-71	-42	5	-1178		-1128	-1128	-1108	-1108
6		-765	-536	-406	-345	-345	6	-1278		-1228	-1228	-1208	-1208
7		-930	-764	-656	-595	-595	7	-1403		-1353	-1353	-1333	-1333
41		1 & 2	-586	-332	44	144	174	63		1 & 2	-1278	-1228	-1228
	3	-586	-337	40	140	170	3		-1278	-1228	-1228	-1208	-1208
	4	-611	-370	52.32	98	128	4		-1303	-1253	-1253	-1233	-1233
	5	-748	-539	-250	-162	-151	5		-1353	-1303	-1303	-1283	-1283
	6	-856	-695	-498	-437	-437	6		-1378	-1328	-1328	-1308	-1308
	7	-1021	-881	-760	-699	-699							
	51	1 & 2	-785	-519	-234	-134	-134						
3		-785	-524	-239	-139	-139							
4		-827	-557	-287	-187	-187							
5		-867	-664	-428	-349	-349							
6		-1014	-815	-638	-600	-600							
7		-1108	-972	-859	-820	-820							
61		1 & 2	-973	-795	-658	-613	-613						
	3	-973	-795	-658	-613	-613							
	4	-998	-820	-683	-638	-638							
	5	-1048	-870	-733	-688	-688							
	6	-1144	-974	-894	-848	-848							
	7	-1298	-1131	-1059	-1039	-1039							
	71	1 & 2	-1334	-1199	-1108	-1087	-1087						
3		-1334	-1199	-1108	-1087	-1087							
4		-1391	-1249	-1165	-1145	-1145							
5		-1409	-1299	-1190	-1170	-1170							
6		-1426	-1324	-1215	-1195	-1195							
7		-1460	-1358	-1240	-1220	-1220							
12 & 22		1 & 2	-591	-340	46	165	195						
	3	-591	-345	39	159	188							
	4	-643	-402	-27	92	122							
	5	-774	-499	-243	-159	-129							
	6	-885	-616	-468	-406	-406							
	7	-1051	-853	-718	-656	-656							
	32	1 & 2	-641	-407	-4	115	144						
3		-641	-411	-11	109	138							
4		-699	-461	-84	36	63							
5		-822	-549	-293	-209	-179							
6		-935	-691	-480	-419	-419							
7		-1101	-903	-730	-669	-669							
42		1 & 2	-730	-510	-161	-62	-62						
	3	-730	-515	-169	-67	-67							
	4	-763	-548	-217	-115	-115							
	5	-868	-662	-361	-263	-263							
	6	-1014	-806	-601	-563	-563							
	7	-1183	-988	-817	-779	-779							
	52	1 & 2	-856	-705	-538	-493	-493						
3		-856	-705	-538	-493	-493							
4		-914	-763	-595	-549	-549							
5		-981	-838	-645	-599	-599							
6		-1114	-1025	-870	-849	-849							
7		-1248	-1137	-1020	-999	-999							
62		1 & 2	-1133	-994	-906	-886	-886						
	3	-1133	-994	-906	-886	-886							
	4	-1158	-1019	-931	-911	-911							
	5	-1233	-1094	-1006	-986	-986							
	6	-1335	-1171	-1131	-1111	-1111							

  

Mike	
Range	Diff.
25-26	-1201
27-29	-879
30-32	-429
33-34	-211
Base 35-36	0
37-42	35
Base 43-49	0
50-52	-428
53 & Above	-613

  

Strength (Grams per Tex)	
Range	Diff.
20.5-21.4	-278
21.5-22.4	-212
22.5-23.4	-162
23.5-25.4	-77
25.5-26.4	0
Base 26.5-28.4	0
28.5-30.4	87
29.5-30.4	109
30.5-32.4	125
32.5 & Above	126

  

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-435
2	-785

  

Uniformity	
Unit	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 10. South Delta spot cotton differences, season average.

August 2000-July 2001

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-518	-236	116	222	251	43	1 & 2	-870	-811	-770	-750	-750
	3	-518	-241	112	218	247		3	-870	-811	-770	-750	-750
	4	-551	-276	67	167	196		4	-895	-836	-795	-775	-775
	5	-645	-376	-166	-71	-42		5	-1028	-970	-953	-933	-933
	6	-765	-536	-406	-345	-345		6	-1128	-1070	-1053	-1033	-1033
	7	-930	-764	-656	-595	-595		7	-1278	-1220	-1203	-1183	-1183
	31	1 & 2	-518	-242	111	216		246	53	1 & 2	-1070	-1020	-1020
3		-518	-246	106	212	241	3	-1070		-1020	-1020	-1000	-1000
4		-551	-279	64	164	193	4	-1128		-1078	-1078	-1058	-1058
5		-645	-376	-166	-71	-42	5	-1178		-1128	-1128	-1108	-1108
6		-765	-536	-406	-345	-345	6	-1278		-1228	-1228	-1208	-1208
7		-930	-764	-656	-595	-595	7	-1403		-1353	-1353	-1333	-1333
41		1 & 2	-586	-332	44	144	174	63		1 & 2	-1278	-1228	-1228
	3	-586	-337	40	140	170	3		-1278	-1228	-1228	-1208	-1208
	4	-611	-370	52.32	98	128	4		-1303	-1253	-1253	-1233	-1233
	5	-748	-539	-250	-162	-151	5		-1353	-1303	-1303	-1283	-1283
	6	-856	-695	-498	-437	-437	6		-1378	-1328	-1328	-1308	-1308
	7	-1021	-881	-760	-699	-699							
	51	1 & 2	-785	-519	-234	-134	-134						
3		-785	-524	-239	-139	-139							
4		-827	-557	-287	-187	-187							
5		-867	-664	-428	-349	-349							
6		-1014	-815	-638	-600	-600							
7		-1108	-972	-859	-820	-820							
61		1 & 2	-973	-795	-658	-613	-613						
	3	-973	-795	-658	-613	-613							
	4	-998	-820	-683	-638	-638							
	5	-1048	-870	-733	-688	-688							
	6	-1144	-974	-894	-848	-848							
	7	-1298	-1131	-1059	-1039	-1039							
	71	1 & 2	-1334	-1199	-1108	-1087	-1087						
3		-1334	-1199	-1108	-1087	-1087							
4		-1391	-1249	-1165	-1145	-1145							
5		-1409	-1299	-1190	-1170	-1170							
6		-1426	-1324	-1215	-1195	-1195							
7		-1460	-1358	-1240	-1220	-1220							
12 & 22		1 & 2	-591	-340	46	165	195						
	3	-591	-345	39	159	188							
	4	-643	-402	-27	92	122							
	5	-774	-499	-243	-159	-129							
	6	-885	-616	-468	-406	-406							
	7	-1051	-853	-718	-656	-656							
	32	1 & 2	-641	-407	-4	115	144						
3		-641	-411	-11	109	138							
4		-699	-461	-84	36	63							
5		-822	-549	-293	-209	-179							
6		-935	-691	-480	-419	-419							
7		-1101	-903	-730	-669	-669							
42		1 & 2	-730	-510	-161	-62	-62						
	3	-730	-515	-169	-67	-67							
	4	-763	-548	-217	-115	-115							
	5	-868	-662	-361	-263	-263							
	6	-1014	-806	-601	-563	-563							
	7	-1183	-988	-817	-779	-779							
	52	1 & 2	-856	-705	-538	-493	-493						
3		-856	-705	-538	-493	-493							
4		-914	-763	-595	-549	-549							
5		-981	-838	-645	-599	-599							
6		-1114	-1025	-870	-849	-849							
7		-1248	-1137	-1020	-999	-999							
62		1 & 2	-1133	-994	-906	-886	-886						
	3	-1133	-994	-906	-886	-886							
	4	-1158	-1019	-931	-911	-911							
	5	-1233	-1094	-1006	-986	-986							
	6	-1335	-1171	-1131	-1111	-1111							

  

Mike	
Range	Diff.
25-26	-1201
27-29	-879
30-32	-429
33-34	-211
Base 35-36	0
37-42	35
Base 43-49	0
50-52	-428
53 & Above	-613

  

Strength (Grams per Tex)	
Range	Diff.
20.5-21.4	-278
21.5-22.4	-212
22.5-23.4	-162
23.5-25.4	-77
25.5-26.4	0
Base 26.5-28.4	0
28.5-30.4	87
29.5-30.4	109
30.5-32.4	125
32.5 & Above	126

  

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-435
2	-785

  

Uniformity	
Unit	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60



Table 11. East Texas-Oklahoma spot cotton differences, season average.

August 2000-July 2001

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-665	-542	-396	-276	-142	135	234	257	266
	3	-690	-567	-421	-301	-167	135	234	257	266
	4	-740	-625	-482	-340	-199	83	149	177	184
	5	-796	-689	-553	-422	-284	-180	-155	-142	-142
	6	-852	-752	-635	-512	-392	-295	-295	-295	-295
	7	-942	-849	-726	-630	-517	-407	-407	-407	-407
31	1 & 2	-727	-608	-453	-309	-159	119	227	229	250
	3	-737	-618	-465	-330	-184	119	227	229	250
	4	-790	-674	-520	-379	-238	68	145	151	158
	5	-842	-737	-595	-471	-327	-205	-180	-167	-167
	6	-922	-817	-699	-580	-441	-332	-332	-332	-332
	7	-1009	-893	-777	-687	-575	-464	-464	-464	-464
41	1 & 2	-783	-664	-509	-383	-193	82	126	163	172
	3	-783	-664	-509	-383	-225	73	126	163	172
	4	-845	-709	-581	-429	-299	51.03	85	117	124
	5	-911	-785	-669	-537	-392	-271	-247	-228	-228
	6	-1005	-900	-760	-647	-504	-389	-385	-385	-385
	7	-1073	-950	-841	-738	-636	-517	-513	-513	-513
51	1 & 2	-912	-802	-636	-495	-344	-200	-192	-181	-181
	3	-912	-802	-636	-495	-344	-200	-192	-181	-181
	4	-952	-832	-723	-556	-401	-261	-250	-236	-236
	5	-1010	-884	-788	-669	-483	-371	-370	-353	-353
	6	-1108	-999	-877	-771	-609	-488	-486	-469	-469
	7	-1171	-1061	-941	-855	-710	-611	-610	-593	-593
61	1 & 2	-1025	-908	-761	-654	-540	-420	-420	-420	-420
	3	-1025	-908	-761	-654	-540	-420	-420	-420	-420
	4	-1055	-933	-806	-699	-601	-450	-450	-450	-450
	5	-1102	-996	-906	-809	-691	-549	-549	-549	-549
	6	-1165	-1066	-988	-890	-771	-646	-646	-646	-646
	7	-1220	-1128	-1051	-971	-852	-742	-742	-742	-742
71	1 & 2	-1118	-1015	-886	-767	-670	-587	-587	-587	-587
	3	-1118	-1015	-886	-767	-670	-587	-587	-587	-587
	4	-1143	-1040	-911	-842	-745	-642	-642	-642	-642
	5	-1173	-1069	-987	-917	-824	-687	-687	-687	-687
	6	-1239	-1149	-1072	-982	-898	-788	-788	-788	-788
	7	-1293	-1208	-1129	-1032	-948	-843	-843	-843	-843
12 & 22	1 & 2	-728	-620	-475	-330	-198	13	53	74	74
	3	-753	-645	-500	-355	-223	-12	28	49	49
	4	-803	-701	-560	-412	-277	-111	-67	-46	-46
	5	-866	-760	-632	-496	-367	-257	-232	-232	-232
	6	-930	-829	-725	-606	-476	-369	-369	-369	-369
	7	-1021	-912	-813	-699	-593	-511	-511	-511	-511
32	1 & 2	-803	-695	-550	-384	-229	-37	1	1	1
	3	-813	-697	-551	-394	-245	-37	1	1	1
	4	-871	-746	-627	-477	-320	-153	-100	-79	-79
	5	-913	-801	-679	-549	-417	-301	-301	-301	-301
	6	-1006	-910	-794	-665	-538	-429	-429	-429	-429
	7	-1093	-972	-874	-769	-660	-575	-575	-575	-575
42	1 & 2	-886	-751	-635	-475	-313	-141	-107	-90	-90
	3	-886	-751	-635	-475	-313	-161	-121	-109	-109
	4	-919	-799	-688	-537	-381	-244	-194	-194	-194
	5	-987	-859	-742	-637	-488	-377	-356	-356	-356
	6	-1083	-975	-862	-746	-611	-494	-487	-487	-487
	7	-1160	-1036	-946	-841	-722	-625	-625	-625	-625
52	1 & 2	-987	-868	-740	-584	-426	-286	-273	-273	-273
	3	-987	-868	-740	-584	-426	-286	-273	-273	-273
	4	-1023	-907	-811	-659	-527	-397	-384	-384	-384
	5	-1073	-957	-869	-760	-590	-479	-466	-466	-466
	6	-1165	-1058	-995	-887	-733	-607	-594	-594	-594
	7	-1223	-1126	-1060	-970	-815	-709	-696	-696	-696
62	1 & 2	-1097	-1003	-866	-745	-630	-522	-522	-522	-522
	3	-1097	-1003	-866	-745	-630	-522	-522	-522	-522
	4	-1125	-1028	-911	-797	-694	-594	-594	-594	-594
	5	-1174	-1072	-1013	-900	-796	-694	-694	-694	-694
	6	-1229	-1164	-1114	-1020	-859	-777	-777	-777	-777

Table 11. East Texas-Oklahoma (Continued)

August 2000-July 2001

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-867	-743	-614	-513	-376	-268	-268	-268	-268
	3	-867	-743	-639	-538	-401	-293	-293	-293	-293
	4	-916	-775	-714	-621	-501	-402	-402	-402	-402
	5	-998	-886	-814	-721	-611	-508	-508	-508	-508
	6	-1031	-939	-889	-817	-728	-629	-629	-629	-629
	7	-1118	-989	-926	-875	-811	-723	-723	-723	-723
33	1 & 2	-905	-796	-697	-621	-488	-327	-327	-327	-327
	3	-905	-796	-697	-621	-488	-327	-327	-327	-327
	4	-995	-853	-794	-719	-601	-483	-483	-483	-483
	5	-1051	-925	-869	-822	-708	-588	-588	-588	-588
	6	-1108	-1001	-922	-881	-795	-692	-692	-692	-692
	7	-1183	-1076	-1022	-959	-880	-786	-786	-786	-786
43	1 & 2	-1020	-862	-805	-704	-555	-433	-433	-433	-433
	3	-1040	-883	-825	-753	-639	-520	-520	-520	-520
	4	-1070	-918	-867	-795	-710	-589	-589	-589	-589
	5	-1120	-980	-917	-878	-810	-698	-698	-698	-698
	6	-1182	-1059	-1002	-963	-896	-790	-790	-790	-790
	7	-1248	-1150	-1081	-1038	-949	-839	-839	-839	-839
53	1 & 2	-1124	-977	-899	-819	-704	-591	-591	-591	-591
	3	-1124	-977	-899	-822	-704	-598	-598	-598	-598
	4	-1174	-1027	-983	-896	-798	-709	-709	-709	-709
	5	-1224	-1059	-1008	-937	-899	-811	-811	-811	-811
	6	-1271	-1143	-1079	-1013	-977	-911	-911	-911	-911
	7	-1325	-1208	-1145	-1088	-1066	-986	-986	-986	-986
63	1 & 2	-1252	-1102	-1038	-977	-924	-810	-810	-810	-810
	3	-1252	-1102	-1038	-977	-924	-810	-810	-810	-810
	4	-1302	-1152	-1088	-1027	-971	-864	-864	-864	-864
	5	-1357	-1223	-1163	-1102	-1049	-942	-942	-942	-942
	6	-1386	-1258	-1193	-1143	-1084	-977	-977	-977	-977
	7	-1441	-1313	-1248	-1198	-1149	-1090	-1031	-1031	-1031
34	1 & 2	-1036	-903	-828	-770	-686	-562	-562	-562	-562
	3	-1036	-903	-828	-770	-686	-562	-562	-562	-562
	4	-1131	-971	-923	-865	-761	-637	-637	-637	-637
	5	-1206	-1046	-998	-940	-840	-737	-737	-737	-737
	6	-1303	-1145	-1098	-1040	-940	-837	-837	-837	-837
	7	-1400	-1244	-1197	-1139	-1040	-937	-937	-937	-937
44	1 & 2	-1142	-984	-929	-854	-784	-681	-681	-681	-681
	3	-1167	-1009	-954	-903	-834	-731	-731	-731	-731
	4	-1192	-1052	-1004	-951	-884	-781	-781	-781	-781
	5	-1232	-1118	-1079	-1038	-984	-881	-881	-881	-881
	6	-1292	-1185	-1144	-1103	-1039	-935	-935	-935	-935
	7	-1352	-1252	-1211	-1170	-1106	-1002	-1002	-1002	-1002
54	1 & 2	-1267	-1115	-1053	-1014	-962	-849	-849	-849	-849
	3	-1267	-1115	-1053	-1014	-962	-849	-849	-849	-849
	4	-1317	-1165	-1103	-1064	-1019	-931	-931	-931	-931
	5	-1318	-1165	-1103	-1064	-1019	-931	-931	-931	-931
	6	-1368	-1215	-1153	-1114	-1069	-981	-981	-981	-981
	7	-1418	-1265	-1203	-1164	-1119	-1031	-1031	-1031	-1031

Mike	
Range	Diff.
24 & Below	-1242
25-26	-1049
27-29	-702
30-32	-332
33-34	-179
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-374
53 & Above	-522

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-233
19.5-20.4	-208
20.5-21.4	-183
21.5-22.4	-158
22.5-23.4	-133
23.5-25.4	-95
25.5-26.4	-29
Base 26.5-28.4	0
28.5-30.4	39
29.5-30.4	52
30.5-32.4	84
32.5 & Above	101

Uniformity	
Length	Points
77 & below	-36
78	-26
79	-16
80	0
Base 81	0
82	0
83	14
84	16
85	26
86 & above	36

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-528
Bark	
1	-192
2	-551
Other	
1	-373
2	-574

Table 12. West Texas spot cotton differences, season average

August 2000-July 2001

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-663	-525	-366	-238	-115	134	245	266	266
	3	-688	-550	-391	-263	-140	134	245	266	266
	4	-732	-596	-451	-299	-174	85	161	185	185
	5	-787	-660	-521	-376	-266	-168	-143	-143	-143
	6	-847	-725	-603	-483	-374	-280	-280	-280	-280
	7	-947	-825	-693	-594	-498	-393	-393	-393	-393
31	1 & 2	-726	-592	-426	-269	-134	110	237	239	254
	3	-736	-602	-436	-294	-159	110	237	239	254
	4	-782	-645	-492	-339	-212	61	157	159	159
	5	-832	-709	-563	-427	-297	-193	-168	-168	-168
	6	-915	-789	-664	-546	-422	-318	-318	-318	-318
	7	-1008	-865	-743	-655	-556	-449	-449	-449	-449
41	1 & 2	-775	-638	-483	-345	-172	75	137	176	176
	3	-775	-638	-483	-344	-201	75	137	176	176
	4	-839	-684	-550	-394	-269	50.71	80	119	119
	5	-900	-757	-643	-501	-362	-259	-235	-220	-220
	6	-1008	-876	-735	-616	-485	-375	-371	-371	-371
	7	-1072	-926	-815	-709	-616	-503	-499	-499	-499
51	1 & 2	-900	-773	-614	-480	-315	-177	-169	-169	-169
	3	-900	-773	-614	-480	-315	-177	-169	-169	-169
	4	-940	-803	-702	-536	-374	-248	-239	-239	-239
	5	-997	-858	-761	-641	-466	-353	-353	-353	-353
	6	-1106	-972	-850	-742	-591	-469	-469	-469	-469
	7	-1169	-1035	-914	-826	-693	-597	-597	-597	-597
61	1 & 2	-1027	-891	-757	-646	-521	-395	-395	-395	-395
	3	-1027	-891	-757	-646	-521	-395	-395	-395	-395
	4	-1057	-916	-815	-691	-582	-424	-424	-424	-424
	5	-1104	-980	-903	-813	-673	-524	-524	-524	-524
	6	-1170	-1050	-985	-882	-753	-621	-621	-621	-621
	7	-1224	-1112	-1048	-963	-834	-724	-724	-724	-724
71	1 & 2	-1124	-1010	-882	-767	-665	-577	-577	-577	-577
	3	-1124	-1010	-882	-767	-665	-577	-577	-577	-577
	4	-1149	-1035	-907	-842	-740	-631	-631	-631	-631
	5	-1178	-1064	-984	-917	-819	-677	-677	-677	-677
	6	-1244	-1145	-1069	-982	-895	-780	-780	-780	-780
	7	-1299	-1203	-1126	-1032	-945	-834	-834	-834	-834
12 & 22	1 & 2	-717	-594	-432	-297	-175	26	76	97	97
	3	-742	-619	-457	-322	-200	1	51	72	72
	4	-795	-667	-517	-364	-250	-103	-59	-38	-38
	5	-851	-728	-603	-466	-346	-244	-219	-219	-219
	6	-921	-806	-697	-580	-458	-354	-354	-354	-354
	7	-1015	-887	-782	-672	-575	-500	-500	-500	-500
32	1 & 2	-794	-668	-514	-344	-198	-13	28	29	29
	3	-804	-671	-514	-354	-221	-13	28	29	29
	4	-858	-711	-586	-444	-292	-136	-85	-64	-64
	5	-900	-770	-653	-512	-389	-292	-292	-292	-292
	6	-1003	-886	-764	-637	-518	-409	-409	-409	-409
	7	-1089	-947	-845	-743	-639	-562	-562	-562	-562
42	1 & 2	-884	-731	-603	-445	-282	-136	-101	-84	-84
	3	-884	-731	-603	-445	-282	-156	-115	-103	-103
	4	-920	-762	-652	-510	-364	-226	-171	-171	-171
	5	-985	-830	-708	-599	-471	-369	-341	-341	-341
	6	-1080	-940	-830	-710	-594	-476	-465	-465	-465
	7	-1157	-1001	-917	-808	-706	-607	-607	-607	-607
52	1 & 2	-988	-855	-728	-569	-408	-272	-272	-272	-272
	3	-988	-855	-728	-569	-408	-272	-272	-272	-272
	4	-1024	-891	-804	-644	-509	-382	-382	-382	-382
	5	-1074	-941	-836	-737	-582	-475	-475	-475	-475
	6	-1163	-1040	-965	-857	-722	-603	-603	-603	-603
	7	-1222	-1105	-1031	-941	-806	-703	-703	-703	-703
62	1 & 2	-1102	-996	-865	-744	-623	-510	-510	-510	-510
	3	-1102	-996	-865	-744	-623	-510	-510	-510	-510
	4	-1131	-1021	-910	-789	-687	-582	-582	-582	-582
	5	-1179	-1065	-1012	-892	-789	-682	-682	-682	-682
	6	-1235	-1152	-1093	-1007	-852	-765	-765	-765	-765

Table 12. West Texas (Continued)

August 2000-July 2001

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-871	-713	-581	-470	-344	-239	-239	-239	-239
	3	-871	-713	-606	-495	-369	-264	-264	-264	-264
	4	-902	-746	-681	-581	-469	-373	-373	-373	-373
	5	-989	-868	-787	-685	-591	-480	-480	-480	-480
	6	-1022	-922	-862	-781	-708	-600	-600	-600	-600
33	1 & 2	-1110	-972	-899	-843	-801	-705	-705	-705	-705
	3	-906	-767	-670	-586	-468	-299	-299	-299	-299
	4	-906	-767	-670	-586	-468	-299	-299	-299	-299
	5	-981	-821	-763	-682	-581	-455	-455	-455	-455
	6	-1043	-896	-841	-786	-688	-561	-561	-561	-561
43	1 & 2	-1100	-976	-895	-853	-789	-664	-664	-664	-664
	3	-1175	-1051	-995	-932	-869	-768	-768	-768	-768
	4	-1013	-846	-780	-671	-548	-427	-427	-427	-427
	5	-1033	-867	-801	-719	-632	-513	-513	-513	-513
	6	-1063	-896	-841	-761	-693	-571	-571	-571	-571
53	1 & 2	-1113	-949	-891	-848	-791	-682	-682	-682	-682
	3	-1175	-1029	-975	-932	-886	-781	-781	-781	-781
	4	-1240	-1120	-1055	-1007	-940	-822	-822	-822	-822
	5	-1118	-969	-896	-801	-703	-590	-590	-590	-590
	6	-1118	-969	-896	-805	-703	-597	-597	-597	-597
63	1 & 2	-1168	-1019	-978	-887	-796	-706	-706	-706	-706
	3	-1218	-1044	-1003	-937	-892	-804	-804	-804	-804
	4	-1265	-1124	-1058	-1005	-970	-904	-904	-904	-904
	5	-1320	-1189	-1124	-1086	-1060	-979	-979	-979	-979
	6	-1247	-1095	-1030	-973	-917	-807	-807	-807	-807
34	1 & 2	-1247	-1095	-1030	-973	-917	-807	-807	-807	-807
	3	-1297	-1145	-1080	-1023	-964	-860	-860	-860	-860
	4	-1351	-1210	-1155	-1098	-1042	-939	-939	-939	-939
	5	-1381	-1245	-1185	-1138	-1077	-973	-973	-973	-973
	6	-1027	-886	-800	-740	-669	-555	-555	-555	-555
44	1 & 2	-1027	-886	-800	-740	-669	-555	-555	-555	-555
	3	-1123	-953	-895	-836	-744	-630	-630	-630	-630
	4	-1198	-1028	-970	-911	-824	-730	-730	-730	-730
	5	-1295	-1128	-1070	-1011	-924	-830	-830	-830	-830
	6	-1136	-967	-910	-828	-768	-673	-673	-673	-673
54	1 & 2	-1161	-992	-935	-878	-818	-723	-723	-723	-723
	3	-1186	-1035	-985	-926	-868	-773	-773	-773	-773
	4	-1223	-1101	-1060	-1023	-968	-873	-873	-873	-873
	5	-1283	-1167	-1126	-1098	-1022	-928	-928	-928	-928
	6	-1261	-1110	-1045	-1006	-955	-842	-842	-842	-842
54	3	-1261	-1110	-1045	-1006	-955	-842	-842	-842	-842
	4	-1311	-1160	-1095	-1056	-1011	-923	-923	-923	-923
	5	-1311	-1160	-1095	-1056	-1011	-923	-923	-923	-923

Mike	
Range	Diff.
24 & Below	-1217
25-26	-1033
27-29	-666
30-32	-312
33-34	-169
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-348
53 & Above	-468

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-232
19.5-20.4	-207
20.5-21.4	-182
21.5-22.4	-157
22.5-23.4	-132
23.5-25.4	-91
25.5-26.4	-24
Base 26.5-28.4	0
28.5-30.4	39
29.5-30.4	53
30.5-32.4	82
32.5 & Above	96

Uniformity	
Length	Points
77 & below	-36
78	-26
79	-16
80	0
Base 81	0
82	0
83	14
84	16
85	26
86 & above	36

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-470
Bark	
1	-180
2	-510
Other	
1	-351
2	-510

Table 13. Desert Southwest spot cotton differences, season average.

August 2000-July 2001

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-205	250	489	588	611	43	1 & 2	-782	-653	-580	-580	-580																																															
	3	-205	250	489	569	592		3	-798	-668	-588	-588	-588																																															
	4	-280	50	299	379	402		4	-882	-753	-658	-658	-658																																															
	5	-357	-90	155	198	221		5	-1032	-903	-695	-695	-695																																															
	6	-485	-222	-98	-83	-78		6	-1146	-1016	-977	-977	-977																																															
	7	-710	-405	-328	-312	-307	7	-1248	-1141	-1105	-1105	-1105																																																
31	1 & 2	-230	200	439	519	542	53	1 & 2	-982	-853	-780	-780	-780																																															
	3	-230	200	439	519	542		3	-982	-853	-780	-780	-780																																															
	4	-330	50	299	329	352		4	-1082	-953	-880	-880	-880																																															
	5	-382	-176	72	94	117		5	-1132	-1003	-930	-930	-930																																															
	6	-510	-236	-98	-93	-88		6	-1232	-1103	-1030	-1030	-1030																																															
	7	-710	-402	-339	-312	-307	7	-1429	-1325	-1300	-1300	-1300																																																
41	1 & 2	-330	25	218	235	245	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1418</td> <td>77 &amp; below</td> <td>-60</td> </tr> <tr> <td>25-26</td> <td>-1218</td> <td>78</td> <td>-50</td> </tr> <tr> <td>27-29</td> <td>-1048</td> <td>79</td> <td>-40</td> </tr> <tr> <td>30-32</td> <td>-518</td> <td>80</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-120</td> <td>81</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>82</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>83</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>84</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-477</td> <td>85</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-677</td> <td>86 &amp; above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1418	77 & below	-60	25-26	-1218	78	-50	27-29	-1048	79	-40	30-32	-518	80	0	33-34	-120	81	0	Base 35-36	0	82	0	37-42	25	83	30	Base 43-49	0	84	40	50-52	-477	85	50	53 & Above	-677	86 & above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1418	77 & below	-60																																																								
	25-26	-1218	78	-50																																																								
27-29	-1048	79	-40																																																									
30-32	-518	80	0																																																									
33-34	-120	81	0																																																									
Base 35-36	0	82	0																																																									
37-42	25	83	30																																																									
Base 43-49	0	84	40																																																									
50-52	-477	85	50																																																									
53 & Above	-677	86 & above	60																																																									
3	-327	25	218	235	245																																																							
4	-377	49.47	168	185	195																																																							
5	-462	-230	-111	-101	-91																																																							
6	-585	-393	-279	-269	-269																																																							
7	-836	-674	-638	-633	-623																																																							
51	1 & 2	-460	-255	-205	-195	-185																																																						
	3	-460	-255	-205	-195	-185																																																						
	4	-460	-274	-216	-206	-196																																																						
	5	-560	-397	-354	-361	-334																																																						
	6	-735	-518	-454	-454	-454																																																						
	7	-952	-818	-767	-767	-767																																																						
12 & 22	1 & 2	-294	55	246	274	284																																																						
	3	-302	55	226	249	259																																																						
	4	-365	-33	86	103	113																																																						
	5	-485	-210	-91	-91	-91																																																						
	6	-653	-408	-260	-260	-260																																																						
	7	-874	-691	-587	-587	-587																																																						
32	1 & 2	-385	25	152	183	193																																																						
	3	-385	25	151	182	192																																																						
	4	-432	-98	35	43	53																																																						
	5	-567	-403	-329	-329	-329																																																						
	6	-725	-615	-523	-523	-523																																																						
	7	-922	-803	-778	-778	-778																																																						
42	1 & 2	-475	-228	-154	-154	-154																																																						
	3	-482	-228	-161	-161	-161																																																						
	4	-507	-303	-223	-223	-223																																																						
	5	-631	-491	-441	-441	-441																																																						
	6	-798	-654	-607	-607	-607																																																						
	7	-1016	-911	-873	-873	-873																																																						
52	1 & 2	-560	-405	-380	-380	-380																																																						
	3	-560	-405	-380	-380	-380																																																						
	4	-735	-530	-505	-505	-505																																																						
	5	-776	-647	-647	-647	-647																																																						
	6	-885	-755	-755	-755	-756																																																						
	7	-1116	-1011	-1011	-986	-986																																																						

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse.

Staple	Grade						Mike ranges	Points per pound	Extraneous Matter	
	01	02	03	04	05	06			Level	Diff.
44	96.84	96.36	93.52	87.04	77.16	62.31	26 & Below	-1388	Preparation	
									1	-306
46	98.42	97.94	95.10	88.03	77.56	62.46	27-29	-988	Grass, spindle twist and other	
									2	-906
48	98.87	98.39	95.55	88.03	77.56	62.46	30-32	-438	Grass, spindle twist and other	
									1	-326
							33-34	-196	Grass, spindle twist and other	
									2	-878
							35 & Above	0	Grass, spindle twist and other	
									1	-326
									2	-878

Table 14. San Joaquin Valley spot cotton differences, season average.

August 2000-July 2001

Color	Leaf	Staple				Color	Leaf	Staple																																																																																
		34	35	36	37			34	35	36	37																																																																													
11 & 21	1 & 2	309	575	658	675	33	1 & 2	-500	-500	-500	-500																																																																													
	3	294	547	592	609		3	-500	-500	-500	-500																																																																													
	4	50	274	304	314		4	-600	-600	-600	-600																																																																													
	5	-125	75	80	90		5	-800	-800	-800	-800																																																																													
	6	-400	-200	-200	-200		6	-1075	-1075	-1075	-1075																																																																													
	7	-675	-575	-575	-575		7	-1225	-1225	-1225	-1225																																																																													
31	1 & 2	284	539	580	598	43	1 & 2	-875	-875	-875	-875																																																																													
	3	284	539	576	598		3	-875	-875	-875	-875																																																																													
	4	50	275	303	320		4	-925	-925	-925	-925																																																																													
	5	-250	-50	-45	-35		5	-1075	-1075	-1075	-1075																																																																													
	6	-575	-375	-375	-375		6	-1225	-1225	-1225	-1225																																																																													
	7	-725	-625	-625	-625		7	-1425	-1425	-1425	-1425																																																																													
41	1 & 2	100	318	348	358	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>27-29</td> <td>-1250</td> </tr> <tr> <td>30-32</td> <td>-550</td> </tr> <tr> <td>33-34</td> <td>-300</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-401</td> </tr> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> <tr> <td>23.5-25.4</td> <td>-100</td> </tr> <tr> <td>25.5-26.4</td> <td>-50</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>75</td> </tr> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> <tr> <td>77 &amp; below</td> <td>-60</td> </tr> <tr> <td>78</td> <td>-50</td> </tr> <tr> <td>79</td> <td>-40</td> </tr> <tr> <td>80</td> <td>0</td> </tr> <tr> <td>81</td> <td>0</td> </tr> <tr> <td>82</td> <td>0</td> </tr> <tr> <td>83</td> <td>30</td> </tr> <tr> <td>84</td> <td>40</td> </tr> <tr> <td>85</td> <td>50</td> </tr> <tr> <td>86 &amp; above</td> <td>60</td> </tr> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-50</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-400</td> </tr> <tr> <td>2</td> <td>-925</td> </tr> </tbody> </table>					Mike		Range	Diff.	27-29	-1250	30-32	-550	33-34	-300	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-401	Strength		(Grams per Tex)		Range	Diff.	23.5-25.4	-100	25.5-26.4	-50	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	75	Uniformity		Unit	Points	77 & below	-60	78	-50	79	-40	80	0	81	0	82	0	83	30	84	40	85	50	86 & above	60	Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-400	2	-925
	Mike																																																																																							
	Range	Diff.																																																																																						
	27-29	-1250																																																																																						
	30-32	-550																																																																																						
	33-34	-300																																																																																						
Base 35-36	0																																																																																							
37-42	25																																																																																							
Base 43-49	0																																																																																							
50-52	-401																																																																																							
Strength																																																																																								
(Grams per Tex)																																																																																								
Range	Diff.																																																																																							
23.5-25.4	-100																																																																																							
25.5-26.4	-50																																																																																							
Base 26.5-28.4	0																																																																																							
28.5-29.4	0																																																																																							
29.5-30.4	25																																																																																							
30.5-32.4	50																																																																																							
32.5 & Above	75																																																																																							
Uniformity																																																																																								
Unit	Points																																																																																							
77 & below	-60																																																																																							
78	-50																																																																																							
79	-40																																																																																							
80	0																																																																																							
81	0																																																																																							
82	0																																																																																							
83	30																																																																																							
84	40																																																																																							
85	50																																																																																							
86 & above	60																																																																																							
Extraneous Matter																																																																																								
Level	Diff.																																																																																							
Prep																																																																																								
1	-50																																																																																							
2	-800																																																																																							
Other																																																																																								
1	-400																																																																																							
2	-925																																																																																							
51	1 & 2	-426	-226	-226	-226																																																																																			
	3	-434	-234	-234	-234																																																																																			
	4	-534	-334	-334	-334																																																																																			
	5	-670	-520	-520	-520																																																																																			
	6	-887	-787	-787	-787																																																																																			
	7	-1037	-937	-937	-937																																																																																			
12 & 22	1 & 2	225	485	515	525																																																																																			
	3	150	410	440	450																																																																																			
	4	-75	155	160	170																																																																																			
	5	-300	-100	-100	-100																																																																																			
	6	-550	-450	-450	-450																																																																																			
	7	-825	-750	-750	-750																																																																																			
32	1 & 2	50	268	293	293																																																																																			
	3	0	218	243	243																																																																																			
	4	-150	81	81	81																																																																																			
	5	-575	-369	-369	-369																																																																																			
	6	-679	-516	-516	-516																																																																																			
	7	-900	-800	-800	-800																																																																																			
42	1 & 2	-400	-250	-250	-250																																																																																			
	3	-450	-300	-300	-300																																																																																			
	4	-500	-400	-400	-400																																																																																			
	5	-675	-600	-600	-600																																																																																			
	6	-900	-875	-875	-875																																																																																			
	7	-1037	-1037	-1037	-1037																																																																																			
52	1 & 2	-725	-675	-675	-675																																																																																			
	3	-725	-675	-675	-675																																																																																			
	4	-825	-775	-775	-775																																																																																			
	5	-875	-825	-825	-825																																																																																			
	6	-1025	-1025	-1025	-1025																																																																																			
	7	-1225	-1225	-1225	-1225																																																																																			

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse.

Staple	Grade						Mike ranges	Points per pound	Extraneous Matter	
	01	02	03	04	05	06			Level	Diff.
44	99.79	99.32	96.37	89.58	79.66	64.81	26 & Below	-1429	Preparation	
46	101.55	101.08	97.94	90.51	80.05	64.95	27-29	-992	1	-334
							30-32	-442	2	-934
							33-34	-200	Grass, spindle twist and other	
48	102.00	101.52	98.39	90.51	80.11	64.95	35 & Above	0	1	-334
									2	-934

Table 15. Spot transactions reported, in running bales, in the designated spot markets.

August 2000-July 2001

Month	Southeast	North Delta	South Delta	East Texas Oklahoma	West Texas	Desert SW	SJ Valley	All Markets
	BALES REPORTED							
Aug-00 UP AP	5,502	7,299	764	31,797	5,412	0 2,151	0 10,682	50,774 12,833
Sep-00 UP AP	3,440	3,148	3,313	38,446	2,544	150 4,175	635 13,232	51,676 17,407
Oct-00 UP AP	10,897	10,004	5,997	59,665	34,285	6,650 3,173	3,470 9,797	130,968 12,970
Nov-00 UP AP	35,117	20,692	65,633	57,897	111,034	21,660 0	8,758 3,100	320,791 3,100
Dec-00 UP AP	35,025	23,652	84,045	9,038	77,360	20,872 2,277	29,116 6,857	279,108 9,134
Jan-01 UP AP	25,472	8,122	25,448	16,079	99,434	24,262 596	15,342 3,000	214,159 3,596
Feb-01 UP AP	14,550	12,513	101,677	4,359	42,610	18,658 2,402	17,199 1,350	211,566 3,752
Mar-01 UP AP	12,537	7,654	63,060	11,716	48,791	10,870 585	34,807 1,647	189,435 2,232
Apr-01 UP AP	19,480	1,635	63,676	9,595	138,522	892 0	40,385 0	274,185 0
May-01 UP AP	16,408	6,411	41,744	5,647	92,660	10,043 950	18,316 1,595	191,229 2,545
Jun-01 UP AP	6,153	9,952	4,961	6,860	61,953	22,569 0	40,457 0	152,905 0
Jul-01 UP AP	19,887	9,978	11,737	13,282	100,749	4,967 255	6,792 0	167,392 255
Total UP AP	204,468	121,060	472,055	264,381	815,354	141,593 16,564	215,277 51,260	2,234,188 67,824
All	204,468	121,060	472,055	264,381	815,354	158,157	266,537	2,302,012

Table 15. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2000-2001

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
Southeast	5,502	3,440	10,897	35,117	35,025	25,472	14,550	12,537	19,480	16,408	6,153	19,887
North Delta	7,299	3,148	10,004	20,692	23,652	8,122	12,513	7,654	1,635	6,411	9,952	9,978
South Delta	764	3,313	5,997	65,633	84,045	25,448	101,677	63,060	63,676	41,744	4,961	11,737
East Texas-Oklahoma	31,797	38,446	59,665	57,897	9,038	16,079	4,359	11,716	9,595	5,647	6,860	13,282
West Texas	5,412	2,544	34,285	111,034	77,360	99,434	42,610	48,791	138,522	92,660	61,953	100,749
Desert Southwest	0	150	6,650	21,660	20,872	24,262	18,658	10,870	892	10,043	22,569	4,967
San Joaquin Valley	0	635	3,470	8,758	29,116	15,342	17,199	34,807	40,385	18,316	40,457	6,792
Total	50,774	51,676	130,968	320,791	279,108	214,159	211,566	189,435	274,185	191,229	152,905	167,392

Table 16. Total Pima transactions reported in the designated markets, running bales, by month and season, 2000-2001

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
Desert Southwest	2,151	4,175	3,173	0	2,277	596	2,402	585	0	950	0	255
San Joaquin Valley	10,682	13,232	9,797	3,100	6,857	3,000	1,350	1,647	0	1,595	0	0
Total	12,833	17,407	12,970	3,100	9,134	3,596	3,752	2,232	0	2,545	0	255

Table 17. Total spot transactions in the designated markets, running bales, season totals, 1995-2000. 1/

Market Area	1995	1996	1997	1998	1999	2000
Southeast	138,594	216,283	294,739	240,014	279,258	204,468
North Delta	177,767	208,894	251,313	120,298	180,419	121,060
South Delta	623,952	839,635	793,921	252,632	550,347	472,055
East Texas-Oklahoma	187,177	211,500	242,778	121,454	310,867	264,381
West Texas	979,547	1,501,599	1,611,929	1,081,017	959,473	815,354
Desert Southwest	66,505	108,593	143,220	134,749	223,740	158,157