

COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units, in the designated markets averaged 33.10 cents per pound for the 2001-2002 marketing year, according to the USDA, Agricultural Marketing Service's Cotton Program. Upland and Pima transactions reported in the designated markets totaled 2,523,765 running bales.

Quotations for color 41, leaf grade 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 33.10 cents per pound for the 2001-2002 season. This was down from 51.56 cents for the 2000-2001 season. Quotations averaged 36.05 cents per pound in August 2001, the first month of the marketing year. Average quotations dropped to the lowest monthly season level of 28.42 cents in October and then fluctuated between 31.23 and 33.23 until May. The monthly average jumped in June to 36.36 cents and closed with the season high in July of 39.78 cents per pound. The season's lowest daily average quotation for the base quality occurred on October 25, 2001 at 25.94 cents per pound and the season's highest daily quotations was 41.39 cents on July 22, 2002.

Prices received by farmers for upland cotton preliminary average was 32.40 cents per pound for the 2001-2002 marketing year, according to the National Agricultural Statistics Service, USDA. This compares with 49.80 cents for the 2000-2001 marketing year and 45.00 cents for the 1999-2000 marketing year. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

CCC-loan stocks on July 31, 2002

2000-crop American Pima loan stocks	629
2001-crop American Pima loan stocks	273,231
2000-crop Upland loan stocks	381
2001-crop Upland loan stocks	<u>665,346</u>
Total	939,587

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 1996-2001 1/ 2/

Market Areas	1996	1997	1998	1999	2000	2001
Southeast	72.33	68.60	62.06	53.81	52.63	33.02
North Delta	72.11	68.36	61.82	53.34	52.32	33.24
South Delta	72.11	68.36	61.82	53.34	52.32	33.24
East Texas-Oklahoma	70.29	65.93	57.66	50.49	51.03	32.59
West Texas	69.89	65.88	57.76	50.12	50.71	32.39
Desert Southwest	69.88	65.63	55.92	48.79	49.47	32.60
San Joaquin Valley	74.47	71.79	63.78	56.67	52.45	34.64
Average	71.58	67.79	60.12	52.36	51.56	33.10

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 3. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
1996 2/	3-Sep-96	78.11	12-Nov-96	68.00
1997 2/	8-Jul-98	77.79	8-Apr-98	59.82
1998 2/	24-Aug-98	74.19	12-Jul-99	47.21
1999 2/	22-May-00	60.71	20-Dec-99	45.94
2000 3/	30-Nov-00	63.57	20-Jun-01	35.39
2001 3/	10-Jul-02	41.39	25-Oct-01	25.94

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4 prior to year 2000.
3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2001-02 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	38.09		31.29	27.52			32.61	31.33	33.58	29.87		39.06
2	38.15		31.50	27.36		31.86			33.81	28.69		39.67
3	38.75		31.48		33.14	31.39			33.43	28.80	34.81	40.39
4		35.88	31.04		32.51	31.94	32.95	31.21	32.94		34.13	
5		35.25	29.94	27.88	32.24		32.46	31.31	32.95		34.38	
6	38.80	34.14		28.04	33.41		32.44	31.49		28.96	34.54	
7	37.91	33.64		29.56	32.78	32.90	33.21	33.32		28.44	34.61	
8	37.55		28.78	29.50		33.75	33.33	32.66	32.19	29.14		39.09
9	37.04		28.50	29.99		33.02			32.04	29.39		39.74
10	35.04	33.71	29.48		31.78	32.68			33.46	30.65	34.08	41.39
11			29.09		32.61	32.35	32.47	33.16	32.69		34.32	39.69
12			29.01		31.69		33.53	32.68	32.46		35.55	38.39
13	34.86			32.36	30.79		30.79	33.50		30.15	34.96	
14	35.47			32.67	33.00	31.93	31.86	34.01		30.69	34.46	
15	35.44		28.27	31.87		32.64	31.13	33.86	31.98	31.65		37.35
16	35.43		28.44	32.43		32.95			32.27	30.91		37.56
17	35.13	33.00	28.49		33.04	33.33			32.23	31.35	35.91	39.00
18		32.51	28.20		32.36	32.56		33.85	31.38		35.68	40.60
19		32.32	27.64	32.13	32.04		29.72	33.90	30.56		36.23	40.86
20	35.20	32.66		31.82	31.51		29.66	34.11		31.24	38.80	
21	35.18	32.81		32.13	31.88		29.96	34.86		31.93	38.25	
22	35.26		26.86			31.99	30.22	34.29	30.49	32.57		41.39
23	34.89		26.97			31.91			30.83	32.61		40.31
24	34.86	32.98	26.31			31.24			31.76	32.35	38.68	39.93
25		32.91	25.94			31.84	30.59	33.79	31.25		39.32	39.96
26		32.96	26.26	32.11	32.11		31.23	33.40	29.84		39.18	39.82
27	35.39	31.88		32.98	31.84		31.14	34.56			38.37	
28	35.29	31.63		33.63	31.10	31.44	31.13	33.33		33.64	41.04	
29	35.50		26.39	34.72		31.74			29.14	33.50		39.39
30	34.96		26.34	34.73		30.66			29.62	33.64		40.95
31	34.99		27.36			30.63				34.87		40.89
Average	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78
High	38.80	35.88	31.50	34.73	33.41	33.75	33.53	34.86	33.81	34.87	41.04	41.39
Low	34.86	31.63	25.94	27.36	30.79	30.63	29.66	31.21	29.14	28.44	34.08	37.35

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 5. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2001-02 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	35.91	32.65	28.18	31.14	31.48	31.34	31.07	33.16	31.73	31.57	37.15	40.88	33.02
North Delta	35.78	33.15	28.77	31.41	31.77	31.39	31.08	33.66	32.21	31.47	37.32	40.90	33.24
South Delta	35.78	33.15	28.77	31.41	31.77	31.39	31.08	33.66	32.21	31.47	37.32	40.90	33.24
East Texas-Oklahoma	36.55	34.28	28.82	30.84	31.63	31.50	30.95	32.04	31.09	30.98	34.58	37.85	32.59
West Texas	36.37	33.62	28.14	30.58	31.65	31.55	30.95	32.04	31.09	30.98	34.39	37.35	32.39
Desert Southwest	35.48	32.30	26.89	30.07	32.26	32.63	31.67	33.11	31.46	29.98	36.00	39.30	32.60
San Joaquin Valley	36.48	33.40	29.34	33.18	34.92	35.13	34.41	34.98	33.21	31.53	37.80	41.30	34.64
Average	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2001-02 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	36.91	33.65	29.18	32.14	32.47	32.09	31.82	33.91	32.48	32.32	37.90	41.63	33.87
North Delta	36.85	34.40	30.02	32.66	32.66	32.14	31.83	34.41	32.96	32.22	38.07	41.65	34.16
South Delta	36.85	34.40	30.02	32.66	32.66	32.14	31.83	34.41	32.96	32.22	38.07	41.65	34.16
East Texas-Oklahoma	37.04	35.53	30.72	32.61	33.06	32.36	31.61	32.99	32.52	33.23	36.88	40.35	34.07
West Texas	36.86	34.37	29.67	31.83	32.85	32.24	31.87	32.99	32.52	33.23	36.59	39.35	33.70
Desert Southwest	37.48	34.30	28.89	31.97	33.76	34.13	33.17	34.61	33.05	31.98	38.00	41.30	34.39
San Joaquin Valley	39.98	36.90	32.84	36.68	38.42	38.74	38.16	38.71	36.96	35.28	41.55	45.05	38.27
Average	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 7. United States spot cotton differences, season averages

August 2001-July 2002

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-232	-167	-112	-218	-68	182	313	391	407
	3	-257	-192	-137	-228	-77	175	303	356	372
	4	-292	-227	-165	-257	-118	84	190	230	244
	5	-381	-315	-240	-331	-214	-127	-42	-23	-15
	6	-470	-380	-305	-382	-308	-280	-216	-214	-212
	7	-558	-468	-393	-515	-478	-429	-388	-383	-382
31	1 & 2	-271	-206	-151	-235	-85	156	280	330	346
	3	-271	-206	-151	-244	-94	156	280	322	341
	4	-331	-266	-201	-274	-134	76	182	211	226
	5	-425	-360	-273	-349	-231	-168	-73	-59	-52
	6	-500	-410	-320	-396	-326	-310	-243	-242	-240
	7	-599	-508	-422	-528	-489	-443	-403	-398	-396
41	1 & 2	-348	-283	-207	-279	-149	66	178	204	208
	3	-348	-283	-207	-285	-159	58	171	197	201
	4	-398	-333	-257	-309	-186	33.10	121	148	152
	5	-475	-410	-315	-392	-310	-234	-156	-154	-151
	6	-575	-485	-390	-464	-401	-389	-332	-330	-330
	7	-641	-551	-488	-583	-555	-541	-505	-505	-503
51	1 & 2	-452	-387	-312	-420	-295	-221	-153	-150	-149
	3	-452	-387	-312	-420	-295	-225	-156	-154	-152
	4	-477	-437	-362	-450	-322	-262	-198	-195	-194
	5	-558	-518	-443	-498	-407	-378	-318	-317	-315
	6	-677	-612	-537	-569	-505	-493	-453	-453	-453
	7	-762	-712	-637	-672	-660	-663	-631	-631	-631
61	1 & 2	-529	-479	-391	-524	-450	-388	-363	-358	-358
	3	-529	-479	-391	-524	-450	-388	-363	-358	-358
	4	-579	-504	-416	-544	-480	-428	-403	-398	-398
	5	-654	-579	-516	-817	-552	-497	-485	-485	-485
	6	-754	-679	-616	-742	-681	-623	-611	-611	-611
	7	-829	-779	-716	-867	-799	-741	-731	-731	-731
71	1 & 2	-665	-590	-489	-801	-727	-667	-647	-647	-647
	3	-665	-590	-489	-801	-727	-667	-647	-647	-647
	4	-696	-621	-545	-851	-777	-717	-697	-697	-697
	5	-746	-671	-610	-901	-832	-777	-759	-759	-759
	6	-846	-771	-710	-966	-894	-835	-817	-817	-817
	7	-921	-871	-795	-1006	-939	-883	-865	-865	-865
12 & 22	1 & 2	-288	-222	-163	-280	-137	82	210	237	245
	3	-313	-247	-188	-290	-141	67	188	216	224
	4	-363	-284	-225	-332	-189	-3	105	123	131
	5	-449	-384	-311	-378	-284	-200	-140	-132	-131
	6	-547	-456	-371	-433	-390	-364	-319	-318	-317
	7	-635	-544	-456	-566	-551	-541	-508	-508	-507
32	1 & 2	-342	-276	-217	-327	-180	24	128	154	163
	3	-342	-276	-217	-327	-184	16	120	147	155
	4	-412	-332	-278	-378	-233	-61	44	60	69
	5	-486	-419	-349	-424	-326	-305	-239	-231	-231
	6	-591	-500	-402	-481	-438	-444	-391	-391	-391
	7	-692	-602	-500	-620	-592	-596	-566	-566	-566
42	1 & 2	-421	-365	-316	-401	-270	-151	-90	-76	-72
	3	-421	-365	-316	-401	-270	-158	-97	-83	-79
	4	-495	-440	-358	-435	-308	-206	-153	-139	-134
	5	-560	-504	-426	-501	-410	-369	-323	-323	-323
	6	-673	-592	-513	-568	-502	-519	-492	-492	-492
	7	-735	-669	-613	-713	-666	-663	-655	-655	-655
52	1 & 2	-527	-452	-378	-484	-381	-362	-335	-331	-331
	3	-527	-452	-378	-484	-381	-362	-335	-331	-331
	4	-586	-527	-434	-525	-441	-418	-391	-387	-387
	5	-654	-579	-513	-595	-536	-498	-476	-476	-476
	6	-754	-679	-610	-674	-641	-640	-633	-633	-633
	7	-829	-779	-710	-776	-790	-800	-798	-795	-795
62	1 & 2	-618	-555	-478	-622	-570	-526	-514	-514	-514
	3	-618	-555	-478	-622	-570	-526	-514	-514	-514
	4	-668	-580	-503	-662	-610	-586	-574	-574	-574
	5	-743	-668	-603	-759	-707	-669	-659	-659	-659
	6	-843	-768	-703	-876	-822	-789	-779	-779	-779

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-453	-358	-263	-211	-157	-110	-107	-107	-107
	3	-453	-358	-288	-236	-182	-135	-132	-132	-132
	4	-503	-408	-360	-300	-230	-185	-182	-182	-182
	5	-603	-508	-449	-386	-313	-255	-253	-253	-253
	6	-653	-583	-524	-461	-388	-335	-332	-332	-332
33	1 & 2	-481	-401	-336	-293	-218	-268	-266	-266	-266
	3	-481	-401	-336	-293	-218	-268	-266	-266	-266
	4	-551	-451	-411	-350	-273	-344	-342	-342	-342
	5	-623	-528	-474	-434	-363	-457	-456	-456	-456
	6	-703	-613	-549	-509	-463	-616	-614	-614	-614
43	1 & 2	-566	-486	-422	-538	-506	-506	-478	-474	-474
	3	-566	-486	-422	-544	-510	-513	-485	-482	-482
	4	-629	-536	-497	-597	-564	-560	-525	-522	-522
	5	-679	-598	-559	-692	-674	-690	-650	-650	-650
	6	-759	-670	-631	-785	-773	-800	-785	-785	-785
53	1 & 2	-697	-608	-525	-652	-668	-618	-591	-591	-591
	3	-697	-608	-525	-662	-668	-631	-604	-604	-604
	4	-747	-658	-620	-722	-729	-687	-660	-660	-660
	5	-809	-700	-657	-787	-792	-750	-724	-724	-724
	6	-880	-791	-734	-882	-891	-849	-824	-824	-824
63	1 & 2	-786	-691	-630	-836	-786	-734	-724	-724	-724
	3	-786	-691	-630	-836	-786	-734	-724	-724	-724
	4	-836	-741	-680	-877	-817	-782	-772	-772	-772
	5	-911	-816	-755	-937	-883	-852	-842	-842	-842
	6	-961	-891	-837	-997	-955	-904	-893	-893	-893
34	1 & 2	-582	-487	-415	-364	-288	-233	-230	-230	-230
	3	-582	-487	-415	-364	-288	-233	-230	-230	-230
	4	-657	-562	-490	-439	-363	-298	-296	-296	-296
	5	-732	-637	-565	-514	-463	-398	-396	-396	-396
	6	-807	-737	-665	-614	-563	-498	-496	-496	-496
44	1 & 2	-682	-587	-515	-439	-388	-323	-321	-321	-321
	3	-707	-612	-540	-489	-438	-373	-371	-371	-371
	4	-732	-637	-590	-539	-488	-423	-421	-421	-421
	5	-807	-712	-665	-614	-588	-523	-521	-521	-521
	6	-900	-787	-740	-689	-663	-598	-596	-596	-596
54	1 & 2	-785	-690	-617	-567	-507	-442	-440	-440	-440
	3	-785	-690	-617	-567	-507	-442	-440	-440	-440
	4	-835	-740	-686	-636	-597	-542	-540	-540	-540
	5	-835	-740	-686	-636	-597	-542	-540	-540	-540

Mike	
Range	Diff.
24 & Below	-1056
25-26	-958
27-29	-724
30-32	-340
33-34	-168
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-354
53 & Above	-477

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-199
19.5-20.4	-190
20.5-21.4	-290
21.5-22.4	-217
22.5-23.4	-153
23.5-25.4	-113
25.5-26.4	-52
Base 26.5-28.4	0
28.5-29.4	16
29.5-30.4	33
30.5-32.4	58
32.5 & Above	69

Uniformity	
Length	Points
77 & below	-51
78	-41
79	-31
80	0
Base 81	0
82	2
83	25
84	34
85	43
86 & above	53

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-690
Other except bark for TX and OK	
1	-385
2	-709
Bark - TX and OK only	
1	-114
2	-427

Table 8. Southeast spot cotton differences, season average.

August 2001- July 2002

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-361	-160	85	130	155	43	1 & 2	-689	-639	-614	-574	-549
	3	-361	-160	85	130	155		3	-689	-639	-614	-574	-549
	4	-386	-185	46	86	111		4	-739	-689	-664	-599	-574
	5	-535	-303	-229	-116	-116		5	-885	-860	-835	-835	-835
	6	-588	-355	-328	-301	-301		6	-1010	-960	-935	-935	-935
	7	-854	-705	-678	-661	-661		7	-1110	-1060	-1035	-1035	-1035
	31	1 & 2	-370	-169	85	130		155	53	1 & 2	-835	-835	-810
3		-370	-169	85	130	155	3	-835		-835	-810	-800	-800
4		-395	-194	46	86	111	4	-885		-885	-860	-850	-850
5		-535	-303	-229	-116	-116	5	-960		-960	-935	-935	-935
6		-588	-355	-328	-301	-301	6	-1110		-1060	-1035	-1035	-1035
7		-854	-705	-678	-661	-661	7	-1210		-1160	-1135	-1135	-1135
41		1 & 2	-420	-219	0	65	90	63		1 & 2	-1110	-1060	-1035
	3	-420	-219	0	65	90	3		-1110	-1060	-1035	-1035	-1035
	4	-420	-219	33.02	65	90	4		-1160	-1110	-1085	-1085	-1085
	5	-560	-428	-304	-206	-206	5		-1210	-1160	-1135	-1135	-1135
	6	-663	-530	-475	-436	-436	6		-1310	-1260	-1235	-1235	-1235
	7	-910	-808	-775	-771	-771							
	51	1 & 2	-525	-353	-172	-117	-107						
3		-525	-353	-172	-117	-107							
4		-560	-403	-207	-167	-157							
5		-585	-428	-313	-213	-213							
6		-700	-543	-513	-442	-442							
7		-917	-815	-790	-790	-790							
61		1 & 2	-677	-574	-522	-457	-432						
	3	-677	-574	-522	-457	-432							
	4	-677	-624	-572	-507	-482							
	5	-740	-697	-672	-672	-672							
	6	-938	-869	-864	-864	-864							
	7	-1063	-978	-953	-953	-953							
	71	1 & 2	-1077	-978	-928	-918	-918						
3		-1077	-978	-928	-918	-918							
4		-1077	-978	-928	-918	-918							
5		-1127	-1043	-1028	-1028	-1028							
6		-1152	-1053	-1028	-1028	-1028							
7		-1152	-1053	-1028	-1028	-1028							
12 & 22		1 & 2	-433	-232	-7	61	86						
	3	-433	-232	-7	61	86							
	4	-512	-297	-86	-19	6							
	5	-523	-340	-257	-257	-257							
	6	-604	-468	-440	-440	-440							
	7	-867	-767	-740	-740	-740							
	32	1 & 2	-433	-232	-7	61	86						
3		-433	-232	-7	61	86							
4		-512	-297	-86	-19	6							
5		-523	-340	-257	-257	-257							
6		-604	-468	-440	-440	-440							
7		-867	-767	-740	-740	-740							
42		1 & 2	-512	-340	-136	-86	-76						
	3	-512	-340	-136	-86	-76							
	4	-548	-390	-186	-136	-126							
	5	-601	-490	-409	-409	-409							
	6	-680	-618	-563	-563	-563							
	7	-942	-868	-813	-813	-813							
	52	1 & 2	-612	-485	-422	-407	-382						
3		-612	-485	-422	-407	-382							
4		-662	-535	-472	-457	-432							
5		-762	-685	-622	-622	-622							
6		-828	-799	-772	-772	-772							
7		-978	-953	-928	-928	-928							
62		1 & 2	-753	-722	-678	-668	-668						
	3	-753	-722	-678	-668	-668							
	4	-853	-822	-778	-768	-768							
	5	-953	-928	-878	-878	-878							
	6	-1078	-1053	-1028	-1028	-1028							

Mike	
Range	Diff.
25-26	-1027
27-29	-677
30-32	-434
33-34	-235
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-417
53 & Above	-566

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-452
21.5-22.4	-317
22.5-23.4	-233
23.5-25.4	-166
25.5-26.4	-38
Base 26.5-28.4	0
28.5-30.4	17
29.5-30.4	25
30.5-32.4	42
32.5 & Above	44

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-410
2	-817

Uniformity	
Unit	Points
77 & below	-53
78	-43
79	-33
80	0
Base 81	0
82	0
83	23
84	33
85	43
86 & above	53

Table 9. North Delta spot cotton differences, season average.

August 2001- July 2002

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-320	-60	91	131	156	43	1 & 2	-660	-556	-522	-497	-497
	3	-320	-60	91	131	156		3	-660	-556	-522	-497	-497
	4	-345	-85	66	81	106		4	-685	-581	-547	-522	-522
	5	-395	-217	-159	-102	-77		5	-758	-681	-672	-647	-647
	6	-445	-377	-342	-310	-310		6	-858	-781	-772	-747	-747
	7	-545	-501	-471	-441	-441		7	-1008	-931	-922	-897	-897
	31	1 & 2	-320	-60	91	131		156	53	1 & 2	-806	-776	-772
3		-320	-60	91	131	156	3	-806		-776	-772	-747	-747
4		-345	-85	66	81	106	4	-831		-801	-797	-772	-772
5		-395	-217	-159	-102	-77	5	-881		-851	-847	-822	-822
6		-445	-377	-342	-310	-310	6	-981		-951	-947	-922	-922
7		-545	-501	-471	-441	-441	7	-1106		-1076	-1051	-1026	-1026
41		1 & 2	-357	-145	25	57	82	63		1 & 2	-981	-951	-947
	3	-357	-145	25	57	82	3		-981	-951	-947	-922	-922
	4	-382	-170	38.24	32	57	4		-1006	-976	-972	-947	-947
	5	-457	-323	-200	-143	-143	5		-1056	-1026	-1022	-997	-997
	6	-523	-430	-401	-370	-370	6		-1081	-1080	-1026	-1001	-1001
	7	-598	-540	-510	-460	-460							
	51	1 & 2	-568	-370	-212	-149	-149						
3		-568	-370	-212	-149	-149							
4		-593	-395	-262	-199	-199							
5		-618	-501	-387	-330	-330							
6		-668	-575	-494	-463	-463							
7		-718	-705	-638	-588	-588							
61		1 & 2	-682	-604	-539	-510	-510						
	3	-682	-604	-539	-510	-510							
	4	-707	-629	-564	-535	-535							
	5	-757	-679	-614	-585	-585							
	6	-872	-804	-734	-704	-704							
	7	-1022	-954	-884	-859	-859							
	71	1 & 2	-1070	-1006	-959	-914	-914						
3		-1070	-1006	-959	-914	-914							
4		-1120	-1056	-1009	-964	-964							
5		-1145	-1086	-1034	-989	-989							
6		-1195	-1136	-1079	-1034	-1034							
7		-1245	-1186	-1124	-1079	-1079							
12 & 22		1 & 2	-380	-128	50	99	124						
	3	-380	-128	50	99	124							
	4	-414	-176	0	49	74							
	5	-464	-308	-200	-158	-133							
	6	-514	-427	-399	-353	-353							
	7	-635	-587	-559	-509	-509							
	32	1 & 2	-447	-181	-11	38	63						
3		-447	-181	-11	38	63							
4		-481	-229	-61	-12	13							
5		-517	-338	-275	-204	-179							
6		-576	-475	-465	-404	-404							
7		-697	-616	-611	-566	-566							
42		1 & 2	-511	-289	-119	-55	-55						
	3	-511	-289	-119	-55	-55							
	4	-536	-314	-169	-105	-105							
	5	-595	-434	-288	-205	-205							
	6	-654	-492	-491	-435	-435							
	7	-785	-633	-633	-616	-616							
	52	1 & 2	-622	-455	-396	-346	-346						
3		-622	-455	-396	-346	-346							
4		-647	-480	-421	-371	-371							
5		-693	-584	-471	-421	-421							
6		-753	-690	-671	-646	-646							
7		-835	-811	-801	-796	-796							
62		1 & 2	-792	-737	-730	-705	-705						
	3	-792	-737	-730	-705	-705							
	4	-817	-762	-755	-730	-730							
	5	-909	-852	-830	-805	-805							
	6	-1038	-976	-955	-930	-930							

Mike	
Range	Diff.
25-26	-1100
27-29	-800
30-32	-367
33-34	-167
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-384
53 & Above	-549

Strength (Grams per Tex)	
Range	Diff.
20.5-21.4	-254
21.5-22.4	-204
22.5-23.4	-154
23.5-25.4	-103
25.5-26.4	-54
Base 26.5-28.4	0
28.5-30.4	17
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-435
2	-785

Uniformity	
Unit	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 10. South Delta spot cotton differences, season average.

August 2001- July 2002

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-320	-60	91	131	156	43	1 & 2	-660	-556	-522	-497	-497
	3	-320	-60	91	131	156		3	-660	-556	-522	-497	-497
	4	-345	-85	66	81	106		4	-685	-581	-547	-522	-522
	5	-395	-217	-159	-102	-77		5	-758	-681	-672	-647	-647
	6	-445	-377	-342	-310	-310		6	-858	-781	-772	-747	-747
	7	-545	-501	-471	-441	-441		7	-1008	-931	-922	-897	-897
	31	1 & 2	-320	-60	91	131		156	53	1 & 2	-806	-776	-772
3		-320	-60	91	131	156	3	-806		-776	-772	-747	-747
4		-345	-85	66	81	106	4	-631		-801	-797	-772	-772
5		-395	-217	-159	-102	-77	5	-681		-851	-847	-822	-822
6		-445	-377	-342	-310	-310	6	-981		-951	-947	-922	-922
7		-545	-501	-471	-441	-441	7	-1106		-1076	-1051	-1026	-1026
41		1 & 2	-357	-145	25	57	82	63		1 & 2	-981	-951	-947
	3	-357	-145	25	57	82	3		-981	-951	-947	-922	-922
	4	-382	-170	33.24	32	57	4		-1006	-976	-972	-947	-947
	5	-457	-323	-200	-143	-143	5		-1056	-1026	-1022	-997	-997
	6	-523	-430	-401	-370	-370	6		-1081	-1080	-1026	-1001	-1001
	7	-598	-540	-510	-460	-460							
	51	1 & 2	-568	-370	-212	-149	-149						
3		-568	-370	-212	-149	-149							
4		-593	-395	-262	-199	-199							
5		-618	-501	-387	-330	-330							
6		-668	-575	-494	-463	-463							
7		-718	-705	-638	-588	-588							
81		1 & 2	-682	-604	-539	-510	-510						
	3	-682	-604	-539	-510	-510							
	4	-707	-629	-564	-535	-535							
	5	-757	-679	-614	-585	-585							
	6	-872	-804	-734	-704	-704							
	7	-1022	-954	-884	-859	-859							
	71	1 & 2	-1070	-1006	-959	-914	-914						
3		-1070	-1006	-959	-914	-914							
4		-1120	-1056	-1009	-964	-964							
5		-1145	-1086	-1034	-989	-989							
6		-1195	-1136	-1079	-1034	-1034							
7		-1245	-1186	-1124	-1079	-1079							
12 & 22		1 & 2	-380	-128	50	99	124						
	3	-380	-128	50	99	124							
	4	-414	-176	0	49	74							
	5	-464	-308	-200	-158	-133							
	6	-514	-427	-399	-353	-353							
	7	-635	-587	-559	-509	-509							
	32	1 & 2	-447	-181	-11	38	63						
3		-447	-181	-11	38	63							
4		-481	-229	-61	-12	13							
5		-517	-338	-275	-204	-179							
6		-576	-475	-465	-404	-404							
7		-697	-616	-611	-566	-566							
42		1 & 2	-511	-289	-119	-55	-55						
	3	-511	-289	-119	-55	-55							
	4	-536	-314	-169	-105	-105							
	5	-595	-434	-288	-205	-205							
	6	-654	-492	-491	-435	-435							
	7	-785	-633	-633	-616	-616							
	52	1 & 2	-622	-455	-396	-346	-346						
3		-622	-455	-396	-346	-346							
4		-647	-480	-421	-371	-371							
5		-693	-564	-471	-421	-421							
6		-753	-690	-671	-646	-646							
7		-835	-811	-801	-796	-796							
62		1 & 2	-792	-737	-730	-705	-705						
	3	-792	-737	-730	-705	-705							
	4	-817	-762	-755	-730	-730							
	5	-909	-852	-830	-805	-805							
	6	-1038	-976	-955	-930	-930							

Mike	
Range	Diff.
25-26	-1100
27-29	-800
30-32	-367
33-34	-167
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-384
53 & Above	-549

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-254
21.5-22.4	-204
22.5-23.4	-154
23.5-25.4	-103
25.5-26.4	-54
Base 26.5-28.4	0
28.5-30.4	17
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-435
2	-785

Uniformity	
Unit	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 11. East Texas-Oklahoma spot cotton differences, season average.

August 2001- July 2002

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-237	-172	-118	-46	26	196	282	323	340
	3	-262	-197	-143	-71	1	196	282	323	340
	4	-303	-237	-171	-106	-47	137	190	224	224
	5	-385	-320	-244	-166	-111	-45	-27	-27	-27
	6	-471	-381	-305	-219	-152	-108	-108	-108	-108
	7	-557	-467	-392	-316	-249	-181	-181	-181	-181
31	1 & 2	-273	-208	-154	-85	-7	148	239	281	298
	3	-273	-208	-154	-106	-32	148	239	281	298
	4	-338	-273	-205	-147	-66	115	176	220	220
	5	-421	-356	-269	-209	-147	-70	-54	-54	-54
	6	-496	-406	-320	-249	-200	-133	-133	-133	-133
	7	-593	-503	-417	-343	-285	-205	-205	-205	-205
41	1 & 2	-346	-281	-204	-134	-42	109	188	223	223
	3	-346	-281	-204	-145	-67	109	188	223	223
	4	-396	-331	-254	-175	-108	32.59	131	169	169
	5	-471	-406	-305	-235	-186	-104	-88	-88	-88
	6	-571	-481	-380	-299	-251	-185	-174	-174	-174
	7	-632	-542	-478	-396	-351	-268	-258	-258	-258
51	1 & 2	-451	-386	-311	-225	-160	-111	-86	-86	-86
	3	-451	-386	-311	-225	-160	-111	-86	-86	-86
	4	-476	-436	-361	-254	-189	-136	-120	-120	-120
	5	-560	-520	-445	-334	-269	-196	-195	-195	-195
	6	-673	-608	-533	-399	-344	-271	-271	-271	-271
	7	-752	-708	-633	-499	-444	-371	-371	-371	-371
61	1 & 2	-532	-482	-396	-296	-247	-175	-175	-175	-175
	3	-532	-482	-396	-296	-247	-175	-175	-175	-175
	4	-582	-507	-421	-321	-272	-225	-225	-225	-225
	5	-657	-582	-521	-421	-361	-292	-292	-292	-292
	6	-757	-682	-621	-521	-461	-392	-392	-392	-392
	7	-832	-782	-721	-621	-561	-492	-492	-492	-492
71	1 & 2	-659	-584	-488	-398	-328	-244	-244	-244	-244
	3	-659	-584	-488	-398	-328	-244	-244	-244	-244
	4	-695	-620	-543	-473	-403	-319	-319	-319	-319
	5	-745	-670	-609	-548	-478	-394	-394	-394	-394
	6	-845	-770	-709	-648	-578	-494	-494	-494	-494
	7	-920	-870	-799	-698	-638	-569	-569	-569	-569
12 & 22	1 & 2	-299	-234	-172	-116	-34	112	163	191	202
	3	-324	-259	-197	-141	-50	97	138	166	177
	4	-374	-298	-235	-169	-86	29	55	68	78
	5	-454	-388	-316	-227	-171	-118	-104	-102	-102
	6	-549	-459	-375	-272	-216	-165	-185	-165	-165
	7	-636	-545	-462	-355	-303	-252	-252	-252	-252
32	1 & 2	-352	-284	-227	-161	-91	58	100	128	149
	3	-352	-284	-227	-161	-105	58	100	128	149
	4	-415	-338	-293	-216	-144	-6	20	34	56
	5	-482	-417	-361	-283	-214	-150	-151	-147	-147
	6	-592	-502	-413	-326	-271	-215	-216	-215	-215
	7	-689	-599	-507	-421	-365	-290	-290	-290	-290
42	1 & 2	-423	-367	-321	-242	-156	-51	-29	9	20
	3	-423	-367	-321	-242	-156	-51	-29	9	20
	4	-494	-439	-366	-290	-209	-91	-66	-28	-17
	5	-557	-501	-435	-367	-285	-209	-194	-190	-190
	6	-666	-585	-520	-434	-348	-291	-291	-291	-291
	7	-727	-660	-620	-534	-448	-365	-365	-365	-365
52	1 & 2	-519	-444	-373	-293	-232	-147	-147	-147	-147
	3	-519	-444	-373	-293	-232	-147	-147	-147	-147
	4	-584	-519	-430	-346	-277	-186	-186	-186	-186
	5	-648	-573	-511	-425	-356	-250	-250	-247	-247
	6	-748	-673	-606	-524	-455	-347	-347	-347	-347
	7	-823	-773	-706	-624	-555	-447	-447	-447	-447
62	1 & 2	-608	-547	-472	-392	-332	-248	-248	-248	-248
	3	-608	-547	-472	-392	-332	-248	-248	-248	-248
	4	-658	-572	-497	-417	-357	-323	-323	-323	-323
	5	-733	-658	-597	-517	-457	-400	-400	-400	-400
	6	-833	-758	-697	-617	-557	-500	-500	-500	-500

Table 11. East Texas-Oklahoma (Continued)

August 2001- July 2002

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-449	-359	-272	-219	-169	-124	-119	-119	-119	-119
	3	-449	-359	-297	-244	-194	-149	-144	-144	-144	-144
	4	-499	-409	-366	-314	-237	-199	-194	-194	-194	-194
	5	-599	-509	-455	-397	-319	-263	-258	-258	-258	-258
	6	-649	-584	-530	-472	-394	-341	-336	-336	-336	-336
33	1 & 2	-699	-634	-591	-547	-484	-441	-436	-436	-436	-436
	3	-480	-410	-346	-309	-230	-176	-171	-171	-171	-171
	4	-480	-410	-346	-309	-230	-176	-171	-171	-171	-171
	5	-545	-460	-421	-370	-288	-240	-235	-235	-235	-235
	6	-613	-530	-481	-447	-369	-304	-298	-298	-298	-298
43	7	-699	-620	-556	-522	-469	-403	-398	-398	-398	-398
	1 & 2	-774	-695	-656	-622	-544	-503	-498	-498	-498	-498
	3	-566	-496	-432	-351	-302	-226	-221	-221	-221	-221
	4	-566	-496	-432	-366	-318	-254	-248	-248	-248	-248
	5	-626	-546	-507	-450	-381	-296	-291	-291	-291	-291
53	6	-676	-605	-567	-541	-446	-380	-374	-374	-374	-374
	7	-748	-675	-636	-608	-538	-489	-483	-483	-483	-483
	1 & 2	-859	-789	-736	-683	-613	-550	-544	-544	-544	-544
	3	-689	-611	-527	-406	-362	-283	-281	-281	-281	-281
	4	-689	-611	-527	-431	-362	-320	-317	-317	-317	-317
63	5	-739	-661	-616	-531	-442	-384	-382	-382	-382	-382
	6	-800	-707	-652	-606	-517	-459	-457	-457	-457	-457
	7	-868	-789	-732	-669	-611	-557	-554	-554	-554	-554
	1 & 2	-943	-864	-807	-760	-711	-632	-629	-629	-629	-629
	3	-776	-686	-629	-552	-476	-372	-370	-370	-370	-370
34	4	-776	-686	-629	-552	-476	-372	-370	-370	-370	-370
	5	-826	-736	-679	-607	-507	-437	-434	-434	-434	-434
	6	-901	-811	-754	-682	-597	-537	-534	-534	-534	-534
	7	-951	-866	-826	-757	-672	-612	-609	-609	-609	-609
	1 & 2	-583	-493	-425	-374	-296	-241	-236	-236	-236	-236
44	3	-583	-493	-425	-374	-296	-241	-236	-236	-236	-236
	4	-658	-568	-500	-449	-371	-307	-301	-301	-301	-301
	5	-733	-643	-575	-524	-471	-407	-401	-401	-401	-401
	6	-808	-743	-675	-624	-571	-507	-501	-501	-501	-501
	1 & 2	-683	-593	-525	-449	-396	-332	-326	-326	-326	-326
54	3	-708	-618	-550	-499	-446	-382	-376	-376	-376	-376
	4	-733	-643	-600	-549	-496	-432	-426	-426	-426	-426
	5	-808	-718	-675	-624	-596	-532	-526	-526	-526	-526
	6	-895	-793	-750	-699	-671	-607	-601	-601	-601	-601
	1 & 2	-787	-697	-626	-576	-516	-451	-446	-446	-446	-446
54	3	-787	-697	-626	-576	-516	-451	-446	-446	-446	-446
	4	-837	-747	-692	-642	-601	-551	-546	-546	-546	-546
	5	-837	-747	-692	-642	-601	-551	-546	-546	-546	-546

Mike	
Range	Diff.
24 & Below	-989
25-26	-771
27-29	-382
30-32	-187
33-34	-95
Base 35-36	0
37-42	20
Base 43-49	0
50-52	-275
53 & Above	-346

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-198
19.5-20.4	-194
20.5-21.4	-169
21.5-22.4	-144
22.5-23.4	-116
23.5-25.4	-101
25.5-26.4	-59
Base 26.5-28.4	0
28.5-30.4	4
29.5-30.4	28
30.5-32.4	50
32.5 & Above	75

Uniformity	
Length	Points
77 & below	-32
78	-22
79	-12
80	0
Base 81	0
82	5
83	15
84	20
85	29
86 & above	39

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-414
Bark	
1	-118
2	-426
Other	
1	-285
2	-426

Table 12. West Texas spot cotton differences, season average

August 2001- July 2002

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-227	-162	-105	-43	33	175	266	301	319
	3	-252	-187	-130	-68	8	175	266	301	319
	4	-281	-216	-160	-104	-42	117	163	200	208
	5	-376	-311	-237	-164	-104	-38	-19	-19	-19
	6	-469	-379	-305	-216	-154	-107	-107	-107	-107
31	7	-559	-469	-395	-316	-254	-182	-182	-182	-182
	1 & 2	-270	-204	-148	-78	0	130	221	257	275
	3	-270	-204	-148	-103	-25	130	221	257	275
	4	-324	-259	-197	-141	-81	84	146	195	203
	5	-429	-364	-276	-212	-141	-63	-48	-48	-48
41	6	-504	-414	-319	-252	-189	-133	-133	-133	-133
	7	-604	-514	-427	-352	-279	-208	-208	-208	-208
	1 & 2	-350	-285	-211	-124	-34	99	171	204	212
	3	-350	-285	-211	-146	-71	93	171	204	212
	4	-400	-335	-261	-187	-110	32.39	111	146	154
51	5	-479	-414	-324	-250	-184	-102	-86	-86	-86
	6	-579	-489	-399	-309	-249	-185	-173	-173	-173
	7	-650	-560	-499	-409	-349	-277	-265	-265	-265
	1 & 2	-454	-388	-313	-213	-140	-99	-75	-75	-75
	3	-454	-388	-313	-213	-140	-99	-75	-75	-75
61	4	-479	-438	-363	-249	-177	-124	-109	-109	-109
	5	-556	-516	-441	-333	-264	-216	-214	-214	-214
	6	-881	-616	-541	-408	-339	-284	-284	-284	-284
	7	-771	-716	-641	-508	-439	-384	-384	-384	-384
	1 & 2	-527	-477	-387	-282	-222	-162	-162	-162	-162
71	3	-527	-477	-387	-282	-222	-162	-162	-162	-162
	4	-577	-502	-412	-307	-247	-212	-212	-212	-212
	5	-652	-577	-512	-407	-347	-292	-292	-292	-292
	6	-752	-677	-612	-507	-447	-392	-392	-392	-392
	7	-827	-777	-712	-607	-547	-492	-492	-492	-492
12 & 22	1 & 2	-671	-596	-491	-391	-315	-246	-246	-246	-246
	3	-671	-596	-491	-391	-315	-246	-246	-246	-246
	4	-696	-621	-546	-466	-390	-321	-321	-321	-321
	5	-746	-671	-611	-541	-465	-396	-396	-396	-396
	6	-846	-771	-711	-641	-565	-496	-496	-496	-496
32	7	-921	-871	-791	-691	-631	-571	-571	-571	-571
	1 & 2	-276	-211	-155	-93	-25	92	137	180	198
	3	-301	-236	-180	-116	-33	76	111	154	173
	4	-351	-270	-214	-151	-72	33	61	83	101
	5	-444	-379	-306	-213	-149	-112	-99	-99	-99
42	6	-544	-454	-366	-263	-199	-162	-162	-162	-162
	7	-634	-544	-451	-338	-286	-241	-241	-241	-241
	1 & 2	-333	-267	-207	-146	-69	21	68	115	144
	3	-333	-267	-207	-146	-80	21	68	115	144
	4	-408	-327	-262	-201	-122	-3	29	51	80
52	5	-490	-420	-337	-280	-196	-145	-145	-144	-144
	6	-589	-499	-392	-320	-262	-209	-213	-209	-209
	7	-696	-605	-492	-420	-362	-287	-290	-287	-287
	1 & 2	-419	-363	-312	-229	-145	-77	-50	-1	18
	3	-419	-363	-312	-229	-145	-77	-50	-1	18
62	4	-496	-441	-350	-266	-199	-96	-76	-26	-7
	5	-564	-508	-417	-346	-266	-181	-169	-169	-169
	6	-679	-598	-506	-418	-337	-268	-268	-268	-268
	7	-744	-677	-606	-518	-437	-343	-343	-343	-343
	1 & 2	-535	-460	-383	-272	-209	-142	-142	-142	-142
72	3	-535	-460	-383	-272	-209	-142	-142	-142	-142
	4	-589	-535	-438	-325	-249	-188	-168	-168	-168
	5	-660	-585	-514	-401	-330	-240	-240	-240	-240
	6	-760	-685	-614	-509	-437	-340	-340	-340	-340
	7	-835	-785	-714	-609	-537	-440	-440	-440	-440
82	1 & 2	-629	-564	-485	-382	-322	-243	-243	-243	-243
	3	-629	-564	-485	-382	-322	-243	-243	-243	-243
	4	-679	-589	-510	-407	-347	-318	-318	-318	-318
	5	-754	-679	-610	-507	-447	-407	-407	-407	-407
	6	-854	-779	-710	-607	-547	-507	-507	-507	-507

Table 12. West Texas (Continued)

August 2001- July 2002

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-457	-357	-255	-203	-145	-95	-95	-95	-95
	3	-457	-357	-280	-228	-170	-120	-120	-120	-120
	4	-507	-407	-355	-285	-222	-170	-170	-170	-170
	5	-607	-507	-442	-376	-308	-247	-247	-247	-247
	6	-657	-582	-517	-451	-383	-328	-328	-328	-328
	7	-707	-632	-580	-526	-473	-428	-428	-428	-428
	33	1 & 2	-482	-391	-327	-277	-206	-145	-145	-145
3		-482	-391	-327	-277	-206	-145	-145	-145	-145
4		-557	-441	-402	-330	-257	-212	-212	-212	-212
5		-632	-527	-466	-422	-358	-288	-288	-288	-288
6		-707	-606	-541	-497	-458	-388	-388	-388	-388
7		-782	-681	-641	-597	-533	-488	-488	-488	-488
43		1 & 2	-567	-477	-412	-331	-280	-199	-199	-199
	3	-567	-477	-412	-342	-291	-223	-223	-223	-223
	4	-631	-527	-487	-426	-352	-263	-263	-263	-263
	5	-681	-590	-551	-517	-429	-364	-364	-364	-364
	6	-770	-665	-626	-592	-529	-474	-474	-474	-474
	7	-867	-777	-726	-667	-604	-537	-537	-537	-537
	53	1 & 2	-704	-604	-524	-408	-356	-271	-271	-271
3		-704	-604	-524	-433	-356	-312	-312	-312	-312
4		-754	-654	-624	-533	-446	-385	-385	-385	-385
5		-817	-692	-661	-608	-521	-460	-460	-460	-460
6		-892	-792	-736	-667	-621	-560	-560	-560	-560
7		-967	-867	-811	-758	-721	-635	-635	-635	-635
63		1 & 2	-796	-696	-630	-555	-491	-371	-371	-371
	3	-796	-696	-630	-555	-491	-371	-371	-371	-371
	4	-846	-746	-680	-605	-515	-446	-446	-446	-446
	5	-921	-821	-755	-680	-605	-546	-546	-546	-546
	6	-971	-896	-848	-755	-680	-621	-621	-621	-621
	34	1 & 2	-581	-481	-406	-354	-279	-225	-225	-225
3		-581	-481	-406	-354	-279	-225	-225	-225	-225
4		-656	-556	-481	-429	-354	-290	-290	-290	-290
5		-731	-631	-556	-504	-454	-390	-390	-390	-390
6		-806	-731	-656	-604	-554	-490	-490	-490	-490
44	1 & 2	-681	-581	-506	-429	-379	-315	-315	-315	-315
	3	-706	-606	-531	-479	-429	-365	-365	-365	-365
	4	-731	-631	-581	-529	-479	-415	-415	-415	-415
	5	-806	-706	-656	-604	-579	-515	-515	-515	-515
	6	-906	-781	-731	-679	-654	-590	-590	-590	-590
54	1 & 2	-783	-683	-608	-558	-498	-433	-433	-433	-433
	3	-783	-683	-608	-558	-498	-433	-433	-433	-433
	4	-833	-733	-680	-630	-594	-533	-533	-533	-533
	5	-833	-733	-680	-630	-594	-533	-533	-533	-533

Mike	
Range	Diff.
24 & Below	-978
25-26	-750
27-29	-356
30-32	-177
33-34	-81
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-267
53 & Above	-348

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-200
19.5-20.4	-187
20.5-21.4	-162
21.5-22.4	-133
22.5-23.4	-112
23.5-25.4	-100
25.5-26.4	-59
Base 26.5-28.4	0
28.5-30.4	6
29.5-30.4	30
30.5-32.4	63
32.5 & Above	90

Uniformity	
Length	Points
77 & below	-30
78	-20
79	-10
80	0
Base 81	0
82	5
83	16
84	22
85	32
86 & above	42

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-414
Bark	
1	-110
2	-428
Other	
1	-289
2	-428

Table 13. Desert Southwest spot cotton differences, season average.

August 2001- July 2002

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-189	229	445	592	629	43	1 & 2	-700	-600	-500	-500	-500																																															
	3	-189	229	434	542	579		3	-700	-600	-500	-500	-500																																															
	4	-264	29	325	421	458		4	-800	-700	-575	-575	-575																																															
	5	-334	-134	-1	74	113		5	-950	-850	-625	-625	-625																																															
	6	-434	-334	-176	-181	-152		6	-1050	-950	-900	-900	-900																																															
	7	-659	-384	-276	-246	-237	7	-1125	-1075	-1025	-1025	-1025																																																
31	1 & 2	-214	179	395	480	517	53	1 & 2	-900	-800	-700	-700	-700																																															
	3	-214	179	395	480	517		3	-900	-800	-700	-700	-700																																															
	4	-314	29	325	360	397		4	-1000	-900	-800	-800	-800																																															
	5	-359	-284	-76	-41	-2		5	-1050	-950	-850	-850	-850																																															
	6	-459	-359	-176	-171	-162		6	-1150	-1050	-950	-950	-950																																															
	7	-659	-384	-276	-246	-237	7	-1400	-1300	-1275	-1275	-1275																																																
41	1 & 2	-307	25	229	239	249	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 & Below</td> <td>-1200</td> <td>77 & below</td> <td>-60</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>78</td> <td>-50</td> </tr> <tr> <td>27-29</td> <td>-800</td> <td>79</td> <td>-40</td> </tr> <tr> <td>30-32</td> <td>-295</td> <td>80</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-129</td> <td>81</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>82</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>83</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>84</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-305</td> <td>85</td> <td>50</td> </tr> <tr> <td>53 & Above</td> <td>-505</td> <td>86 & above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77 & below	-60	25-26	-1000	78	-50	27-29	-800	79	-40	30-32	-295	80	0	33-34	-129	81	0	Base 35-36	0	82	0	37-42	25	83	30	Base 43-49	0	84	40	50-52	-305	85	50	53 & Above	-505	86 & above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77 & below	-60																																																								
	25-26	-1000	78	-50																																																								
27-29	-800	79	-40																																																									
30-32	-295	80	0																																																									
33-34	-129	81	0																																																									
Base 35-36	0	82	0																																																									
37-42	25	83	30																																																									
Base 43-49	0	84	40																																																									
50-52	-305	85	50																																																									
53 & Above	-505	86 & above	60																																																									
3	-307	25	229	239	249																																																							
4	-337	32.60	179	189	199																																																							
5	-417	-300	-225	-215	-205																																																							
6	-517	-400	-350	-340	-340																																																							
7	-742	-625	-600	-595	-585																																																							
51	1 & 2	-375	-200	-150	-140	-130	<table border="1"> <thead> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>20.5-21.4</td> <td>-450</td> </tr> <tr> <td>21.5-22.4</td> <td>-300</td> </tr> <tr> <td>22.5-23.4</td> <td>-150</td> </tr> <tr> <td>23.5-25.4</td> <td>-100</td> </tr> <tr> <td>25.5-26.4</td> <td>-50</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>50</td> </tr> <tr> <td>29.5-30.4</td> <td>75</td> </tr> <tr> <td>30.5-32.4</td> <td>100</td> </tr> <tr> <td>32.5 & Above</td> <td>100</td> </tr> </tbody> </table>						Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-450	21.5-22.4	-300	22.5-23.4	-150	23.5-25.4	-100	25.5-26.4	-50	Base 26.5-28.4	0	28.5-29.4	50	29.5-30.4	75	30.5-32.4	100	32.5 & Above	100																						
	Strength																																																											
	(Grams per Tex)																																																											
	Range	Diff.																																																										
	20.5-21.4	-450																																																										
21.5-22.4	-300																																																											
22.5-23.4	-150																																																											
23.5-25.4	-100																																																											
25.5-26.4	-50																																																											
Base 26.5-28.4	0																																																											
28.5-29.4	50																																																											
29.5-30.4	75																																																											
30.5-32.4	100																																																											
32.5 & Above	100																																																											
3	-375	-200	-150	-140	-130																																																							
4	-375	-225	-175	-165	-155																																																							
5	-475	-425	-375	-365	-355																																																							
6	-650	-525	-475	-475	-475																																																							
7	-850	-800	-775	-775	-775																																																							
12 & 22	1 & 2	-275	50	286	296	310	<table border="1"> <thead> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-50</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-439</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> </tbody> </table>						Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-439	2	-800																																
	Extraneous Matter																																																											
	Level	Diff.																																																										
	Prep																																																											
	1	-50																																																										
2	-800																																																											
Other																																																												
1	-439																																																											
2	-800																																																											
3	-275	50	261	271	285																																																							
4	-325	0	236	246	260																																																							
5	-425	-250	-146	-146	-142																																																							
6	-600	-475	-346	-346	-342																																																							
7	-775	-650	-596	-596	-592																																																							
32	1 & 2	-325	25	200	210	220																																																						
	3	-325	25	200	210	220																																																						
	4	-375	-100	75	75	85																																																						
	5	-525	-500	-425	-425	-425																																																						
	6	-675	-625	-575	-575	-575																																																						
7	-825	-775	-750	-750	-750																																																							
42	1 & 2	-400	-175	-125	-125	-125																																																						
	3	-400	-175	-125	-125	-125																																																						
	4	-425	-250	-200	-200	-200																																																						
	5	-550	-550	-500	-500	-500																																																						
	6	-725	-650	-600	-600	-600																																																						
7	-975	-875	-850	-850	-850																																																							
52	1 & 2	-450	-325	-300	-300	-300																																																						
	3	-450	-325	-300	-300	-300																																																						
	4	-625	-450	-425	-425	-425																																																						
	5	-675	-575	-575	-575	-575																																																						
	6	-775	-675	-675	-675	-675																																																						
7	-1075	-975	-875	-950	-950																																																							

Table 14. San Joaquin Valley spot cotton differences, season average.

August 2001- July 2002

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	407	803	1055	1094	33	1 & 2	-481	-481	-481	-481
	3	360	750	862	901		3	-481	-481	-481	-481
	4	128	408	442	497		4	-581	-581	-581	-581
	5	-125	75	84	98		5	-781	-781	-781	-781
	6	-400	-200	-196	-192		6	-1056	-1056	-1056	-1056
	7	-636	-536	-532	-528		7	-1206	-1206	-1206	-1206
	31	1 & 2	363	713	822		861	43	1 & 2	-856	-856
3		363	713	772	827	3	-856		-856	-856	-856
4		128	378	382	439	4	-906		-906	-906	-906
5		-211	-11	-2	12	5	-1056		-1056	-1056	-1056
6		-536	-336	-332	-328	6	-1206		-1206	-1206	-1206
7		-686	-586	-582	-578	7	-1406		-1406	-1406	-1406
41		1 & 2	178	478	508	518					
	3	128	428	458	468						
	4	34.64	300	330	340						
	5	-425	-200	-195	-185						
	6	-675	-450	-450	-450						
	7	-825	-725	-725	-725						
	51	1 & 2	-545	-345	-345	-345					
3		-570	-370	-370	-370						
4		-620	-420	-420	-420						
5		-720	-570	-570	-570						
6		-870	-770	-770	-770						
7		-1020	-920	-920	-920						
12 & 22		1 & 2	225	625	659	673					
	3	150	550	584	598						
	4	3	303	312	326						
	5	-261	-61	-57	-53						
	6	-511	-411	-407	-403						
	7	-786	-711	-707	-703						
	32	1 & 2	89	389	414	414					
3		39	339	364	364						
4		-111	230	230	230						
5		-536	-286	-286	-286						
6		-686	-486	-486	-486						
7		-861	-761	-761	-761						
42		1 & 2	-381	-231	-231	-231					
	3	-431	-281	-281	-281						
	4	-481	-381	-381	-381						
	5	-656	-581	-581	-581						
	6	-881	-856	-856	-856						
	7	-981	-981	-981	-981						
	52	1 & 2	-706	-656	-656	-656					
3		-706	-656	-656	-656						
4		-806	-756	-756	-756						
5		-856	-806	-806	-806						
6		-1006	-1006	-1006	-1006						
7		-1206	-1206	-1206	-1206						

Mike	
Range	Diff.
27-29	-1250
30-32	-550
33-34	-300
Base 35-36	0
37-42	27
Base 43-49	0
50-52	-450

Strength (Grams per Tex)	
Range	Diff.
23.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	75

Uniformity	
Unit	Points
77 & below	-60
78	-50
79	-40
80	0
81	0
82	0
83	30
84	40
85	50
86 & above	60

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-400
2	-925

Table 15. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2001-2002

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	13,897	3,896	20,681	63,109	39,177	26,944	36,453	19,433	5,341	27,904	16,652	13,738	287,225
North Delta	29,533	14,603	9,135	41,023	12,930	11,636	14,474	48,418	10,623	19,445	27,342	24,686	263,848
South Delta	14,041	3,762	21,841	92,004	31,161	13,151	7,245	14,370	5,162	13,691	15,960	13,379	245,767
East Texas-Oklahoma	27,635	53,465	99,825	100,029	11,965	29,429	16,649	21,379	9,668	12,294	20,269	3,140	405,737
West Texas	28,588	15,293	50,591	292,304	95,026	176,149	88,418	148,151	38,424	75,209	60,452	19,064	1,087,669
Desert Southwest	2,741	2,420	4,244	38,305	21,587	26,454	12,227	5,975	3,228	1,953	178	217	119,507
San Joaquin Valley	595	1,000	7,958	13,532	11,770	1,711	725	1,430	5,177	2,464	406	10,653	57,421
Total	117,030	94,439	214,275	640,306	223,596	285,474	176,191	259,156	77,623	152,950	141,257	84,877	2,467,174

Table 16. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 1996-2001. 1/

Market Area	1996	1997	1998	1999	2000	2001
Southeast	216,283	294,739	240,014	279,258	204,468	287,225
North Delta	208,894	251,313	120,298	180,419	121,060	263,848
South Delta	839,635	793,921	252,632	550,347	472,055	245,767
East Texas-Oklahoma	211,500	242,778	121,454	310,867	264,381	405,737
West Texas	1,501,599	1,611,928	1,081,017	959,473	815,354	1,087,669
Desert Southwest	108,593	143,220	134,749	223,740	158,157	139,476
San Joaquin Valley	137,757	107,754	76,996	239,093	266,537	94,043
Total	3,224,261	3,445,654	2,027,160	2,743,197	2,302,012	2,523,765

1/ Year beginning August 1.

Table 17. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse. 1/ 2/

DESERT SOUTHWEST PIMA DIFFERENCES					SAN JOAQUIN VALLEY PIMA DIFFERENCES				
Color	Leaf	Staple			Color	Leaf	Staple		
		44	46	48			44	46	48
1	1 3/	84.03	85.77	86.52	1	1 3/	86.04	88.66	89.41
	2 5/	82.91	85.15	85.89		2 5/	84.21	87.23	87.98
	3	-	-	-		3	-	-	-
	4	-	-	-		4	-	-	-
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
2	1 4/	82.22	84.01	85.01	2	1 4/	84.49	86.95	87.67
	2 3/	83.05	84.73	85.69		2 3/	85.46	87.84	88.57
	3 6/	84.25	86.00	87.25		3 6/	84.86	86.61	87.86
	4	-	-	-		4	-	-	-
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
3	1 5/	78.91	80.91	81.18	3	1 5/	81.15	82.45	83.09
	2 5/	78.91	80.91	81.18		2 5/	81.15	82.45	83.09
	3 3/	79.41	81.19	81.94		3 3/	82.47	83.48	84.33
	4	-	-	-		4	-	-	-
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
4	1	-	-	-	4	1	-	-	-
	2	-	-	-		2	-	-	-
	3	-	-	-		3	-	-	-
	4 3/	73.12	74.13	74.13		4 3/	75.42	76.42	76.42
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
5	1	-	-	-	5	1	-	-	-
	2	-	-	-		2	-	-	-
	3	-	-	-		3	-	-	-
	4	-	-	-		4	-	-	-
	5 3/	64.10	64.49	64.49		5 3/	65.74	66.24	66.24
	6	-	-	-		6	-	-	-
6	1	-	-	-	6	1	-	-	-
	2	-	-	-		2	-	-	-
	3	-	-	-		3	-	-	-
	4	-	-	-		4	-	-	-
	5	-	-	-		5	-	-	-
	6 3/	51.21	51.34	51.34		6 3/	52.71	52.96	52.96

Mike ranges	Points per pound	Extraneous Matter		Mike ranges	Points per pound	Extraneous Matter	
		Level	Diff.			Level	Diff.
		Preparation				Preparation	
26 & Below	-1288	1	-283	26 & Below	-1295	1	-332
27-29	-921	2	-850	27-29	-905	2	-900
30-32	-401	Bark, Grass, Sp.twist, Other		30-32	-382	Bark, Grass, Sp.twist, Other	
33-34	-174	1	-350	33-34	-183	1	-342
35 & Above	0	2	-800	35 & Above	0	2	-900

1/ Format for Pima spot quotations changed August 1, 2001 to reflect changes in Pima classification. Pima spot quotations consisted only of the color grades and their corresponding leaf grades until sales of 2001-crop Pima were reported. Pima spot quotations for other color-leaf-staple combinations were included as sales of those qualities were reported. 2/ These prices are averages of the monthly Cotton Price Statistics reports and are skewed due to the different periods that different qualities were quoted. 3/ Prices quoted beginning August 1, 2001. 4/ Prices quoted beginning October 26, 2001. 5/ Prices quoted beginning January 2, 2002. 6/ Prices quoted beginning July 19, 2002.

Table 13. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 1995-2001.

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for upland cotton 1/													
1995	72.20	74.80	74.20	75.00	75.70	76.40	75.70	76.80	78.90	76.70	76.90	73.60	75.40
1996	71.90	71.60	71.50	69.70	69.30	67.90	68.10	69.30	67.60	68.30	67.10	67.50	69.30
1997	67.00	69.60	69.40	67.90	63.80	61.10	62.50	63.90	63.60	63.50	69.70	68.00	65.20
1998	66.00	66.20	65.90	64.60	60.60	58.10	55.60	55.10	55.60	55.00	54.60	53.80	60.20
1999	52.70	45.30	46.30	44.30	42.80	43.10	46.80	47.70	45.40	47.60	45.10	48.80	45.00
2000	51.40	50.60	55.50	58.00	57.80	52.10	48.50	41.10	42.60	40.90	39.20	38.90	49.80
2001	36.00	38.50	34.50	29.50	32.20	28.90	28.70	29.90	29.30	28.60	34.90	32.10 2/	32.40 3/

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets

1995	85.90	90.00	84.65	84.16	82.18	81.81	81.56	81.13	84.69	83.22	80.23	76.84	83.03
1996	76.15	75.24	72.21	70.12	71.98	70.53	70.53	71.12	69.09	69.30	71.03	71.83	71.59
1997	71.61	70.75	69.46	68.90	64.57	62.75	63.66	67.04	61.88	65.21	73.50	74.18	67.79
1998	71.87	71.75	67.61	64.95	59.88	56.20	55.46	58.17	57.01	55.54	53.74	49.23	60.12
1999	49.72	48.39	49.46	48.12	46.65	51.92	54.29	57.67	53.76	58.31	54.97	55.13	52.36
2000	59.33	60.62	60.54	62.16	61.04	56.66	54.10	47.22	42.19	40.02	37.38	37.48	51.56
2001	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets

1995	87.74	92.02	86.38	85.63	83.50	83.83	83.42	83.00	86.68	85.28	82.10	78.29	84.82
1996	77.32	76.13	73.06	70.96	73.06	71.89	72.15	72.82	70.50	70.70	72.53	73.33	72.87
1997	72.94	71.95	70.41	69.94	65.72	63.91	65.08	68.47	63.31	66.70	74.97	75.55	69.08
1998	73.15	73.01	69.08	66.38	61.29	57.91	57.29	60.38	59.37	57.90	55.96	51.43	61.93
1999	51.84	50.43	51.12	49.73	47.83	53.01	55.62	59.26	55.37	60.20	56.75	56.73	53.99
2000	60.58	61.78	61.68	63.39	62.51	58.37	55.85	48.93	43.82	41.46	38.64	38.80	52.98
2001	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66

Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/

1995	89.71	96.34	90.82	90.58	89.70	88.86	89.76	88.77	92.10	90.20	85.99	82.18	89.58
1996	82.61	82.99	78.96	76.89	79.14	77.97	77.68	77.95	75.18	75.54	77.09	78.47	78.37
1997	77.59	76.56	74.96	74.97	71.57	69.45	69.48	72.95	69.50	71.78	80.87	83.62	74.44
1998	79.80	79.02	75.35	71.48	67.16	64.47	63.39	66.31	64.69	63.17	60.87	56.24	67.66
1999	57.14	55.98	57.79	55.88	53.94	58.52	61.67	64.76	61.04	64.05	62.10	61.05	59.49
2000	64.60	66.80	66.04	68.25	70.11	64.27	61.25	54.34	49.06	47.92	45.06	44.83	58.54
2001	43.83	40.43	36.26	37.44	40.32	39.93	39.56	41.40	5/	5/	44.48	48.36	41.20 6/

Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/

1995	92.80	98.84	92.54	92.31	91.25	90.44	91.42	90.38	94.18	92.53	88.31	84.86	91.66
1996	85.29	84.99	80.46	78.50	80.81	79.70	79.66	79.79	76.99	77.40	78.85	80.01	80.20
1997	79.21	78.26	76.62	76.30	72.69	70.74	70.66	74.27	70.92	73.71	83.02	85.89	76.02
1998	81.85	80.84	77.07	73.46	69.81	67.09	65.94	68.83	67.43	66.20	63.66	58.80	70.08
1999	59.59	58.39	60.71	58.55	56.36	60.83	63.73	66.46	62.75	65.52	63.91	62.90	61.64
2000	66.14	68.25	67.38	69.49	71.56	65.65	62.67	55.96	50.62	49.57	46.92	46.98	60.10
2001	46.05	42.42	38.46	39.43	42.35	42.05	41.50	43.22	5/	5/	46.74	50.63	43.29 6/

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ The 2001 Average is a preliminary price for August-December, 2001. 4/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths. 5/ Landed Mill quotations were not published. 6/ Ten month average.