

COTTON PRICE STATISTICS

2004-2005



ANNUAL REPORT

**UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service – Cotton Program
Memphis, Tennessee**

Vol. 86, No. 13


mp_cn830

August 2005

ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 45.61 cents per pound for the 2004-2005 season, down from 60.15 cents for the 2003-2004 season. Quotations averaged 44.92 cents per pound in August 2004, the first month of the marketing year. The lowest monthly average for the marketing year was 41.68 cents per pound in December 2004 and the highest was 49.58 cents per pound in April 2005. The season's highest daily average quotation for the base quality occurred on April 26, 2005 at 52.30 cents per pound and the season's lowest daily quotations was 40.39 cents on February 8, 2005.

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 48.42 cents per pound for the 2004-2005 season, down from 62.24 cents for the 2003-2004 season.



The average price received by farmers for Upland cotton was 46.00 cents per pound (preliminary average) for the 2004-2005 marketing year, according to the National Agricultural Statistics Service, USDA. This compares with 61.80 cents for the 2003-2004 marketing year and 44.50 cents for the 2002-2003 marketing year. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 2,599,035 running bales in the 2004-2005 marketing year, up from 2,254,086 bales in the 2003-2004 marketing year and 2,565,229 bales 2002-2003.

August 4, 2004

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 1999-2004 1/ 2/

Market Areas	1999	2000	2001	2002	2003	2004
Southeast	53.81	52.63	33.02	48.28	60.80	45.91
North Delta	53.34	52.32	33.24	48.47	60.78	46.02
South Delta	53.34	52.32	33.24	48.46	60.85	46.02
East Texas-Oklahoma	50.49	51.03	32.59	46.76	59.95	44.22
West Texas	50.12	50.71	32.39	46.51	59.71	44.08
Desert Southwest	48.79	49.47	32.60	46.27	59.23	45.66
San Joaquin Valley	56.67	52.45	34.64	47.52	59.71	47.38
Average	52.36	51.56	33.10	47.46	60.15	45.61

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
1999 2/	22-May-00	60.71	20-Dec-99	45.94
2000 3/	30-Nov-00	63.57	20-Jun-01	35.39
2001 3/	10-Jul-02	41.39	25-Oct-01	25.94
2002 3/	14-Jul-03	55.86	4-Oct-02	36.56
2003 3/	29-Oct-03	77.66	29-Jul-04	42.45
2004 3/	26-Apr-05	52.30	8-Feb-05	40.39

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 23.5-25.4 prior to year 2000.

3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2004-05 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1		50.46	45.09	42.27	42.53		41.52	46.49	48.86		45.42	50.11
2	42.86	51.11		43.39	42.01		41.87	46.42		51.81	45.54	
3	43.90	47.82		42.84	40.94	42.05	40.87	46.62		49.69	45.24	
4	43.46		45.27	41.62		42.53	40.93	47.41	48.68	49.56		
5	44.06		45.06	41.61		43.76			48.18	49.11		51.06
6	43.18		46.19		41.09	43.83			47.95	49.28	44.48	49.60
7		49.04	44.91		41.64	44.19	40.81	46.85	48.19		44.03	50.36
8		49.82	44.89	42.20	41.14		40.39	47.76	48.97		43.85	50.11
9	43.32	49.36		42.42	41.40		40.76	48.11		50.76	43.28	
10	43.29	48.07		41.96	40.94	44.49	42.24	48.71		51.56	43.90	
11	43.16		44.09	42.16		43.29	42.39	49.64	49.01	52.18		49.50
12	41.19		42.35	42.81		43.60			48.89	50.74		47.07
13	41.64	49.86	43.68		41.98	43.13			47.44	49.57	44.45	46.61
14		48.29	44.62		41.27	42.91	42.80	49.26	48.10		44.50	47.18
15		48.21	43.91	42.64	41.36		43.19	49.59	48.04		44.19	46.64
16	41.68	45.44		42.62	42.11		43.13	49.74		48.04	43.89	
17	44.68	46.66		42.79	42.38		42.94	47.74		48.08	44.93	
18	45.25		44.48	43.40		43.40	43.70	47.46	48.99	47.89		46.21
19	45.31		45.71	42.99		44.72			50.09	46.36		45.54
20	48.18	45.65	46.17		42.21	44.38			50.04	46.36	46.07	45.54
21		46.31	43.97		41.80	43.80		46.87	49.74		46.40	46.14
22		47.28	43.87	43.31	40.87		45.27	48.06	49.59		45.89	47.21
23	47.75	46.87		42.61	41.14		44.67	47.49		46.51	47.74	
24	48.07	45.09		41.94		43.35	44.57	48.14		46.45	48.82	
25	47.42		44.78			43.59	45.99		51.94	46.73		47.21
26	45.61		44.84			43.66			52.30	46.84		47.43
27	45.18	46.11	45.06		41.16	41.15			51.54	46.95	49.24	47.11
28		46.08	43.47		42.43	40.93	47.05	49.97	52.26		48.40	47.15
29		45.09	43.16	42.98	42.01			49.52	52.29		49.68	47.78
30	48.11	44.43		43.77	42.76			49.34			50.23	
31	50.96					41.40		49.02		45.46		
Average	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78
High	50.96	51.11	46.19	43.77	42.76	44.72	47.05	49.97	52.30	52.18	50.23	51.06
Low	41.19	44.43	42.35	41.61	40.87	40.93	40.39	46.42	47.44	45.46	43.28	45.54

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2004-05 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	44.93	47.41	44.29	42.34	41.23	43.38	43.66	48.70	50.69	49.65	46.24	48.44	45.91
North Delta	45.06	47.94	44.53	42.48	41.54	43.10	43.53	48.77	50.49	49.41	46.67	48.77	46.02
South Delta	45.06	47.94	44.53	42.36	41.49	43.10	43.53	48.92	50.49	49.41	46.67	48.77	46.02
East Texas-Oklahoma	44.48	46.69	44.23	41.79	39.64	41.33	40.41	45.65	46.96	47.05	45.36	47.09	44.22
West Texas	44.39	46.17	43.39	41.76	39.49	41.08	40.51	45.67	46.99	47.05	45.36	47.09	44.08
Desert Southwest	44.96	47.72	45.07	43.26	43.07	43.86	43.08	48.46	49.67	47.83	44.67	46.27	45.66
San Joaquin Valley	45.58	48.47	45.82	44.34	45.27	46.61	45.58	51.17	51.74	49.59	46.42	48.02	47.38
Average	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2004-05 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	46.86	49.16	46.19	43.80	42.62	44.46	44.36	49.69	51.88	51.23	47.99	50.49	47.40
North Delta	47.78	49.93	47.05	46.10	44.82	45.85	46.28	51.27	52.55	51.77	49.40	51.02	48.65
South Delta	47.53	49.68	46.64	45.63	44.75	45.85	46.28	51.42	52.55	51.75	49.40	51.02	48.54
East Texas-Oklahoma	46.86	48.82	46.00	43.75	42.00	43.85	43.83	49.15	50.46	50.55	48.86	50.59	47.06
West Texas	46.09	48.19	45.36	42.93	41.25	42.83	42.47	47.88	49.49	49.55	47.86	49.55	46.12
Desert Southwest	47.71	50.47	47.57	45.26	44.57	45.36	44.55	49.80	51.17	49.33	46.17	47.77	47.48
San Joaquin Valley	50.58	53.47	50.82	49.34	50.27	53.21	52.58	58.17	58.74	56.59	53.42	55.02	53.52
Average	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	51.54	49.02	50.78	48.40

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2004- July 2005

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-190	-115	-64	-58	114	386	614	757	770
	3	-240	-140	-77	-78	106	342	557	679	697
	4	-322	-247	-139	-155	-24	136	314	412	434
	5	-383	-308	-208	-312	-233	-61	120	174	195
	6	-574	-474	-374	-430	-388	-324	-243	-223	-208
31	7	-649	-549	-449	-564	-540	-460	-403	-382	-367
	1 & 2	-234	-159	-108	-81	73	302	539	643	660
	3	-284	-196	-133	-91	64	278	509	592	609
	4	-381	-306	-173	-168	-65	112	263	336	353
	5	-440	-365	-240	-325	-249	-109	78	126	147
41	6	-606	-506	-406	-438	-401	-353	-274	-252	-237
	7	-681	-594	-481	-578	-548	-474	-424	-398	-383
	1 & 2	-323	-273	-170	-189	-80	108	243	310	313
	3	-348	-298	-195	-204	-90	88	220	289	292
	4	-407	-348	-233	-229	-154	45.61	141	211	214
51	5	-465	-406	-298	-371	-288	-196	-81	-44	-41
	6	-640	-564	-476	-506	-456	-428	-372	-358	-358
	7	-726	-676	-601	-635	-608	-576	-537	-526	-525
	1 & 2	-439	-389	-351	-440	-296	-223	-109	-101	-99
	3	-439	-389	-351	-462	-310	-243	-125	-117	-115
61	4	-489	-439	-401	-485	-335	-287	-172	-163	-162
	5	-525	-500	-425	-542	-472	-402	-296	-285	-284
	6	-740	-665	-640	-650	-604	-569	-527	-517	-517
	7	-815	-765	-740	-755	-742	-723	-682	-675	-675
	1 & 2	-493	-443	-394	-543	-405	-327	-302	-298	-298
71	3	-493	-443	-394	-548	-411	-335	-311	-306	-306
	4	-543	-469	-426	-569	-449	-378	-351	-346	-346
	5	-568	-525	-468	-623	-552	-481	-458	-458	-458
	6	-765	-690	-665	-778	-723	-650	-634	-627	-627
	7	-840	-790	-765	-890	-833	-754	-737	-734	-734
12 & 22	1 & 2	-608	-533	-458	-788	-686	-615	-595	-595	-595
	3	-608	-533	-458	-788	-686	-615	-595	-595	-595
	4	-633	-558	-533	-838	-736	-665	-645	-645	-645
	5	-658	-583	-558	-868	-821	-735	-715	-715	-715
	6	-833	-758	-733	-983	-926	-835	-815	-815	-815
32	7	-908	-858	-808	-1023	-976	-885	-865	-865	-865
	1 & 2	-293	-243	-168	-217	-45	124	302	369	387
	3	-343	-281	-193	-241	-56	104	277	338	355
	4	-368	-318	-231	-281	-130	27	189	247	264
	5	-440	-390	-340	-414	-332	-207	-108	-74	-60
42	6	-640	-565	-490	-505	-477	-404	-350	-342	-328
	7	-727	-652	-577	-637	-621	-571	-527	-519	-505
	1 & 2	-319	-269	-244	-285	-121	32	151	207	208
	3	-369	-307	-269	-300	-134	9	126	196	197
	4	-414	-362	-332	-350	-219	-85	47	101	102
52	5	-478	-441	-391	-471	-407	-315	-231	-201	-201
	6	-666	-616	-516	-561	-542	-488	-443	-440	-440
	7	-803	-728	-628	-696	-683	-631	-604	-603	-603
	1 & 2	-381	-311	-285	-325	-245	-165	-52	-1	0
	3	-398	-336	-324	-354	-267	-188	-80	-28	-28
62	4	-437	-386	-386	-401	-296	-231	-134	-87	-87
	5	-539	-514	-464	-546	-452	-407	-333	-327	-327
	6	-789	-739	-614	-664	-616	-575	-539	-535	-535
	7	-876	-826	-726	-792	-753	-709	-682	-681	-681
	1 & 2	-536	-461	-436	-537	-396	-355	-325	-317	-317
82	3	-536	-461	-436	-549	-410	-372	-340	-332	-332
	4	-586	-536	-486	-579	-464	-426	-395	-387	-387
	5	-661	-611	-586	-639	-568	-523	-495	-495	-495
	6	-886	-836	-786	-805	-733	-685	-670	-670	-670
	7	-961	-911	-886	-900	-865	-827	-817	-813	-813
92	1 & 2	-586	-511	-486	-633	-545	-472	-460	-460	-460
	3	-586	-511	-486	-637	-549	-480	-469	-469	-469
	4	-636	-586	-511	-677	-589	-530	-519	-519	-519
	5	-736	-661	-636	-782	-722	-638	-627	-627	-627
	6	-911	-861	-811	-967	-900	-812	-801	-801	-801

Table 6. United States (Continued)

August 2004- July 2005

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-470	-370	-320	-261	-198	-159	-117	-95	-95
	3	-470	-407	-345	-286	-223	-184	-142	-120	-120
	4	-545	-445	-420	-361	-273	-234	-192	-170	-170
	5	-670	-570	-545	-461	-398	-359	-317	-295	-295
	6	-770	-695	-595	-536	-459	-420	-409	-388	-388
	7	-845	-770	-670	-612	-548	-509	-509	-488	-488
33	1 & 2	-552	-477	-427	-335	-272	-310	-288	-274	-274
	3	-552	-477	-427	-335	-272	-310	-288	-274	-274
	4	-602	-552	-477	-410	-322	-371	-349	-335	-335
	5	-702	-702	-602	-519	-431	-528	-499	-485	-485
	6	-827	-777	-677	-594	-531	-669	-669	-655	-655
	7	-952	-852	-777	-694	-606	-786	-786	-772	-772
43	1 & 2	-602	-527	-477	-575	-470	-443	-408	-388	-388
	3	-602	-527	-477	-575	-470	-443	-408	-388	-388
	4	-652	-602	-527	-625	-520	-486	-442	-421	-421
	5	-727	-727	-627	-696	-640	-641	-590	-584	-584
	6	-877	-827	-702	-803	-760	-766	-751	-745	-745
	7	-977	-902	-802	-913	-864	-891	-876	-870	-870
53	1 & 2	-722	-622	-597	-667	-638	-554	-515	-511	-511
	3	-722	-622	-597	-677	-642	-562	-523	-520	-520
	4	-772	-672	-647	-732	-688	-608	-569	-566	-566
	5	-847	-772	-722	-786	-777	-692	-652	-649	-649
	6	-947	-873	-847	-929	-893	-811	-786	-782	-782
	7	-1022	-948	-923	-1002	-1021	-925	-912	-909	-909
63	1 & 2	-828	-728	-703	-838	-753	-665	-635	-631	-631
	3	-828	-728	-703	-838	-753	-665	-635	-631	-631
	4	-878	-778	-753	-878	-793	-715	-685	-681	-681
	5	-978	-878	-853	-948	-883	-805	-775	-771	-771
	6	-1028	-953	-953	-1058	-976	-878	-868	-864	-864
34	1 & 2	-669	-569	-519	-461	-411	-371	-371	-371	-371
	3	-669	-569	-519	-461	-411	-371	-371	-371	-371
	4	-794	-694	-644	-586	-511	-471	-471	-471	-471
	5	-894	-794	-744	-686	-636	-596	-596	-596	-596
	6	-1019	-944	-894	-836	-786	-746	-746	-746	-746
44	1 & 2	-744	-644	-594	-511	-461	-421	-421	-421	-421
	3	-769	-669	-619	-561	-511	-471	-471	-471	-471
	4	-828	-744	-680	-661	-561	-521	-521	-521	-521
	5	-928	-830	-794	-736	-661	-621	-621	-621	-621
	6	-1053	-978	-928	-872	-820	-779	-779	-779	-779
54	1 & 2	-819	-719	-669	-611	-536	-496	-496	-496	-496
	3	-819	-719	-669	-611	-536	-496	-496	-496	-496
	4	-869	-769	-744	-686	-636	-596	-596	-596	-596
	5	-942	-852	-818	-759	-686	-644	-644	-644	-644

Mike	
Range	Diff.
24 & Below	-1028
25-26	-902
27-29	-700
30-32	-357
33-34	-193
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-242
53 & Above	-316

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-288
21.5-22.4	-226
22.5-23.4	-167
23.5-24.4	-131
24.5-25.4	-116
25.5-26.4	-42
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	20
30.5-32.4	40
32.5 & Above	45

Uniformity	
Length	Points
77 & below	-72
78	-62
79	-52
80	0
Base 81	0
82	0
83	20
84	30
85	40
86 & above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-62
2	-671
Other (ET-OK and WT not included)	
1	-370
2	-706
Bark - (ET-OK and WT only)	
1	-237
2	-441

Table 7. Southeast spot cotton differences, season average.

August 2004-July 2005

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-50	87	231	318	437	43	1 & 2	-460	-360	-310	-285	-260
	3	-50	87	231	318	437		3	-460	-360	-310	-285	-260
	4	-125	38	99	232	338		4	-510	-410	-360	-310	-285
	5	-400	-250	-167	81	137		5	-585	-535	-485	-485	-485
	6	-500	-350	-325	-269	-263		6	-785	-735	-685	-685	-685
	7	-800	-650	-650	-619	-613	7	-885	-835	-785	-785	-785	
31	1 & 2	-50	50	173	239	358	53	1 & 2	-610	-510	-410	-410	-410
	3	-50	50	148	197	315		3	-610	-510	-410	-410	-410
	4	-125	16	60	135	266		4	-660	-560	-460	-460	-460
	5	-400	-250	-161	38	120		5	-685	-635	-535	-535	-535
	6	-500	-350	-325	-300	-293		6	-885	-835	-735	-735	-735
	7	-800	-650	-650	-650	-643	7	-985	-935	-835	-835	-835	
41	1 & 2	-256	-57	49	90	154	63	1 & 2	-935	-835	-735	-735	-735
	3	-256	-68	28	69	132		3	-935	-835	-735	-735	-735
	4	-256	-118	45.91	69	132		4	-985	-885	-785	-785	-785
	5	-425	-268	-235	-35	-21		5	-1035	-985	-885	-885	-885
	6	-575	-475	-475	-450	-443		6	-1250	-1200	-1100	-1100	-1100
	7	-850	-725	-725	-725	-718							
51	1 & 2	-399	-188	-70	-24	-17							
	3	-461	-249	-142	-67	-60							
	4	-475	-249	-167	-117	-110							
	5	-544	-425	-342	-242	-235							
	6	-675	-550	-525	-525	-518							
	7	-925	-800	-800	-800	-793							
61	1 & 2	-575	-400	-350	-281	-259							
	3	-581	-409	-362	-293	-268							
	4	-587	-459	-412	-343	-318							
	5	-659	-581	-550	-550	-550							
	6	-900	-825	-775	-775	-775							
	7	-981	-900	-850	-850	-850							
71	1 & 2	-875	-750	-700	-700	-700							
	3	-875	-750	-700	-700	-700							
	4	-875	-750	-700	-700	-700							
	5	-925	-875	-850	-850	-850							
	6	-1050	-975	-925	-925	-925							
	7	-1050	-975	-925	-925	-925							
12 & 22	1 & 2	-319	-63	44	121	149							
	3	-319	-63	44	121	149							
	4	-419	-138	-56	21	49							
	5	-469	-325	-250	-250	-241							
	6	-550	-425	-425	-425	-425							
	7	-825	-725	-725	-725	-722							
32	1 & 2	-347	-129	-10	28	60							
	3	-375	-157	-49	3	35							
	4	-475	-232	-149	-97	-65							
	5	-525	-350	-300	-300	-293							
	6	-600	-450	-428	-428	-421							
	7	-875	-750	-728	-728	-721							
42	1 & 2	-382	-191	-103	-83	-76							
	3	-443	-253	-189	-169	-163							
	4	-528	-303	-239	-219	-213							
	5	-621	-486	-446	-446	-439							
	6	-735	-610	-585	-585	-578							
	7	-960	-835	-785	-785	-778							
52	1 & 2	-496	-336	-192	-191	-188							
	3	-558	-397	-272	-253	-249							
	4	-608	-447	-322	-303	-299							
	5	-658	-558	-483	-483	-483							
	6	-885	-760	-710	-710	-710							
	7	-1010	-885	-835	-835	-835							
62	1 & 2	-660	-535	-485	-485	-485							
	3	-660	-535	-485	-485	-485							
	4	-760	-635	-585	-585	-585							
	5	-860	-785	-735	-735	-735							
	6	-1135	-1060	-1010	-1010	-1010							

Mike	
Range	Diff.
25-26	-825
27-29	-425
30-32	-275
33-34	-150
Base 35-36	0
37-42	4
Base 43-49	0
50-52	-221
53 & Above	-321

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-425
21.5-22.4	-350
22.5-23.4	-300
23.5-24.4	-248
24.5-25.4	-193
25.5-26.4	-45
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-133
2	-800
Other	
1	-323
2	-800

Uniformity	
Unit	Points
77 & below	-94
78	-79
79	-68
80	0
Base 81	0
82	0
83	20
84	30
85	40
86 & above	50

Table 8. North Delta spot cotton differences, season average.

August 2004-July 2005

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-120	67	328	445	565	43	1 & 2	-791	-562	-375	-350	-350
	3	-120	67	294	411	496		3	-791	-562	-375	-350	-350
	4	-201	-29	129	211	292		4	-816	-587	-400	-375	-375
	5	-450	-325	0	55	80		5	-866	-737	-650	-625	-625
	6	-500	-475	-350	-325	-325		6	-966	-837	-750	-725	-725
	7	-600	-575	-450	-425	-425	7	-1116	-987	-900	-875	-875	
31	1 & 2	-120	67	277	393	478	53	1 & 2	-877	-762	-675	-650	-650
	3	-120	67	263	393	461		3	-877	-762	-675	-650	-650
	4	-201	-77	130	190	257		4	-902	-787	-700	-675	-675
	5	-450	-325	0	55	80		5	-952	-887	-800	-775	-775
	6	-500	-475	-350	-325	-325		6	-1119	-987	-900	-875	-875
	7	-600	-575	-450	-425	-425	7	-1177	-1112	-1000	-975	-975	
41	1 & 2	-275	-122	82	188	233	63	1 & 2	-1052	-937	-850	-825	-825
	3	-275	-122	82	176	220		3	-1052	-937	-850	-825	-825
	4	-300	-147	46.02	79	137		4	-1077	-962	-875	-850	-850
	5	-505	-380	-106	-63	-48		5	-1127	-1062	-975	-950	-950
	6	-575	-500	-400	-375	-375		6	-1177	-1112	-975	-950	-950
	7	-672	-633	-508	-473	-473							
51	1 & 2	-642	-409	-217	-120	-120							
	3	-642	-410	-238	-141	-141							
	4	-667	-435	-270	-192	-192							
	5	-744	-656	-408	-350	-350							
	6	-800	-725	-571	-546	-546							
	7	-850	-850	-675	-625	-625							
61	1 & 2	-775	-592	-448	-421	-421							
	3	-775	-592	-458	-432	-432							
	4	-800	-617	-483	-457	-457							
	5	-850	-754	-650	-601	-601							
	6	-953	-880	-765	-740	-740							
	7	-1103	-1030	-896	-871	-871							
71	1 & 2	-1150	-1050	-900	-850	-850							
	3	-1150	-1050	-900	-850	-850							
	4	-1200	-1100	-950	-900	-900							
	5	-1225	-1175	-1025	-975	-975							
	6	-1275	-1225	-1075	-1025	-1025							
	7	-1325	-1275	-1125	-1075	-1075							
12 & 22	1 & 2	-276	-26	80	163	182							
	3	-276	-26	80	163	172							
	4	-301	-101	20	109	128							
	5	-500	-375	-175	-150	-125							
	6	-575	-516	-375	-375	-375							
	7	-675	-650	-525	-500	-500							
32	1 & 2	-326	-135	31	118	127							
	3	-326	-135	31	116	127							
	4	-351	-188	-50	63	73							
	5	-525	-425	-200	-175	-150							
	6	-625	-600	-475	-450	-441							
	7	-725	-700	-575	-550	-550							
42	1 & 2	-369	-261	-146	-67	-58							
	3	-370	-262	-147	-68	-59							
	4	-395	-287	-186	-118	-109							
	5	-593	-442	-315	-265	-256							
	6	-775	-675	-525	-471	-461							
	7	-875	-775	-625	-600	-600							
52	1 & 2	-738	-455	-297	-258	-258							
	3	-738	-455	-318	-280	-280							
	4	-763	-480	-343	-305	-305							
	5	-788	-641	-484	-434	-434							
	6	-889	-792	-674	-649	-649							
	7	-964	-892	-774	-749	-749							
62	1 & 2	-828	-697	-597	-572	-572							
	3	-828	-697	-618	-593	-593							
	4	-853	-722	-643	-618	-618							
	5	-953	-872	-768	-743	-743							
	6	-1103	-1022	-897	-872	-872							

Mike	
Range	Diff.
25-26	-1000
27-29	-650
30-32	-312
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-196
53 & Above	-295

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-279
21.5-22.4	-230
22.5-23.4	-180
23.5-24.4	-138
24.5-25.4	-113
25.5-26.4	-25
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	8
30.5-32.4	40
32.5 & Above	44

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-400
2	-785

Uniformity	
Unit	Points
77 & below	-69
78	-59
79	-49
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 9. South Delta spot cotton differences, season average.

August 2004-July 2005

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-151	62	331	441	564	43	1 & 2	-787	-511	-358	-333	-333
	3	-151	62	298	407	495		3	-787	-511	-358	-333	-333
	4	-226	-36	123	198	274		4	-812	-536	-383	-358	-358
	5	-375	-287	31	65	90		5	-845	-686	-624	-599	-599
	6	-475	-462	-350	-325	-325		6	-911	-786	-724	-699	-699
	7	-575	-562	-450	-425	-425	7	-1061	-936	-874	-849	-849	
31	1 & 2	-151	62	266	392	451	53	1 & 2	-856	-711	-649	-624	-624
	3	-151	62	252	392	440		3	-856	-711	-649	-624	-624
	4	-226	-79	111	198	237		4	-881	-736	-674	-649	-649
	5	-375	-287	31	65	90		5	-948	-870	-774	-749	-749
	6	-475	-462	-350	-325	-325		6	-1099	-970	-891	-866	-866
	7	-575	-562	-450	-425	-425	7	-1156	-1061	-974	-949	-949	
41	1 & 2	-208	-137	88	180	249	63	1 & 2	-997	-886	-824	-799	-799
	3	-208	-137	88	164	232		3	-997	-886	-824	-799	-799
	4	-233	-162	46.02	75	131		4	-1022	-911	-849	-824	-824
	5	-428	-303	-67	0	0		5	-1072	-1011	-949	-924	-924
	6	-550	-475	-391	-370	-370		6	-1156	-1061	-949	-924	-924
	7	-625	-575	-463	-438	-438							
51	1 & 2	-658	-417	-239	-138	-138							
	3	-679	-438	-260	-159	-159							
	4	-704	-463	-293	-210	-210							
	5	-749	-670	-415	-332	-332							
	6	-821	-746	-582	-557	-557							
	7	-871	-871	-707	-657	-657							
61	1 & 2	-775	-592	-478	-451	-451							
	3	-796	-613	-499	-472	-472							
	4	-821	-638	-524	-497	-497							
	5	-871	-760	-681	-632	-632							
	6	-974	-901	-796	-771	-771							
	7	-1103	-1030	-925	-900	-900							
71	1 & 2	-1150	-1050	-950	-900	-900							
	3	-1150	-1050	-950	-900	-900							
	4	-1200	-1100	-1000	-950	-950							
	5	-1225	-1175	-1075	-1025	-1025							
	6	-1275	-1225	-1125	-1075	-1075							
	7	-1325	-1275	-1175	-1125	-1125							
12 & 22	1 & 2	-323	-42	99	182	200							
	3	-323	-42	99	182	191							
	4	-348	-123	49	119	128							
	5	-547	-397	-147	-103	-88							
	6	-622	-547	-368	-347	-347							
	7	-703	-653	-488	-463	-463							
32	1 & 2	-401	-161	41	111	121							
	3	-401	-161	41	109	121							
	4	-426	-210	-43	58	67							
	5	-600	-475	-200	-175	-141							
	6	-700	-650	-475	-450	-441							
	7	-800	-750	-575	-550	-550							
42	1 & 2	-451	-286	-141	-73	-63							
	3	-472	-307	-162	-94	-84							
	4	-497	-332	-201	-149	-140							
	5	-696	-509	-317	-271	-261							
	6	-821	-721	-525	-450	-441							
	7	-900	-800	-625	-600	-600							
52	1 & 2	-727	-461	-291	-254	-248							
	3	-727	-482	-312	-275	-269							
	4	-752	-507	-339	-306	-306							
	5	-777	-659	-493	-450	-450							
	6	-881	-800	-661	-636	-636							
	7	-956	-900	-761	-736	-736							
62	1 & 2	-828	-702	-594	-569	-569							
	3	-849	-723	-615	-590	-590							
	4	-874	-748	-640	-615	-615							
	5	-974	-888	-755	-730	-730							
	6	-1124	-1004	-871	-846	-846							

Mike	
Range	Diff.
25-26	-1100
27-29	-750
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-205
53 & Above	-305

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-275
21.5-22.4	-225
22.5-23.4	-175
23.5-24.4	-133
24.5-25.4	-108
25.5-26.4	-25
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	8
30.5-32.4	40
32.5 & Above	44

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-392
2	-785

Uniformity	
Unit	Points
77 & below	-69
78	-59
79	-49
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2004-July 2005

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-55	39	260	481	636	773	773
	3	-250	-150	-55	-11	235	409	531	631	631
	4	-320	-245	-128	-100	138	323	393	520	520
	5	-389	-314	-214	-186	-104	-27	195	291	291
	6	-564	-464	-364	-314	-277	-241	-241	-191	-191
31	7	-639	-539	-439	-414	-377	-316	-316	-266	-266
	1 & 2	-245	-170	-100	-11	199	330	516	629	629
	3	-295	-195	-125	-36	174	284	452	517	517
	4	-370	-295	-153	-123	78	245	310	359	359
	5	-439	-364	-239	-210	-129	-71	133	200	200
41	6	-589	-489	-389	-339	-302	-266	-266	-204	-204
	7	-664	-564	-464	-439	-402	-341	-341	-279	-279
	1 & 2	-321	-271	-140	-65	118	153	228	307	307
	3	-346	-296	-165	-115	93	133	187	266	266
	4	-396	-346	-215	-165	-44	44.22	122	226	226
51	5	-464	-414	-323	-273	-172	-128	-37	84	84
	6	-639	-564	-464	-389	-364	-325	-303	-253	-253
	7	-714	-664	-589	-489	-464	-450	-403	-378	-378
	1 & 2	-434	-384	-334	-234	-172	-108	-85	-85	-85
	3	-434	-384	-334	-259	-172	-108	-85	-85	-85
61	4	-484	-434	-384	-284	-197	-183	-135	-135	-135
	5	-509	-484	-409	-334	-247	-224	-201	-201	-201
	6	-714	-639	-614	-439	-439	-416	-394	-369	-369
	7	-789	-739	-714	-539	-527	-516	-494	-469	-469
	1 & 2	-484	-434	-384	-284	-222	-183	-183	-183	-183
71	3	-484	-434	-384	-284	-222	-183	-183	-183	-183
	4	-534	-459	-409	-309	-247	-233	-233	-233	-233
	5	-559	-509	-459	-359	-322	-258	-258	-258	-258
	6	-739	-664	-639	-514	-489	-441	-425	-425	-425
	7	-814	-764	-739	-614	-589	-541	-525	-525	-525
12 & 22	1 & 2	-589	-514	-439	-364	-289	-275	-275	-275	-275
	3	-589	-514	-439	-364	-289	-275	-275	-275	-275
	4	-614	-539	-514	-439	-364	-350	-350	-350	-350
	5	-639	-564	-539	-464	-439	-375	-375	-375	-375
	6	-814	-739	-714	-639	-589	-525	-525	-525	-525
32	7	-889	-839	-789	-689	-664	-600	-600	-600	-600
	1 & 2	-287	-237	-162	-67	90	236	326	457	457
	3	-337	-262	-187	-135	47	211	299	407	407
	4	-362	-312	-212	-160	15	148	177	321	321
	5	-430	-380	-330	-280	-230	-191	-43	90	90
42	6	-630	-555	-480	-380	-380	-341	-293	-293	-293
	7	-730	-655	-580	-480	-455	-416	-368	-368	-368
	1 & 2	-312	-262	-237	-192	-2	81	159	284	284
	3	-362	-287	-262	-192	-27	31	109	284	284
	4	-398	-348	-287	-239	-109	-30	48	143	143
52	5	-480	-430	-380	-352	-322	-230	-110	24	24
	6	-655	-605	-505	-430	-430	-368	-368	-368	-368
	7	-805	-730	-630	-530	-530	-443	-443	-443	-443
	1 & 2	-396	-296	-281	-226	-169	-73	38	173	173
	3	-396	-321	-321	-251	-194	-73	-3	136	136
62	4	-421	-371	-371	-276	-219	-98	-28	107	107
	5	-539	-514	-464	-395	-348	-264	-192	-186	-186
	6	-789	-739	-614	-489	-464	-403	-403	-403	-403
	7	-889	-839	-739	-589	-564	-525	-478	-478	-478
	1 & 2	-514	-439	-414	-339	-314	-278	-278	-278	-278
12 & 22	3	-514	-439	-414	-339	-314	-278	-278	-278	-278
	4	-564	-514	-464	-364	-339	-303	-303	-303	-303
	5	-639	-589	-564	-464	-414	-353	-353	-353	-353
	6	-864	-814	-764	-664	-614	-503	-503	-503	-503
	7	-939	-889	-864	-764	-714	-603	-603	-603	-603
32	1 & 2	-564	-489	-464	-389	-364	-325	-325	-325	-325
	3	-564	-489	-464	-389	-364	-325	-325	-325	-325
	4	-614	-564	-489	-414	-389	-375	-375	-375	-375
	5	-714	-639	-614	-539	-514	-450	-450	-450	-450
	6	-889	-839	-789	-714	-689	-625	-625	-625	-625

Table 10. East Texas-Oklahoma (Continued)

August 2004-July 2005

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-489	-389	-339	-289	-214	-175	-125	-82	-82	
	3	-489	-414	-364	-314	-239	-200	-150	-107	-107	
	4	-564	-464	-439	-389	-289	-250	-200	-157	-157	
	5	-689	-589	-564	-489	-414	-375	-325	-282	-282	
	6	-789	-714	-614	-564	-464	-425	-425	-382	-382	
33	1 & 2	-564	-489	-439	-364	-289	-225	-175	-132	-132	
	3	-564	-489	-439	-364	-289	-225	-175	-132	-132	
	4	-614	-564	-489	-439	-339	-275	-225	-182	-182	
	5	-714	-714	-614	-539	-439	-400	-350	-307	-307	
	6	-839	-789	-689	-614	-539	-475	-475	-432	-432	
43	1 & 2	-614	-539	-489	-439	-339	-275	-225	-182	-182	
	3	-614	-539	-489	-439	-339	-275	-225	-182	-182	
	4	-664	-614	-539	-514	-389	-300	-250	-207	-207	
	5	-739	-739	-639	-614	-489	-425	-375	-332	-332	
	6	-889	-839	-714	-689	-589	-525	-525	-482	-482	
53	1 & 2	-989	-914	-814	-764	-664	-600	-600	-557	-557	
	3	-714	-614	-589	-489	-489	-400	-350	-329	-329	
	4	-714	-614	-589	-514	-514	-425	-375	-354	-354	
	5	-764	-664	-639	-589	-514	-475	-425	-404	-404	
	6	-839	-764	-714	-664	-614	-550	-500	-479	-479	
63	1 & 2	-939	-864	-839	-764	-714	-650	-650	-629	-629	
	3	-1014	-939	-914	-839	-814	-725	-725	-704	-704	
	4	-814	-714	-689	-589	-539	-450	-400	-379	-379	
	5	-814	-714	-689	-589	-539	-450	-400	-379	-379	
	6	-864	-764	-739	-639	-614	-525	-475	-454	-454	
34	1 & 2	-964	-864	-839	-739	-664	-600	-550	-529	-529	
	3	-1014	-939	-939	-839	-739	-675	-675	-654	-654	
	4	-664	-564	-514	-464	-414	-375	-375	-375	-375	
	5	-664	-564	-514	-464	-414	-375	-375	-375	-375	
	6	-789	-689	-639	-589	-514	-475	-475	-475	-475	
44	1 & 2	-889	-789	-739	-689	-639	-600	-600	-600	-600	
	3	-1014	-939	-889	-839	-789	-750	-750	-750	-750	
	4	-739	-639	-589	-514	-464	-425	-425	-425	-425	
	5	-764	-664	-614	-564	-514	-475	-475	-475	-475	
	6	-814	-739	-664	-664	-564	-525	-525	-525	-525	
54	1 & 2	-914	-814	-789	-739	-664	-625	-625	-625	-625	
	3	-1039	-964	-914	-864	-814	-775	-775	-775	-775	
	4	-814	-714	-664	-614	-539	-500	-500	-500	-500	
	5	-814	-714	-664	-614	-539	-500	-500	-500	-500	
	6	-864	-764	-739	-689	-639	-600	-600	-600	-600	

Mike	
Range	Diff.
24 & Below	-950
25-26	-750
27-29	-475
30-32	-325
33-34	-175
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-174
53 & Above	-249

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Length	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	0
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-350
Bark	
1	-244
2	-450
Other	
1	-375
2	-450

Table 11. West Texas spot cotton differences, season average

August 2004-July 2005

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-179	-104	-73	-6	213	363	426	560	560
	3	-229	-129	-98	-56	188	313	401	532	532
	4	-325	-250	-150	-122	5	163	362	473	473
	5	-376	-301	-201	-149	-83	12	297	342	342
	6	-583	-483	-383	-359	-316	-255	-238	-222	-222
31	7	-658	-558	-458	-433	-399	-330	-313	-297	-297
	1 & 2	-222	-147	-116	-75	137	245	358	504	504
	3	-272	-197	-141	-100	112	204	358	479	479
	4	-393	-318	-193	-164	-20	104	305	445	445
	5	-442	-367	-242	-188	-125	-64	257	301	301
41	6	-624	-524	-424	-378	-341	-280	-280	-247	-247
	7	-699	-624	-499	-474	-424	-355	-355	-322	-322
	1 & 2	-325	-275	-200	-144	49	141	223	290	290
	3	-350	-300	-225	-169	24	97	205	289	289
	4	-418	-350	-250	-194	-76	44.08	155	222	222
51	5	-466	-398	-273	-223	-180	-111	-6	89	89
	6	-641	-564	-489	-439	-399	-329	-307	-275	-275
	7	-739	-689	-614	-539	-499	-437	-397	-356	-356
	1 & 2	-444	-394	-369	-269	-185	-117	-84	-72	-72
	3	-444	-394	-369	-269	-185	-117	-84	-72	-72
61	4	-494	-444	-419	-294	-260	-192	-134	-122	-122
	5	-541	-516	-441	-341	-307	-217	-184	-156	-156
	6	-766	-691	-666	-516	-482	-428	-395	-354	-354
	7	-841	-791	-766	-591	-557	-511	-470	-454	-454
	1 & 2	-501	-451	-403	-303	-219	-175	-175	-175	-175
71	3	-501	-451	-403	-303	-219	-175	-175	-175	-175
	4	-551	-478	-443	-328	-284	-240	-225	-225	-225
	5	-576	-541	-476	-376	-342	-265	-250	-250	-250
	6	-791	-716	-691	-551	-517	-474	-457	-425	-425
	7	-866	-816	-791	-651	-617	-559	-540	-525	-525
12 & 22	1 & 2	-627	-552	-477	-402	-292	-250	-250	-250	-250
	3	-627	-552	-477	-402	-292	-250	-250	-250	-250
	4	-652	-577	-552	-477	-367	-325	-325	-325	-325
	5	-677	-602	-577	-502	-442	-350	-350	-350	-350
	6	-852	-777	-752	-677	-617	-525	-525	-525	-525
32	7	-927	-877	-827	-777	-692	-600	-600	-600	-600
	1 & 2	-300	-250	-175	-100	81	165	309	430	430
	3	-350	-300	-200	-150	56	124	259	380	380
	4	-375	-325	-250	-175	-75	38	200	328	328
	5	-450	-400	-350	-275	-243	-185	-57	-57	-57
42	6	-650	-575	-500	-401	-393	-344	-307	-307	-307
	7	-725	-650	-575	-501	-468	-419	-382	-382	-382
	1 & 2	-327	-277	-252	-158	10	62	132	233	233
	3	-377	-327	-277	-208	-15	46	82	233	233
	4	-431	-377	-377	-258	-165	-15	55	203	203
52	5	-477	-452	-402	-352	-345	-253	-159	-149	-149
	6	-677	-627	-527	-452	-445	-396	-383	-383	-383
	7	-802	-727	-627	-552	-545	-471	-458	-458	-458
	1 & 2	-366	-326	-289	-197	-151	-58	43	175	179
	3	-401	-351	-327	-233	-176	-58	45	177	179
62	4	-453	-401	-402	-308	-201	-83	23	123	123
	5	-539	-514	-464	-427	-370	-277	-214	-214	-214
	6	-789	-739	-614	-502	-495	-427	-414	-414	-414
	7	-864	-814	-714	-636	-595	-552	-489	-489	-489
	1 & 2	-558	-483	-458	-383	-351	-316	-296	-296	-296
62	3	-558	-483	-458	-383	-351	-316	-296	-296	-296
	4	-608	-558	-508	-408	-376	-341	-321	-321	-321
	5	-683	-633	-608	-508	-451	-391	-371	-371	-371
	6	-908	-858	-808	-708	-651	-541	-521	-521	-521
	7	-983	-933	-908	-808	-751	-641	-621	-621	-621
62	1 & 2	-608	-533	-508	-458	-426	-359	-351	-351	-351
	3	-608	-533	-508	-458	-426	-359	-351	-351	-351
	4	-658	-608	-533	-483	-451	-409	-401	-401	-401
	5	-758	-683	-658	-583	-551	-484	-476	-476	-476
	6	-933	-883	-833	-758	-726	-659	-651	-651	-651

Table 11. West Texas (Continued)

August 2004-July 2005

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-234	-183	-143	-108	-108	-108
	3	-450	-400	-325	-259	-208	-168	-133	-133	-133
	4	-525	-425	-400	-334	-258	-218	-183	-183	-183
	5	-650	-550	-525	-434	-383	-343	-308	-308	-308
	6	-750	-675	-575	-509	-455	-415	-393	-393	-393
	7	-825	-750	-650	-586	-533	-493	-493	-493	-493
33	1 & 2	-540	-465	-415	-305	-254	-205	-189	-189	-189
	3	-540	-465	-415	-305	-254	-205	-189	-189	-189
	4	-590	-540	-465	-380	-304	-239	-223	-223	-223
	5	-690	-690	-590	-499	-423	-383	-348	-348	-348
	6	-815	-765	-665	-574	-523	-458	-458	-458	-458
	7	-940	-840	-765	-674	-598	-558	-558	-558	-558
43	1 & 2	-590	-515	-465	-396	-320	-256	-239	-239	-239
	3	-590	-515	-465	-396	-320	-256	-239	-239	-239
	4	-640	-590	-515	-471	-370	-281	-249	-249	-249
	5	-715	-715	-615	-571	-470	-406	-374	-374	-374
	6	-865	-815	-690	-665	-589	-524	-524	-524	-524
	7	-965	-890	-790	-740	-664	-599	-599	-599	-599
53	1 & 2	-730	-630	-605	-505	-480	-415	-380	-380	-380
	3	-730	-630	-605	-530	-480	-440	-405	-405	-405
	4	-780	-680	-655	-630	-555	-465	-430	-430	-430
	5	-855	-780	-730	-680	-630	-565	-530	-530	-530
	6	-955	-882	-855	-780	-730	-665	-665	-665	-665
	7	-1030	-957	-932	-855	-830	-740	-740	-740	-740
63	1 & 2	-842	-742	-717	-617	-567	-465	-415	-415	-415
	3	-842	-742	-717	-617	-567	-465	-417	-417	-417
	4	-892	-792	-767	-667	-592	-540	-490	-490	-490
	5	-992	-892	-867	-767	-692	-615	-565	-565	-565
	6	-1042	-967	-967	-867	-767	-690	-690	-690	-690
34	1 & 2	-675	-575	-525	-458	-408	-366	-366	-366	-366
	3	-675	-575	-525	-458	-408	-366	-366	-366	-366
	4	-800	-700	-650	-583	-508	-466	-466	-466	-466
	5	-900	-800	-750	-683	-633	-591	-591	-591	-591
	6	-1025	-950	-900	-833	-783	-741	-741	-741	-741
44	1 & 2	-750	-650	-600	-508	-458	-416	-416	-416	-416
	3	-775	-675	-625	-558	-508	-466	-466	-466	-466
	4	-843	-750	-696	-658	-558	-516	-516	-516	-516
	5	-943	-846	-800	-733	-658	-616	-616	-616	-616
	6	-1068	-993	-943	-880	-826	-784	-784	-784	-784
54	1 & 2	-825	-725	-675	-608	-533	-491	-491	-491	-491
	3	-825	-725	-675	-608	-533	-491	-491	-491	-491
	4	-875	-775	-750	-683	-633	-591	-591	-591	-591
	5	-945	-865	-821	-755	-683	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-935
25-26	-735
27-29	-476
30-32	-326
33-34	-192
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-174
53 & Above	-249

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Length	Points
77 & below	-60
78	-50
79	-40
80	0
Base 81	0
82	0
83	0
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-350
Bark	
1	-230
2	-432
Other	
1	-350
2	-400

Table 12. Desert Southwest spot cotton differences, season average.

August 2004-July 2005

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-4	307	752	853	888	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-4	251	665	804	839		3	-725	-650	-550	-475	-475																																															
	4	-258	17	325	435	470		4	-825	-750	-625	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-600	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-675	-400	-200	-170	-115	7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-79	207	687	799	834	53	1 & 2	-875	-775	-675	-675	-675																																															
	3	-79	182	637	749	784		3	-875	-775	-675	-675	-675																																															
	4	-308	36	345	380	415		4	-975	-875	-775	-775	-775																																															
	5	-375	-300	0	35	120		5	-1025	-925	-825	-825	-825																																															
	6	-475	-375	-100	-95	-40		6	-1125	-1025	-925	-925	-925																																															
	7	-675	-400	-200	-170	-115	7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-329	42	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 & Below</td> <td>-1200</td> <td>77 & below</td> <td>-93</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>78</td> <td>-83</td> </tr> <tr> <td>27-29</td> <td>-875</td> <td>79</td> <td>-73</td> </tr> <tr> <td>30-32</td> <td>-386</td> <td>80</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-236</td> <td>81</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>82</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>83</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>84</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>85</td> <td>50</td> </tr> <tr> <td>53 & Above</td> <td>-475</td> <td>86 & above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77 & below	-93	25-26	-1000	78	-83	27-29	-875	79	-73	30-32	-386	80	0	33-34	-236	81	0	Base 35-36	0	82	0	37-42	25	83	30	Base 43-49	0	84	40	50-52	-275	85	50	53 & Above	-475	86 & above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77 & below	-93																																																								
	25-26	-1000	78	-83																																																								
27-29	-875	79	-73																																																									
30-32	-386	80	0																																																									
33-34	-236	81	0																																																									
Base 35-36	0	82	0																																																									
37-42	25	83	30																																																									
Base 43-49	0	84	40																																																									
50-52	-275	85	50																																																									
53 & Above	-475	86 & above	60																																																									
3	-329	42	225	310	320																																																							
4	-379	45.66	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-525	-400	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-408	-233	-150	-140	-130																																																						
	3	-408	-233	-150	-140	-130																																																						
	4	-408	-258	-175	-165	-155																																																						
	5	-525	-458	-375	-365	-355																																																						
	6	-683	-558	-475	-475	-475																																																						
	7	-850	-800	-775	-775	-775																																																						
12 & 22	1 & 2	-308	17	341	319	379																																																						
	3	-308	17	316	294	354																																																						
	4	-358	-33	309	335	395																																																						
	5	-425	-250	-100	-100	-50																																																						
	6	-600	-475	-300	-300	-250																																																						
	7	-775	-650	-550	-550	-500																																																						
32	1 & 2	-308	-83	125	210	220																																																						
	3	-308	-83	125	210	220																																																						
	4	-408	-208	0	85	95																																																						
	5	-525	-500	-425	-425	-425																																																						
	6	-675	-600	-550	-550	-550																																																						
	7	-825	-775	-750	-750	-750																																																						
42	1 & 2	-408	-233	-150	-100	-100																																																						
	3	-408	-233	-150	-100	-100																																																						
	4	-433	-308	-225	-175	-175																																																						
	5	-558	-558	-475	-475	-475																																																						
	6	-733	-658	-575	-575	-575																																																						
	7	-950	-850	-825	-825	-825																																																						
52	1 & 2	-458	-383	-325	-275	-275																																																						
	3	-458	-383	-325	-275	-275																																																						
	4	-633	-508	-450	-400	-400																																																						
	5	-683	-583	-550	-550	-550																																																						
	6	-783	-683	-650	-650	-650																																																						
	7	-1050	-950	-950	-925	-925																																																						

Table 13. San Joaquin Valley spot cotton differences, season average.

August 2004-July 2005

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	663	1282	1550	1600	33	1 & 2	-500	-500	-500	-500
	3	598	1168	1361	1446		3	-500	-500	-500	-500
	4	100	475	555	675		4	-600	-600	-600	-600
	5	-125	75	130	190		5	-800	-800	-800	-800
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075
	7	-625	-525	-475	-425		7	-1225	-1225	-1225	-1225
	31	1 & 2	613	1185	1283		1368	43	1 & 2	-875	-875
3		613	1135	1182	1267	3	-875		-875	-875	-875
4		100	359	409	494	4	-925		-925	-925	-925
5		-200	0	55	115	5	-1075		-1075	-1075	-1075
6		-525	-325	-275	-225	6	-1225		-1225	-1225	-1225
7		-675	-575	-525	-475	7	-1425		-1425	-1425	-1425
41		1 & 2	200	566	626	636	Mike				
	3	150	516	576	586	Range		Diff.			
	4	47.38	311	372	382	27-29		-1250			
	5	-425	-200	-195	-185	30-32		-550			
	6	-675	-450	-450	-450	33-34		-350			
	7	-825	-725	-725	-725	Base 35-36		0			
	51	1 & 2	-575	-164	-133	-133	37-42		25		
3		-600	-189	-158	-158	Base 43-49		0			
4		-650	-239	-208	-208	50-52		-450			
5		-750	-389	-358	-358	Strength					
6		-900	-800	-800	-800	(Grams per Tex)					
7		-1050	-950	-950	-950	Range		Diff.			
12 & 22		1 & 2	225	674	849	909	23.5-24.4		-100		
	3	150	599	774	834	24.5-25.4		-100			
	4	25	386	441	501	25.5-26.4		-50			
	5	-250	-50	0	50	Base 26.5-28.4		0			
	6	-500	-400	-350	-300	28.5-29.4		0			
	7	-775	-700	-650	-600	29.5-30.4		25			
	32	1 & 2	100	388	413	413	30.5-32.4		50		
3		50	338	363	363	32.5 & Above		75			
4		-100	200	200	200	Uniformity					
5		-525	-275	-275	-275	Unit		Points			
6		-675	-475	-475	-475	77 & below		-60			
7		-850	-750	-750	-750	78		-50			
42		1 & 2	-400	-69	-54	-54	79		-40		
	3	-450	-119	-104	-104	80		0			
	4	-500	-219	-204	-204	81		0			
	5	-675	-469	-454	-454	82		0			
	6	-900	-875	-875	-875	83		30			
	7	-1000	-1000	-1000	-1000	84		40			
	52	1 & 2	-725	-675	-675	-675	85		50		
3		-725	-675	-675	-675	86 & above		60			
4		-825	-775	-775	-775	Extraneous Matter					
5		-875	-825	-825	-825	Level		Diff.			
6		-1025	-1025	-1025	-1025	Prep		1			
7		-1225	-1225	-1225	-1225	2		-800			
						Other		1			
					2		-400				
					2		-925				

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2004-2005

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	27,613	3,521	7,508	23,002	31,937	50,826	26,253	19,164	26,045	29,447	6,197	1,253	252,766
North Delta	14,081	2,356	2,789	55,392	61,759	57,986	94,509	32,988	25,097	15,822	9,619	1,001	373,399
South Delta	14,675	8,442	18,549	69,029	39,856	43,976	37,305	31,310	12,011	14,951	3,111	212	293,427
East Texas-Oklahoma	20,183	22,593	46,463	31,764	29,954	27,438	34,784	33,434	8,511	3,313	6,382	836	265,655
West Texas	54,146	8,573	10,959	63,374	145,733	168,328	237,298	286,736	134,422	29,605	69,731	13,111	1,222,016
Desert Southwest	263	340	4,948	2,149	21,575	20,254	5,532	4,815	3,472	0	114	1,524	64,986
San Joaquin Valley	2,032	304	44	6,681	12,400	11,197	813	15,800	436	313	0	2,461	52,481
Total	132,993	46,129	91,260	251,391	343,214	380,005	436,494	424,247	209,994	93,451	95,154	20,398	2,524,730

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 1999-2004. 1/

Market Area	1999	2000	2001	2002	2003	2004
Southeast	279,258	204,468	287,225	335,800	304,736	252,766
North Delta	180,419	121,060	263,848	395,575	184,460	373,399
South Delta	550,347	472,055	245,767	443,325	224,368	293,427
East Texas-Oklahoma	310,867	264,381	405,737	155,268	356,496	265,655
West Texas	959,473	815,354	1,087,669	792,982	962,700	1,222,016
Desert Southwest	223,740	158,157	139,476	170,605	86,985	78,573
San Joaquin Valley	239,093	266,537	94,043	271,674	134,341	113,199
Total	2,743,197	2,302,012	2,523,765	2,565,229	2,254,086	2,599,035

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse. 1/ 2/

DESERT SOUTHWEST PIMA DIFFERENCES					SAN JOAQUIN VALLEY PIMA DIFFERENCES				
Color	Leaf	Staple			Color	Leaf	Staple		
		44	46	48			44	46	48
1	1	122.56	131.35	131.83	1	1	127.66	136.36	136.80
	2	122.56	131.10	131.75		2	127.66	136.19	136.80
	3	115.51	123.85	123.85		3	121.35	129.10	129.85
	4	-	-	-		4	-	-	-
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
2	1	121.39	130.67	131.16	2	1	126.47	135.78	136.41
	2	121.39	130.67	131.16		2	126.47	135.53	136.16
	3	115.08	123.12	123.12		3	120.49	128.15	128.56
	4	94.43	98.79	99.79		4	103.15	107.22	107.97
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
3	1	113.64	119.67	121.17	3	1	119.16	124.63	125.63
	2	113.64	119.67	121.17		2	119.16	124.63	125.63
	3	112.21	117.28	118.04		3	117.74	121.40	122.40
	4	92.81	94.81	95.56		4	101.59	104.25	105.00
	5	85.57	88.51	89.76		5	87.95	90.40	91.65
	6	-	-	-		6	-	-	-
4	1	91.36	93.21	93.21	4	1	99.66	105.90	105.96
	2	91.36	93.21	93.21		2	99.93	104.28	104.34
	3	90.86	93.21	93.21		3	101.10	106.11	106.11
	4	90.36	92.49	92.49		4	100.60	104.03	104.03
	5	83.75	86.19	86.19		5	87.61	90.33	90.41
	6	-	-	-		6	-	-	-
5	1	-	-	-	5	1	-	-	-
	2	75.02	78.42	78.42		2	79.47	83.41	83.41
	3	75.02	78.42	78.42		3	79.47	83.41	83.41
	4	75.02	75.52	75.52		4	79.47	80.52	80.52
	5	74.52	74.77	74.77		5	79.22	80.27	80.27
	6	-	-	-		6	-	-	-
6	1	-	-	-	6	1	-	-	-
	2	65.15	65.40	65.40		2	69.19	69.44	69.44
	3	65.15	65.40	65.40		3	69.19	69.44	69.44
	4	65.15	65.40	65.40		4	69.19	69.44	69.44
	5	64.90	65.15	65.15		5	68.94	69.19	69.19
	6	64.65	64.65	64.65		6	68.44	68.69	68.69

Mike ranges	Points per pound	Extraneous Matter		Mike ranges	Points per pound	Extraneous Matter	
		Level	Diff.			Level	Diff.
		Preparation				Preparation	
26 & Below	-1350	1	-475	26 & Below	-1350	1	-625
27-29	-900	2	-850	27-29	-900	2	-900
30-32	-525	Bark, Grass, Sp.twist, Other		30-32	-500	Bark, Grass, Sp.twist, Other	
33-34	-350	1	-400	33-34	-350	1	-525
35 & Above	0	2	-700	35 & Above	0	2	-850

1/ Prices quoted beginning August 1, 2003. 2/ These prices are averages of the monthly Cotton Price Statistics reports.

Table 17. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 1998-2004

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
1998	66.00	66.20	65.90	64.60	60.60	58.10	55.60	55.10	55.60	55.00	54.60	53.80	60.20
1999	52.70	45.30	46.30	44.30	42.80	43.10	46.80	47.70	45.40	47.60	45.10	48.80	45.00
2000	51.40	50.60	55.50	58.00	57.80	52.10	48.50	41.10	42.60	40.90	39.20	38.90	49.80
2001	37.30	36.50	30.70	27.80	30.80	27.30	28.00	28.40	27.20	26.70	33.70	35.30	29.80
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	53.70	49.30	49.50	44.40	40.70	39.60	39.00	41.50	43.10	42.00	44.40	42.10 2/	46.00 3/
Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
1998	71.87	71.75	67.61	64.95	59.88	56.20	55.46	58.17	57.01	55.54	53.74	49.23	60.12
1999	49.72	48.39	49.46	48.12	46.65	51.92	54.29	57.67	53.76	58.31	54.97	55.13	52.36
2000	59.33	60.62	60.54	62.16	61.04	56.66	54.10	47.22	42.19	40.02	37.38	37.48	51.56
2001	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10
2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.62
Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
1998	73.15	73.01	69.08	66.38	61.29	57.91	57.29	60.38	59.37	57.90	55.96	51.43	61.93
1999	51.84	50.43	51.12	49.73	47.83	53.01	55.62	59.26	55.37	60.20	56.75	56.73	53.99
2000	60.58	61.78	61.68	63.39	62.51	58.37	55.85	48.93	43.82	41.46	38.64	38.80	52.98
2001	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66
2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.42
Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1998	79.80	79.02	75.35	71.48	67.16	64.47	63.39	66.31	64.69	63.17	60.87	56.24	67.66
1999	57.14	55.98	57.79	55.88	53.94	58.52	61.67	64.76	61.04	64.05	62.10	61.05	59.49
2000	64.60	66.80	66.04	68.25	70.11	64.27	61.25	54.34	49.06	47.92	45.06	44.83	58.54
2001	43.83	40.43	36.26	37.44	40.32	39.93	39.56	41.40	5/	5/	44.48	48.36	41.20 6/
2002	46.55	44.96	45.83	51.67	52.88	54.39	56.13	60.16	59.84	56.09	57.12	60.97	53.88
2003	58.44	64.75	75.14	77.01	70.48	75.42	71.58	70.66	66.09	68.23	61.85	53.61	67.77
2004	51.88	56.27	51.45	49.62	48.38	50.30	49.79	55.35	57.06	56.81	52.85	55.88	52.97
Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1998	81.85	80.84	77.07	73.46	69.81	67.09	65.94	68.83	67.43	66.20	63.66	58.80	70.08
1999	59.59	58.39	60.71	58.55	56.36	60.83	63.73	66.46	62.75	65.52	63.91	62.90	61.64
2000	66.14	68.25	67.38	69.49	71.56	65.65	62.67	55.96	50.62	49.57	46.92	46.98	60.10
2001	46.05	42.42	38.46	39.43	42.35	42.05	41.50	43.22	5/	5/	46.74	50.63	43.29 6/
2002	48.25	46.60	47.80	54.61	55.96	57.44	58.75	62.39	61.46	57.09	58.84	62.27	55.96
2003	59.74	66.13	76.40	77.82	71.37	77.28	73.43	72.57	68.16	70.40	63.73	55.77	69.40
2004	54.15	58.09	52.87	51.49	50.15	51.85	51.46	57.28	59.38	58.98	54.71	57.80	54.85

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ The 2004 average is a preliminary price for August-December 2004. 4/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK, and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths. 5/ Landed Mill quotations were not published. 6/ Ten-month average.