

# COTTON PRICE STATISTICS

**2005-2006**



## ANNUAL REPORT

UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service – Cotton Program  
Memphis, Tennessee


Vol. 87, No. 13

August 10, 2006

mp\_cn830

## ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 48.96 cents per pound for the 2005-2006 season, up from 45.61 cents for the 2004-2005 season. The season's lowest daily average quotation for the base quality occurred on August 15, 2005 at 43.46 cents per pound and the season's highest daily quotations was 53.25 cents on February 14, 2006. The lowest monthly average for the marketing year was 45.38 cents per pound in August 2005 and the highest was 53.25 cents per pound in February 2006.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 51.33 cents per pound for the 2005-2006 season, up from 48.40 cents for the 2004-2005 season.

The average price received by farmers for Upland cotton was 46.90 cents per pound (preliminary average) for the 2005-2006 marketing year, according to the National Agricultural Statistics Service, USDA. This compares with 41.60 cents for the 2004-2005 marketing year and 61.80 cents for the 2003-2004 marketing year. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,971,266 running bales in the 2005-2006 marketing year, down from 2,599,035 bales in the 2003-2004 marketing year and 2,254,086 bales 2003-2004.

August 10, 2006

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2000-2005 1/ 2/

Market Areas	2000	2001	2002	2003	2004	2005
Southeast	52.63	33.02	48.28	60.80	45.91	49.65
North Delta	52.32	33.24	48.47	60.78	46.02	49.67
South Delta	52.32	33.24	48.46	60.85	46.02	49.63
East Texas-Oklahoma	51.03	32.59	46.76	59.95	44.22	47.69
West Texas	50.71	32.39	46.51	59.71	44.08	47.78
Desert Southwest	49.47	32.60	46.27	59.23	45.66	48.26
San Joaquin Valley	52.45	34.64	47.52	59.71	47.38	50.06
<b>Average</b>	<b>51.56</b>	<b>33.10</b>	<b>47.46</b>	<b>60.15</b>	<b>45.61</b>	<b>48.96</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2000 2/	30-Nov-00	63.57	20-Jun-01	35.39
2001 2/	10-Jul-02	41.39	25-Oct-01	25.94
2002 2/	14-Jul-03	55.86	4-Oct-02	36.56
2003 2/	29-Oct-03	77.66	29-Jul-04	42.45
2004 2/	26-Apr-05	52.30	8-Feb-05	40.39
2005 2/	14-Feb-06	53.25	15-Aug-05	43.46

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2005-06 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	47.50	45.74		49.90	47.91		52.05	51.47		47.69	48.00	
2	47.68	45.87		50.10	48.12		53.16	51.01		47.15	48.30	
3	47.06		49.96	49.41		51.28	53.04	50.81	49.26	47.35		46.39
4	47.07		49.11	49.06		51.03			49.51	46.49		
5	46.50		49.86		48.66	50.85			50.29	46.51	48.14	46.71
6		47.57	49.75		48.98	51.07	53.21	50.34	50.06		47.59	46.64
7		48.25	49.77	48.79	48.84		51.57	49.93	50.41		47.94	45.71
8	46.16	47.62		48.61	49.11		52.45	49.94		46.96	48.59	
9	45.96	47.39		48.22	49.09	51.64	52.55	50.12		47.16	48.65	
10	45.51		51.58	47.89		51.64	52.26	50.79	49.82	46.85		45.89
11	44.99		51.41	48.26		51.52			49.11	47.47		46.02
12	44.31	47.07	52.25		49.90	51.60			49.09	48.00	48.71	46.96
13		46.05	52.52		50.03	52.06	51.69	50.17	48.83		48.04	46.43
14		46.21	53.20	48.39	49.64		53.25	50.07			48.24	45.87
15	43.46	45.81		49.13	49.36		52.71	50.56		47.75	48.74	
16	43.61	45.81		48.61	49.64		52.41	50.53		47.64	48.48	
17	44.21		52.61	48.97		52.24	52.92	50.29	49.83	47.19		46.29
18	44.19		52.09	48.74		51.19			49.43	46.66		47.32
19	44.69	47.56	51.28		49.95	52.22			49.50	46.15	48.32	47.68
20		46.73	50.44		49.66	52.87		49.83	48.79		48.39	47.21
21		47.89	51.28	48.29	49.46		52.10	49.54	48.51		48.77	48.18
22	45.07	47.94		49.36	50.53		52.68	48.84		46.01	47.47	
23	45.41	47.14		48.83	50.10	52.99	52.55	49.60		46.99	46.94	
24	44.79		50.95			52.82	52.26	49.18	48.22	46.32		48.61
25	44.30		52.20			52.77			47.56	46.36		48.07
26	44.50	47.26	51.86			52.70			47.80	46.99	46.52	48.00
27		49.78	49.74		50.21	51.95	51.12	49.54	47.14		46.66	48.32
28		49.51	50.01	48.36	50.37		51.42	49.36	47.84		47.18	48.39
29	45.06	49.86		48.44	50.07			49.61			47.00	
30	46.18	48.94		48.56	50.49	51.69		50.07		47.50	47.14	
31	45.64		49.51			52.09		49.32		46.92		48.21
Average	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15
High	47.68	49.86	53.20	50.10	50.53	52.99	53.25	51.47	50.41	48.00	48.77	48.61
Low	43.46	45.74	49.11	47.89	47.91	50.85	51.12	48.84	47.14	46.01	46.52	45.71

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2005-06 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	45.66	48.57	51.73	49.30	50.54	52.42	52.95	50.56	49.69	47.95	48.49	47.93	49.65
North Delta	46.00	48.42	51.79	49.39	50.38	52.40	52.98	50.87	49.86	47.84	48.48	47.61	49.67
South Delta	45.96	48.01	51.79	49.39	50.38	52.40	52.98	50.87	49.86	47.84	48.48	47.61	49.63
East Texas-Oklahoma	45.12	46.33	50.27	47.78	47.14	49.48	49.70	47.66	47.29	45.80	47.59	48.10	47.69
West Texas	45.14	45.60	49.98	47.71	47.42	49.91	50.24	48.27	47.61	45.83	47.60	48.10	47.78
Desert Southwest	44.03	46.67	50.06	48.18	49.30	52.34	52.94	50.02	48.44	46.01	46.56	44.58	48.26
San Joaquin Valley	45.78	48.42	51.50	49.83	51.55	54.44	54.94	52.02	50.28	47.76	48.09	46.08	50.06
Average	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2005-06 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	47.91	50.82	53.50	50.80	51.91	53.92	54.45	52.06	51.19	49.10	49.49	48.93	51.17
North Delta	48.25	50.67	52.96	50.22	51.12	52.65	53.24	51.44	50.61	48.47	48.98	48.11	50.56
South Delta	48.21	50.26	52.96	50.42	51.43	52.90	53.48	51.44	50.61	48.47	48.98	48.11	50.60
East Texas-Oklahoma	48.62	49.82	52.93	49.80	48.89	51.23	51.45	49.41	49.04	47.55	49.34	49.85	49.83
West Texas	47.39	47.85	52.19	49.91	49.50	51.91	52.26	51.13	50.61	49.06	50.85	51.60	50.35
Desert Southwest	45.53	48.17	51.56	49.68	50.80	53.84	54.44	51.52	49.94	47.51	48.06	46.08	49.76
San Joaquin Valley	52.78	55.42	58.50	56.83	58.55	61.44	61.94	59.02	57.28	54.76	55.09	53.08	57.06
Average	48.38	50.43	53.51	51.09	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2005-July 2006

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-231	-156	-103	-115	14	322	606	757	773
	3	-281	-181	-116	-133	7	279	546	672	693
	4	-353	-278	-173	-184	-94	104	312	415	437
	5	-425	-350	-250	-330	-245	-52	126	184	205
	6	-625	-525	-425	-455	-401	-319	-233	-207	-192
31	7	-700	-600	-500	-585	-551	-454	-394	-365	-350
	1 & 2	-286	-211	-158	-136	-19	262	536	636	657
	3	-336	-248	-183	-146	-27	237	504	578	599
	4	-408	-341	-220	-210	-139	76	274	348	365
	5	-479	-404	-279	-346	-264	-118	74	132	152
41	6	-663	-563	-463	-470	-414	-350	-271	-243	-228
	7	-738	-650	-538	-600	-559	-469	-419	-387	-372
	1 & 2	-375	-325	-227	-242	-128	91	237	299	302
	3	-400	-350	-252	-254	-141	67	208	274	277
	4	-470	-400	-283	-282	-212	48.96	140	209	212
51	5	-513	-450	-338	-409	-305	-223	-117	-79	-76
	6	-700	-613	-525	-526	-468	-423	-369	-356	-356
	7	-775	-725	-650	-661	-629	-582	-546	-538	-537
	1 & 2	-513	-463	-425	-440	-284	-238	-122	-100	-99
	3	-513	-463	-425	-479	-312	-272	-150	-128	-126
61	4	-563	-513	-475	-504	-337	-315	-198	-176	-175
	5	-588	-563	-488	-561	-479	-412	-310	-291	-290
	6	-788	-713	-688	-671	-616	-573	-530	-519	-519
	7	-863	-813	-788	-776	-759	-722	-683	-675	-675
	1 & 2	-550	-500	-463	-537	-377	-292	-277	-277	-277
71	3	-550	-500	-463	-557	-402	-327	-312	-307	-307
	4	-600	-538	-500	-587	-442	-372	-352	-347	-347
	5	-625	-588	-525	-632	-552	-487	-452	-452	-452
	6	-813	-738	-713	-777	-707	-662	-642	-632	-632
	7	-888	-838	-813	-892	-812	-752	-732	-727	-727
12 & 22	1 & 2	-650	-575	-500	-792	-687	-602	-582	-582	-582
	3	-650	-575	-500	-792	-687	-602	-582	-582	-582
	4	-675	-600	-575	-842	-737	-652	-632	-632	-632
	5	-700	-625	-600	-872	-822	-722	-702	-702	-702
	6	-875	-800	-775	-987	-927	-822	-802	-802	-802
32	7	-950	-900	-850	-1027	-977	-872	-852	-852	-852
	1 & 2	-322	-272	-187	-204	-66	120	292	386	403
	3	-372	-309	-212	-225	-79	101	265	348	365
	4	-404	-347	-249	-270	-154	9	182	244	261
	5	-488	-438	-388	-419	-347	-204	-104	-59	-45
42	6	-688	-613	-538	-524	-489	-404	-351	-342	-327
	7	-775	-700	-625	-649	-630	-569	-526	-513	-499
	1 & 2	-355	-305	-280	-292	-161	-3	107	162	164
	3	-405	-343	-305	-310	-176	-24	74	149	151
	4	-468	-393	-368	-355	-250	-128	2	50	52
52	5	-538	-500	-450	-499	-425	-318	-243	-204	-204
	6	-725	-675	-575	-594	-566	-500	-454	-441	-441
	7	-863	-788	-688	-729	-702	-646	-614	-608	-608
	1 & 2	-438	-363	-325	-330	-261	-185	-73	-21	-19
	3	-450	-388	-375	-374	-292	-215	-106	-55	-53
62	4	-500	-438	-438	-422	-320	-254	-158	-112	-112
	5	-588	-563	-513	-571	-478	-429	-353	-339	-339
	6	-838	-788	-663	-692	-639	-580	-541	-530	-530
	7	-925	-875	-775	-818	-771	-714	-689	-685	-685
	1 & 2	-588	-513	-488	-523	-393	-381	-349	-342	-342
62	3	-588	-513	-488	-536	-416	-411	-376	-368	-368
	4	-638	-588	-538	-561	-470	-467	-431	-424	-424
	5	-713	-663	-638	-630	-576	-555	-519	-519	-519
	6	-938	-888	-838	-809	-751	-701	-680	-680	-680
	7	-1013	-963	-938	-899	-880	-840	-826	-822	-822
62	1 & 2	-638	-563	-538	-628	-537	-452	-437	-437	-437
	3	-638	-563	-538	-632	-541	-466	-451	-451	-451
	4	-688	-638	-563	-672	-581	-516	-501	-501	-501
	5	-788	-713	-688	-772	-717	-627	-612	-612	-612
	6	-963	-913	-863	-967	-902	-802	-787	-787	-787

Table 6. United States (Continued)

August 2005-July 2006

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-265	-210	-139	-101	-76	-76
	3	-488	-425	-363	-290	-235	-164	-126	-101	-101
	4	-563	-463	-438	-365	-290	-215	-178	-153	-153
	5	-688	-588	-563	-465	-415	-340	-303	-278	-278
	6	-788	-713	-613	-548	-490	-415	-390	-365	-365
33	1 & 2	-863	-788	-688	-635	-573	-490	-490	-465	-465
	3	-575	-500	-450	-340	-285	-298	-282	-265	-265
	4	-575	-500	-450	-340	-285	-298	-282	-265	-265
	5	-625	-575	-500	-415	-340	-360	-344	-327	-327
	6	-725	-725	-625	-528	-453	-519	-494	-477	-477
43	1 & 2	-850	-800	-700	-610	-565	-660	-660	-644	-644
	3	-975	-875	-800	-710	-633	-780	-777	-760	-760
	4	-625	-550	-500	-583	-481	-448	-416	-395	-395
	5	-625	-550	-500	-583	-481	-448	-416	-395	-395
	6	-675	-625	-550	-633	-531	-491	-448	-427	-427
53	1 & 2	-750	-750	-650	-703	-656	-648	-598	-591	-591
	3	-900	-850	-725	-808	-777	-773	-758	-751	-751
	4	-1000	-925	-825	-921	-881	-898	-883	-876	-876
	5	-763	-663	-638	-692	-655	-564	-526	-522	-522
	6	-763	-663	-638	-702	-660	-572	-535	-530	-530
63	1 & 2	-813	-713	-688	-757	-705	-618	-580	-576	-576
	3	-888	-813	-763	-812	-797	-701	-664	-660	-660
	4	-988	-925	-888	-967	-914	-822	-797	-793	-793
	5	-1063	-1000	-975	-1027	-1039	-935	-922	-918	-918
	6	-875	-775	-750	-862	-777	-677	-647	-642	-642
34	1 & 2	-875	-775	-750	-862	-777	-677	-652	-647	-647
	3	-925	-825	-800	-902	-817	-727	-697	-692	-692
	4	-1025	-925	-900	-972	-907	-817	-787	-782	-782
	5	-1075	-1000	-1000	-1087	-1002	-894	-882	-877	-877
	6	-694	-594	-544	-481	-431	-356	-356	-356	-356
44	1 & 2	-694	-594	-544	-481	-431	-356	-356	-356	-356
	3	-819	-719	-669	-606	-531	-456	-456	-456	-456
	4	-919	-819	-769	-706	-656	-581	-581	-581	-581
	5	-1044	-969	-919	-856	-806	-731	-731	-731	-731
	6	-775	-675	-625	-538	-488	-413	-413	-413	-413
54	1 & 2	-800	-700	-650	-588	-538	-463	-463	-463	-463
	3	-863	-775	-713	-688	-588	-513	-513	-513	-513
	4	-963	-863	-825	-763	-688	-613	-613	-613	-613
	5	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
	6	-850	-750	-700	-638	-563	-488	-488	-488	-488
54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488	-488
	3	-850	-750	-700	-638	-563	-488	-488	-488	-488
	4	-900	-800	-775	-713	-663	-588	-588	-588	-588
	5	-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-1056
25-26	-947
27-29	-733
30-32	-365
33-34	-199
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-244
53 & Above	-339

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-137
24.5-25.4	-123
25.5-26.4	-43
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	43
32.5 & Above	44

Uniformity	
Length	Points
77.4 & below	-85
77.5-78.4	-74
78.5-79.4	-63
79.5-80.4	-1
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	20
83.5-84.4	30
84.5-85.4	40
85.5 & above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-79
2	-681
Other (ET-OK and WT not included)	
1	-367
2	-723
Bark - (ET-OK and WT only)	
1	-233
2	-450

Table 7. Southeast spot cotton differences, season average.

August 2005-July 2006

Color	Leaf	Staple					Color	Leaf	Staple																														
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																										
11 & 21	1 & 2	-117	-17	192	309	403	43	1 & 2	-450	-350	-300	-275	-250																										
	3	-117	-17	192	309	403		3	-450	-350	-300	-275	-250																										
	4	-172	-47	60	196	346		4	-500	-400	-350	-300	-275																										
	5	-400	-250	-150	100	175		5	-575	-546	-496	-496	-496																										
	6	-500	-350	-325	-250	-225		6	-775	-746	-696	-696	-696																										
	7	-800	-650	-650	-600	-575	7	-875	-846	-796	-796	-796																											
31	1 & 2	-117	-67	162	243	334	53	1 & 2	-600	-500	-400	-400	-400																										
	3	-117	-67	153	220	299		3	-600	-500	-400	-400	-400																										
	4	-172	-86	10	82	206		4	-650	-550	-450	-450	-450																										
	5	-400	-250	-150	25	150		5	-675	-625	-525	-525	-525																										
	6	-500	-350	-325	-300	-275		6	-875	-825	-725	-725	-725																										
	7	-800	-650	-650	-650	-625	7	-975	-925	-825	-825	-825																											
41	1 & 2	-342	-117	50	85	135	63	1 & 2	-925	-825	-725	-725	-725																										
	3	-342	-142	25	60	110		3	-925	-825	-725	-725	-725																										
	4	-342	-192	49.65	60	110		4	-975	-875	-775	-775	-775																										
	5	-475	-254	-229	-29	-4		5	-1025	-975	-875	-875	-875																										
	6	-575	-479	-479	-454	-429		6	-1250	-1200	-1100	-1100	-1100																										
	7	-850	-746	-746	-746	-721																																	
51	1 & 2	-400	-152	-113	-104	-79	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>25-26</td> <td>-825</td> </tr> <tr> <td>27-29</td> <td>-425</td> </tr> <tr> <td>30-32</td> <td>-275</td> </tr> <tr> <td>33-34</td> <td>-150</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>0</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-194</td> </tr> <tr> <td>53 &amp; Above</td> <td>-309</td> </tr> </tbody> </table>					Mike		Range	Diff.	25-26	-825	27-29	-425	30-32	-275	33-34	-150	Base 35-36	0	37-42	0	Base 43-49	0	50-52	-194	53 & Above	-309						
	Mike																																						
	Range	Diff.																																					
	25-26	-825																																					
	27-29	-425																																					
30-32	-275																																						
33-34	-150																																						
Base 35-36	0																																						
37-42	0																																						
Base 43-49	0																																						
50-52	-194																																						
53 & Above	-309																																						
3	-491	-243	-204	-144	-119																																		
4	-516	-243	-229	-210	-185																																		
5	-600	-443	-358	-288	-263																																		
6	-675	-518	-508	-508	-483																																		
	7	-925	-800	-800	-800	-775																																	
61	1 & 2	-575	-400	-350	-325	-325																																	
	3	-625	-475	-450	-425	-400																																	
	4	-675	-525	-500	-475	-450																																	
	5	-725	-625	-550	-550	-550																																	
	6	-900	-825	-775	-775	-775																																	
	7	-1025	-900	-850	-850	-850																																	
71	1 & 2	-875	-750	-700	-700	-700	<table border="1"> <thead> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>20.5-21.4</td> <td>-425</td> </tr> <tr> <td>21.5-22.4</td> <td>-350</td> </tr> <tr> <td>22.5-23.4</td> <td>-300</td> </tr> <tr> <td>23.5-24.4</td> <td>-250</td> </tr> <tr> <td>24.5-25.4</td> <td>-200</td> </tr> <tr> <td>25.5-26.4</td> <td>-50</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-30.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>50</td> </tr> </tbody> </table>					Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-425	21.5-22.4	-350	22.5-23.4	-300	23.5-24.4	-250	24.5-25.4	-200	25.5-26.4	-50	Base 26.5-28.4	0	28.5-30.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50
	Strength																																						
	(Grams per Tex)																																						
	Range	Diff.																																					
	20.5-21.4	-425																																					
21.5-22.4	-350																																						
22.5-23.4	-300																																						
23.5-24.4	-250																																						
24.5-25.4	-200																																						
25.5-26.4	-50																																						
Base 26.5-28.4	0																																						
28.5-30.4	0																																						
29.5-30.4	25																																						
30.5-32.4	50																																						
32.5 & Above	50																																						
3	-875	-750	-700	-700	-700																																		
4	-875	-750	-700	-700	-700																																		
5	-925	-875	-850	-850	-850																																		
6	-1050	-975	-925	-925	-925																																		
	7	-1050	-975	-925	-925	-925																																	
12 & 22	1 & 2	-275	-25	50	100	150																																	
	3	-275	-25	50	100	150																																	
	4	-375	-100	-50	0	50																																	
	5	-425	-325	-250	-250	-175																																	
	6	-550	-425	-425	-425	-425																																	
	7	-825	-725	-725	-725	-700																																	
32	1 & 2	-325	-125	-25	-25	25	<table border="1"> <thead> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-118</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-364</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> </tbody> </table>					Extraneous Matter		Level	Diff.	Prep		1	-118	2	-800	Other		1	-364	2	-800												
	Extraneous Matter																																						
	Level	Diff.																																					
	Prep																																						
	1	-118																																					
2	-800																																						
Other																																							
1	-364																																						
2	-800																																						
3	-366	-166	-66	-41	0																																		
4	-466	-224	-166	-141	-91																																		
5	-525	-350	-300	-300	-275																																		
6	-600	-450	-450	-450	-425																																		
	7	-875	-750	-750	-750	-725																																	
42	1 & 2	-350	-141	-74	-74	-49																																	
	3	-441	-200	-149	-141	-116																																	
	4	-532	-241	-199	-199	-174																																	
	5	-625	-463	-428	-419	-394																																	
	6	-708	-586	-561	-561	-536																																	
	7	-941	-828	-796	-796	-771																																	
52	1 & 2	-482	-300	-233	-233	-233	<table border="1"> <thead> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>77 &amp; below</td> <td>-110</td> </tr> <tr> <td>78</td> <td>-95</td> </tr> <tr> <td>79</td> <td>-85</td> </tr> <tr> <td>80</td> <td>-10</td> </tr> <tr> <td>Base 81</td> <td>0</td> </tr> <tr> <td>82</td> <td>0</td> </tr> <tr> <td>83</td> <td>20</td> </tr> <tr> <td>84</td> <td>30</td> </tr> <tr> <td>85</td> <td>40</td> </tr> <tr> <td>86 &amp; above</td> <td>50</td> </tr> </tbody> </table>					Uniformity		Unit	Points	77 & below	-110	78	-95	79	-85	80	-10	Base 81	0	82	0	83	20	84	30	85	40	86 & above	50				
	Uniformity																																						
	Unit	Points																																					
	77 & below	-110																																					
	78	-95																																					
79	-85																																						
80	-10																																						
Base 81	0																																						
82	0																																						
83	20																																						
84	30																																						
85	40																																						
86 & above	50																																						
3	-547	-337	-296	-271	-271																																		
4	-597	-387	-361	-336	-336																																		
5	-675	-549	-474	-474	-474																																		
6	-866	-750	-700	-700	-700																																		
	7	-988	-873	-823	-823	-823																																	
62	1 & 2	-634	-477	-427	-427	-427																																	
	3	-604	-447	-397	-397	-397																																	
	4	-704	-547	-497	-497	-497																																	
	5	-804	-729	-679	-679	-679																																	
	6	-1125	-1050	-1000	-1000	-1000																																	



Table 8. North Delta spot cotton differences, season average.

August 2005-July 2006

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-167	-101	156	375	516	43	1 & 2	-791	-591	-416	-391	-391
	3	-167	-101	106	325	416		3	-791	-591	-416	-391	-391
	4	-225	-160	56	233	313		4	-816	-616	-441	-416	-416
	5	-450	-325	0	75	100		5	-866	-766	-691	-666	-666
	6	-500	-475	-350	-325	-325		6	-966	-866	-791	-766	-766
	7	-600	-575	-450	-425	-425	7	-1116	-1016	-941	-916	-916	
31	1 & 2	-167	-101	121	325	412	53	1 & 2	-891	-791	-716	-691	-691
	3	-167	-101	89	325	387		3	-891	-791	-716	-691	-691
	4	-225	-210	37	208	263		4	-916	-816	-741	-716	-716
	5	-450	-325	-32	75	100		5	-966	-916	-841	-816	-816
	6	-500	-475	-350	-325	-325		6	-1166	-1016	-941	-916	-916
	7	-600	-575	-450	-425	-425	7	-1191	-1141	-1041	-1016	-1016	
41	1 & 2	-294	-185	29	159	184	63	1 & 2	-1066	-966	-891	-866	-866
	3	-294	-185	18	134	159		3	-1066	-966	-891	-866	-866
	4	-319	-210	49.67	84	134		4	-1091	-991	-916	-891	-891
	5	-525	-400	-207	-182	-157		5	-1141	-1091	-1016	-991	-991
	6	-575	-500	-400	-375	-375		6	-1191	-1141	-1016	-991	-991
	7	-700	-675	-550	-525	-525							
51	1 & 2	-564	-314	-239	-139	-139							
	3	-589	-339	-314	-214	-214							
	4	-614	-364	-339	-264	-264							
	5	-700	-600	-425	-375	-375							
	6	-800	-725	-600	-575	-575							
	7	-850	-850	-675	-625	-625							
61	1 & 2	-691	-466	-366	-341	-341							
	3	-691	-466	-391	-366	-366							
	4	-716	-491	-416	-391	-391							
	5	-766	-691	-666	-591	-591							
	6	-891	-791	-791	-766	-766							
	7	-1041	-941	-891	-866	-866							
71	1 & 2	-1116	-1016	-866	-816	-816							
	3	-1116	-1016	-866	-816	-816							
	4	-1166	-1066	-916	-866	-866							
	5	-1191	-1141	-991	-941	-941							
	6	-1241	-1191	-1041	-991	-991							
	7	-1291	-1241	-1091	-1041	-1041							
12 & 22	1 & 2	-275	-95	67	171	221							
	3	-275	-95	56	171	196							
	4	-300	-187	-29	96	146							
	5	-500	-375	-175	-150	-125							
	6	-575	-500	-375	-375	-375							
	7	-675	-650	-525	-500	-500							
32	1 & 2	-325	-206	-50	50	75							
	3	-325	-206	-50	25	75							
	4	-350	-231	-150	-25	0							
	5	-525	-402	-200	-175	-150							
	6	-625	-600	-475	-450	-425							
	7	-725	-700	-575	-550	-550							
42	1 & 2	-339	-264	-223	-109	-84							
	3	-364	-289	-259	-134	-109							
	4	-389	-314	-284	-184	-159							
	5	-564	-414	-364	-314	-289							
	6	-775	-675	-525	-475	-450							
	7	-875	-775	-625	-600	-600							
52	1 & 2	-641	-391	-316	-291	-291							
	3	-641	-441	-416	-391	-391							
	4	-666	-466	-441	-416	-416							
	5	-691	-591	-566	-516	-516							
	6	-841	-791	-716	-691	-691							
	7	-916	-891	-816	-791	-791							
62	1 & 2	-766	-666	-566	-541	-541							
	3	-766	-666	-616	-591	-591							
	4	-791	-691	-641	-616	-616							
	5	-891	-841	-766	-741	-741							
	6	-1041	-991	-866	-841	-841							

Mike	
Range	Diff.
25-26	-1000
27-29	-650
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-177
53 & Above	-291

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-300
21.5-22.4	-250
22.5-23.4	-200
23.5-24.4	-175
24.5-25.4	-150
25.5-26.4	-25
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

Uniformity	
Unit	Points
77 & below	-86
78	-76
79	-66
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 9. South Delta spot cotton differences, season average.

August 2005-July 2006

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-198	-95	155	374	499	43	1 & 2	-816	-516	-391	-366	-366
	3	-198	-95	105	324	399		3	-816	-516	-391	-366	-366
	4	-250	-147	54	215	315		4	-841	-541	-416	-391	-391
	5	-375	-312	25	75	100		5	-866	-691	-641	-616	-616
	6	-475	-475	-350	-325	-325		6	-916	-791	-741	-716	-716
	7	-575	-575	-450	-425	-425	7	-1066	-941	-891	-866	-866	
31	1 & 2	-198	-95	129	328	387	53	1 & 2	-891	-716	-666	-641	-641
	3	-198	-95	97	328	362		3	-891	-716	-666	-641	-641
	4	-250	-197	35	215	265		4	-916	-741	-691	-666	-666
	5	-375	-325	-7	75	100		5	-991	-891	-791	-766	-766
	6	-475	-475	-350	-325	-325		6	-1166	-991	-916	-891	-891
	7	-575	-575	-450	-425	-425	7	-1191	-1066	-991	-966	-966	
41	1 & 2	-225	-159	29	111	161	63	1 & 2	-1016	-891	-841	-816	-816
	3	-225	-159	18	86	136		3	-1016	-891	-841	-816	-816
	4	-250	-203	49.63	61	111		4	-1041	-916	-866	-841	-841
	5	-472	-347	-178	-128	-128		5	-1091	-1016	-966	-941	-941
	6	-550	-475	-400	-375	-375		6	-1191	-1066	-966	-941	-941
	7	-625	-575	-500	-475	-475							
51	1 & 2	-589	-339	-264	-164	-164							
	3	-639	-389	-314	-214	-214							
	4	-664	-414	-339	-264	-264							
	5	-725	-650	-450	-400	-400							
	6	-850	-775	-600	-575	-575							
	7	-900	-900	-725	-675	-675							
61	1 & 2	-691	-466	-366	-341	-341							
	3	-741	-516	-416	-391	-391							
	4	-766	-541	-441	-416	-416							
	5	-816	-691	-666	-591	-591							
	6	-941	-841	-791	-766	-766							
	7	-1041	-941	-891	-866	-866							
71	1 & 2	-1116	-1016	-916	-866	-866							
	3	-1116	-1016	-916	-866	-866							
	4	-1166	-1066	-966	-916	-916							
	5	-1191	-1141	-1041	-991	-991							
	6	-1241	-1191	-1091	-1041	-1041							
	7	-1291	-1241	-1141	-1091	-1091							
12 & 22	1 & 2	-275	-95	96	221	271							
	3	-275	-95	96	221	246							
	4	-300	-145	46	121	146							
	5	-500	-350	-100	-25	-25							
	6	-575	-500	-325	-300	-300							
	7	-625	-575	-425	-400	-400							
32	1 & 2	-400	-235	-54	21	46							
	3	-400	-235	-54	-4	46							
	4	-425	-260	-154	-54	-29							
	5	-600	-475	-200	-175	-125							
	6	-700	-650	-475	-450	-425							
	7	-800	-750	-575	-550	-550							
42	1 & 2	-439	-314	-239	-152	-139							
	3	-489	-364	-289	-202	-189							
	4	-514	-389	-314	-252	-239							
	5	-714	-564	-389	-364	-339							
	6	-850	-750	-525	-450	-425							
	7	-900	-800	-625	-600	-600							
52	1 & 2	-641	-416	-341	-316	-316							
	3	-641	-466	-391	-366	-366							
	4	-666	-491	-416	-391	-391							
	5	-711	-641	-566	-516	-516							
	6	-861	-791	-666	-641	-641							
	7	-916	-891	-766	-741	-741							
62	1 & 2	-766	-641	-541	-516	-516							
	3	-816	-691	-591	-566	-566							
	4	-841	-716	-616	-591	-591							
	5	-941	-841	-716	-691	-691							
	6	-1091	-941	-816	-791	-791							

Mike	
Range	Diff.
25-26	-1100
27-29	-750
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-177
53 & Above	-291

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-275
21.5-22.4	-225
22.5-23.4	-175
23.5-24.4	-137
24.5-25.4	-112
25.5-26.4	-25
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

Uniformity	
Unit	Points
77 & below	-86
78	-76
79	-66
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2005-July 2006

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-240	-165	-105	-26	186	403	581	721	721
	3	-290	-190	-105	-76	161	328	456	571	571
	4	-365	-290	-180	-126	103	270	307	447	447
	5	-425	-350	-250	-225	-125	-18	158	273	273
	6	-600	-500	-400	-350	-300	-250	-250	-155	-155
31	7	-675	-575	-475	-450	-400	-325	-325	-230	-230
	1 & 2	-290	-215	-155	-76	153	264	472	592	592
	3	-340	-240	-180	-101	128	214	397	467	467
	4	-401	-340	-205	-180	48	185	268	333	333
	5	-475	-400	-275	-250	-150	-68	83	173	173
41	6	-625	-525	-425	-375	-325	-275	-275	-184	-184
	7	-700	-600	-500	-475	-425	-350	-350	-259	-259
	1 & 2	-350	-300	-180	-105	111	175	225	344	344
	3	-375	-325	-205	-140	86	150	175	294	294
	4	-439	-375	-240	-205	-75	47.69	125	269	269
51	5	-500	-450	-350	-279	-179	-119	-54	50	50
	6	-675	-600	-500	-404	-379	-304	-304	-275	-275
	7	-750	-700	-625	-504	-479	-429	-404	-400	-400
	1 & 2	-500	-450	-400	-300	-225	-125	-125	-81	-81
	3	-500	-450	-400	-325	-225	-125	-125	-81	-81
61	4	-550	-500	-450	-350	-250	-200	-175	-131	-131
	5	-575	-550	-475	-379	-279	-229	-229	-234	-234
	6	-750	-675	-650	-454	-454	-404	-404	-400	-400
	7	-825	-775	-750	-554	-554	-504	-504	-500	-500
	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
71	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
12 & 22	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
32	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
	1 & 2	-325	-275	-200	-74	92	270	320	419	419
	3	-375	-300	-225	-133	42	245	281	355	355
	4	-400	-350	-250	-158	17	121	131	255	255
	5	-475	-425	-375	-325	-275	-200	-75	91	91
42	6	-675	-600	-525	-425	-425	-350	-325	-309	-309
	7	-775	-700	-625	-525	-500	-425	-400	-384	-384
	1 & 2	-350	-300	-275	-225	-50	95	145	244	244
	3	-400	-325	-300	-225	-75	45	81	230	230
	4	-425	-375	-325	-250	-150	-30	6	55	55
52	5	-525	-475	-425	-375	-375	-225	-150	16	16
	6	-700	-650	-550	-475	-475	-400	-400	-384	-384
	7	-850	-775	-675	-575	-575	-475	-475	-459	-459
	1 & 2	-425	-325	-300	-250	-200	-33	42	125	125
	3	-425	-350	-350	-275	-225	-33	-8	75	75
62	4	-450	-400	-400	-300	-250	-58	-33	36	36
	5	-575	-550	-500	-425	-400	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
	1 & 2	-550	-475	-450	-375	-350	-300	-300	-300	-300
62	3	-550	-475	-450	-375	-350	-300	-300	-300	-300
	4	-600	-550	-500	-400	-375	-325	-325	-325	-325
	5	-675	-625	-600	-500	-450	-375	-375	-375	-375
	6	-900	-850	-800	-700	-650	-525	-525	-525	-525
	7	-975	-925	-900	-800	-750	-625	-625	-625	-625
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-375	-375	-375	-375
	5	-750	-675	-650	-575	-550	-450	-450	-450	-450
	6	-925	-875	-825	-750	-725	-625	-625	-625	-625

Table 10. East Texas-Oklahoma (Continued)

August 2005-July 2006

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-306	-231	-156	-106	-56	-56
	3	-525	-450	-400	-331	-256	-181	-131	-81	-81
	4	-600	-500	-475	-406	-306	-231	-181	-131	-131
	5	-725	-625	-600	-506	-431	-356	-306	-256	-256
	6	-825	-750	-650	-581	-481	-406	-406	-356	-356
	7	-900	-825	-725	-656	-581	-506	-506	-456	-456
33	1 & 2	-600	-525	-475	-381	-306	-206	-156	-106	-106
	3	-600	-525	-475	-381	-306	-206	-156	-106	-106
	4	-650	-600	-525	-456	-356	-256	-206	-156	-156
	5	-750	-750	-650	-556	-456	-381	-331	-281	-281
	6	-875	-825	-725	-631	-556	-456	-456	-406	-406
	7	-1000	-900	-825	-731	-631	-556	-556	-506	-506
43	1 & 2	-650	-575	-525	-456	-356	-256	-206	-156	-156
	3	-650	-575	-525	-456	-356	-256	-206	-156	-156
	4	-700	-650	-575	-531	-406	-281	-231	-181	-181
	5	-775	-775	-675	-631	-506	-406	-356	-306	-306
	6	-925	-875	-750	-706	-606	-506	-506	-456	-456
	7	-1025	-950	-850	-781	-681	-581	-581	-531	-531
53	1 & 2	-750	-650	-625	-525	-525	-400	-350	-325	-325
	3	-750	-650	-625	-550	-550	-425	-375	-350	-350
	4	-800	-700	-675	-625	-550	-475	-425	-400	-400
	5	-875	-800	-750	-700	-650	-550	-500	-475	-475
	6	-975	-900	-875	-800	-750	-650	-650	-625	-625
	7	-1050	-975	-950	-875	-850	-725	-725	-700	-700
63	1 & 2	-850	-750	-725	-625	-575	-450	-400	-375	-375
	3	-850	-750	-725	-625	-575	-450	-400	-375	-375
	4	-900	-800	-775	-675	-650	-525	-475	-450	-450
	5	-1000	-900	-875	-775	-700	-600	-550	-525	-525
	6	-1050	-975	-975	-875	-775	-675	-675	-650	-650
	34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375
3	-700	-600	-550	-500	-450	-375	-375	-375	-375	
4	-825	-725	-675	-625	-550	-475	-475	-475	-475	
5	-925	-825	-775	-725	-675	-600	-600	-600	-600	
6	-1050	-975	-925	-875	-825	-750	-750	-750	-750	
44	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500
3	-850	-750	-700	-650	-575	-500	-500	-500	-500	
4	-900	-800	-775	-725	-675	-600	-600	-600	-600	
5	-975	-875	-850	-800	-725	-650	-650	-650	-650	

Mike	
Range	Diff.
24 & Below	-992
25-26	-878
27-29	-586
30-32	-334
33-34	-184
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-218
53 & Above	-333

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Length	Points
77 & below	-77
78	-64
79	-51
80	0
Base 81	0
82	0
83	0
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-117
2	-383
Bark	
1	-233
2	-450
Other	
1	-375
2	-500

Table 11. West Texas spot cotton differences, season average

August 2005-July 2006

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-222	-147	-101	-68	161	375	506	588	588
	3	-272	-172	-126	-108	146	335	481	563	563
	4	-340	-265	-166	-146	-36	192	434	509	509
	5	-425	-350	-250	-200	-106	52	327	361	361
	6	-650	-550	-450	-450	-356	-206	-181	-181	-181
31	7	-725	-625	-525	-500	-431	-281	-256	-256	-256
	1 & 2	-281	-206	-161	-123	121	282	392	527	527
	3	-331	-256	-186	-148	96	257	392	502	502
	4	-416	-341	-235	-224	-66	112	319	459	459
	5	-483	-408	-283	-254	-156	-67	258	308	308
41	6	-700	-600	-500	-500	-381	-248	-248	-223	-223
	7	-775	-700	-575	-550	-456	-306	-306	-281	-281
	1 & 2	-400	-350	-275	-244	-44	131	202	227	227
	3	-425	-375	-300	-269	-69	81	177	227	227
	4	-500	-425	-325	-294	-169	47.78	127	152	152
51	5	-525	-450	-325	-295	-225	-100	0	100	100
	6	-725	-625	-550	-525	-450	-300	-275	-250	-250
	7	-800	-750	-675	-625	-550	-400	-350	-325	-325
	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
61	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
71	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
12 & 22	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
32	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
	1 & 2	-318	-268	-174	-124	49	131	281	401	401
	3	-368	-318	-199	-169	24	106	231	351	351
	4	-408	-343	-249	-216	-137	3	178	297	297
	5	-500	-450	-400	-344	-331	-206	-81	-81	-81
42	6	-700	-625	-550	-494	-481	-381	-331	-331	-331
	7	-775	-700	-625	-594	-556	-456	-406	-406	-406
	1 & 2	-361	-311	-286	-186	-25	10	85	162	160
	3	-411	-361	-311	-236	-50	10	35	160	160
	4	-511	-411	-411	-286	-211	-69	25	131	131
52	5	-550	-525	-475	-469	-425	-275	-200	-194	-194
	6	-750	-700	-600	-569	-544	-425	-400	-400	-400
	7	-875	-800	-700	-669	-610	-519	-475	-475	-475
	1 & 2	-450	-400	-350	-275	-225	-75	-15	127	141
	3	-475	-425	-400	-300	-250	-75	-10	131	141
62	4	-550	-475	-475	-375	-275	-100	-10	100	100
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
72	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
82	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Table 11. West Texas (Continued)

August 2005-July 2006

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-189	-121	-96	-96	-96
	3	-450	-400	-325	-250	-214	-146	-121	-121	-121
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-514	-500	-425	-375	-375	-375
33	1 & 2	-825	-750	-650	-614	-564	-475	-475	-475	-475
	3	-550	-475	-425	-300	-264	-189	-189	-189	-189
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-589	-575	-450	-450	-450	-450
43	1 & 2	-950	-850	-775	-689	-635	-560	-550	-550	-550
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-600	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
53	1 & 2	-975	-900	-800	-764	-700	-600	-600	-600	-600
	3	-775	-675	-650	-550	-525	-425	-400	-400	-400
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
63	1 & 2	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
	3	-900	-800	-775	-675	-625	-475	-425	-425	-425
	4	-900	-800	-775	-675	-625	-475	-450	-450	-450
	5	-950	-850	-825	-725	-650	-550	-500	-500	-500
	6	-1050	-950	-925	-825	-750	-625	-575	-575	-575
34	1 & 2	-1100	-1025	-1025	-925	-825	-714	-700	-700	-700
	3	-687	-587	-537	-462	-412	-337	-337	-337	-337
	4	-687	-587	-537	-462	-412	-337	-337	-337	-337
	5	-812	-712	-662	-587	-512	-437	-437	-437	-437
	6	-912	-812	-762	-687	-637	-562	-562	-562	-562
44	1 & 2	-1037	-962	-912	-837	-787	-712	-712	-712	-712
	3	-775	-675	-625	-525	-475	-400	-400	-400	-400
	4	-800	-700	-650	-575	-525	-450	-450	-450	-450
	5	-875	-775	-725	-675	-575	-500	-500	-500	-500
	6	-975	-875	-825	-750	-675	-600	-600	-600	-600
54	1 & 2	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
	3	-850	-750	-700	-625	-550	-475	-475	-475	-475
	4	-850	-750	-700	-625	-550	-475	-475	-475	-475
	5	-900	-800	-775	-700	-650	-575	-575	-575	-575
	6	-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-975
25-26	-877
27-29	-567
30-32	-324
33-34	-182
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-218
53 & Above	-333

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-30.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Length	Points
77 & below	-77
78	-64
79	-51
80	0
Base 81	0
82	0
83	0
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-117
2	-383
Bark	
1	-233
2	-450
Other	
1	-350
2	-469

Table 12. Desert Southwest spot cotton differences, season average.

August 2005-July 2006

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-50	225	824	869	904	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-50	200	749	844	879		3	-725	-650	-550	-475	-475																																															
	4	-275	0	325	435	470		4	-825	-750	-625	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-600	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-675	-400	-200	-170	-115	7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-125	175	774	844	879	53	1 & 2	-875	-775	-675	-675	-675																																															
	3	-125	150	724	794	829		3	-875	-775	-675	-675	-675																																															
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																															
	5	-375	-300	0	35	120		5	-1025	-925	-825	-825	-825																																															
	6	-475	-375	-100	-95	-40		6	-1125	-1025	-925	-925	-925																																															
	7	-675	-400	-200	-170	-115	7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-375	25	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1200</td> <td>77 &amp; below</td> <td>-100</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>78</td> <td>-90</td> </tr> <tr> <td>27-29</td> <td>-900</td> <td>79</td> <td>-80</td> </tr> <tr> <td>30-32</td> <td>-425</td> <td>80</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-275</td> <td>81</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>82</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>83</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>84</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>85</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-475</td> <td>86 &amp; above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77 & below	-100	25-26	-1000	78	-90	27-29	-900	79	-80	30-32	-425	80	0	33-34	-275	81	0	Base 35-36	0	82	0	37-42	25	83	30	Base 43-49	0	84	40	50-52	-275	85	50	53 & Above	-475	86 & above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77 & below	-100																																																								
	25-26	-1000	78	-90																																																								
27-29	-900	79	-80																																																									
30-32	-425	80	0																																																									
33-34	-275	81	0																																																									
Base 35-36	0	82	0																																																									
37-42	25	83	30																																																									
Base 43-49	0	84	40																																																									
50-52	-275	85	50																																																									
53 & Above	-475	86 & above	60																																																									
3	-375	25	225	310	320																																																							
4	-425	48.26	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-525	-400	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-425	-250	-150	-140	-130																																																						
	3	-425	-250	-150	-140	-130																																																						
	4	-425	-275	-175	-165	-155																																																						
	5	-550	-475	-375	-365	-355																																																						
	6	-700	-575	-475	-475	-475																																																						
7	-850	-800	-775	-775	-775																																																							
12 & 22	1 & 2	-325	0	275	285	345																																																						
	3	-325	0	250	260	320																																																						
	4	-375	-50	325	335	395																																																						
	5	-425	-250	-100	-100	-50																																																						
	6	-600	-475	-300	-300	-250																																																						
7	-775	-650	-550	-550	-500																																																							
32	1 & 2	-325	-100	125	210	220																																																						
	3	-325	-100	125	210	220																																																						
	4	-425	-225	0	85	95																																																						
	5	-525	-500	-425	-425	-425																																																						
	6	-675	-600	-550	-550	-550																																																						
7	-825	-775	-750	-750	-750																																																							
42	1 & 2	-425	-250	-150	-100	-100																																																						
	3	-425	-250	-150	-100	-100																																																						
	4	-450	-325	-225	-175	-175																																																						
	5	-575	-575	-475	-475	-475																																																						
	6	-750	-675	-575	-575	-575																																																						
7	-950	-850	-825	-825	-825																																																							
52	1 & 2	-475	-400	-325	-275	-275																																																						
	3	-475	-400	-325	-275	-275																																																						
	4	-650	-525	-450	-400	-400																																																						
	5	-700	-600	-550	-550	-550																																																						
	6	-800	-700	-650	-650	-650																																																						
7	-1050	-950	-950	-925	-925																																																							

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Table 13. San Joaquin Valley spot cotton differences, season average.

August 2005-July 2006

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	750	1275	1706	1784	33	1 & 2	-500	-500	-500	-500
	3	685	1176	1506	1619		3	-500	-500	-500	-500
	4	100	475	540	660		4	-600	-600	-600	-600
	5	-125	75	130	190		5	-800	-800	-800	-800
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075
	7	-625	-525	-475	-425		7	-1225	-1225	-1225	-1225
	31	1 & 2	700	1216	1359		1472	43	1 & 2	-875	-875
3		700	1141	1234	1347	3	-875		-875	-875	-875
4		100	450	498	583	4	-925		-925	-925	-925
5		-200	0	55	115	5	-1075		-1075	-1075	-1075
6		-525	-325	-275	-225	6	-1225		-1225	-1225	-1225
7		-675	-575	-525	-475	7	-1425		-1425	-1425	-1425
41		1 & 2	200	650	730	740	<b>Mike</b>				
	3	150	600	680	690	Range		Diff.			
	4	50.06	350	430	440	27-29		-1250			
	5	-425	-200	-195	-185	30-32		-550			
	6	-675	-450	-450	-450	33-34		-350			
	7	-825	-725	-725	-725	Base 35-36		0			
	51	1 & 2	-575	-125	-75	-75	37-42		25		
3		-600	-150	-100	-100	Base 43-49		0			
4		-650	-200	-150	-150	50-52		-450			
5		-750	-350	-300	-300						
6		-900	-800	-800	-800						
7		-1050	-950	-950	-950						
12 & 22		1 & 2	225	675	955	1015	<b>Strength</b>				
	3	150	600	880	940	(Grams per Tex)					
	4	25	425	480	540	Range		Diff.			
	5	-250	-50	0	50	23.5-24.4		-100			
	6	-500	-400	-350	-300	24.5-25.4		-100			
	7	-775	-700	-650	-600	25.5-26.4		-50			
	32	1 & 2	100	350	375	375	Base 26.5-28.4		0		
3		50	300	325	325	28.5-29.4		0			
4		-100	200	200	200	29.5-30.4		25			
5		-525	-275	-275	-275	30.5-32.4		50			
6		-675	-475	-475	-475	32.5 & Above		58			
7		-850	-750	-750	-750						
42		1 & 2	-400	-50	-25	-25	<b>Uniformity</b>				
	3	-450	-100	-75	-75	Unit		Points			
	4	-500	-200	-175	-175	77 & below		-60			
	5	-675	-450	-425	-425	78		-50			
	6	-900	-875	-875	-875	79		-40			
	7	-1000	-1000	-1000	-1000	80		0			
	52	1 & 2	-725	-675	-675	-675	81		0		
3		-725	-675	-675	-675	82		0			
4		-825	-775	-775	-775	83		30			
5		-875	-825	-825	-825	84		40			
6		-1025	-1025	-1025	-1025	85		50			
7		-1225	-1225	-1225	-1225	86 & above		60			
<b>Extraneous Matter</b>											
Level											
Diff.											
Prep											
1											
2											
Other											
1											
2											



Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2005-2006

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	5,105	4,688	12,559	16,843	39,298	25,559	9,816	15,236	7,761	8,308	16,375	5,258	<b>166,806</b>
North Delta	11,320	7,609	12,385	13,206	8,013	70,272	15,179	11,969	8,969	7,716	9,354	17,532	<b>193,524</b>
South Delta	2,296	1,953	55,912	9,703	13,481	10,454	7,226	8,377	889	2,529	4,010	4,102	<b>120,932</b>
East Texas-Oklahoma	12,665	44,270	40,419	34,462	44,018	33,912	19,836	11,115	1,968	2,948	3,730	1,945	<b>251,288</b>
West Texas	35,223	5,274	14,506	126,340	249,754	268,571	130,089	126,659	40,261	43,780	83,592	31,871	<b>1,155,920</b>
Desert Southwest	0	90	2,854	18,255	3,444	16,294	0	0	0	30	0	0	<b>40,967</b>
San Joaquin Valley	709	0	275	380	1,046	5,681	0	2,200	2,855	8,415	0	0	<b>21,561</b>
<b>Total</b>	<b>67,318</b>	<b>63,884</b>	<b>138,910</b>	<b>219,189</b>	<b>359,054</b>	<b>430,743</b>	<b>182,146</b>	<b>175,556</b>	<b>62,703</b>	<b>73,726</b>	<b>117,061</b>	<b>60,708</b>	<b>1,950,998</b>

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2000-2005. 1/

Market Area	2000	2001	2002	2003	2004	2005
Southeast	204,468	287,225	335,800	304,736	252,766	166,806
North Delta	121,060	263,848	395,575	184,460	373,399	193,524
South Delta	472,055	245,767	443,325	224,368	293,427	120,932
East Texas-Oklahoma	264,381	405,737	155,268	356,496	265,655	251,288
West Texas	815,354	1,087,669	792,982	962,700	1,222,016	1,155,920
Desert Southwest	158,157	139,476	170,605	86,985	78,573	43,015
San Joaquin Valley	266,537	94,043	271,674	134,341	113,199	39,781
<b>Total</b>	<b>2,302,012</b>	<b>2,523,765</b>	<b>2,565,229</b>	<b>2,254,086</b>	<b>2,599,035</b>	<b>1,971,266</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, uncompressed, FOB warehouse. 1/ 2/

DESERT SOUTHWEST PIMA DIFFERENCES					SAN JOAQUIN VALLEY PIMA DIFFERENCES				
Color	Leaf	Staple			Color	Leaf	Staple		
		44	46	48			44	46	48
1	1	125.46	133.45	133.70	1	1	129.86	137.28	137.53
	2	125.27	133.20	133.70		2	129.67	137.03	137.53
	3	119.39	126.52	127.29		3	124.50	130.89	131.64
	4	-	-	-		4	-	-	-
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
2	1	125.04	132.95	133.65	2	1	129.05	136.78	137.28
	2	124.27	132.57	133.26		2	128.67	136.34	136.84
	3	118.56	125.85	126.42		3	122.93	129.87	130.12
	4	106.33	111.50	112.11		4	112.13	116.92	117.67
	5	-	-	-		5	-	-	-
	6	-	-	-		6	-	-	-
3	1	118.27	125.50	127.00	3	1	123.31	128.60	129.60
	2	118.44	125.12	126.81		2	122.93	128.21	129.41
	3	113.31	118.60	119.15		3	116.81	121.64	122.64
	4	103.77	108.49	109.24		4	108.83	113.46	114.41
	5	98.24	102.36	103.22		5	101.45	104.68	105.93
	6	-	-	-		6	-	-	-
4	1	107.18	110.45	111.99	4	1	111.81	118.83	119.62
	2	106.80	110.07	111.61		2	111.85	116.76	117.21
	3	106.49	109.30	110.84		3	110.18	115.26	115.26
	4	102.52	106.10	106.10		4	106.32	111.34	111.34
	5	94.35	99.12	99.12		5	101.80	105.99	106.07
	6	-	-	-		6	-	-	-
5	1	-	-	-	5	1	-	-	-
	2	84.93	91.43	91.43		2	90.68	98.18	98.18
	3	84.93	91.43	91.43		3	90.68	97.61	98.18
	4	84.93	85.43	85.43		4	90.68	92.18	92.18
	5	84.43	84.68	84.68		5	90.43	91.93	91.93
	6	-	-	-		6	-	-	-
6	1	-	-	-	6	1	-	-	-
	2	74.68	74.93	74.93		2	79.93	80.18	80.18
	3	74.68	74.93	74.93		3	79.93	80.18	80.18
	4	74.68	74.93	74.93		4	79.93	80.18	80.18
	5	74.43	74.68	74.68		5	79.68	79.93	79.93
	6	74.18	74.18	74.18		6	79.18	79.43	79.43

Mike ranges	Points per pound	Extraneous Matter		Mike ranges	Points per pound	Extraneous Matter	
		Level	Diff.			Level	Diff.
		Preparation				Preparation	
26 & Below	-1350	1	-475	26 & Below	-1350	1	-625
27-29	-900	2	-850	27-29	-908	2	-900
30-32	-525	Bark, Grass, Sp.twist, Other		30-32	-508	Bark, Grass, Sp.twist, Other	
33-34	-350	1	-400	33-34	-358	1	-525
35 & Above	0	2	-700	35 & Above	0	2	-850

1/ Prices quoted beginning August 1, 2003. 2/ These prices are averages of the monthly Cotton Price Statistics reports.

Table 17. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 1999-2005

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
1999	52.70	45.30	46.30	44.30	42.80	43.10	46.80	47.70	45.40	47.60	45.10	48.80	45.00
2000	51.40	50.60	55.50	58.00	57.80	52.10	48.50	41.10	42.60	40.90	39.20	38.90	49.80
2001	37.30	36.50	30.70	27.80	30.80	27.30	28.00	28.40	27.20	26.70	33.70	35.30	29.80
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.30	48.50	48.50	47.90	48.60	49.00	50.40	48.60	46.80	47.70	46.20 2/	46.90 3/
Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
1999	49.72	48.39	49.46	48.12	46.65	51.92	54.29	57.67	53.76	58.31	54.97	55.13	52.36
2000	59.33	60.62	60.54	62.16	61.04	56.66	54.10	47.22	42.19	40.02	37.38	37.48	51.56
2001	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10
2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
1999	51.84	50.43	51.12	49.73	47.83	53.01	55.62	59.26	55.37	60.20	56.75	56.73	53.99
2000	60.58	61.78	61.68	63.39	62.51	58.37	55.85	48.93	43.82	41.46	38.64	38.80	52.98
2001	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66
2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1999	57.14	55.98	57.79	55.88	53.94	58.52	61.67	64.76	61.04	64.05	62.10	61.05	59.49
2000	64.60	66.80	66.04	68.25	70.11	64.27	61.25	54.34	49.06	47.92	45.06	44.83	58.54
2001	43.83	40.43	36.26	37.44	40.32	39.93	39.56	41.40	5/	5/	44.48	48.36	41.20 6/
2002	46.55	44.96	45.83	51.67	52.88	54.39	56.13	60.16	59.84	56.09	57.12	60.97	53.88
2003	58.44	64.75	75.14	77.01	70.48	75.42	71.58	70.66	66.09	68.23	61.85	53.61	67.77
2004	51.88	56.27	51.45	49.62	48.38	50.30	49.79	55.35	57.06	56.81	52.85	55.88	52.97
2005	52.38	54.91	58.49	56.46	56.69	59.55	60.94	57.77	56.35	53.69	56.64	55.96	56.65
Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 4/													
1999	59.59	58.39	60.71	58.55	56.36	60.83	63.73	66.46	62.75	65.52	63.91	62.90	61.64
2000	66.14	68.25	67.38	69.49	71.56	65.65	62.67	55.96	50.62	49.57	46.92	46.98	60.10
2001	46.05	42.42	38.46	39.43	42.35	42.05	41.50	43.22	5/	5/	46.74	50.63	43.29 6/
2002	48.25	46.60	47.80	54.61	55.96	57.44	58.75	62.39	61.46	57.09	58.84	62.27	55.96
2003	59.74	66.13	76.40	77.82	71.37	77.28	73.43	72.57	68.16	70.40	63.73	55.77	69.40
2004	54.15	58.09	52.87	51.49	50.15	51.85	51.46	57.28	59.38	58.98	54.71	57.80	54.85
2005	54.61	56.91	60.67	58.41	59.78	62.90	64.40	60.86	59.47	56.94	59.16	58.37	59.37

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ The 2005 average is a preliminary price for August-December 2005. 4/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK, and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths. 5/ Landed Mill quotations were not published. 6/ Ten-month average.