


# **COTTON PRICE STATISTICS 2009-2010**



## **ANNUAL REPORT**

**UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service  
Cotton and Tobacco Programs  
Memphis, TN**

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 67.76 cents per pound for the 2009-2010 season, up sharply from 47.87 cents for the 2008-2009 season. The season's highest lowest average quotation for the base quality occurred on August 26, 2009 at 50.98 cents per pound and the season's highest daily quotation was 78.90 cents on July 30, 2010. The lowest monthly average for the marketing year was 53.77 cents per pound in August 2009 and the highest was 76.16 cents per pound in July 2010.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 69.96 cents per pound for the 2009-2010 season, up from 49.83 cents for the 2008-2009 season.

The average price received by farmers for Upland cotton was 55.20 cents per pound for the 2008-2009 marketing year and 59.30 cents for the 2007-2008 marketing year, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 904,101 running bales in the 2009-2010 marketing year, down from 1,383,986 bales in the 2008-2009 marketing year and 1,787,426 bales 2007-2008.

August 18, 2010

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2004-2009 1/ 2/

Market Areas	2004	2005	2006	2007	2008	2009
Southeast	45.91	49.65	49.90	63.95	48.97	70.13
North Delta	46.02	49.67	49.46	62.67	47.99	69.30
South Delta	46.02	49.63	49.46	62.67	47.99	69.30
East Texas-Oklahoma	44.22	47.69	48.17	60.89	47.08	66.57
West Texas	44.08	47.78	48.06	60.64	46.93	66.38
Desert Southwest	45.66	48.26	47.08	59.07	47.03	65.40
San Joaquin Valley	47.38	50.06	48.58	60.57	49.10	67.20
<b>Average</b>	<b>45.61</b>	<b>48.96</b>	<b>48.67</b>	<b>61.50</b>	<b>47.87</b>	<b>67.76</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2004 2/	26-Apr-05	52.30	8-Feb-05	40.39
2005 2/	14-Feb-06	53.25	15-Aug-05	43.46
2006 2/	13-Jul-07	60.67	14-May-07	42.84
2007 2/	5-Mar-08	79.16	16-Aug-07	50.34
2008 2/	1-Aug-08	62.69	11-Nov-08	36.28
2009 2/	30-Jul-10	78.90	26-Aug-09	50.98

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2009-2010 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1		51.69	56.39		66.91		62.73	75.78	74.96		72.98	76.36
2			52.06	55.90	62.89	67.05	63.51	74.93			72.43	75.16
3	55.61	52.25			62.82	67.64	63.94	76.01		76.31	72.36	
4	55.61	52.52			63.47	67.34	69.61	63.24	75.19	74.35	71.65	
5	55.42		56.56	62.97		67.12	61.19	75.66	75.52	74.91		
6	54.13		57.84	62.35		67.43			75.53	72.96		74.59
7	55.45		57.50		67.96	66.89			74.45	73.79	71.76	75.19
8		53.63	58.46		67.65	66.42	63.29	75.31	72.46		72.62	74.71
9		53.74	58.01	63.29	67.80		66.29	73.88	72.01		75.34	75.32
10	56.68	54.10		64.54	67.30		66.91	73.79		74.03	76.33	
11	56.89	54.33		63.07	67.72	67.74	66.98	72.55		73.66	75.64	
12	56.74		59.27	62.44		66.71	68.15	73.76	72.06	73.55		74.47
13	57.01		60.27	63.14		67.16			73.70	73.83		75.17
14	54.44	55.33	61.34		68.91	66.72			73.32	74.01	76.51	74.61
15		56.23	61.92		68.31	65.99		73.97	74.18		76.51	75.66
16		57.05	62.36	65.48	69.43		69.26	74.81	73.83		76.37	76.90
17	52.49	58.34		65.01	69.06		69.22	74.34		74.36	75.90	
18	52.08	58.71		65.57	68.66		70.95	75.08		75.29	75.47	
19	52.19		61.12	65.87		65.67	71.84	75.06	74.43	76.20		76.05
20	52.01		61.77	66.78		64.93			77.14	75.21		75.34
21	51.89	57.00	62.74		68.44	65.64			77.54	76.05	75.72	76.05
22		58.24	63.14		67.46	65.09	72.43	75.28	77.30		76.06	76.62
23		58.77	62.59	67.20	67.54		72.48	75.71	78.43		76.76	77.30
24	52.23	58.94		68.19	67.36		72.11	74.65		75.54	77.08	
25	51.41	56.74		68.05		64.29	74.01	73.77		75.48	77.22	
26	50.98		62.54		64.19	75.01	73.39	78.42	75.46			77.94
27	51.10		62.36	67.03		63.74			77.93	75.06		78.11
28	51.93	57.57	62.06		69.26	63.71			77.86	73.96	76.83	77.41
29		56.54	62.69		68.66	63.63		73.99	76.50		76.57	77.49
30		57.53	62.89	67.77	68.91			73.35	77.09		76.15	78.90
31	52.97				69.04			74.21				
Average	53.77	55.78	60.44	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16
High	57.01	58.94	63.14	68.19	69.43	69.61	75.01	76.01	78.43	76.31	77.22	78.90
Low	50.98	51.69	55.90	62.35	66.91	63.63	61.19	72.55	72.01	72.96	71.65	74.47

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2009-2010 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	54.85	57.79	62.55	67.50	70.91	68.62	71.19	77.58	77.68	76.84	77.54	78.55	70.13
North Delta	54.15	56.96	61.62	66.33	69.95	67.89	70.35	76.84	76.93	75.87	76.67	78.11	69.30
South Delta	54.15	56.96	61.62	66.33	69.95	67.89	70.35	76.84	76.93	75.87	76.67	78.11	69.30
East Texas-Oklahoma	52.65	53.50	58.75	63.49	67.14	65.45	66.66	72.55	74.70	74.30	75.03	74.63	66.57
West Texas	52.65	53.10	58.07	63.38	66.74	65.12	66.16	72.67	74.70	74.30	75.03	74.63	66.38
Desert Southwest	52.85	54.94	59.13	62.63	65.16	62.39	65.06	71.78	72.77	71.99	72.02	74.05	65.40
San Joaquin Valley	55.10	57.19	61.38	64.63	66.91	64.14	66.81	73.53	74.52	73.74	73.39	75.05	67.20
Average	53.77	55.78	60.44	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.76

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2009-2010 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	55.35	58.29	63.05	68.05	71.66	69.37	71.94	78.33	78.43	77.59	78.29	79.30	70.80
North Delta	54.65	57.46	62.12	66.83	70.45	68.39	70.85	77.34	77.43	76.37	77.17	78.61	69.80
South Delta	54.65	57.46	62.12	66.83	70.45	68.39	70.85	77.34	77.43	76.37	77.17	78.61	69.80
East Texas-Oklahoma	54.40	55.39	61.50	66.24	69.89	68.43	69.66	75.55	77.70	77.30	78.03	77.63	69.31
West Texas	55.40	55.85	60.82	66.13	69.70	68.12	69.16	75.67	77.70	77.30	78.03	77.63	69.29
Desert Southwest	54.35	56.44	60.63	64.13	66.66	63.89	66.56	73.28	74.27	73.49	73.52	75.55	66.90
San Joaquin Valley	61.85	63.94	68.13	71.38	73.66	70.89	73.56	80.28	81.27	80.49	79.68	80.80	73.83
Average	55.81	57.83	62.62	67.08	70.35	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.96

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2009-July 2010

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-218	-143	-93	-160	-14	273	530	635	655
	3	-268	-168	-105	-175	-18	244	463	544	568
	4	-330	-255	-168	-200	-110	109	266	332	354
	5	-418	-343	-243	-315	-229	-54	110	164	185
	6	-618	-518	-418	-445	-392	-321	-236	-212	-197
	7	-693	-593	-493	-575	-538	-454	-393	-366	-354
	31	1 & 2	-268	-193	-143	-175	-31	236	463	551
3		-318	-230	-168	-185	-39	221	429	487	508
4		-380	-318	-205	-230	-152	81	231	290	306
5		-468	-393	-268	-335	-246	-104	68	109	127
6		-655	-555	-455	-460	-400	-346	-273	-249	-234
7		-730	-643	-530	-590	-546	-468	-418	-392	-377
41		1 & 2	-393	-343	-255	-265	-154	83	233	283
	3	-418	-368	-280	-275	-163	65	194	240	243
	4	-493	-418	-305	-305	-225	67.76	122	168	170
	5	-530	-468	-355	-420	-325	-225	-151	-108	-105
	6	-718	-630	-543	-525	-479	-414	-357	-341	-341
	7	-793	-743	-668	-670	-633	-579	-543	-535	-534
	51	1 & 2	-530	-480	-443	-444	-290	-235	-120	-98
3		-530	-480	-443	-479	-307	-267	-150	-124	-123
4		-580	-530	-493	-504	-336	-317	-207	-186	-184
5		-605	-580	-524	-576	-493	-429	-334	-313	-313
6		-824	-755	-705	-679	-626	-579	-536	-526	-526
7		-905	-855	-805	-780	-777	-734	-702	-695	-695
61		1 & 2	-568	-518	-480	-530	-370	-285	-270	-270
	3	-568	-518	-480	-550	-395	-320	-305	-300	-300
	4	-618	-555	-518	-580	-435	-365	-345	-340	-340
	5	-643	-605	-543	-633	-555	-485	-445	-445	-445
	6	-830	-755	-730	-773	-705	-655	-630	-620	-620
	7	-905	-855	-830	-893	-813	-750	-725	-720	-720
	71	1 & 2	-668	-593	-518	-785	-680	-595	-575	-575
3		-668	-593	-518	-785	-680	-595	-575	-575	-575
4		-693	-618	-593	-835	-730	-645	-625	-625	-625
5		-718	-643	-618	-865	-815	-720	-695	-695	-695
6		-893	-818	-793	-980	-920	-820	-795	-795	-795
7		-968	-918	-868	-1020	-970	-868	-845	-845	-845
12 & 22		1 & 2	-330	-280	-193	-205	-79	100	253	342
	3	-380	-318	-218	-225	-92	75	217	302	320
	4	-418	-355	-255	-250	-175	4	155	222	240
	5	-505	-455	-405	-420	-346	-200	-107	-68	-54
	6	-705	-630	-555	-525	-483	-411	-361	-350	-336
	7	-793	-718	-643	-650	-625	-571	-536	-521	-507
	32	1 & 2	-368	-318	-293	-300	-179	-7	88	143
3		-418	-355	-318	-315	-192	-32	56	125	126
4		-480	-405	-380	-360	-250	-136	-17	31	32
5		-555	-518	-468	-500	-400	-322	-249	-210	-210
6		-743	-693	-593	-595	-567	-500	-446	-432	-432
7		-880	-805	-705	-730	-700	-646	-614	-607	-607
42		1 & 2	-455	-380	-343	-335	-267	-186	-71	-25
	3	-468	-405	-393	-375	-292	-211	-100	-50	-50
	4	-530	-455	-455	-420	-313	-250	-151	-109	-109
	5	-605	-580	-530	-550	-442	-404	-312	-294	-294
	6	-855	-805	-680	-680	-617	-546	-511	-500	-500
	7	-943	-893	-793	-815	-758	-707	-675	-671	-671
	52	1 & 2	-605	-530	-505	-510	-375	-368	-336	-329
3		-605	-530	-505	-515	-392	-389	-354	-346	-346
4		-655	-605	-555	-535	-446	-446	-411	-404	-404
5		-730	-680	-655	-615	-554	-539	-504	-504	-504
6		-955	-905	-855	-790	-742	-693	-671	-671	-671
7		-1030	-980	-955	-880	-867	-829	-814	-811	-811
62		1 & 2	-655	-580	-555	-610	-515	-430	-415	-415
	3	-655	-580	-555	-630	-540	-470	-450	-445	-445
	4	-705	-655	-580	-660	-570	-505	-485	-480	-480
	5	-805	-730	-705	-760	-705	-610	-595	-595	-595
	6	-980	-930	-880	-960	-895	-790	-775	-775	-775

Table 6. United States (Continued)

August 2009-July 2010

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-505	-405	-355	-263	-200	-138	-100	-75	-75	
	3	-505	-443	-380	-288	-225	-163	-125	-100	-100	
	4	-580	-480	-455	-363	-288	-213	-175	-150	-150	
	5	-705	-605	-580	-463	-413	-338	-300	-275	-275	
	6	-805	-730	-630	-550	-488	-413	-388	-363	-363	
	7	-880	-805	-705	-638	-575	-488	-488	-463	-463	
	33	1 & 2	-593	-518	-468	-338	-275	-292	-275	-258	-258
3		-593	-518	-468	-338	-275	-292	-275	-258	-258	
4		-643	-593	-518	-413	-338	-358	-342	-325	-325	
5		-743	-743	-643	-525	-450	-517	-492	-475	-475	
6		-868	-818	-718	-613	-575	-658	-658	-642	-642	
7		-993	-893	-818	-713	-638	-783	-775	-758	-758	
43		1 & 2	-643	-568	-518	-595	-492	-457	-425	-404	-404
	3	-643	-568	-518	-595	-492	-457	-425	-404	-404	
	4	-693	-643	-568	-640	-542	-500	-454	-436	-436	
	5	-768	-768	-668	-700	-650	-643	-596	-586	-586	
	6	-918	-868	-743	-800	-771	-768	-754	-746	-746	
	7	-1018	-943	-843	-925	-875	-893	-879	-871	-871	
	53	1 & 2	-780	-680	-655	-685	-646	-554	-521	-517	-517
3		-780	-680	-655	-695	-650	-563	-529	-525	-525	
4		-830	-730	-705	-750	-696	-608	-575	-571	-571	
5		-905	-830	-780	-805	-788	-692	-658	-654	-654	
6		-1005	-943	-905	-960	-904	-813	-788	-783	-783	
7		-1080	-1018	-993	-1020	-1029	-925	-913	-908	-908	
63		1 & 2	-893	-793	-768	-855	-765	-665	-635	-630	-630
	3	-893	-793	-768	-855	-765	-665	-640	-635	-635	
	4	-943	-843	-818	-895	-805	-715	-685	-680	-680	
	5	-1043	-943	-918	-965	-895	-805	-775	-770	-770	
	6	-1093	-1018	-1018	-1080	-990	-885	-870	-865	-865	
	34	1 & 2	-705	-605	-555	-475	-425	-350	-350	-350	-350
		3	-705	-605	-555	-475	-425	-350	-350	-350	-350
4		-830	-730	-680	-600	-525	-450	-450	-450	-450	
5		-930	-830	-780	-700	-650	-575	-575	-575	-575	
6		-1055	-980	-930	-850	-800	-725	-725	-725	-725	
44		1 & 2	-793	-693	-643	-538	-488	-413	-413	-413	-413
		3	-818	-718	-668	-588	-538	-463	-463	-463	-463
	4	-880	-793	-730	-688	-588	-513	-513	-513	-513	
	5	-980	-880	-843	-763	-688	-613	-613	-613	-613	
	6	-1105	-1030	-980	-900	-850	-775	-775	-775	-775	
	54	1 & 2	-868	-768	-718	-638	-563	-488	-488	-488	-488
		3	-868	-768	-718	-638	-563	-488	-488	-488	-488
4		-918	-818	-793	-713	-663	-588	-588	-588	-588	
5		-1005	-905	-868	-788	-713	-638	-638	-638	-638	

Mike	
Range	Diff.
24 & Below	-1004
25-26	-939
27-29	-737
30-32	-367
33-34	-196
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-248
53 & Above	-346

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-39
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	47
32.5 & Above	47

Uniformity	
Length	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	21
83.5-84.4	30
84.5-85.4	40
85.5 & above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-111
2	-686
Other (ET-OK and WT not included)	
1	-368
2	-731
Bark - (ET-OK and WT only)	
1	-238
2	-454

Table 7. Southeast spot cotton differences, season average.

August 2009 - July 2010

Color	Leaf	Staple					Color	Leaf	Staple					
		32	33	34	35	36 & 37			32	33	34	35	36 & 37	
11 & 21	1 & 2	-225	-100	92	211	261	43	1 & 2	-550	-450	-400	-375	-350	
	3	-225	-100	92	211	261		3	-550	-450	-400	-375	-350	
	4	-225	-125	25	101	176		4	-575	-500	-450	-400	-375	
	5	-375	-225	-150	25	100		5	-600	-550	-500	-500	-500	
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700	
	7	-800	-650	-650	-600	-575		7	-925	-850	-800	-800	-800	
	31	1 & 2	-225	-100	67	211		236	53	1 & 2	-600	-500	-400	-400
3		-225	-100	67	211	211	3	-600		-500	-400	-400	-400	
4		-225	-150	25	101	151	4	-650		-550	-450	-450	-450	
5		-375	-225	-150	25	50	5	-675		-625	-525	-525	-525	
6		-500	-350	-325	-300	-275	6	-875		-825	-725	-725	-725	
7		-800	-650	-650	-650	-625	7	-975		-925	-825	-825	-825	
41		1 & 2	-275	-125	42	145	145	63		1 & 2	-925	-825	-725	-725
	3	-275	-125	42	120	120	3		-925	-825	-725	-725	-725	
	4	-275	-150	70.13	61	86	4		-975	-875	-775	-775	-775	
	5	-450	-350	-225	-190	-165	5		-1025	-975	-875	-875	-875	
	6	-575	-475	-450	-425	-400	6		-1250	-1200	-1100	-1100	-1100	
	7	-850	-750	-750	-750	-725								
	51	1 & 2	-418	-193	-93	-93	-93		<b>Mike</b>					
3		-493	-218	-168	-143	-118	Range		Diff.					
4		-518	-218	-193	-193	-193	25-26		-825					
5		-618	-443	-368	-318	-293	27-29		-425					
6		-693	-518	-493	-493	-468	30-32		-275					
7		-925	-800	-800	-800	-775	33-34		-150					
61		1 & 2	-575	-400	-350	-325	-325	Base 35-36		0				
	3	-625	-475	-450	-425	-400	37-42		0					
	4	-675	-525	-500	-475	-450	Base 43-49		0					
	5	-725	-625	-550	-550	-550	50-52		-233					
	6	-900	-825	-775	-775	-775	53 & Above		-300					
	7	-1025	-900	-850	-850	-850	<b>Strength</b>							
	71	1 & 2	-875	-750	-700	-700	-700	(Grams per Tex)						
3		-875	-750	-700	-700	-700	Range		Diff.					
4		-875	-750	-700	-700	-700	20.5-21.4		-425					
5		-925	-875	-850	-850	-850	21.5-22.4		-350					
6		-1050	-975	-925	-925	-925	22.5-23.4		-300					
7		-1050	-975	-925	-925	-925	23.5-24.4		-250					
12 & 22		1 & 2	-275	-125	50	118	143	24.5-25.4		-200				
	3	-275	-125	50	93	118	25.5-26.4		-25					
	4	-275	-125	0	68	93	Base 26.5-28.4		0					
	5	-425	-325	-200	-150	-125	28.5-29.4		0					
	6	-550	-425	-425	-425	-425	29.5-30.4		25					
	7	-825	-725	-725	-725	-700	30.5-32.4		50					
	32	1 & 2	-325	-175	-25	-25	25	32.5 & Above		50				
3		-350	-200	-50	-25	0	<b>Extraneous Matter</b>							
4		-450	-200	-150	-125	-75	Level		Diff.					
5		-525	-350	-300	-300	-275	Prep							
6		-600	-450	-450	-450	-425	1		-100					
7		-875	-750	-750	-750	-725	2		-800					
42		1 & 2	-350	-175	-75	-75	-50	Other						
	3	-425	-200	-100	-75	-50	1		-375					
	4	-500	-200	-150	-150	-125	2		-800					
	5	-600	-375	-350	-325	-300	<b>Uniformity</b>							
	6	-675	-525	-500	-500	-475	Unit		Points					
	7	-925	-800	-800	-800	-775	77 & below		-125					
	52	1 & 2	-450	-250	-175	-175	-175	78		-110				
3		-475	-250	-200	-175	-175	79		-100					
4		-500	-300	-275	-250	-250	80		-25					
5		-600	-500	-425	-425	-425	Base 81		0					
6		-775	-750	-700	-700	-700	82		0					
7		-925	-850	-800	-800	-800	83		20					
62		1 & 2	-575	-400	-350	-350	-350	84		30				
	3	-625	-475	-450	-425	-400	85		40					
	4	-675	-525	-500	-475	-450	86 & above		50					
	5	-775	-700	-650	-650	-650								
	6	-1125	-1050	-1000	-1000	-1000								



Table 8. North Delta spot cotton differences, season average.

August 2009 - July 2010

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-250	-175	75	234	327	43	1 & 2	-775	-575	-400	-375	-375
	3	-250	-175	50	184	227		3	-775	-575	-400	-375	-375
	4	-275	-200	50	117	192		4	-800	-600	-425	-400	-400
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750
	7	-600	-575	-450	-425	-425		7	-1100	-1000	-925	-900	-900
	31	1 & 2	-250	-175	50	184		277	53	1 & 2	-875	-775	-700
3		-250	-175	50	148	206	3	-875		-775	-700	-675	-675
4		-275	-250	25	71	146	4	-900		-800	-725	-700	-700
5		-450	-325	-50	54	79	5	-950		-900	-825	-800	-800
6		-500	-475	-350	-325	-325	6	-1150		-1000	-925	-900	-900
7		-600	-575	-450	-425	-425	7	-1175		-1125	-1025	-1000	-1000
41		1 & 2	-350	-250	50	98	123	63		1 & 2	-1050	-950	-875
	3	-350	-250	25	63	98	3		-1050	-950	-875	-850	-850
	4	-375	-275	69.30	32	32	4		-1075	-975	-900	-875	-875
	5	-525	-400	-225	-221	-196	5		-1125	-1075	-1000	-975	-975
	6	-575	-500	-375	-350	-350	6		-1175	-1125	-1000	-975	-975
	7	-700	-675	-550	-525	-525							
	51	1 & 2	-575	-325	-250	-150	-150		<b>Mike</b>				
3		-600	-350	-325	-225	-225	Range		Diff.				
4		-625	-375	-350	-285	-285	25-26			-1000			
5		-700	-600	-425	-385	-385	27-29			-650			
6		-800	-725	-575	-550	-550	30-32			-325			
7		-850	-850	-675	-625	-625	33-34			-125			
61		1 & 2	-675	-450	-350	-325	-325	Base 35-36			0		
	3	-675	-450	-375	-350	-350	37-42			25			
	4	-700	-475	-400	-375	-375	Base 43-49			0			
	5	-750	-675	-650	-575	-575	50-52			-150			
	6	-875	-775	-775	-750	-750	53 & Above			-275			
	7	-1025	-925	-875	-850	-850	<b>Strength</b>						
	71	1 & 2	-1100	-1000	-850	-800	-800	(Grams per Tex)					
3		-1100	-1000	-850	-800	-800	Range		Diff.				
4		-1150	-1050	-900	-850	-850	20.5-21.4			-300			
5		-1175	-1125	-975	-925	-925	21.5-22.4			-250			
6		-1225	-1175	-1025	-975	-975	22.5-23.4			-200			
7		-1275	-1225	-1075	-1025	-1025	23.5-24.4			-175			
12 & 22		1 & 2	-275	-125	50	106	150	24.5-25.4			-150		
	3	-275	-125	25	100	125	25.5-26.4			-25			
	4	-300	-200	-25	42	75	Base 26.5-28.4			0			
	5	-500	-375	-125	-150	-125	28.5-29.4			0			
	6	-575	-500	-375	-375	-375	29.5-30.4			25			
	7	-675	-650	-525	-500	-500	30.5-32.4			50			
	32	1 & 2	-375	-250	-100	-25	0	32.5 & Above			50		
3		-375	-250	-100	-50	0	<b>Extraneous Matter</b>						
4		-400	-275	-200	-110	-85	Level		Diff.				
5		-525	-375	-250	-235	-210	Prep						
6		-625	-600	-475	-450	-425	1			-138			
7		-725	-700	-575	-550	-550	2			-800			
42		1 & 2	-375	-300	-225	-125	-100	Other					
	3	-400	-325	-275	-150	-125	1			-375			
	4	-425	-350	-300	-210	-185	2			-785			
	5	-550	-425	-350	-310	-285	<b>Uniformity</b>						
	6	-750	-650	-500	-475	-450	Unit		Points				
	7	-875	-775	-625	-600	-600	77 & below			-90			
	52	1 & 2	-625	-400	-325	-300	-300	78			-80		
3		-625	-450	-400	-375	-375	79			-70			
4		-650	-475	-425	-400	-400	80			0			
5		-675	-575	-550	-500	-500	Base 81			0			
6		-825	-775	-700	-675	-675	82			0			
7		-900	-875	-800	-775	-775	83			30			
62		1 & 2	-750	-650	-550	-525	-525	84			40		
	3	-750	-650	-600	-575	-575	85			50			
	4	-775	-675	-625	-600	-600	86 & above			60			
	5	-875	-825	-750	-725	-725							
	6	-1025	-975	-850	-825	-825							

Table 9. South Delta spot cotton differences, season average.

August 2009 - July 2010

Color	Leaf	Staple					Color	Leaf	Staple																																																																																													
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																																																																																									
11 & 21	1 & 2	-250	-150	75	234	327	43	1 & 2	-800	-500	-375	-350	-350																																																																																									
	3	-250	-150	50	184	227		3	-800	-500	-375	-350	-350																																																																																									
	4	-300	-200	50	92	192		4	-825	-525	-400	-375	-375																																																																																									
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600																																																																																									
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700																																																																																									
	7	-575	-575	-450	-425	-425		7	-1050	-925	-875	-850	-850																																																																																									
31	1 & 2	-250	-150	50	184	277	53	1 & 2	-875	-700	-650	-625	-625																																																																																									
	3	-250	-150	50	148	206		3	-875	-700	-650	-625	-625																																																																																									
	4	-300	-250	25	71	146		4	-900	-725	-675	-650	-650																																																																																									
	5	-375	-325	-25	54	79		5	-975	-875	-775	-750	-750																																																																																									
	6	-475	-475	-350	-325	-325		6	-1150	-975	-900	-875	-875																																																																																									
	7	-575	-575	-450	-425	-425		7	-1175	-1050	-975	-950	-950																																																																																									
41	1 & 2	-325	-250	25	98	134	63	1 & 2	-1000	-875	-825	-800	-800																																																																																									
	3	-325	-250	25	63	109		3	-1000	-875	-825	-800	-800																																																																																									
	4	-350	-275	69.30	17	46		4	-1025	-900	-850	-825	-825																																																																																									
	5	-525	-400	-202	-192	-181		5	-1075	-1000	-950	-925	-925																																																																																									
	6	-550	-500	-375	-350	-350		6	-1175	-1050	-950	-925	-925																																																																																									
	7	-675	-625	-500	-475	-475																																																																																																
51	1 & 2	-575	-325	-250	-150	-150	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>25-26</td> <td>-1100</td> </tr> <tr> <td>27-29</td> <td>-750</td> </tr> <tr> <td>30-32</td> <td>-325</td> </tr> <tr> <td>33-34</td> <td>-125</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-150</td> </tr> <tr> <td>53 &amp; Above</td> <td>-275</td> </tr> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> <tr> <td>20.5-21.4</td> <td>-275</td> </tr> <tr> <td>21.5-22.4</td> <td>-225</td> </tr> <tr> <td>22.5-23.4</td> <td>-175</td> </tr> <tr> <td>23.5-24.4</td> <td>-125</td> </tr> <tr> <td>24.5-25.4</td> <td>-100</td> </tr> <tr> <td>25.5-26.4</td> <td>-25</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>50</td> </tr> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-138</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-375</td> </tr> <tr> <td>2</td> <td>-785</td> </tr> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> <tr> <td>77 &amp; below</td> <td>-90</td> </tr> <tr> <td>78</td> <td>-80</td> </tr> <tr> <td>79</td> <td>-70</td> </tr> <tr> <td>80</td> <td>0</td> </tr> <tr> <td>Base 81</td> <td>0</td> </tr> <tr> <td>82</td> <td>0</td> </tr> <tr> <td>83</td> <td>30</td> </tr> <tr> <td>84</td> <td>40</td> </tr> <tr> <td>85</td> <td>50</td> </tr> <tr> <td>86 &amp; above</td> <td>60</td> </tr> </tbody> </table>						Mike		Range	Diff.	25-26	-1100	27-29	-750	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-275	21.5-22.4	-225	22.5-23.4	-175	23.5-24.4	-125	24.5-25.4	-100	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Extraneous Matter		Level	Diff.	Prep		1	-138	2	-800	Other		1	-375	2	-785	Uniformity		Unit	Points	77 & below	-90	78	-80	79	-70	80	0	Base 81	0	82	0	83	30	84	40	85	50	86 & above	60
	Mike																																																																																																					
	Range	Diff.																																																																																																				
	25-26	-1100																																																																																																				
	27-29	-750																																																																																																				
	30-32	-325																																																																																																				
33-34	-125																																																																																																					
Base 35-36	0																																																																																																					
37-42	25																																																																																																					
Base 43-49	0																																																																																																					
50-52	-150																																																																																																					
53 & Above	-275																																																																																																					
Strength																																																																																																						
(Grams per Tex)																																																																																																						
Range	Diff.																																																																																																					
20.5-21.4	-275																																																																																																					
21.5-22.4	-225																																																																																																					
22.5-23.4	-175																																																																																																					
23.5-24.4	-125																																																																																																					
24.5-25.4	-100																																																																																																					
25.5-26.4	-25																																																																																																					
Base 26.5-28.4	0																																																																																																					
28.5-29.4	0																																																																																																					
29.5-30.4	25																																																																																																					
30.5-32.4	50																																																																																																					
32.5 & Above	50																																																																																																					
Extraneous Matter																																																																																																						
Level	Diff.																																																																																																					
Prep																																																																																																						
1	-138																																																																																																					
2	-800																																																																																																					
Other																																																																																																						
1	-375																																																																																																					
2	-785																																																																																																					
Uniformity																																																																																																						
Unit	Points																																																																																																					
77 & below	-90																																																																																																					
78	-80																																																																																																					
79	-70																																																																																																					
80	0																																																																																																					
Base 81	0																																																																																																					
82	0																																																																																																					
83	30																																																																																																					
84	40																																																																																																					
85	50																																																																																																					
86 & above	60																																																																																																					
3	-625	-375	-300	-210	-210																																																																																																	
4	-650	-400	-325	-271	-271																																																																																																	
5	-725	-625	-450	-400	-400																																																																																																	
6	-825	-725	-575	-550	-550																																																																																																	
7	-900	-875	-725	-675	-675																																																																																																	
61	1 & 2	-675	-450	-350	-325	-325																																																																																																
	3	-725	-500	-400	-375	-375																																																																																																
	4	-750	-525	-425	-400	-400																																																																																																
	5	-800	-675	-650	-575	-575																																																																																																
	6	-925	-825	-750	-725	-725																																																																																																
	7	-1025	-925	-875	-850	-850																																																																																																
71	1 & 2	-1100	-1000	-900	-850	-850																																																																																																
	3	-1100	-1000	-900	-850	-850																																																																																																
	4	-1150	-1050	-950	-900	-900																																																																																																
	5	-1175	-1125	-1025	-975	-975																																																																																																
	6	-1225	-1175	-1075	-1025	-1025																																																																																																
	7	-1275	-1225	-1125	-1075	-1075																																																																																																
12 & 22	1 & 2	-275	-125	50	125	150																																																																																																
	3	-275	-125	25	100	125																																																																																																
	4	-300	-250	-75	50	100																																																																																																
	5	-500	-350	-175	-125	-125																																																																																																
	6	-575	-500	-375	-350	-350																																																																																																
	7	-625	-575	-475	-450	-450																																																																																																
32	1 & 2	-400	-250	-75	-10	15																																																																																																
	3	-400	-250	-75	-35	15																																																																																																
	4	-425	-275	-175	-85	-60																																																																																																
	5	-600	-425	-202	-206	-156																																																																																																
	6	-700	-650	-475	-450	-425																																																																																																
	7	-800	-750	-575	-550	-550																																																																																																
42	1 & 2	-425	-300	-225	-125	-125																																																																																																
	3	-475	-350	-275	-175	-175																																																																																																
	4	-500	-375	-300	-225	-225																																																																																																
	5	-650	-500	-375	-350	-325																																																																																																
	6	-850	-750	-525	-450	-425																																																																																																
	7	-900	-800	-625	-600	-600																																																																																																
52	1 & 2	-625	-400	-325	-300	-300																																																																																																
	3	-625	-450	-375	-350	-350																																																																																																
	4	-650	-475	-400	-375	-375																																																																																																
	5	-725	-625	-550	-500	-500																																																																																																
	6	-875	-775	-650	-625	-625																																																																																																
	7	-900	-875	-750	-725	-725																																																																																																
62	1 & 2	-750	-625	-525	-500	-500																																																																																																
	3	-800	-675	-575	-550	-550																																																																																																
	4	-825	-700	-600	-575	-575																																																																																																
	5	-925	-825	-700	-675	-675																																																																																																
	6	-1075	-925	-800	-775	-775																																																																																																

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2009 - July 2010

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	189	339	508	633	633
	3	-275	-175	-100	-75	164	303	383	483	483
	4	-350	-275	-175	-100	114	214	299	399	399
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-275	-275	-200	-200
31	7	-650	-550	-450	-425	-375	-350	-350	-275	-275
	1 & 2	-275	-200	-150	-75	164	303	412	537	537
	3	-325	-225	-175	-100	139	274	358	433	433
	4	-375	-325	-200	-175	64	164	274	299	299
	5	-450	-375	-250	-225	-125	-75	50	103	103
41	6	-600	-500	-400	-350	-300	-300	-300	-247	-247
	7	-675	-575	-475	-450	-400	-375	-375	-325	-325
	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	66.57	125	175	175
51	5	-500	-450	-350	-275	-175	-125	-50	55	55
	6	-675	-600	-500	-400	-375	-325	-325	-270	-270
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
61	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-500	-400	-313	-238	-213	-213	-213
	6	-788	-725	-650	-488	-488	-413	-413	-413	-413
	7	-875	-825	-750	-550	-550	-500	-500	-500	-500
	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
71	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
12 & 22	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
32	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
42	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
52	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
	1 & 2	-425	-325	-300	-250	-175	-25	50	125	125
	3	-425	-350	-350	-275	-200	-25	0	75	75
62	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
	1 & 2	-550	-475	-450	-375	-300	-275	-275	-275	-275
12 & 22	3	-550	-475	-450	-375	-300	-275	-275	-275	-275
	4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
32	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-350	-350	-350	-350
	5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

Table 10. East Texas-Oklahoma (Continued)

August 2009 - July 2010

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50	
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75	
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125	
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250	
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350	
33	7	-900	-825	-725	-650	-575	-500	-500	-450	-450	
	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100	
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100	
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150	
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275	
43	6	-875	-825	-725	-625	-550	-450	-450	-400	-400	
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500	
	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150	
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150	
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175	
53	5	-775	-775	-675	-625	-500	-400	-350	-300	-300	
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450	
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525	
	1 & 2	-750	-650	-625	-525	-500	-375	-350	-325	-325	
	3	-750	-650	-625	-550	-525	-400	-375	-350	-350	
63	4	-800	-700	-675	-625	-525	-450	-425	-400	-400	
	5	-875	-800	-750	-700	-625	-525	-500	-475	-475	
	6	-975	-900	-875	-800	-725	-625	-625	-600	-600	
	7	-1050	-975	-950	-875	-825	-700	-700	-675	-675	
	1 & 2	-850	-750	-725	-625	-550	-425	-375	-350	-350	
34	3	-850	-750	-725	-625	-550	-425	-375	-350	-350	
	4	-900	-800	-775	-675	-625	-500	-450	-425	-425	
	5	-1000	-900	-875	-775	-675	-575	-525	-500	-500	
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625	
	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375	
44	3	-700	-600	-550	-500	-450	-375	-375	-375	-375	
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475	
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600	
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750	
	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425	
54	3	-800	-700	-650	-600	-550	-475	-475	-475	-475	
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525	
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625	
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775	
	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500	-500	
54	3	-850	-750	-700	-650	-575	-500	-500	-500	-500	
	4	-900	-800	-775	-725	-675	-600	-600	-600	-600	
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650	

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Uniformity	
Length	Points
77 & below	-90
78	-75
79	-60
80	0
Base 81	0
82	0
83	10
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Table 11. West Texas spot cotton differences, season average

August 2009 - July 2010

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-210	-135	-85	-50	200	366	621	671	696
	3	-260	-160	-110	-75	200	341	521	593	618
	4	-310	-235	-160	-100	25	225	376	426	426
	5	-435	-360	-260	-175	-75	50	319	369	369
	6	-660	-560	-460	-425	-325	-200	-175	-175	-175
31	7	-735	-635	-535	-475	-400	-275	-250	-250	-250
	1 & 2	-260	-185	-135	-75	200	316	426	573	573
	3	-310	-235	-160	-100	175	291	426	548	548
	4	-385	-310	-210	-175	0	175	276	398	398
	5	-485	-410	-285	-250	-100	-50	269	344	344
41	6	-710	-610	-510	-475	-325	-225	-225	-200	-200
	7	-785	-710	-585	-525	-400	-275	-275	-250	-250
	1 & 2	-435	-385	-310	-250	-50	141	202	227	227
	3	-460	-410	-335	-275	-75	91	177	227	227
	4	-535	-460	-360	-300	-175	66.38	94	144	144
51	5	-560	-485	-360	-325	-200	-75	19	144	144
	6	-760	-660	-585	-525	-425	-275	-250	-225	-225
	7	-835	-785	-710	-625	-525	-375	-325	-300	-300
	1 & 2	-560	-510	-485	-350	-250	-100	-50	-25	-25
	3	-560	-510	-485	-350	-250	-100	-50	-25	-25
61	4	-610	-560	-535	-375	-325	-175	-100	-75	-75
	5	-635	-610	-548	-438	-400	-250	-200	-150	-150
	6	-860	-785	-760	-588	-550	-450	-400	-350	-350
	7	-935	-885	-860	-675	-638	-538	-488	-463	-463
	1 & 2	-585	-535	-510	-375	-275	-175	-175	-175	-175
71	3	-585	-535	-510	-375	-275	-175	-175	-175	-175
	4	-635	-585	-560	-400	-350	-250	-225	-225	-225
	5	-660	-635	-560	-463	-425	-300	-250	-250	-250
	6	-885	-810	-785	-613	-575	-525	-475	-425	-425
	7	-960	-910	-885	-738	-688	-600	-550	-525	-525
12 & 22	1 & 2	-710	-635	-560	-450	-325	-250	-250	-250	-250
	3	-710	-635	-560	-450	-325	-250	-250	-250	-250
	4	-735	-660	-635	-525	-400	-325	-325	-325	-325
	5	-760	-685	-660	-550	-475	-375	-350	-350	-350
	6	-935	-860	-835	-725	-650	-550	-525	-525	-525
32	7	-1010	-960	-910	-775	-725	-613	-600	-600	-600
	1 & 2	-335	-285	-185	-125	75	100	225	350	350
	3	-385	-335	-210	-175	50	75	175	300	300
	4	-435	-360	-260	-225	-125	-25	125	250	250
	5	-535	-485	-435	-350	-350	-225	-100	-100	-100
42	6	-735	-660	-585	-500	-500	-400	-350	-350	-350
	7	-810	-735	-660	-600	-575	-475	-425	-425	-425
	1 & 2	-385	-335	-310	-175	25	50	50	125	125
	3	-435	-385	-335	-225	0	0	0	125	125
	4	-535	-435	-435	-275	-175	-75	0	100	100
52	5	-585	-560	-510	-475	-425	-275	-200	-200	-200
	6	-785	-735	-635	-575	-550	-425	-400	-400	-400
	7	-910	-835	-735	-675	-600	-525	-475	-475	-475
	1 & 2	-485	-435	-385	-275	-225	-100	-25	100	100
	3	-510	-460	-435	-300	-250	-100	-50	100	100
62	4	-585	-510	-510	-375	-275	-125	-50	75	75
	5	-635	-610	-560	-525	-450	-300	-225	-225	-225
	6	-885	-835	-710	-600	-575	-450	-425	-425	-425
	7	-960	-910	-810	-750	-675	-575	-500	-500	-500
	1 & 2	-660	-585	-560	-475	-425	-350	-300	-300	-300
62	3	-660	-585	-560	-475	-425	-350	-300	-300	-300
	4	-710	-660	-610	-475	-450	-375	-325	-325	-325
	5	-785	-735	-710	-575	-525	-425	-375	-375	-375
	6	-1010	-960	-910	-775	-725	-575	-525	-525	-525
	7	-1085	-1035	-1010	-875	-825	-675	-625	-625	-625
62	1 & 2	-710	-635	-610	-550	-500	-400	-375	-375	-375
	3	-710	-635	-610	-550	-500	-400	-375	-375	-375
	4	-760	-710	-635	-575	-525	-450	-425	-425	-425
	5	-860	-785	-760	-650	-625	-525	-500	-500	-500
	6	-1035	-985	-935	-825	-800	-700	-675	-675	-675

Table 11. West Texas (Continued)

August 2009 - July 2010

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-485	-385	-335	-225	-175	-125	-100	-100	-100
	3	-485	-435	-360	-250	-200	-150	-125	-125	-125
	4	-560	-460	-435	-325	-275	-200	-175	-175	-175
	5	-685	-585	-560	-425	-400	-325	-300	-300	-300
	6	-785	-710	-610	-525	-500	-425	-375	-375	-375
	7	-860	-785	-685	-625	-575	-475	-475	-475	-475
33	1 & 2	-585	-510	-460	-300	-250	-175	-175	-175	-175
	3	-585	-510	-460	-300	-250	-175	-175	-175	-175
	4	-635	-585	-510	-375	-325	-225	-225	-225	-225
	5	-735	-735	-635	-500	-450	-375	-350	-350	-350
	6	-860	-810	-710	-600	-600	-450	-450	-450	-450
	7	-985	-885	-810	-700	-650	-575	-550	-550	-550
43	1 & 2	-635	-560	-510	-400	-350	-250	-250	-250	-250
	3	-635	-560	-510	-400	-350	-250	-250	-250	-250
	4	-685	-635	-560	-475	-400	-275	-250	-250	-250
	5	-760	-760	-660	-575	-500	-400	-375	-375	-375
	6	-910	-860	-735	-675	-625	-525	-525	-525	-525
	7	-1010	-935	-835	-775	-700	-600	-600	-600	-600
53	1 & 2	-810	-710	-685	-550	-525	-425	-400	-400	-400
	3	-810	-710	-685	-575	-525	-450	-425	-425	-425
	4	-860	-760	-735	-675	-600	-475	-450	-450	-450
	5	-935	-860	-810	-725	-675	-575	-550	-550	-550
	6	-1035	-985	-935	-825	-775	-675	-675	-675	-675
	7	-1110	-1060	-1035	-900	-875	-750	-750	-750	-750
63	1 & 2	-935	-835	-810	-675	-625	-475	-425	-425	-425
	3	-935	-835	-810	-675	-625	-475	-450	-450	-450
	4	-985	-885	-860	-725	-650	-550	-500	-500	-500
	5	-1085	-985	-960	-825	-750	-625	-575	-575	-575
	6	-1135	-1060	-1060	-925	-825	-725	-700	-700	-700
34	1 & 2	-710	-610	-560	-450	-400	-325	-325	-325	-325
	3	-710	-610	-560	-450	-400	-325	-325	-325	-325
	4	-835	-735	-685	-575	-500	-425	-425	-425	-425
	5	-935	-835	-785	-675	-625	-550	-550	-550	-550
	6	-1060	-985	-935	-825	-775	-700	-700	-700	-700
44	1 & 2	-810	-710	-660	-525	-475	-400	-400	-400	-400
	3	-835	-735	-685	-575	-525	-450	-450	-450	-450
	4	-910	-810	-760	-675	-575	-500	-500	-500	-500
	5	-1010	-910	-860	-750	-675	-600	-600	-600	-600
	6	-1135	-1060	-1010	-900	-850	-775	-775	-775	-775
54	1 & 2	-885	-785	-735	-625	-550	-475	-475	-475	-475
	3	-885	-785	-735	-625	-550	-475	-475	-475	-475
	4	-935	-835	-810	-700	-650	-575	-575	-575	-575
	5	-1035	-935	-885	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-937
25-26	-887
27-29	-612
30-32	-367
33-34	-200
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	26
30.5-32.4	26
32.5 & Above	26

Uniformity	
Length	Points
77 & below	-90
78	-75
79	-60
80	0
Base 81	0
82	0
83	0
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-251
2	-458
Other	
1	-375
2	-500

Table 12. Desert Southwest spot cotton differences, season average.

August 2009 - July 2010

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-50	225	774	834	869	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-50	200	699	809	844		3	-725	-650	-550	-475	-475																																															
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-650	-375	-175	-140	-100	7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-125	175	724	809	844	53	1 & 2	-875	-775	-675	-675	-675																																															
	3	-125	150	674	759	794		3	-875	-775	-675	-675	-675																																															
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																															
	5	-375	-175	25	50	120		5	-1025	-925	-825	-825	-825																																															
	6	-475	-375	-110	-95	-40		6	-1125	-1025	-925	-925	-925																																															
	7	-675	-400	-200	-170	-115	7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-350	25	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1200</td> <td>77 &amp; below</td> <td>-100</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>78</td> <td>-90</td> </tr> <tr> <td>27-29</td> <td>-900</td> <td>79</td> <td>-80</td> </tr> <tr> <td>30-32</td> <td>-425</td> <td>80</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-275</td> <td>81</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>82</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>83</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>84</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>85</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-475</td> <td>86 &amp; above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77 & below	-100	25-26	-1000	78	-90	27-29	-900	79	-80	30-32	-425	80	0	33-34	-275	81	0	Base 35-36	0	82	0	37-42	25	83	30	Base 43-49	0	84	40	50-52	-275	85	50	53 & Above	-475	86 & above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77 & below	-100																																																								
	25-26	-1000	78	-90																																																								
27-29	-900	79	-80																																																									
30-32	-425	80	0																																																									
33-34	-275	81	0																																																									
Base 35-36	0	82	0																																																									
37-42	25	83	30																																																									
Base 43-49	0	84	40																																																									
50-52	-275	85	50																																																									
53 & Above	-475	86 & above	60																																																									
3	-350	25	225	310	320																																																							
4	-400	65.40	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-600	-475	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-450	-275	-175	-140	-130																																																						
	3	-450	-275	-175	-140	-130																																																						
	4	-475	-350	-250	-200	-190																																																						
	5	-575	-525	-450	-425	-425																																																						
	6	-750	-650	-550	-550	-550																																																						
	7	-950	-850	-825	-825	-825																																																						
12 & 22	1 & 2	-275	50	300	360	420																																																						
	3	-275	50	275	335	395																																																						
	4	-375	25	250	310	370																																																						
	5	-400	-225	-100	-100	-50																																																						
	6	-550	-425	-300	-300	-250																																																						
	7	-725	-600	-550	-550	-500																																																						
32	1 & 2	-375	-100	125	210	220																																																						
	3	-375	-100	125	210	220																																																						
	4	-425	-225	0	85	95																																																						
	5	-475	-475	-375	-375	-375																																																						
	6	-675	-600	-500	-500	-500																																																						
	7	-825	-775	-750	-750	-750																																																						
42	1 & 2	-425	-250	-150	-100	-100																																																						
	3	-425	-250	-150	-100	-100																																																						
	4	-450	-325	-225	-175	-175																																																						
	5	-525	-500	-400	-400	-400																																																						
	6	-700	-625	-525	-525	-525																																																						
	7	-900	-800	-775	-775	-775																																																						
52	1 & 2	-475	-400	-325	-275	-275																																																						
	3	-475	-400	-325	-275	-275																																																						
	4	-650	-525	-450	-400	-400																																																						
	5	-700	-600	-550	-550	-550																																																						
	6	-800	-700	-650	-650	-650																																																						
	7	-1050	-950	-950	-925	-925																																																						

Table 13. San Joaquin Valley spot cotton differences, season average.

August 2009 - July 2010

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	738	1130	1396	1471	33	1 & 2	-500	-500	-500	-500
	3	673	1059	1210	1320		3	-500	-500	-500	-500
	4	125	475	505	625		4	-600	-600	-600	-600
	5	-125	75	130	190		5	-800	-800	-800	-800
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075
	7	-625	-525	-475	-425	7	-1225	-1225	-1225	-1225	
31	1 & 2	688	1099	1147	1257	43	1 & 2	-875	-875	-875	-875
	3	663	1035	1047	1157		3	-875	-875	-875	-875
	4	100	450	480	560		4	-925	-925	-925	-925
	5	-200	0	55	115		5	-1075	-1075	-1075	-1075
	6	-500	-325	-275	-225		6	-1225	-1225	-1225	-1225
	7	-675	-575	-525	-475	7	-1425	-1425	-1425	-1425	
41	1 & 2	200	637	717	727	<b>Mike</b>					
	3	150	537	617	627	Range		Diff.			
	4	67.20	350	430	440	27-29		-1250			
	5	-425	-200	-195	-185	30-32		-550			
	6	-625	-450	-450	-450	33-34		-350			
	7	-825	-725	-725	-725	Base 35-36		0			
51	1 & 2	-575	-125	-75	-75	37-42		25			
	3	-600	-150	-100	-100	Base 43-49		0			
	4	-650	-200	-175	-175	50-52		-450			
	5	-750	-375	-325	-325						
	6	-900	-800	-800	-800						
	7	-1050	-1000	-1000	-1000						
12 & 22	1 & 2	225	675	917	977	<b>Strength</b>					
	3	150	600	861	927	(Grams per Tex)					
	4	25	425	475	540	Range		Diff.			
	5	-250	-50	0	50	23.5-24.4		-100			
	6	-525	-400	-350	-300	24.5-25.4		-100			
	7	-775	-700	-650	-600	25.5-26.4		-50			
32	1 & 2	100	350	375	375	Base 26.5-28.4		0			
	3	50	300	325	325	28.5-29.4		0			
	4	-100	200	200	200	29.5-30.4		25			
	5	-525	-275	-275	-275	30.5-32.4		50			
	6	-675	-475	-475	-475	32.5 & Above		50			
	7	-850	-750	-750	-750						
42	1 & 2	-400	-50	-25	-25	<b>Uniformity</b>					
	3	-450	-100	-75	-75	Unit		Points			
	4	-500	-175	-150	-150	77 & below		-60			
	5	-675	-350	-300	-300	78		-50			
	6	-800	-775	-775	-775	79		-40			
	7	-1000	-950	-950	-950	80		0			
52	1 & 2	-725	-675	-675	-675	81		0			
	3	-725	-675	-675	-675	82		0			
	4	-825	-775	-775	-775	83		30			
	5	-875	-825	-825	-825	84		40			
	6	-1025	-1025	-1025	-1025	85		50			
	7	-1225	-1225	-1225	-1225	86 & above		60			
<b>Extraneous Matter</b>											
		Level		Diff.							
		Prep		1		-50					
		2		-800							
		Other		1		-350					
		2		-925							



Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2009-2010

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	1,779	12,219	2,452	10,332	25,603	14,638	48,397	16,703	2,405	3,072	654	0	<b>138,254</b>
North Delta	2,522	773	42	1,799	783	0	8,686	13,495	10,735	4,788	3,705	221	<b>47,549</b>
South Delta	1,718	473	1,143	1,595	1,765	2,616	7,677	907	244	191	1,227	1,061	<b>20,617</b>
East Texas-Oklahoma	3,326	20,349	10,438	23,976	37,996	18,078	38,998	7,064	2,993	425	1,493	292	<b>165,428</b>
West Texas	24,934	20,419	43,287	127,322	132,150	38,066	71,295	31,731	16,616	1,314	4,678	158	<b>511,970</b>
Desert Southwest	0	0	0	643	0	0	0	0	1,530	0	1,590	0	<b>3,763</b>
San Joaquin Valley	0	0	0	0	709	0	0	0	0	0	65	0	<b>774</b>
<b>Total</b>	<b>34,279</b>	<b>54,233</b>	<b>57,362</b>	<b>165,667</b>	<b>199,006</b>	<b>73,398</b>	<b>175,053</b>	<b>69,900</b>	<b>34,523</b>	<b>9,790</b>	<b>13,412</b>	<b>1,732</b>	<b>888,355</b>

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2004-2009. 1/

Market Area	2004	2005	2006	2007	2008	2009
Southeast	252,766	166,806	187,504	171,563	153,398	138,254
North Delta	373,399	193,524	200,023	153,267	112,627	47,549
South Delta	293,427	120,932	185,085	32,946	41,231	20,617
East Texas-Oklahoma	265,655	251,288	169,051	187,650	184,020	165,428
West Texas	1,222,016	1,155,920	1,043,015	1,178,348	876,914	511,970
Desert Southwest	86,985	43,015	41,479	54,171	8,990	3,763
San Joaquin Valley	134,341	39,781	23,703	9,481	6,806	16,520
<b>Total</b>	<b>2,628,589</b>	<b>1,971,266</b>	<b>1,849,860</b>	<b>1,787,426</b>	<b>1,383,986</b>	<b>904,101</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/  
**AMERICAN PIMA SPOT QUOTATIONS, Season Average**

Color	Leaf	Staple		
		44	46	48
1	1	111.75	116.75	117.00
	2	111.50	116.50	116.86
	3	105.54	110.54	110.79
	4			
	5			
	6			
2	1	111.39	116.39	116.86
	2	111.03	116.03	116.50
	3	104.84	109.84	110.09
	4	95.15	100.42	100.90
	5			
	6			
3	1	104.17	109.17	109.65
	2	101.90	106.90	107.60
	3	98.03	103.03	104.06
	4	88.89	93.89	94.48
	5	84.78	87.72	88.42
	6			
4	1	84.83	89.83	90.83
	2	84.58	89.58	90.08
	3	84.33	89.33	89.33
	4	78.86	84.09	84.09
	5	78.05	82.71	82.71
	6			
5	1			
	2	73.02	80.27	80.27
	3	73.02	79.77	80.27
	4	73.02	74.27	74.27
	5	72.77	74.02	74.02
	6			
6	1			
	2	65.27	65.52	65.52
	3	65.27	65.52	65.52
	4	65.27	65.52	65.52
	5	65.02	65.27	65.27
	6	64.52	64.77	64.77

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 2003-2009

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	55.20
2009	47.70	55.00	56.70	58.50	62.80	60.60	65.00	64.50	66.20	66.00	67.60	67.50 2/	
Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	60.44	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.76
Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	62.62	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.97
Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 3/													
2003	58.44	64.75	75.14	77.01	70.48	75.42	71.58	70.66	66.09	68.23	61.85	53.61	67.77
2004	51.88	56.27	51.45	49.62	48.38	50.30	49.79	55.35	57.06	56.81	52.85	55.88	52.97
2005	52.38	54.91	58.49	56.46	56.69	59.55	60.94	57.77	56.35	53.69	56.64	55.96	56.65
2006	57.45	54.78	53.67	54.82	58.74	58.46	56.64	57.69	55.71	53.43	59.40	65.84	57.22
2007	62.82	66.25	69.26	69.18	68.97	73.32	74.25	4/	4/	4/	4/	4/	4/
2008	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
2009	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 3/													
2003	59.74	66.13	76.40	77.82	71.37	77.28	73.43	72.57	68.16	70.40	63.73	55.77	69.40
2004	54.15	58.09	52.87	51.49	50.15	51.85	51.46	57.28	59.38	58.98	54.71	57.80	54.85
2005	54.61	56.91	60.67	58.41	59.78	62.90	64.40	60.86	59.47	56.94	59.16	58.37	59.37
2006	60.36	57.64	55.94	56.95	61.45	60.98	59.35	60.50	58.70	56.18	61.52	68.41	59.83
2007	68.41	67.99	71.30	71.49	71.93	76.49	76.82	4/	4/	4/	4/	4/	4/
2008	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
2009	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK, and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths. 4/ Landed Mill quotations were not published.

Table 18. United States spot cotton differences, WEIGHTED monthly average.

August 2009 - July 2010

Weighted averages based on the 2009-crop year's production by spot market

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-212	-137	-87	-150	16	223	429	497	510
	3	-262	-162	-109	-163	15	204	369	433	446
	4	-315	-240	-162	-182	-79	119	237	303	307
	5	-431	-356	-256	-298	-188	-33	155	209	214
	6	-650	-550	-450	-459	-370	-284	-232	-220	-216
	7	-725	-625	-525	-600	-523	-436	-396	-383	-380
31	1 & 2	-262	-187	-137	-163	12	186	337	431	435
	3	-312	-234	-162	-174	1	174	323	389	393
	4	-384	-312	-209	-216	-113	91	188	268	272
	5	-481	-406	-281	-330	-202	-87	124	170	174
	6	-697	-597	-497	-480	-372	-298	-269	-249	-245
	7	-772	-694	-572	-621	-525	-440	-423	-402	-398
41	1 & 2	-425	-375	-297	-273	-124	85	174	200	201
	3	-450	-400	-322	-285	-135	61	145	179	180
	4	-525	-450	-347	-305	-196	68.08	80	116	117
	5	-553	-481	-359	-409	-298	-170	-111	-47	-46
	6	-750	-653	-575	-544	-462	-366	-335	-315	-315
	7	-825	-775	-700	-703	-629	-541	-512	-495	-495
51	1 & 2	-553	-503	-475	-422	-257	-149	-94	-80	-79
	3	-553	-503	-475	-454	-272	-187	-125	-103	-103
	4	-603	-553	-525	-479	-309	-236	-178	-164	-163
	5	-628	-603	-542	-555	-463	-346	-292	-263	-263
	6	-852	-778	-747	-667	-587	-507	-476	-450	-450
	7	-928	-878	-847	-790	-745	-669	-637	-620	-620
61	1 & 2	-581	-531	-503	-507	-355	-272	-258	-258	-258
	3	-581	-531	-503	-525	-381	-310	-296	-289	-289
	4	-631	-578	-550	-558	-434	-364	-340	-333	-333
	5	-656	-628	-556	-613	-543	-459	-421	-421	-421
	6	-872	-797	-772	-763	-700	-656	-628	-608	-608
	7	-947	-897	-872	-890	-806	-740	-712	-702	-702
71	1 & 2	-700	-625	-550	-733	-617	-536	-524	-524	-524
	3	-700	-625	-550	-733	-617	-536	-524	-524	-524
	4	-725	-650	-625	-779	-663	-582	-570	-570	-570
	5	-750	-675	-650	-812	-753	-667	-645	-645	-645
	6	-925	-850	-825	-942	-874	-780	-758	-758	-758
	7	-1000	-950	-900	-976	-920	-822	-805	-805	-805
12 & 22	1 & 2	-334	-284	-187	-204	-44	79	182	257	261
	3	-384	-331	-212	-227	-56	61	148	219	224
	4	-431	-359	-259	-254	-149	-11	102	175	179
	5	-528	-478	-428	-408	-345	-198	-122	-101	-97
	6	-728	-653	-578	-529	-477	-403	-373	-371	-367
	7	-806	-731	-656	-679	-634	-563	-534	-525	-521
32	1 & 2	-381	-331	-306	-273	-118	-7	27	85	85
	3	-431	-378	-331	-301	-136	-36	-2	74	74
	4	-522	-428	-422	-359	-215	-128	-55	9	9
	5	-578	-550	-500	-502	-393	-285	-241	-218	-218
	6	-775	-725	-625	-594	-537	-455	-431	-417	-417
	7	-903	-828	-728	-747	-679	-616	-588	-580	-580
42	1 & 2	-478	-422	-375	-324	-234	-130	-64	1	1
	3	-500	-447	-425	-366	-260	-150	-84	-10	-10
	4	-572	-497	-497	-426	-278	-184	-125	-61	-61
	5	-628	-603	-553	-555	-427	-342	-285	-272	-272
	6	-878	-828	-703	-662	-586	-491	-468	-455	-455
	7	-956	-906	-806	-828	-742	-666	-629	-622	-622
52	1 & 2	-647	-572	-547	-498	-364	-301	-272	-270	-270
	3	-647	-572	-547	-506	-376	-323	-287	-285	-285
	4	-697	-647	-597	-521	-415	-369	-333	-330	-330
	5	-772	-722	-697	-606	-534	-466	-433	-433	-433
	6	-997	-947	-897	-786	-742	-647	-620	-620	-620
	7	-1072	-1022	-997	-892	-849	-755	-731	-730	-730
62	1 & 2	-697	-622	-597	-599	-499	-415	-399	-399	-399
	3	-697	-622	-597	-618	-525	-458	-434	-426	-426
	4	-747	-697	-622	-650	-557	-500	-477	-469	-469
	5	-847	-772	-747	-742	-692	-609	-593	-593	-593
	6	-1022	-972	-922	-964	-911	-819	-803	-803	-803

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
 Weighted averages based on the 2009-crop year's production by spot market

August 2009 - July 2010

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-490	-390	-340	-234	-181	-128	-100	-94	-94
	3	-490	-437	-365	-259	-206	-153	-125	-119	-119
	4	-565	-465	-440	-334	-278	-203	-175	-169	-169
	5	-690	-590	-565	-434	-403	-328	-300	-294	-294
	6	-790	-715	-615	-531	-497	-422	-378	-372	-372
	7	-865	-790	-690	-628	-575	-478	-478	-472	-472
33	1 & 2	-587	-512	-462	-309	-256	-193	-187	-182	-182
	3	-587	-512	-462	-309	-256	-193	-187	-182	-182
	4	-637	-587	-512	-384	-328	-245	-240	-234	-234
	5	-737	-737	-637	-506	-450	-395	-368	-362	-362
	6	-862	-812	-712	-603	-594	-479	-479	-473	-473
	7	-987	-887	-812	-703	-647	-602	-581	-576	-576
43	1 & 2	-637	-562	-512	-540	-443	-356	-336	-323	-323
	3	-637	-562	-512	-540	-443	-356	-336	-323	-323
	4	-687	-637	-562	-588	-490	-392	-353	-341	-341
	5	-762	-762	-662	-652	-587	-520	-494	-490	-490
	6	-912	-862	-737	-770	-725	-659	-651	-649	-649
	7	-1012	-937	-837	-896	-825	-763	-755	-752	-752
53	1 & 2	-803	-703	-678	-642	-585	-491	-470	-469	-469
	3	-803	-703	-678	-654	-586	-502	-481	-480	-480
	4	-853	-753	-728	-719	-640	-539	-518	-517	-517
	5	-928	-853	-803	-764	-724	-628	-607	-606	-606
	6	-1028	-975	-928	-917	-853	-759	-748	-747	-747
	7	-1103	-1050	-1025	-988	-963	-853	-846	-845	-845
63	1 & 2	-925	-825	-800	-835	-755	-641	-613	-611	-611
	3	-925	-825	-800	-835	-755	-641	-623	-621	-621
	4	-975	-875	-850	-879	-790	-697	-668	-667	-667
	5	-1075	-975	-950	-952	-888	-785	-757	-755	-755
	6	-1125	-1050	-1050	-1081	-1002	-898	-882	-881	-881
34	1 & 2	-709	-609	-559	-456	-406	-331	-331	-331	-331
	3	-709	-609	-559	-456	-406	-331	-331	-331	-331
	4	-834	-734	-684	-581	-506	-431	-431	-431	-431
	5	-934	-834	-784	-681	-631	-556	-556	-556	-556
	6	-1059	-984	-934	-831	-781	-706	-706	-706	-706
44	1 & 2	-806	-706	-656	-528	-478	-403	-403	-403	-403
	3	-831	-731	-681	-578	-528	-453	-453	-453	-453
	4	-903	-806	-753	-678	-578	-503	-503	-503	-503
	5	-1003	-903	-856	-753	-678	-603	-603	-603	-603
	6	-1128	-1053	-1003	-900	-850	-775	-775	-775	-775
54	1 & 2	-881	-781	-731	-628	-553	-478	-478	-478	-478
	3	-881	-781	-731	-628	-553	-478	-478	-478	-478
	4	-931	-831	-806	-703	-653	-578	-578	-578	-578
		5	-1028	-928	-881	-778	-703	-628	-628	-628

Mike	
Range	Diff.
24 & Below	-956
25-26	-903
27-29	-598
30-32	-334
33-34	-173
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-224
53 & Above	-335

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-276
19.5-20.4	-276
20.5-21.4	-276
21.5-22.4	-276
22.5-23.4	-276
23.5-24.4	-276
24.5-25.4	-276
25.5-26.4	-276
Base 26.5-28.4	-276
28.5-29.4	-276
29.5-30.4	-276
30.5-32.4	-276
32.5 & Above	-276

Uniformity	
Unit	Points
77.4 & below	-100
77.5-78.4	-86
78.5-79.4	-74
79.5-80.4	-7
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	15
83.5-84.4	24
84.5-85.4	34
85.5 & above	44

Extraneous Matter	
Level	Diff.
Prep	
1	-127
2	-630
Other (ET-OK and WT Bark not include)	
1	-373
2	-673
Bark - (ET-OK and WT only)	
1	-248
2	-457