

COTTON PRICE STATISTICS 2012-2013




ANNUAL REPORT

**UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Programs
Memphis, TN**

ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 75.24 cents per pound for the 2012-2013 season, down sharply from 85.81 cents for the 2011-2012 season. The season's lowest daily quotation for the base quality occurred on November 8, 2012 at 65.11 cents per pound and the season's highest quotation was 87.55 cents on June 13, 2013. The lowest monthly average for the marketing year was 67.34 cents per pound in November 2012 and the highest was 82.80 cents per pound in March 2013.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 76.87 cents per pound for the 2012-2013 season, down from 87.64 cents for the 2011-2012 season.

The average price received by farmers for Upland cotton was 88.30 cents per pound for the 2011-2012 marketing year and 81.50 cents for the 2010-2011 marketing year, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,690,786 running bales in the 2012-2013 marketing year, up from 956,732 bales in the 2011-2012 marketing year and 656,176 bales in 2010-2011.

August 9, 2013

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2007-2012 1/ 2/

Market Areas	2007	2008	2009	2010	2011	2012
Southeast	63.95	48.97	70.13	139.70	87.75	77.50
North Delta	62.67	47.99	69.30	139.02	86.90	76.56
South Delta	62.67	47.99	69.30	139.02	86.95	76.56
East Texas-Oklahoma	60.89	47.08	66.57	135.51	83.30	73.78
West Texas	60.64	46.93	66.38	135.10	83.31	73.68
Desert Southwest	59.07	47.03	65.40	137.91	85.73	73.86
San Joaquin Valley	60.57	49.10	67.20	138.91	86.74	74.74
Average	61.50	47.87	67.76	137.88	85.81	75.24

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2007 2/	5-Mar-08	79.16	16-Aug-07	50.34
2008 2/	1-Aug-08	62.69	11-Nov-08	36.28
2009 2/	30-Jul-10	78.90	26-Aug-09	50.98
2010 2/	7-Mar-11	209.60	2-Aug-11	80.18
2011 3/	14-Sep-11	110.87	5-Jun-12	60.71
2012 3/	13-Jun-13	87.55	8-Nov-12	65.11

3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2012-2013 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	65.79		65.96	65.83			77.45	79.61	82.39	78.91		82.55
2	66.14		66.57	66.00		71.08			83.94	80.70		81.84
3	68.91		66.86		69.70	71.10			84.34	81.52	78.08	82.78
4		71.13	66.92		68.65	70.79	76.21	80.36	83.63		80.22	
5		70.96	66.35	66.04	68.74		76.04	81.09	82.17		79.34	82.06
6	70.87	71.67		65.93	69.25		76.19	81.46		82.35	80.87	
7	70.76	71.76		65.66	69.39	71.40	75.93	80.89		82.18	80.86	
8	71.36		66.63	65.11		70.80	77.19	81.45	80.81	82.77		82.01
9	71.42		66.74	65.41		70.49			80.17	82.94		82.23
10	68.71	71.06	66.93		69.11	70.86			80.91	81.49	82.64	82.89
11		70.34	65.54		70.46	71.01	77.44	81.26	80.26		84.08	80.81
12		68.84	66.22	66.77	70.69		76.36	81.91	81.20		85.86	80.77
13	67.14	68.93		66.97	70.29		75.37	83.26		81.03	87.55	
14	67.42	71.39		67.63	70.67	70.94	76.24	85.58		81.87	87.10	
15	68.51		67.35	69.54		71.65	76.67	87.25	79.95	81.43		81.00
16	68.12		69.97	68.31		72.81			79.14	81.06		80.37
17	68.40	70.13	72.97		71.43	73.13			81.40	81.33	84.42	79.80
18		70.84	72.73		71.50	73.71		85.56	80.24		82.74	80.81
19		71.19	71.91	67.69	71.42		77.63	85.84	80.15		82.49	82.34
20	69.91	69.98		68.10	71.38		78.01	83.82		80.95	81.34	
21	72.29	68.00		68.22	71.70		76.91	83.18		79.01	81.09	
22	72.01		71.95			74.77	77.21	82.24	80.93	78.62		82.31
23	71.89		69.48	67.13		75.13			80.11	77.24		81.97
24	70.43	67.25	67.91		71.93	77.42			78.00	77.03	79.48	82.08
25		67.13	67.95			75.16	75.76	81.53	78.27		81.43	82.10
26		65.84	67.73	68.34	72.54		75.84	82.99	79.29		80.96	81.23
27	71.34	66.34		68.26	71.76		78.52	83.34			81.77	
28	70.96	65.43		68.34	70.65	75.68	79.53	83.29		76.98	81.26	
29	71.99		67.94	69.11		76.99			80.78	76.32		80.71
30	72.29		66.51	69.65		77.54			82.51	75.77		81.38
31	72.59		65.66		70.92	77.43				75.01		81.56
Average	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62
High	72.59	71.76	72.97	69.65	72.54	77.54	79.53	87.25	84.34	82.94	87.55	82.89
Low	65.79	65.43	65.54	65.11	68.65	70.49	75.37	79.61	78.00	75.01	78.08	79.80

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2012-2013 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	71.68	71.23	70.02	69.42	72.67	75.23	79.18	85.72	83.37	82.86	84.73	83.84	77.50
North Delta	71.01	70.46	69.02	68.36	71.77	74.57	78.10	84.45	82.22	81.87	83.98	82.96	76.56
South Delta	71.01	70.46	69.02	68.36	71.77	74.57	78.10	84.45	82.22	81.87	83.98	82.96	76.56
East Texas-Oklahoma	68.48	67.75	66.47	66.12	69.05	71.31	74.49	80.36	80.09	78.42	81.46	81.42	73.78
West Texas	68.16	67.30	65.99	66.12	69.05	71.31	74.49	80.36	80.09	78.42	81.46	81.42	73.68
Desert Southwest	69.34	68.85	67.49	66.09	69.50	72.78	76.49	81.67	78.79	77.15	79.26	78.87	73.86
San Joaquin Valley	70.09	69.60	68.24	66.86	70.47	73.53	77.24	82.56	79.79	78.29	80.38	79.87	74.74
Average	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2012-2013 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	72.43	71.98	70.77	70.17	73.59	76.23	80.18	86.72	84.37	83.86	85.73	84.84	78.41
North Delta	71.51	70.96	69.52	68.86	72.27	75.07	78.60	84.95	82.72	82.37	84.48	83.46	77.06
South Delta	71.51	70.96	69.52	68.86	72.27	75.07	78.60	84.95	82.72	82.37	84.48	83.46	77.06
East Texas-Oklahoma	71.23	70.50	69.22	68.87	71.80	73.29	75.58	81.49	81.09	79.42	82.46	82.42	75.61
West Texas	70.91	70.05	68.74	68.87	71.60	72.87	75.74	81.49	81.09	79.42	82.46	82.42	75.47
Desert Southwest	70.84	70.35	68.99	67.59	71.00	74.28	77.99	83.17	80.29	78.65	80.76	80.37	75.36
San Joaquin Valley	74.49	74.00	72.64	71.26	74.87	77.93	81.64	86.96	84.19	82.69	84.78	84.27	79.14
Average	71.85	71.26	69.91	69.21	72.48	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2012-July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-333	-228	-43	229	576	696	730	761
	3	-373	-249	-63	200	499	621	655	686
	4	-444	-277	-171	82	274	353	379	383
	5	-531	-382	-292	-61	110	165	193	193
	6	-706	-512	-455	-316	-221	-197	-182	-182
	7	-781	-642	-600	-448	-377	-351	-338	-338
31	1 & 2	-398	-249	-98	183	504	647	670	698
	3	-436	-259	-107	163	462	579	602	630
	4	-506	-297	-213	60	246	300	324	327
	5	-581	-402	-309	-126	51	97	123	123
	6	-744	-527	-463	-341	-258	-231	-216	-216
	7	-831	-657	-608	-462	-402	-376	-361	-361
41	1 & 2	-531	-332	-246	43	221	286	296	306
	3	-556	-342	-255	28	174	243	253	263
	4	-606	-372	-321	75.24	128	191	201	204
	5	-656	-487	-421	-268	-149	-92	-89	-89
	6	-819	-592	-568	-445	-347	-317	-317	-317
	7	-931	-737	-724	-601	-524	-517	-515	-515
51	1 & 2	-669	-512	-383	-253	-98	-75	-74	-74
	3	-669	-547	-400	-285	-130	-104	-102	-102
	4	-719	-572	-429	-335	-191	-169	-168	-168
	5	-769	-657	-604	-468	-330	-301	-301	-301
	6	-944	-757	-729	-603	-519	-509	-509	-509
	7	-1044	-852	-874	-756	-683	-676	-676	-676
61	1-5	-794	-707	-635	-478	-428	-428	-428	-428
	6	-969	-842	-780	-648	-613	-603	-603	-603
	7	-1069	-967	-890	-743	-708	-703	-703	-703
71	1-6	-1006	-1047	-990	-813	-778	-778	-778	-778
	7	-1106	-1087	-1040	-858	-828	-828	-828	-828
12 & 22	1 & 2	-511	-290	-183	90	255	353	370	385
	3	-549	-310	-195	65	219	314	331	345
	4	-586	-335	-279	-18	151	224	242	242
	5	-686	-505	-450	-250	-117	-77	-63	-63
	6	-861	-610	-587	-450	-363	-352	-338	-338
	7	-949	-734	-728	-610	-537	-523	-509	-509
32	1 & 2	-549	-385	-283	-39	83	146	154	168
	3	-586	-400	-295	-57	51	128	136	151
	4	-636	-445	-354	-175	-34	17	25	25
	5	-749	-585	-504	-367	-259	-220	-220	-220
	6	-924	-680	-671	-539	-449	-434	-434	-434
	7	-1036	-814	-803	-685	-616	-609	-609	-609
42	1-3	-636	-460	-396	-250	-102	-52	-52	-52
	4	-686	-505	-416	-289	-156	-113	-113	-113
	5	-811	-635	-546	-443	-317	-299	-299	-299
	6	-1036	-765	-721	-583	-511	-500	-500	-500
	7	-1124	-899	-862	-743	-674	-671	-671	-671
52	1-4	-836	-635	-550	-485	-418	-410	-410	-410
	5	-911	-710	-658	-578	-510	-510	-510	-510
	6	-1136	-875	-845	-732	-678	-678	-678	-678
	7	-1211	-975	-979	-875	-828	-825	-825	-825
62	1-5	-961	-845	-790	-625	-605	-605	-605	-605
	6	-1161	-1044	-979	-804	-784	-784	-784	-784

Table 6. United States (Continued)

August 2012-July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-664	-501	-439	-163	-113	-88	-88	-88
	3	-701	-526	-464	-188	-138	-113	-113	-113
	4	-739	-601	-526	-238	-188	-163	-163	-163
	5	-864	-701	-651	-363	-313	-288	-288	-288
	6	-989	-789	-726	-438	-400	-375	-375	-375
	7	-1064	-876	-814	-513	-500	-475	-475	-475
33	1 & 2	-776	-576	-514	-308	-283	-267	-267	-267
	3	-776	-576	-514	-308	-283	-267	-267	-267
	4	-851	-651	-576	-375	-350	-333	-333	-333
	5	-1001	-764	-689	-533	-500	-483	-483	-483
	6	-1076	-851	-814	-675	-667	-650	-650	-650
	7	-1151	-951	-876	-800	-783	-767	-767	-767
43	1-3	-826	-691	-571	-464	-429	-407	-407	-407
	4	-901	-736	-621	-507	-457	-439	-439	-439
	5	-1026	-820	-742	-657	-607	-597	-597	-597
	6	-1126	-921	-863	-786	-768	-761	-761	-761
	7	-1201	-1041	-963	-907	-889	-882	-882	-882
53	1-4	-989	-845	-776	-617	-579	-575	-575	-575
	5	-1089	-926	-888	-721	-683	-679	-679	-679
	6	-1201	-1110	-1029	-866	-837	-833	-833	-833
	7	-1276	-1170	-1154	-979	-962	-958	-958	-958
63	1-5	-1201	-1061	-991	-815	-780	-775	-775	-775
	6	-1276	-1175	-1085	-895	-875	-870	-870	-870
34	1 & 2	-864	-714	-664	-375	-363	-363	-363	-363
	3	-864	-714	-664	-375	-363	-363	-363	-363
	4	-989	-839	-764	-475	-463	-463	-463	-463
	5	-1089	-939	-889	-600	-588	-588	-588	-588
	6	-1239	-1089	-1039	-750	-738	-738	-738	-738
44	1-3	-976	-826	-776	-488	-475	-475	-475	-475
	4	-1051	-926	-826	-538	-525	-525	-525	-525
	5	-1139	-1001	-926	-638	-625	-625	-625	-625
	6	-1289	-1139	-1089	-800	-788	-788	-788	-788
54	1-4	-1076	-951	-901	-613	-600	-600	-600	-600
	5	-1164	-1026	-951	-663	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-994
25-26	-935
27-29	-783
30-32	-440
33-34	-219
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-324
53 & Above	-438

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-317
22.0 - 22.9	-254
23.0 - 23.9	-196
24.0 - 24.9	-168
25.0 - 25.9	-150
26.0 - 26.9	-64
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	46
33.0 & above	61

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	21
84.0 - 84.9	30
85.0 - 85.9	40
86.0 & Above	50

Extraneous Matter	
Prep	Diff.
Level 1	-143
Level 2	-686
Bark	
Level 1	-417
Level 2	-753
Other	
Level 1	-304
Level 2	-513

Table 7. Southeast spot cotton differences, season average.

August 2012 - July 2013

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-100	116	321	446	446	471	25-26	-825
	3	-225	-100	116	321	446	446	471	27-29	-425
	4	-225	-125	66	154	279	279	304	30-32	-275
	5	-375	-225	-134	66	141	141	141	33-34	-150
	6	-500	-350	-309	-234	-209	-209	-209	Base 35-36	0
	7	-795	-645	-629	-579	-554	-554	-554	37-42	0
31	1 & 2	-225	-100	91	321	421	421	446	Base 43-49	0
	3	-225	-100	91	321	396	396	421	50-52	-348
	4	-225	-150	66	155	279	279	304	53 & Above	-475
	5	-375	-225	-134	66	91	91	91		
	6	-500	-350	-309	-284	-259	-259	-259		
	7	-795	-645	-629	-629	-604	-604	-604		
41	1 & 2	-275	-125	41	156	231	231	256	Strength	
	3	-275	-125	41	131	206	206	231	(Grams per Tex)	
	4	-275	-150	77.50	56	156	156	181	Range	Diff.
	5	-450	-350	-209	-184	-134	-134	-134	21.0 - 21.9	-425
	6	-575	-459	-434	-409	-384	-384	-384	22.0 - 22.9	-350
	7	-845	-745	-729	-729	-704	-704	-704	23.0 - 23.9	-300
51	1 & 2	-425	-200	-84	-84	-84	-84	-84	24.0 - 24.9	-250
	3	-500	-225	-159	-134	-109	-109	-109	25.0 - 25.9	-200
	4	-525	-225	-184	-184	-184	-184	-184	26.0 - 26.9	-25
	5	-625	-450	-359	-309	-284	-284	-284	Base 27.0 - 28.9	0
	6	-700	-525	-484	-484	-459	-459	-459	29.0 - 29.9	0
	7	-921	-796	-780	-780	-755	-755	-755	30.0 - 30.9	25
61	1-5	-725	-625	-550	-550	-550	-550	-550	31.0 - 32.9	50
	6	-900	-825	-775	-775	-775	-775	-775	33.0 & above	50
	7	-1025	-900	-850	-850	-850	-850	-850		
71	1-6	-1049	-974	-924	-924	-924	-924	-924		
	7	-1050	-975	-925	-925	-925	-925	-925		
12 & 22	1 & 2	-275	-125	50	125	200	200	200	Extraneous Matter	
	3	-275	-125	50	100	175	175	175	Prep	Diff.
	4	-275	-125	0	75	150	150	150	Level 1	-100
	5	-425	-325	-200	-150	-125	-125	-125	Level 2	-800
	6	-550	-425	-425	-425	-425	-425	-425		
	7	-820	-720	-720	-720	-695	-695	-695	Other	Diff.
32	1 & 2	-325	-175	-25	-25	25	25	25	Level 1	-387
	3	-350	-200	-50	-25	0	0	0	Level 2	-800
	4	-450	-200	-150	-125	-75	-75	-75		
	5	-525	-350	-300	-300	-275	-275	-275		
	6	-600	-450	-450	-450	-425	-425	-425		
	7	-870	-745	-745	-745	-720	-720	-720		
42	1-3	-425	-200	-100	-75	-50	-50	-50	Uniformity	
	4	-500	-200	-150	-150	-125	-125	-125	Unit	Points
	5	-600	-375	-350	-325	-300	-300	-300	77.9 & Below	-125
	6	-675	-525	-484	-484	-459	-459	-459	78.0 - 78.9	-110
	7	-921	-796	-780	-780	-755	-755	-755	79.0 - 79.9	-100
52	1-4	-575	-300	-275	-250	-250	-250	-250	80.0 - 80.9	-25
	5	-650	-500	-425	-425	-425	-425	-425	Base 81.0 - 81.9	0
	6	-775	-750	-700	-700	-700	-700	-700	82.0 - 82.9	0
	7	-975	-900	-850	-850	-850	-850	-850	83.0 - 83.9	20
62	1-5	-775	-700	-650	-650	-650	-650	-650	84.0 - 84.9	30
	6	-1122	-1047	-997	-997	-997	-997	-997	85.0 - 85.9	40
43	1-3	-550	-450	-400	-375	-350	-350	-350	86.0 & Above	50
	4	-575	-500	-450	-400	-375	-375	-375		
	5	-725	-625	-550	-550	-550	-550	-550		
	6	-900	-825	-775	-775	-775	-775	-775		
	7	-1025	-900	-850	-850	-850	-850	-850		
53	1-4	-650	-550	-450	-450	-450	-450	-450		
	5	-800	-750	-650	-650	-650	-650	-650		
	6	-1147	-1097	-997	-997	-997	-997	-997		
	7	-1247	-1197	-1097	-1097	-1097	-1097	-1097		
63	1-5	-1025	-975	-875	-875	-875	-875	-875		
	6	-1247	-1197	-1097	-1097	-1097	-1097	-1097		

Table 8. North Delta spot cotton differences, season average.

August 2012 - July 2013

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	307	405	455	455	25-26	-1000
	3	-250	-100	50	257	305	355	355	27-29	-650
	4	-275	-200	25	157	255	280	280	30-32	-325
	5	-450	-325	-25	60	85	110	110	33-34	-125
	6	-500	-475	-350	-293	-293	-293	-293	Base 35-36	0
	7	-600	-575	-450	-393	-393	-393	-393	37-42	25
31	1 & 2	-250	-175	50	257	380	405	405	Base 43-49	0
	3	-250	-175	50	207	280	305	305	50-52	-293
	4	-275	-250	23	155	180	205	205	53 & Above	-425
	5	-450	-325	-125	-15	10	35	35		
	6	-500	-475	-350	-293	-293	-293	-293		
	7	-600	-575	-450	-393	-393	-393	-393		
41	1 & 2	-350	-250	50	207	255	280	280	Strength	
	3	-350	-250	25	157	230	255	255	(Grams per Tex)	
	4	-375	-275	76.56	132	155	180	180	Range	Diff.
	5	-525	-400	-275	-215	-165	-165	-165	21.0 - 21.9	-300
	6	-575	-500	-400	-343	-318	-318	-318	22.0 - 22.9	-250
	7	-700	-675	-550	-477	-477	-477	-477	23.0 - 23.9	-200
51	1 & 2	-575	-325	-250	-118	-118	-118	-118	24.0 - 24.9	-175
	3	-600	-350	-325	-193	-193	-193	-193	25.0 - 25.9	-150
	4	-625	-375	-350	-268	-268	-268	-268	26.0 - 26.9	-25
	5	-700	-600	-450	-393	-368	-368	-368	Base 27.0 - 28.9	0
	6	-800	-725	-575	-518	-518	-518	-518	29.0 - 29.9	0
	7	-850	-850	-675	-609	-609	-609	-609	30.0 - 30.9	25
61	1-5	-750	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-875	-775	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1025	-975	-975	-975	-975		
	7	-1275	-1225	-1075	-1025	-1025	-1025	-1025		
12 & 22	1 & 2	-275	-125	50	116	166	166	166	Extraneous Matter	
	3	-275	-125	25	116	141	141	141	Prep	Diff.
	4	-300	-201	-51	41	66	66	66	Level 1	-200
	5	-500	-375	-175	-159	-134	-134	-134	Level 2	-800
	6	-576	-501	-376	-360	-360	-360	-360		
	7	-675	-650	-525	-484	-484	-484	-484	Other	Diff.
32	1 & 2	-375	-250	-100	-9	16	16	16	Level 1	-375
	3	-375	-250	-100	-34	16	16	16	Level 2	-785
	4	-400	-275	-200	-109	-84	-84	-84		
	5	-526	-376	-250	-234	-209	-209	-209		
	6	-626	-601	-475	-434	-409	-409	-409		
	7	-726	-701	-575	-534	-534	-534	-534		
42	1-3	-401	-325	-275	-135	-110	-110	-110	Uniformity	
	4	-426	-350	-300	-210	-185	-185	-185	Unit	Points
	5	-552	-426	-350	-310	-285	-285	-285	77.9 & Below	-90
	6	-752	-652	-500	-460	-435	-435	-435	78.0 - 78.9	-80
	7	-875	-775	-625	-584	-584	-584	-584	79.0 - 79.9	-70
	52	1-4	-650	-475	-425	-400	-400	-400	-400	80.0 - 80.9
5		-676	-576	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
6		-826	-775	-700	-675	-675	-675	-675	82.0 - 82.9	0
7		-900	-875	-800	-775	-775	-775	-775	83.0 - 83.9	30
62		1-5	-876	-825	-750	-725	-725	-725	-725	84.0 - 84.9
	6	-1026	-975	-850	-825	-825	-825	-825	85.0 - 85.9	50
43	1-3	-775	-575	-400	-375	-375	-375	-375	86.0 & Above	60
	4	-800	-600	-425	-400	-400	-400	-400		
	5	-850	-750	-675	-650	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700	-700		
	5	-950	-900	-825	-800	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975	-975		

Table 9. South Delta spot cotton differences, season average.

August 2012 - July 2013

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	307	398	448	448	25-26	-1100
	3	-250	-100	50	257	298	348	348	27-29	-750
	4	-300	-200	25	157	248	273	273	30-32	-325
	5	-375	-300	0	60	85	110	110	33-34	-125
	6	-475	-475	-350	-293	-293	-293	-293	Base 35-36	0
	7	-575	-575	-450	-393	-393	-393	-393	37-42	25
31	1 & 2	-250	-150	50	257	373	398	398	Base 43-49	0
	3	-250	-150	50	207	273	298	298	50-52	-293
	4	-300	-250	21	146	173	198	198	53 & Above	-425
	5	-375	-325	-100	-15	10	35	35		
	6	-475	-475	-350	-293	-293	-293	-293		
	7	-575	-575	-450	-393	-393	-393	-393		
41	1 & 2	-325	-250	25	207	248	273	273	Strength	
	3	-325	-250	25	157	223	248	248	(Grams per Tex)	
	4	-350	-275	76.56	132	148	173	173	Range	Diff.
	5	-525	-400	-275	-215	-165	-165	-165	21.0 - 21.9	-275
	6	-550	-500	-400	-343	-318	-318	-318	22.0 - 22.9	-225
	7	-675	-625	-500	-459	-459	-459	-459	23.0 - 23.9	-175
51	1 & 2	-575	-325	-250	-118	-118	-118	-118	24.0 - 24.9	-125
	3	-625	-375	-300	-193	-193	-193	-193	25.0 - 25.9	-100
	4	-650	-400	-325	-268	-268	-268	-268	26.0 - 26.9	-25
	5	-725	-625	-475	-393	-368	-368	-368	Base 27.0 - 28.9	0
	6	-825	-725	-575	-518	-518	-518	-518	29.0 - 29.9	0
	7	-900	-875	-725	-627	-627	-627	-627	30.0 - 30.9	25
61	1-5	-800	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-825	-750	-725	-725	-725	-725	33.0 & above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	140	166	166	166	Extraneous Matter	
	3	-275	-125	25	116	141	141	141	Prep	Diff.
	4	-300	-250	-100	41	91	91	91	Level 1	-200
	5	-500	-350	-200	-135	-134	-134	-134	Level 2	-800
	6	-575	-500	-375	-334	-334	-334	-334		
	7	-626	-576	-476	-435	-435	-435	-435	Other	Diff.
32	1 & 2	-400	-251	-76	-9	16	16	16	Level 1	-375
	3	-400	-250	-75	-34	16	16	16	Level 2	-785
	4	-425	-275	-175	-84	-60	-60	-60		
	5	-600	-425	-250	-234	-185	-185	-185		
	6	-700	-650	-475	-434	-409	-409	-409		
	7	-800	-750	-575	-534	-534	-534	-534		
42	1-3	-475	-350	-275	-159	-159	-159	-159	Uniformity	
	4	-500	-375	-300	-210	-209	-209	-209	Unit	Points
	5	-650	-500	-375	-334	-309	-309	-309	77.9 & Below	-90
	6	-850	-750	-525	-435	-410	-410	-410	78.0 - 78.9	-80
	7	-900	-800	-625	-584	-584	-584	-584	79.0 - 79.9	-70
	52	1-4	-650	-475	-400	-375	-375	-375	-375	80.0 - 80.9
5		-725	-625	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
6		-875	-775	-651	-626	-626	-626	-626	82.0 - 82.9	0
7		-900	-875	-751	-726	-726	-726	-726	83.0 - 83.9	30
62		1-5	-925	-825	-701	-676	-676	-676	-676	84.0 - 84.9
	6	-1075	-926	-801	-776	-776	-776	-776	85.0 - 85.9	50
43	1-3	-800	-501	-375	-350	-350	-350	-350	86.0 & Above	60
	4	-825	-526	-400	-375	-375	-375	-375		
	5	-850	-676	-626	-601	-601	-601	-601		
	6	-901	-776	-726	-701	-701	-701	-701		
	7	-1051	-926	-876	-851	-851	-851	-851		
53	1-4	-900	-726	-676	-651	-651	-651	-651		
	5	-975	-875	-776	-751	-751	-751	-751		
	6	-1150	-975	-900	-875	-875	-875	-875		
	7	-1175	-1051	-976	-951	-951	-951	-951		
63	1-5	-1076	-1001	-951	-926	-926	-926	-926		
	6	-1175	-1051	-951	-926	-926	-926	-926		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2012 - July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-346	-221	-24	214	498	613	613	613
	3	-371	-271	-49	208	410	463	463	463
	4	-471	-296	-99	121	248	348	348	348
	5	-521	-396	-324	-42	108	183	183	183
	6	-671	-521	-499	-267	-267	-192	-192	-192
	7	-746	-621	-599	-342	-342	-267	-267	-267
31	1 & 2	-396	-271	-49	208	435	560	560	560
	3	-421	-296	-74	183	366	435	435	435
	4	-521	-371	-149	71	223	248	248	248
	5	-571	-421	-349	-92	33	108	108	108
	6	-696	-546	-524	-292	-292	-217	-217	-217
	7	-771	-646	-624	-367	-367	-317	-317	-317
41	1 & 2	-496	-321	-124	45	185	285	285	285
	3	-521	-346	-149	45	135	160	160	160
	4	-571	-421	-299	73.78	85	135	135	135
	5	-646	-471	-399	-130	-67	83	83	83
	6	-796	-596	-571	-317	-317	-217	-217	-217
	7	-896	-696	-671	-417	-392	-392	-392	-392
51	1 & 2	-646	-496	-396	-64	-64	-14	-14	-14
	3	-646	-521	-396	-64	-64	-14	-14	-14
	4	-696	-546	-421	-139	-114	-64	-64	-64
	5	-746	-621	-571	-239	-189	-189	-189	-189
	6	-921	-721	-721	-389	-389	-389	-389	-389
	7	-1021	-746	-746	-464	-464	-464	-464	-464
61	1-5	-771	-621	-571	-239	-239	-239	-239	-239
	6	-946	-746	-721	-414	-389	-389	-389	-389
	7	-1046	-846	-821	-514	-489	-489	-489	-489
71	1-6	-971	-871	-821	-489	-489	-489	-489	-489
	7	-1071	-921	-896	-564	-564	-564	-564	-564
12 & 22	1 & 2	-521	-321	-146	128	202	302	302	302
	3	-546	-371	-196	103	152	227	227	227
	4	-596	-396	-221	53	102	227	227	227
	5	-671	-571	-521	-247	-122	53	53	53
	6	-846	-671	-671	-397	-372	-347	-347	-347
	7	-946	-771	-746	-472	-447	-422	-422	-422
32	1 & 2	-546	-471	-296	3	103	203	203	203
	3	-571	-471	-321	3	28	153	153	153
	4	-621	-496	-396	-72	-47	3	3	3
	5	-721	-621	-596	-272	-197	-22	-22	-22
	6	-896	-721	-721	-447	-447	-422	-422	-422
	7	-1021	-821	-821	-522	-522	-497	-497	-497
42	1-3	-596	-521	-446	-72	-47	28	28	28
	4	-646	-546	-471	-97	-72	-22	-22	-22
	5	-796	-671	-621	-322	-272	-272	-272	-272
	6	-1021	-771	-746	-472	-472	-472	-472	-472
	7	-1121	-871	-846	-572	-547	-547	-547	-547
52	1-4	-796	-646	-571	-347	-347	-347	-347	-347
	5	-871	-746	-646	-397	-397	-397	-397	-397
	6	-1096	-946	-871	-547	-547	-547	-547	-547
	7	-1171	-1046	-971	-647	-647	-647	-647	-647
62	1-5	-921	-821	-796	-472	-472	-472	-472	-472
	6	-1121	-996	-971	-647	-647	-647	-647	-647

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-698	-573	-498	-175	-125	-75	-75	-75
	3	-723	-598	-523	-200	-150	-100	-100	-100
	4	-773	-673	-573	-250	-200	-150	-150	-150
	5	-898	-773	-698	-375	-325	-275	-275	-275
	6	-1023	-848	-748	-425	-425	-375	-375	-375
	7	-1098	-923	-848	-525	-525	-475	-475	-475
33	1 & 2	-798	-648	-573	-225	-175	-125	-125	-125
	3	-798	-648	-573	-225	-175	-125	-125	-125
	4	-873	-723	-623	-275	-225	-175	-175	-175
	5	-1023	-823	-723	-400	-350	-300	-300	-300
	6	-1098	-898	-823	-475	-475	-425	-425	-425
	7	-1173	-998	-898	-575	-575	-525	-525	-525
43	1-3	-848	-723	-623	-275	-225	-175	-175	-175
	4	-923	-798	-673	-300	-250	-200	-200	-200
	5	-1048	-898	-773	-425	-375	-325	-325	-325
	6	-1148	-973	-873	-525	-525	-475	-475	-475
	7	-1223	-1048	-948	-600	-600	-550	-550	-550
53	1-4	-973	-898	-798	-475	-450	-425	-425	-425
	5	-1073	-973	-898	-550	-525	-500	-500	-500
	6	-1173	-1073	-998	-650	-650	-625	-625	-625
	7	-1248	-1148	-1098	-725	-725	-700	-700	-700
63	1-5	-1173	-1048	-948	-600	-550	-525	-525	-525
	6	-1248	-1148	-1023	-675	-675	-650	-650	-650
34	1 & 2	-873	-773	-723	-400	-400	-400	-400	-400
	3	-873	-773	-723	-400	-400	-400	-400	-400
	4	-998	-898	-823	-500	-500	-500	-500	-500
	5	-1098	-998	-948	-625	-625	-625	-625	-625
	6	-1248	-1148	-1098	-775	-775	-775	-775	-775
44	1-3	-973	-873	-823	-500	-500	-500	-500	-500
	4	-1048	-973	-873	-550	-550	-550	-550	-550
	5	-1123	-1048	-973	-650	-650	-650	-650	-650
	6	-1273	-1173	-1123	-800	-800	-800	-800	-800
54	1-4	-1073	-998	-948	-625	-625	-625	-625	-625
	5	-1148	-1073	-998	-675	-675	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-244
53 & Above	-379

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-325
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 10. West Texas spot cotton differences, monthly average.

August 2012 - July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-319	-194	114	311	636	711	736	736
	3	-375	-250	23	236	461	611	636	636
	4	-416	-291	-129	189	354	404	404	404
	5	-541	-316	-229	48	330	380	380	380
	6	-741	-566	-479	-188	-156	-156	-156	-156
31	7	-816	-616	-554	-263	-231	-231	-231	-231
	1 & 2	-400	-250	8	204	443	618	618	618
	3	-450	-275	-17	179	418	593	593	593
	4	-491	-316	-154	139	269	379	379	379
	5	-591	-391	-254	-52	265	355	355	355
41	6	-791	-616	-479	-213	-206	-181	-181	-181
	7	-891	-666	-554	-263	-256	-231	-231	-231
	1 & 2	-566	-391	-179	37	215	240	240	240
	3	-591	-416	-204	12	165	240	240	240
	4	-641	-441	-329	73.68	90	176	176	176
51	5	-666	-466	-354	-63	62	150	150	150
	6	-841	-666	-579	-263	-213	-188	-188	-188
	7	-966	-766	-679	-363	-288	-263	-263	-263
	1 & 2	-691	-491	-404	-75	0	25	25	25
	3	-691	-491	-404	-75	0	25	25	25
61	4	-741	-516	-479	-150	-50	-25	-25	-25
	5	-791	-616	-604	-275	-200	-150	-150	-150
	6	-966	-741	-729	-450	-375	-325	-325	-325
	7	-1066	-841	-829	-550	-475	-450	-450	-450
	1-5	-816	-641	-629	-300	-200	-200	-200	-200
71	6	-991	-766	-754	-525	-425	-375	-375	-375
	7	-1091	-916	-879	-600	-500	-475	-475	-475
	1-6	-1041	-866	-804	-550	-475	-475	-475	-475
12 & 22	7	-1141	-916	-879	-600	-550	-550	-550	-550
	1 & 2	-502	-302	-102	75	225	350	350	350
	3	-552	-352	-127	50	175	300	300	300
	4	-577	-402	-302	-50	125	250	250	250
	5	-702	-527	-527	-250	-100	-100	-100	-100
	6	-877	-677	-677	-425	-350	-350	-350	-350
	7	-952	-777	-752	-500	-425	-425	-425	-425
32	1 & 2	-552	-352	-152	25	50	125	125	125
	3	-602	-402	-177	-25	0	125	125	125
	4	-652	-452	-352	-100	0	100	100	100
	5	-777	-652	-602	-300	-200	-200	-200	-200
	6	-952	-752	-727	-450	-400	-400	-400	-400
	7	-1052	-852	-777	-550	-475	-475	-475	-475
42	1-3	-677	-477	-427	-125	-50	100	100	100
	4	-727	-552	-452	-150	-50	75	75	75
	5	-827	-702	-627	-325	-225	-225	-225	-225
	6	-1052	-777	-752	-475	-425	-425	-425	-425
	7	-1127	-927	-852	-600	-500	-500	-500	-500
52	1-4	-877	-652	-627	-400	-325	-325	-325	-325
	5	-952	-752	-702	-450	-375	-375	-375	-375
	6	-1177	-952	-902	-600	-525	-525	-525	-525
	7	-1252	-1052	-1002	-700	-625	-625	-625	-625
62	1-5	-1002	-827	-802	-550	-500	-500	-500	-500
	6	-1202	-1002	-977	-725	-675	-675	-675	-675

Table 10. West Texas spot cotton differences, monthly average.

August 2012 - July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-629	-429	-379	-150	-100	-100	-100	-100
	3	-679	-454	-404	-175	-125	-125	-125	-125
	4	-704	-529	-479	-225	-175	-175	-175	-175
	5	-829	-629	-604	-350	-300	-300	-300	-300
	6	-954	-729	-704	-450	-375	-375	-375	-375
	7	-1029	-829	-779	-500	-475	-475	-475	
33	1 & 2	-754	-504	-454	-200	-175	-175	-175	-175
	3	-754	-504	-454	-200	-175	-175	-175	-175
	4	-829	-579	-529	-250	-225	-225	-225	-225
	5	-979	-704	-654	-400	-350	-350	-350	-350
	6	-1054	-804	-804	-475	-450	-450	-450	-450
	7	-1129	-904	-854	-600	-550	-550	-550	
43	1-3	-804	-604	-554	-275	-250	-250	-250	-250
	4	-879	-679	-604	-300	-250	-250	-250	-250
	5	-1004	-779	-704	-425	-375	-375	-375	-375
	6	-1104	-879	-829	-550	-525	-525	-525	-525
	7	-1179	-979	-904	-625	-600	-600	-600	-600
53	1-4	-1004	-879	-804	-500	-450	-450	-450	-450
	5	-1104	-929	-879	-600	-550	-550	-550	-550
	6	-1229	-1029	-979	-700	-675	-675	-675	-675
	7	-1304	-1104	-1079	-775	-750	-750	-750	-750
63	1-5	-1229	-1029	-954	-650	-575	-575	-575	-575
	6	-1304	-1129	-1029	-750	-700	-700	-700	-700
34	1 & 2	-854	-654	-604	-350	-325	-325	-325	-325
	3	-854	-654	-604	-350	-325	-325	-325	-325
	4	-979	-779	-704	-450	-425	-425	-425	-425
	5	-1079	-879	-829	-575	-550	-550	-550	-550
	6	-1229	-1029	-979	-725	-700	-700	-700	-700
44	1-3	-979	-779	-729	-475	-450	-450	-450	-450
	4	-1054	-879	-779	-525	-500	-500	-500	-500
	5	-1154	-954	-879	-625	-600	-600	-600	-600
	6	-1304	-1104	-1054	-800	-775	-775	-775	-775
54	1-4	-1079	-904	-854	-600	-575	-575	-575	-575
	5	-1179	-979	-904	-650	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-907
25-26	-857
27-29	-582
30-32	-357
33-34	-182
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-265
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-282
Level 2	-500
Other	
Level 1	-532
Level 2	-575

Table 12. Desert Southwest spot cotton differences, season average.

August 2012 - July 2013

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-50	225	750	810	845	895	24 & Below	-1200	
	3	-50	200	675	785	820	870	25-26	-1000	
	4	-275	75	400	435	470	470	27-29	-900	
	5	-350	-150	75	150	235	235	30-32	-500	
	6	-450	-350	-100	-85	-30	-30	33-34	-300	
	7	-650	-375	-175	-140	-100	-100	Base 35-36	0	
	31	1 & 2	-125	175	700	785	820	870	37-42	25
3		-125	150	650	735	770	820	Base 43-49	0	
4		-325	50	375	410	445	445	50-52	-325	
5		-375	-175	25	50	120	120	53 & Above	-525	
6		-475	-375	-110	-95	-40	-40			
7		-675	-400	-200	-170	-115	-115			
41		1 & 2	-550	0	125	210	220	270	Strength	
	3	-550	0	125	210	220	270	(Grams per Tex)		
	4	-600	73.86	100	185	195	195	Range	Diff.	
	5	-625	-500	-225	-215	-205	-205	21.0 - 21.9	-600	
	6	-800	-675	-350	-340	-340	-340	22.0 - 22.9	-450	
	7	-950	-825	-600	-595	-585	-585	23.0 - 23.9	-300	
	51	1 & 2	-650	-475	-175	-140	-130	-130	24.0 - 24.9	-225
3		-650	-475	-175	-140	-130	-130	25.0 - 25.9	-200	
4		-675	-550	-250	-200	-190	-190	26.0 - 26.9	-125	
5		-775	-725	-450	-425	-425	-425	Base 27.0 - 28.9	0	
6		-950	-850	-550	-550	-550	-550	29.0 - 29.9	0	
7		-1150	-1050	-825	-825	-825	-825	30.0 - 30.9	25	
12 & 22		1 & 2	-475	50	300	360	420	420	31.0 - 32.9	50
	3	-475	50	275	335	395	395	33.0 & above	100	
	4	-575	0	250	310	370	370			
	5	-600	-425	-100	-100	-50	-50			
	6	-750	-625	-300	-300	-250	-250			
	7	-925	-800	-550	-550	-500	-500			
	32	1 & 2	-575	-200	125	210	220	220	Extraneous Matter	
3		-575	-200	125	210	220	220	Prep	Diff.	
4		-625	-425	0	85	95	95	Level 1	-50	
5		-675	-675	-375	-375	-375	-375	Level 2	-800	
6		-875	-800	-500	-500	-500	-500			
7		-1025	-975	-750	-750	-750	-750	Other		
42		1-3	-625	-450	-150	-100	-100	-100	Level 1	-350
	4	-650	-525	-225	-175	-175	-175	Level 2	-800	
	5	-725	-700	-400	-400	-400	-400			
	6	-900	-825	-525	-525	-525	-525			
	7	-1100	-1000	-775	-775	-775	-775			
	52	1-4	-850	-725	-450	-400	-400	-400	Uniformity	
		5	-900	-800	-550	-550	-550	-550	Unit	Points
6		-1000	-900	-650	-650	-650	-650	77.9 & Below	-100	
7		-1250	-1150	-950	-925	-925	-925	78.0 - 78.9	-90	
43	1-3	-725	-650	-550	-475	-475	-475	79.0 - 79.9	-80	
	4	-825	-750	-600	-550	-550	-550	80.0 - 80.9	0	
	5	-925	-825	-625	-600	-600	-600	Base 81.0 - 81.9	0	
	6	-1025	-925	-875	-875	-875	-875	82.0 - 82.9	0	
	7	-1100	-1050	-1000	-1000	-1000	-1000	83.0 - 83.9	30	
	53	1-4	-975	-875	-775	-775	-775	-775	84.0 - 84.9	40
5		-1025	-925	-825	-825	-825	-825	85.0 - 85.9	50	
6		-1125	-1025	-925	-925	-925	-925	86.0 & Above	60	
7		-1375	-1275	-1250	-1250	-1250	-1250			

Table 9. San Joaquin Valley spot cotton differences, monthly average.

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	590	1215	1490	1565	1707	27-29	-1600
	3	540	1110	1440	1515	1657	30-32	-1000
	4	75	450	500	600	600	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	500	1115	1390	1465	1590		
	3	440	1065	1340	1415	1540		
	4	50	400	430	510	510		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	450	530	540	540	Strength	
	3	50	350	430	440	440	(Grams per Tex)	
	4	74.74	300	380	390	390	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-200
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-200
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-150
							Base 27.0 - 28.9	0
51	1 & 2	-575	-125	-75	-75	-75	29.0 - 29.9	0
	3	-600	-150	-100	-100	-100	30.0 - 30.9	25
	4	-650	-200	-175	-175	-175	31.0 - 32.9	50
	5	-750	-375	-325	-325	-325	33.0 & above	100
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	225	675	930	990	1090		
	3	150	600	880	940	1040		
	4	25	425	475	540	540		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	100	350	425	475	575	Extraneous Matter	
	3	50	300	375	425	525	Prep	Diff.
	4	-100	125	150	200	200	Level 1	-50
	5	-525	-275	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750	Other	
							Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	0
	3	-500	-500	-500	-500	-500	83.0 - 83.9	30
	4	-600	-600	-600	-600	-600	84.0 - 84.9	40
	5	-800	-800	-800	-800	-800	85.0 - 85.9	50
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	60
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2012-2013

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	3,241	2,973	7,259	22,009	43,672	75,336	49,671	17,576	13,145	6,524	9,643	7,012	258,061
North Delta	1,142	1,490	954	7,466	1,054	13,622	2,609	3,283	16,592	3,904	9,073	1,333	62,522
South Delta	2,186	1,314	0	0	3,346	1,817	268	53	4,106	189	615	264	14,158
East Texas-Oklahoma	19,160	35,550	28,639	43,648	47,643	51,030	21,491	15,349	20,893	10,304	4,126	904	298,737
West Texas	10,391	11,192	43,705	334,132	321,622	240,090	37,108	25,423	5,659	5,302	1,696	2,622	1,038,942
Desert Southwest	2,243	0	0	0	440	897	0	0	96	0	0	0	3,676
San Joaquin Valley	0	135	0	795	0	0	400	552	0	200	0	0	2,082
Total	38,363	52,654	80,557	408,050	417,777	382,792	111,547	62,236	60,491	26,423	25,153	12,135	1,678,178

Page 16

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2007-2012. 1/

Market Area	2007	2008	2009	2010	2011	2012
Southeast	171,563	153,398	138,254	86,222	118,594	258,061
North Delta	153,267	112,627	47,549	11,537	50,468	62,522
South Delta	32,946	41,231	20,617	5,078	26,348	14,158
East Texas-Oklahoma	187,650	184,020	165,428	140,765	195,257	298,737
West Texas	1,178,348	876,914	511,970	397,480	502,222	1,038,942
Desert Southwest	54,171	8,990	3,763	180	8,809	3,676
San Joaquin Valley	9,481	6,806	16,520	14,914	55,034	14,690
Total	1,787,426	1,383,986	904,101	656,176	956,732	1,690,786

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS, Season Average

Color	Leaf	Staple		
		44	46	48
1	1	113.54	118.54	118.79
	2	113.29	118.29	118.79
	3	104.29	109.29	109.54
	4			
	5			
	6			
2	1	113.04	118.04	118.79
	2	112.54	117.54	118.29
	3	103.04	108.04	108.29
	4	87.80	92.80	93.55
	5			
	6			
3	1	108.09	113.09	113.84
	2	106.09	111.09	112.34
	3	94.86	99.86	101.86
	4	78.80	83.80	84.80
	5	74.06	75.06	76.31
	6			
4	1	78.55	83.55	84.55
	2	78.30	83.30	83.80
	3	78.05	83.05	83.05
	4	70.55	76.05	76.05
	5	67.31	71.56	71.56
	6			
5	1			
	2	61.31	68.56	68.56
	3	61.31	68.06	68.56
	4	61.31	62.56	62.56
	5	61.06	62.31	62.31
	6			
6	1			
	2	51.26	51.51	51.51
	3	51.26	51.51	51.51
	4	51.26	51.51	51.51
	5	51.01	51.26	51.26
	6	50.51	50.76	50.76

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 12. Farm prices and average quotations in designated spot markets, in cents per pound, net weight, United States, marketing years 2000-2012

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2000	51.40	50.60	55.50	58.00	57.80	52.10	48.50	41.10	42.60	40.90	39.20	38.90	49.80
2001	37.30	36.50	30.70	27.80	30.80	27.30	28.00	28.40	27.20	26.70	33.70	35.30	29.80
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	86.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.70	69.10	68.40	71.30	72.20	75.30	75.30	75.40	75.30	76.70	76.40 /2	

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2000	59.33	60.62	60.54	62.16	61.04	56.66	54.10	47.22	42.19	40.02	37.38	37.48	51.56
2001	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10
2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2000	60.58	61.78	61.68	63.39	62.51	58.37	55.85	48.93	43.82	41.46	38.64	38.80	52.98
2001	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66
2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.21	72.48	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price.

Table 14. United States spot cotton differences, WEIGHTED monthly average.
 Weighted averages based on the 2012-crop year's production by spot market

August 2012 - July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-327	-224	-41	177	449	556	578	593
	3	-374	-242	-64	151	383	492	514	529
	4	-432	-264	-150	89	228	321	331	340
	5	-535	-376	-265	-56	128	185	197	197
	6	-721	-516	-430	-292	-227	-209	-205	-205
	7	-796	-680	-602	-464	-413	-394	-391	-391
31	1 & 2	-399	-242	-88	132	383	511	521	536
	3	-442	-251	-96	122	355	457	467	481
	4	-500	-277	-185	71	203	284	294	303
	5	-585	-397	-276	-111	84	129	140	140
	6	-763	-531	-434	-304	-262	-239	-235	-235
	7	-856	-695	-606	-469	-442	-419	-415	-415
41	1 & 2	-546	-326	-189	40	191	251	257	269
	3	-571	-334	-198	29	151	221	228	239
	4	-621	-354	-259	75.82	94	165	172	181
	5	-660	-476	-381	-205	-128	-63	-62	-62
	6	-828	-597	-524	-393	-339	-308	-308	-308
	7	-946	-770	-711	-577	-529	-514	-514	-514
51	1 & 2	-678	-488	-319	-153	-77	-64	-63	-63
	3	-678	-529	-337	-197	-114	-92	-91	-91
	4	-728	-554	-364	-241	-172	-158	-158	-158
	5	-778	-645	-553	-381	-302	-273	-273	-273
	6	-953	-741	-662	-518	-471	-450	-450	-450
	7	-1053	-870	-832	-697	-650	-635	-635	-635
61	1-5	-803	-705	-634	-485	-440	-440	-440	-440
	6	-978	-850	-789	-676	-642	-630	-630	-630
	7	-1078	-981	-894	-762	-729	-723	-723	-723
71	1-6	-1021	-1034	-971	-821	-789	-789	-789	-789
	7	-1121	-1064	-1010	-854	-829	-829	-829	-829
12 & 22	1 & 2	-507	-286	-138	68	178	262	267	269
	3	-550	-303	-149	51	147	226	231	233
	4	-582	-325	-220	-22	98	177	182	182
	5	-693	-484	-414	-223	-131	-101	-97	-97
	6	-868	-600	-541	-422	-379	-375	-371	-371
	7	-950	-762	-716	-601	-558	-545	-542	-542
32	1 & 2	-550	-362	-219	-32	25	81	83	86
	3	-593	-384	-237	-54	-1	66	68	71
	4	-643	-444	-293	-153	-71	-15	-13	-13
	5	-761	-572	-458	-309	-255	-221	-221	-221
	6	-936	-663	-603	-478	-438	-420	-420	-420
	7	-1043	-829	-766	-652	-612	-601	-601	-601
42	1-3	-653	-447	-330	-172	-88	-31	-31	-31
	4	-703	-504	-346	-209	-139	-90	-90	-90
	5	-818	-628	-493	-369	-300	-284	-284	-284
	6	-1043	-738	-657	-511	-472	-456	-456	-456
	7	-1125	-908	-825	-698	-652	-643	-643	-643
52	1-4	-853	-621	-472	-381	-334	-332	-332	-332
	5	-928	-696	-603	-489	-446	-446	-446	-446
	6	-1153	-853	-815	-678	-643	-643	-643	-643
	7	-1228	-981	-941	-805	-773	-772	-772	-772
62	1-5	-978	-823	-768	-630	-611	-611	-611	-611
	6	-1178	-1059	-999	-853	-834	-834	-834	-834

Table 14. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2012-crop year's production by spot market

August 2012 - July 2013

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-649	-471	-414	-157	-107	-93	-93	-93
	3	-692	-496	-439	-182	-132	-118	-118	-118
	4	-724	-571	-507	-232	-182	-168	-168	-168
	5	-849	-671	-632	-357	-307	-293	-293	-293
	6	-974	-764	-717	-443	-390	-375	-375	-375
	7	-1049	-857	-799	-507	-490	-475	-475	-475
33	1 & 2	-767	-546	-489	-115	-104	-99	-99	-99
	3	-767	-546	-489	-115	-104	-99	-99	-99
	4	-842	-621	-557	-141	-130	-125	-125	-125
	5	-992	-739	-674	-208	-190	-185	-185	-185
	6	-1067	-832	-810	-257	-251	-246	-246	-246
	7	-1142	-932	-867	-311	-299	-294	-294	-294
43	1-3	-817	-642	-529	-369	-338	-320	-320	-320
	4	-892	-685	-575	-407	-359	-342	-342	-342
	5	-1017	-789	-697	-550	-518	-512	-512	-512
	6	-1117	-911	-840	-702	-688	-683	-683	-683
	7	-1192	-1032	-934	-799	-784	-779	-779	-779
	53	1-4	-995	-797	-710	-550	-525	-522	-522
5	-1095	-891	-843	-682	-657	-655	-655	-655	
6	-1213	-1112	-1035	-876	-860	-857	-857	-857	
7	-1288	-1183	-1145	-973	-960	-958	-958	-958	
63	1-5	-1213	-1051	-987	-822	-792	-789	-789	-789
	6	-1288	-1190	-1113	-941	-922	-919	-919	-919
34	1 & 2	-860	-689	-639	-365	-347	-347	-347	-347
	3	-860	-689	-639	-365	-347	-347	-347	-347
	4	-985	-814	-739	-465	-447	-447	-447	-447
	5	-1085	-914	-864	-590	-572	-572	-572	-572
	6	-1235	-1064	-1014	-740	-722	-722	-722	-722
44	1-3	-977	-807	-757	-482	-465	-465	-465	-465
	4	-1052	-907	-807	-532	-515	-515	-515	-515
	5	-1145	-982	-907	-632	-615	-615	-615	-615
	6	-1295	-1124	-1074	-800	-782	-782	-782	-782
54	1-4	-1077	-932	-882	-607	-590	-590	-590	-590
	5	-1170	-1007	-932	-657	-640	-640	-640	-640

Mike	
Range	Diff.
24 & Below	-937
25-26	-893
27-29	-592
30-32	-338
33-34	-168
Base 35-36	0
37-42	13
Base 43-49	0
50-52	-309
53 & Above	-426

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-310
22.0 - 22.9	-254
23.0 - 23.9	-207
24.0 - 24.9	-177
25.0 - 25.9	-152
26.0 - 26.9	-41
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	44
33.0 & above	48

Uniformity	
Unit	Points
77.9 & Below	-102
78.0 - 78.9	-89
79.0 - 79.9	-77
80.0 - 80.9	-9
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	18
84.0 - 84.9	27
85.0 - 85.9	37
86.0 & Above	47

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-153
Level 2	-673
Other (ET-OK and WT Bark not in	
Level 1	-429
Level 2	-731
Bark	
Level 1	-171
Level 2	-185