

COTTON PRICE STATISTICS 2013-2014



ANNUAL REPORT


UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, TN

****Corrected Pima Prices (page 17)**

ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 80.28 cents per pound for the 2013-2014 season, up from 75.24 cents for the 2012-2013 season. The season's lowest daily quotation for the base quality occurred on July 31, 2014 at 63.53 cents per pound and the season's highest quotation was 89.14 cents on August 16, 2013. The lowest monthly average for the marketing year was 69.63 cents per pound in July 2014 and the highest was 86.70 cents per pound in March 2014.

2013-2014 Seven Market Monthly Averages



Source: USDA, AMS Cotton and Tobacco Program

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 81.68 cents per pound for the 2013-2014 season, up from 76.87 cents for the 2012-2013 season.

The average price received by farmers for Upland cotton was 76.40 cents per pound for the 2013-2014 marketing year and 72.50 cents for the 2012-2013 marketing year, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,369,602 running bales in the 2013-2014 marketing year, down from 1,690,786 bales in the 2012-2013 marketing year, but up from 956,732 bales in 2011-2012.

August 19, 2014

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2008-2013 1/ 2/

Market Areas	2008	2009	2010	2011	2012	2013
Southeast	48.97	70.13	139.70	87.75	77.50	82.74
North Delta	47.99	69.30	139.02	86.90	76.56	81.85
South Delta	47.99	69.30	139.02	86.95	76.56	81.85
East Texas-Oklahoma	47.08	66.57	135.51	83.30	73.78	79.27
West Texas	46.93	66.38	135.10	83.31	73.68	79.13
Desert Southwest	47.03	65.40	137.91	85.73	73.86	78.23
San Joaquin Valley	49.10	67.20	138.91	86.74	74.74	78.88
Average	47.87	67.76	137.88	85.81	75.24	80.28

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2008 2/	1-Aug-08	62.69	11-Nov-08	36.28
2009 2/	30-Jul-10	78.90	26-Aug-09	50.98
2010 2/	7-Mar-11	209.60	2-Aug-11	80.18
2011 3/	14-Sep-11	110.87	5-Jun-12	60.71
2012 3/	13-Jun-13	87.55	8-Nov-12	65.11
2013 3/	16-Aug-13	89.14	31-Jul-14	63.53

3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2013-2014 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	81.84			74.16					86.23	87.11		73.96
2	81.23				74.94	80.42			85.69	87.19	80.13	73.65
3		79.37			74.94	79.56	81.54	83.52	85.16		80.76	73.17
4		79.38		73.50	75.50		81.89	84.16	86.61		79.49	
5	81.29	79.00		73.49	75.54		82.05	83.61		87.50	79.07	
6	81.73	79.89		74.51	77.19	80.27	82.83	86.61		86.74	78.34	
7	84.45			74.33		81.16	83.87	86.37	84.84	85.29		71.63
8	85.27			74.41		79.64			85.96	85.93		71.53
9	84.96	80.29			77.15	79.40			84.64	85.22	78.11	72.00
10		81.32			77.53	79.17	83.80	86.65	83.41		79.86	70.32
11		81.36		74.48	79.31		85.09	86.68	83.41		79.08	70.14
12	85.97	82.41		75.34	79.86		84.87	87.29		84.18	79.16	
13	87.49	81.72		75.34	79.91	80.16	84.11	86.77		83.84	80.49	
14	87.32			73.87		80.24	83.92	87.28	85.26	83.61		70.04
15	87.39			74.46		81.10			84.26	83.29		69.79
16	89.14	81.50			80.09	82.46			85.24	82.76	81.18	69.96
17		80.99	80.01		79.61	83.18		87.09	85.42		77.49	70.00
18		82.06	79.44	73.97	79.71		84.45	88.02			78.75	70.13
19	88.47	81.55		73.83	80.02		82.97	87.66		82.07	78.40	
20	84.47	81.19		74.39	79.96		82.71	87.20		82.04	79.03	
21	79.96		79.69	74.64		84.34	83.43	88.19	85.33	82.39		69.98
22	79.96		79.54	73.49		84.06			86.36	81.31		70.18
23	80.31	80.94	77.78		79.03	83.56			85.78	79.83	79.68	70.09
24		81.09	76.51		79.99	83.19	84.39	85.49	86.11		78.00	67.68
25		81.43	76.45	74.65			82.43	88.97	86.14		76.32	66.44
26	81.57	82.23		75.28	79.78		81.44	86.51			75.55	
27	80.82	83.41		74.74	81.01	80.64	82.94	87.15		78.62	75.68	
28	80.33		76.00			80.71	82.31	87.85	85.13	78.55		66.79
29	79.89		75.71	75.68		82.00			86.94	79.82		65.85
30	80.04	83.83	75.28		81.40	82.49			87.17	79.91	74.74	65.06
31			74.66		81.28	82.34		87.69				63.53
Average	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63
High	89.14	83.83	80.01	75.68	81.40	84.34	85.09	88.97	87.17	87.50	81.18	73.96
Low	79.89	79.00	74.66	73.49	74.94	79.17	81.44	83.52	83.41	78.55	74.74	63.53

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2013-2014 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	85.93	83.00	78.43	75.63	81.03	83.82	85.72	89.46	88.33	86.29	81.90	73.33	82.74
North Delta	84.74	82.38	78.18	75.16	80.01	82.76	84.89	88.41	87.33	85.29	80.90	72.18	81.85
South Delta	84.74	82.38	78.18	75.16	80.01	82.76	84.89	88.41	87.33	85.29	80.90	72.18	81.85
East Texas-Oklahoma	83.18	82.55	78.57	75.05	78.02	79.93	81.68	84.90	82.93	80.54	76.35	67.55	79.27
West Texas	83.18	81.30	78.39	75.05	77.82	79.93	81.68	84.90	82.93	80.54	76.35	67.55	79.13
Desert Southwest	80.37	78.25	74.68	72.13	76.80	80.04	81.44	85.04	84.56	81.85	76.43	67.20	78.23
San Joaquin Valley	81.37	78.88	75.18	72.83	77.55	80.79	82.19	85.79	84.95	82.60	76.94	67.45	78.88
Average	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2013-2014 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	86.93	84.00	79.43	76.78	82.28	85.07	86.97	90.71	89.58	87.54	83.15	74.77	83.93
North Delta	85.24	82.88	78.68	75.66	80.51	83.26	85.39	88.91	87.83	85.79	81.40	72.68	82.35
South Delta	85.24	82.88	78.68	75.66	80.51	83.26	85.39	88.91	87.83	85.79	81.40	72.68	82.35
East Texas-Oklahoma	84.18	83.55	79.57	76.05	79.02	80.93	82.68	85.90	83.93	81.54	77.35	68.55	80.27
West Texas	84.18	82.30	79.39	76.05	78.57	80.43	82.18	85.40	83.43	81.04	76.85	68.05	79.82
Desert Southwest	81.87	79.75	76.18	73.63	78.30	81.54	82.94	86.54	86.06	83.35	77.93	68.70	79.73
San Joaquin Valley	85.77	83.28	79.58	77.23	81.95	85.19	86.59	90.19	89.35	87.00	81.34	71.85	83.28
Average	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.04	81.68

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2013-July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-284	-209	-45	202	535	654	688	720
	3	-325	-230	-62	175	466	579	613	645
	4	-400	-260	-165	61	259	334	360	364
	5	-488	-365	-286	-70	110	162	190	190
	6	-663	-495	-446	-318	-214	-190	-175	-175
	7	-738	-590	-563	-425	-346	-320	-307	-307
31	1 & 2	-350	-230	-97	159	474	611	634	663
	3	-388	-240	-105	140	431	543	566	595
	4	-463	-280	-209	40	233	279	303	306
	5	-538	-385	-305	-132	47	92	118	118
	6	-700	-510	-454	-343	-251	-224	-209	-209
	7	-788	-605	-571	-439	-371	-345	-330	-330
41	1 & 2	-488	-315	-238	42	235	304	314	325
	3	-513	-325	-246	28	188	261	271	282
	4	-563	-355	-313	80.28	143	212	222	226
	5	-613	-470	-413	-271	-139	-83	-80	-80
	6	-775	-575	-554	-446	-339	-309	-309	-309
	7	-888	-685	-683	-579	-493	-485	-483	-483
51	1 & 2	-625	-495	-371	-250	-89	-63	-62	-62
	3	-625	-530	-388	-282	-121	-92	-91	-91
	4	-675	-555	-417	-332	-182	-158	-156	-156
	5	-725	-640	-592	-464	-321	-293	-293	-293
	6	-900	-740	-717	-600	-511	-500	-500	-500
	7	-1000	-805	-838	-732	-654	-646	-646	-646
61	1-5	-750	-690	-620	-475	-425	-425	-425	-425
	6	-925	-825	-765	-645	-607	-597	-597	-597
	7	-1025	-950	-875	-740	-702	-697	-697	-697
71	1-6	-963	-1025	-970	-805	-770	-770	-770	-770
	7	-1063	-1070	-1025	-855	-825	-825	-825	-825
12 & 22	1 & 2	-463	-270	-167	90	267	372	389	406
	3	-500	-290	-179	65	235	333	350	367
	4	-538	-315	-271	-25	156	235	253	255
	5	-638	-485	-438	-254	-111	-69	-54	-54
	6	-813	-600	-579	-457	-358	-344	-330	-330
	7	-900	-690	-696	-593	-514	-500	-485	-485
32	1 & 2	-500	-370	-273	-44	91	153	161	176
	3	-538	-385	-279	-57	58	135	143	158
	4	-588	-430	-338	-175	-32	18	26	26
	5	-700	-575	-496	-368	-255	-220	-220	-220
	6	-875	-675	-663	-539	-445	-430	-430	-430
	7	-988	-775	-767	-661	-587	-580	-580	-580
42	1-3	-588	-455	-383	-250	-102	-55	-55	-55
	4	-638	-500	-404	-289	-161	-116	-116	-116
	5	-763	-635	-542	-446	-316	-298	-298	-298
	6	-988	-765	-721	-586	-512	-502	-502	-502
	7	-1075	-855	-825	-721	-648	-645	-645	-645
52	1-4	-788	-615	-533	-489	-417	-410	-410	-410
	5	-863	-700	-650	-579	-509	-509	-509	-509
	6	-1088	-865	-829	-739	-684	-684	-684	-684
	7	-1163	-955	-963	-882	-834	-830	-830	-830
62	1-5	-913	-835	-770	-635	-615	-615	-615	-615
	6	-1113	-1015	-950	-795	-775	-775	-775	-775

Table 6. United States (Continued)

August 2013-July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-638	-475	-413	-163	-113	-88	-88	-88
	3	-675	-500	-438	-188	-138	-113	-113	-113
	4	-713	-575	-500	-238	-188	-163	-163	-163
	5	-838	-675	-625	-363	-313	-288	-288	-288
	6	-963	-763	-700	-438	-400	-375	-375	-375
	7	-1038	-850	-788	-513	-500	-475	-475	-475
	33	1 & 2	-750	-550	-488	-308	-283	-267	-267
3		-750	-550	-488	-308	-283	-267	-267	-267
4		-825	-625	-550	-375	-350	-333	-333	-333
5		-975	-738	-663	-533	-500	-483	-483	-483
6		-1050	-825	-788	-675	-667	-650	-650	-650
7		-1125	-925	-850	-800	-783	-767	-767	-767
43		1-3	-800	-685	-575	-464	-427	-405	-405
	4	-875	-730	-625	-511	-455	-437	-437	-437
	5	-1000	-810	-746	-664	-612	-602	-602	-602
	6	-1100	-920	-867	-793	-773	-766	-766	-766
	7	-1175	-1040	-967	-914	-895	-887	-887	-887
53	1-4	-963	-835	-779	-625	-588	-583	-583	-583
	5	-1063	-920	-883	-729	-692	-688	-688	-688
	6	-1175	-1080	-1008	-854	-825	-821	-821	-821
	7	-1250	-1140	-1142	-971	-954	-950	-950	-950
63	1-5	-1175	-1060	-995	-825	-790	-785	-785	-785
	6	-1250	-1145	-1070	-885	-865	-860	-860	-860
34	1 & 2	-838	-688	-638	-375	-363	-363	-363	-363
	3	-838	-688	-638	-375	-363	-363	-363	-363
	4	-963	-813	-738	-475	-463	-463	-463	-463
	5	-1063	-913	-863	-600	-588	-588	-588	-588
	6	-1213	-1063	-1013	-750	-738	-738	-738	-738
44	1-3	-950	-800	-750	-488	-475	-475	-475	-475
	4	-1025	-900	-800	-538	-525	-525	-525	-525
	5	-1113	-975	-900	-638	-625	-625	-625	-625
	6	-1263	-1113	-1063	-800	-788	-788	-788	-788
54	1-4	-1050	-925	-875	-613	-600	-600	-600	-600
	5	-1138	-1000	-925	-663	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-997
25-26	-936
27-29	-784
30-32	-443
33-34	-222
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-279
53 & Above	-398

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-317
22.0 - 22.9	-254
23.0 - 23.9	-196
24.0 - 24.9	-200
25.0 - 25.9	-171
26.0 - 26.9	-80
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	20
31.0 - 32.9	39
33.0 & above	48

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	21
84.0 - 84.9	30
85.0 - 85.9	40
86.0 & Above	50

Extraneous Matter	
Prep	Diff.
Level 1	-143
Level 2	-686
Bark	
Level 1	-418
Level 2	-753
Other	
Level 1	-300
Level 2	-513

Table 7. Southeast spot cotton differences, season average.

August 2013 - July 2014

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-100	144	308	433	433	458	25-26	-825
	3	-225	-100	144	308	433	433	458	27-29	-425
	4	-225	-125	77	160	264	264	289	30-32	-275
	5	-375	-225	-125	102	177	177	177	33-34	-150
	6	-500	-350	-300	-198	-173	-173	-173	Base 35-36	0
	7	-625	-475	-450	-373	-348	-348	-348	37-42	0
	Base 43-49	0								
31	1 & 2	-225	-100	119	308	408	408	433	50-52	-219
	3	-225	-100	119	308	383	383	408	53 & Above	-369
	4	-225	-150	77	168	264	264	289		
	5	-375	-225	-125	102	127	127	127		
	6	-500	-350	-300	-248	-223	-223	-223		
	7	-625	-475	-450	-423	-398	-398	-398		
41	1 & 2	-275	-125	69	233	329	329	354	Strength	
	3	-275	-125	69	208	304	304	329	(Grams per Tex)	
	4	-275	-150	82.74	139	260	260	285	Range	Diff.
	5	-450	-350	-200	-130	-80	-80	-80	21.0 - 21.9	-425
	6	-575	-450	-425	-373	-348	-348	-348	22.0 - 22.9	-350
	7	-675	-575	-550	-523	-498	-498	-498	23.0 - 23.9	-300
									24.0 - 24.9	-250
51	1 & 2	-425	-200	-75	-75	-54	-54	-54	25.0 - 25.9	-200
	3	-500	-225	-150	-125	-79	-79	-79	26.0 - 26.9	-25
	4	-525	-225	-175	-175	-154	-154	-154	Base 27.0 - 28.9	0
	5	-625	-450	-350	-300	-275	-275	-275	29.0 - 29.9	0
	6	-700	-525	-475	-475	-450	-450	-450	30.0 - 30.9	25
	7	-775	-650	-625	-625	-600	-600	-600	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-725	-625	-550	-550	-550	-550	-550		
	6	-900	-825	-775	-762	-762	-762	-762		
	7	-1025	-900	-850	-837	-837	-837	-837		
71	1-6	-1025	-950	-900	-900	-900	-900	-900		
	7	-1050	-975	-925	-925	-925	-925	-925		
12 & 22	1 & 2	-275	-125	52	213	308	308	327	Extraneous Matter	
	3	-275	-125	52	188	283	283	302	Prep	Diff.
	4	-275	-125	0	124	238	238	258	Level 1	-100
	5	-425	-325	-200	-105	-80	-80	-80	Level 2	-800
	6	-550	-425	-425	-378	-358	-358	-358		
	7	-650	-550	-550	-523	-498	-498	-498	Other	Diff.
									Level 1	-400
32	1 & 2	-325	-175	-25	-12	38	38	38	Level 2	-800
	3	-350	-200	-50	-12	13	13	13		
	4	-450	-200	-150	-112	-62	-62	-62		
	5	-525	-350	-300	-287	-262	-262	-262		
	6	-600	-450	-450	-437	-412	-412	-412		
	7	-700	-575	-575	-562	-537	-537	-537		
42	1-3	-425	-200	-100	-62	-37	-37	-37	Uniformity	
	4	-500	-200	-150	-137	-112	-112	-112	Unit	Points
	5	-600	-375	-350	-312	-287	-287	-287	77.9 & Below	-125
	6	-675	-525	-475	-462	-437	-437	-437	78.0 - 78.9	-110
	7	-775	-650	-625	-612	-587	-587	-587	79.0 - 79.9	-100
52	1-4	-575	-300	-275	-220	-220	-220	-220	80.0 - 80.9	-25
	5	-650	-500	-425	-412	-412	-412	-412	Base 81.0 - 81.9	0
	6	-775	-750	-700	-687	-687	-687	-687	82.0 - 82.9	0
	7	-975	-900	-850	-837	-837	-837	-837	83.0 - 83.9	20
62	1-5	-775	-700	-650	-650	-650	-650	-650	84.0 - 84.9	30
	6	-1025	-950	-900	-900	-900	-900	-900	85.0 - 85.9	40
43	1-3	-550	-450	-400	-362	-337	-337	-337	86.0 & Above	50
	4	-575	-500	-450	-387	-362	-362	-362		
	5	-725	-625	-550	-537	-537	-537	-537		
	6	-900	-825	-775	-762	-762	-762	-762		
	7	-1025	-900	-850	-837	-837	-837	-837		
53	1-4	-650	-550	-450	-450	-450	-450	-450		
	5	-800	-750	-650	-650	-650	-650	-650		
	6	-1050	-1000	-900	-900	-900	-900	-900		
	7	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	1-5	-1025	-975	-875	-875	-875	-875	-875		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		

Table 8. North Delta spot cotton differences, season average.

August 2013 - July 2014

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	350	450	500	500	25-26	-1000
	3	-250	-100	50	300	350	400	400	27-29	-650
	4	-275	-200	25	200	300	325	325	30-32	-325
	5	-450	-325	-25	100	125	150	150	33-34	-125
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25
	31	1 & 2	-250	-175	50	300	425	450	450	Base 43-49
	3	-250	-175	50	250	325	350	350	50-52	-210
	4	-275	-250	25	200	225	250	250	53 & Above	-360
	5	-450	-325	-125	25	50	75	75		
	6	-500	-475	-350	-275	-275	-275	-275		
	7	-600	-575	-450	-375	-375	-375	-375		
41	1 & 2	-350	-250	50	250	300	325	325	Strength	
	3	-350	-250	25	200	275	300	300	(Grams per Tex)	
	4	-375	-275	81.85	175	200	225	225	Range	Diff.
	5	-525	-400	-275	-175	-125	-125	-125	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
	51	1 & 2	-575	-325	-250	-100	-100	-100	-100	24.0 - 24.9
	3	-600	-350	-325	-175	-175	-175	-175	25.0 - 25.9	-150
	4	-625	-375	-350	-250	-250	-250	-250	26.0 - 26.9	-25
	5	-700	-600	-450	-375	-350	-350	-350	Base 27.0 - 28.9	0
	6	-800	-725	-575	-500	-500	-500	-500	29.0 - 29.9	0
	7	-850	-850	-675	-600	-600	-600	-600	30.0 - 30.9	25
61	1-5	-750	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-875	-775	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1025	-975	-975	-975	-975		
	7	-1275	-1225	-1075	-1025	-1025	-1025	-1025		
12 & 22	1 & 2	-275	-125	50	125	175	175	175	Extraneous Matter	
	3	-275	-125	25	125	150	150	150	Prep	Diff.
	4	-300	-250	-100	50	75	75	75	Level 1	-200
	5	-500	-375	-200	-150	-125	-125	-125	Level 2	-800
	6	-625	-550	-425	-375	-375	-375	-375		
	7	-675	-650	-525	-475	-475	-475	-475	Other	Diff.
	32	1 & 2	-400	-250	-100	0	25	25	25	Level 1
	3	-400	-250	-100	-25	25	25	25	Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-575	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-475	-350	-275	-150	-150	-150	-150	Uniformity	
	4	-500	-375	-300	-225	-225	-225	-225	Unit	Points
	5	-650	-500	-375	-325	-300	-300	-300	77.9 & Below	-90
	6	-850	-750	-525	-475	-450	-450	-450	78.0 - 78.9	-80
	7	-900	-800	-625	-575	-575	-575	-575	79.0 - 79.9	-70
52	1-4	-650	-475	-425	-400	-400	-400	-400	80.0 - 80.9	0
	5	-725	-625	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
	6	-875	-775	-700	-675	-675	-675	-675	82.0 - 82.9	0
	7	-900	-875	-800	-775	-775	-775	-775	83.0 - 83.9	30
62	1-5	-925	-825	-750	-725	-725	-725	-725	84.0 - 84.9	40
	6	-1075	-975	-850	-825	-825	-825	-825	85.0 - 85.9	50
43	1-3	-800	-575	-400	-375	-375	-375	-375	86.0 & Above	60
	4	-825	-600	-425	-400	-400	-400	-400		
	5	-850	-750	-675	-650	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700	-700		
	5	-975	-900	-825	-800	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975	-975		

Table 9. South Delta spot cotton differences, season average.

August 2013 - July 2014

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	350	450	500	500	25-26	-1100
	3	-250	-100	50	300	350	400	400	27-29	-750
	4	-300	-200	25	200	300	325	325	30-32	-325
	5	-375	-300	0	100	125	150	150	33-34	-125
	6	-475	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-575	-575	-450	-375	-375	-375	-375	37-42	25
	31	1 & 2	-250	-150	50	300	425	450	450	Base 43-49
3	-250	-150	50	250	325	350	350	50-52	-210	
4	-300	-250	25	200	225	250	250	53 & Above	-360	
5	-375	-325	-100	25	50	75	75			
6	-475	-475	-350	-275	-275	-275	-275			
7	-575	-575	-450	-375	-375	-375	-375			
41	1 & 2	-325	-250	25	250	300	325	325	Strength	
	3	-325	-250	25	200	275	300	300	(Grams per Tex)	
	4	-350	-275	81.85	175	200	225	225	Range	Diff.
	5	-525	-400	-275	-175	-125	-125	-125	21.0 - 21.9	-275
	6	-550	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-675	-625	-500	-450	-450	-450	-450	23.0 - 23.9	-175
	51	1 & 2	-575	-325	-250	-100	-100	-100	-100	24.0 - 24.9
3	-625	-375	-300	-175	-175	-175	-175	-175	25.0 - 25.9	-100
4	-650	-400	-325	-250	-250	-250	-250	-250	26.0 - 26.9	-25
5	-725	-625	-475	-375	-350	-350	-350	-350	Base 27.0 - 28.9	0
6	-825	-725	-575	-500	-500	-500	-500	-500	29.0 - 29.9	0
7	-900	-875	-725	-600	-600	-600	-600	-600	30.0 - 30.9	25
61	1-5	-800	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-825	-750	-725	-725	-725	-725	33.0 & above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	125	175	175	175	Extraneous Matter	
	3	-275	-125	25	125	150	150	150	Prep	Diff.
	4	-300	-250	-100	50	100	100	100	Level 1	-200
	5	-500	-375	-200	-150	-125	-125	-125	Level 2	-800
	6	-575	-500	-375	-325	-325	-325	-325		
	7	-675	-650	-525	-475	-475	-475	-475	Other	Diff.
	32	1 & 2	-400	-285	-110	0	25	25	25	Level 1
3	-400	-250	-75	-25	25	25	25	25	Level 2	-785
4	-425	-275	-175	-75	-75	-75	-75	-75		
5	-600	-425	-250	-225	-200	-200	-200	-200		
6	-700	-650	-475	-425	-400	-400	-400	-400		
7	-800	-750	-575	-525	-525	-525	-525	-525		
42	1-3	-475	-350	-275	-150	-150	-150	-150	Uniformity	
	4	-500	-375	-300	-225	-200	-200	-200	Unit	Points
	5	-650	-500	-375	-325	-300	-300	-300	77.9 & Below	-90
	6	-850	-750	-525	-450	-425	-425	-425	78.0 - 78.9	-80
	7	-900	-800	-625	-575	-575	-575	-575	79.0 - 79.9	-70
52	1-4	-650	-475	-425	-400	-400	-400	-400	80.0 - 80.9	0
	5	-725	-625	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
	6	-875	-775	-700	-675	-675	-675	-675	82.0 - 82.9	0
	7	-900	-875	-800	-775	-775	-775	-775	83.0 - 83.9	30
62	1-5	-925	-825	-750	-725	-725	-725	-725	84.0 - 84.9	40
	6	-1075	-975	-850	-825	-825	-825	-825	85.0 - 85.9	50
43	1-3	-800	-575	-375	-350	-350	-350	-350	86.0 & Above	60
	4	-825	-600	-425	-375	-375	-375	-375		
	5	-850	-750	-675	-650	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700	-700		
	5	-975	-900	-825	-800	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975	-975		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2013 - July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-325	-200	-25	125	355	455	455	455
	3	-350	-250	-50	125	280	305	305	305
	4	-450	-275	-100	50	175	275	275	275
	5	-500	-375	-325	-75	75	150	150	150
	6	-650	-500	-500	-275	-275	-200	-200	-200
	7	-725	-600	-600	-350	-350	-275	-275	-275
31	1 & 2	-375	-250	-50	125	305	430	430	430
	3	-400	-275	-75	100	230	305	305	305
	4	-500	-350	-150	0	150	175	175	175
	5	-550	-400	-350	-125	0	75	75	75
	6	-675	-525	-525	-300	-300	-225	-225	-225
	7	-750	-625	-625	-375	-375	-325	-325	-325
41	1 & 2	-475	-300	-125	25	150	250	250	250
	3	-500	-325	-150	25	100	125	125	125
	4	-550	-400	-300	79.27	50	100	100	100
	5	-625	-450	-400	-150	-100	50	50	50
	6	-775	-575	-550	-325	-325	-225	-225	-225
	7	-875	-675	-650	-425	-400	-400	-400	-400
51	1 & 2	-625	-475	-375	-50	-50	0	0	0
	3	-625	-500	-375	-50	-50	0	0	0
	4	-675	-525	-400	-125	-100	-50	-50	-50
	5	-725	-600	-550	-225	-175	-175	-175	-175
	6	-900	-700	-700	-375	-375	-375	-375	-375
	7	-1000	-725	-725	-450	-450	-450	-450	-450
61	1-5	-750	-600	-550	-225	-225	-225	-225	-225
	6	-925	-725	-700	-400	-375	-375	-375	-375
	7	-1025	-825	-800	-500	-475	-475	-475	-475
71	1-6	-950	-850	-800	-475	-475	-475	-475	-475
	7	-1050	-900	-875	-550	-550	-550	-550	-550
12 & 22	1 & 2	-500	-300	-125	125	200	300	300	300
	3	-525	-350	-175	100	150	225	225	225
	4	-575	-375	-200	50	100	225	225	225
	5	-650	-550	-500	-250	-125	50	50	50
	6	-825	-650	-650	-400	-375	-350	-350	-350
	7	-925	-750	-725	-475	-450	-425	-425	-425
32	1 & 2	-525	-450	-275	0	100	200	200	200
	3	-550	-450	-300	0	25	150	150	150
	4	-600	-475	-375	-75	-50	0	0	0
	5	-700	-600	-575	-275	-200	-25	-25	-25
	6	-875	-700	-700	-450	-450	-425	-425	-425
	7	-1000	-800	-800	-525	-525	-500	-500	-500
42	1-3	-575	-500	-425	-75	-50	25	25	25
	4	-625	-525	-450	-100	-75	-25	-25	-25
	5	-775	-650	-600	-325	-275	-275	-275	-275
	6	-1000	-750	-725	-475	-475	-475	-475	-475
	7	-1100	-850	-825	-575	-550	-550	-550	-550
52	1-4	-775	-625	-550	-350	-350	-350	-350	-350
	5	-850	-725	-625	-400	-400	-400	-400	-400
	6	-1075	-925	-850	-550	-550	-550	-550	-550
	7	-1150	-1025	-950	-650	-650	-650	-650	-650
62	1-5	-900	-800	-775	-475	-475	-475	-475	-475
	6	-1100	-975	-950	-650	-650	-650	-650	-650

Table 10. East Texas-Oklahoma (Continued)

August 2013 - July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-575	-500	-175	-125	-75	-75	-75
	3	-725	-600	-525	-200	-150	-100	-100	-100
	4	-775	-675	-575	-250	-200	-150	-150	-150
	5	-900	-775	-700	-375	-325	-275	-275	-275
	6	-1025	-850	-750	-425	-425	-375	-375	-375
	7	-1100	-925	-850	-525	-525	-475	-475	-475
	33	1 & 2	-800	-650	-575	-225	-175	-125	-125
3		-800	-650	-575	-225	-175	-125	-125	-125
4		-875	-725	-625	-275	-225	-175	-175	-175
5		-1025	-825	-725	-400	-350	-300	-300	-300
6		-1100	-900	-825	-475	-475	-425	-425	-425
7		-1175	-1000	-900	-575	-575	-525	-525	-525
43		1-3	-850	-725	-625	-275	-225	-175	-175
	4	-925	-800	-675	-300	-250	-200	-200	-200
	5	-1050	-900	-775	-425	-375	-325	-325	-325
	6	-1150	-975	-875	-525	-525	-475	-475	-475
	7	-1225	-1050	-950	-600	-600	-550	-550	-550
53	1-4	-975	-900	-800	-475	-450	-425	-425	-425
	5	-1075	-975	-900	-550	-525	-500	-500	-500
	6	-1175	-1075	-1000	-650	-650	-625	-625	-625
	7	-1250	-1150	-1100	-725	-725	-700	-700	-700
63	1-5	-1175	-1050	-950	-600	-550	-525	-525	-525
	6	-1250	-1150	-1025	-675	-675	-650	-650	-650
34	1 & 2	-875	-775	-725	-400	-400	-400	-400	-400
	3	-875	-775	-725	-400	-400	-400	-400	-400
	4	-1000	-900	-825	-500	-500	-500	-500	-500
	5	-1100	-1000	-950	-625	-625	-625	-625	-625
	6	-1250	-1150	-1100	-775	-775	-775	-775	-775
44	1-3	-975	-875	-825	-500	-500	-500	-500	-500
	4	-1050	-975	-875	-550	-550	-550	-550	-550
	5	-1125	-1050	-975	-650	-650	-650	-650	-650
	6	-1275	-1175	-1125	-800	-800	-800	-800	-800
54	1-4	-1075	-1000	-950	-625	-625	-625	-625	-625
	5	-1150	-1075	-1000	-675	-675	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-325
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 11. West Texas spot cotton differences, monthly average.

August 2013 - July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-244	-119	108	176	393	468	493	493
	3	-300	-175	26	117	265	368	393	393
	4	-350	-225	-90	101	243	278	278	278
	5	-475	-250	-190	10	243	278	278	278
	6	-675	-500	-425	-200	-175	-175	-175	-175
	7	-750	-550	-500	-275	-250	-250	-250	-250
31	1 & 2	-325	-175	19	94	267	393	393	393
	3	-375	-200	-6	69	242	368	368	368
	4	-425	-250	-131	53	152	237	237	237
	5	-525	-325	-231	-75	152	237	237	237
	6	-725	-550	-425	-225	-225	-200	-200	-200
	7	-825	-600	-500	-275	-275	-250	-250	-250
41	1 & 2	-500	-325	-125	25	185	210	210	210
	3	-525	-350	-150	0	135	210	210	210
	4	-575	-375	-275	79.13	60	160	160	160
	5	-600	-400	-300	-75	35	110	110	110
	6	-775	-600	-525	-275	-225	-200	-200	-200
	7	-900	-700	-625	-375	-300	-275	-275	-275
51	1 & 2	-625	-425	-350	-75	0	25	25	25
	3	-625	-425	-350	-75	0	25	25	25
	4	-675	-450	-425	-150	-50	-25	-25	-25
	5	-725	-550	-550	-275	-200	-150	-150	-150
	6	-900	-675	-675	-450	-375	-325	-325	-325
	7	-1000	-775	-775	-550	-475	-450	-450	-450
61	1-5	-750	-575	-575	-300	-200	-200	-200	-200
	6	-925	-700	-700	-525	-425	-375	-375	-375
	7	-1025	-850	-825	-600	-500	-475	-475	-475
71	1-6	-975	-800	-750	-550	-475	-475	-475	-475
	7	-1075	-850	-825	-600	-550	-550	-550	-550
12 & 22	1 & 2	-425	-225	-25	75	210	335	335	335
	3	-475	-275	-50	50	160	285	285	285
	4	-500	-325	-225	-50	96	221	221	221
	5	-625	-450	-450	-250	-100	-100	-100	-100
	6	-800	-600	-600	-425	-350	-350	-350	-350
	7	-875	-700	-675	-500	-425	-425	-425	-425
32	1 & 2	-475	-275	-75	25	50	125	125	125
	3	-525	-325	-100	-25	0	125	125	125
	4	-575	-375	-275	-100	-15	100	100	100
	5	-700	-575	-525	-300	-200	-200	-200	-200
	6	-875	-675	-650	-450	-400	-400	-400	-400
	7	-975	-775	-700	-550	-475	-475	-475	-475
42	1-3	-600	-400	-350	-125	-50	100	100	100
	4	-650	-475	-375	-150	-65	75	75	75
	5	-750	-625	-550	-325	-225	-225	-225	-225
	6	-975	-700	-675	-475	-425	-425	-425	-425
	7	-1050	-850	-775	-600	-500	-500	-500	-500
52	1-4	-800	-575	-550	-400	-325	-325	-325	-325
	5	-875	-675	-625	-450	-375	-375	-375	-375
	6	-1100	-875	-825	-600	-525	-525	-525	-525
	7	-1175	-975	-925	-700	-625	-625	-625	-625
62	1-5	-925	-750	-725	-550	-500	-500	-500	-500
	6	-1125	-925	-900	-725	-675	-675	-675	-675

Table 11. West Texas (Continued)

August 2013 - July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-575	-375	-325	-150	-100	-100	-100	-100
	3	-625	-400	-350	-175	-125	-125	-125	-125
	4	-650	-475	-425	-225	-175	-175	-175	-175
	5	-775	-575	-550	-350	-300	-300	-300	-300
	6	-900	-675	-650	-450	-375	-375	-375	-375
	7	-975	-775	-725	-500	-475	-475	-475	-475
	33	1 & 2	-700	-450	-400	-200	-175	-175	-175
3		-700	-450	-400	-200	-175	-175	-175	-175
4		-775	-525	-475	-250	-225	-225	-225	-225
5		-925	-650	-600	-400	-350	-350	-350	-350
6		-1000	-750	-750	-475	-450	-450	-450	-450
7		-1075	-850	-800	-600	-550	-550	-550	-550
43		1-3	-750	-550	-500	-275	-250	-250	-250
	4	-825	-625	-550	-300	-250	-250	-250	-250
	5	-950	-725	-650	-425	-375	-375	-375	-375
	6	-1050	-825	-775	-550	-525	-525	-525	-525
	7	-1125	-925	-850	-625	-600	-600	-600	-600
53	1-4	-950	-825	-750	-500	-450	-450	-450	-450
	5	-1050	-875	-825	-600	-550	-550	-550	-550
	6	-1175	-975	-925	-700	-675	-675	-675	-675
	7	-1250	-1050	-1025	-775	-750	-750	-750	-750
63	1-5	-1175	-975	-900	-650	-575	-575	-575	-575
	6	-1250	-1075	-975	-750	-700	-700	-700	-700
34	1 & 2	-800	-600	-550	-350	-325	-325	-325	-325
	3	-800	-600	-550	-350	-325	-325	-325	-325
	4	-925	-725	-650	-450	-425	-425	-425	-425
	5	-1025	-825	-775	-575	-550	-550	-550	-550
	6	-1175	-975	-925	-725	-700	-700	-700	-700
44	1-3	-925	-725	-675	-475	-450	-450	-450	-450
	4	-1000	-825	-725	-525	-500	-500	-500	-500
	5	-1100	-900	-825	-625	-600	-600	-600	-600
	6	-1250	-1050	-1000	-800	-775	-775	-775	-775
54	1-4	-1025	-850	-800	-600	-575	-575	-575	-575
	5	-1125	-925	-850	-650	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-915
25-26	-865
27-29	-590
30-32	-379
33-34	-204
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-265
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	9
31.0 - 32.9	9
33.0 & above	9

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-275
Level 2	-500
Other	
Level 1	-525
Level 2	-575

Table 12. Desert Southwest spot cotton differences, season average.

August 2013 - July 2014

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-50	225	773	833	868	918	24 & Below	-1200
	3	-50	200	698	808	843	893	25-26	-1000
	4	-275	75	387	422	457	457	27-29	-900
	5	-350	-150	75	150	235	235	30-32	-500
	6	-450	-350	-100	-85	-30	-30	33-34	-300
31	7	-650	-375	-175	-140	-100	-100	Base 35-36	0
	1 & 2	-125	175	723	808	843	893	37-42	25
	3	-125	150	673	758	793	843	Base 43-49	0
	4	-325	50	362	397	432	432	50-52	-312
	5	-375	-175	25	50	120	120	53 & Above	-525
41	6	-475	-375	-110	-95	-40	-40		
	7	-675	-400	-200	-170	-115	-115		
	1 & 2	-550	0	125	210	220	270	Strength	
	3	-550	0	125	210	220	270	(Grams per Tex)	
	4	-600	78.23	100	185	195	195	Range	Diff.
51	5	-625	-500	-225	-215	-205	-205	21.0 - 21.9	-600
	6	-800	-675	-350	-340	-340	-340	22.0 - 22.9	-450
	7	-950	-825	-600	-595	-585	-585	23.0 - 23.9	-300
	1 & 2	-650	-475	-175	-140	-130	-130	24.0 - 24.9	-225
	3	-650	-475	-175	-140	-130	-130	25.0 - 25.9	-200
12 & 22	4	-675	-550	-250	-200	-190	-190	26.0 - 26.9	-125
	5	-775	-725	-450	-425	-425	-425	Base 27.0 - 28.9	0
	6	-950	-850	-550	-550	-550	-550	29.0 - 29.9	0
	7	-1150	-1050	-825	-825	-825	-825	30.0 - 30.9	25
	1 & 2	-475	50	320	380	440	440	31.0 - 32.9	50
32	3	-475	50	295	355	415	415	33.0 & above	100
	4	-575	0	250	310	370	370		
	5	-600	-425	-100	-100	-50	-50		
	6	-750	-625	-300	-300	-250	-250		
	7	-925	-800	-550	-550	-500	-500		
42	1 & 2	-575	-200	145	230	240	240	Extraneous Matter	
	3	-575	-200	145	230	240	240	Prep	Diff.
	4	-625	-425	0	85	95	95	Level 1	-50
	5	-675	-675	-375	-375	-375	-375	Level 2	-800
	6	-875	-800	-500	-500	-500	-500		
52	7	-1025	-975	-750	-750	-750	-750	Other	
	1-3	-625	-450	-150	-100	-100	-100	Level 1	-350
	4	-650	-525	-225	-175	-175	-175	Level 2	-800
	5	-725	-700	-400	-400	-400	-400		
	6	-900	-825	-525	-525	-525	-525		
43	7	-1100	-1000	-775	-775	-775	-775		
	1-4	-850	-725	-450	-400	-400	-400	Uniformity	
	5	-900	-800	-550	-550	-550	-550	Unit	Points
	6	-1000	-900	-650	-650	-650	-650	77.9 & Below	-100
	7	-1250	-1150	-950	-925	-925	-925	78.0 - 78.9	-90
53	1-3	-725	-650	-550	-475	-475	-475	79.0 - 79.9	-80
	4	-825	-750	-600	-550	-550	-550	80.0 - 80.9	0
	5	-925	-825	-625	-600	-600	-600	Base 81.0 - 81.9	0
	6	-1025	-925	-875	-875	-875	-875	82.0 - 82.9	0
	7	-1100	-1050	-1000	-1000	-1000	-1000	83.0 - 83.9	30
53	1-4	-975	-875	-775	-775	-775	-775	84.0 - 84.9	40
	5	-1025	-925	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1125	-1025	-925	-925	-925	-925	86.0 & Above	60
	7	-1375	-1275	-1250	-1250	-1250	-1250		

Table 13. San Joaquin Valley spot cotton differences, monthly average.

August 2013 - July 2014

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	590	1215	1490	1565	1715	27-29	-1600
	3	540	1110	1440	1515	1665	30-32	-1000
	4	75	450	500	600	600	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	500	1115	1390	1465	1590		
	3	440	1065	1340	1415	1540		
	4	50	400	430	510	510		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	450	530	540	540	Strength	
	3	50	350	430	440	440	(Grams per Tex)	
	4	78.88	300	380	390	390	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-425
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-350
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-263
							Base 27.0 - 28.9	0
51	1 & 2	-575	-125	-75	-75	-75	29.0 - 29.9	0
	3	-600	-150	-100	-100	-100	30.0 - 30.9	6
	4	-650	-200	-175	-175	-175	31.0 - 32.9	13
	5	-750	-375	-325	-325	-325	33.0 & above	25
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	225	675	930	990	1090	Extraneous Matter	
	3	150	600	880	940	1040	Prep	Diff.
	4	25	425	475	540	540	Level 1	-50
	5	-250	-50	0	50	50	Level 2	-800
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600	Other	
							Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
33	1 & 2	-500	-500	-500	-500	-500	80.0 - 80.9	0
	3	-500	-500	-500	-500	-500	Base 81.0 - 81.9	0
	4	-600	-600	-600	-600	-600	82.0 - 82.9	0
	5	-800	-800	-800	-800	-800	83.0 - 83.9	30
	6	-1075	-1075	-1075	-1075	-1075	84.0 - 84.9	40
	7	-1225	-1225	-1225	-1225	-1225	85.0 - 85.9	50
							86.0 & Above	60
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2013-2014

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	5,435	841	1,432	8,957	18,331	29,425	19,701	22,993	5,269	12,469	2,193	2,814	129,860
North Delta	1,828	58	624	0	922	3,878	3,222	211	0	2,446	0	1,709	14,898
South Delta	676	0	3,853	3,563	1,465	204	919	0	0	0	0	0	10,680
East Texas-Oklahoma	10,052	24,653	15,231	29,015	56,794	66,366	49,425	19,318	7,412	1,093	1,146	349	280,854
West Texas	2,819	86	13,527	145,924	353,120	239,162	64,724	14,291	9,326	8,862	4,230	1,927	857,998
Desert Southwest	128	339	218	0	2,600	5,972	2,672	6	0	8	0	16	11,959
San Joaquin Valley	0	89	0	2,645	85	0	0	0	0	0	0	0	2,819
Total	20,938	26,066	34,885	190,104	433,317	345,007	140,663	56,819	22,007	24,878	7,569	6,815	1,309,068

Page 16

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2008-2013. 1/

Market Area	2008	2009	2010	2011	2012	2013
Southeast	153,398	138,254	86,222	118,594	258,061	129,860
North Delta	112,627	47,549	11,537	50,468	62,522	14,898
South Delta	41,231	20,617	5,078	26,348	14,158	10,680
East Texas-Oklahoma	184,020	165,428	140,765	195,257	298,737	280,854
West Texas	876,914	511,970	397,480	502,222	1,038,942	857,998
Desert Southwest	8,990	3,763	180	8,809	3,676	11,959
San Joaquin Valley	6,806	16,520	14,914	55,034	14,690	63,353
Total	1,383,986	904,101	656,176	956,732	1,690,786	1,369,602

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS, Season Average

****Corrected**

Color	Leaf	Staple		
		44	46	48
1	1	168.50	173.50	173.75
	2	168.25	173.25	173.50
	3	161.25	166.25	166.50
	4			
	5			
	6			
2	1	168.25	173.25	173.50
	2	168.00	173.00	173.25
	3	161.00	166.00	166.25
	4	151.00	156.50	156.75
	5			
	6			
3	1	159.00	164.00	164.25
	2	156.50	161.50	161.75
	3	156.00	161.00	161.25
	4	147.00	152.00	152.25
	5	131.00	135.50	135.75
	6			
4	1	141.00	146.00	147.00
	2	140.75	145.75	146.25
	3	140.50	145.50	145.50
	4	135.50	140.50	140.50
	5	124.25	129.25	129.25
	6			
5	1			
	2	120.00	127.25	127.25
	3	120.00	126.75	127.25
	4	120.00	121.25	121.25
	5	119.75	121.00	121.00
	6			
6	1			
	2	112.25	112.50	112.50
	3	112.25	112.50	112.50
	4	112.25	112.50	112.50
	5	112.00	112.25	112.25
	6	111.50	111.75	111.75

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1350
35.5-36.4	-1100
36.5-37.4	-850
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-810
2	-1095
Other	
1	-715
2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets, in cents per pound, net weight, United States, marketing years 2001-2013

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2001	37.30	36.50	30.70	27.80	30.80	27.30	28.00	28.40	27.20	26.70	33.70	35.30	29.80
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.60	77.90	75.30	76.90	76.90	79.00	79.40	80.50	79.40	81.50	81.50 /2	76.40

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2001	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10
2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.2	78.54	69.63	80.28

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2001	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66
2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.4	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86429	80.16	82.81	84.59	88.08	86.86	84.58.	79.92	71.04	81.68

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price.

Table 18. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2013-crop year's production by spot market

August 2013 - July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-260	-196	-32	151	388	492	513	528
	3	-310	-217	-57	127	329	429	450	465
	4	-370	-242	-137	71	211	289	299	308
	5	-480	-348	-249	-61	138	190	201	201
	6	-670	-498	-415	-285	-209	-193	-189	-189
	7	-745	-592	-522	-393	-330	-313	-310	-310
31	1 & 2	-335	-217	-78	109	333	451	460	474
	3	-380	-227	-87	97	306	401	410	424
	4	-440	-256	-175	51	184	252	261	270
	5	-530	-373	-265	-113	86	133	143	143
	6	-715	-515	-418	-298	-246	-223	-219	-219
	7	-810	-610	-525	-397	-360	-337	-334	-334
41	1 & 2	-495	-308	-174	45	217	282	288	300
	3	-520	-317	-183	33	177	257	263	274
	4	-570	-336	-247	80.97	120	206	213	221
	5	-605	-452	-364	-197	-97	-36	-35	-35
	6	-775	-581	-508	-387	-318	-289	-289	-289
	7	-895	-686	-632	-507	-443	-427	-427	-427
51	1 & 2	-625	-464	-307	-142	-63	-42	-42	-42
	3	-625	-502	-323	-184	-98	-68	-67	-67
	4	-675	-527	-353	-229	-155	-133	-133	-133
	5	-725	-620	-538	-371	-288	-257	-257	-257
	6	-900	-718	-647	-510	-456	-433	-433	-433
	7	-1000	-793	-763	-636	-583	-567	-567	-567
61	1-5	-750	-679	-616	-472	-424	-424	-424	-424
	6	-925	-824	-770	-668	-624	-609	-609	-609
	7	-1025	-956	-875	-753	-709	-701	-701	-701
71	1-6	-970	-989	-929	-793	-759	-759	-759	-759
	7	-1070	-1029	-979	-836	-809	-809	-809	-809
12 & 22	1 & 2	-440	-262	-114	67	208	304	308	318
	3	-485	-281	-124	51	178	268	272	281
	4	-515	-304	-210	-32	111	208	212	219
	5	-630	-460	-399	-230	-113	-85	-82	-82
	6	-805	-586	-532	-432	-362	-352	-348	-348
	7	-885	-679	-640	-542	-485	-473	-470	-470
32	1 & 2	-485	-337	-193	-32	32	90	91	94
	3	-530	-362	-208	-53	6	76	78	80
	4	-580	-423	-272	-152	-64	-2	-1	-1
	5	-700	-560	-450	-311	-247	-220	-220	-220
	6	-875	-654	-592	-478	-429	-412	-412	-412
	7	-980	-754	-689	-590	-540	-529	-529	-529
42	1-3	-595	-435	-314	-168	-82	-22	-22	-22
	4	-645	-494	-330	-205	-136	-79	-79	-79
	5	-755	-623	-487	-371	-292	-277	-277	-277
	6	-980	-729	-652	-510	-463	-449	-449	-449
	7	-1060	-833	-755	-641	-583	-574	-574	-574
52	1-4	-795	-596	-457	-383	-322	-319	-319	-319
	5	-870	-681	-593	-486	-435	-435	-435	-435
	6	-1095	-840	-797	-678	-634	-634	-634	-634
	7	-1170	-961	-923	-806	-764	-763	-763	-763
62	1-5	-920	-804	-742	-629	-608	-608	-608	-608
	6	-1120	-1002	-940	-816	-795	-795	-795	-795

Table 18. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2013-crop year's production by spot market

August 2013 - July 2014

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-600	-415	-360	-155	-105	-95	-95	-95
	3	-645	-440	-385	-180	-130	-120	-120	-120
	4	-675	-515	-455	-230	-180	-170	-170	-170
	5	-800	-615	-580	-355	-305	-295	-295	-295
	6	-925	-710	-670	-445	-385	-375	-375	-375
	7	-1000	-805	-750	-505	-485	-475	-475	-475
	33	1 & 2	-720	-490	-435	-118	-107	-103	-103
3		-720	-490	-435	-118	-107	-103	-103	-103
4		-795	-565	-505	-145	-134	-130	-130	-130
5		-945	-685	-625	-217	-198	-194	-194	-194
6		-1020	-780	-765	-267	-260	-256	-256	-256
7		-1095	-880	-820	-325	-310	-306	-306	-306
43		1-3	-770	-621	-519	-365	-330	-313	-313
	4	-845	-665	-566	-405	-349	-333	-333	-333
	5	-970	-767	-686	-546	-507	-502	-502	-502
	6	-1070	-894	-830	-699	-679	-675	-675	-675
	7	-1145	-1014	-921	-793	-773	-769	-769	-769
53	1-4	-955	-781	-703	-548	-521	-520	-520	-520
	5	-1055	-877	-830	-681	-654	-652	-652	-652
	6	-1175	-1052	-984	-836	-818	-816	-816	-816
	7	-1250	-1125	-1098	-934	-920	-918	-918	-918
63	1-5	-1175	-1035	-973	-814	-782	-780	-780	-780
	6	-1250	-1133	-1062	-899	-878	-876	-876	-876
34	1 & 2	-815	-635	-585	-360	-340	-340	-340	-340
	3	-815	-635	-585	-360	-340	-340	-340	-340
	4	-940	-760	-685	-460	-440	-440	-440	-440
	5	-1040	-860	-810	-585	-565	-565	-565	-565
	6	-1190	-1010	-960	-735	-715	-715	-715	-715
44	1-3	-935	-755	-705	-480	-460	-460	-460	-460
	4	-1010	-855	-755	-530	-510	-510	-510	-510
	5	-1105	-930	-855	-630	-610	-610	-610	-610
	6	-1255	-1075	-1025	-800	-780	-780	-780	-780
54	1-4	-1035	-880	-830	-605	-585	-585	-585	-585
	5	-1130	-955	-880	-655	-635	-635	-635	-635

Mike	
Range	Diff.
24 & Below	-943
25-26	-892
27-29	-588
30-32	-345
33-34	-175
Base 35-36	0
37-42	13
Base 43-49	0
50-52	-243
53 & Above	-376

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-304
22.0 - 22.9	-249
23.0 - 23.9	-203
24.0 - 24.9	-180
25.0 - 25.9	-153
26.0 - 26.9	-44
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	20
31.0 - 32.9	37
33.0 & above	40

Uniformity	
Unit	Points
77.9 & Below	-102
78.0 - 78.9	-89
79.0 - 79.9	-77
80.0 - 80.9	-9
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	16
84.0 - 84.9	26
85.0 - 85.9	36
86.0 & Above	46

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-153
Level 2	-658
Other (ET-OK and WT Bark not included)	
Level 1	-437
Level 2	-721
Bark	
Level 1	-188
Level 2	-206