

# **COTTON PRICE STATISTICS 2014-2015**




## **ANNUAL REPORT**

**UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service  
Cotton and Tobacco Program  
Memphis, TN**

## ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 62.02 cents per pound for the 2014-2015 season, down from 80.28 cents for the 2013-2014 season. The season's highest daily quotation for the base quality occurred on September 11, 2014 at 69.64 cents per pound and the season's lowest quotation was 56.36 cents on January 23, 2015. The highest monthly average for the marketing year was 64.99 cents per pound in August 2014 and the lowest was 58.19 cents per pound in January 2015.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 76.87 cents per pound for the 2014-2015 season, down from 87.64 cents for the 2013-2014 season.

The average price received by farmers for Upland cotton in June was 65.10 cents per pound in the 2014-2015 marketing year. The 2013-2014 marketing year average price was 77.90 cents, compared to the 2012-2013 marketing year of 72.50 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 2,127,286 running bales in the 2014-2015 marketing year, up from 1,369,602 bales in the 2013-2014 marketing year and 1,690,786 bales in 2012-2013.

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2009-2014 1/ 2/

Market Areas	2009	2010	2011	2012	2013	2014
Southeast	70.13	139.70	87.75	77.50	82.74	63.55
North Delta	69.30	139.02	86.90	76.56	81.85	62.64
South Delta	69.30	139.02	86.95	76.56	81.85	62.64
East Texas-Oklahoma	66.57	135.51	83.30	73.78	79.27	60.75
West Texas	66.38	135.10	83.31	73.68	79.13	60.71
Desert Southwest	65.40	137.91	85.73	73.68	78.23	61.57
San Joaquin Valley	67.20	138.91	86.74	74.74	78.88	62.32
<b>Average</b>	<b>67.76</b>	<b>137.88</b>	<b>85.81</b>	<b>75.24</b>	<b>80.28</b>	<b>62.02</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2009 2/	30-Jul-10	78.90	26-Aug-09	50.98
2010 2/	7-Mar-11	209.60	2-Aug-11	80.18
2011 2/	14-Sep-11	110.87	5-Jun-12	60.71
2012 3/	13-Jun-13	87.55	8-Nov-12	65.11
2013 3/	16-Aug-13	89.14	31-Jul-14	63.53
2014 3/	11-Sep-14	69.64	23-Jan-15	56.36

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4. 3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2014-2015 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	63.81		62.22		57.91				60.63	64.36	61.86	64.07
2		65.60	62.00		58.06	58.38	58.85	62.86	61.71		61.68	64.34
3		66.00	62.59	63.32	58.31		60.18	61.63			63.35	
4	65.26	65.84		61.75	59.09		59.95	61.61		64.34	63.26	
5	64.79	65.27		61.76	58.31	59.33	60.49	61.20		64.39	62.19	
6	65.01		64.24	62.06		58.82	60.24	60.94	63.31	63.61		64.13
7	64.16		65.04	62.76		58.99			64.37	63.31		63.22
8	64.33	65.83	64.81		58.01	59.15			64.66	63.97	62.96	62.26
9		66.70	63.85		58.56	59.36	60.96	60.29	64.16		62.79	62.51
10		69.10	63.96	61.24	58.34		61.19	58.87	63.04		63.10	62.29
11	64.63	69.64		62.07	59.38		60.69	58.49		63.21	61.70	
12	63.06	69.29		60.46	59.49	58.41	61.16	59.34		62.87	62.23	
13	63.76		64.84	58.24		59.00	61.66	58.75	63.09	63.62		62.45
14	63.60		63.94	57.95		57.95			62.64	64.34		62.91
15	63.39	66.84	63.44		59.68	58.46			62.56	64.71	61.40	62.09
16		66.91	63.26		58.77	58.13		58.67	62.01		62.63	62.07
17		64.91	62.86	57.46	59.64		62.88	58.40	61.42		62.62	62.62
18	63.14	64.39		58.22	59.62		63.66	60.66		63.05	63.06	
19	63.30	63.85		57.57	59.89		62.99	61.14		62.50	62.26	
20	64.69		62.39	57.40		56.89	62.97	61.05	61.49	62.29		62.61
21	65.89		62.74	58.16		57.11			61.06	61.84		62.21
22	66.72	62.06	62.66		60.85	56.83			61.01	61.39	63.07	62.46
23		62.31	62.92		60.69	56.36	62.50	62.29	63.54		62.63	62.73
24		61.19	63.47	57.44	60.52		63.01	62.04	64.46		62.03	62.67
25	66.94	61.07		57.94			63.54	61.40			62.36	
26	67.51	61.71		58.66	60.41	57.66	63.22	61.34		61.40	64.94	
27	67.50		63.37			57.81	62.91	61.68	64.38	61.14		61.15
28	66.53		64.09	58.70		58.42			64.49	62.41		61.20
29	66.86	61.44	64.75		60.83	58.48			64.92	62.43	65.14	60.71
30		61.37	63.79		60.81	58.33		60.59	65.63		65.65	60.47
31			63.46		59.09			61.14				60.79
Average	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36
High	67.51	69.64	65.04	63.32	60.85	59.36	63.66	62.86	65.63	64.71	65.65	64.34
Low	63.06	61.07	62.00	57.40	57.91	56.36	58.85	58.40	60.63	61.14	61.40	60.47

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2014-2015 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	67.28	65.50	63.83	60.70	60.86	59.96	64.06	62.73	65.02	64.49	64.13	64.07	63.55
North Delta	66.21	64.81	63.34	59.94	59.86	58.86	62.94	61.65	63.70	63.63	63.38	63.32	62.64
South Delta	66.21	64.81	63.34	59.94	59.86	58.86	62.94	61.65	63.70	63.63	63.38	63.32	62.64
East Texas-Oklahoma	63.68	65.05	64.60	58.92	58.15	56.74	59.37	58.49	61.24	61.45	61.43	59.84	60.75
West Texas	63.33	64.27	63.82	59.42	58.78	57.06	59.37	58.49	61.24	61.45	61.43	59.84	60.71
Desert Southwest	64.00	64.55	62.70	58.82	58.66	57.55	61.35	60.29	62.82	62.88	62.63	62.57	61.57
San Joaquin Valley	64.25	64.80	62.95	59.73	59.46	58.32	62.16	61.29	63.82	63.88	63.63	63.57	62.32
Average	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2014-2015 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	69.53	67.75	66.05	62.45	62.61	61.71	65.81	64.48	66.77	66.24	65.88	65.82	65.43
North Delta	66.71	65.31	63.84	60.44	60.36	59.36	63.44	62.15	64.20	64.13	63.88	63.82	63.14
South Delta	66.71	65.31	63.84	60.44	60.36	59.36	63.44	62.15	64.20	64.13	63.88	63.82	63.14
East Texas-Oklahoma	64.68	66.05	65.60	59.92	59.15	57.74	60.37	59.49	62.24	62.45	62.43	60.84	61.75
West Texas	63.83	64.77	64.32	59.92	58.97	57.06	59.37	58.49	61.24	61.45	61.43	59.84	60.89
Desert Southwest	65.50	66.05	64.20	60.32	60.16	59.05	62.85	61.79	64.32	64.38	64.13	64.07	63.07
San Joaquin Valley	68.65	68.84	66.60	63.38	63.11	61.97	65.81	64.94	67.47	67.53	67.28	67.22	66.07
Average	66.52	66.30	64.92	60.98	60.67	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-294	-223	-60	191	531	673	710	742
	3	-356	-243	-77	166	472	593	631	663
	4	-416	-266	-172	64	269	347	376	377
	5	-504	-371	-293	-74	110	161	189	189
	6	-671	-498	-449	-318	-208	-184	-169	-169
31	7	-746	-593	-565	-425	-340	-314	-301	-301
	1 & 2	-374	-240	-108	149	472	625	649	678
	3	-411	-250	-116	133	425	561	586	615
	4	-486	-290	-220	42	232	282	310	314
	5	-554	-391	-314	-134	44	87	115	115
41	6	-708	-513	-457	-343	-247	-220	-203	-203
	7	-796	-608	-574	-439	-367	-341	-324	-324
	1 & 2	-504	-321	-243	49	239	317	327	337
	3	-529	-331	-251	37	191	272	284	294
	4	-579	-361	-320	62.02	144	221	235	239
51	5	-629	-476	-420	-276	-139	-83	-76	-76
	6	-783	-578	-557	-446	-337	-307	-303	-303
	7	-896	-688	-686	-579	-489	-481	-477	-477
	1 & 2	-641	-501	-376	-252	-88	-61	-60	-60
	3	-641	-536	-393	-284	-120	-90	-89	-89
61	4	-691	-561	-424	-337	-187	-162	-156	-156
	5	-741	-646	-597	-469	-324	-296	-292	-292
	6	-908	-743	-719	-600	-512	-501	-497	-497
	7	-1008	-808	-840	-732	-653	-646	-644	-644
	1-5	-766	-696	-626	-478	-424	-421	-421	-421
71	6	-925	-825	-765	-645	-601	-591	-591	-591
	7	-1025	-950	-875	-740	-696	-691	-691	-691
	1-6	-971	-1028	-973	-808	-766	-766	-766	-766
12 & 22	7	-1063	-1070	-1025	-855	-821	-821	-821	-821
	1 & 2	-471	-273	-169	98	314	427	450	468
	3	-508	-293	-182	73	270	382	411	429
	4	-546	-318	-274	-30	191	282	308	312
	5	-646	-488	-440	-256	-106	-64	-41	-41
	6	-813	-600	-579	-457	-347	-327	-305	-305
	7	-900	-690	-696	-593	-504	-484	-468	-468
32	1 & 2	-508	-373	-269	-45	96	161	169	184
	3	-546	-388	-282	-63	63	143	151	166
	4	-596	-433	-340	-180	-32	23	31	31
	5	-708	-578	-499	-370	-253	-217	-217	-217
	6	-875	-675	-663	-539	-442	-428	-428	-428
	7	-988	-775	-767	-661	-585	-578	-578	-578
	42	1-3	-596	-458	-386	-252	-97	-51	-51
4		-646	-503	-407	-292	-160	-114	-114	-114
5		-771	-638	-544	-449	-315	-297	-297	-297
6		-988	-765	-721	-586	-512	-501	-501	-501
7		-1075	-855	-825	-721	-647	-644	-644	-644
52	1-4	-796	-618	-536	-492	-415	-408	-408	-408
	5	-871	-703	-653	-581	-506	-506	-506	-506
	6	-1088	-865	-829	-739	-681	-681	-681	-681
	7	-1163	-955	-963	-882	-831	-828	-828	-828
62	1-5	-921	-838	-773	-638	-611	-611	-611	-611
	6	-1113	-1015	-950	-795	-771	-771	-771	-771

Table 6. United States (Continued)

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-646	-483	-421	-171	-102	-77	-77	-77
	3	-683	-508	-446	-196	-127	-102	-102	-102
	4	-721	-583	-508	-246	-177	-152	-152	-152
	5	-846	-683	-633	-371	-302	-277	-277	-277
	6	-963	-763	-700	-438	-390	-365	-365	-365
	7	-1038	-850	-788	-513	-490	-465	-465	-465
33	1 & 2	-758	-558	-496	-314	-277	-260	-260	-260
	3	-758	-558	-496	-314	-277	-260	-260	-260
	4	-833	-633	-558	-380	-343	-327	-327	-327
	5	-983	-746	-671	-539	-493	-477	-477	-477
	6	-1050	-825	-788	-675	-660	-643	-643	-643
	7	-1125	-925	-850	-800	-777	-760	-760	-760
43	1-3	-808	-688	-578	-467	-424	-403	-403	-403
	4	-883	-733	-628	-513	-453	-435	-435	-435
	5	-1008	-813	-749	-667	-610	-599	-599	-599
	6	-1100	-920	-867	-793	-771	-764	-764	-764
	7	-1175	-1040	-967	-914	-892	-885	-885	-885
	1-4	-963	-835	-779	-625	-587	-582	-582	-582
53	5	-1063	-920	-883	-729	-691	-687	-687	-687
	6	-1175	-1080	-1008	-854	-824	-820	-820	-820
	7	-1250	-1140	-1142	-971	-953	-949	-949	-949
	1-5	-1175	-1060	-995	-825	-786	-781	-781	-781
63	6	-1250	-1145	-1070	-885	-861	-856	-856	-856
	1 & 2	-838	-688	-638	-375	-363	-363	-363	-363
	3	-838	-688	-638	-375	-363	-363	-363	-363
	4	-963	-813	-738	-475	-463	-463	-463	-463
	5	-1063	-913	-863	-600	-588	-588	-588	-588
	6	-1213	-1063	-1013	-750	-738	-738	-738	-738
44	1-3	-950	-800	-750	-488	-475	-475	-475	-475
	4	-1025	-900	-800	-538	-525	-525	-525	-525
	5	-1113	-975	-900	-638	-625	-625	-625	-625
	6	-1263	-1113	-1063	-800	-788	-788	-788	-788
54	1-4	-1050	-925	-875	-613	-600	-600	-600	-600
	5	-1138	-1000	-925	-670	-657	-657	-657	-657

Mike	
Range	Diff.
24 & Below	-1000
25-26	-938
27-29	-786
30-32	-446
33-34	-225
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-269
53 & Above	-388

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-317
22.0 - 22.9	-254
23.0 - 23.9	-196
24.0 - 24.9	-211
25.0 - 25.9	-179
26.0 - 26.9	-86
Base 27.0 - 28.9	0
29.0 - 29.9	2
30.0 - 30.9	20
31.0 - 32.9	38
33.0 & above	45

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	21
84.0 - 84.9	30
85.0 - 85.9	40
86.0 & Above	50

Extraneous Matter	
Prep	Diff.
Level 1	-143
Level 2	-686
Bark	
Level 1	-418
Level 2	-753
Other	
Level 1	-324
Level 2	-513

Table 7. Southeast spot cotton differences, season average.

August 2014 - July 2015

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-100	212	324	458	484	496	25-26	-825
	3	-225	-100	212	324	445	471	483	27-29	-425
	4	-225	-125	137	199	321	334	346	30-32	-275
	5	-375	-225	-125	125	200	200	200	33-34	-150
	6	-500	-350	-300	-175	-150	-150	-150	Base 35-36	0
31	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	1 & 2	-225	-100	187	324	433	446	458	Base 43-49	0
	3	-225	-100	187	324	408	421	433	50-52	-175
	4	-225	-150	137	199	308	321	333	53 & Above	-325
	5	-375	-225	-125	125	150	150	150		
41	6	-500	-350	-300	-225	-200	-200	-200		
	7	-625	-475	-450	-400	-375	-375	-375		
	1 & 2	-275	-125	137	223	358	358	383	Strength	
	3	-275	-125	137	198	333	333	358	(Grams per Tex)	
	4	-275	-150	63.55	148	308	308	333	Range	Diff.
51	5	-450	-350	-200	-100	-50	-50	-50	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	1 & 2	-425	-200	-75	-75	-50	-50	-50	24.0 - 24.9	-250
	3	-500	-225	-150	-125	-75	-75	-75	25.0 - 25.9	-200
61	4	-525	-225	-175	-175	-150	-150	-150	26.0 - 26.9	-25
	5	-625	-450	-350	-300	-275	-275	-275	Base 27.0 - 28.9	0
	6	-700	-525	-475	-475	-450	-450	-450	29.0 - 29.9	0
	7	-775	-650	-625	-625	-600	-600	-600	30.0 - 30.9	25
	1-5	-725	-625	-550	-550	-550	-550	-550	31.0 - 32.9	50
71	6	-900	-825	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1025	-900	-850	-825	-825	-825	-825		
12 & 22	1-6	-1025	-950	-900	-900	-900	-900	-900		
	7	-1050	-975	-925	-925	-925	-925	-925		
	1 & 2	-275	-125	150	248	383	383	408	Extraneous Matter	
	3	-275	-125	150	223	358	358	383	Prep	Diff.
	4	-275	-125	0	148	308	308	333	Level 1	-100
32	5	-425	-325	-200	-75	-50	-50	-50	Level 2	-800
	6	-550	-425	-425	-350	-325	-325	-325		
	7	-650	-550	-550	-500	-475	-475	-475	Other	Diff.
	1 & 2	-325	-175	-25	0	50	50	50	Level 1	-400
	3	-350	-200	-50	0	25	25	25	Level 2	-800
42	4	-450	-200	-150	-100	-50	-50	-50		
	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
	1-3	-425	-200	-100	-50	-25	-25	-25	Uniformity	
52	4	-500	-200	-150	-125	-100	-100	-100	Unit	Points
	5	-600	-375	-350	-300	-275	-275	-275	77.9 & Below	-125
	6	-675	-525	-475	-450	-425	-425	-425	78.0 - 78.9	-110
	7	-775	-650	-625	-600	-575	-575	-575	79.0 - 79.9	-100
	1-4	-575	-300	-275	-200	-200	-200	-200	80.0 - 80.9	-25
62	5	-650	-500	-425	-400	-400	-400	-400	Base 81.0 - 81.9	0
	6	-775	-750	-700	-675	-675	-675	-675	82.0 - 82.9	0
	7	-975	-900	-850	-825	-825	-825	-825	83.0 - 83.9	20
	1-5	-775	-700	-650	-650	-650	-650	-650	84.0 - 84.9	30
	6	-1025	-950	-900	-900	-900	-900	-900	85.0 - 85.9	40
43	7	-1025	-900	-850	-825	-825	-825	-825	86.0 & Above	50
	1-3	-550	-450	-400	-350	-325	-325	-325		
	4	-575	-500	-450	-375	-350	-350	-350		
	5	-725	-625	-550	-525	-525	-525	-525		
	6	-900	-825	-775	-750	-750	-750	-750		
53	7	-1025	-900	-850	-825	-825	-825	-825		
	1-4	-650	-550	-450	-450	-450	-450	-450		
	5	-800	-750	-650	-650	-650	-650	-650		
	6	-1050	-1000	-900	-900	-900	-900	-900		
63	7	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	1-5	-1025	-975	-875	-875	-875	-875	-875		
6	-1150	-1100	-1000	-1000	-1000	-1000	-1000			



Table 8. North Delta spot cotton differences, season average.

August 2014 - July 2015

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	370	470	520	520	25-26	-1000
	3	-250	-100	50	320	370	420	420	27-29	-650
	4	-275	-200	25	220	320	345	345	30-32	-325
	5	-450	-325	-25	100	125	150	150	33-34	-125
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25
31	1 & 2	-250	-175	50	320	445	470	470	Base 43-49	0
	3	-250	-175	50	270	360	385	385	50-52	-200
	4	-275	-250	25	220	245	270	270	53 & Above	-350
	5	-450	-325	-125	25	50	75	75		
	6	-500	-475	-350	-275	-275	-275	-275		
	7	-600	-575	-450	-375	-375	-375	-375		
41	1 & 2	-350	-250	50	270	320	345	345	Strength	
	3	-350	-250	25	220	295	320	320	(Grams per Tex)	
	4	-375	-275	62.64	195	220	245	245	Range	Diff.
	5	-525	-400	-275	-175	-125	-125	-125	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
51	1 & 2	-575	-325	-250	-100	-100	-100	-100	24.0 - 24.9	-175
	3	-600	-350	-325	-175	-175	-175	-175	25.0 - 25.9	-150
	4	-625	-375	-350	-250	-250	-250	-250	26.0 - 26.9	-25
	5	-700	-600	-450	-375	-350	-350	-350	Base 27.0 - 28.9	0
	6	-800	-725	-575	-500	-500	-500	-500	29.0 - 29.9	0
	7	-850	-850	-675	-600	-600	-600	-600	30.0 - 30.9	25
61	1-5	-750	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-875	-775	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1025	-975	-975	-975	-975		
	7	-1275	-1225	-1075	-1025	-1025	-1025	-1025		
12 & 22	1 & 2	-275	-125	50	264	314	334	334	Extraneous Matter	
	3	-275	-125	25	224	269	309	309	Prep	Diff.
	4	-300	-250	-100	169	214	234	234	Level 1	-200
	5	-500	-375	-200	-150	-125	-105	-105	Level 2	-800
	6	-625	-550	-425	-335	-315	-295	-295		
	7	-675	-650	-525	-455	-435	-435	-435	Other	Diff.
32	1 & 2	-400	-250	-100	0	25	25	25	Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-575	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-475	-350	-275	-150	-150	-150	-150	Uniformity	
	4	-500	-375	-300	-225	-225	-225	-225	Unit	Points
	5	-650	-500	-375	-325	-300	-300	-300	77.9 & Below	-90
	6	-850	-750	-525	-475	-450	-450	-450	78.0 - 78.9	-80
	7	-900	-800	-625	-575	-575	-575	-575	79.0 - 79.9	-70
52	1-4	-650	-475	-425	-400	-400	-400	-400	80.0 - 80.9	0
	5	-725	-625	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
	6	-875	-775	-700	-675	-675	-675	-675	82.0 - 82.9	0
	7	-900	-875	-800	-775	-775	-775	-775	83.0 - 83.9	30
62	1-5	-925	-825	-750	-725	-725	-725	-725	84.0 - 84.9	40
	6	-1075	-975	-850	-825	-825	-825	-825	85.0 - 85.9	50
43	1-3	-800	-575	-400	-375	-375	-375	-375	86.0 & Above	60
	4	-825	-600	-425	-400	-400	-400	-400		
	5	-850	-750	-675	-650	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700	-700		
	5	-975	-900	-825	-800	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975	-975		

Table 9. South Delta spot cotton differences, season average.

August 2014 - July 2015

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	370	470	520	520	25-26	-1100
	3	-250	-100	50	320	370	420	420	27-29	-750
	4	-300	-200	25	220	320	345	345	30-32	-325
	5	-375	-300	0	100	125	150	150	33-34	-125
	6	-475	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-575	-575	-450	-375	-375	-375	-375	37-42	25
31	1 & 2	-250	-150	50	320	445	470	470	Base 43-49	0
	3	-250	-150	50	270	360	385	385	50-52	-200
	4	-300	-250	25	220	245	270	270	53 & Above	-350
	5	-375	-325	-100	25	50	75	75		
	6	-475	-475	-350	-275	-275	-275	-275		
	7	-575	-575	-450	-375	-375	-375	-375		
41	1 & 2	-325	-250	25	270	320	345	345	Strength	
	3	-325	-250	25	220	295	320	320	(Grams per Tex)	
	4	-350	-275	62.64	195	220	245	245	Range	Diff.
	5	-525	-400	-275	-175	-125	-125	-125	21.0 - 21.9	-275
	6	-550	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-675	-625	-500	-450	-450	-450	-450	23.0 - 23.9	-175
51	1 & 2	-575	-325	-250	-100	-100	-100	-100	24.0 - 24.9	-125
	3	-625	-375	-300	-175	-175	-175	-175	25.0 - 25.9	-100
	4	-650	-400	-325	-250	-250	-250	-250	26.0 - 26.9	-25
	5	-725	-625	-475	-375	-350	-350	-350	Base 27.0 - 28.9	0
	6	-825	-725	-575	-500	-500	-500	-500	29.0 - 29.9	0
	7	-900	-875	-725	-600	-600	-600	-600	30.0 - 30.9	25
61	1-5	-800	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-825	-750	-725	-725	-725	-725	33.0 & above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	264	314	334	334	Extraneous Matter	
	3	-275	-125	25	224	269	309	309	Prep	Diff.
	4	-300	-250	-100	169	219	239	239	Level 1	-200
	5	-500	-375	-200	-150	-125	-105	-105	Level 2	-800
	6	-575	-500	-375	-325	-305	-285	-285		
	7	-675	-650	-525	-455	-435	-435	-435	Other	Diff.
32	1 & 2	-400	-250	-75	0	25	25	25	Level 1	-375
	3	-400	-250	-75	-25	25	25	25	Level 2	-785
	4	-425	-275	-175	-75	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-475	-350	-275	-150	-150	-150	-150	Uniformity	
	4	-500	-375	-300	-225	-200	-200	-200	Unit	Points
	5	-650	-500	-375	-325	-300	-300	-300	77.9 & Below	-90
	6	-850	-750	-525	-450	-425	-425	-425	78.0 - 78.9	-80
	7	-900	-800	-625	-575	-575	-575	-575	79.0 - 79.9	-70
52	1-4	-650	-475	-425	-400	-400	-400	-400	80.0 - 80.9	0
	5	-725	-625	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
	6	-875	-775	-700	-675	-675	-675	-675	82.0 - 82.9	0
	7	-900	-875	-800	-775	-775	-775	-775	83.0 - 83.9	30
62	1-5	-925	-825	-750	-725	-725	-725	-725	84.0 - 84.9	40
	6	-1075	-975	-850	-825	-825	-825	-825	85.0 - 85.9	50
43	1-3	-800	-575	-375	-350	-350	-350	-350	86.0 & Above	60
	4	-825	-600	-425	-375	-375	-375	-375		
	5	-850	-750	-675	-650	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700	-700		
	5	-975	-900	-825	-800	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975	-975		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-315	-215	-40	110	351	451	451	451
	3	-365	-265	-65	110	276	301	301	301
	4	-450	-275	-100	50	174	274	274	274
	5	-500	-375	-325	-75	95	170	170	170
	6	-650	-500	-500	-275	-255	-180	-180	-180
	7	-725	-600	-600	-350	-330	-255	-255	-255
31	1 & 2	-375	-250	-50	110	299	424	424	424
	3	-400	-275	-75	100	224	299	299	299
	4	-500	-350	-150	0	149	174	174	174
	5	-550	-400	-350	-125	20	95	95	95
	6	-675	-525	-525	-300	-280	-205	-205	-205
	7	-750	-625	-625	-375	-355	-305	-305	-305
41	1 & 2	-475	-300	-125	25	170	270	270	270
	3	-500	-325	-150	25	120	145	145	145
	4	-550	-400	-300	60.75	70	120	120	120
	5	-625	-450	-400	-150	-80	70	70	70
	6	-775	-575	-550	-325	-305	-205	-205	-205
	7	-875	-675	-650	-425	-380	-380	-380	-380
51	1 & 2	-625	-475	-375	-50	-30	20	20	20
	3	-625	-500	-375	-50	-30	20	20	20
	4	-675	-525	-400	-125	-80	-30	-30	-30
	5	-725	-600	-550	-225	-155	-155	-155	-155
	6	-900	-700	-700	-375	-355	-355	-355	-355
	7	-1000	-725	-725	-450	-430	-430	-430	-430
61	1-5	-750	-600	-550	-225	-205	-205	-205	-205
	6	-925	-725	-700	-400	-355	-355	-355	-355
	7	-1025	-825	-800	-500	-455	-455	-455	-455
71	1-6	-950	-850	-800	-475	-455	-455	-455	-455
	7	-1050	-900	-875	-550	-530	-530	-530	-530
12 & 22	1 & 2	-500	-300	-125	104	199	320	320	320
	3	-525	-350	-175	79	149	245	245	245
	4	-575	-375	-200	29	99	245	245	245
	5	-650	-550	-500	-250	-105	70	70	70
	6	-825	-650	-650	-400	-355	-330	-330	-330
	7	-925	-750	-725	-475	-430	-405	-405	-405
32	1 & 2	-525	-450	-275	-21	99	220	220	220
	3	-550	-450	-300	-21	24	170	170	170
	4	-600	-475	-375	-96	-51	20	20	20
	5	-700	-600	-575	-275	-180	-5	-5	-5
	6	-875	-700	-700	-450	-430	-405	-405	-405
	7	-1000	-800	-800	-525	-505	-480	-480	-480
42	1-3	-575	-500	-425	-75	-30	45	45	45
	4	-625	-525	-450	-100	-55	-5	-5	-5
	5	-775	-650	-600	-325	-255	-255	-255	-255
	6	-1000	-750	-725	-475	-455	-455	-455	-455
	7	-1100	-850	-825	-575	-530	-530	-530	-530
52	1-4	-775	-625	-550	-350	-330	-330	-330	-330
	5	-850	-725	-625	-400	-380	-380	-380	-380
	6	-1075	-925	-850	-550	-530	-530	-530	-530
	7	-1150	-1025	-950	-650	-630	-630	-630	-630
62	1-5	-900	-800	-775	-475	-455	-455	-455	-455
	6	-1100	-975	-950	-650	-630	-630	-630	-630

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-575	-500	-175	-105	-55	-55	-55
	3	-725	-600	-525	-200	-130	-80	-80	-80
	4	-775	-675	-575	-250	-180	-130	-130	-130
	5	-900	-775	-700	-375	-305	-255	-255	-255
	6	-1025	-850	-750	-425	-405	-355	-355	-355
	7	-1100	-925	-850	-525	-505	-455	-455	-455
33	1 & 2	-800	-650	-575	-225	-155	-105	-105	-105
	3	-800	-650	-575	-225	-155	-105	-105	-105
	4	-875	-725	-625	-275	-205	-155	-155	-155
	5	-1025	-825	-725	-400	-330	-280	-280	-280
	6	-1100	-900	-825	-475	-455	-405	-405	-405
	7	-1175	-1000	-900	-575	-555	-505	-505	-505
43	1-3	-850	-725	-625	-275	-205	-155	-155	-155
	4	-925	-800	-675	-300	-230	-180	-180	-180
	5	-1050	-900	-775	-425	-355	-305	-305	-305
	6	-1150	-975	-875	-525	-505	-455	-455	-455
	7	-1225	-1050	-950	-600	-580	-530	-530	-530
	53	1-4	-975	-900	-800	-475	-430	-405	-405
	5	-1075	-975	-900	-550	-505	-480	-480	-480
	6	-1175	-1075	-1000	-650	-630	-605	-605	-605
	7	-1250	-1150	-1100	-725	-705	-680	-680	-680
63	1-5	-1175	-1050	-950	-600	-530	-505	-505	-505
	6	-1250	-1150	-1025	-675	-655	-630	-630	-630
34	1 & 2	-875	-775	-725	-400	-400	-400	-400	-400
	3	-875	-775	-725	-400	-400	-400	-400	-400
	4	-1000	-900	-825	-500	-500	-500	-500	-500
	5	-1100	-1000	-950	-625	-625	-625	-625	-625
	6	-1250	-1150	-1100	-775	-775	-775	-775	-775
	44	1-3	-975	-875	-825	-500	-500	-500	-500
	4	-1050	-975	-875	-550	-550	-550	-550	-550
	5	-1125	-1050	-975	-650	-650	-650	-650	-650
	6	-1275	-1175	-1125	-800	-800	-800	-800	-800
54	1-4	-1075	-1000	-950	-625	-625	-625	-625	-625
	5	-1150	-1075	-1000	-675	-675	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-330
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 11. West Texas spot cotton differences, monthly average.

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-273	-173	27	118	345	437	462	478
	3	-348	-223	-48	68	245	337	362	378
	4	-382	-257	-132	59	236	278	278	278
	5	-507	-282	-232	-16	200	225	225	225
	6	-691	-516	-441	-200	-175	-175	-175	-175
	7	-766	-566	-516	-275	-250	-250	-250	-250
31	1 & 2	-373	-223	-48	43	245	345	345	361
	3	-423	-248	-73	18	220	320	320	336
	4	-473	-298	-198	9	120	195	195	211
	5	-557	-357	-282	-91	100	175	175	175
	6	-741	-566	-441	-225	-225	-200	-200	-200
	7	-841	-616	-516	-275	-275	-250	-250	-250
41	1 & 2	-532	-357	-157	9	193	218	218	218
	3	-557	-382	-182	0	143	218	218	218
	4	-607	-407	-322	60.71	54	154	154	154
	5	-632	-432	-347	-106	11	86	86	86
	6	-791	-616	-541	-275	-225	-200	-200	-200
	7	-916	-716	-641	-375	-300	-275	-275	-275
51	1 & 2	-657	-457	-382	-91	0	25	25	25
	3	-657	-457	-382	-91	0	25	25	25
	4	-707	-482	-472	-181	-64	-39	-39	-39
	5	-757	-582	-582	-306	-214	-164	-164	-164
	6	-916	-691	-691	-450	-375	-325	-325	-325
	7	-1016	-791	-791	-550	-475	-450	-450	-450
61	1-5	-782	-607	-607	-316	-214	-200	-200	-200
	6	-925	-700	-700	-525	-425	-375	-375	-375
	7	-1025	-850	-825	-600	-500	-475	-475	-475
71	1-6	-991	-816	-766	-566	-475	-475	-475	-475
	7	-1075	-850	-825	-600	-550	-550	-550	-550
12 & 22	1 & 2	-441	-241	-41	59	200	325	325	325
	3	-491	-291	-66	34	150	275	275	275
	4	-516	-341	-241	-66	75	200	200	200
	5	-641	-466	-466	-266	-100	-100	-100	-100
	6	-800	-600	-600	-425	-350	-350	-350	-350
	7	-875	-700	-675	-500	-425	-425	-425	-425
32	1 & 2	-491	-291	-91	9	50	125	125	125
	3	-541	-341	-116	-41	0	125	125	125
	4	-591	-391	-291	-116	-25	100	100	100
	5	-716	-591	-541	-316	-200	-200	-200	-200
	6	-875	-675	-650	-450	-400	-400	-400	-400
	7	-975	-775	-700	-550	-475	-475	-475	-475
42	1-3	-616	-416	-366	-141	-50	100	100	100
	4	-666	-491	-391	-166	-75	75	75	75
	5	-766	-641	-566	-341	-225	-225	-225	-225
	6	-975	-700	-675	-475	-425	-425	-425	-425
	7	-1050	-850	-775	-600	-500	-500	-500	-500
52	1-4	-816	-591	-566	-416	-325	-325	-325	-325
	5	-891	-691	-641	-466	-375	-375	-375	-375
	6	-1100	-875	-825	-600	-525	-525	-525	-525
	7	-1175	-975	-925	-700	-625	-625	-625	-625
62	1-5	-941	-766	-741	-566	-500	-500	-500	-500
	6	-1125	-925	-900	-725	-675	-675	-675	-675

Table 11. West Texas (Continued)

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-591	-391	-341	-166	-100	-100	-100	-100
	3	-641	-416	-366	-191	-125	-125	-125	-125
	4	-666	-491	-441	-241	-175	-175	-175	-175
	5	-791	-591	-566	-366	-300	-300	-300	-300
	6	-900	-675	-650	-450	-375	-375	-375	-375
	7	-975	-775	-725	-500	-475	-475	-475	-475
33	1 & 2	-716	-466	-416	-216	-175	-175	-175	-175
	3	-716	-466	-416	-216	-175	-175	-175	-175
	4	-791	-541	-491	-266	-225	-225	-225	-225
	5	-941	-666	-616	-416	-350	-350	-350	-350
	6	-1000	-750	-750	-475	-450	-450	-450	-450
	7	-1075	-850	-800	-600	-550	-550	-550	-550
43	1-3	-766	-566	-516	-291	-250	-250	-250	-250
	4	-841	-641	-566	-316	-250	-250	-250	-250
	5	-966	-741	-666	-441	-375	-375	-375	-375
	6	-1050	-825	-775	-550	-525	-525	-525	-525
	7	-1125	-925	-850	-625	-600	-600	-600	-600
53	1-4	-950	-825	-750	-500	-450	-450	-450	-450
	5	-1050	-875	-825	-600	-550	-550	-550	-550
	6	-1175	-975	-925	-700	-675	-675	-675	-675
		7	-1250	-1050	-1025	-775	-750	-750	-750
63	1-5	-1175	-975	-900	-650	-575	-575	-575	-575
	6	-1250	-1075	-975	-750	-700	-700	-700	-700
34	1 & 2	-800	-600	-550	-350	-325	-325	-325	-325
	3	-800	-600	-550	-350	-325	-325	-325	-325
	4	-925	-725	-650	-450	-425	-425	-425	-425
	5	-1025	-825	-775	-575	-550	-550	-550	-550
	6	-1175	-975	-925	-725	-700	-700	-700	-700
44	1-3	-925	-725	-675	-475	-450	-450	-450	-450
	4	-1000	-825	-725	-525	-500	-500	-500	-500
	5	-1100	-900	-825	-625	-600	-600	-600	-600
	6	-1250	-1050	-1000	-800	-775	-775	-775	-775
54	1-4	-1025	-850	-800	-600	-575	-575	-575	-575
	5	-1125	-925	-850	-664	-639	-639	-639	-639

Mike	
Range	Diff.
24 & Below	-925
25-26	-875
27-29	-600
30-32	-400
33-34	-225
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-265
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	16
30.0 - 30.9	16
31.0 - 32.9	16
33.0 & above	16

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-318
Level 2	-500
Other	
Level 1	-525
Level 2	-575

Table 12. Desert Southwest spot cotton differences, season average.

August 2014 - July 2015

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-50	225	812	933	968	1018	24 & Below	-1200
	3	-50	200	724	892	927	977	25-26	-1000
	4	-275	75	384	419	454	454	27-29	-900
	5	-350	-150	75	150	235	235	30-32	-500
	6	-450	-350	-100	-85	-30	-30	33-34	-300
	7	-650	-375	-175	-140	-100	-100	Base 35-36	0
31	1 & 2	-125	175	745	892	927	977	37-42	25
	3	-125	150	671	842	877	927	Base 43-49	0
	4	-325	50	316	379	429	429	50-52	-300
	5	-375	-175	10	35	120	120	53 & Above	-525
	6	-475	-375	-125	-110	-40	-40		
	7	-675	-400	-215	-185	-115	-115		
41	1 & 2	-550	0	98	199	209	259	<b>Strength</b>	
	3	-550	0	86	188	209	259	(Grams per Tex)	
	4	-600	61.57	46	147	184	184	Range	Diff.
	5	-625	-500	-252	-242	-205	-205	21.0 - 21.9	-600
	6	-800	-675	-377	-367	-340	-340	22.0 - 22.9	-450
	7	-950	-825	-615	-610	-585	-585	23.0 - 23.9	-300
51	1 & 2	-650	-475	-186	-151	-141	-141	24.0 - 24.9	-225
	3	-650	-475	-186	-151	-141	-141	25.0 - 25.9	-200
	4	-675	-550	-288	-238	-201	-201	26.0 - 26.9	-125
	5	-775	-725	-477	-452	-425	-425	Base 27.0 - 28.9	0
	6	-950	-850	-577	-577	-550	-550	29.0 - 29.9	0
	7	-1150	-1050	-840	-840	-825	-825	30.0 - 30.9	25
12 & 22	1 & 2	-475	50	345	405	465	465	31.0 - 32.9	50
	3	-475	50	320	380	440	440	33.0 & above	100
	4	-575	0	254	314	390	390		
	5	-600	-425	-115	-115	-50	-50		
	6	-750	-625	-315	-315	-250	-250		
	7	-925	-800	-565	-565	-500	-500		
32	1 & 2	-575	-200	170	255	265	265	<b>Extraneous Matter</b>	
	3	-575	-200	170	255	265	265	Prep	Diff.
	4	-625	-425	4	89	99	99	Level 1	-50
	5	-675	-675	-390	-390	-390	-390	Level 2	-800
	6	-875	-800	-515	-515	-515	-515		
	7	-1025	-975	-765	-765	-765	-765	Other	
42	1-3	-625	-450	-150	-100	-100	-100	Level 1	-350
	4	-650	-525	-240	-190	-190	-190	Level 2	-800
	5	-725	-700	-427	-427	-427	-427		
	6	-900	-825	-552	-552	-552	-552		
	7	-1100	-1000	-802	-802	-802	-802		
52	1-4	-850	-725	-477	-427	-427	-427	<b>Uniformity</b>	
	5	-900	-800	-565	-565	-565	-565	Unit	Points
	6	-1000	-900	-665	-665	-665	-665	77.9 & Below	-100
	7	-1250	-1150	-965	-940	-940	-940	78.0 - 78.9	-90
43	1-3	-725	-650	-565	-490	-490	-490	79.0 - 79.9	-80
	4	-825	-750	-615	-565	-565	-565	80.0 - 80.9	0
	5	-925	-825	-640	-615	-615	-615	Base 81.0 - 81.9	0
	6	-1025	-925	-890	-890	-890	-890	82.0 - 82.9	0
	7	-1100	-1050	-1015	-1015	-1015	-1015	83.0 - 83.9	30
53	1-4	-975	-875	-790	-790	-790	-790	84.0 - 84.9	40
	5	-1025	-925	-840	-840	-840	-840	85.0 - 85.9	50
	6	-1125	-1025	-940	-940	-940	-940	86.0 & Above	60
	7	-1375	-1275	-1265	-1265	-1265	-1265		

Table 13. San Joaquin Valley spot cotton differences, monthly average.

August 2014 - July 2015

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	525	1150	1490	1565	1715	27-29	-1600
	3	475	1093	1440	1515	1665	30-32	-1000
	4	75	450	500	600	600	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	426	1050	1390	1465	1590		
	3	375	1000	1340	1415	1540		
	4	50	400	430	510	510		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	450	530	540	540	<b>Strength</b>	
	3	50	350	430	440	440	<b>(Grams per Tex)</b>	
	4	62.32	300	380	390	390	<b>Range</b>	<b>Diff.</b>
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-575	-125	-75	-75	-75	29.0 - 29.9	0
	3	-600	-150	-100	-100	-100	30.0 - 30.9	0
	4	-650	-200	-175	-175	-175	31.0 - 32.9	0
	5	-750	-375	-325	-325	-325	33.0 & above	0
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	225	675	930	990	1090		
	3	150	600	880	940	1040		
	4	25	425	475	540	540		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	100	350	425	475	575	<b>Extraneous Matter</b>	
	3	50	300	375	425	525	<b>Prep</b>	<b>Diff.</b>
	4	-100	125	150	200	200	Level 1	-50
	5	-525	-275	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750	<b>Other</b>	
							Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	<b>Uniformity</b>	
	5	-875	-825	-825	-825	-825	<b>Unit</b>	<b>Points</b>
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	0
	3	-500	-500	-500	-500	-500	83.0 - 83.9	30
	4	-600	-600	-600	-600	-600	84.0 - 84.9	40
	5	-800	-800	-800	-800	-800	85.0 - 85.9	50
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	60
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		



Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2014-2015

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	218	1,268	40,137	30,340	94,819	36,411	46,630	9,190	16,108	5,654	4,366	3,980	<b>289,121</b>
North Delta	55	33	2,955	424	44,623	1,312	16,981	466	4,951	168	3,607	4,090	<b>79,665</b>
South Delta	0	14	11,220	6,830	6,683	5,923	18,819	1,295	34	791	0	1,718	<b>53,327</b>
East Texas-Oklahoma	19,927	34,619	73,316	67,383	93,050	83,941	74,009	51,086	34,663	8,062	4,411	1,556	<b>546,023</b>
West Texas	1,286	0	9,602	83,481	342,401	288,090	229,778	54,552	59,331	9,662	5,679	8,742	<b>1,092,604</b>
Desert Southwest	0	0	3,973	1,503	11,187	4,516	18,493	2,832	0	1,496	1,196	42	<b>45,238</b>
San Joaquin Valley	0	0	0	0	350	0	0	0	88	0	0	0	<b>438</b>
<b>Total</b>	<b>21,486</b>	<b>35,934</b>	<b>141,203</b>	<b>189,961</b>	<b>593,113</b>	<b>420,193</b>	<b>404,710</b>	<b>119,421</b>	<b>115,175</b>	<b>25,833</b>	<b>19,259</b>	<b>20,128</b>	<b>2,106,416</b>

Page 16

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2009-2014. 1/

Market Area	2009	2010	2011	2012	2013	2014
Southeast	138,254	86,222	118,594	258,061	129,860	289,121
North Delta	47,549	11,537	50,468	62,522	14,898	79,665
South Delta	20,617	5,078	26,348	14,158	10,680	53,327
East Texas-Oklahoma	165,428	140,765	195,257	298,737	280,854	546,023
West Texas	511,970	397,480	502,222	1,038,942	857,998	1,092,604
Desert Southwest	3,763	180	8,809	3,676	11,959	45,238
San Joaquin Valley	16,520	14,914	55,034	14,690	63,353	21,308
<b>Total</b>	<b>904,101</b>	<b>656,176</b>	<b>956,732</b>	<b>1,690,786</b>	<b>1,369,602</b>	<b>2,127,286</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS, Season Average**

Color	Leaf	Staple		
		44	46	48
1	1	161.19	166.19	166.44
	2	160.94	165.94	166.19
	3	153.94	158.94	159.19
	4			
	5			
	6			
2	1	160.94	165.94	166.19
	2	160.69	165.69	165.94
	3	153.69	158.69	158.94
	4	143.69	149.19	149.44
	5			
	6			
3	1	151.69	156.69	156.94
	2	149.19	154.19	154.44
	3	148.69	153.69	153.94
	4	139.69	144.69	144.94
	5	123.69	128.19	128.44
	6			
4	1	133.69	138.69	139.69
	2	133.44	138.44	138.94
	3	133.19	138.19	138.19
	4	128.19	133.19	133.19
	5	116.94	121.94	121.94
	6			
5	1			
	2	112.69	119.94	119.94
	3	112.69	119.44	119.94
	4	112.69	113.94	113.94
	5	112.44	113.69	113.69
	6			
6	1			
	2	104.94	105.19	105.19
	3	104.94	105.19	105.19
	4	104.94	105.19	105.19
	5	104.69	104.94	104.94
	6	104.19	104.44	104.44

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1350
35.5-36.4	-1100
36.5-37.4	-850
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-810
2	-1095
Other	
1	-715
2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets, in cents per pound, net weight, United States, marketing years 2001-2014

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2001	37.30	36.50	30.70	27.80	30.80	27.30	28.00	28.40	27.20	26.70	33.70	35.30	29.80
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	70.50	69.50	64.00	62.20	60.40	58.60	57.40	59.90	62.40	64.10	65.10		

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2001	36.05	33.22	28.42	31.23	32.21	32.13	31.60	33.23	31.86	31.14	36.36	39.78	33.10
2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2001	37.43	34.79	30.20	32.93	33.69	33.40	32.90	34.57	33.35	32.93	38.15	41.57	34.66
2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price.

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
Weighted averages based on the 2014-crop year's production by spot market

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-285	-213	-54	148	371	483	512	524
	3	-353	-235	-79	127	319	410	438	450
	4	-402	-254	-146	78	221	308	320	324
	5	-505	-357	-263	-66	135	185	195	195
	6	-679	-503	-425	-282	-203	-184	-182	-182
	7	-754	-596	-530	-387	-319	-300	-298	-298
31	1 & 2	-374	-233	-94	110	322	437	449	461
	3	-416	-244	-104	100	292	387	399	410
	4	-481	-276	-192	56	181	251	263	271
	5	-555	-382	-284	-116	79	124	134	134
	6	-722	-521	-429	-294	-239	-213	-210	-210
	7	-815	-615	-534	-391	-348	-325	-321	-321
41	1 & 2	-516	-317	-178	61	216	295	301	311
	3	-541	-328	-188	55	175	265	271	282
	4	-591	-350	-262	62.12	119	217	224	233
	5	-630	-461	-377	-197	-88	-22	-20	-20
	6	-786	-585	-513	-377	-305	-273	-271	-271
	7	-904	-691	-635	-494	-425	-409	-408	-408
51	1 & 2	-648	-474	-319	-135	-58	-35	-34	-34
	3	-648	-511	-334	-173	-91	-59	-59	-59
	4	-698	-536	-370	-225	-152	-129	-127	-127
	5	-748	-628	-547	-365	-282	-252	-251	-251
	6	-911	-722	-654	-496	-445	-422	-421	-421
	7	-1011	-795	-765	-619	-566	-550	-550	-550
61	1-5	-773	-684	-621	-461	-411	-406	-406	-406
	6	-925	-817	-765	-650	-600	-585	-585	-585
	7	-1025	-947	-870	-736	-686	-678	-678	-678
71	1-6	-979	-984	-925	-778	-737	-737	-737	-737
	7	-1068	-1020	-972	-817	-789	-789	-789	-789
12 & 22	1 & 2	-458	-268	-115	94	240	351	358	368
	3	-501	-289	-128	78	201	309	320	329
	4	-533	-313	-212	-36	133	252	260	269
	5	-644	-470	-409	-234	-103	-68	-61	-61
	6	-807	-590	-538	-427	-346	-330	-322	-322
	7	-889	-683	-643	-534	-465	-449	-446	-446
32	1 & 2	-501	-347	-194	-34	37	99	99	101
	3	-544	-371	-213	-57	8	84	85	86
	4	-594	-430	-280	-153	-64	4	5	5
	5	-712	-568	-461	-309	-236	-202	-202	-202
	6	-875	-657	-597	-472	-422	-406	-406	-406
	7	-982	-757	-693	-581	-528	-517	-517	-517
42	1-3	-604	-443	-324	-163	-73	-10	-10	-10
	4	-654	-500	-341	-199	-128	-66	-66	-66
	5	-769	-630	-498	-367	-284	-270	-270	-270
	6	-982	-730	-655	-503	-454	-440	-440	-440
	7	-1064	-835	-757	-631	-569	-561	-561	-561
52	1-4	-804	-603	-467	-380	-310	-308	-308	-308
	5	-879	-688	-599	-480	-422	-422	-422	-422
	6	-1093	-846	-799	-665	-618	-618	-618	-618
	7	-1168	-965	-922	-789	-744	-743	-743	-743
62	1-5	-929	-809	-749	-625	-597	-597	-597	-597
	6	-1118	-999	-940	-805	-782	-782	-782	-782

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
Weighted averages based on the 2014-crop year's production by spot market

August 2014 - July 2015

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-623	-444	-387	-169	-101	-87	-87	-87
	3	-666	-469	-412	-194	-126	-112	-112	-112
	4	-698	-544	-480	-244	-176	-162	-162	-162
	5	-823	-644	-605	-369	-301	-287	-287	-287
	6	-936	-726	-679	-443	-384	-369	-369	-369
	7	-1011	-818	-761	-507	-484	-469	-469	-469
33	1 & 2	-741	-519	-462	-139	-118	-112	-112	-112
	3	-741	-519	-462	-139	-118	-112	-112	-112
	4	-816	-594	-530	-170	-148	-142	-142	-142
	5	-966	-712	-648	-249	-220	-214	-214	-214
	6	-1029	-793	-772	-301	-291	-285	-285	-285
	7	-1104	-893	-829	-365	-347	-341	-341	-341
43	1-3	-791	-632	-528	-361	-315	-298	-298	-298
	4	-866	-678	-574	-400	-334	-318	-318	-318
	5	-991	-779	-693	-541	-492	-485	-485	-485
	6	-1079	-898	-830	-686	-661	-655	-655	-655
	7	-1154	-1014	-921	-779	-754	-748	-748	-748
53	1-4	-957	-789	-708	-543	-514	-511	-511	-511
	5	-1057	-883	-832	-672	-643	-640	-640	-640
	6	-1175	-1052	-983	-822	-804	-801	-801	-801
	7	-1250	-1125	-1094	-918	-903	-900	-900	-900
63	1-5	-1175	-1035	-971	-800	-763	-760	-760	-760
	6	-1250	-1133	-1058	-884	-861	-857	-857	-857
34	1 & 2	-822	-651	-601	-364	-347	-347	-347	-347
	3	-822	-651	-601	-364	-347	-347	-347	-347
	4	-947	-776	-701	-464	-447	-447	-447	-447
	5	-1047	-876	-826	-589	-572	-572	-572	-572
	6	-1197	-1026	-976	-739	-722	-722	-722	-722
44	1-3	-939	-768	-718	-482	-464	-464	-464	-464
	4	-1014	-868	-768	-532	-514	-514	-514	-514
	5	-1107	-943	-868	-632	-614	-614	-614	-614
	6	-1257	-1086	-1036	-800	-782	-782	-782	-782
54	1-4	-1039	-893	-843	-607	-589	-589	-589	-589
	5	-1132	-968	-893	-667	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-936
25-26	-892
27-29	-580
30-32	-341
33-34	-176
Base 35-36	0
37-42	13
Base 43-49	0
50-52	-222
53 & Above	-362

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-291
22.0 - 22.9	-238
23.0 - 23.9	-195
24.0 - 24.9	-171
25.0 - 25.9	-147
26.0 - 26.9	-42
Base 27.0 - 28.9	0
29.0 - 29.9	5
30.0 - 30.9	22
31.0 - 32.9	40
33.0 & above	42

Uniformity	
Unit	Points
77.9 & Below	-102
78.0 - 78.9	-88
79.0 - 79.9	-76
80.0 - 80.9	-8
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	16
84.0 - 84.9	24
85.0 - 85.9	34
86.0 & Above	44

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-159
Level 2	-638
Other (ET-OK and WT Bark not included)	
Level 1	-446
Level 2	-710
Bark	
Level 1	-216
Level 2	-236