

COTTON PRICE STATISTICS 2015-2016




ANNUAL REPORT

**UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, TN**

ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 61.15 cents per pound for the 2015-2016 season, down from 62.02 cents for the 2014-2015 season. The season's highest lowest daily quotation for the base quality occurred on March 2, 2016 at 54.56 cents per pound and the season's highest quotation was 72.51 cents on July 29, 2015. The lowest monthly average for the marketing year was 55.96 cents per pound in March 2016 and the highest was 69.25 cents per pound in July 2016.

2015-2016
7-Market Monthly Averages



Source: USDA, AMS, Cotton and Tobacco Program

■ 41-4-34 ■ 31-4-34

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 62.52 cents per pound for the 2015-2016 season, down from 63.35 cents for the 2014-2015 season.

The average price received by farmers for Upland cotton in July was 61.30 cents per pound in the 2015-2016 marketing year. The 2014-2015 marketing year average price was 61.30 cents, compared to the 2013-2014 marketing year of 77.90 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,534,693 running bales in the 2015-2016 marketing year, down from 2,127,286 bales in the 2014-2015 marketing year and 1,369,602 bales in 2013-2014.

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2010-2015 1/ 2/

Market Areas	2010	2011	2012	2013	2014	2015
Southeast	139.70	87.75	77.50	82.74	63.55	63.31
North Delta	139.02	86.90	76.56	81.85	62.64	62.43
South Delta	139.02	86.95	76.56	81.85	62.64	62.65
East Texas-Oklahoma	135.51	83.30	73.78	79.27	60.75	59.30
West Texas	135.10	83.31	73.68	79.13	60.71	59.22
Desert Southwest	137.91	85.73	73.68	78.23	61.57	59.98
San Joaquin Valley	138.91	86.74	74.74	78.88	62.32	61.13
Average	67.76	137.88	85.81	75.24	62.02	61.15

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2010 2/	7-Mar-11	209.60	2-Aug-11	80.18
2011 2/	14-Sep-11	110.87	5-Jun-12	60.71
2012 2/	13-Jun-13	87.55	8-Nov-12	65.11
2013 3/	16-Aug-13	89.14	31-Jul-14	63.53
2014 3/	11-Sep-14	69.64	23-Jan-15	56.36
2015 3/	29-Jul-16	72.51	2-Mar-16	54.56

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4. 3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2015-2016 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1		60.77	58.79		62.03		60.85	54.83	57.25		61.30	63.39
2		60.34	58.46	61.78	61.89		61.21	54.56		61.94	61.09	
3	62.11	60.30		60.91	62.21		60.81	55.04		60.79	62.12	
4	61.65	60.26		60.39	63.11	61.51	59.09	55.69	57.08	60.52		
5	61.46		59.91	60.39		61.52	58.94		57.04	59.67		63.63
6	60.21		60.06	60.26		60.89			56.86	59.77	63.79	63.65
7	59.48		60.11		63.16	60.34		55.91	57.06		64.07	63.57
8		60.49	60.09		63.06	60.29	58.61	55.40	58.09		64.02	64.26
9		60.66	59.94	60.43	63.40		57.64	55.21		59.41	63.44	
10	59.80	60.84		60.45	62.37		57.88	55.38		59.11	63.21	
11	59.36	61.42		60.77	62.29	60.43	57.55	55.61	58.76	58.89		66.49
12	62.36		59.99	60.39		60.49	57.89		59.47	59.13		69.49
13	63.61		62.19	60.38		60.89			59.56	59.12	62.24	71.81
14	63.61	60.86	62.04		62.02	60.71		56.74	58.56		61.49	72.19
15		60.23	61.67		61.97	60.29		56.71	58.13		61.04	72.22
16		59.77	62.14	61.04	61.96		58.60	56.76		59.53	61.82	
17	64.41	60.21		61.09	61.78		58.32	56.79		60.54	64.07	
18	64.45	58.61		61.39	62.42		58.29	55.83	60.13	60.43		72.06
19	63.90		61.56	61.69		61.34	58.14		60.73	59.44		71.36
20	64.19		62.09	61.56		60.94			61.46	59.87	63.16	70.36
21	64.17	58.85	62.56		62.09	61.03		56.55	61.44		61.84	71.08
22		58.14	60.84		61.94	61.32	57.28	56.76	61.35		61.88	70.91
23		58.12	61.01	60.54	61.48		56.61	56.78		59.71	63.41	
24	61.17	58.44		60.78	62.15		56.04	56.09		61.11	62.70	
25	60.61	58.74		61.81		60.54	56.29		61.74	61.18		70.48
26	59.61		60.38			60.33	56.13		61.70	62.63		71.99
27	60.95		60.74	62.49		59.83			61.89	62.59	62.81	72.13
28	60.89	58.82	61.05		62.55	60.33		56.14	61.39		64.28	71.34
29		59.07	60.80		62.48	60.13	55.11	55.70	61.37		64.48	72.51
30		58.67	61.80	61.21	62.62			55.98			62.91	
31	60.89				61.99			56.64		62.21		
Average	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.57	60.36	62.78	69.25
High	64.45	61.42	62.56	62.49	63.40	61.52	61.21	56.79	61.89	62.63	64.48	72.51
Low	59.36	58.12	58.46	60.26	61.48	59.83	55.11	54.56	56.86	58.89	61.04	63.39

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2015-2016 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	63.64	61.01	62.56	63.31	64.96	63.39	60.63	58.49	62.65	62.69	64.88	71.51	63.31
North Delta	62.89	60.26	61.75	62.41	63.72	62.01	59.38	57.49	61.92	62.44	64.52	70.39	62.43
South Delta	62.89	62.89	61.75	62.41	63.72	62.01	59.38	57.49	61.92	62.44	64.52	70.39	62.65
East Texas-Oklahoma	59.31	59.31	60.18	59.41	60.85	59.42	56.83	54.20	56.15	57.93	60.56	67.45	59.30
West Texas	58.95	58.95	59.47	59.60	60.74	59.64	56.85	54.33	56.19	57.93	60.56	67.45	59.22
Desert Southwest	62.14	62.14	59.54	59.38	60.52	58.57	56.13	54.24	58.46	58.94	61.59	68.14	59.98
San Joaquin Valley	63.14	63.14	60.54	60.38	61.71	59.79	57.25	55.49	59.71	60.19	62.84	69.39	61.13
Average	61.85	61.85	60.83	60.99	62.32	60.69	58.06	55.96	59.57	60.36	62.78	69.25	61.21

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2015-2016 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	65.39	62.76	64.31	65.06	66.71	65.14	62.38	60.24	64.40	64.44	65.95	72.26	64.92
North Delta	63.39	60.76	62.25	63.01	64.47	62.76	60.13	58.24	62.67	63.19	65.27	71.14	63.11
South Delta	63.39	63.39	62.25	63.01	64.47	62.76	60.13	58.24	62.67	63.19	65.27	71.14	63.33
East Texas-Oklahoma	60.31	60.31	61.18	60.41	61.85	60.42	57.83	55.10	56.90	58.68	61.31	68.20	60.21
West Texas	58.95	58.95	59.47	59.60	60.74	59.86	57.10	54.58	56.44	58.18	60.81	67.70	59.36
Desert Southwest	63.64	63.64	61.04	60.88	62.02	60.07	57.63	55.74	59.96	60.44	63.09	69.64	61.48
San Joaquin Valley	66.79	66.79	64.19	64.03	65.36	63.44	60.90	59.14	63.36	63.84	66.49	73.04	64.78
Average	63.12	63.12	62.10	62.29	63.66	62.06	59.44	57.32	60.92	61.71	64.03	70.45	62.52

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 11. United States spot cotton differences, season averages

August 2015 - May 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-325	-235	-70	184	522	691	757	797
	3	-387	-255	-87	159	459	617	678	717
	4	-437	-278	-185	57	255	363	402	402
	5	-525	-384	-301	-78	97	162	193	193
	6	-687	-506	-454	-320	-211	-179	-164	-164
	7	-762	-601	-571	-427	-343	-308	-295	-295
31	1 & 2	-400	-250	-119	143	458	642	688	721
	3	-437	-260	-128	131	408	587	630	666
	4	-512	-303	-235	39	212	287	324	330
	5	-575	-404	-321	-139	29	83	115	115
	6	-725	-521	-462	-345	-251	-221	-202	-202
	7	-812	-616	-579	-442	-371	-342	-324	-324
41	1 & 2	-525	-331	-250	45	229	311	329	340
	3	-550	-341	-258	33	176	263	285	295
	4	-600	-371	-329	61.03	137	209	235	238
	5	-650	-485	-429	-283	-155	-96	-83	-83
	6	-800	-586	-562	-451	-349	-315	-308	-308
	7	-912	-696	-694	-585	-496	-485	-480	-480
51	1 & 2	-662	-529	-416	-283	-121	-91	-87	-87
	3	-662	-565	-424	-306	-144	-110	-106	-106
	4	-712	-590	-457	-360	-215	-187	-175	-175
	5	-762	-675	-626	-493	-353	-321	-311	-311
	6	-925	-766	-741	-616	-534	-520	-513	-513
	7	-1025	-831	-863	-750	-671	-660	-657	-657
61	1-5	-787	-716	-647	-495	-438	-428	-428	-428
	6	-937	-841	-781	-658	-615	-600	-600	-600
	7	-1037	-963	-888	-751	-708	-698	-698	-698
71	1-6	-987	-1043	-988	-824	-781	-776	-776	-776
	7	-1075	-1083	-1038	-866	-836	-831	-831	-831
12 & 22	1 & 2	-501	-285	-184	85	317	429	460	485
	3	-539	-305	-197	60	268	382	418	441
	4	-576	-330	-289	-42	195	288	317	320
	5	-676	-500	-450	-263	-111	-68	-43	-43
	6	-839	-613	-590	-463	-350	-329	-304	-304
	7	-933	-703	-707	-599	-509	-488	-470	-470
32	1 & 2	-539	-385	-284	-57	89	160	169	183
	3	-576	-400	-297	-75	56	136	144	158
	4	-632	-448	-355	-192	-41	15	23	23
	5	-744	-594	-511	-379	-260	-225	-225	-225
	6	-907	-688	-673	-547	-448	-434	-434	-434
	7	-1026	-790	-780	-671	-593	-586	-586	-586
42	1-3	-632	-491	-425	-285	-130	-83	-83	-83
	4	-682	-536	-446	-324	-195	-149	-149	-149
	5	-807	-671	-581	-469	-336	-318	-318	-318
	6	-1019	-783	-747	-606	-532	-521	-521	-521
	7	-1114	-876	-842	-741	-667	-664	-664	-664
52	1-4	-836	-666	-593	-539	-463	-456	-456	-456
	5	-911	-748	-707	-626	-550	-550	-550	-550
	6	-1123	-903	-861	-765	-706	-706	-706	-706
	7	-1205	-991	-993	-907	-855	-851	-851	-851
62	1-5	-961	-880	-815	-678	-645	-645	-645	-645
	6	-1155	-1051	-986	-830	-801	-801	-801	-801

Table 11. United States (Continued)

August 2015 - May 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-678	-515	-453	-199	-124	-99	-99	-99
	3	-715	-540	-478	-224	-149	-124	-124	-124
	4	-753	-615	-540	-274	-199	-174	-174	-174
	5	-878	-715	-665	-399	-324	-299	-299	-299
	6	-990	-790	-728	-461	-411	-386	-386	-386
	7	-1072	-885	-822	-543	-518	-493	-493	-493
	33	1 & 2	-790	-590	-528	-332	-294	-277	-277
3		-790	-590	-528	-332	-294	-277	-277	-277
4		-865	-665	-590	-399	-361	-344	-344	-344
5		-1015	-778	-703	-557	-511	-494	-494	-494
6		-1078	-853	-815	-691	-677	-660	-660	-660
7		-1160	-960	-885	-820	-798	-782	-782	-782
43		1-3	-840	-744	-630	-510	-468	-447	-447
	4	-915	-789	-680	-556	-498	-480	-480	-480
	5	-1040	-861	-794	-704	-648	-638	-638	-638
	6	-1128	-950	-892	-813	-793	-786	-786	-786
	7	-1210	-1073	-994	-937	-917	-909	-909	-909
53	1-4	-990	-889	-824	-675	-633	-629	-629	-629
	5	-1090	-973	-927	-772	-736	-732	-732	-732
	6	-1203	-1110	-1034	-878	-850	-846	-846	-846
	7	-1285	-1173	-1169	-1003	-986	-982	-982	-982
63	1-5	-1203	-1090	-1025	-854	-814	-809	-809	-809
	6	-1285	-1178	-1103	-923	-898	-893	-893	-893
34	1 & 2	-865	-715	-665	-399	-386	-386	-386	-386
	3	-865	-715	-665	-399	-386	-386	-386	-386
	4	-990	-840	-765	-499	-486	-486	-486	-486
	5	-1090	-940	-890	-624	-611	-611	-611	-611
	6	-1247	-1097	-1047	-797	-785	-784	-784	-784
44	1-3	-978	-828	-778	-511	-499	-499	-499	-499
	4	-1053	-928	-828	-561	-549	-549	-549	-549
	5	-1140	-1003	-928	-661	-649	-649	-649	-649
	6	-1297	-1147	-1097	-847	-835	-834	-834	-834
54	1-4	-1078	-953	-903	-636	-624	-624	-624	-624
	5	-1172	-1035	-960	-722	-710	-709	-709	-709

Mike	
Range	Diff.
24 & Below	-1012
25-26	-943
27-29	-791
30-32	-452
33-34	-230
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-274
53 & Above	-397

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-317
22.0 - 22.9	-254
23.0 - 23.9	-196
24.0 - 24.9	-211
25.0 - 25.9	-179
26.0 - 26.9	-86
Base 27.0 - 28.9	0
29.0 - 29.9	5
30.0 - 30.9	32
31.0 - 32.9	55
33.0 & above	81

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	5
83.0 - 83.9	26
84.0 - 84.9	35
85.0 - 85.9	45
86.0 & Above	55

Extraneous Matter	
Prep	Diff.
Level 1	-150
Level 2	-686
Bark	
Level 1	-418
Level 2	-753
Other	
Level 1	-350
Level 2	-513

Table 7. Southeast spot cotton differences, season average.

August 2015 - July 2016

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-100	186	346	489	539	539	25-26	-825
	3	-225	-100	186	311	464	514	514	27-29	-425
	4	-225	-125	111	203	364	389	389	30-32	-275
	5	-375	-225	-125	111	203	203	203	33-34	-150
	6	-500	-350	-300	-175	-150	-150	-150	Base 35-36	0
	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	31	1 & 2	-225	-100	161	311	464	489	489	Base 43-49
3		-225	-100	161	311	439	464	464	50-52	-191
4		-225	-150	111	203	339	364	364	53 & Above	-341
5		-375	-225	-125	111	153	153	153		
6		-500	-350	-300	-225	-200	-200	-200		
7		-625	-475	-450	-400	-375	-375	-375		
41		1 & 2	-275	-125	111	238	353	353	378	Strength
	3	-275	-125	111	196	328	328	353	(Grams per Tex)	
	4	-275	-150	63.31	163	303	303	328	Range	Diff.
	5	-450	-350	-200	-100	-50	-50	-50	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	51	1 & 2	-466	-272	-147	-147	-122	-122	-122	24.0 - 24.9
3		-541	-297	-222	-197	-147	-147	-147	25.0 - 25.9	-200
4		-566	-297	-247	-247	-222	-222	-222	26.0 - 26.9	-25
5		-666	-522	-422	-372	-347	-347	-347	Base 27.0 - 28.9	0
6		-741	-566	-516	-516	-491	-491	-491	29.0 - 29.9	0
7		-816	-691	-666	-666	-641	-641	-641	30.0 - 30.9	25
61		1-5	-766	-683	-608	-591	-591	-591	-591	31.0 - 32.9
	6	-941	-866	-816	-791	-791	-791	-791	33.0 & above	50
	7	-1066	-941	-891	-866	-866	-866	-866		
71	1-6	-1066	-991	-941	-941	-941	-941	-941		
	7	-1091	-1016	-966	-966	-966	-966	-966		
12 & 22	1 & 2	-275	-125	136	246	361	361	386	Extraneous Matter	
	3	-275	-125	136	203	336	336	361	Prep	Diff.
	4	-275	-125	0	163	303	303	328	Level 1	-147
	5	-425	-325	-200	-75	-50	-50	-50	Level 2	-800
	6	-550	-425	-425	-350	-325	-325	-325		
	7	-650	-550	-550	-500	-475	-475	-475	Other	Diff.
	32	1 & 2	-325	-175	-25	0	50	50	50	Level 1
3		-350	-200	-50	0	25	25	25	Level 2	-800
4		-450	-200	-150	-100	-50	-50	-50		
5		-525	-350	-300	-275	-250	-250	-250		
6		-600	-450	-450	-425	-400	-400	-400		
7		-700	-575	-575	-550	-525	-525	-525		
42		1-3	-476	-323	-223	-173	-148	-148	-148	Uniformity
	4	-551	-323	-273	-248	-223	-223	-223	Unit	Points
	5	-651	-480	-387	-337	-312	-312	-312	77.9 & Below	-125
	6	-702	-621	-519	-494	-469	-469	-469	78.0 - 78.9	-110
	7	-802	-677	-652	-627	-602	-602	-602	79.0 - 79.9	-100
52	1-4	-680	-508	-483	-408	-408	-408	-408	80.0 - 80.9	-25
	5	-739	-692	-617	-592	-592	-592	-592	Base 81.0 - 81.9	0
	6	-840	-815	-765	-740	-740	-740	-740	82.0 - 82.9	0
	7	-1016	-941	-891	-866	-866	-866	-866	83.0 - 83.9	20
62	1-5	-848	-773	-723	-723	-723	-723	-723	84.0 - 84.9	30
	6	-1066	-991	-941	-941	-941	-941	-941	85.0 - 85.9	40
43	1-3	-709	-643	-593	-543	-518	-518	-518	86.0 & Above	50
	4	-734	-693	-643	-568	-543	-543	-543		
	5	-843	-777	-702	-677	-677	-677	-677		
	6	-941	-866	-816	-791	-791	-791	-791		
	7	-1066	-941	-891	-866	-866	-866	-866		
53	1-4	-811	-711	-645	-611	-611	-611	-611		
	5	-953	-903	-803	-803	-803	-803	-803		
	6	-1091	-1041	-941	-941	-941	-941	-941		
	7	-1191	-1141	-1041	-1041	-1041	-1041	-1041		
63	1-5	-1066	-1016	-916	-916	-916	-916	-916		
	6	-1191	-1141	-1041	-1041	-1041	-1041	-1041		

Table 8. North Delta spot cotton differences, season average.

August 2015 - July 2016

Color	Leaf	Staple							Mike		
		32	33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-233	-83	93	375	493	543	543	25-26	-1000	
	3	-233	-83	68	325	412	462	462	27-29	-650	
	4	-275	-200	25	225	343	368	368	30-32	-325	
	5	-450	-325	-25	100	125	150	150	33-34	-125	
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0	
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25	
	31	1 & 2	-233	-158	68	325	468	493	493	Base 43-49	0
3		-233	-158	68	275	412	437	437	50-52	-211	
4		-275	-250	25	225	268	293	293	53 & Above	-361	
5		-450	-325	-125	25	50	75	75			
6		-500	-475	-350	-275	-275	-275	-275			
7		-600	-575	-450	-375	-375	-375	-375			
41		1 & 2	-350	-250	50	275	325	350	350	Strength	
	3	-350	-250	25	225	300	325	325	(Grams per Tex)		
	4	-375	-275	62.43	200	225	250	250	Range	Diff.	
	5	-525	-400	-275	-175	-125	-125	-125	21.0 - 21.9	-300	
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250	
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200	
	51	1 & 2	-602	-387	-312	-162	-162	-162	-162	24.0 - 24.9	-175
3		-634	-394	-352	-202	-202	-202	-202	25.0 - 25.9	-150	
4		-659	-419	-377	-277	-277	-277	-277	26.0 - 26.9	-25	
5		-734	-634	-484	-402	-377	-377	-377	Base 27.0 - 28.9	0	
6		-814	-752	-602	-527	-527	-527	-527	29.0 - 29.9	0	
7		-864	-884	-716	-627	-627	-627	-627	30.0 - 30.9	25	
61		1-5	-764	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-889	-789	-775	-750	-750	-750	-750	33.0 & above	50	
	7	-1025	-925	-875	-850	-850	-850	-850			
71	1-6	-1225	-1175	-1039	-989	-989	-989	-989			
	7	-1275	-1225	-1075	-1039	-1039	-1039	-1039			
12 & 22	1 & 2	-275	-125	50	300	350	375	375	Extraneous Matter		
	3	-275	-125	25	250	300	350	350	Prep	Diff.	
	4	-300	-250	-100	200	250	275	275	Level 1	-200	
	5	-500	-375	-200	-150	-125	-100	-100	Level 2	-800	
	6	-625	-550	-425	-325	-300	-275	-275			
	7	-675	-650	-525	-450	-425	-425	-425	Other	Diff.	
	32	1 & 2	-400	-250	-100	0	44	44	44	Level 1	-375
3		-400	-250	-100	-25	25	25	25	Level 2	-785	
4		-425	-275	-200	-100	-75	-75	-75			
5		-582	-425	-250	-225	-200	-200	-200			
6		-700	-650	-475	-425	-400	-400	-400			
7		-800	-750	-575	-525	-525	-525	-525			
42		1-3	-496	-371	-296	-171	-171	-171	-171	Uniformity	
	4	-521	-396	-321	-246	-246	-246	-246	Unit	Points	
	5	-671	-521	-396	-346	-321	-321	-321	77.9 & Below	-90	
	6	-850	-750	-546	-496	-471	-471	-471	78.0 - 78.9	-80	
	7	-900	-800	-646	-596	-596	-596	-596	79.0 - 79.9	-70	
	52	1-4	-677	-502	-452	-427	-427	-427	-427	80.0 - 80.9	0
		5	-752	-652	-577	-527	-527	-527	-527	Base 81.0 - 81.9	0
6		-902	-802	-727	-702	-702	-702	-702	82.0 - 82.9	0	
7		-927	-902	-827	-802	-802	-802	-802	83.0 - 83.9	30	
62	1-5	-952	-852	-777	-752	-752	-752	-752	84.0 - 84.9	40	
	6	-1102	-1002	-877	-852	-852	-852	-852	85.0 - 85.9	50	
43	1-3	-827	-602	-427	-402	-402	-402	-402	86.0 & Above	60	
	4	-852	-627	-452	-427	-427	-427	-427			
	5	-877	-777	-702	-677	-677	-677	-677			
	6	-977	-877	-802	-777	-777	-777	-777			
	7	-1127	-1027	-952	-927	-927	-927	-927			
53	1-4	-927	-827	-752	-727	-727	-727	-727			
	5	-1002	-927	-852	-827	-827	-827	-827			
	6	-1177	-1027	-952	-927	-927	-927	-927			
	7	-1202	-1152	-1052	-1027	-1027	-1027	-1027			
63	1-5	-1152	-1102	-1027	-1002	-1002	-1002	-1002			
	6	-1202	-1152	-1027	-1002	-1002	-1002	-1002			

Table 9. South Delta spot cotton differences, season average.

August 2015 - July 2016

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-233	-83	93	375	493	543	543	25-26	-1100
	3	-233	-83	68	325	412	462	462	27-29	-750
	4	-283	-200	25	225	343	368	368	30-32	-325
	5	-396	-307	-7	100	125	150	150	33-34	-125
	6	-482	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-582	-575	-450	-375	-375	-375	-375	37-42	25
									Base 43-49	0
31	1 & 2	-233	-150	68	325	468	493	493	50-52	-211
	3	-233	-150	68	275	412	437	437	53 & Above	-361
	4	-283	-250	25	225	268	293	293		
	5	-396	-325	-107	25	50	75	75		
	6	-482	-475	-350	-275	-275	-275	-275		
	7	-582	-575	-450	-375	-375	-375	-375		
41	1 & 2	-332	-250	32	275	325	350	350	Strength	
	3	-332	-250	25	225	300	325	325	(Grams per Tex)	
	4	-357	-275	62.43	200	225	250	250	Range	Diff.
	5	-525	-400	-275	-175	-125	-125	-125	21.0 - 21.9	-275
	6	-557	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-682	-639	-514	-450	-450	-450	-450	23.0 - 23.9	-175
									24.0 - 24.9	-125
51	1 & 2	-602	-387	-312	-162	-162	-162	-162	25.0 - 25.9	-100
	3	-652	-402	-334	-202	-202	-202	-202	26.0 - 26.9	-25
	4	-677	-427	-359	-277	-277	-277	-277	Base 27.0 - 28.9	0
	5	-752	-652	-502	-402	-377	-377	-377	29.0 - 29.9	0
	6	-852	-752	-602	-527	-527	-527	-527	30.0 - 30.9	25
	7	-927	-902	-752	-627	-627	-627	-627	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-800	-675	-650	-575	-575	-575	-575		
	6	-925	-825	-757	-732	-732	-732	-732		
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	300	350	375	375	Extraneous Matter	
	3	-275	-125	25	250	300	350	350	Prep	Diff.
	4	-300	-250	-100	200	250	275	275	Level 1	-200
	5	-500	-375	-200	-150	-125	-100	-100	Level 2	-800
	6	-589	-514	-389	-325	-300	-275	-275		
	7	-675	-650	-525	-450	-425	-425	-425	Other	Diff.
									Level 1	-375
32	1 & 2	-400	-250	-82	0	44	44	44	Level 2	-785
	3	-400	-250	-82	-25	25	25	25		
	4	-425	-275	-182	-82	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-496	-371	-296	-171	-171	-171	-171	Uniformity	
	4	-521	-396	-321	-246	-221	-221	-221	Unit	Points
	5	-671	-521	-396	-346	-321	-321	-321	77.9 & Below	-90
	6	-850	-750	-546	-471	-446	-446	-446	78.0 - 78.9	-80
	7	-900	-800	-646	-596	-596	-596	-596	79.0 - 79.9	-70
									80.0 - 80.9	0
									Base 81.0 - 81.9	0
52	1-4	-677	-502	-452	-427	-427	-427	-427	82.0 - 82.9	0
	5	-752	-652	-577	-527	-527	-527	-527	83.0 - 83.9	30
	6	-902	-802	-727	-702	-702	-702	-702	84.0 - 84.9	40
	7	-927	-902	-827	-802	-802	-802	-802	85.0 - 85.9	50
62	1-5	-952	-852	-777	-752	-752	-752	-752	86.0 & Above	60
	6	-1102	-1002	-877	-852	-852	-852	-852		
43	1-3	-827	-602	-402	-377	-377	-377	-377		
	4	-852	-627	-452	-409	-409	-409	-409		
	5	-877	-777	-702	-677	-677	-677	-677		
	6	-977	-877	-802	-777	-777	-777	-777		
	7	-1127	-1027	-952	-927	-927	-927	-927		
53	1-4	-927	-827	-752	-727	-727	-727	-727		
	5	-1002	-927	-852	-827	-827	-827	-827		
	6	-1177	-1027	-952	-927	-927	-927	-927		
	7	-1202	-1152	-1052	-1027	-1027	-1027	-1027		
63	1-5	-1152	-1102	-1027	-1002	-1002	-1002	-1002		
	6	-1202	-1152	-1027	-1002	-1002	-1002	-1002		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2015 - July 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-334	-266	-91	91	323	488	571	571
	3	-384	-316	-116	91	248	338	421	421
	4	-459	-316	-141	50	135	299	319	319
	5	-509	-384	-334	-75	87	191	211	211
	6	-659	-509	-509	-275	-263	-159	-159	-159
	7	-734	-609	-609	-350	-338	-234	-234	-234
31	1 & 2	-384	-291	-91	91	273	456	519	519
	3	-409	-316	-116	91	198	331	394	394
	4	-509	-391	-191	0	110	183	203	203
	5	-559	-409	-359	-125	12	100	120	120
	6	-684	-534	-534	-300	-288	-200	-200	-200
	7	-759	-634	-634	-375	-363	-300	-300	-300
41	1 & 2	-484	-309	-134	16	153	266	285	285
	3	-509	-334	-159	16	103	141	160	160
	4	-559	-409	-309	59.29	53	116	135	135
	5	-634	-459	-409	-150	-88	75	95	95
	6	-784	-584	-559	-325	-313	-200	-200	-200
	7	-884	-684	-659	-425	-388	-375	-375	-375
51	1 & 2	-634	-484	-384	-50	-38	25	45	45
	3	-634	-509	-384	-50	-38	25	45	45
	4	-684	-534	-409	-125	-88	-25	-5	-5
	5	-734	-609	-559	-225	-163	-150	-130	-130
	6	-909	-709	-709	-375	-363	-350	-350	-350
	7	-1009	-734	-734	-450	-438	-425	-425	-425
61	1-5	-759	-609	-559	-225	-213	-200	-200	-200
	6	-934	-734	-709	-400	-363	-350	-350	-350
	7	-1034	-834	-809	-500	-463	-450	-450	-450
71	1-6	-959	-859	-809	-475	-463	-450	-450	-450
	7	-1059	-909	-884	-550	-538	-525	-525	-525
12 & 22	1 & 2	-536	-336	-161	72	172	297	297	297
	3	-561	-386	-211	47	122	222	222	222
	4	-611	-411	-236	-3	72	222	222	222
	5	-686	-586	-536	-278	-128	47	47	47
	6	-861	-686	-686	-428	-378	-353	-353	-353
	7	-975	-800	-775	-516	-466	-441	-441	-441
32	1 & 2	-561	-486	-311	-53	72	197	197	197
	3	-586	-486	-336	-53	-12	138	138	138
	4	-636	-511	-411	-128	-87	-12	-12	-12
	5	-736	-636	-611	-303	-212	-37	-37	-37
	6	-911	-736	-736	-478	-453	-428	-428	-428
	7	-1050	-850	-850	-566	-541	-516	-516	-516
42	1-3	-611	-536	-461	-103	-53	22	22	22
	4	-661	-561	-486	-128	-87	-37	-37	-37
	5	-811	-686	-636	-353	-287	-287	-287	-287
	6	-1036	-786	-761	-503	-478	-478	-478	-478
	7	-1150	-900	-875	-616	-566	-566	-566	-566
	52	1-4	-811	-661	-586	-378	-362	-362	-362
52	5	-886	-761	-661	-428	-412	-412	-412	-412
	6	-1111	-961	-886	-578	-553	-553	-553	-553
	7	-1200	-1075	-1000	-691	-666	-666	-666	-666
	62	1-5	-936	-836	-811	-503	-478	-478	-478
62	6	-1150	-1025	-1000	-691	-666	-666	-666	-666

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-737	-612	-537	-203	-128	-78	-78	-78
	3	-762	-637	-562	-228	-153	-103	-103	-103
	4	-812	-712	-612	-278	-203	-153	-153	-153
	5	-937	-812	-737	-403	-328	-278	-278	-278
	6	-1062	-887	-787	-453	-428	-378	-378	-378
	7	-1150	-975	-900	-567	-542	-491	-491	-491
	33	1 & 2	-837	-687	-612	-253	-187	-137	-137
3		-837	-687	-612	-253	-187	-137	-137	-137
4		-912	-762	-662	-303	-237	-187	-187	-187
5		-1062	-862	-762	-428	-362	-312	-312	-312
6		-1137	-937	-862	-503	-487	-437	-437	-437
7		-1225	-1050	-950	-617	-601	-551	-551	-551
43		1-3	-887	-762	-662	-303	-237	-187	-187
	4	-962	-837	-712	-328	-262	-212	-212	-212
	5	-1087	-937	-812	-453	-387	-337	-337	-337
	6	-1187	-1012	-912	-553	-537	-487	-487	-487
	7	-1275	-1100	-1000	-642	-626	-576	-576	-576
53	1-4	-1012	-937	-837	-503	-462	-437	-437	-437
	5	-1112	-1012	-937	-578	-537	-512	-512	-512
	6	-1212	-1112	-1037	-678	-662	-637	-637	-637
	7	-1300	-1200	-1150	-767	-742	-716	-716	-716
63	1-5	-1212	-1087	-987	-628	-553	-528	-528	-528
	6	-1300	-1200	-1075	-717	-692	-666	-666	-666
34	1 & 2	-912	-812	-762	-428	-428	-428	-428	-428
	3	-912	-812	-762	-428	-428	-428	-428	-428
	4	-1037	-937	-862	-528	-528	-528	-528	-528
	5	-1137	-1037	-987	-653	-653	-653	-653	-653
	6	-1300	-1200	-1150	-817	-817	-816	-816	-816
44	1-3	-1012	-912	-862	-528	-528	-528	-528	-528
	4	-1087	-1012	-912	-578	-578	-578	-578	-578
	5	-1162	-1087	-1012	-678	-678	-678	-678	-678
	6	-1325	-1225	-1175	-842	-842	-841	-841	-841
54	1-4	-1112	-1037	-987	-653	-653	-653	-653	-653
	5	-1200	-1125	-1050	-717	-717	-716	-716	-716

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	10
30.0 - 30.9	35
31.0 - 32.9	53
33.0 & above	74

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-350
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 10. West Texas spot cotton differences, monthly average.

August 2015 - July 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-316	-216	-16	90	313	473	541	566
	3	-391	-266	-91	40	213	373	441	466
	4	-416	-291	-166	40	200	308	351	351
	5	-541	-316	-266	-41	144	228	228	228
	6	-716	-541	-466	-216	-188	-159	-159	-159
	7	-791	-591	-541	-291	-263	-234	-234	-234
31	1 & 2	-416	-266	-91	23	207	367	410	435
	3	-466	-291	-116	14	182	342	385	410
	4	-516	-341	-241	14	69	186	229	254
	5	-591	-391	-316	-116	44	161	161	161
	6	-766	-591	-466	-241	-238	-200	-200	-200
	7	-866	-641	-541	-291	-288	-250	-250	-250
41	1 & 2	-566	-391	-191	6	150	217	255	255
	3	-591	-416	-216	6	90	207	245	245
	4	-641	-441	-366	59.15	30	132	170	170
	5	-666	-466	-391	-155	-36	51	51	51
	6	-816	-641	-566	-305	-261	-224	-224	-224
	7	-941	-741	-666	-405	-336	-299	-299	-299
51	1 & 2	-691	-491	-416	-110	-7	31	31	31
	3	-691	-491	-416	-110	-7	31	31	31
	4	-741	-516	-516	-210	-82	-44	-44	-44
	5	-791	-616	-616	-341	-238	-175	-175	-175
	6	-941	-716	-716	-466	-388	-325	-325	-325
	7	-1041	-816	-816	-566	-488	-450	-450	-450
61	1-5	-816	-641	-641	-341	-238	-200	-200	-200
	6	-941	-716	-716	-541	-438	-375	-375	-375
	7	-1041	-866	-841	-616	-513	-475	-475	-475
71	1-6	-1016	-841	-791	-591	-488	-475	-475	-475
	7	-1091	-866	-841	-616	-563	-550	-550	-550
12 & 22	1 & 2	-466	-266	-96	10	176	301	301	301
	3	-516	-316	-121	-15	126	251	251	251
	4	-541	-366	-296	-115	51	206	206	206
	5	-666	-491	-491	-291	-100	-100	-100	-100
	6	-816	-616	-616	-425	-350	-350	-350	-350
	7	-891	-716	-691	-500	-425	-425	-425	-425
32	1 & 2	-516	-316	-146	-40	26	101	101	101
	3	-566	-366	-171	-90	-24	101	101	101
	4	-627	-427	-342	-161	-45	80	80	80
	5	-752	-627	-577	-352	-211	-211	-211	-211
	6	-902	-702	-677	-477	-411	-411	-411	-411
	7	-1002	-802	-727	-577	-486	-486	-486	-486
42	1-3	-652	-452	-402	-177	-91	59	59	59
	4	-702	-527	-427	-202	-116	34	34	34
	5	-802	-677	-602	-377	-236	-236	-236	-236
	6	-1002	-727	-702	-502	-436	-436	-436	-436
	7	-1077	-877	-802	-627	-511	-511	-511	-511
52	1-4	-861	-636	-611	-461	-344	-344	-344	-344
	5	-936	-736	-686	-511	-394	-394	-394	-394
	6	-1136	-911	-861	-636	-544	-544	-544	-544
	7	-1211	-1011	-961	-736	-644	-644	-644	-644
62	1-5	-986	-811	-786	-611	-519	-519	-519	-519
	6	-1161	-961	-936	-761	-694	-694	-694	-694

Table 10. West Texas spot cotton differences, monthly average.

August 2015 - July 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-619	-419	-369	-194	-119	-119	-119	-119
	3	-669	-444	-394	-219	-144	-144	-144	-144
	4	-694	-519	-469	-269	-194	-194	-194	-194
	5	-819	-619	-594	-394	-319	-319	-319	-319
	6	-919	-694	-669	-469	-394	-394	-394	-394
	7	-994	-794	-744	-519	-494	-494	-494	-494
33	1 & 2	-744	-494	-444	-244	-194	-194	-194	-194
	3	-744	-494	-444	-244	-194	-194	-194	-194
	4	-819	-569	-519	-294	-244	-244	-244	-244
	5	-969	-694	-644	-444	-369	-369	-369	-369
	6	-1019	-769	-769	-494	-469	-469	-469	-469
	7	-1094	-869	-819	-619	-569	-569	-569	-569
43	1-3	-794	-594	-544	-319	-269	-269	-269	-269
	4	-869	-669	-594	-344	-269	-269	-269	-269
	5	-994	-769	-694	-469	-394	-394	-394	-394
	6	-1069	-844	-794	-569	-544	-544	-544	-544
	7	-1144	-944	-869	-644	-619	-619	-619	-619
	53	1-4	-969	-844	-769	-519	-469	-469	-469
5	-1069	-894	-844	-619	-569	-569	-569	-569	
6	-1194	-994	-944	-719	-694	-694	-694	-694	
7	-1269	-1069	-1044	-828	-803	-803	-803	-803	
63	1-5	-1194	-994	-919	-669	-594	-594	-594	-594
	6	-1269	-1094	-994	-803	-753	-753	-753	-753
34	1 & 2	-819	-619	-569	-369	-344	-344	-344	-344
	3	-819	-619	-569	-369	-344	-344	-344	-344
	4	-944	-744	-669	-469	-444	-444	-444	-444
	5	-1044	-844	-794	-594	-569	-569	-569	-569
	6	-1194	-994	-944	-778	-753	-753	-753	-753
	44	1-3	-944	-744	-694	-494	-469	-469	-469
4	-1019	-844	-744	-544	-519	-519	-519	-519	
5	-1119	-919	-844	-644	-619	-619	-619	-619	
6	-1269	-1069	-1019	-853	-828	-828	-828	-828	
54	1-4	-1044	-869	-819	-619	-594	-594	-594	-594
	5	-1144	-944	-869	-728	-703	-703	-703	-703

Mike	
Range	Diff.
24 & Below	-961
25-26	-911
27-29	-636
30-32	-436
33-34	-261
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-265
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	28
30.0 - 30.9	35
31.0 - 32.9	46
33.0 & above	68

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-350
Level 2	-500
Other	
Level 1	-525
Level 2	-575

Table 12. Desert Southwest spot cotton differences, season average.

August 2015 - July 2016

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-50	225	781	912	947	997	24 & Below	-1200	
	3	-50	200	699	879	896	964	25-26	-1000	
	4	-275	75	349	384	419	419	27-29	-900	
	5	-350	-150	58	133	218	218	30-32	-500	
	6	-450	-350	-100	-85	-30	-30	33-34	-300	
	7	-650	-375	-175	-140	-100	-100	Base 35-36	0	
	31	1 & 2	-125	175	724	879	914	964	37-42	25
3		-125	150	624	829	846	914	Base 43-49	0	
4		-325	50	249	334	376	394	50-52	-300	
5		-375	-175	-17	8	103	103	53 & Above	-542	
6		-475	-375	-135	-120	-40	-40			
7		-675	-400	-225	-195	-115	-115			
41		1 & 2	-550	0	58	159	169			219
3	-550	0	40	134	169	219	(Grams per Tex)			
4	-600	59.72	14	84	144	144	Range	Diff.		
5	-625	-500	-311	-301	-241	-241	21.0 - 21.9	-600		
6	-800	-675	-419	-409	-359	-359	22.0 - 22.9	-450		
7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300		
51	1 & 2	-650	-475	-209	-174	-164	-164	24.0 - 24.9	-225	
	3	-650	-475	-209	-174	-164	-164	25.0 - 25.9	-200	
	4	-675	-550	-334	-284	-224	-224	26.0 - 26.9	-125	
	5	-775	-725	-519	-494	-444	-444	Base 27.0 - 28.9	0	
	6	-950	-850	-619	-619	-569	-569	29.0 - 29.9	0	
	7	-1150	-1050	-850	-850	-825	-825	30.0 - 30.9	25	
	12 & 22	1 & 2	-475	50	350	410	470	470	31.0 - 32.9	50
3		-475	50	325	385	445	445	33.0 & above	100	
4		-575	0	250	310	395	395			
5		-600	-425	-125	-125	-50	-50			
6		-750	-625	-325	-325	-250	-250			
7		-925	-800	-575	-575	-500	-500			
32		1 & 2	-575	-200	175	260	270	270	Extraneous Matter	
	3	-575	-200	175	260	270	270	Prep	Diff.	
	4	-625	-425	0	85	95	95	Level 1	-50	
	5	-675	-675	-400	-400	-400	-400	Level 2	-800	
	6	-875	-800	-525	-525	-525	-525			
	7	-1025	-975	-775	-775	-775	-775	Other		
	42	1-3	-625	-450	-150	-100	-100	-100	Level 1	-350
4		-650	-525	-250	-200	-200	-200	Level 2	-800	
5		-725	-700	-450	-450	-450	-450			
6		-900	-825	-575	-575	-575	-575			
7		-1100	-1000	-825	-825	-825	-825			
52		1-4	-850	-725	-500	-450	-450	-450	Uniformity	
		5	-900	-800	-575	-575	-575	-575	Unit	Points
	6	-1000	-900	-675	-675	-675	-675	77.9 & Below	-100	
	7	-1250	-1150	-975	-950	-950	-950	78.0 - 78.9	-90	
	43	1-3	-725	-650	-575	-500	-500	-500	79.0 - 79.9	-80
4		-825	-750	-625	-575	-575	-575	80.0 - 80.9	0	
5		-925	-825	-650	-625	-625	-625	Base 81.0 - 81.9	0	
6		-1025	-925	-900	-900	-900	-900	82.0 - 82.9	0	
7		-1100	-1050	-1025	-1025	-1025	-1025	83.0 - 83.9	30	
53		1-4	-975	-875	-800	-800	-800	-800	84.0 - 84.9	40
	5	-1025	-925	-850	-850	-850	-850	85.0 - 85.9	50	
	6	-1125	-1025	-950	-950	-950	-950	86.0 & Above	60	
	7	-1375	-1275	-1275	-1275	-1275	-1275			

Table 9. San Joaquin Valley spot cotton differences, monthly average.

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	515	1140	1490	1616	1818	27-29	-1600
	3	465	1090	1440	1548	1731	30-32	-1000
	4	75	450	500	600	600	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	415	1040	1390	1498	1656		
	3	365	990	1340	1448	1606		
	4	50	400	430	510	510		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	450	530	540	540	Strength	
	3	50	350	430	440	440	(Grams per Tex)	
	4	60.87	300	380	390	390	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-575	-125	-75	-75	-75	29.0 - 29.9	0
	3	-600	-150	-100	-100	-100	30.0 - 30.9	51
	4	-650	-200	-175	-175	-175	31.0 - 32.9	86
	5	-750	-375	-325	-325	-325	33.0 & above	177
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	225	675	930	1041	1193		
	3	150	600	880	973	1106		
	4	25	425	475	540	540		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	100	350	425	475	575	Extraneous Matter	
	3	50	300	375	425	525	Prep	Diff.
	4	-100	125	150	200	200	Level 1	-50
	5	-525	-275	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750	Other	
							Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	33
	3	-500	-500	-500	-500	-500	83.0 - 83.9	63
	4	-600	-600	-600	-600	-600	84.0 - 84.9	73
	5	-800	-800	-800	-800	-800	85.0 - 85.9	83
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	93
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2015-2016

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	3,473	449	5,815	12,604	29,579	16,614	11,349	12,249	21,364	6,660	1,446	14,151	135,753
North Delta	920	195	289	3,927	646	5,953	286	3,533	1,679	0	0	0	17,428
South Delta	827	48	3,414	2,853	4,202	1,144	0	704	16	86	0	1,530	14,824
East Texas-Oklahoma	4,786	16,109	20,805	51,668	86,944	65,938	68,902	44,441	13,260	9,009	4,727	6,148	392,737
West Texas	7,770	4,181	25,328	142,415	294,410	200,900	109,981	65,004	29,244	12,241	10,347	34,538	936,359
Desert Southwest	0	43	476	2,619	7,770	5,390	5,568	1,042	97	100	102	0	23,207
San Joaquin Valley	0	0	0	2,200	1,232	0	0	0	0	0	0	0	3,432
Total	17,776	21,025	56,127	218,286	424,783	295,939	196,086	126,973	65,660	28,096	16,622	56,367	1,523,740

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2010-2015. 1/

Market Area	2010	2011	2012	2013	2014	2015
Southeast	86,222	118,594	258,061	129,860	289,121	135,753
North Delta	11,537	50,468	62,522	14,898	79,665	17,428
South Delta	5,078	26,348	14,158	10,680	53,327	14,824
East Texas-Oklahoma	140,765	195,257	298,737	280,854	546,023	392,737
West Texas	397,480	502,222	1,038,942	857,998	1,092,604	936,359
Desert Southwest	180	8,809	3,676	11,959	45,238	23,207
San Joaquin Valley	14,914	55,034	14,690	63,353	21,308	14,385
Total	656,176	956,732	1,690,786	1,369,602	2,127,286	1,534,693

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS, Season Average

Color	Leaf	Staple		
		44	46	48
1	1	113.54	118.54	118.79
	2	113.29	118.29	118.79
	3	104.29	109.29	109.54
	4			
	5			
	6			
2	1	113.04	118.04	118.79
	2	112.54	117.54	118.29
	3	103.04	108.04	108.29
	4	87.80	92.80	93.55
	5			
	6			
3	1	108.09	113.09	113.84
	2	106.09	111.09	112.34
	3	94.86	99.86	101.86
	4	78.80	83.80	84.80
	5	74.06	75.06	76.31
	6			
4	1	78.55	83.55	84.55
	2	78.30	83.30	83.80
	3	78.05	83.05	83.05
	4	70.55	76.05	76.05
	5	67.31	71.56	71.56
	6			
5	1			
	2	61.31	68.56	68.56
	3	61.31	68.06	68.56
	4	61.31	62.56	62.56
	5	61.06	62.31	62.31
	6			
6	1			
	2	51.26	51.51	51.51
	3	51.26	51.51	51.51
	4	51.26	51.51	51.51
	5	51.01	51.26	51.26
	6	50.51	50.76	50.76

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 12. Farm prices and average quotations in designated spot markets, in cents per pound, net weight, United States, marketing years 2002-2015

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	69.50	68.90	64.50	62.70	60.80	59.10	57.80	61.30	62.60	65.90	66.80	69.30	61.30
2015	58.00	60.30	57.80	59.10	59.90	58.00	57.20	55.20	55.80	57.60	59.00	61.30	

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02
2015	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.65	60.36	62.78	69.25	61.04

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35
2015	63.12	60.97	62.10	62.29	63.66	62.06	59.44	57.32	60.99	61.70	64.03	70.45	62.34

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price.

Table 18. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2014-crop year's production by spot market

August 2015 - July 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-330	-232	-66	106	341	525	591	605
	3	-400	-258	-99	81	268	450	514	529
	4	-434	-278	-167	40	169	335	371	371
	5	-545	-369	-278	-74	74	185	195	195
	6	-716	-524	-442	-278	-209	-156	-154	-154
	7	-791	-610	-542	-380	-320	-267	-265	-265
31	1 & 2	-420	-256	-111	62	260	456	498	511
	3	-466	-269	-124	60	231	417	457	472
	4	-525	-306	-220	24	102	228	264	275
	5	-595	-403	-301	-127	11	101	111	111
	6	-761	-547	-445	-293	-249	-211	-208	-208
	7	-856	-634	-545	-383	-350	-314	-311	-311
41	1 & 2	-561	-346	-192	27	166	259	287	295
	3	-586	-359	-205	22	106	224	252	261
	4	-636	-381	-294	69.17	79	170	198	206
	5	-670	-476	-394	-209	-111	-31	-26	-26
	6	-820	-609	-532	-381	-327	-284	-282	-282
	7	-941	-714	-654	-499	-438	-408	-407	-407
51	1 & 2	-691	-553	-430	-213	-135	-99	-96	-96
	3	-691	-587	-438	-239	-154	-110	-108	-108
	4	-741	-612	-486	-301	-220	-184	-180	-180
	5	-791	-705	-649	-450	-364	-318	-315	-315
	6	-945	-790	-734	-559	-509	-469	-467	-467
	7	-1045	-868	-845	-683	-626	-596	-595	-595
61	1-5	-816	-742	-693	-504	-441	-418	-418	-418
	6	-950	-861	-819	-689	-632	-598	-598	-598
	7	-1050	-990	-922	-771	-714	-690	-690	-690
71	1-6	-1016	-1016	-959	-807	-756	-743	-743	-743
	7	-1095	-1048	-1004	-836	-812	-799	-799	-799
12 & 22	1 & 2	-494	-285	-151	32	204	309	317	326
	3	-539	-311	-166	14	155	265	276	286
	4	-569	-339	-258	-69	100	232	240	247
	5	-684	-489	-441	-257	-106	-77	-70	-70
	6	-839	-612	-573	-435	-350	-336	-329	-329
	7	-923	-706	-672	-536	-466	-452	-449	-449
32	1 & 2	-539	-357	-228	-56	24	93	94	95
	3	-584	-386	-250	-84	-10	74	75	76
	4	-655	-455	-341	-176	-76	3	4	4
	5	-775	-605	-525	-339	-248	-220	-220	-220
	6	-930	-687	-640	-492	-433	-419	-419	-419
	7	-1039	-790	-709	-603	-537	-527	-527	-527
42	1-3	-670	-528	-466	-272	-189	-112	-112	-112
	4	-720	-590	-492	-306	-242	-165	-165	-165
	5	-830	-722	-644	-440	-340	-328	-328	-328
	6	-1034	-782	-753	-572	-514	-502	-502	-502
	7	-1119	-897	-835	-695	-618	-611	-611	-611
52	1-4	-891	-752	-678	-572	-487	-486	-486	-486
	5	-966	-824	-778	-649	-576	-576	-576	-576
	6	-1170	-967	-914	-766	-704	-704	-704	-704
	7	-1250	-1072	-1021	-874	-814	-813	-813	-813
62	1-5	-1016	-928	-875	-741	-692	-692	-692	-692
	6	-1200	-1091	-1038	-895	-857	-857	-857	-857

Table 18. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2014-crop year's production by spot market

August 2015 - July 2016

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-674	-488	-434	-226	-151	-141	-141	-141
	3	-720	-513	-459	-251	-176	-166	-166	-166
	4	-749	-588	-529	-301	-226	-216	-216	-216
	5	-874	-688	-654	-426	-351	-341	-341	-341
	6	-979	-763	-724	-496	-431	-420	-420	-420
	7	-1059	-863	-809	-560	-535	-525	-525	-525
	33	1 & 2	-795	-563	-509	-288	-238	-227	-227
3		-795	-563	-509	-288	-238	-227	-227	-227
4		-870	-638	-579	-340	-290	-280	-280	-280
5		-1020	-759	-699	-490	-419	-409	-409	-409
6		-1074	-834	-820	-551	-530	-520	-520	-520
7		-1154	-938	-879	-679	-639	-628	-628	-628
43		1-3	-845	-789	-705	-550	-503	-488	-488
	4	-920	-841	-753	-587	-521	-507	-507	-507
	5	-1045	-912	-839	-698	-645	-639	-639	-639
	6	-1124	-976	-909	-779	-756	-751	-751	-751
	7	-1204	-1092	-999	-875	-852	-847	-847	-847
53	1-4	-1010	-960	-874	-708	-664	-661	-661	-661
	5	-1110	-1040	-985	-811	-782	-779	-779	-779
	6	-1231	-1130	-1062	-889	-872	-870	-870	-870
	7	-1310	-1206	-1173	-1004	-987	-984	-984	-984
63	1-5	-1231	-1116	-1050	-864	-821	-818	-818	-818
	6	-1310	-1217	-1139	-976	-948	-945	-945	-945
34	1 & 2	-870	-688	-638	-410	-390	-389	-389	-389
	3	-870	-688	-638	-410	-390	-389	-389	-389
	4	-995	-813	-738	-510	-490	-489	-489	-489
	5	-1095	-913	-863	-635	-615	-614	-614	-614
	6	-1249	-1068	-1018	-831	-810	-809	-809	-809
44	1-3	-990	-809	-759	-531	-510	-509	-509	-509
	4	-1065	-909	-809	-581	-560	-559	-559	-559
	5	-1160	-984	-909	-681	-660	-659	-659	-659
	6	-1315	-1134	-1084	-896	-876	-875	-875	-875
54	1-4	-1090	-934	-884	-656	-635	-634	-634	-634
	5	-1190	-1013	-938	-771	-751	-750	-750	-750

Mike	
Range	Diff.
24 & Below	-970
25-26	-907
27-29	-602
30-32	-372
33-34	-205
Base 35-36	0
37-42	13
Base 43-49	0
50-52	-248
53 & Above	-386

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-269
22.0 - 22.9	-221
23.0 - 23.9	-181
24.0 - 24.9	-162
25.0 - 25.9	-141
26.0 - 26.9	-44
Base 27.0 - 28.9	0
29.0 - 29.9	17
30.0 - 30.9	36
31.0 - 32.9	56
33.0 & above	79

Uniformity	
Unit	Points
77.9 & Below	-100
78.0 - 78.9	-86
79.0 - 79.9	-74
80.0 - 80.9	-7
Base 81.0 - 81.9	0
82.0 - 82.9	1
83.0 - 83.9	14
84.0 - 84.9	23
85.0 - 85.9	33
86.0 & Above	43

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-194
Level 2	-600
Other (ET-OK and WT Bark not included)	
Level 1	-459
Level 2	-689
Bark	
Level 1	-350
Level 2	-505