

COTTON PRICE STATISTICS 2016-2017




ANNUAL REPORT

**UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, TN**

ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 70.71 cents per pound for the 2016-2017 season, up from 61.03 cents for the 2015-2016 season. The season's lowest daily quotation for the base quality occurred on August 31, 2016 at 63.91 cents per pound and the season's highest quotation was 81.76 cents on May 15, 2017. The highest monthly average for the marketing year was 75.75 cents per pound in May 2017 and the lowest was 66.24 cents per pound in July 2017.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 71.74 cents per pound for the 2016-2017 season, up sharply from 62.34 cents for the 2015-2016 season.

The average price received by farmers for Upland cotton in June was 69.70 cents per pound in the 2016-2017 marketing year. The 2015-2016 marketing year average price was 61.20 cents, compared to the 2014-2015 marketing year of 61.30 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,570,646 running bales in the 2016-2017 marketing year, up from 1,534,693 bales in the 2015-2016 marketing year, but down from 2,127,286 bales in 2014-2015.

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2011-2016 1/ 2/

Market Areas	2011	2012	2013	2014	2015	2016
Southeast	87.75	77.50	82.74	63.55	63.31	72.91
North Delta	86.90	76.56	81.85	62.64	62.43	71.81
South Delta	86.95	76.56	81.85	62.64	62.43	71.81
East Texas-Oklahoma	83.30	73.78	79.27	60.75	59.29	70.25
West Texas	83.31	73.68	79.13	60.71	59.15	70.06
Desert Southwest	85.73	73.68	78.23	61.57	59.72	68.50
San Joaquin Valley	86.74	74.74	78.88	62.32	60.87	69.61
Average	85.81	75.21	80.28	62.03	61.03	70.71

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2011 2/	14-Sep-11	110.87	5-Jun-12	60.71
2012 2/	13-Jun-13	87.55	8-Nov-12	65.11
2013 3/	16-Aug-13	89.14	31-Jul-14	63.53
2014 3/	11-Sep-14	69.64	23-Jan-15	56.36
2015 3/	29-Jul-16	72.51	2-Mar-16	54.56
2016 3/	15-May-17	81.76	31-Aug-16	63.91

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2016-2017 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	72.51	66.61		67.61	69.96		73.81	74.08		75.71	74.99	
2	72.16	66.26		67.75	70.06		74.08	73.52		76.01	74.03	
3	72.28		67.30	67.34		70.59	73.72	74.39	72.37	75.44		66.42
4	74.29		68.26	67.88		72.88			72.00	75.61		
5	75.06		66.73		70.04	72.41			72.12	74.44	73.61	66.54
6		67.79	66.50		70.41	72.21	73.16	75.47	71.86		73.26	67.01
7		68.27	65.99	67.82	70.21		72.78	74.77	70.97		73.03	67.29
8	74.51	68.07		68.07	70.48		72.89	74.89		73.89	73.79	
9	71.51	67.66		67.74	69.75	71.21	73.20	74.69		74.06	72.96	
10	69.58		66.26	68.61		71.49	73.37	74.24	72.68	73.39		65.26
11	69.66		66.10	67.78		71.49			72.65	76.02		65.64
12	68.24	65.80	67.91		70.60	70.92			72.38	78.59	72.41	65.49
13		66.04	68.08		70.99	70.87	73.94	73.94	73.26		71.74	63.92
14		66.88	69.34	68.11	70.59		73.73	74.21			70.68	64.59
15	66.46	67.16		69.89	70.80		73.31	75.02		81.76	69.11	
16	66.40	66.49		70.81	69.99		72.94	75.09		78.34	69.09	
17	66.72		69.85	71.64		70.69	71.84	75.29	75.09	77.37		66.01
18	66.89		69.82	71.48		70.90			75.15	76.56		66.22
19	65.94	67.04	69.79		68.51	71.21			75.34	76.71	67.72	66.15
20		69.18	68.54		68.35	71.46		74.41	76.40		66.64	66.71
21		70.09	68.01	71.39	69.13		71.94	73.85	76.56		65.87	66.35
22	66.26	70.22		71.21	68.96		71.81	74.28		75.67	65.63	
23	66.55	68.76		70.64	68.73	73.02	72.39	74.23		74.48	66.59	
24	65.94		67.73			71.98	72.87	74.44	76.03	74.78		66.18
25	66.25		67.49	70.29		72.27			76.44	74.44		66.71
26	66.22	68.77	68.26			72.56			76.46	74.39	66.59	66.19
27		68.53	68.90		68.64	73.04	72.69	74.06	75.01		67.36	67.46
28		67.41	69.94	70.98	68.64		72.85	74.02	75.66		67.09	67.19
29	65.24	66.66		70.25	69.25			73.21			66.64	
30	64.51	66.99		70.52	69.36	72.17		73.27		74.58	67.94	
31	63.91		68.08			72.81		74.20		74.31		67.46
Average	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24
High	75.06	70.22	69.94	71.64	70.99	73.04	74.08	75.47	76.56	81.76	74.99	67.46
Low	63.91	65.80	65.99	67.34	68.35	70.59	71.81	73.21	70.97	73.39	65.63	63.92

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2016-2017 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	71.13	69.92	70.15	71.69	71.91	74.46	75.53	76.20	76.02	78.04	71.70	68.17	72.91
North Delta	69.63	68.42	68.72	70.46	71.22	73.38	74.48	74.95	74.77	77.29	70.95	67.42	71.81
South Delta	69.63	68.42	68.72	70.46	71.22	73.38	74.48	74.95	74.77	77.29	70.95	67.42	71.81
East Texas-Oklahoma	66.90	67.14	67.68	68.81	68.87	70.85	71.68	74.65	74.76	75.03	70.24	66.41	70.25
West Texas	66.67	66.05	66.98	68.56	68.87	70.80	71.68	74.65	74.76	75.03	70.24	66.41	70.06
Desert Southwest	67.38	66.17	66.40	67.34	67.24	69.38	71.13	71.95	71.40	73.29	66.95	63.42	68.50
San Joaquin Valley	68.63	67.42	67.65	68.59	68.49	70.42	72.13	72.95	72.40	74.29	67.95	64.42	69.61
Average	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24	70.71

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2016-2017 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	71.88	70.67	70.90	72.89	72.66	75.21	76.28	76.95	76.77	78.79	72.45	68.92	73.70
North Delta	70.38	69.17	69.47	71.21	71.97	74.13	75.23	75.70	75.52	78.04	71.70	68.17	72.56
South Delta	70.38	69.17	69.47	71.21	71.97	74.13	75.23	75.70	75.52	78.04	71.70	68.17	72.56
East Texas-Oklahoma	67.65	67.89	68.43	69.56	69.62	71.40	72.18	75.15	75.36	75.78	70.99	67.16	70.93
West Texas	66.92	66.30	67.23	68.81	68.94	70.80	71.68	74.65	74.76	75.03	70.24	66.41	70.15
Desert Southwest	68.88	67.67	67.90	68.84	68.74	70.46	71.89	72.45	71.90	73.79	67.45	63.92	69.49
San Joaquin Valley	72.28	71.07	71.30	72.24	72.14	74.07	75.30	75.60	75.05	76.94	70.60	67.07	72.81
Average	69.77	68.85	69.24	70.68	70.86	72.88	73.97	75.17	74.98	76.63	70.73	67.12	71.74

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-309	-228	-62	157	436	590	660	698
	3	-371	-248	-79	132	375	529	584	623
	4	-421	-273	-189	43	185	314	354	354
	5	-509	-388	-301	-86	54	131	159	159
	6	-671	-503	-449	-321	-219	-176	-161	-161
	7	-746	-598	-565	-429	-346	-300	-288	-288
31	1 & 2	-384	-243	-103	114	379	551	599	633
	3	-421	-253	-111	103	330	495	542	578
	4	-496	-298	-234	25	139	240	275	282
	5	-559	-408	-317	-145	-7	52	80	80
	6	-709	-518	-457	-345	-258	-225	-207	-207
	7	-796	-613	-574	-441	-373	-342	-324	-324
41	1 & 2	-509	-328	-242	40	175	268	288	297
	3	-534	-338	-251	26	121	218	242	251
	4	-584	-368	-331	70.71	87	164	192	195
	5	-634	-478	-424	-276	-157	-97	-84	-84
	6	-784	-583	-557	-450	-357	-320	-313	-313
	7	-896	-693	-695	-589	-500	-485	-480	-480
51	1 & 2	-643	-563	-454	-322	-165	-131	-126	-126
	3	-643	-603	-458	-343	-183	-146	-141	-141
	4	-689	-627	-491	-396	-253	-221	-209	-209
	5	-739	-712	-661	-527	-389	-354	-343	-343
	6	-902	-792	-768	-641	-566	-549	-541	-541
	7	-1002	-869	-893	-781	-699	-684	-681	-681
61	1-5	-764	-740	-672	-503	-448	-433	-433	-433
	6	-914	-852	-798	-668	-628	-608	-608	-608
	7	-1014	-967	-912	-758	-718	-703	-703	-703
71	1-6	-964	-1047	-992	-840	-800	-790	-790	-790
	7	-1052	-1087	-1042	-875	-855	-845	-845	-845
12 & 22	1 & 2	-508	-288	-186	64	261	384	419	448
	3	-545	-308	-199	44	212	338	376	401
	4	-583	-333	-292	-38	141	248	276	280
	5	-683	-503	-453	-270	-102	-54	-29	-29
	6	-845	-623	-598	-471	-353	-326	-301	-301
	7	-945	-708	-711	-603	-514	-487	-469	-469
32	1 & 2	-545	-388	-290	-70	75	143	152	166
	3	-583	-403	-303	-88	40	115	123	138
	4	-645	-453	-361	-206	-59	-5	3	3
	5	-758	-603	-515	-385	-270	-232	-232	-232
	6	-920	-693	-678	-553	-453	-434	-434	-434
	7	-1045	-798	-786	-678	-600	-587	-587	-587
42	1-3	-645	-548	-468	-313	-165	-119	-119	-119
	4	-695	-589	-489	-353	-233	-187	-187	-187
	5	-820	-724	-632	-500	-370	-350	-350	-350
	6	-1033	-813	-777	-643	-571	-555	-555	-555
	7	-1133	-908	-869	-782	-707	-698	-698	-698
52	1-4	-858	-740	-663	-593	-518	-506	-506	-506
	5	-933	-815	-771	-676	-601	-595	-595	-595
	6	-1145	-965	-913	-814	-754	-748	-748	-748
	7	-1233	-1050	-1042	-954	-900	-889	-889	-889
62	1-5	-983	-945	-880	-750	-715	-708	-708	-708
	6	-1183	-1110	-1045	-895	-865	-856	-856	-856

Table 6. United States (Continued)

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-537	-475	-228	-153	-106	-106	-106
	3	-737	-562	-500	-253	-178	-131	-131	-131
	4	-775	-637	-562	-303	-228	-181	-181	-181
	5	-900	-737	-687	-428	-353	-297	-297	-297
	6	-1012	-812	-750	-491	-441	-385	-385	-385
	7	-1100	-912	-850	-578	-553	-497	-497	-497
33	1 & 2	-812	-612	-550	-352	-319	-287	-287	-287
	3	-812	-612	-550	-352	-319	-287	-287	-287
	4	-887	-687	-612	-419	-386	-354	-354	-354
	5	-1037	-800	-725	-577	-536	-498	-498	-498
	6	-1100	-875	-837	-711	-702	-665	-665	-665
	7	-1187	-987	-912	-844	-827	-790	-790	-790
43	1-3	-862	-831	-705	-577	-537	-507	-507	-507
	4	-937	-876	-755	-623	-569	-543	-543	-543
	5	-1062	-933	-857	-762	-709	-689	-689	-689
	6	-1150	-1011	-942	-859	-841	-825	-825	-825
	7	-1237	-1136	-1048	-984	-966	-950	-950	-950
	53	1-4	-1012	-976	-896	-752	-710	-696	-696
5	-1112	-1056	-996	-843	-810	-796	-796	-796	
6	-1225	-1171	-1084	-931	-906	-891	-891	-891	
7	-1312	-1236	-1221	-1060	-1043	-1029	-1029	-1029	
63	1-5	-1225	-1151	-1086	-917	-877	-860	-860	-860
	6	-1312	-1241	-1166	-992	-967	-950	-950	-950
34	1 & 2	-887	-737	-687	-428	-416	-385	-385	-385
	3	-887	-737	-687	-428	-416	-385	-385	-385
	4	-1012	-862	-787	-528	-516	-485	-485	-485
	5	-1112	-962	-912	-653	-641	-610	-610	-610
	6	-1275	-1125	-1075	-841	-828	-797	-797	-797
44	1-3	-1000	-850	-800	-541	-528	-497	-497	-497
	4	-1075	-950	-850	-591	-578	-547	-547	-547
	5	-1162	-1025	-950	-691	-678	-647	-647	-647
	6	-1325	-1175	-1125	-891	-878	-847	-847	-847
54	1-4	-1100	-975	-925	-666	-653	-622	-622	-622
	5	-1200	-1062	-987	-766	-753	-722	-722	-722

Mike	
Range	Diff.
24 & Below	-1092
25-26	-973
27-29	-818
30-32	-477
33-34	-258
Base 35-36	0
37-42	16
Base 43-49	0
50-52	-275
53 & Above	-410

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-215
20.0 - 20.9	-215
21.0 - 21.9	-330
22.0 - 22.9	-267
23.0 - 23.9	-212
24.0 - 24.9	-228
25.0 - 25.9	-192
26.0 - 26.9	-93
Base 27.0 - 28.9	0
29.0 - 29.9	6
30.0 - 30.9	35
31.0 - 32.9	59
33.0 & above	91

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	29
84.0 - 84.9	37
85.0 - 85.9	47
86.0 & Above	57

Extraneous Matter	
Prep	Diff.
Level 1	-157
Level 2	-701
Bark	
Level 1	-420
Level 2	-755
Other	
Level 1	-350
Level 2	-519

Table 7. Southeast spot cotton differences, season average.

August 2016 - July 2017

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-59	104	216	354	404	404	25-26	-825
	3	-225	-59	104	177	329	379	379	27-29	-425
	4	-225	-156	29	103	284	309	309	30-32	-275
	5	-375	-225	-125	25	92	92	92	33-34	-150
	6	-500	-350	-300	-208	-183	-183	-183	Base 35-36	0
31	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
	1 & 2	-225	-59	79	178	329	354	354	Base 43-49	0
	3	-225	-59	79	178	304	329	329	50-52	-206
	4	-225	-149	29	103	259	284	284	53 & Above	-375
	5	-375	-225	-125	25	58	58	58		
41	6	-500	-350	-300	-258	-233	-233	-233		
	7	-625	-475	-450	-400	-375	-375	-375		
	1 & 2	-275	-101	49	143	280	280	305	Strength	
	3	-275	-101	49	105	255	255	280	(Grams per Tex)	
	4	-275	-180	72.91	80	230	230	255	Range	Diff.
51	5	-450	-350	-200	-76	-26	-26	-26	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
	1 & 2	-529	-354	-229	-229	-204	-204	-204	24.0 - 24.9	-250
	3	-604	-379	-304	-279	-229	-229	-229	25.0 - 25.9	-200
61	4	-629	-379	-329	-329	-304	-304	-304	26.0 - 26.9	-25
	5	-729	-604	-504	-454	-429	-429	-429	Base 27.0 - 28.9	0
	6	-804	-629	-579	-579	-554	-554	-554	29.0 - 29.9	0
	7	-879	-754	-729	-729	-704	-704	-704	30.0 - 30.9	25
	1-5	-829	-754	-679	-654	-654	-654	-654	31.0 - 32.9	50
71	6	-1004	-929	-879	-854	-854	-854	-854	33.0 & above	50
	7	-1129	-1004	-954	-929	-929	-929	-929		
12 & 22	1-6	-1129	-1054	-1004	-1004	-1004	-1004	-1004		
	7	-1154	-1079	-1029	-1029	-1029	-1029	-1029		
	1 & 2	-275	-101	56	143	281	281	306	Extraneous Matter	
	3	-275	-101	56	106	256	256	281	Prep	Diff.
	4	-275	-110	0	81	231	231	256	Level 1	-200
32	5	-425	-325	-200	-19	6	6	6	Level 2	-800
	6	-550	-425	-425	-350	-325	-325	-325		
	7	-650	-550	-550	-500	-475	-475	-475	Other	Diff.
	1 & 2	-325	-175	-25	0	50	50	50	Level 1	-400
	3	-350	-200	-50	0	25	25	25	Level 2	-800
42	4	-450	-200	-150	-100	-50	-50	-50		
	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
	1-3	-625	-444	-272	-240	-215	-215	-215	Uniformity	
52	4	-681	-444	-322	-315	-290	-290	-290	Unit	Points
	5	-781	-650	-452	-402	-377	-377	-377	77.9 & Below	-125
	6	-825	-775	-631	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-879	-754	-657	-582	-582	-582	-582	80.0 - 80.9	-25
62	5	-904	-904	-757	-732	-732	-732	-732	Base 81.0 - 81.9	0
	6	-979	-954	-904	-879	-879	-879	-879	82.0 - 82.9	0
	7	-1129	-1054	-1004	-979	-979	-979	-979	83.0 - 83.9	20
	1-5	-1004	-929	-879	-879	-879	-879	-879	84.0 - 84.9	30
	6	-1179	-1104	-1054	-1054	-1054	-1054	-1054	85.0 - 85.9	40
43	7	-1179	-1054	-1004	-979	-979	-979	-979	86.0 & Above	50
	1-3	-954	-904	-854	-804	-779	-779	-779		
	4	-979	-954	-904	-829	-804	-804	-804		
	5	-1018	-966	-903	-879	-879	-879	-879		
	6	-1054	-979	-929	-904	-904	-904	-904		
53	7	-1179	-1054	-1004	-979	-979	-979	-979		
	1-4	-1054	-954	-904	-854	-854	-854	-854		
	5	-1179	-1129	-1029	-1029	-1029	-1029	-1029		
	6	-1204	-1154	-1054	-1054	-1054	-1054	-1054		
63	7	-1304	-1254	-1154	-1154	-1154	-1154	-1154		
	1-5	-1179	-1129	-1029	-1029	-1029	-1029	-1029		
6	-1304	-1254	-1154	-1154	-1154	-1154	-1154			

Table 8. North Delta spot cotton differences, season average.

August 2016 - July 2017

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	100	275	450	500	500	25-26	-1000
	3	-225	-75	75	225	375	425	425	27-29	-650
	4	-275	-200	25	125	300	325	325	30-32	-325
	5	-450	-325	-25	50	75	100	100	33-34	-125
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25
31	1 & 2	-225	-120	75	242	442	467	467	Base 43-49	0
	3	-225	-120	75	192	375	417	417	50-52	-225
	4	-275	-250	25	125	242	267	267	53 & Above	-375
	5	-450	-325	-125	-8	17	42	42		
	6	-500	-475	-350	-275	-275	-275	-275		
	7	-600	-575	-450	-375	-375	-375	-375		
41	1 & 2	-350	-250	50	204	292	317	317	Strength	
	3	-350	-250	25	154	267	292	292	(Grams per Tex)	
	4	-375	-275	71.81	117	192	217	217	Range	Diff.
	5	-525	-400	-245	-145	-95	-95	-95	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-450	23.0 - 23.9	-200	
51	1 & 2	-675	-475	-400	-250	-250	-250	-250	24.0 - 24.9	-175
	3	-725	-475	-425	-275	-275	-275	-275	25.0 - 25.9	-150
	4	-750	-500	-450	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-575	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-850	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-964	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
61	1-5	-833	-725	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-842	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1025	-975	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	217	317	342	342	Extraneous Matter	
	3	-275	-125	25	167	267	317	317	Prep	Diff.
	4	-300	-250	-41	117	217	242	242	Level 1	-200
	5	-500	-375	-200	-120	-95	-70	-70	Level 2	-800
	6	-625	-550	-425	-325	-300	-275	-275		
	7	-675	-650	-525	-450	-425	-425	-425	Other	Diff.
32	1 & 2	-400	-250	-100	0	50	50	50	Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-300	-300	-300	Unit	Points
	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
									84.0 - 84.9	40
62	1-5	-1025	-925	-850	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1175	-1075	-950	-925	-925	-925	-925	86.0 & Above	60
43	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 9. South Delta spot cotton differences, season average.

August 2016 - July 2017

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	100	275	450	500	500	25-26	-1100
	3	-225	-75	75	225	375	425	425	27-29	-750
	4	-275	-200	25	125	300	325	325	30-32	-325
	5	-450	-325	-25	50	75	100	100	33-34	-125
	6	-500	-475	-350	-275	-275	-275	-275	Base 35-36	0
	7	-600	-575	-450	-375	-375	-375	-375	37-42	25
31	1 & 2	-225	-120	75	242	442	467	467	Base 43-49	0
	3	-225	-120	75	192	375	417	417	50-52	-225
	4	-275	-250	25	125	242	267	267	53 & Above	-375
	5	-450	-325	-125	-8	17	42	42		
	6	-500	-475	-350	-275	-275	-275	-275		
	7	-600	-575	-450	-375	-375	-375	-375		
41	1 & 2	-350	-250	50	204	292	317	317	Strength	
	3	-350	-250	25	154	267	292	292	(Grams per Tex)	
	4	-375	-275	71.81	117	192	217	217	Range	Diff.
	5	-525	-400	-245	-145	-95	-95	-95	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-195
51	1 & 2	-675	-475	-400	-250	-250	-250	-250	24.0 - 24.9	-164
	3	-725	-475	-425	-275	-275	-275	-275	25.0 - 25.9	-139
	4	-750	-500	-450	-350	-350	-350	-350	26.0 - 26.9	-25
	5	-825	-725	-575	-475	-450	-450	-450	Base 27.0 - 28.9	0
	6	-925	-825	-675	-600	-600	-600	-600	29.0 - 29.9	0
	7	-1000	-975	-825	-700	-700	-700	-700	30.0 - 30.9	25
61	1-5	-833	-725	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-842	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1025	-975	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	217	317	342	342	Extraneous Matter	
	3	-275	-125	25	167	267	317	317	Prep	Diff.
	4	-300	-250	-41	117	217	242	242	Level 1	-200
	5	-500	-375	-200	-120	-95	-70	-70	Level 2	-800
	6	-625	-550	-425	-325	-300	-275	-275		
	7	-675	-650	-525	-450	-425	-425	-425	Other	Diff.
32	1 & 2	-400	-250	-100	0	50	50	50	Level 1	-375
	3	-400	-250	-100	-25	25	25	25	Level 2	-785
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-275	-275	-275	Unit	Points
	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
	52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9
5		-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
6		-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
7		-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
									84.0 - 84.9	40
62	1-5	-1025	-925	-850	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1175	-1075	-950	-925	-925	-925	-925	86.0 & Above	60
43	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-321	-271	-96	68	260	358	437	437
	3	-371	-321	-121	68	202	261	304	304
	4	-446	-321	-146	50	66	258	280	280
	5	-496	-371	-321	-75	57	207	212	212
	6	-646	-496	-496	-275	-275	-125	-125	-125
	7	-721	-596	-596	-350	-350	-200	-200	-200
31	1 & 2	-371	-296	-96	68	227	325	379	379
	3	-396	-321	-121	68	159	218	254	254
	4	-496	-396	-196	0	41	126	130	130
	5	-546	-396	-346	-112	-5	95	100	100
	6	-671	-521	-521	-287	-287	-187	-187	-187
	7	-746	-621	-621	-362	-362	-287	-287	-287
41	1 & 2	-471	-296	-121	23	107	212	237	237
	3	-496	-321	-146	23	57	87	112	112
	4	-546	-396	-296	70.25	7	62	87	87
	5	-621	-446	-396	-137	-105	49	74	74
	6	-771	-571	-546	-312	-312	-187	-187	-187
	7	-871	-671	-646	-412	-387	-362	-362	-362
51	1 & 2	-614	-464	-364	-30	-30	45	70	70
	3	-614	-489	-364	-30	-30	45	70	70
	4	-664	-514	-389	-105	-80	-5	20	20
	5	-714	-589	-539	-205	-155	-130	-105	-105
	6	-889	-689	-689	-355	-355	-330	-330	-330
	7	-989	-714	-714	-430	-430	-405	-405	-405
61	1-5	-739	-589	-539	-205	-205	-180	-180	-180
	6	-914	-714	-689	-380	-355	-330	-330	-330
	7	-1014	-814	-789	-480	-455	-430	-430	-430
71	1-6	-939	-839	-789	-455	-455	-430	-430	-430
	7	-1039	-889	-864	-530	-530	-505	-505	-505
12 & 22	1 & 2	-539	-339	-164	57	136	225	225	225
	3	-564	-389	-214	45	86	150	150	150
	4	-614	-414	-239	-5	36	150	150	150
	5	-689	-589	-539	-280	-148	27	27	27
	6	-864	-689	-689	-430	-380	-355	-355	-355
	7	-989	-814	-789	-530	-480	-455	-455	-455
32	1 & 2	-564	-489	-314	-55	52	141	141	141
	3	-589	-489	-339	-55	-48	66	66	66
	4	-639	-514	-414	-130	-123	-84	-84	-84
	5	-739	-639	-614	-305	-248	-93	-93	-93
	6	-914	-739	-739	-480	-455	-430	-430	-430
	7	-1064	-864	-864	-580	-555	-530	-530	-530
42	1-3	-614	-539	-464	-105	-73	-18	-18	-18
	4	-664	-564	-489	-130	-123	-93	-93	-93
	5	-814	-689	-639	-355	-323	-323	-323	-323
	6	-1039	-789	-764	-505	-480	-480	-480	-480
	7	-1164	-914	-889	-630	-580	-580	-580	-580
52	1-4	-814	-646	-571	-380	-380	-380	-380	-380
	5	-889	-746	-646	-430	-430	-430	-430	-430
	6	-1114	-946	-871	-580	-555	-555	-555	-555
	7	-1214	-1071	-996	-705	-680	-664	-664	-664
62	1-5	-939	-821	-796	-505	-480	-480	-480	-480
	6	-1164	-1021	-996	-705	-680	-672	-672	-672

Table 10. East Texas-Oklahoma (Continued)

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-756	-631	-556	-222	-147	-72	-72	-72
	3	-781	-656	-581	-247	-172	-97	-97	-97
	4	-831	-731	-631	-297	-222	-147	-147	-147
	5	-956	-831	-756	-422	-347	-272	-272	-272
	6	-1081	-906	-806	-472	-447	-372	-372	-372
	7	-1181	-1006	-931	-597	-572	-497	-497	-497
33	1 & 2	-856	-706	-631	-272	-222	-147	-147	-147
	3	-856	-706	-631	-272	-222	-147	-147	-147
	4	-931	-781	-681	-322	-272	-197	-197	-197
	5	-1081	-881	-781	-447	-397	-322	-322	-322
	6	-1156	-956	-881	-522	-522	-447	-447	-447
	7	-1256	-1081	-981	-647	-647	-572	-572	-572
43	1-3	-906	-781	-681	-322	-272	-197	-197	-197
	4	-981	-856	-731	-347	-297	-222	-222	-222
	5	-1106	-956	-831	-472	-422	-347	-347	-347
	6	-1206	-1031	-931	-572	-572	-497	-497	-497
	7	-1306	-1131	-1031	-672	-672	-597	-597	-597
	53	1-4	-1031	-956	-856	-522	-497	-447	-447
5	-1131	-1031	-956	-597	-572	-522	-522	-522	
6	-1231	-1131	-1056	-697	-697	-647	-647	-647	
7	-1331	-1231	-1181	-797	-772	-722	-722	-722	
63	1-5	-1231	-1106	-1006	-647	-572	-522	-522	-522
	6	-1331	-1231	-1106	-747	-722	-672	-672	-672
34	1 & 2	-931	-831	-781	-447	-447	-422	-422	-422
	3	-931	-831	-781	-447	-447	-422	-422	-422
	4	-1056	-956	-881	-547	-547	-522	-522	-522
	5	-1156	-1056	-1006	-672	-672	-647	-647	-647
	6	-1331	-1231	-1181	-847	-847	-822	-822	-822
	44	1-3	-1031	-931	-881	-547	-547	-522	-522
4	-1106	-1031	-931	-597	-597	-572	-572	-572	
5	-1181	-1106	-1031	-697	-697	-672	-672	-672	
6	-1356	-1256	-1206	-872	-872	-847	-847	-847	
54	1-4	-1131	-1056	-1006	-672	-672	-647	-647	-647
	5	-1231	-1156	-1081	-747	-747	-722	-722	-722

Mike	
Range	Diff.
24 & Below	-1021
25-26	-939
27-29	-689
30-32	-430
33-34	-280
Base 35-36	0
37-42	5
Base 43-49	0
50-52	-230
53 & Above	-391

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-215
20.0 - 20.9	-215
21.0 - 21.9	-190
22.0 - 22.9	-165
23.0 - 23.9	-140
24.0 - 24.9	-140
25.0 - 25.9	-126
26.0 - 26.9	-76
Base 27.0 - 28.9	0
29.0 - 29.9	20
30.0 - 30.9	36
31.0 - 32.9	45
33.0 & above	67

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-453
Bark	
Level 1	-350
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 11. West Texas spot cotton differences, monthly average.

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-296	-196	4	84	291	358	433	440
	3	-371	-246	-71	34	191	275	333	358
	4	-396	-271	-146	34	159	251	301	301
	5	-521	-296	-246	-66	84	221	221	221
	6	-696	-521	-446	-225	-200	-138	-138	-138
	7	-771	-571	-521	-300	-275	-213	-213	-213
31	1 & 2	-396	-246	-71	9	184	285	335	360
	3	-446	-271	-96	9	159	260	310	335
	4	-496	-321	-221	9	9	127	177	202
	5	-571	-371	-296	-141	-16	121	121	121
	6	-746	-571	-446	-250	-250	-213	-213	-213
	7	-846	-621	-521	-300	-300	-263	-263	-263
41	1 & 2	-546	-371	-171	9	109	190	240	240
	3	-571	-396	-196	9	34	165	215	215
	4	-621	-421	-346	70.06	9	90	140	140
	5	-646	-446	-371	-178	-78	22	22	22
	6	-796	-621	-546	-312	-287	-237	-237	-237
	7	-921	-721	-646	-412	-362	-312	-312	-312
51	1 & 2	-671	-471	-396	-87	13	63	63	63
	3	-671	-471	-396	-87	13	63	63	63
	4	-714	-489	-489	-180	-55	-5	-5	-5
	5	-764	-589	-589	-330	-230	-155	-155	-155
	6	-914	-689	-689	-455	-380	-305	-305	-305
	7	-1014	-789	-789	-555	-480	-430	-430	-430
61	1-5	-789	-614	-614	-330	-230	-180	-180	-180
	6	-914	-689	-689	-530	-430	-355	-355	-355
	7	-1014	-839	-814	-605	-505	-455	-455	-455
71	1-6	-989	-814	-764	-593	-493	-468	-468	-468
	7	-1064	-839	-814	-618	-568	-543	-543	-543
12 & 22	1 & 2	-476	-276	-126	8	142	268	268	268
	3	-526	-326	-151	1	92	218	218	218
	4	-551	-376	-326	-158	17	193	193	193
	5	-676	-501	-501	-333	-133	-96	-96	-96
	6	-826	-626	-626	-442	-367	-330	-330	-330
	7	-901	-726	-701	-517	-442	-405	-405	-405
32	1 & 2	-526	-326	-176	-67	8	84	84	84
	3	-576	-376	-201	-117	-42	84	84	84
	4	-651	-451	-376	-192	-67	59	59	59
	5	-776	-651	-601	-392	-242	-205	-205	-205
	6	-926	-726	-701	-517	-442	-405	-405	-405
	7	-1026	-826	-751	-617	-517	-480	-480	-480
42	1-3	-676	-476	-426	-217	-142	25	25	25
	4	-726	-551	-451	-242	-167	0	0	0
	5	-826	-701	-626	-417	-267	-250	-250	-250
	6	-1026	-751	-726	-542	-467	-430	-430	-430
	7	-1101	-901	-826	-667	-542	-505	-505	-505
52	1-4	-901	-676	-651	-517	-392	-355	-355	-355
	5	-976	-776	-726	-567	-442	-405	-405	-405
	6	-1176	-951	-901	-692	-592	-555	-555	-555
	7	-1251	-1051	-1001	-792	-692	-655	-655	-655
62	1-5	-1026	-851	-826	-667	-567	-530	-530	-530
	6	-1201	-1001	-976	-817	-742	-705	-705	-705

Table 11. West Texas spot cotton differences, monthly average.

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-643	-443	-393	-235	-160	-139	-139	-139
	3	-693	-468	-418	-260	-185	-164	-164	-164
	4	-718	-543	-493	-310	-235	-214	-214	-214
	5	-843	-643	-618	-435	-360	-322	-322	-322
	6	-943	-718	-693	-510	-435	-397	-397	-397
	7	-1018	-818	-768	-560	-535	-497	-497	-497
33	1 & 2	-768	-518	-468	-285	-235	-214	-214	-214
	3	-768	-518	-468	-285	-235	-214	-214	-214
	4	-843	-593	-543	-335	-285	-264	-264	-264
	5	-993	-718	-668	-485	-410	-372	-372	-372
	6	-1043	-793	-793	-535	-510	-472	-472	-472
	7	-1118	-893	-843	-660	-610	-572	-572	-572
43	1-3	-818	-618	-568	-360	-310	-272	-272	-272
	4	-893	-693	-618	-385	-310	-272	-272	-272
	5	-1018	-793	-718	-510	-435	-397	-397	-397
	6	-1093	-868	-818	-610	-585	-547	-547	-547
	7	-1168	-968	-893	-685	-660	-622	-622	-622
53	1-4	-993	-868	-793	-560	-510	-472	-472	-472
	5	-1093	-918	-868	-660	-610	-572	-572	-572
	6	-1218	-1018	-968	-760	-735	-697	-697	-697
	7	-1293	-1093	-1068	-885	-860	-822	-822	-822
63	1-5	-1218	-1018	-943	-710	-635	-597	-597	-597
	6	-1293	-1118	-1018	-860	-810	-772	-772	-772
34	1 & 2	-843	-643	-593	-410	-385	-347	-347	-347
	3	-843	-643	-593	-410	-385	-347	-347	-347
	4	-968	-768	-693	-510	-485	-447	-447	-447
	5	-1068	-868	-818	-635	-610	-572	-572	-572
	6	-1218	-1018	-968	-835	-810	-772	-772	-772
44	1-3	-968	-768	-718	-535	-510	-472	-472	-472
	4	-1043	-868	-768	-585	-560	-522	-522	-522
	5	-1143	-943	-868	-685	-660	-622	-622	-622
	6	-1293	-1093	-1043	-910	-885	-847	-847	-847
54	1-4	-1068	-893	-843	-660	-635	-597	-597	-597
	5	-1168	-968	-893	-785	-760	-722	-722	-722

Mike	
Range	Diff.
24 & Below	-1056
25-26	-974
27-29	-715
30-32	-483
33-34	-324
Base 35-36	0
37-42	5
Base 43-49	0
50-52	-235
53 & Above	-396

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-215
20.0 - 20.9	-215
21.0 - 21.9	-190
22.0 - 22.9	-165
23.0 - 23.9	-140
24.0 - 24.9	-140
25.0 - 25.9	-126
26.0 - 26.9	-76
Base 27.0 - 28.9	0
29.0 - 29.9	20
30.0 - 30.9	36
31.0 - 32.9	45
33.0 & above	67

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-453
Bark	
Level 1	-350
Level 2	-513
Other	
Level 1	-538
Level 2	-588

Table 12. Desert Southwest spot cotton differences, season average.

August 2016 - July 2017

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-73	174	636	716	751	788	24 & Below	-1200
	3	-73	149	561	691	701	752	25-26	-1000
	4	-286	64	314	349	384	384	27-29	-900
	5	-361	-161	39	114	199	199	30-32	-500
	6	-450	-350	-100	-85	-30	-30	33-34	-300
	7	-650	-375	-175	-140	-100	-100	Base 35-36	0
								37-42	25
31	1 & 2	-148	124	586	691	726	763	Base 43-49	0
	3	-148	99	486	641	651	702	50-52	-300
	4	-336	39	214	299	334	359	53 & Above	-550
	5	-386	-186	-36	0	84	84		
	6	-475	-375	-135	-120	-40	-40		
	7	-675	-400	-225	-195	-115	-115		
41	1 & 2	-561	0	50	124	134	172	Strength	
	3	-561	0	35	99	134	172	(Grams per Tex)	
	4	-611	68.50	25	49	109	109	Range	Diff.
	5	-625	-500	-350	-340	-280	-280	21.0 - 21.9	-600
	6	-800	-675	-450	-440	-390	-390	22.0 - 22.9	-450
	7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300
								24.0 - 24.9	-225
51	1 & 2	-661	-486	-236	-201	-191	-191	25.0 - 25.9	-200
	3	-661	-486	-236	-201	-191	-191	26.0 - 26.9	-125
	4	-686	-561	-361	-311	-251	-251	Base 27.0 - 28.9	0
	5	-786	-736	-561	-536	-486	-486	29.0 - 29.9	0
	6	-950	-850	-650	-650	-600	-600	30.0 - 30.9	25
	7	-1150	-1050	-850	-850	-825	-825	31.0 - 32.9	50
								33.0 & above	100
12 & 22	1 & 2	-475	50	339	399	459	459		
	3	-475	50	314	374	434	434		
	4	-575	0	239	299	384	384		
	5	-600	-425	-125	-125	-50	-50		
	6	-750	-625	-325	-325	-250	-250		
	7	-925	-800	-575	-575	-500	-500		
32	1 & 2	-575	-200	164	249	259	259	Extraneous Matter	
	3	-575	-200	164	249	259	259	Prep	Diff.
	4	-625	-425	0	85	95	95	Level 1	-50
	5	-675	-675	-400	-400	-400	-400	Level 2	-800
	6	-875	-800	-525	-525	-525	-525		
	7	-1025	-975	-775	-775	-775	-775		
42	1-3	-625	-450	-150	-100	-100	-100	Other	
	4	-650	-525	-250	-200	-200	-200	Level 1	-350
	5	-725	-700	-450	-450	-450	-450	Level 2	-800
	6	-900	-825	-575	-575	-575	-575		
	7	-1100	-1000	-825	-825	-825	-825		
52	1-4	-850	-725	-500	-450	-450	-450	Uniformity	
	5	-900	-800	-575	-575	-575	-575	Unit	Points
	6	-1000	-900	-675	-675	-675	-675	77.9 & Below	-100
	7	-1250	-1150	-975	-950	-950	-950	78.0 - 78.9	-90
43	1-3	-725	-650	-575	-500	-500	-500	79.0 - 79.9	-80
	4	-825	-750	-625	-575	-575	-575	80.0 - 80.9	0
	5	-925	-825	-650	-625	-625	-625	Base 81.0 - 81.9	0
	6	-1025	-925	-900	-900	-900	-900	82.0 - 82.9	0
	7	-1111	-1050	-1025	-1025	-1025	-1025	83.0 - 83.9	30
								84.0 - 84.9	40
								85.0 - 85.9	50
53	1-4	-975	-875	-800	-800	-800	-800	86.0 & Above	60
	5	-1025	-925	-850	-850	-850	-850		
	6	-1125	-1025	-950	-950	-950	-950		
	7	-1375	-1275	-1275	-1275	-1275	-1275		

Table 13. San Joaquin Valley spot cotton differences, monthly average.

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	469	1094	1444	1594	1819	27-29	-1600
	3	419	1044	1394	1519	1719	30-32	-1000
	4	75	404	454	554	554	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	369	994	1344	1469	1644		
	3	319	944	1294	1419	1594		
	4	50	354	384	464	464		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	404	484	494	494	Strength	
	3	50	304	384	394	394	(Grams per Tex)	
	4	69.61	254	334	344	344	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
							Base 27.0 - 28.9	0
51	1 & 2	-621	-171	-121	-121	-121	29.0 - 29.9	0
	3	-646	-196	-146	-146	-146	30.0 - 30.9	75
	4	-696	-246	-221	-221	-221	31.0 - 32.9	125
	5	-761	-375	-325	-325	-325	33.0 & above	250
	6	-900	-800	-800	-800	-800		
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	179	629	884	1019	1194		
	3	104	554	834	944	1094		
	4	-21	379	429	494	494		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	54	304	379	429	529	Extraneous Matter	
	3	4	254	329	379	479	Prep	Diff.
	4	-146	79	104	154	154	Level 1	-50
	5	-525	-275	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750	Other	
							Level 1	-350
42	1-3	-450	-100	-75	-75	-75	Level 2	-925
	4	-500	-175	-150	-150	-150		
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2016-2017

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	504	156	962	13,460	20,629	12,140	10,807	14,877	2,089	133	171	298	76,226
North Delta	3,163	0	2,759	1,394	1,586	1,127	7,001	2,832	4,668	0	0	261	24,791
South Delta	0	0	3,136	1,495	1,521	4,232	0	59	0	0	30	235	10,708
East Texas-Oklahoma	4,555	25,181	32,856	104,912	81,969	121,995	57,587	56,709	11,357	5,972	479	396	503,968
West Texas	1,333	1,145	14,728	127,892	143,719	396,683	136,045	84,373	20,243	1,992	1,680	1,879	931,712
Desert Southwest	0	0	0	489	3,511	13,167	2,252	45	0	0	51	52	19,567
San Joaquin Valley	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	9,555	26,482	54,441	249,642	252,935	549,344	213,692	158,895	38,357	8,097	2,411	3,121	1,566,972

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2011-2016. 1/

Market Area	2011	2012	2013	2014	2015	2016
Southeast	118,594	258,061	129,860	289,121	135,753	76,226
North Delta	50,468	62,522	14,898	79,665	17,428	24,791
South Delta	26,348	14,158	10,680	53,327	14,824	10,708
East Texas-Oklahoma	195,257	298,737	280,854	546,023	392,737	503,703
West Texas	502,222	1,038,942	857,998	1,092,604	936,359	931,576
Desert Southwest	8,809	3,676	11,959	45,238	23,207	19,567
San Joaquin Valley	55,034	14,690	63,353	21,308	14,385	4,075
Total	956,732	1,690,786	1,369,602	2,127,286	1,534,693	1,570,646

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS, Season Average

Color	Leaf	Staple		
		44	46	48
1	1	113.54	118.54	118.79
	2	113.29	118.29	118.79
	3	104.29	109.29	109.54
	4			
	5			
	6			
2	1	113.04	118.04	118.79
	2	112.54	117.54	118.29
	3	103.04	108.04	108.29
	4	87.80	92.80	93.55
	5			
	6			
3	1	108.09	113.09	113.84
	2	106.09	111.09	112.34
	3	94.86	99.86	101.86
	4	78.80	83.80	84.80
	5	74.06	75.06	76.31
	6			
4	1	78.55	83.55	84.55
	2	78.30	83.30	83.80
	3	78.05	83.05	83.05
	4	70.55	76.05	76.05
	5	67.31	71.56	71.56
	6			
5	1			
	2	61.31	68.56	68.56
	3	61.31	68.06	68.56
	4	61.31	62.56	62.56
	5	61.06	62.31	62.31
	6			
6	1			
	2	51.26	51.51	51.51
	3	51.26	51.51	51.51
	4	51.26	51.51	51.51
	5	51.01	51.26	51.26
	6	50.51	50.76	50.76

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets, in cents per pound, net weight, United States, marketing years 2003-2016

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	69.50	68.90	64.50	62.70	60.80	59.10	57.80	61.30	62.60	65.90	66.80	69.30	61.30
2015	59.90	60.30	57.90	60.00	61.30	60.30	59.80	58.20	58.70	63.20	67.00	74.50	61.20
2016	67.10	67.00	65.90	67.10	67.60	67.10	68.60	68.80	68.90	69.20	69.70		

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02
2015	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.57	60.36	62.78	69.25	61.03
2016	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24	70.71

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35
2015	63.12	60.97	62.10	62.29	63.66	62.06	59.44	57.32	60.99	61.70	64.03	70.45	62.34
2016	69.77	68.85	69.24	70.68	70.86	72.06	73.98	75.17	74.99	76.63	70.73	67.12	71.74

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price.

Table 18. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2016-crop year's production by spot market

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-302	-219	-41	97	289	400	465	472
	3	-371	-247	-76	71	219	333	384	399
	4	-408	-267	-163	35	136	275	311	311
	5	-515	-356	-270	-77	59	157	166	166
	6	-684	-509	-436	-279	-223	-171	-169	-169
31	7	-759	-593	-535	-376	-321	-269	-267	-267
	1 & 2	-390	-243	-84	53	223	357	397	411
	3	-434	-257	-97	52	190	312	353	367
	4	-496	-299	-210	17	68	188	222	232
	5	-565	-391	-294	-133	-4	79	88	88
41	6	-728	-533	-440	-292	-259	-224	-221	-221
	7	-822	-618	-539	-379	-346	-314	-311	-311
	1 & 2	-528	-334	-176	29	137	235	263	270
	3	-553	-348	-190	23	80	196	225	232
	4	-603	-373	-296	71.01	50	140	170	176
51	5	-640	-463	-383	-204	-104	-22	-17	-17
	6	-790	-594	-523	-370	-319	-272	-271	-271
	7	-909	-699	-645	-489	-427	-397	-396	-396
	1 & 2	-658	-525	-406	-192	-109	-71	-68	-68
	3	-658	-556	-412	-214	-125	-82	-79	-79
61	4	-702	-578	-459	-275	-190	-152	-147	-147
	5	-752	-670	-619	-420	-331	-285	-281	-281
	6	-908	-754	-710	-531	-479	-439	-438	-438
	7	-1008	-838	-819	-653	-592	-562	-561	-561
	1-5	-777	-706	-660	-461	-398	-373	-373	-373
71	6	-914	-815	-777	-643	-586	-551	-551	-551
	7	-1014	-943	-889	-726	-669	-645	-645	-645
	1-6	-977	-975	-919	-770	-717	-703	-703	-703
12 & 22	7	-1058	-1009	-967	-800	-775	-761	-761	-761
	1 & 2	-491	-284	-136	37	168	287	295	303
	3	-535	-312	-153	27	122	240	253	261
	4	-566	-342	-258	-73	65	207	215	221
	5	-679	-494	-444	-272	-105	-57	-49	-49
	6	-835	-616	-577	-440	-356	-326	-319	-319
	7	-922	-709	-675	-540	-469	-440	-437	-437
32	1 & 2	-535	-362	-221	-65	19	86	87	88
	3	-579	-390	-240	-92	-20	65	66	68
	4	-648	-454	-328	-183	-84	-8	-7	-7
	5	-767	-609	-513	-344	-253	-207	-207	-207
	6	-923	-692	-643	-500	-440	-411	-411	-411
	7	-1035	-796	-733	-609	-542	-518	-518	-518
	42	1-3	-661	-535	-441	-251	-171	-88	-88
4		-711	-589	-460	-284	-224	-142	-142	-142
5		-823	-724	-627	-436	-337	-319	-319	-319
6		-1029	-794	-752	-581	-527	-501	-501	-501
7		-1116	-908	-832	-708	-630	-609	-609	-609
52	1-4	-881	-736	-656	-544	-463	-447	-447	-447
	5	-956	-813	-763	-621	-547	-531	-531	-531
	6	-1161	-962	-908	-758	-697	-681	-681	-681
	7	-1242	-1062	-1016	-867	-807	-789	-789	-789
62	1-5	-1006	-919	-867	-733	-682	-666	-666	-666
	6	-1192	-1081	-1029	-886	-846	-829	-829	-829

Table 18. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2016-crop year's production by spot market

August 2016 - July 2017

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-670	-488	-432	-232	-157	-123	-123	-123
	3	-714	-513	-457	-257	-182	-148	-148	-148
	4	-745	-588	-526	-307	-232	-198	-198	-198
	5	-870	-688	-651	-432	-357	-311	-311	-311
	6	-976	-763	-720	-501	-438	-392	-392	-392
	7	-1057	-863	-807	-569	-544	-497	-497	-497
33	1 & 2	-789	-563	-507	-195	-167	-148	-148	-148
	3	-789	-563	-507	-195	-167	-148	-148	-148
	4	-864	-638	-576	-230	-202	-183	-183	-183
	5	-1014	-757	-695	-325	-287	-261	-261	-261
	6	-1070	-832	-814	-377	-366	-340	-340	-340
	7	-1151	-938	-876	-458	-436	-411	-411	-411
43	1-3	-839	-777	-687	-505	-459	-425	-425	-425
	4	-914	-830	-733	-540	-476	-443	-443	-443
	5	-1039	-900	-823	-658	-604	-579	-579	-579
	6	-1120	-971	-902	-741	-719	-694	-694	-694
	7	-1201	-1087	-995	-835	-813	-788	-788	-788
53	1-4	-1002	-951	-865	-696	-654	-632	-632	-632
	5	-1102	-1027	-971	-797	-766	-745	-745	-745
	6	-1221	-1124	-1053	-880	-862	-841	-841	-841
	7	-1302	-1199	-1166	-995	-977	-955	-955	-955
63	1-5	-1221	-1110	-1043	-856	-809	-787	-787	-787
	6	-1302	-1209	-1128	-964	-934	-911	-911	-911
34	1 & 2	-864	-688	-638	-419	-399	-365	-365	-365
	3	-864	-688	-638	-419	-399	-365	-365	-365
	4	-989	-813	-738	-519	-499	-465	-465	-465
	5	-1089	-913	-863	-644	-624	-590	-590	-590
	6	-1245	-1069	-1019	-838	-819	-784	-784	-784
44	1-3	-983	-807	-757	-538	-519	-484	-484	-484
	4	-1058	-907	-807	-588	-569	-534	-534	-534
	5	-1152	-982	-907	-688	-669	-634	-634	-634
	6	-1308	-1132	-1082	-901	-882	-847	-847	-847
54	1-4	-1083	-932	-882	-663	-644	-609	-609	-609
	5	-1183	-1013	-938	-776	-757	-722	-722	-722

Mike	
Range	Diff.
24 & Below	-1056
25-26	-948
27-29	-657
30-32	-406
33-34	-242
Base 35-36	0
37-42	9
Base 43-49	0
50-52	-232
53 & Above	-386

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-215
20.0 - 20.9	-215
21.0 - 21.9	-277
22.0 - 22.9	-232
23.0 - 23.9	-193
24.0 - 24.9	-178
25.0 - 25.9	-153
26.0 - 26.9	-59
Base 27.0 - 28.9	0
29.0 - 29.9	11
30.0 - 30.9	32
31.0 - 32.9	48
33.0 & above	63

Uniformity	
Unit	Points
77.9 & Below	-98
78.0 - 78.9	-84
79.0 - 79.9	-71
80.0 - 80.9	-6
Base 81.0 - 81.9	0
82.0 - 82.9	1
83.0 - 83.9	14
84.0 - 84.9	22
85.0 - 85.9	32
86.0 & Above	42

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-193
Level 2	-614
Other (ET-OK and WT Bark not included)	
Level 1	-468
Level 2	-687
Bark	
Level 1	-350
Level 2	-516