

# **COTTON PRICE STATISTICS 2017-2018**




## **ANNUAL REPORT**

**UNITED STATES DEPARTMENT OF AGRICULTURE**  
Agricultural Marketing Service  
Cotton and Tobacco Program  
Memphis, TN

## ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 75.70 cents per pound for the 2017-2018 season, up from 70.71 cents for the 2016-2017 season. The season's lowest daily quotation for the base quality occurred on October 20, 2017 at 65.24 cents per pound and the season's highest quotation was 90.94 cents on June 12, 2018. The lowest monthly average for the marketing year was 66.67 cents per pound in October 2017 and the highest was 85.54 cents per pound in June 2018.



Source: USDA, AMS, Cotton and Tobacco Program

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 76.65 cents per pound for the 2017-2018 season, up from 71.74 cents for the 2016-2017 season.

The average price received by farmers for Upland cotton in July was 74.10 cents per pound in the 2017-2018 marketing year. The 2016-2017 marketing year average price was 67.30 cents, compared to the 2015-2016 marketing year of 61.30 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 2,060,426 running bales in the 2017-2018 marketing year, up from 1,570,646 bales in the 2016-2017 marketing year and 1,534,693 bales in 2015-2016.

August 29, 2018

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound,  
2012-2017 1/ 2/

Market Areas	2012	2013	2014	2015	2016	2017
Southeast	77.50	82.74	63.55	63.31	72.91	78.91
North Delta	76.56	81.85	62.64	62.43	71.81	77.60
South Delta	76.56	81.85	62.64	62.43	71.81	77.60
East Texas-Oklahoma	73.78	79.27	60.75	59.29	70.25	74.43
West Texas	73.68	79.13	60.71	59.15	70.06	73.85
Desert Southwest	73.68	78.23	61.57	59.72	68.50	73.35
San Joaquin Valley	74.74	78.88	62.32	60.87	69.61	74.13
<b>Average</b>	<b>75.21</b>	<b>80.28</b>	<b>62.03</b>	<b>61.03</b>	<b>70.71</b>	<b>75.70</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year		HIGH		LOW	
		Date	Price	Date	Price
2012	2/	13-Jun-13	87.55	8-Nov-12	65.11
2013	3/	16-Aug-13	89.14	31-Jul-14	63.53
2014	3/	11-Sep-14	69.64	23-Jan-15	56.36
2015	3/	29-Jul-16	72.51	2-Mar-16	54.56
2016	3/	15-May-17	81.76	31-Aug-16	63.91
2017	3/	12-Jun-18	90.94	20-Oct-17	65.24

1/ Year beginning August 1. 2/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4. 3/ Color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9.

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9, in the designated markets, daily and monthly averages, 2017-2018 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	68.16	70.96		66.62	71.13		75.61	78.58		80.27	88.50	
2	68.86		66.23	67.34		75.21	74.64	78.92	77.73	80.41		80.41
3	68.71		66.19	67.09		75.69			78.76	80.14		80.43
4	68.17		67.25		70.56	76.71			76.35	82.71	87.29	
5		73.47	66.87		70.54	75.61	73.98	82.16	78.87		85.31	79.44
6		73.19	67.35	67.21	70.76		73.71	79.38	78.92		86.54	82.39
7	68.41	72.88		66.51	72.20		73.58	79.83		81.78	89.30	
8	69.19	73.35		67.13	71.62	75.71	74.19	82.09		81.20	90.53	
9	69.12		67.43	66.78		75.79	74.24	81.44	79.19	81.61		82.99
10	66.94		67.21	67.50		77.11			79.77	80.33		83.93
11	66.92	71.79	67.06		70.96	79.96			80.06	80.30	90.39	81.74
12		68.79	66.14		70.90	78.91	74.11	80.20	79.81		90.94	85.67
13		67.99	66.69	67.38	71.99		73.99	79.91	79.58		89.94	85.21
14	66.32	67.84		67.18	73.13		73.21	80.39		79.64	89.58	
15	65.52	68.16		67.33	73.69		72.91	80.45		79.69	86.94	
16	65.43		65.70	67.61		78.66	73.47	79.75	79.46	80.32		85.20
17	65.36		65.94	67.57		79.03			79.18	81.02		85.50
18	65.67	67.96	65.84		73.07	79.56			78.86	82.32	85.04	85.16
19		67.80	65.61		72.95	80.30		78.06	79.01		81.30	84.64
20		67.75	65.24	68.79	73.65		75.26	79.88	80.95		81.76	84.10
21	66.61	66.89		68.17	75.67		76.53	79.39		83.87	81.64	
22	66.81	67.04		68.96	75.48	80.29	75.73	78.86		82.96	82.53	
23	67.71		67.84			79.19	77.81	78.63	80.51	82.61		83.91
24	68.26		67.56	69.74		79.37			77.94	82.94		83.80
25	67.15	67.86	67.40			79.13			80.39	84.29	82.41	85.07
26		67.21	66.53		75.13	77.91	78.54	78.59	80.55		81.85	85.31
27		67.14	66.61	69.30	76.61		78.68	78.76	80.51		82.19	85.33
28	68.88	67.44		69.89	76.36		79.38	77.49			80.91	
29	69.11	66.93		71.16	76.24	75.83		78.22		88.29	81.41	
30	70.05		67.10	70.65		74.52			79.74	87.71		86.18
31	70.06		66.91			74.70				88.39		86.49
Average	67.71	69.12	66.67	68.09	73.13	77.58	75.24	79.57	79.34	82.40	85.54	83.95
High	70.06	73.47	67.84	71.16	76.61	80.30	79.38	82.16	80.95	88.39	90.94	86.49
Low	65.36	66.89	65.24	66.51	70.54	74.52	72.91	77.49	76.35	79.64	80.91	79.44

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 27.0-28.9, in the designated markets, monthly and annual averages, 2017-2018 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	69.38	71.23	69.10	70.63	76.27	80.85	78.55	83.22	83.53	87.26	89.82	87.13	78.91
North Delta	68.63	70.48	68.19	69.15	74.54	79.34	77.03	81.72	82.03	85.76	88.32	86.04	77.60
South Delta	68.63	70.48	68.19	69.15	74.54	79.34	77.03	81.72	82.03	85.76	88.32	86.04	77.60
East Texas-Oklahoma	68.86	70.10	67.26	68.42	72.85	76.67	73.68	77.44	76.08	77.65	81.93	82.18	74.43
West Texas	68.71	69.64	66.76	68.68	72.34	75.18	72.84	76.83	75.17	76.39	81.48	82.18	73.85
Desert Southwest	64.40	65.48	63.08	64.73	70.08	75.40	73.44	77.79	78.03	81.76	84.20	81.79	73.35
San Joaquin Valley	65.40	66.48	64.10	65.88	71.29	76.28	74.11	78.29	78.53	82.26	84.70	82.29	74.13
Average	67.71	69.12	66.67	68.09	73.13	77.58	75.24	79.57	79.34	82.40	85.54	83.95	75.70

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 27.0-28.9, in the designated markets, monthly and annual averages, 2017-2018 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	70.13	71.98	69.85	71.53	77.52	82.10	79.80	84.47	84.78	88.51	91.07	88.38	80.01
North Delta	69.38	71.23	68.94	69.90	75.29	80.09	77.78	82.47	82.78	86.51	89.07	86.79	78.35
South Delta	69.38	71.23	68.94	69.90	75.29	80.09	77.78	82.47	82.78	86.51	89.07	86.79	78.35
East Texas-Oklahoma	69.61	70.85	68.01	68.99	73.35	77.17	74.18	77.94	76.58	78.15	82.96	83.43	75.10
West Texas	68.71	69.64	66.76	68.75	72.59	75.43	73.09	77.08	75.33	76.49	82.11	83.03	74.08
Desert Southwest	64.90	65.98	63.58	65.23	70.58	75.90	73.94	78.29	78.53	82.26	84.70	82.29	73.85
San Joaquin Valley	68.05	69.13	66.75	68.53	73.94	78.93	76.76	80.94	81.18	84.91	87.35	84.94	76.78
Average	68.59	70.00	67.55	68.97	74.08	78.53	76.19	80.52	80.28	83.33	86.62	85.09	76.65

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-276	-216	-55	164	408	584	643	685
	3	-338	-236	-69	136	353	530	578	616
	4	-388	-262	-177	49	166	301	342	342
	5	-476	-377	-293	-95	42	121	149	149
	6	-638	-490	-438	-316	-221	-174	-159	-159
	7	-713	-585	-554	-423	-346	-297	-284	-284
31	1 & 2	-370	-239	-92	106	350	537	591	626
	3	-408	-249	-100	95	311	495	542	576
	4	-483	-295	-226	29	125	237	268	273
	5	-545	-405	-316	-143	-18	47	72	72
	6	-695	-513	-453	-343	-264	-228	-209	-209
	7	-783	-608	-569	-439	-377	-342	-323	-323
41	1 & 2	-495	-323	-240	41	146	246	265	272
	3	-520	-333	-248	27	94	196	218	225
	4	-570	-363	-332	75.70	57	143	168	172
	5	-631	-478	-423	-271	-150	-82	-69	-69
	6	-781	-583	-556	-450	-358	-311	-304	-304
	7	-894	-693	-694	-589	-500	-476	-471	-471
51	1 & 2	-631	-548	-444	-311	-164	-122	-117	-117
	3	-631	-588	-448	-332	-182	-136	-131	-131
	4	-669	-608	-477	-382	-250	-209	-197	-197
	5	-719	-693	-648	-507	-378	-334	-323	-323
	6	-881	-773	-752	-628	-553	-527	-520	-520
	7	-981	-858	-877	-768	-685	-662	-659	-659
61	1-5	-756	-732	-667	-489	-434	-407	-407	-407
	6	-906	-837	-787	-654	-614	-582	-582	-582
	7	-1006	-952	-907	-744	-704	-677	-677	-677
71	1-6	-956	-1032	-977	-829	-789	-767	-767	-767
	7	-1044	-1072	-1027	-864	-844	-822	-822	-822
12 & 22	1 & 2	-482	-278	-177	62	219	361	400	429
	3	-519	-298	-190	42	173	315	358	383
	4	-557	-323	-286	-29	102	225	258	261
	5	-657	-493	-444	-264	-92	-37	-8	-8
	6	-819	-613	-590	-464	-346	-312	-289	-289
	7	-919	-698	-702	-596	-507	-473	-452	-452
32	1 & 2	-519	-378	-281	-71	71	142	155	169
	3	-557	-393	-294	-90	36	113	126	140
	4	-619	-443	-352	-208	-61	-9	3	3
	5	-732	-593	-506	-379	-264	-219	-216	-216
	6	-894	-683	-669	-547	-446	-419	-416	-416
	7	-1019	-788	-777	-672	-593	-573	-570	-570
42	1-3	-619	-538	-456	-301	-153	-101	-98	-98
	4	-669	-578	-477	-340	-221	-169	-166	-166
	5	-794	-713	-623	-490	-361	-334	-330	-330
	6	-1007	-803	-769	-637	-564	-541	-538	-538
	7	-1107	-898	-861	-776	-700	-684	-680	-680
52	1-4	-844	-723	-648	-578	-503	-484	-480	-480
	5	-919	-798	-756	-660	-585	-573	-570	-570
	6	-1132	-948	-898	-803	-743	-730	-727	-727
	7	-1219	-1033	-1027	-943	-889	-866	-862	-862
62	1-5	-969	-928	-863	-735	-700	-682	-677	-677
	6	-1169	-1093	-1028	-880	-850	-827	-822	-822

Table 6. United States (Continued)

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-695	-532	-470	-231	-160	-94	-73	-73
	3	-732	-557	-495	-256	-185	-119	-98	-98
	4	-770	-632	-557	-306	-235	-169	-148	-148
	5	-895	-732	-682	-431	-360	-282	-260	-260
	6	-1007	-807	-745	-509	-447	-369	-348	-348
	7	-1095	-907	-845	-596	-560	-482	-460	-460
33	1 & 2	-807	-607	-545	-354	-323	-280	-265	-265
	3	-807	-607	-545	-356	-325	-281	-265	-265
	4	-882	-682	-607	-422	-391	-348	-332	-332
	5	-1032	-795	-720	-581	-541	-489	-474	-474
	6	-1095	-870	-832	-724	-708	-656	-640	-640
	7	-1182	-982	-907	-858	-833	-781	-765	-765
43	1-3	-857	-818	-694	-570	-532	-495	-489	-489
	4	-932	-863	-744	-617	-564	-531	-524	-524
	5	-1057	-918	-844	-756	-703	-678	-671	-671
	6	-1145	-998	-932	-856	-836	-813	-807	-807
	7	-1232	-1123	-1040	-981	-961	-938	-932	-932
53	1-4	-1007	-963	-886	-743	-704	-682	-674	-674
	5	-1107	-1043	-986	-835	-804	-782	-774	-774
	6	-1220	-1158	-1073	-928	-900	-878	-870	-870
	7	-1307	-1223	-1211	-1057	-1037	-1016	-1008	-1008
63	1-5	-1220	-1138	-1073	-913	-870	-844	-834	-834
	6	-1307	-1228	-1153	-988	-960	-934	-924	-924
34	1 & 2	-891	-741	-691	-449	-429	-372	-353	-353
	3	-891	-741	-691	-449	-429	-372	-353	-353
	4	-1016	-866	-791	-549	-529	-472	-453	-453
	5	-1116	-966	-916	-674	-654	-597	-578	-578
	6	-1278	-1128	-1078	-861	-841	-784	-765	-765
44	1-3	-1003	-853	-803	-561	-541	-484	-465	-465
	4	-1078	-953	-853	-611	-591	-534	-515	-515
	5	-1166	-1028	-953	-711	-691	-634	-615	-615
	6	-1328	-1178	-1128	-911	-891	-834	-815	-815
54	1-4	-1103	-978	-928	-671	-658	-602	-590	-590
	5	-1203	-1066	-991	-771	-758	-702	-690	-690

## Mike

Range	Diff.
24 & Below	-1523
25-26	-1193
27-29	-944
30-32	-586
33-34	-359
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-273
53 & Above	-402

## Strength

(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-262
20.0 - 20.9	-262
21.0 - 21.9	-346
22.0 - 22.9	-283
23.0 - 23.9	-229
24.0 - 24.9	-243
25.0 - 25.9	-200
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	32
31.0 - 32.9	54
33.0 & above	79

## Uniformity

Unit	Points
77.9 & Below	-95
78.0 - 78.9	-82
79.0 - 79.9	-70
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	29
84.0 - 84.9	37
85.0 - 85.9	47
86.0 & Above	57

## Extraneous Matter

Prep	Diff.
Level 1	-157
Level 2	-714
Bark	
Level 1	-421
Level 2	-756
Other	
Level 1	-350
Level 2	-525

Table 7. Southeast spot cotton differences, season average.

August 2017 - July 2018

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	135	220	395	445	445	25-26	-825
	3	-225	-50	135	195	370	420	420	27-29	-425
	4	-225	-125	60	145	283	308	308	30-32	-275
	5	-375	-225	-125	25	75	75	75	33-34	-150
	6	-500	-350	-300	-225	-200	-200	-200	Base 35-36	0
	7	-625	-475	-450	-350	-325	-325	-325	37-42	0
									Base 43-49	0
31	1 & 2	-225	-50	110	195	370	395	395	50-52	-200
	3	-225	-50	110	195	345	370	370	53 & Above	-375
	4	-225	-125	60	145	258	283	283		
	5	-375	-225	-125	25	50	50	50		
	6	-500	-350	-300	-275	-250	-250	-250		
	7	-625	-475	-450	-400	-375	-375	-375		
41	1 & 2	-275	-100	50	170	249	249	274	Strength	
	3	-275	-100	50	145	224	224	249	(Grams per Tex)	
	4	-275	-200	78.91	120	199	199	224	Range	Diff.
	5	-450	-350	-200	-75	-25	-25	-25	21.0 - 21.9	-425
	6	-575	-450	-425	-350	-325	-325	-325	22.0 - 22.9	-350
	7	-675	-575	-550	-500	-475	-475	-475	23.0 - 23.9	-300
									24.0 - 24.9	-250
51	1 & 2	-475	-300	-175	-175	-150	-150	-150	25.0 - 25.9	-200
	3	-550	-325	-250	-225	-175	-175	-175	26.0 - 26.9	-25
	4	-575	-325	-275	-275	-250	-250	-250	Base 27.0 - 28.9	0
	5	-675	-550	-450	-400	-375	-375	-375	29.0 - 29.9	0
	6	-750	-575	-525	-525	-500	-500	-500	30.0 - 30.9	25
	7	-825	-700	-675	-675	-650	-650	-650	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-775	-700	-625	-600	-600	-600	-600		
	6	-950	-875	-825	-800	-800	-800	-800		
	7	-1075	-950	-900	-875	-875	-875	-875		
71	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
12 & 22	1 & 2	-275	-100	50	135	275	275	300	Extraneous Matter	
	3	-275	-100	50	110	250	250	275	Prep	Diff.
	4	-275	-125	0	85	225	225	250	Level 1	-200
	5	-425	-325	-200	0	25	25	25	Level 2	-800
	6	-550	-425	-425	-350	-325	-325	-325		
	7	-650	-550	-550	-500	-475	-475	-475	Other	Diff.
									Level 1	-400
32	1 & 2	-325	-175	-25	0	50	50	50	Level 2	-800
	3	-350	-200	-50	0	25	25	25		
	4	-450	-200	-150	-100	-50	-50	-50		
	5	-525	-350	-300	-275	-250	-250	-250		
	6	-600	-450	-450	-425	-400	-400	-400		
	7	-700	-575	-575	-550	-525	-525	-525		
42	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-25
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		



Table 8. North Delta spot cotton differences, season average.

August 2017 - July 2018

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	118	237	462	494	494	25-26	-1000
	3	-225	-75	93	187	387	419	419	27-29	-650
	4	-275	-200	25	69	294	319	319	30-32	-325
	5	-450	-325	-62	6	31	56	56	33-34	-125
	6	-500	-475	-350	-294	-294	-294	-294	Base 35-36	0
	7	-600	-575	-450	-394	-394	-394	-394	37-42	25
									Base 43-49	0
31	1 & 2	-225	-100	75	194	444	469	469	50-52	-225
	3	-225	-100	75	162	387	419	419	53 & Above	-375
	4	-275	-250	25	69	244	269	269		
	5	-450	-325	-125	-44	-19	6	6		
	6	-500	-475	-350	-294	-294	-294	-294		
	7	-600	-575	-450	-394	-394	-394	-394		
41	1 & 2	-350	-250	50	117	242	267	267	Strength	
	3	-350	-250	25	67	217	242	242	(Grams per Tex)	
	4	-375	-275	77.60	17	142	167	167	Range	Diff.
	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-300
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-250
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
									24.0 - 24.9	-175
51	1 & 2	-675	-475	-363	-250	-250	-250	-250	25.0 - 25.9	-150
	3	-725	-475	-388	-275	-275	-275	-275	26.0 - 26.9	-25
	4	-750	-500	-413	-350	-350	-350	-350	Base 27.0 - 28.9	0
	5	-825	-725	-538	-475	-450	-450	-450	29.0 - 29.9	0
	6	-850	-825	-675	-600	-600	-600	-600	30.0 - 30.9	25
	7	-1000	-975	-825	-700	-700	-700	-700	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-925	-850	-775	-750	-750	-750	-750		
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	48	113	263	288	288	Extraneous Matter	
	3	-275	-125	23	63	213	263	263	Prep	Diff.
	4	-300	-250	-2	13	163	188	188	Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Level 2	-800
	6	-625	-550	-425	-325	-300	-294	-294		
	7	-675	-650	-525	-450	-425	-425	-425	Other	Diff.
									Level 1	-375
32	1 & 2	-400	-250	-100	0	50	50	50	Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-300	-300	-300	Unit	Points
	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 9. South Delta spot cotton differences, season average.

August 2017 - July 2018

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	118	237	462	494	494	25-26	-1100
	3	-225	-75	93	187	387	419	419	27-29	-750
	4	-275	-200	25	69	294	319	319	30-32	-325
	5	-450	-325	-62	6	31	56	56	33-34	-125
	6	-500	-475	-350	-294	-294	-294	-294	Base 35-36	0
	7	-600	-575	-450	-394	-394	-394	-394	37-42	25
									Base 43-49	0
31	1 & 2	-225	-100	75	194	444	469	469	50-52	-225
	3	-225	-100	75	162	387	419	419	53 & Above	-375
	4	-275	-250	25	69	244	269	269		
	5	-450	-325	-125	-44	-19	6	6		
	6	-500	-475	-350	-294	-294	-294	-294		
	7	-600	-575	-450	-394	-394	-394	-394		
41	1 & 2	-350	-250	50	117	242	267	267	Strength	
	3	-350	-250	25	67	217	242	242	(Grams per Tex)	
	4	-375	-275	77.60	17	142	167	167	Range	Diff.
	5	-525	-400	-225	-125	-75	-75	-75	21.0 - 21.9	-275
	6	-575	-500	-400	-325	-300	-300	-300	22.0 - 22.9	-225
	7	-700	-675	-550	-450	-450	-450	-450	23.0 - 23.9	-200
									24.0 - 24.9	-175
51	1 & 2	-675	-475	-363	-250	-250	-250	-250	25.0 - 25.9	-150
	3	-725	-475	-388	-275	-275	-275	-275	26.0 - 26.9	-25
	4	-750	-500	-413	-350	-350	-350	-350	Base 27.0 - 28.9	0
	5	-825	-725	-538	-475	-450	-450	-450	29.0 - 29.9	0
	6	-925	-825	-675	-600	-600	-600	-600	30.0 - 30.9	25
	7	-1000	-975	-825	-700	-700	-700	-700	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-925	-850	-775	-750	-750	-750	-750		
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	48	113	263	288	288	Extraneous Matter	
	3	-275	-125	23	63	213	263	263	Prep	Diff.
	4	-300	-250	-2	13	163	188	188	Level 1	-200
	5	-500	-375	-200	-100	-75	-50	-50	Level 2	-800
	6	-625	-550	-425	-325	-300	-294	-294		
	7	-675	-650	-525	-450	-425	-425	-425	Other	Diff.
									Level 1	-375
32	1 & 2	-400	-250	-100	0	50	50	50	Level 2	-785
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
	5	-600	-425	-250	-225	-200	-200	-200		
	6	-700	-650	-475	-425	-400	-400	-400		
	7	-800	-750	-575	-525	-525	-525	-525		
42	1-3	-550	-425	-350	-225	-225	-225	-225	Uniformity	
	4	-575	-450	-375	-300	-275	-275	-275	Unit	Points
	5	-725	-575	-450	-400	-375	-375	-375	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-800	-700	-650	-650	-650	-650	79.0 - 79.9	-70
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
	6	-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
43	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-308	-258	-83	132	270	402	440	459
	3	-358	-308	-108	96	220	326	352	370
	4	-433	-308	-133	40	40	254	279	279
	5	-483	-358	-308	-85	40	229	229	229
	6	-633	-483	-483	-275	-275	-87	-87	-87
	7	-708	-583	-583	-350	-350	-162	-162	-162
31	1 & 2	-358	-283	-83	68	229	324	392	411
	3	-383	-308	-108	68	179	278	322	340
	4	-483	-383	-183	11	36	149	149	149
	5	-533	-383	-333	-89	11	149	149	149
	6	-658	-508	-508	-275	-275	-137	-137	-137
	7	-733	-608	-608	-350	-350	-237	-237	-237
41	1 & 2	-458	-283	-108	33	111	249	274	274
	3	-483	-308	-133	33	61	124	149	149
	4	-533	-383	-283	74.43	11	99	124	124
	5	-619	-444	-394	-146	-101	99	124	124
	6	-769	-569	-544	-311	-311	-137	-137	-137
	7	-869	-669	-644	-411	-386	-312	-312	-312
51	1 & 2	-594	-444	-344	-11	-11	113	138	138
	3	-594	-469	-344	-11	-11	113	138	138
	4	-644	-494	-369	-86	-61	63	88	88
	5	-694	-569	-519	-186	-136	-62	-37	-37
	6	-869	-669	-669	-336	-336	-262	-262	-262
	7	-969	-694	-694	-411	-411	-337	-337	-337
61	1-5	-731	-581	-531	-199	-199	-124	-124	-124
	6	-906	-706	-681	-374	-349	-274	-274	-274
	7	-1006	-806	-781	-474	-449	-374	-374	-374
71	1-6	-931	-831	-781	-449	-449	-374	-374	-374
	7	-1031	-881	-856	-524	-524	-449	-449	-449
12 & 22	1 & 2	-519	-319	-144	71	118	231	243	243
	3	-544	-369	-194	58	68	156	168	168
	4	-594	-394	-219	14	18	156	168	168
	5	-669	-569	-519	-261	-157	56	68	68
	6	-844	-669	-669	-411	-361	-298	-287	-287
	7	-969	-794	-769	-511	-461	-398	-387	-387
32	1 & 2	-544	-469	-294	-36	64	177	188	188
	3	-569	-469	-319	-44	-36	102	113	113
	4	-619	-494	-394	-119	-111	-48	-37	-37
	5	-719	-619	-594	-294	-236	-48	-37	-37
	6	-894	-719	-719	-469	-436	-373	-362	-362
	7	-1044	-844	-844	-569	-536	-473	-462	-462
42	1-3	-594	-519	-444	-94	-61	27	38	38
	4	-644	-544	-469	-119	-111	-48	-37	-37
	5	-794	-669	-619	-344	-311	-273	-262	-262
	6	-1019	-769	-744	-494	-461	-423	-412	-412
	7	-1144	-894	-869	-619	-561	-523	-512	-512
52	1-4	-806	-631	-556	-374	-374	-336	-324	-324
	5	-881	-731	-631	-424	-424	-386	-374	-374
	6	-1106	-931	-856	-574	-549	-511	-499	-499
	7	-1206	-1056	-981	-699	-674	-586	-574	-574
62	1-5	-931	-806	-781	-499	-474	-436	-424	-424
	6	-1156	-1006	-981	-699	-674	-611	-599	-599

Table 10. East Texas-Oklahoma (Continued)

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-757	-632	-557	-237	-169	-64	-32	-32
	3	-782	-657	-582	-262	-194	-89	-57	-57
	4	-832	-732	-632	-312	-244	-139	-107	-107
	5	-957	-832	-757	-437	-369	-264	-232	-232
	6	-1082	-907	-807	-518	-469	-364	-332	-332
	7	-1182	-1007	-932	-643	-594	-489	-457	-457
33	1 & 2	-857	-707	-632	-288	-244	-139	-107	-107
	3	-857	-707	-632	-292	-249	-143	-107	-107
	4	-932	-782	-682	-342	-299	-193	-157	-157
	5	-1082	-882	-782	-467	-424	-318	-282	-282
	6	-1157	-957	-882	-573	-549	-443	-407	-407
	7	-1257	-1082	-982	-698	-674	-568	-532	-532
43	1-3	-907	-782	-682	-342	-299	-193	-157	-157
	4	-982	-857	-732	-367	-324	-218	-182	-182
	5	-1107	-957	-832	-490	-449	-343	-307	-307
	6	-1207	-1032	-932	-615	-599	-493	-457	-457
	7	-1307	-1132	-1032	-715	-699	-593	-557	-557
53	1-4	-1032	-957	-857	-534	-524	-443	-407	-407
	5	-1132	-1032	-957	-609	-599	-518	-482	-482
	6	-1232	-1132	-1057	-740	-724	-643	-607	-607
	7	-1332	-1232	-1182	-840	-799	-718	-682	-682
63	1-5	-1232	-1107	-1007	-690	-599	-518	-482	-482
	6	-1332	-1232	-1107	-790	-749	-668	-632	-632
34	1 & 2	-940	-840	-790	-489	-473	-410	-383	-383
	3	-940	-840	-790	-489	-473	-410	-383	-383
	4	-1065	-965	-890	-589	-573	-510	-483	-483
	5	-1165	-1065	-1015	-714	-698	-635	-608	-608
	6	-1340	-1240	-1190	-889	-873	-810	-783	-783
44	1-3	-1040	-940	-890	-589	-573	-510	-483	-483
	4	-1115	-1040	-940	-639	-623	-560	-533	-533
	5	-1190	-1115	-1040	-739	-723	-660	-633	-633
	6	-1365	-1265	-1215	-914	-898	-835	-808	-808
54	1-4	-1140	-1065	-1015	-683	-683	-620	-608	-608
	5	-1240	-1165	-1090	-758	-758	-695	-683	-683

Mike	
Range	Diff.
24 & Below	-1595
25-26	-1534
27-29	-1070
30-32	-774
33-34	-599
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-229
53 & Above	-367

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-262
20.0 - 20.9	-262
21.0 - 21.9	-237
22.0 - 22.9	-212
23.0 - 23.9	-187
24.0 - 24.9	-187
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	
Level 1	-350
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 11. West Texas spot cotton differences, monthly average.

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-244	-149	51	104	301	344	407	426
	3	-319	-199	-6	70	217	302	359	384
	4	-344	-227	-102	67	192	249	299	299
	5	-469	-252	-202	-33	117	249	249	249
	6	-644	-469	-394	-187	-162	-112	-112	-112
	7	-719	-519	-469	-262	-237	-187	-187	-187
31	1 & 2	-383	-237	-45	24	196	289	365	390
	3	-433	-262	-70	24	189	282	339	364
	4	-483	-315	-198	11	59	146	178	186
	5	-558	-365	-290	-139	-22	111	111	111
	6	-733	-558	-433	-250	-250	-225	-225	-225
	7	-833	-608	-508	-300	-300	-275	-275	-275
41	1 & 2	-533	-358	-158	6	111	204	236	236
	3	-558	-383	-183	6	36	179	211	211
	4	-608	-408	-333	73.85	11	104	136	136
	5	-644	-444	-369	-176	-76	36	36	36
	6	-794	-619	-544	-311	-294	-225	-225	-225
	7	-919	-719	-644	-411	-361	-300	-300	-300
51	1 & 2	-669	-469	-394	-86	14	75	75	75
	3	-669	-469	-394	-86	14	75	75	75
	4	-694	-469	-469	-161	-36	25	25	25
	5	-744	-569	-569	-311	-211	-125	-125	-125
	6	-894	-669	-669	-436	-361	-275	-275	-275
	7	-994	-769	-769	-536	-461	-400	-400	-400
61	1-5	-781	-606	-606	-324	-224	-162	-162	-162
	6	-906	-681	-681	-524	-424	-337	-337	-337
	7	-1006	-831	-806	-599	-499	-437	-437	-437
71	1-6	-981	-806	-756	-599	-499	-462	-462	-462
	7	-1056	-831	-806	-624	-574	-537	-537	-537
12 & 22	1 & 2	-445	-245	-95	43	155	280	299	299
	3	-495	-295	-120	43	105	230	249	249
	4	-520	-345	-295	-137	38	205	224	224
	5	-645	-470	-470	-312	-112	-62	-51	-51
	6	-795	-595	-595	-412	-337	-287	-276	-276
	7	-870	-695	-670	-487	-412	-362	-351	-351
32	1 & 2	-495	-295	-145	-37	30	105	124	124
	3	-545	-345	-170	-87	-12	105	124	124
	4	-620	-420	-345	-162	-37	50	61	61
	5	-745	-620	-570	-362	-212	-162	-151	-151
	6	-895	-695	-670	-487	-412	-362	-351	-351
	7	-995	-795	-720	-587	-487	-437	-426	-426
42	1-3	-645	-445	-395	-187	-112	63	74	74
	4	-695	-520	-420	-212	-137	38	49	49
	5	-795	-670	-595	-387	-237	-212	-201	-201
	6	-995	-720	-695	-512	-437	-387	-376	-376
	7	-1070	-870	-795	-637	-512	-462	-451	-451
52	1-4	-882	-657	-632	-500	-375	-325	-313	-313
	5	-957	-757	-707	-550	-425	-375	-363	-363
	6	-1157	-932	-882	-675	-575	-525	-513	-513
	7	-1232	-1032	-982	-775	-675	-625	-613	-613
62	1-5	-1007	-832	-807	-650	-550	-500	-488	-488
	6	-1182	-982	-957	-800	-725	-675	-663	-663

Table 11. West Texas spot cotton differences (Continued)

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-633	-433	-383	-225	-150	-125	-114	-114
	3	-683	-458	-408	-250	-175	-150	-139	-139
	4	-708	-533	-483	-300	-225	-200	-189	-189
	5	-833	-633	-608	-425	-350	-300	-289	-289
	6	-933	-708	-683	-500	-425	-375	-364	-364
	7	-1008	-808	-758	-550	-525	-475	-464	-464
33	1 & 2	-758	-508	-458	-275	-225	-200	-189	-189
	3	-758	-508	-458	-275	-225	-200	-189	-189
	4	-833	-583	-533	-325	-275	-250	-239	-239
	5	-983	-708	-658	-475	-400	-350	-339	-339
	6	-1033	-783	-783	-525	-500	-450	-439	-439
	7	-1108	-883	-833	-650	-600	-550	-539	-539
43	1-3	-808	-608	-558	-350	-300	-250	-239	-239
	4	-883	-683	-608	-375	-300	-250	-239	-239
	5	-1008	-783	-708	-500	-425	-375	-364	-364
	6	-1083	-858	-808	-600	-575	-525	-514	-514
	7	-1158	-958	-883	-675	-650	-600	-589	-589
53	1-4	-983	-858	-783	-550	-500	-450	-439	-439
	5	-1083	-908	-858	-650	-600	-550	-539	-539
	6	-1208	-1008	-958	-750	-725	-675	-664	-664
	7	-1283	-1083	-1058	-875	-850	-800	-789	-789
63	1-5	-1208	-1008	-933	-700	-625	-575	-564	-564
	6	-1283	-1108	-1008	-850	-800	-750	-739	-739
34	1 & 2	-841	-641	-591	-409	-384	-334	-322	-322
	3	-841	-641	-591	-409	-384	-334	-322	-322
	4	-966	-766	-691	-509	-484	-434	-422	-422
	5	-1066	-866	-816	-634	-609	-559	-547	-547
	6	-1216	-1016	-966	-834	-809	-759	-747	-747
44	1-3	-966	-766	-716	-534	-509	-459	-447	-447
	4	-1041	-866	-766	-584	-559	-509	-497	-497
	5	-1141	-941	-866	-684	-659	-609	-597	-597
	6	-1291	-1091	-1041	-909	-884	-834	-822	-822
54	1-4	-1066	-891	-841	-659	-634	-584	-572	-572
	5	-1166	-966	-891	-784	-759	-709	-697	-697

## Mike

Range	Diff.
24 & Below	-1690
25-26	-1615
27-29	-1128
30-32	-817
33-34	-626
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-229
53 & Above	-367

## Strength

(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-262
20.0 - 20.9	-262
21.0 - 21.9	-237
22.0 - 22.9	-212
23.0 - 23.9	-187
24.0 - 24.9	-187
25.0 - 25.9	-150
26.0 - 26.9	-100
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

## Uniformity

Unit	Points
77.9 & Below	-110
78.0 - 78.9	-87
79.0 - 79.9	-72
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

## Extraneous Matter

Prep	Diff.
Level 1	-200
Level 2	-500
Bark	
Level 1	-350
Level 2	-525
Other	
Level 1	-550
Level 2	-600

Table 12. Desert Southwest spot cotton differences, season average.

August 2017 - July 2018

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-100	125	550	636	684	714	24 & Below	-1284
	3	-100	100	475	598	610	639	25-26	-1084
	4	-300	50	300	335	370	370	27-29	-986
	5	-375	-175	25	100	185	185	30-32	-586
	6	-450	-350	-100	-85	-30	-30	33-34	-386
	7	-650	-375	-175	-140	-100	-100	Base 35-36	0
31	1 & 2	-175	75	500	598	633	658	37-42	25
	3	-175	50	400	548	558	583	Base 43-49	0
	4	-350	25	200	285	320	345	50-52	-300
	5	-400	-200	-50	0	70	70	53 & Above	-550
	6	-475	-375	-135	-120	-40	-40		
	7	-675	-400	-225	-195	-115	-115		
41	1 & 2	-575	0	50	110	120	145	<b>Strength</b>	
	3	-575	0	35	85	120	145	(Grams per Tex)	
	4	-625	73.35	25	35	95	95	Range	Diff.
	5	-625	-500	-350	-340	-280	-280	21.0 - 21.9	-600
	6	-800	-675	-450	-440	-390	-390	22.0 - 22.9	-450
	7	-950	-825	-625	-620	-585	-585	23.0 - 23.9	-300
51	1 & 2	-675	-500	-250	-215	-205	-205	24.0 - 24.9	-225
	3	-675	-500	-250	-215	-205	-205	25.0 - 25.9	-200
	4	-700	-575	-375	-325	-265	-265	26.0 - 26.9	-125
	5	-800	-750	-575	-550	-500	-500	Base 27.0 - 28.9	0
	6	-950	-850	-650	-650	-600	-600	29.0 - 29.9	0
	7	-1150	-1050	-850	-850	-825	-825	30.0 - 30.9	25
12 & 22	1 & 2	-475	50	325	385	445	445	31.0 - 32.9	50
	3	-475	50	300	360	420	420	33.0 & above	100
	4	-575	0	225	285	370	370		
	5	-600	-425	-125	-125	-50	-50		
	6	-750	-625	-325	-325	-250	-250		
	7	-925	-800	-575	-575	-500	-500		
32	1 & 2	-575	-200	150	235	245	245	<b>Extraneous Matter</b>	
	3	-575	-200	150	235	245	245	Prep	Diff.
	4	-625	-425	0	85	95	95	Level 1	-50
	5	-675	-675	-400	-400	-400	-400	Level 2	-800
	6	-875	-800	-525	-525	-525	-525		
	7	-1025	-975	-775	-775	-775	-775		
42	1-3	-625	-450	-150	-100	-100	-100	Other	
	4	-650	-525	-250	-200	-200	-200	Level 1	-350
	5	-725	-700	-450	-450	-450	-450	Level 2	-800
	6	-900	-825	-575	-575	-575	-575		
	7	-1100	-1000	-825	-825	-825	-825		
52	1-4	-850	-725	-500	-450	-450	-450	<b>Uniformity</b>	
	5	-900	-800	-575	-575	-575	-575	Unit	Points
	6	-1000	-900	-675	-675	-675	-675	77.9 & Below	-100
	7	-1250	-1150	-975	-950	-950	-950	78.0 - 78.9	-90
43	1-3	-725	-650	-575	-500	-500	-500	79.0 - 79.9	-80
	4	-825	-750	-625	-575	-575	-575	80.0 - 80.9	0
	5	-925	-825	-650	-625	-625	-625	Base 81.0 - 81.9	0
	6	-1025	-925	-900	-900	-900	-900	82.0 - 82.9	0
	7	-1125	-1050	-1025	-1025	-1025	-1025	83.0 - 83.9	30
								84.0 - 84.9	40
53	1-4	-975	-875	-800	-800	-800	-800	85.0 - 85.9	50
	5	-1025	-925	-850	-850	-850	-850	86.0 & Above	60
	6	-1125	-1025	-950	-950	-950	-950		
	7	-1375	-1275	-1275	-1275	-1275	-1275		

Table 13. San Joaquin Valley spot cotton differences, monthly average.

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
							50-52	-500
31	1 & 2	315	940	1290	1415	1590		
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	74.13	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
51	1 & 2	-675	-225	-175	-175	-175	Base 27.0 - 28.9	0
	3	-700	-250	-200	-200	-200	29.0 - 29.9	0
	4	-750	-300	-275	-275	-275	30.0 - 30.9	75
	5	-775	-375	-325	-325	-325	31.0 - 32.9	125
	6	-900	-800	-800	-800	-800	33.0 & above	250
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Prep	Diff.
	4	-200	25	50	100	100	Level 1	-50
	5	-525	-275	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475	-475		
	7	-850	-750	-750	-750	-750		
42	1-3	-450	-100	-75	-75	-75	Other	
	4	-500	-175	-150	-150	-150	Level 1	-350
	5	-675	-350	-300	-300	-300	Level 2	-925
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
							79.0 - 79.9	-40
							80.0 - 80.9	0
							Base 81.0 - 81.9	0
33	1 & 2	-500	-500	-500	-500	-500	82.0 - 82.9	50
	3	-500	-500	-500	-500	-500	83.0 - 83.9	80
	4	-600	-600	-600	-600	-600	84.0 - 84.9	90
	5	-800	-800	-800	-800	-800	85.0 - 85.9	100
	6	-1075	-1075	-1075	-1075	-1075	86.0 & Above	110
	7	-1225	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875	-875		
	4	-925	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		



Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2017-2018

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	789	85	4,143	5,329	8,287	8,492	9,371	990	0	0	364	1,724	<b>39,574</b>
North Delta	8	112	4,949	10,345	3,733	15,695	1,149	3,739	7,209	0	239	234	<b>47,412</b>
South Delta	2	0	835	9,174	2,457	356	0	0	0	0	333	0	<b>13,157</b>
East Texas-Oklahoma	14,044	19,769	32,891	121,408	147,792	132,931	110,503	79,713	119,570	0	25,321	6,645	<b>810,587</b>
West Texas	1,816	356	13,880	193,651	263,025	260,298	114,152	61,545	28,993	0	9,452	5,141	<b>952,309</b>
Desert Southwest	0	0	0	579	2,505	9,046	20,222	6,691	1	0	40	39	<b>39,123</b>
San Joaquin Valley	0	0	584	176	0	0	0	0	0	0	0	0	<b>760</b>
<b>Total</b>	<b>16,659</b>	<b>20,322</b>	<b>57,282</b>	<b>340,662</b>	<b>427,799</b>	<b>426,818</b>	<b>255,397</b>	<b>152,678</b>	<b>155,773</b>	<b>0</b>	<b>35,749</b>	<b>13,783</b>	<b>1,902,922</b>

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2012-2017. 1/

Market Area	2012	2013	2014	2015	2016	2017
Southeast	258,061	129,860	289,121	135,753	76,226	50,981
North Delta	62,522	14,898	79,665	17,428	24,791	51,924
South Delta	14,158	10,680	53,327	14,824	10,708	13,157
East Texas-Oklahoma	298,737	280,854	546,023	392,737	503,703	919,919
West Texas	1,038,942	857,998	1,092,604	936,359	931,576	978,219
Desert Southwest	3,676	11,959	45,238	23,207	19,567	39,214
San Joaquin Valley	14,690	63,353	21,308	14,385	4,075	7,012
<b>Total</b>	<b>1,690,786</b>	<b>1,369,602</b>	<b>2,127,286</b>	<b>1,534,693</b>	<b>1,570,646</b>	<b>2,060,426</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS, Season Average**

Color	Leaf	Staple		
		44	46	48
1	1	113.54	118.54	118.79
	2	113.29	118.29	118.79
	3	104.29	109.29	109.54
	4			
	5			
	6			
2	1	113.04	118.04	118.79
	2	112.54	117.54	118.29
	3	103.04	108.04	108.29
	4	87.80	92.80	93.55
	5			
	6			
3	1	108.09	113.09	113.84
	2	106.09	111.09	112.34
	3	94.86	99.86	101.86
	4	78.80	83.80	84.80
	5	74.06	75.06	76.31
	6			
4	1	78.55	83.55	84.55
	2	78.30	83.30	83.80
	3	78.05	83.05	83.05
	4	70.55	76.05	76.05
	5	67.31	71.56	71.56
	6			
5	1			
	2	61.31	68.56	68.56
	3	61.31	68.06	68.56
	4	61.31	62.56	62.56
	5	61.06	62.31	62.31
	6			
6	1			
	2	51.26	51.51	51.51
	3	51.26	51.51	51.51
	4	51.26	51.51	51.51
	5	51.01	51.26	51.26
	6	50.51	50.76	50.76

**Mike**

Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

**Strength**

(Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

**Extraneous Matter**

Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets,  
in cents per pound, net weight, United States, marketing years 2004-2017

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	69.50	68.90	64.50	62.70	60.80	59.10	57.80	61.30	62.60	65.90	66.80	69.30	61.30
2015	59.90	60.30	57.90	60.00	61.30	60.30	59.80	58.20	58.70	63.20	67.00	74.50	61.20
2016	67.30	67.00	66.00	67.20	67.90	67.00	68.80	69.20	69.30	69.90	70.40	73.00	68.00
2017	64.70	63.80	66.80	67.10	68.40	68.70	67.70	67.70	66.70	68.80	73.50	74.10	

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02
2015	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.57	60.36	62.78	69.25	61.04
2016	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24	70.71
2017	67.71	69.12	66.67	68.09	73.13	77.58	75.24	79.57	79.34	82.40	85.54	83.95	75.70

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35
2015	63.12	60.97	62.10	62.29	63.66	62.06	59.44	57.32	60.99	61.70	64.03	70.45	62.34
2016	69.77	68.85	69.24	70.68	70.86	72.06	73.98	75.17	74.99	76.63	70.73	67.12	71.67
2017	68.59	70.00	67.55	68.97	74.08	78.53	76.19	80.52	80.28	83.33	86.62	85.09	76.65

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for un-redeemed loans, as reported by the National Agricultural Statistics Service, USDA.

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
Weighted averages based on the 2017-crop year's production by spot market

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-265	-203	-27	122	279	410	460	472
	3	-332	-230	-52	98	222	359	403	418
	4	-373	-251	-140	51	134	271	306	306
	5	-474	-344	-257	-74	56	154	163	163
	6	-640	-486	-418	-269	-222	-166	-163	-163
	7	-715	-573	-519	-366	-316	-259	-257	-257
31	1 & 2	-374	-240	-69	66	218	366	417	432
	3	-416	-253	-82	65	196	336	377	392
	4	-483	-297	-195	26	83	199	223	226
	5	-549	-389	-294	-127	-11	72	80	80
	6	-708	-522	-437	-293	-266	-227	-224	-224
	7	-800	-610	-537	-381	-351	-316	-313	-313
41	1 & 2	-508	-323	-169	31	126	229	250	256
	3	-533	-337	-182	25	73	186	208	214
	4	-583	-365	-291	75.86	39	132	155	160
	5	-636	-463	-384	-199	-100	-5	1	1
	6	-786	-590	-521	-371	-323	-258	-256	-256
	7	-903	-696	-645	-489	-428	-388	-387	-387
51	1 & 2	-644	-512	-390	-172	-100	-50	-46	-46
	3	-644	-545	-396	-194	-117	-61	-57	-57
	4	-678	-561	-433	-247	-175	-125	-118	-118
	5	-728	-651	-597	-388	-311	-255	-250	-250
	6	-886	-734	-690	-508	-458	-410	-408	-408
	7	-986	-820	-797	-629	-570	-530	-529	-529
61	1-5	-765	-696	-647	-445	-386	-350	-350	-350
	6	-906	-803	-764	-624	-572	-527	-527	-527
	7	-1006	-927	-879	-709	-657	-621	-621	-621
71	1-6	-965	-967	-911	-761	-713	-687	-687	-687
	7	-1048	-1002	-960	-793	-771	-744	-744	-744
12 & 22	1 & 2	-469	-272	-123	52	145	276	293	300
	3	-511	-299	-141	43	101	228	250	257
	4	-544	-327	-242	-47	49	197	214	219
	5	-653	-484	-429	-257	-92	-26	-12	-12
	6	-811	-604	-564	-426	-342	-302	-292	-292
	7	-902	-697	-663	-526	-456	-417	-408	-408
32	1 & 2	-511	-356	-214	-52	29	100	109	110
	3	-553	-380	-233	-77	-9	75	85	86
	4	-619	-441	-314	-169	-76	-15	-8	-8
	5	-736	-593	-496	-324	-240	-179	-174	-174
	6	-894	-678	-630	-485	-426	-387	-381	-381
	7	-1011	-782	-724	-594	-530	-496	-490	-490
42	1-3	-628	-524	-424	-225	-148	-65	-59	-59
	4	-678	-573	-443	-258	-203	-121	-115	-115
	5	-794	-707	-612	-415	-323	-297	-291	-291
	6	-1003	-782	-740	-566	-514	-479	-473	-473
	7	-1094	-894	-820	-694	-618	-588	-582	-582
52	1-4	-857	-713	-629	-511	-437	-412	-406	-406
	5	-932	-790	-737	-589	-521	-497	-492	-492
	6	-1140	-940	-884	-734	-677	-653	-647	-647
	7	-1224	-1039	-993	-844	-789	-755	-749	-749
62	1-5	-982	-898	-845	-709	-662	-637	-631	-631
	6	-1174	-1063	-1010	-862	-825	-796	-790	-790

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
Weighted averages based on the 2017-crop year's production by spot market

August 2017 - July 2018

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-673	-498	-440	-229	-156	-105	-87	-87
	3	-715	-523	-465	-254	-181	-130	-112	-112
	4	-748	-598	-531	-304	-231	-180	-162	-162
	5	-873	-698	-656	-429	-356	-288	-270	-270
	6	-981	-773	-723	-506	-440	-371	-353	-353
	7	-1065	-873	-815	-580	-548	-480	-462	-462
33	1 & 2	-790	-573	-515	-190	-164	-136	-127	-127
	3	-790	-573	-515	-191	-165	-137	-127	-127
	4	-865	-648	-581	-226	-200	-172	-162	-162
	5	-1015	-765	-698	-318	-283	-246	-236	-236
	6	-1073	-840	-815	-377	-363	-326	-316	-316
	7	-1156	-948	-881	-456	-434	-397	-386	-386
43	1-3	-840	-772	-676	-492	-447	-403	-393	-393
	4	-915	-825	-723	-527	-466	-423	-413	-413
	5	-1040	-890	-811	-648	-598	-561	-551	-551
	6	-1123	-965	-893	-735	-712	-676	-666	-666
	7	-1206	-1082	-990	-832	-809	-773	-763	-763
53	1-4	-999	-940	-854	-685	-647	-615	-605	-605
	5	-1099	-1018	-960	-785	-758	-727	-716	-716
	6	-1215	-1117	-1043	-873	-854	-822	-812	-812
	7	-1299	-1191	-1158	-987	-966	-934	-924	-924
63	1-5	-1215	-1101	-1033	-852	-803	-770	-760	-760
	6	-1299	-1201	-1119	-954	-923	-890	-880	-880
34	1 & 2	-874	-707	-657	-435	-413	-359	-342	-342
	3	-874	-707	-657	-435	-413	-359	-342	-342
	4	-999	-832	-757	-535	-513	-459	-442	-442
	5	-1099	-932	-882	-660	-638	-584	-567	-567
	6	-1257	-1090	-1040	-852	-830	-776	-759	-759
44	1-3	-991	-823	-773	-552	-530	-476	-459	-459
	4	-1066	-923	-823	-602	-580	-526	-509	-509
	5	-1157	-998	-923	-702	-680	-626	-609	-609
	6	-1316	-1148	-1098	-910	-888	-834	-818	-818
54	1-4	-1091	-948	-898	-667	-650	-596	-584	-584
	5	-1191	-1032	-957	-775	-758	-704	-693	-693

Mike	
Range	Diff.
24 & Below	-1637
25-26	-1279
27-29	-865
30-32	-577
33-34	-398
Base 35-36	0
37-42	6
Base 43-49	0
50-52	-226
53 & Above	-373

Strength	
(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-262
20.0 - 20.9	-262
21.0 - 21.9	-303
22.0 - 22.9	-258
23.0 - 23.9	-219
24.0 - 24.9	-203
25.0 - 25.9	-165
26.0 - 26.9	-70
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	38
33.0 & above	41

Uniformity	
Unit	Points
77.9 & Below	-105
78.0 - 78.9	-88
79.0 - 79.9	-76
80.0 - 80.9	-6
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	14
84.0 - 84.9	23
85.0 - 85.9	33
86.0 & Above	43

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-194
Level 2	-644
Other (ET-OK and WT Bark not included)	
Level 1	-470
Level 2	-694
Bark	
Level 1	-350
Level 2	-525