COTTON PRICE STATISTICS

2018-2019

ANNUAL REPORT

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Program
Memphis, TN

Vol. 100, No. 13 mp_cn830 September 2019

ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 69.92 cents per pound for the 2018-2019 season, down from 75.70 cents for the 2017-2018 season. The season's highest daily quotation for the base quality occurred on August 2, 2018 at 85.65 cents per pound and the season's lowest quotation was 55.28 cents on July 18, 2019. The highest monthly average for the marketing year was 80.75 cents per pound in August 2018 and the lowest was 58.08 cents per pound in July 2019.



	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
41-4-34	80.75	76.72	73.90	73.72	72.66	68.72	67.17	69.78	72.27	64.05	61.19	58.08
31-4-34	81.89	77.86	75.04	74.86	73.81	69.86	68.30	70.89	73.35	65.27	62.40	59.29

Source: USDA, AMS, Cotton and Tobacco Program

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 71.07 cents per pound for the 2018-2019 season, down from 76.65 cents for the 2017-2018 season.

The average price received by farmers for Upland cotton in July was 74.00 cents per pound in the 2018-2019 marketing year. The 2017-2018 marketing year average price was 68.60 cents, compared to the 2016-2017 marketing year of 68.00 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,283,283 running bales in the 2018-2019 marketing year, down from 2,060,426 bales in the 2017-2018 marketing year and 1,570,646 bales in 2016-2017.

September 5, 2019

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2013-2018 1/ 2/

Market Areas	2013	2014	2015	2016	2017	2018
Southeast	82.74	63.55	63.31	72.91	78.91	72.55
North Delta	81.85	62.64	62.43	71.81	77.60	71.52
South Delta	81.85	62.64	62.43	71.81	77.60	71.52
East Texas-Oklahoma	79.27	60.75	59.29	70.25	74.43	68.67
West Texas	79.13	60.71	59.15	70.06	73.85	68.59
Desert Southwest	78.23	61.57	59.72	68.50	73.35	68.04
San Joaquin Valley	78.88	62.32	60.87	69.61	74.13	68.54
Average	**80.28**	**62.03**	**61.03**	**70.71**	**75.70**	**69.92**

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year		HIGH		LOW	
		Date	Price	Date	Price
2013	3/	16-Aug-13	89.14	31-Jul-14	63.53
2014	3/	11-Sep-14	69.64	23-Jan-15	56.36
2015	3/	29-Jul-16	72.51	2-Mar-16	54.56
2016	3/	15-May-17	81.76	31-Aug-16	63.91
2017	3/	31-Jul-18	86.49	5-Jul-18	79.44
2018	3/	2-Aug-18	85.65	18-Jul-19	55.28

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily'and monthly averages, 2018-2019 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	85.27		72.70	75.24			69.07	68.24	71.82	71.17		60.26
2	85.65		72.58	75.00		66.41			71.73	69.91		60.86
3	84.88		72.85		75.38	66.40			71.59	70.14	63.99	60.84
4		79.07	72.39		75.24	68.09	68.19	67.52	71.86		63.90	
5		78.00	72.49	75.08	76.58		68.83	69.00	72.79		63.67	60.53
6	84.90	77.67		73.64	74.51		69.09	68.60		68.01	63.52	
7	84.43	78.42		75.17	75.66	68.32	68.24	67.50		67.64	60.52	
8	83.60		73.94	75.22		67.24	67.98	67.88	73.46	66.77		59.42
9	83.47		73.40	74.30		68.70			72.63	64.69		57.32
10	82.07	80.22	73.19		75.31	68.42			72.16	62.91	60.92	57.83
11		79.32	73.20		75.45	68.06	65.98	67.59	71.52		60.58	57.18
12		79.05	74.76	72.59	75.47		65.21	69.31	72.65		61.50	56.65
13	79.35	77.91		72.07	74.98		65.15	70.18		59.91	61.76	
14	79.62	78.19		72.68	75.17	68.63	66.03	68.76		61.22	60.87	
15	77.29		75.11	72.54		68.00	66.18	69.96	71.03	60.81		57.99
16	78.34		74.72	72.41		69.02			73.10	61.26		56.62
17	77.96	77.63	74.31		74.11	70.12			73.50	60.45	61.35	56.39
18		74.84	74.44		73.42	69.64		69.73	72.81		60.66	55.28
19		75.04	74.31	73.34	72.28		66.51	70.11			61.22	56.75
20	79.31	74.79		72.72	70.63		66.48	69.96		62.37	59.79	
21	79.71	75.45		74.07	68.75		68.33	71.64		61.78	59.02	
22	78.73		76.56			68.88	67.33	71.04	73.01	61.21		57.29
23	77.94		75.53	72.51		69.27			72.45	61.94		57.79
24	78.10	74.90	73.61		68.12	68.89			71.66	62.85	59.65	58.39
25		75.38	74.18			69.88	67.42	72.19	72.86		59.94	58.31
26		74.94	75.03	73.87	69.07		66.34	72.35	72.24		60.61	58.74
27	79.81	74.11		73.17	67.63		66.68	71.41			60.28	
28	80.10	72.76		74.17	67.76	69.60	67.21	70.33		63.93	60.04	
29	79.26		73.67	74.04		69.72		72.07	71.49	63.52		58.27
30	78.71		73.40	74.27		69.93			71.32	63.91		57.37
31	78.60		73.29		67.77	69.90				62.65		57.72
Average	80.75	76.72	73.90	73.72	72.66	68.72	67.17	69.78	72.27	64.05	61.19	58.08
High	85.65	80.22	76.56	75.24	76.58	70.12	69.09	72.35	73.50	71.17	63.99	60.86
Low	77.29	72.76	72.39	72.07	67.63	66.40	65.15	67.50	71.03	59.91	59.02	55.28

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2018-2019 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
						Cents per pound							
Southeast	84.01	80.03	77.16	76.46	75.15	70.91	69.43	72.09	74.49	66.35	63.82	60.69	72.55
North Delta	83.01	79.03	76.22	75.71	74.40	70.26	68.39	70.84	73.24	65.10	62.57	59.44	71.52
South Delta	83.01	79.03	76.22	75.71	74.40	70.26	68.39	70.84	73.24	65.10	62.57	59.44	71.52
East Texas-Oklahoma	78.64	74.74	72.12	72.10	71.30	67.59	66.42	69.01	71.49	63.08	60.20	57.31	68.67
West Texas	78.51	74.40	71.64	72.10	71.30	67.59	66.42	69.01	71.49	63.08	60.20	57.31	68.59
Desert Southwest	78.76	74.65	71.72	71.73	70.81	66.97	65.32	68.09	70.71	62.58	59.22	55.94	68.04
San Joaquin Valley	79.26	75.15	72.22	72.23	71.31	67.47	65.82	68.59	71.21	63.08	59.72	56.44	68.54
Average	80.75	76.72	73.90	73.72	72.66	68.72	67.17	69.78	72.27	64.05	61.19	58.08	69.92

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2018-2019 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
						Cents per pound							
Southeast	85.26	81.28	78.41	77.71	76.40	72.16	70.68	73.34	75.74	67.60	65.07	61.94	73.80
North Delta	83.76	79.78	76.97	76.46	75.15	71.01	69.14	71.59	73.99	66.35	63.82	60.69	72.39
South Delta	83.76	79.78	76.97	76.46	75.15	71.01	69.14	71.59	73.99	66.35	63.82	60.69	72.39
East Texas-Oklahoma	79.89	75.99	73.37	73.35	72.55	68.84	67.67	70.26	72.55	64.08	61.20	58.31	69.84
West Texas	79.36	75.25	72.49	72.95	72.15	68.44	67.27	69.86	72.34	63.93	61.05	58.16	69.44
Desert Southwest	79.26	75.15	72.22	72.23	71.31	67.47	65.74	68.34	70.96	62.83	59.47	56.19	68.43
San Joaquin Valley	81.91	77.80	74.87	74.88	73.96	70.12	68.47	71.24	73.86	65.73	62.37	59.09	71.19
Average	81.89	77.86	75.04	74.86	73.81	69.86	68.30	70.89	73.35	65.27	62.40	59.29	71.07

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages August 2018 - July 2019

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-313	-233	-71	188	441	601	664	713
	3	-375	-253	-84	159	387	559	604	649
	4	-425	-280	-194	70	192	313	353	355
	5	-513	-400	-314	-91	47	127	155	155
	6	-675	-510	-456	-323	-232	-182	-167	-167
	7	-750	-605	-573	-430	-357	-304	-291	-291
31	1 & 2	-413	-258	-110	126	379	549	608	648
	3	-450	-268	-118	115	343	518	566	606
	4	-525	-315	-244	52	153	247	278	284
	5	-588	-435	-344	-134	-14	52	78	78
	6	-738	-540	-477	-352	-276	-237	-218	-218
	7	-825	-635	-594	-448	-389	-351	-333	-333
41	1 & 2	-538	-340	-256	59	165	253	265	283
	3	-563	-350	-264	45	112	201	217	234
	4	-613	-380	-348	69.92	73	149	173	181
	5	-713	-525	-466	-277	-158	-89	-75	-75
	6	-863	-630	-598	-475	-388	-326	-321	-321
	7	-975	-740	-735	-612	-528	-493	-492	-507
51	1 & 2	-716	-581	-476	-320	-181	-136	-131	-131
	3	-716	-621	-480	-342	-199	-151	-146	-146
	4	-753	-641	-509	-392	-268	-224	-212	-212
	5	-803	-732	-684	-530	-409	-362	-351	-351
	6	-966	-816	-792	-654	-584	-544	-537	-537
	7	-1066	-901	-917	-790	-714	-679	-676	-676
61	1-5	-878	-781	-716	-521	-466	-421	-421	-421
	6	-1028	-887	-841	-686	-646	-596	-596	-596
	7	-1128	-1006	-961	-781	-736	-691	-691	-691
71	1-6	-1078	-1081	-1026	-861	-821	-781	-781	-781
	7	-1166	-1121	-1076	-896	-876	-836	-836	-836
12 & 22	1 & 2	-650	-338	-224	63	216	352	405	434
	3	-688	-358	-236	41	170	304	359	384
	4	-725	-383	-332	-34	101	210	255	258
	5	-825	-568	-503	-283	-111	-58	-19	-19
	6	-988	-688	-649	-483	-365	-323	-291	-291
	7	-1088	-773	-761	-615	-525	-484	-451	-451
32	1 & 2	-713	-448	-336	-85	49	114	141	155
	3	-751	-463	-349	-106	17	86	112	126
	4	-813	-513	-407	-224	-79	-27	-4	-4
	5	-926	-678	-574	-408	-292	-244	-230	-230
	6	-1088	-768	-736	-575	-474	-444	-430	-430
	7	-1213	-873	-845	-700	-620	-598	-584	-584
42	1-3	-820	-611	-517	-319	-171	-121	-106	-106
	4	-870	-651	-538	-358	-238	-188	-174	-174
	5	-995	-786	-684	-508	-378	-342	-328	-328
	6	-1207	-876	-830	-659	-586	-558	-544	-544
	7	-1307	-971	-925	-798	-722	-701	-687	-687
52	1-4	-1082	-811	-721	-609	-536	-512	-498	-498
	5	-1157	-888	-830	-691	-618	-601	-587	-587
	6	-1370	-1033	-971	-834	-775	-758	-744	-744
	7	-1457	-1122	-1101	-973	-922	-894	-880	-880
62	1-5	-1207	-1016	-944	-771	-736	-713	-693	-693
	6	-1407	-1181	-1109	-916	-886	-858	-838	-838

Table 6. United States (Continued) August 2018 - July 2019

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1058	-878	-798	-440	-365	-297	-222	-222
	3	-1096	-903	-823	-465	-390	-322	-247	-247
	4	-1133	-978	-886	-515	-440	-372	-297	-297
	5	-1250	-1070	-1002	-640	-565	-485	-410	-410
	6	-1362	-1145	-1065	-727	-652	-572	-497	-497
	7	-1450	-1245	-1165	-815	-765	-685	-610	-610
33	1 & 2	-1165	-948	-868	-491	-456	-411	-361	-361
	3	-1165	-948	-868	-500	-465	-419	-361	-361
	4	-1240	-1023	-930	-566	-531	-486	-428	-428
	5	-1382	-1127	-1037	-725	-681	-628	-569	-569
	6	-1444	-1202	-1147	-875	-848	-794	-736	-736
	7	-1532	-1314	-1222	-1008	-973	-919	-861	-861
43	1-3	-1215	-954	-807	-637	-597	-560	-535	-535
	4	-1290	-999	-857	-683	-629	-595	-570	-570
	5	-1407	-1051	-955	-823	-768	-742	-717	-717
	6	-1494	-1131	-1042	-923	-900	-877	-852	-852
	7	-1582	-1256	-1150	-1048	-1025	-1002	-977	-977
53	1-4	-1365	-1099	-999	-818	-780	-757	-728	-728
	5	-1457	-1176	-1096	-910	-880	-857	-828	-828
	6	-1569	-1291	-1184	-1005	-975	-953	-924	-924
	7	-1657	-1356	-1321	-1135	-1113	-1090	-1061	-1061
63	1-5	-1578	-1274	-1202	-1000	-955	-928	-893	-893
	6	-1657	-1361	-1279	-1076	-1044	-1017	-982	-982
34	1 & 2	-1290	-1123	-1055	-684	-659	-591	-529	-529
	3	-1290	-1123	-1055	-684	-659	-591	-529	-529
	4	-1415	-1248	-1155	-784	-759	-691	-629	-629
	5	-1507	-1339	-1272	-909	-884	-816	-754	-754
	6	-1669	-1502	-1434	-1097	-1072	-1004	-941	-941
44	1-3	-1403	-1235	-1168	-797	-772	-704	-641	-641
	4	-1478	-1335	-1218	-847	-822	-754	-691	-691
	5	-1557	-1402	-1309	-947	-922	-854	-791	-791
	6	-1719	-1552	-1484	-1147	-1122	-1054	-991	-991
54	1-4	-1503	-1360	-1293	-897	-884	-816	-766	-766
	5	-1594	-1439	-1347	-1000	-984	-916	-866	-866

Mike

Range	Diff.
24 & Below	-1845
25-26	-1387
27-29	-1028
30-32	-674
33-34	-442
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-279
53 & Above	-404

Strength

(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-309
20.0 - 20.9	-309
21.0 - 21.9	-410
22.0 - 22.9	-348
23.0 - 23.9	-295
24.0 - 24.9	-300
25.0 - 25.9	-247
26.0 - 26.9	-106
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	34
31.0 - 32.9	58
33.0 & above	82

Uniformity

Unit	Points
77.9 & Below	-97
78.0 - 78.9	-83
79.0 - 79.9	-71
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	35
85.0 - 85.9	43
86.0 & Above	51

Extraneous Matter

Prep	Diff.
Level 1	-157
Level 2	-714
Bark	**Diff.**
Level 1	-327
Level 2	-525
Other	**Diff.**
Level 1	-425
Level 2	-756
Plastic	**Diff.**
Level 1	-749
Level 2	-1170

Table 7. Southeast spot cotton differences, season average.

August 2018 - July 2019

Color	Leaf	Staple 32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-50	150	250	350	400	400
	3	-225	-50	150	225	325	375	375
	4	-225	-125	75	175	275	300	300
	5	-400	-250	-150	0	50	50	50
	6	-525	-375	-325	-250	-225	-225	-225
	7	-650	-500	-475	-375	-350	-350	-350
31	1 & 2	-225	-50	125	225	325	350	350
	3	-225	-50	125	225	300	325	325
	4	-225	-125	75	175	250	275	275
	5	-400	-250	-150	0	25	25	25
	6	-525	-375	-325	-300	-275	-275	-275
	7	-650	-500	-475	-425	-400	-400	-400
41	1 & 2	-275	-100	50	163	206	206	231
	3	-275	-100	50	138	181	181	206
	4	-275	-200	72.55	113	175	175	200
	5	-475	-375	-225	-100	-50	-50	-50
	6	-600	-475	-450	-375	-350	-350	-350
	7	-700	-600	-575	-525	-500	-500	-500
51	1 & 2	-475	-300	-175	-175	-150	-150	-150
	3	-550	-325	-250	-225	-175	-175	-175
	4	-575	-325	-275	-275	-250	-250	-250
	5	-700	-575	-475	-425	-400	-400	-400
	6	-775	-600	-550	-550	-525	-525	-525
	7	-850	-725	-700	-700	-675	-675	-675
61	1-5	-775	-700	-625	-600	-600	-600	-600
	6	-950	-875	-825	-800	-800	-800	-800
	7	-1075	-950	-900	-875	-875	-875	-875
71	1-6	-1075	-1000	-950	-950	-950	-950	-950
	7	-1100	-1025	-975	-975	-975	-975	-975
12 & 22	1 & 2	-275	-100	50	150	256	256	281
	3	-275	-100	50	125	231	231	256
	4	-275	-125	0	100	206	206	231
	5	-450	-350	-225	-25	0	0	0
	6	-575	-450	-450	-375	-350	-350	-350
	7	-675	-575	-575	-525	-500	-500	-500
32	1 & 2	-325	-175	-25	0	50	50	50
	3	-350	-200	-50	0	25	25	25
	4	-450	-200	-150	-100	-50	-50	-50
	5	-550	-375	-325	-300	-275	-275	-275
	6	-625	-475	-475	-450	-425	-425	-425
	7	-725	-600	-600	-575	-550	-550	-550
42	1-3	-625	-425	-225	-200	-175	-175	-175
	4	-675	-425	-275	-275	-250	-250	-250
	5	-775	-650	-425	-375	-350	-350	-350
	6	-825	-775	-625	-625	-600	-600	-600
	7	-925	-800	-775	-750	-725	-725	-725
52	1-4	-825	-700	-575	-500	-500	-500	-500
	5	-850	-850	-675	-650	-650	-650	-650
	6	-925	-900	-850	-825	-825	-825	-825
	7	-1075	-1000	-950	-925	-925	-925	-925
62	1-5	-950	-875	-825	-825	-825	-825	-825
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000
43	1-3	-900	-850	-800	-750	-725	-725	-725
	4	-925	-900	-850	-775	-750	-750	-750
	5	-950	-900	-850	-825	-825	-825	-825
	6	-1000	-925	-875	-850	-850	-850	-850
	7	-1125	-1000	-950	-925	-925	-925	-925
53	1-4	-1000	-900	-850	-800	-800	-800	-800
	5	-1125	-1075	-975	-975	-975	-975	-975
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100
63	1-5	-1125	-1075	-975	-975	-975	-975	-975
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100

Mike	
Range	Diff.
25-26	-888
27-29	-488
30-32	-338
33-34	-213
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-200
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
21.0 - 21.9	-495
22.0 - 22.9	-424
23.0 - 23.9	-378
24.0 - 24.9	-331
25.0 - 25.9	-285
26.0 - 26.9	-51
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-800
Other	Diff.
Level 1	-426
Level 2	-800
Plastic	Diff.
Level 1	-736
Level 2	-1167

Uniformity	
Unit	Points
77.9 & Below	-125
78.0 - 78.9	-110
79.0 - 79.9	-100
80.0 - 80.9	-25
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	20
84.0 - 84.9	30
85.0 - 85.9	40
86.0 & Above	50

Table 8. North Delta spot cotton differences, season average. August 2018 - July 2019

Color	Leaf	Staple						
		32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-75	138	263	391	432	432
	3	-225	-75	113	213	348	373	373
	4	-275	-200	38	88	248	273	273
	5	-450	-325	-75	0	25	50	50
	6	-500	-475	-350	-300	-300	-300	-300
	7	-600	-575	-450	-400	-400	-400	-400
31	1 & 2	-225	-100	88	213	366	391	391
	3	-225	-100	88	188	332	357	357
	4	-275	-250	38	88	182	207	207
	5	-450	-325	-125	-50	-25	0	0
	6	-500	-475	-350	-300	-300	-300	-300
	7	-600	-575	-450	-400	-400	-400	-400
41	1 & 2	-350	-250	63	113	221	231	246
	3	-350	-250	38	63	196	206	221
	4	-375	-275	71.52	13	138	163	163
	5	-550	-425	-250	-150	-100	-100	-100
	6	-600	-525	-425	-350	-325	-325	-325
	7	-725	-700	-575	-475	-475	-491	-491
51	1 & 2	-675	-475	-350	-250	-250	-250	-250
	3	-725	-475	-375	-275	-275	-275	-275
	4	-750	-500	-400	-350	-350	-350	-350
	5	-826	-726	-556	-500	-475	-475	-475
	6	-875	-850	-700	-625	-625	-625	-625
	7	-1001	-976	-826	-713	-719	-719	-719
61	1-5	-850	-750	-650	-575	-575	-575	-575
	6	-931	-874	-775	-750	-750	-750	-750
	7	-1025	-1000	-875	-850	-850	-850	-850
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075
12 & 22	1 & 2	-275	-125	50	100	250	275	275
	3	-275	-125	25	50	200	250	250
	4	-300	-250	0	0	150	175	175
	5	-525	-400	-225	-125	-100	-75	-75
	6	-650	-575	-450	-350	-325	-325	-325
	7	-700	-675	-550	-475	-450	-450	-450
32	1 & 2	-400	-250	-100	0	50	50	50
	3	-400	-250	-100	-25	25	25	25
	4	-425	-275	-200	-100	-75	-75	-75
	5	-625	-450	-275	-250	-225	-225	-225
	6	-725	-675	-500	-450	-425	-425	-425
	7	-825	-775	-600	-550	-550	-550	-550
42	1-3	-550	-425	-334	-209	-193	-193	-193
	4	-575	-450	-359	-284	-268	-268	-268
	5	-725	-575	-434	-384	-343	-343	-343
	6	-850	-750	-600	-550	-525	-525	-525
	7	-900	-812	-700	-650	-650	-650	-650
52	1-4	-750	-575	-525	-500	-500	-500	-500
	5	-825	-725	-650	-600	-600	-600	-600
	6	-975	-875	-800	-775	-775	-775	-775
	7	-1000	-975	-900	-875	-875	-875	-875
62	1-5	-1025	-925	-850	-825	-825	-825	-825
	6	-1175	-1075	-950	-925	-925	-925	-925
43	1-3	-900	-675	-500	-475	-475	-475	-475
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
53	1-4	-1000	-900	-825	-800	-800	-800	-800
	5	-1075	-1000	-925	-900	-900	-900	-900
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075

Mike	
Range	Diff.
25-26	-1000
27-29	-650
30-32	-375
33-34	-200
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-225
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
21.0 - 21.9	-413
22.0 - 22.9	-363
23.0 - 23.9	-313
24.0 - 24.9	-288
25.0 - 25.9	-263
26.0 - 26.9	-25
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-800
Other	Diff.
Level 1	-375
Level 2	-785
Plastic	Diff.
Level 1	-742
Level 2	-1152

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-80
79.0 - 79.9	-70
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	30
84.0 - 84.9	40
85.0 - 85.9	50
86.0 & Above	60

Table 9. South Delta spot cotton differences, season average. August 2018 - July 2019

Color	Leaf	Staple						
		32	33	34	35	36	37	38
11 & 21	1 & 2	-225	-75	138	263	391	432	432
	3	-225	-75	113	213	348	373	373
	4	-275	-200	38	88	248	273	273
	5	-450	-325	-100	-25	0	25	25
	6	-500	-475	-375	-325	-325	-325	-325
	7	-600	-575	-475	-425	-425	-425	-425
31	1 & 2	-225	-100	88	213	366	391	391
	3	-225	-100	88	188	332	357	357
	4	-275	-250	38	88	182	207	207
	5	-475	-350	-150	-75	-50	-25	-25
	6	-525	-500	-375	-325	-325	-325	-325
	7	-625	-600	-475	-425	-425	-425	-425
41	1 & 2	-350	-250	63	113	221	231	246
	3	-350	-250	38	63	196	206	221
	4	-375	-275	71.52	13	138	163	163
	5	-550	-425	-250	-150	-100	-100	-100
	6	-600	-525	-425	-350	-325	-341	-341
	7	-725	-700	-575	-475	-475	-491	-593
51	1 & 2	-675	-475	-338	-238	-238	-238	-238
	3	-725	-475	-363	-263	-263	-263	-263
	4	-750	-500	-388	-338	-338	-338	-338
	5	-826	-726	-550	-500	-475	-475	-475
	6	-926	-826	-700	-625	-625	-625	-625
	7	-1025	-1000	-850	-725	-725	-725	-725
61	1-5	-850	-750	-650	-575	-575	-575	-575
	6	-925	-850	-775	-750	-750	-750	-750
	7	-1050	-1025	-900	-850	-850	-850	-850
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075
12 & 22	1 & 2	-275	-125	50	100	250	275	275
	3	-275	-125	25	50	200	250	250
	4	-300	-250	0	0	150	175	175
	5	-525	-400	-225	-125	-100	-75	-75
	6	-650	-575	-450	-350	-325	-325	-325
	7	-700	-675	-550	-475	-450	-450	-450
32	1 & 2	-400	-250	-100	0	50	50	50
	3	-400	-250	-100	-25	25	25	25
	4	-425	-275	-200	-100	-75	-75	-75
	5	-625	-450	-275	-250	-225	-225	-225
	6	-725	-675	-500	-450	-425	-425	-425
	7	-825	-775	-600	-550	-550	-550	-550
42	1-3	-550	-425	-334	-209	-193	-193	-193
	4	-575	-450	-359	-284	-243	-243	-243
	5	-725	-575	-434	-384	-343	-343	-343
	6	-850	-750	-600	-525	-500	-500	-500
	7	-900	-812	-700	-650	-650	-650	-650
52	1-4	-750	-575	-525	-500	-500	-500	-500
	5	-837	-725	-650	-600	-600	-600	-600
	6	-963	-875	-800	-775	-775	-775	-775
	7	-1006	-975	-900	-875	-875	-875	-875
62	1-5	-1025	-925	-850	-825	-825	-825	-825
	6	-1175	-1075	-950	-925	-925	-925	-925
43	1-3	-900	-675	-475	-450	-450	-450	-450
	4	-925	-700	-525	-500	-500	-500	-500
	5	-950	-850	-775	-750	-750	-750	-750
	6	-1050	-950	-875	-850	-850	-850	-850
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000
53	1-4	-1000	-900	-825	-800	-800	-800	-800
	5	-1075	-1000	-925	-900	-900	-900	-900
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075

Mike	
Range	Diff.
25-26	-1100
27-29	-750
30-32	-375
33-34	-200
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-225
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
21.0 - 21.9	-388
22.0 - 22.9	-338
23.0 - 23.9	-313
24.0 - 24.9	-288
25.0 - 25.9	-263
26.0 - 26.9	-25
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-800
Other	Diff.
Level 1	-375
Level 2	-785
Plastic	Diff.
Level 1	-742
Level 2	-1152

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-80
79.0 - 79.9	-70
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	30
84.0 - 84.9	40
85.0 - 85.9	50
86.0 & Above	60

Table 10. East Texas-Oklahoma spot cotton differences, season average. August 2018 - July 2019

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-350	-300	-125	200	350	494	519	544
	3	-400	-350	-150	150	300	440	444	469
	4	-475	-350	-175	100	100	328	353	353
	5	-525	-400	-350	-25	100	291	291	291
	6	-675	-525	-525	-275	-275	-75	-75	-75
	7	-750	-625	-625	-350	-350	-150	-150	-150
31	1 & 2	-400	-325	-133	117	292	407	490	515
	3	-425	-350	-158	117	242	382	440	465
	4	-525	-425	-225	75	100	240	240	240
	5	-575	-425	-375	-25	75	216	216	216
	6	-700	-550	-550	-275	-275	-125	-125	-125
	7	-775	-650	-650	-350	-350	-225	-225	-225
41	1 & 2	-500	-325	-150	92	185	313	338	338
	3	-525	-350	-175	92	135	188	213	213
	4	-575	-425	-325	68.67	85	142	167	167
	5	-700	-525	-475	-125	-75	132	157	157
	6	-850	-650	-625	-350	-350	-131	-131	-131
	7	-950	-750	-725	-450	-425	-306	-306	-306
51	1 & 2	-681	-531	-431	-56	-56	82	107	107
	3	-681	-556	-431	-56	-56	82	107	107
	4	-731	-581	-456	-131	-106	32	57	57
	5	-781	-656	-606	-231	-181	-93	-68	-68
	6	-956	-756	-756	-381	-381	-256	-256	-256
	7	-1056	-781	-781	-456	-456	-331	-331	-331
61	1-5	-856	-706	-656	-281	-281	-156	-156	-156
	6	-1031	-831	-806	-456	-431	-306	-306	-306
	7	-1131	-931	-906	-556	-531	-406	-406	-406
71	1-6	-1056	-956	-906	-531	-531	-406	-406	-406
	7	-1156	-1006	-981	-606	-606	-481	-481	-481
12 & 22	1 & 2	-688	-471	-278	50	133	256	306	306
	3	-713	-521	-328	17	83	171	210	210
	4	-763	-546	-353	-8	27	142	182	182
	5	-838	-721	-653	-283	-183	22	72	72
	6	-1013	-821	-803	-433	-383	-291	-241	-241
	7	-1138	-946	-903	-533	-483	-391	-341	-341
32	1 & 2	-747	-654	-462	-92	8	113	163	163
	3	-772	-654	-487	-117	-92	38	88	88
	4	-822	-679	-562	-192	-167	-81	-31	-31
	5	-922	-804	-762	-367	-292	-81	-31	-31
	6	-1097	-904	-887	-542	-492	-406	-356	-356
	7	-1247	-1029	-1012	-642	-592	-506	-456	-456
42	1-3	-803	-711	-618	-173	-123	-43	7	7
	4	-853	-736	-643	-198	-173	-118	-68	-68
	5	-1003	-861	-793	-423	-373	-306	-256	-256
	6	-1228	-961	-918	-573	-523	-456	-406	-406
	7	-1353	-1086	-1043	-698	-623	-556	-506	-506
52	1-4	-1053	-861	-768	-473	-473	-406	-356	-356
	5	-1128	-961	-843	-523	-523	-456	-406	-406
	6	-1353	-1161	-1068	-673	-648	-581	-531	-531
	7	-1453	-1286	-1193	-798	-773	-656	-606	-606
62	1-5	-1178	-1036	-993	-598	-573	-506	-456	-456
	6	-1403	-1236	-1193	-798	-773	-681	-631	-631

Table 10. East Texas-Oklahoma (Continued) August 2018 - July 2019

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1121	-978	-886	-473	-398	-288	-188	-188
	3	-1146	-1003	-911	-498	-423	-313	-213	-213
	4	-1196	-1078	-961	-548	-473	-363	-263	-263
	5	-1321	-1178	-1086	-673	-598	-488	-388	-388
	6	-1446	-1253	-1136	-773	-698	-588	-488	-488
	7	-1546	-1353	-1261	-898	-823	-713	-613	-613
33	1 & 2	-1210	-1042	-950	-517	-462	-352	-252	-252
	3	-1210	-1042	-950	-542	-487	-377	-252	-252
	4	-1285	-1117	-1000	-592	-537	-427	-302	-302
	5	-1435	-1217	-1106	-717	-662	-552	-427	-427
	6	-1510	-1292	-1200	-842	-787	-677	-552	-552
	7	-1610	-1417	-1300	-967	-912	-802	-677	-677
43	1-3	-1260	-1117	-1000	-592	-537	-427	-302	-302
	4	-1335	-1192	-1050	-617	-562	-452	-327	-327
	5	-1460	-1292	-1150	-747	-687	-577	-452	-452
	6	-1560	-1367	-1250	-867	-837	-727	-602	-602
	7	-1660	-1467	-1350	-967	-937	-827	-702	-702
53	1-4	-1385	-1292	-1175	-767	-762	-677	-552	-552
	5	-1485	-1367	-1275	-842	-837	-752	-627	-627
	6	-1585	-1467	-1375	-992	-962	-877	-752	-752
	7	-1685	-1567	-1500	-1092	-1037	-952	-827	-827
63	1-5	-1585	-1442	-1325	-942	-844	-758	-633	-633
	6	-1685	-1567	-1425	-1047	-987	-902	-777	-777
34	1 & 2	-1335	-1217	-1150	-737	-712	-627	-552	-552
	3	-1335	-1217	-1150	-737	-712	-627	-552	-552
	4	-1460	-1342	-1250	-837	-812	-727	-652	-652
	5	-1560	-1442	-1375	-962	-937	-852	-777	-777
	6	-1735	-1617	-1550	-1137	-1112	-1027	-952	-952
44	1-3	-1435	-1317	-1250	-837	-812	-727	-652	-652
	4	-1510	-1417	-1300	-887	-862	-777	-702	-702
	5	-1585	-1492	-1400	-987	-962	-877	-802	-802
	6	-1760	-1642	-1575	-1162	-1137	-1052	-977	-977
54	1-4	-1535	-1442	-1375	-912	-912	-827	-777	-777
	5	-1635	-1542	-1450	-994	-987	-902	-852	-852

Mike

Range	Diff.
24 & Below	-2105
25-26	-2105
27-29	-1336
30-32	-991
33-34	-766
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength

(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-309
20.0 - 20.9	-309
21.0 - 21.9	-284
22.0 - 22.9	-259
23.0 - 23.9	-234
24.0 - 24.9	-234
25.0 - 25.9	-159
26.0 - 26.9	-109
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	27
31.0 - 32.9	35
33.0 & above	35

Uniformity

Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	2
84.0 - 84.9	2
85.0 - 85.9	5
86.0 & Above	7

Extraneous Matter

Prep	Diff.
Level 1	-200
Level 2	-500
Bark	**Diff.**
Level 1	-333
Level 2	-525
Other	**Diff.**
Level 1	-550
Level 2	-600
Plastic	**Diff.**
Level 1	-1161
Level 2	-1496

Table 11. West Texas spot cotton differences, monthly average. August 2018 - July 2019

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-275	-190	10	160	367	431	498	523
	3	-350	-240	-40	135	292	406	473	498
	4	-375	-275	-150	125	267	344	387	387
	5	-500	-300	-250	25	175	308	308	308
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-425	-290	-90	85	267	381	473	498
	3	-475	-315	-115	85	267	381	448	473
	4	-525	-375	-250	75	142	248	273	273
	5	-600	-425	-350	-75	25	158	158	158
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-575	-400	-200	45	185	252	277	277
	3	-600	-425	-225	45	110	227	252	252
	4	-650	-450	-375	68.59	79	131	156	156
	5	-725	-525	-450	-150	-46	56	56	56
	6	-875	-700	-625	-363	-356	-234	-234	-234
	7	-1000	-800	-725	-450	-406	-322	-322	-322
51	1 & 2	-750	-550	-475	-125	-25	38	38	38
	3	-750	-550	-475	-125	-25	38	38	38
	4	-775	-550	-550	-200	-81	-18	-18	-18
	5	-825	-650	-650	-350	-256	-168	-168	-168
	6	-975	-750	-750	-475	-406	-281	-281	-281
	7	-1075	-850	-850	-575	-506	-406	-406	-406
61	1-5	-900	-725	-725	-400	-300	-200	-200	-200
	6	-1025	-800	-800	-600	-500	-375	-375	-375
	7	-1125	-950	-925	-675	-575	-475	-475	-475
71	1-6	-1100	-925	-875	-675	-575	-500	-500	-500
	7	-1175	-950	-925	-700	-650	-575	-575	-575
12 & 22	1 & 2	-613	-395	-228	78	165	274	349	349
	3	-663	-445	-253	78	115	224	299	299
	4	-688	-495	-428	-147	45	170	245	245
	5	-813	-620	-603	-333	-133	-94	-44	-44
	6	-963	-745	-728	-433	-358	-282	-232	-232
	7	-1038	-845	-803	-508	-433	-357	-307	-307
32	1 & 2	-680	-462	-295	-64	-14	24	99	99
	3	-730	-512	-320	-114	-39	24	99	99
	4	-805	-587	-495	-189	-64	5	55	55
	5	-930	-787	-720	-400	-250	-206	-156	-156
	6	-1080	-862	-820	-525	-450	-406	-356	-356
	7	-1180	-962	-870	-625	-525	-481	-431	-431
42	1-3	-836	-619	-551	-231	-156	-18	32	32
	4	-886	-694	-576	-256	-181	-43	7	7
	5	-986	-844	-751	-431	-281	-256	-206	-206
	6	-1186	-894	-851	-556	-481	-431	-381	-381
	7	-1261	-1044	-951	-681	-556	-506	-456	-456
52	1-4	-1111	-869	-826	-581	-456	-406	-356	-356
	5	-1186	-969	-901	-631	-506	-456	-406	-406
	6	-1386	-1144	-1076	-756	-656	-606	-556	-556
	7	-1461	-1244	-1176	-856	-756	-706	-656	-656
62	1-5	-1236	-1044	-1001	-731	-631	-581	-531	-531
	6	-1411	-1194	-1151	-881	-806	-756	-706	-706

Table 11. West Texas spot cotton differences, monthly average. August 2018 - July 2019

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-996	-778	-711	-406	-331	-306	-256	-256
	3	-1046	-803	-736	-431	-356	-331	-281	-281
	4	-1071	-878	-811	-481	-406	-381	-331	-331
	5	-1179	-961	-919	-606	-531	-481	-431	-431
	6	-1279	-1036	-994	-681	-606	-556	-506	-506
	7	-1354	-1136	-1069	-731	-706	-656	-606	-606
33	1 & 2	-1121	-853	-786	-456	-406	-381	-331	-331
	3	-1121	-853	-786	-456	-406	-381	-331	-331
	4	-1196	-928	-861	-506	-456	-431	-381	-381
	5	-1329	-1036	-969	-656	-581	-531	-481	-481
	6	-1379	-1111	-1094	-706	-681	-631	-581	-581
	7	-1454	-1211	-1144	-831	-781	-731	-681	-681
43	1-3	-1171	-953	-886	-531	-481	-431	-381	-381
	4	-1246	-1028	-936	-556	-481	-431	-381	-381
	5	-1354	-1111	-1019	-681	-606	-556	-506	-506
	6	-1429	-1186	-1119	-781	-756	-706	-656	-656
	7	-1504	-1286	-1194	-856	-831	-781	-731	-731
53	1-4	-1346	-1203	-1111	-731	-681	-631	-581	-581
	5	-1429	-1236	-1169	-831	-781	-731	-681	-681
	6	-1554	-1336	-1269	-931	-906	-856	-806	-806
	7	-1629	-1411	-1369	-1056	-1031	-981	-931	-931
63	1-5	-1571	-1353	-1261	-881	-806	-756	-706	-706
	6	-1629	-1436	-1319	-1031	-981	-931	-881	-881
34	1 & 2	-1246	-1028	-961	-631	-606	-556	-506	-506
	3	-1246	-1028	-961	-631	-606	-556	-506	-506
	4	-1371	-1153	-1061	-731	-706	-656	-606	-606
	5	-1454	-1236	-1169	-856	-831	-781	-731	-731
	6	-1604	-1386	-1319	-1056	-1031	-981	-931	-931
44	1-3	-1371	-1153	-1086	-756	-731	-681	-631	-631
	4	-1446	-1253	-1136	-806	-781	-731	-681	-681
	5	-1529	-1311	-1219	-906	-881	-831	-781	-781
	6	-1679	-1461	-1394	-1131	-1106	-1056	-1006	-1006
54	1-4	-1471	-1278	-1211	-881	-856	-806	-756	-756
	5	-1554	-1336	-1244	-1006	-981	-931	-881	-881

Mike

Range	Diff.
24 & Below	-2079
25-26	-2079
27-29	-1322
30-32	-991
33-34	-766
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-250
53 & Above	-375

Strength

(Grams per Tex)	
Range	Diff.
19.0 - 19.9	-309
20.0 - 20.9	-309
21.0 - 21.9	-284
22.0 - 22.9	-259
23.0 - 23.9	-234
24.0 - 24.9	-234
25.0 - 25.9	-159
26.0 - 26.9	-109
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	27
31.0 - 32.9	35
33.0 & above	35

Uniformity

Unit	Points
77.9 & Below	-125
78.0 - 78.9	-95
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	2
85.0 - 85.9	5
86.0 & Above	7

Extraneous Matter

Prep	Diff.
Level 1	-200
Level 2	-500
Bark	**Diff.**
Level 1	-321
Level 2	-525
Other	**Diff.**
Level 1	-550
Level 2	-600
Plastic	**Diff.**
Level 1	-1161
Level 2	-1496

Table 12. Desert Southwest spot cotton differences, season average. August 2018 - July 2019

Color	Leaf	Staple					
		33	34	35	36	37	38
11 & 21	1 & 2	-111	114	555	759	824	891
	3	-111	89	480	709	724	791
	4	-311	39	276	350	385	401
	5	-386	-186	1	88	173	173
	6	-461	-361	-124	-98	-43	-43
	7	-661	-386	-199	-153	-113	-113
31	1 & 2	-186	64	505	709	744	801
	3	-186	39	405	659	669	726
	4	-361	14	176	300	335	376
	5	-411	-211	-74	-13	58	58
	6	-486	-386	-159	-133	-53	-53
	7	-686	-411	-249	-208	-128	-128
41	1 & 2	-586	0	50	125	135	200
	3	-586	0	23	87	122	187
	4	-636	68.04	13	37	97	125
	5	-649	-511	-386	-365	-305	-305
	6	-811	-686	-486	-465	-415	-415
	7	-961	-836	-661	-645	-610	-610
51	1 & 2	-697	-522	-297	-262	-252	-252
	3	-697	-522	-297	-262	-252	-252
	4	-722	-597	-422	-372	-312	-312
	5	-822	-772	-622	-597	-547	-547
	6	-972	-872	-697	-697	-647	-647
	7	-1172	-1072	-897	-897	-872	-872
12 & 22	1 & 2	-486	39	289	349	409	409
	3	-486	39	264	324	384	384
	4	-586	-11	214	274	359	359
	5	-611	-436	-136	-136	-61	-61
	6	-761	-636	-336	-336	-261	-261
	7	-936	-811	-586	-586	-511	-511
32	1 & 2	-586	-211	102	187	197	197
	3	-586	-211	102	187	197	197
	4	-636	-436	-48	37	47	47
	5	-686	-686	-424	-424	-424	-424
	6	-886	-811	-549	-549	-549	-549
	7	-1036	-986	-799	-799	-799	-799
42	1-3	-659	-484	-197	-147	-147	-147
	4	-684	-559	-297	-247	-247	-247
	5	-759	-734	-497	-497	-497	-497
	6	-934	-859	-622	-622	-622	-622
	7	-1134	-1034	-872	-872	-872	-872
52	1-4	-884	-759	-547	-497	-497	-497
	5	-934	-834	-622	-622	-622	-622
	6	-1034	-934	-722	-722	-722	-722
	7	-1284	-1184	-1022	-997	-997	-997
43	1-3	-759	-684	-609	-534	-534	-534
	4	-859	-784	-659	-609	-609	-609
	5	-959	-859	-684	-659	-659	-659
	6	-1059	-959	-934	-934	-934	-934
	7	-1159	-1084	-1059	-1059	-1059	-1059
53	1-4	-1009	-909	-834	-834	-834	-834
	5	-1059	-959	-884	-884	-884	-884
	6	-1159	-1059	-984	-984	-984	-984
	7	-1409	-1309	-1309	-1309	-1309	-1309

Mike	
Range	Diff.
24 & Below	-1350
25-26	-1150
27-29	-1050
30-32	-650
33-34	-450
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-300
53 & Above	-550

Strength	
(Grams per Tex)	
Range	Diff.
21.0 - 21.9	-600
22.0 - 22.9	-450
23.0 - 23.9	-300
24.0 - 24.9	-225
25.0 - 25.9	-200
26.0 - 26.9	-123
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	38
31.0 - 32.9	63
33.0 & above	100

Extraneous Matter	
Prep	Diff.
Level 1	-50
Level 2	-800
Other	Diff.
Level 1	-350
Level 2	-800
Plastic	Diff.
Level 1	-350
Level 2	-800

Uniformity	
Unit	Points
77.9 & Below	-100
78.0 - 78.9	-90
79.0 - 79.9	-80
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	30
84.0 - 84.9	40
85.0 - 85.9	50
86.0 & Above	60

Table 13. San Joaquin Valley spot cotton differences, monthly average.

Color	Leaf	Staple				
		34	35	36	37	38
11 & 21	1 & 2	415	1040	1390	1540	1765
	3	365	990	1340	1465	1665
	4	75	350	400	500	500
	5	-125	75	130	190	190
	6	-400	-200	-150	-100	-100
	7	-625	-525	-475	-425	-425
31	1 & 2	315	940	1290	1415	1590
	3	265	890	1240	1365	1540
	4	50	300	330	410	410
	5	-200	0	55	115	115
	6	-500	-325	-275	-225	-225
	7	-675	-575	-525	-475	-475
41	1 & 2	100	350	430	440	440
	3	50	250	330	340	340
	4	68.54	200	280	290	290
	5	-425	-200	-195	-185	-185
	6	-625	-450	-450	-450	-450
	7	-825	-725	-725	-725	-725
51	1 & 2	-675	-225	-175	-175	-175
	3	-700	-250	-200	-200	-200
	4	-750	-300	-275	-275	-275
	5	-775	-375	-325	-325	-325
	6	-900	-800	-800	-800	-800
	7	-1050	-1000	-1000	-1000	-1000
12 & 22	1 & 2	125	575	830	965	1140
	3	50	500	780	890	1040
	4	-75	325	375	440	440
	5	-250	-50	0	50	50
	6	-525	-400	-350	-300	-300
	7	-775	-700	-650	-600	-600
32	1 & 2	0	250	325	375	475
	3	-50	200	275	325	425
	4	-200	25	50	100	100
	5	-525	-275	-275	-275	-275
	6	-675	-475	-475	-475	-475
	7	-850	-750	-750	-750	-750
42	1-3	-450	-100	-75	-75	-75
	4	-500	-175	-150	-150	-150
	5	-675	-350	-300	-300	-300
	6	-800	-775	-775	-775	-775
	7	-1000	-950	-950	-950	-950
52	1-4	-825	-775	-775	-775	-775
	5	-875	-825	-825	-825	-825
	6	-1025	-1025	-1025	-1025	-1025
	7	-1225	-1225	-1225	-1225	-1225
33	1 & 2	-500	-500	-500	-500	-500
	3	-500	-500	-500	-500	-500
	4	-600	-600	-600	-600	-600
	5	-800	-800	-800	-800	-800
	6	-1075	-1075	-1075	-1075	-1075
	7	-1225	-1225	-1225	-1225	-1225
43	1-3	-875	-875	-875	-875	-875
	4	-925	-925	-925	-925	-925
	5	-1075	-1075	-1075	-1075	-1075
	6	-1225	-1225	-1225	-1225	-1225
	7	-1425	-1425	-1425	-1425	-1425

Mike	
Range	Diff.
27-29	-1600
30-32	-1000
33-34	-500
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-500

Strength (Grams per Tex)	
Range	Diff.
24.0 - 24.9	-500
25.0 - 25.9	-400
26.0 - 26.9	-300
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	75
31.0 - 32.9	125
33.0 & above	250

Extraneous Matter	
Prep	Diff.
Level 1	-50
Level 2	-800
Other	Diff.
Level 1	-350
Level 2	-925
Plastic	Diff.
Level 1	-350
Level 2	-925

Uniformity	
Unit	Points
77.9 & Below	-60
78.0 - 78.9	-50
79.0 - 79.9	-40
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	50
83.0 - 83.9	80
84.0 - 84.9	90
85.0 - 85.9	100
86.0 & Above	110

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2018-2019

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	364	18	237	3,490	2,930	8,305	1,939	1,165	1,000	18,584	710	1,805	**40,547**
North Delta	69	125	16	145	2,286	1,203	180	273	366	4,954	500	5,282	**15,399**
South Delta	309	1,389	0	25	0	0	0	0	150	8,805	168	0	**10,846**
East Texas-Oklahoma	8,833	3,797	16,260	28,091	39,688	64,565	85,834	148,016	64,954	21,061	38,116	15,537	**534,752**
West Texas	1,888	453	1,439	41,597	74,990	143,574	102,603	162,265	47,375	21,311	25,222	4,281	**626,998**
Desert Southwest	48	14	529	4,991	2,238	8,687	13,952	17,997	1,962	0	0	0	**50,418**
San Joaquin Valley	0	0	0	0	0	0	0	0	0	0	0	0	**0**
Total	**11,511**	**5,796**	**18,481**	**78,339**	**122,132**	**226,334**	**204,508**	**329,716**	**115,807**	**74,715**	**64,716**	**26,905**	**1,278,960**

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2013-2018. 1/

Market Area	2013	2014	2015	2016	2017	2018
Southeast	129,860	289,121	135,753	76,226	50,981	40,547
North Delta	14,898	79,665	17,428	24,791	51,924	15,399
South Delta	10,680	53,327	14,824	10,708	13,157	10,846
East Texas-Oklahoma	280,854	546,023	392,737	503,703	919,919	534,752
West Texas	857,998	1,092,604	936,359	931,576	978,219	626,998
Desert Southwest	11,959	45,238	23,207	19,567	39,214	50,418
San Joaquin Valley	63,353	21,308	14,385	4,075	7,012	4,323
Total	**1,369,602**	**2,127,286**	**1,534,693**	**1,570,646**	**2,060,426**	**1,283,283**

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS, Season Average

Color	Leaf	Staple 44	46	48	50
1	1	119.14	127.89	129.26	129.26
	2	118.89	127.64	129.01	129.01
	3	111.14	118.89	119.26	119.26
	4				
	5				
	6				
2	1	118.89	127.64	129.01	129.01
	2	118.64	127.39	128.76	128.76
	3	110.89	118.64	119.01	119.01
	4	100.89	109.14	109.51	109.51
	5				
	6				
3	1	108.64	116.39	116.76	116.76
	2	106.14	113.89	114.26	114.26
	3	104.89	112.64	113.01	113.01
	4	95.89	103.64	104.01	104.01
	5	79.89	87.14	87.51	87.51
	6				
4	1	89.64	97.39	98.51	98.51
	2	89.39	97.14	97.76	97.76
	3	89.14	96.89	97.01	97.01
	4	84.14	91.89	92.01	92.01
	5	72.89	80.64	80.76	80.76
	6				
5	1				
	2	68.64	78.64	78.76	78.76
	3	68.64	78.14	78.76	78.76
	4	68.64	72.64	72.76	72.76
	5	68.39	72.39	72.51	72.51
	6				
6	1				
	2	60.89	63.89	64.01	64.01
	3	60.89	63.89	64.01	64.01
	4	60.89	63.89	64.01	64.01
	5	60.64	63.64	63.76	63.76
	6	60.14	63.14	63.26	63.26

Mike

Range	Diff.
26 & Below	-1400
27-29	-900
30-32	-400
33-34	0
35 & Above	0

Strength

(Grams per Tex)	
Range	Diff.
35.4 and Below	-1350
35.5-36.4	-1100
36.5-37.4	-850
37.5 and Above	0

Extraneous Matter

Level	Diff.
Prep	
1	-810
2	-1095
Other	
1	-715
2	-1035
Plastic	
1	-715
2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets,
In cents per pound, net weight, United States, marketing years 2005-2018

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
						Average prices received by farmers for Upland cotton 1/							
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	69.50	68.90	64.50	62.70	60.80	59.10	57.80	61.30	62.60	65.90	66.80	69.30	61.30
2015	59.90	60.30	57.90	60.00	61.30	60.30	59.80	58.20	58.70	63.20	67.00	74.50	61.20
2016	67.30	67.00	66.00	67.20	67.90	67.00	68.80	69.20	69.30	69.90	70.40	73.00	68.00
2017	64.80	64.10	66.50	67.30	68.60	68.90	68.10	68.30	67.70	69.60	75.70	76.80	68.60
2018	69.70	71.00	72.30	73.00	72.70	65.30	67.50	68.80	70.30	71.70	67.80	74.00	
						Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets							
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02
2015	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.65	60.36	62.78	69.25	61.04
2016	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24	70.71
2017	67.71	69.12	66.67	68.09	73.13	77.58	75.24	79.57	79.34	82.40	85.54	83.95	75.70
2018	80.75	76.72	73.90	73.72	72.66	68.72	67.17	69.78	72.27	64.05	61.19	58.08	69.92
						Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets							
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35
2015	63.12	60.97	62.10	62.29	63.66	62.06	59.44	57.32	60.99	61.70	64.03	70.45	62.34
2016	69.77	68.85	69.24	70.68	70.86	72.06	73.98	75.17	74.99	76.63	70.73	67.12	71.67
2017	68.59	70.00	67.55	68.97	74.08	78.53	76.19	80.52	80.28	83.33	86.62	85.09	76.65
2018	81.89	77.86	75.04	74.86	73.80	69.86	68.30	70.89	73.35	65.26	62.40	59.29	71.07

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for un-redeemed loans, as reported by the National Agricultural Statistics Service, USDA.

Table 18. United States spot cotton differences, WEIGHTED monthly average. August 2018 - July 2019
Weighted averages based on the 2018-crop year's production by spot market

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-304	-228	-55	159	318	428	477	492
	3	-369	-252	-73	136	266	392	432	447
	4	-413	-276	-166	82	168	299	330	331
	5	-510	-385	-292	-63	64	156	166	166
	6	-675	-511	-444	-285	-238	-183	-181	-181
	7	-750	-603	-547	-385	-334	-278	-276	-276
31	1 & 2	-415	-262	-93	102	258	384	439	453
	3	-456	-273	-104	101	240	363	405	420
	4	-525	-318	-218	63	130	232	253	254
	5	-590	-428	-327	-105	2	78	88	88
	6	-746	-547	-466	-308	-280	-240	-237	-237
	7	-837	-638	-568	-400	-369	-333	-330	-330
41	1 & 2	-546	-341	-191	58	157	240	255	267
	3	-571	-353	-203	51	107	197	212	224
	4	-621	-380	-304	70.35	69	144	164	171
	5	-715	-519	-435	-203	-103	-13	-7	-7
	6	-865	-638	-566	-410	-363	-278	-278	-278
	7	-981	-745	-694	-528	-467	-417	-420	-429
51	1 & 2	-724	-562	-431	-200	-136	-87	-82	-82
	3	-724	-600	-437	-225	-155	-100	-95	-95
	4	-758	-617	-470	-275	-215	-166	-160	-160
	5	-808	-713	-649	-430	-362	-308	-302	-302
	6	-968	-797	-745	-552	-507	-445	-443	-443
	7	-1068	-882	-853	-673	-617	-562	-562	-562
61	1-5	-883	-769	-713	-505	-449	-398	-398	-398
	6	-1027	-880	-838	-680	-634	-575	-575	-575
	7	-1127	-1002	-951	-769	-720	-669	-669	-669
71	1-6	-1083	-1052	-996	-830	-788	-744	-744	-744
	7	-1168	-1088	-1044	-862	-843	-799	-799	-799
12 & 22	1 & 2	-642	-345	-185	58	145	266	305	313
	3	-682	-368	-201	45	102	217	261	268
	4	-717	-394	-297	-43	50	174	211	217
	5	-823	-568	-495	-272	-113	-53	-21	-21
	6	-982	-689	-632	-449	-364	-314	-289	-289
	7	-1076	-779	-733	-551	-482	-432	-407	-407
32	1 & 2	-705	-444	-291	-73	2	60	90	91
	3	-746	-465	-308	-97	-29	34	64	64
	4	-811	-524	-379	-190	-99	-44	-20	-20
	5	-927	-685	-568	-352	-275	-214	-191	-191
	6	-1086	-771	-709	-519	-460	-421	-398	-398
	7	-1205	-876	-807	-627	-565	-532	-510	-510
42	1-3	-824	-618	-501	-256	-176	-112	-89	-89
	4	-874	-663	-520	-289	-234	-171	-149	-149
	5	-993	-796	-686	-440	-355	-319	-296	-296
	6	-1202	-876	-819	-599	-546	-508	-485	-485
	7	-1296	-981	-898	-725	-653	-621	-599	-599
52	1-4	-1089	-823	-719	-553	-487	-460	-437	-437
	5	-1164	-898	-832	-636	-575	-550	-527	-527
	6	-1374	-1043	-976	-784	-733	-707	-685	-685
	7	-1458	-1141	-1085	-894	-844	-809	-786	-786
62	1-5	-1214	-1013	-946	-764	-724	-698	-674	-674
	6	-1408	-1178	-1112	-916	-883	-852	-828	-828

Table 18. United States spot cotton differences, WEIGHTED monthly average. August 2018 - July 2019
Weighted averages based on the 2018-crop year's production by spot market

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1043	-855	-778	-432	-357	-299	-230	-230
	3	-1084	-880	-803	-457	-382	-324	-255	-255
	4	-1118	-955	-868	-507	-432	-374	-305	-305
	5	-1233	-1044	-982	-632	-557	-484	-415	-415
	6	-1342	-1119	-1048	-716	-641	-568	-499	-499
	7	-1427	-1219	-1142	-795	-751	-678	-609	-609
33	1 & 2	-1155	-925	-848	-273	-248	-221	-189	-189
	3	-1155	-925	-848	-277	-253	-226	-189	-189
	4	-1230	-1000	-914	-310	-286	-259	-222	-222
	5	-1369	-1105	-1021	-395	-364	-330	-293	-293
	6	-1429	-1180	-1134	-459	-442	-407	-371	-371
	7	-1513	-1290	-1203	-532	-507	-473	-436	-436
43	1-3	-1205	-954	-836	-602	-557	-516	-480	-480
	4	-1280	-1002	-881	-638	-578	-537	-502	-502
	5	-1394	-1058	-965	-765	-715	-681	-646	-646
	6	-1479	-1133	-1046	-850	-824	-791	-755	-755
	7	-1563	-1253	-1147	-951	-925	-892	-856	-856
53	1-4	-1360	-1111	-1010	-797	-761	-732	-697	-697
	5	-1450	-1186	-1115	-898	-874	-845	-809	-809
	6	-1565	-1288	-1197	-988	-967	-938	-902	-902
	7	-1650	-1360	-1312	-1099	-1076	-1047	-1012	-1012
63	1-5	-1576	-1275	-1201	-977	-930	-901	-864	-864
	6	-1650	-1367	-1281	-1071	-1039	-1009	-972	-972
34	1 & 2	-1280	-1100	-1033	-672	-647	-583	-524	-524
	3	-1280	-1100	-1033	-672	-647	-583	-524	-524
	4	-1405	-1225	-1133	-772	-747	-683	-624	-624
	5	-1494	-1315	-1247	-897	-872	-808	-749	-749
	6	-1654	-1474	-1407	-1087	-1062	-999	-939	-939
44	1-3	-1395	-1216	-1148	-787	-762	-699	-639	-639
	4	-1470	-1316	-1198	-837	-812	-749	-689	-689
	5	-1550	-1380	-1288	-937	-912	-849	-789	-789
	6	-1709	-1530	-1463	-1143	-1118	-1055	-995	-995
54	1-4	-1495	-1341	-1273	-893	-878	-814	-764	-764
	5	-1584	-1415	-1322	-1002	-984	-920	-870	-870

Mike

Range	Diff.
24 & Below	-2044
25-26	-1480
27-29	-943
30-32	-656
33-34	-468
Base 35-36	0
37-42	8
Base 43-49	0
50-52	-234
53 & Above	-378

Uniformity

Unit	Points
77.9 & Below	-108
78.0 - 78.9	-91
79.0 - 79.9	-79
80.0 - 80.9	-6
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	15
84.0 - 84.9	21
85.0 - 85.9	28
86.0 & Above	34

Strength
(Grams per Tex)

Range	Diff.
19.0 - 19.9	-309
20.0 - 20.9	-309
21.0 - 21.9	-378
22.0 - 22.9	-331
23.0 - 23.9	-292
24.0 - 24.9	-274
25.0 - 25.9	-220
26.0 - 26.9	-74
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	27
31.0 - 32.9	44
33.0 & above	46

Extraneous Matter

Level	Diff.
Prep	
Level 1	-195
Level 2	-665
Other (ET-OK and WT Bark not included)	
Level 1	-466
Level 2	-707
Bark	
Level 1	-326
Level 2	-525
Plastic	
Level 1	-915
Level 2	-1299