

# **COTTON PRICE STATISTICS 2019-2020**



## **ANNUAL REPORT**

**UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service  
Cotton and Tobacco Program  
Memphis, TN**

## ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 57.58 cents per pound for the 2019-2020 season, down from 69.92 cents for the 2018-2019 season. The season's highest daily quotation for the base quality occurred on January 13, 2020 at 67.07 cents per pound and the season's lowest quotation was 43.23 cents on April 1, 2020. The highest monthly average for the marketing year was 65.60 cents per pound in January 2020 and the lowest was 48.73 cents per pound in April 2020.



Source: USDA, AMS, Cotton and Tobacco Program

Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 27.0-28.9 grams per tex, uniformity of 81 units in the designated spot markets averaged 58.70 cents per pound for the 2019-2020 season, down from 71.07 cents for the 2018-2019 season.

The average price received by farmers for Upland cotton in July was 60.40 cents per pound in the 2019-2020 marketing year. The 2018-2019 marketing year average price was 70.30 cents, compared to the 2017-2018 marketing year of 68.60 cents, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,614,995 running bales in the 2019-2020 marketing year, up from 1,283,283 bales in the 2018-2019 marketing year, but down from 2,060,426 bales in 2017-2018.

September 3, 2020

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2014-2019 1/ 2/

Market Areas	2014	2015	2016	2017	2018	2019
Southeast	63.55	63.31	72.91	78.91	72.55	60.53
North Delta	62.64	62.43	71.81	77.60	71.52	59.40
South Delta	62.64	62.43	71.81	77.60	71.52	59.40
East Texas-Oklahoma	60.75	59.29	70.25	74.43	68.67	57.05
West Texas	60.71	59.15	70.06	73.85	68.59	56.90
Desert Southwest	61.57	59.72	68.50	73.35	68.04	54.66
San Joaquin Valley	62.32	60.87	69.61	74.13	68.54	55.16
<b>Average</b>	<b>62.03</b>	<b>61.03</b>	<b>70.71</b>	<b>75.70</b>	<b>69.92</b>	<b>57.58</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2014 3/	11-Sep-14	69.64	23-Jan-15	56.36
2015 3/	29-Jul-16	72.51	2-Mar-16	54.56
2016 3/	15-May-17	81.76	31-Aug-16	63.91
2017 3/	31-Jul-18	86.49	5-Jul-18	79.44
2018 3/	2-Aug-18	85.65	18-Jul-19	55.28
2019 3/	13-Jan-20	67.07	1-Apr-20	43.23

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2019-2020 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	56.66		58.34	61.37					43.23	51.13	55.63	58.94
2	53.76		58.47		60.09	64.81		58.06	44.81		55.87	59.41
3		54.10	58.74		59.41	64.74	62.38	57.45	45.80		55.98	
4		54.56	58.81	60.80	60.06		62.89	57.80		49.62	55.46	
5	52.73	54.95		60.95	60.01		63.08	58.17		48.87	57.25	
6	53.09	54.52		60.83	61.50	65.58	63.48	57.61	47.87	49.80		59.43
7	53.40		58.97	61.49		65.37	63.32		47.72	50.68		59.60
8	54.36		58.46	61.65		65.50			48.66	51.63	56.27	60.43
9	53.87	55.33	59.23		60.88	66.23		56.03	49.19		55.98	60.20
10		55.79	58.56		61.43	66.85	63.76	56.23			55.97	60.57
11		55.66	61.02	61.22	61.45		63.80	56.37		51.99	55.48	
12	52.85	58.54		61.67	62.74		64.15	54.52		53.91	55.30	
13	54.38	57.92		61.11	62.37	67.07	63.32	55.31	47.58	53.03		59.61
14	54.65		59.36	61.16		66.92	62.98		47.37	53.42		58.40
15	54.98		60.67	61.73		65.86			47.61	53.82	54.47	58.30
16	55.40	57.88	61.68		62.54	65.76		53.62	47.65		55.53	58.59
17		59.09	62.13		62.01	66.79		52.74	48.07		56.83	57.72
18		57.93	62.30	61.01	62.28		63.44	51.46		53.37	55.33	
19	54.50	57.76		60.39	63.12		64.22	49.75		54.77	55.86	
20	54.49	57.95		59.32	63.50		63.94	48.50	49.23			58.70
21	55.19		61.70	59.12		64.78	63.68		48.52			58.62
22	54.19		61.81	60.03		66.67			51.35	53.18	56.74	58.45
23	53.47	58.34	62.09		64.15	65.57		46.97	51.58		56.30	57.39
24		57.83	61.79		64.24	64.94	62.24	47.71	50.84		55.87	55.67
25		57.88	62.04	61.01			60.98	48.26			56.35	
26	53.16	57.71		61.16	64.24		60.15	47.60		53.80	56.12	
27	53.04	58.33		61.10	64.46	65.05	57.18	46.15	50.22	53.91		56.40
28	54.14		61.93			65.90	56.17		50.99	53.14		56.30
29	54.67		61.86	60.65		65.60			52.41	53.16	55.99	56.74
30	54.84	58.26	62.84		65.13	64.59		45.52	52.62		57.34	58.53
31			61.58		64.59	63.04		45.95				58.01
Average	54.17	57.01	60.63	60.89	62.39	65.60	62.38	52.35	48.73	52.40	56.00	58.46
High	56.66	59.09	62.84	61.73	65.13	67.07	64.22	58.17	52.62	54.77	57.34	60.57
Low	52.73	54.10	58.34	59.12	59.41	63.04	56.17	45.52	43.23	48.87	54.47	55.67

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2019-2020 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	57.18	60.55	64.00	63.90	65.58	68.81	65.53	55.30	51.62	54.93	58.29	60.69	60.53
North Delta	56.00	59.55	63.00	62.93	64.22	67.31	64.03	53.80	50.22	54.09	57.76	59.87	59.40
South Delta	56.00	59.55	63.00	62.93	64.22	67.31	64.03	53.80	50.22	54.09	57.76	59.87	59.40
East Texas-Oklahoma	53.28	55.98	59.98	60.37	61.70	64.81	61.91	52.50	48.47	51.92	55.55	58.19	57.05
West Texas	53.28	55.98	59.48	60.04	61.69	64.81	61.60	52.00	48.21	51.92	55.55	58.19	56.90
Desert Southwest	51.50	53.50	57.23	57.78	59.40	62.81	59.53	49.30	45.94	49.68	53.29	55.94	54.66
San Joaquin Valley	52.00	54.00	57.73	58.28	59.90	63.31	60.03	49.80	46.44	50.18	53.79	56.44	55.16
Average	54.17	57.01	60.63	60.89	62.39	65.60	62.38	52.35	48.73	52.40	56.00	58.46	57.58

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2019-2020 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	58.43	61.80	65.25	65.15	66.83	70.06	66.78	56.55	52.37	55.68	59.04	61.44	61.61
North Delta	57.25	60.80	64.25	64.18	65.47	68.56	65.28	55.05	51.47	55.34	59.01	61.12	60.65
South Delta	57.25	60.80	64.25	64.18	65.47	68.56	65.28	55.05	51.47	55.34	59.01	61.12	60.65
East Texas-Oklahoma	54.28	56.98	60.98	61.13	62.20	65.31	62.41	53.00	48.97	52.42	56.05	58.69	57.70
West Texas	54.13	56.83	60.33	60.95	62.31	65.41	62.20	52.60	48.81	52.52	56.15	58.61	57.57
Desert Southwest	51.75	53.75	57.48	58.03	59.65	63.06	59.78	49.55	46.19	49.93	53.54	56.19	54.91
San Joaquin Valley	54.65	56.65	60.38	60.93	62.55	65.96	62.68	52.45	49.09	52.83	56.44	59.09	57.81
Average	55.39	58.23	61.84	62.08	63.50	66.70	63.48	53.46	49.77	53.44	57.03	59.47	58.70

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages.

August - July 2020

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-365	-252	-92	186	451	636	696	752
	3	-427	-274	-106	158	397	597	639	689
	4	-477	-301	-212	68	193	326	363	368
	5	-541	-433	-338	-120	19	98	128	128
	6	-702	-536	-477	-349	-257	-205	-190	-190
	7	-777	-631	-593	-456	-382	-327	-314	-314
31	1 & 2	-465	-277	-133	122	386	579	639	686
	3	-502	-287	-141	112	350	548	597	644
	4	-577	-336	-262	53	156	260	293	303
	5	-624	-483	-382	-162	-42	25	53	53
	6	-764	-581	-510	-378	-301	-260	-241	-241
	7	-852	-676	-627	-474	-414	-374	-356	-356
41	1 & 2	-582	-360	-277	64	178	267	277	302
	3	-607	-370	-285	50	122	214	226	251
	4	-657	-396	-363	57.58	74	156	178	189
	5	-741	-582	-517	-316	-199	-134	-118	-118
	6	-889	-686	-643	-517	-429	-366	-363	-363
	7	-1002	-796	-781	-649	-568	-535	-537	-537
51	1 & 2	-769	-607	-498	-331	-188	-151	-146	-146
	3	-769	-647	-502	-353	-206	-165	-160	-160
	4	-807	-667	-531	-403	-280	-245	-233	-233
	5	-839	-761	-710	-574	-454	-413	-400	-400
	6	-1002	-861	-831	-695	-630	-591	-584	-584
	7	-1102	-946	-956	-820	-755	-723	-720	-720
61	1-5	-923	-799	-731	-532	-473	-428	-428	-428
	6	-1073	-909	-871	-697	-653	-603	-603	-603
	7	-1173	-1039	-991	-807	-743	-698	-698	-698
71	1-6	-1123	-1099	-1041	-872	-828	-788	-788	-788
	7	-1210	-1139	-1091	-907	-883	-843	-843	-843
12 & 22	1 & 2	-708	-362	-243	54	225	360	416	445
	3	-745	-382	-255	32	179	308	362	387
	4	-774	-403	-348	-40	106	211	254	258
	5	-866	-626	-551	-317	-145	-96	-55	-55
	6	-1017	-742	-693	-514	-396	-350	-318	-318
	7	-1117	-827	-806	-646	-557	-511	-479	-479
32	1 & 2	-783	-475	-356	-95	40	98	125	140
	3	-820	-490	-369	-116	10	69	95	109
	4	-874	-536	-426	-231	-88	-42	-21	-21
	5	-978	-739	-624	-444	-330	-289	-274	-274
	6	-1130	-827	-785	-611	-511	-486	-471	-471
	7	-1255	-932	-893	-736	-657	-639	-625	-625
42	1-3	-890	-636	-542	-331	-182	-140	-126	-126
	4	-940	-676	-563	-373	-252	-208	-193	-193
	5	-1057	-808	-704	-519	-390	-354	-340	-340
	6	-1269	-898	-850	-672	-600	-575	-559	-559
	7	-1367	-992	-958	-811	-736	-714	-700	-700
52	1-4	-1142	-832	-743	-621	-550	-525	-511	-511
	5	-1217	-917	-852	-704	-634	-618	-602	-602
	6	-1430	-1047	-993	-846	-791	-773	-759	-759
	7	-1517	-1147	-1122	-986	-938	-909	-895	-895
62	1-5	-1267	-1037	-962	-780	-745	-720	-700	-700
	6	-1467	-1202	-1127	-925	-895	-865	-845	-845

Table 6. United States (Continued)

August - July 2020

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1130	-942	-863	-471	-388	-325	-250	-250
	3	-1167	-967	-888	-496	-413	-350	-275	-275
	4	-1205	-1042	-951	-546	-463	-400	-325	-325
	5	-1317	-1130	-1063	-671	-588	-513	-438	-438
	6	-1430	-1205	-1126	-759	-675	-600	-525	-525
	7	-1517	-1305	-1226	-846	-788	-713	-638	-638
33	1 & 2	-1230	-1005	-920	-507	-467	-425	-375	-375
	3	-1230	-1005	-920	-516	-475	-433	-375	-375
	4	-1305	-1080	-988	-587	-546	-500	-442	-442
	5	-1442	-1180	-1101	-746	-696	-642	-583	-583
	6	-1505	-1255	-1201	-896	-863	-808	-750	-750
	7	-1592	-1367	-1276	-1029	-988	-933	-875	-875
43	1-3	-1280	-977	-834	-650	-607	-571	-546	-546
	4	-1355	-1022	-884	-698	-641	-607	-582	-582
	5	-1467	-1072	-979	-838	-781	-754	-729	-729
	6	-1555	-1152	-1067	-937	-913	-889	-864	-864
	7	-1642	-1277	-1175	-1062	-1038	-1014	-989	-989
	53	1-4	-1430	-1122	-1022	-830	-792	-771	-742
5	-1517	-1197	-1118	-922	-892	-871	-842	-842	
6	-1630	-1312	-1206	-1018	-988	-967	-938	-938	
7	-1717	-1377	-1343	-1147	-1125	-1104	-1075	-1075	
63	1-5	-1642	-1297	-1222	-1006	-965	-940	-905	-905
	6	-1717	-1382	-1297	-1085	-1050	-1025	-990	-990
34	1 & 2	-1355	-1180	-1105	-700	-675	-613	-550	-550
	3	-1355	-1180	-1105	-700	-675	-613	-550	-550
	4	-1480	-1305	-1205	-800	-775	-713	-650	-650
	5	-1567	-1392	-1317	-925	-900	-838	-775	-775
	6	-1730	-1555	-1480	-1113	-1088	-1025	-963	-963
	44	1-3	-1467	-1292	-1217	-813	-788	-725	-663
4	-1542	-1392	-1267	-863	-838	-775	-713	-713	
5	-1617	-1455	-1355	-963	-938	-875	-813	-813	
6	-1780	-1605	-1530	-1163	-1138	-1075	-1013	-1013	
54	1-4	-1567	-1417	-1342	-913	-900	-838	-788	-788
	5	-1655	-1492	-1392	-1025	-1000	-938	-888	-888

Mike	
Range	Diff.
24 & Below	-1690
25-26	-1341
27-29	-1017
30-32	-721
33-34	-510
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-288
53 & Above	-413

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-369
20.0 - 20.9	-369
21.0 - 21.9	-608
22.0 - 22.9	-554
23.0 - 23.9	-501
24.0 - 24.9	-475
25.0 - 25.9	-420
26.0 - 26.9	-203
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	28
31.0 - 32.9	55
33.0 & above	80

Uniformity	
Unit	Points
77.9 & Below	-94
78.0 - 78.9	-81
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Prep	Diff.
Level 1	-157
Level 2	-714
Bark	Diff.
Level 1	-350
Level 2	-525
Other	Diff.
Level 1	-429
Level 2	-756
Plastic	Diff.
Level 1	-4000
Level 2	-4000

Table 7. Southeast spot cotton differences, season average.

August 2019 - July 2020

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	342	392	392	25-26	-1075
	3	-225	-50	150	225	317	367	367	27-29	-675
	4	-225	-125	75	175	275	300	300	30-32	-525
	5	-475	-325	-225	-75	-25	-25	-25	33-34	-400
	6	-600	-450	-400	-325	-300	-300	-300	Base 35-36	0
	7	-725	-575	-550	-450	-425	-425	-425	37-42	0
	31	1 & 2	-225	-67	108	225	317	342	342	Base 43-49
	3	-225	-67	108	225	292	317	317	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-475	-325	-225	-75	-50	-50	-50		
	6	-600	-450	-400	-375	-350	-350	-350		
	7	-725	-575	-550	-500	-475	-475	-475		
41	1 & 2	-275	-117	50	150	200	200	225	Strength	
	3	-275	-117	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	60.53	100	175	175	200	Range	Diff.
	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-575	-575	-575	23.0 - 23.9	-650
	51	1 & 2	-475	-317	-192	-175	-150	-150	-150	24.0 - 24.9
	3	-550	-342	-267	-225	-175	-175	-175	25.0 - 25.9	-600
	4	-575	-342	-292	-275	-250	-250	-250	26.0 - 26.9	-272
	5	-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
	7	-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
61	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
	6	-950	-875	-825	-800	-800	-800	-800	33.0 & above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
71	1-6	-1075	-1000	-950	-950	-950	-950	-950		
	7	-1100	-1025	-975	-975	-975	-975	-975		
12 & 22	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Prep	Diff.
	4	-275	-125	0	100	200	200	225	Level 1	-200
	5	-525	-425	-300	-100	-75	-75	-75	Level 2	-800
	6	-650	-525	-525	-450	-425	-425	-425	Other	Diff.
	7	-750	-650	-650	-600	-575	-575	-575	Level 1	-477
	32	1 & 2	-325	-175	-25	0	50	50	50	Level 2
	3	-350	-200	-50	0	25	25	25	Plastic	Diff.
	4	-450	-200	-150	-100	-50	-50	-50	Level 1	-4000
	5	-625	-450	-400	-375	-350	-350	-350	Level 2	-4000
	6	-700	-550	-550	-525	-500	-500	-500		
	7	-800	-675	-675	-650	-625	-625	-625		
42	1-3	-625	-425	-225	-200	-175	-175	-175	Uniformity	
	4	-675	-425	-275	-275	-250	-250	-250	Unit	Points
	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-122
	6	-825	-775	-625	-625	-600	-600	-600	78.0 - 78.9	-103
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-92
52	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	-23
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	2
	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	2
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	22
62	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	32
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
43	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
	7	-1125	-1000	-950	-925	-925	-925	-925		
53	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
63	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		



Table 8. North Delta spot cotton differences, season average.

August 2019 - July 2020

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1000
	3	-225	-75	150	250	350	375	375	27-29	-650
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-75	0	25	50	50	33-34	-425
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0
	7	-600	-575	-450	-400	-400	-400	-400	37-42	25
									Base 43-49	0
31	1 & 2	-225	-100	125	250	350	375	375	50-52	-225
	3	-225	-100	125	225	325	350	350	53 & Above	-375
	4	-275	-250	75	125	175	200	200		
	5	-450	-325	-125	-50	-25	0	0		
	6	-500	-475	-350	-300	-300	-300	-300		
	7	-600	-575	-450	-400	-400	-400	-400		
41	1 & 2	-350	-250	100	150	250	250	275	Strength	
	3	-350	-250	75	100	225	225	250	(Grams per Tex)	
	4	-375	-275	59.40	50	175	200	200	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-822
	6	-675	-600	-500	-425	-400	-400	-400	22.0 - 22.9	-772
	7	-800	-775	-650	-550	-550	-575	-575	23.0 - 23.9	-722
									24.0 - 24.9	-679
51	1 & 2	-675	-475	-350	-250	-250	-250	-250	25.0 - 25.9	-636
	3	-725	-475	-375	-275	-275	-275	-275	26.0 - 26.9	-150
	4	-750	-500	-400	-350	-350	-350	-350	Base 27.0 - 28.9	0
	5	-825	-725	-650	-575	-550	-550	-550	29.0 - 29.9	0
	6	-950	-925	-775	-700	-700	-700	-700	30.0 - 30.9	25
	7	-1000	-975	-825	-750	-775	-775	-775	31.0 - 32.9	50
									33.0 & above	50
61	1-5	-850	-750	-650	-575	-575	-575	-575		
	6	-950	-950	-775	-750	-750	-750	-750		
	7	-1025	-1000	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Prep	Diff.
	4	-300	-250	0	0	150	175	175	Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other	Diff.
	7	-775	-750	-625	-550	-525	-525	-525	Level 1	-407
									Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic	Diff.
	3	-400	-250	-100	-25	25	25	25	Level 1	-4000
	4	-425	-275	-200	-100	-75	-75	-75	Level 2	-4000
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-250	-250	-250	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-88
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-74
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-64
									80.0 - 80.9	0
									Base 81.0 - 81.9	2
52	1-4	-750	-575	-525	-500	-500	-500	-500	82.0 - 82.9	3
	5	-825	-725	-650	-600	-600	-600	-600	83.0 - 83.9	32
	6	-975	-875	-800	-775	-775	-775	-775	84.0 - 84.9	42
62	1-5	-1025	-925	-850	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1175	-1075	-950	-925	-925	-925	-925	86.0 & Above	60
43	1-3	-900	-675	-500	-475	-475	-475	-475		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 9. South Delta spot cotton differences, season average.

August 2019 - July 2020

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1100
	3	-225	-75	150	250	350	375	375	27-29	-750
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-175	-100	-75	-50	-50	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
	Base 43-49	0								
31	1 & 2	-225	-100	125	250	350	375	375	50-52	-225
	3	-225	-100	125	225	325	350	350	53 & Above	-375
	4	-275	-250	75	125	175	200	200		
	5	-550	-425	-225	-150	-125	-100	-100		
	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
41	1 & 2	-350	-250	100	150	250	250	275	Strength	
	3	-350	-250	75	100	225	225	250	(Grams per Tex)	
	4	-375	-275	59.40	50	175	200	200	Range	Diff.
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-815
	6	-675	-600	-500	-425	-400	-425	-425	22.0 - 22.9	-765
	7	-800	-775	-650	-550	-550	-575	-575	23.0 - 23.9	-722
51	1 & 2	-675	-475	-300	-200	-200	-200	-200	24.0 - 24.9	-679
	3	-725	-475	-325	-225	-225	-225	-225	25.0 - 25.9	-636
	4	-750	-500	-350	-300	-300	-300	-300	26.0 - 26.9	-150
	5	-825	-725	-625	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-925	-825	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1100	-1075	-925	-800	-800	-800	-800	30.0 - 30.9	25
61	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-850	-775	-750	-750	-750	-750	33.0 & above	50
	7	-1125	-1100	-975	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	100	250	275	275	Extraneous Matter	
	3	-275	-125	25	50	200	250	250	Prep	Diff.
	4	-300	-250	0	0	150	175	175	Level 1	-200
	5	-600	-475	-300	-200	-175	-150	-150	Level 2	-800
	6	-725	-650	-525	-425	-400	-400	-400	Other	Diff.
	7	-775	-750	-625	-550	-525	-525	-525	Level 1	-407
									Level 2	-785
32	1 & 2	-400	-250	-100	0	50	50	50	Plastic	Diff.
	3	-400	-250	-100	-25	25	25	25	Level 1	-4000
	4	-425	-275	-200	-100	-75	-75	-75	Level 2	-4000
	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
42	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-225	-225	-225	Unit	Points
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-88
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-74
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-64
52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	2
	6	-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	3
	7	-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	32
									84.0 - 84.9	42
62	1-5	-1025	-925	-850	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1175	-1075	-950	-925	-925	-925	-925	86.0 & Above	60
43	1-3	-900	-675	-475	-450	-450	-450	-450		
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
53	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2019 - July 2020

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-403	-353	-160	165	368	584	609	634
	3	-453	-403	-185	115	318	534	534	559
	4	-528	-403	-210	65	82	356	381	381
	5	-578	-453	-385	-60	82	259	272	272
	6	-728	-578	-560	-293	-275	-75	-75	-75
	7	-803	-678	-660	-368	-350	-150	-150	-150
31	1 & 2	-453	-378	-185	65	278	451	551	576
	3	-478	-403	-210	65	228	426	501	526
	4	-578	-478	-260	40	82	294	294	294
	5	-628	-478	-410	-60	57	197	210	210
	6	-753	-603	-585	-293	-275	-125	-125	-125
	7	-828	-703	-685	-368	-350	-225	-225	-225
41	1 & 2	-553	-378	-185	65	203	379	404	404
	3	-578	-403	-210	65	153	254	279	279
	4	-628	-478	-360	57.05	82	172	197	197
	5	-753	-578	-510	-160	-93	100	138	138
	6	-903	-703	-660	-368	-350	-150	-150	-150
	7	-1003	-803	-760	-468	-425	-325	-325	-325
51	1 & 2	-753	-603	-485	-93	-55	70	95	95
	3	-753	-628	-485	-93	-55	70	95	95
	4	-803	-653	-510	-168	-125	0	25	25
	5	-853	-728	-660	-268	-200	-138	-100	-100
	6	-1028	-828	-810	-418	-400	-275	-275	-275
	7	-1128	-853	-835	-493	-475	-350	-350	-350
61	1-5	-928	-778	-710	-318	-300	-175	-175	-175
	6	-1103	-903	-860	-493	-450	-325	-325	-325
	7	-1203	-1003	-960	-593	-550	-425	-425	-425
71	1-6	-1128	-1028	-960	-568	-550	-425	-425	-425
	7	-1228	-1078	-1035	-643	-625	-500	-500	-500
12 & 22	1 & 2	-725	-500	-300	50	220	341	391	391
	3	-750	-550	-350	25	170	241	266	266
	4	-800	-575	-375	0	75	183	208	208
	5	-875	-750	-675	-275	-175	-3	60	60
	6	-1050	-850	-825	-425	-375	-275	-225	-225
	7	-1175	-975	-925	-525	-475	-375	-325	-325
32	1 & 2	-800	-700	-500	-100	20	92	158	158
	3	-825	-700	-525	-125	-80	17	83	83
	4	-875	-725	-600	-200	-175	-100	-50	-50
	5	-975	-850	-800	-375	-300	-113	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-875	-775	-675	-200	-130	-83	-33	-33
	4	-925	-800	-700	-225	-180	-158	-108	-108
	5	-1075	-925	-839	-439	-389	-325	-275	-275
	6	-1300	-1025	-964	-589	-539	-501	-438	-438
	7	-1425	-1150	-1089	-714	-639	-575	-525	-525
52	1-4	-1125	-925	-825	-500	-500	-425	-375	-375
	5	-1200	-1025	-900	-550	-550	-488	-425	-425
	6	-1425	-1225	-1125	-700	-675	-600	-550	-550
	7	-1525	-1350	-1250	-825	-800	-675	-625	-625
62	1-5	-1250	-1100	-1050	-625	-600	-525	-475	-475
	6	-1475	-1300	-1250	-825	-800	-700	-650	-650

Table 10. East Texas-Oklahoma (Continued)

August 2019 - July 2020

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-950	-500	-425	-325	-225	-225
	3	-1225	-1075	-975	-525	-450	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
	53	1-4	-1450	-1350	-1225	-780	-775	-700	-575
5	-1550	-1425	-1325	-855	-850	-775	-650	-650	
6	-1650	-1525	-1425	-1005	-975	-900	-775	-775	
7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850	
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
	44	1-3	-1500	-1375	-1300	-850	-825	-750	-675
4	-1575	-1475	-1350	-900	-875	-800	-725	-725	
5	-1650	-1550	-1450	-1000	-975	-900	-825	-825	
6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000	
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1884
25-26	-1884
27-29	-1209
30-32	-909
33-34	-684
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-291
53 & Above	-416

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-371
20.0 - 20.9	-371
21.0 - 21.9	-346
22.0 - 22.9	-335
23.0 - 23.9	-310
24.0 - 24.9	-310
25.0 - 25.9	-235
26.0 - 26.9	-212
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	12
31.0 - 32.9	24
33.0 & above	37

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	Diff.
Level 1	-350
Level 2	-525
Other	Diff.
Level 1	-550
Level 2	-600
Plastic	Diff.
Level 1	-4000
Level 2	-4000

Table 11. West Texas spot cotton differences, monthly average.

August 2019 - July 2020

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-326	-234	-66	124	348	496	531	574
	3	-401	-291	-123	99	273	453	487	531
	4	-426	-326	-214	89	240	389	414	425
	5	-505	-335	-266	23	175	300	300	300
	6	-675	-500	-425	-175	-150	-100	-100	-100
	7	-750	-550	-500	-250	-225	-175	-175	-175
31	1 & 2	-476	-334	-147	68	259	457	525	568
	3	-526	-359	-172	68	259	439	481	525
	4	-576	-426	-314	58	134	289	330	348
	5	-619	-460	-380	-77	25	150	150	150
	6	-775	-600	-475	-250	-250	-225	-225	-225
	7	-875	-650	-550	-300	-300	-275	-275	-275
41	1 & 2	-610	-446	-259	34	190	228	253	253
	3	-635	-471	-284	33	115	203	228	228
	4	-685	-477	-415	56.90	37	78	103	103
	5	-730	-530	-466	-152	-50	25	25	25
	6	-875	-700	-625	-400	-375	-250	-250	-250
	7	-1000	-800	-725	-450	-425	-350	-350	-350
51	1 & 2	-786	-604	-511	-161	-61	-39	-39	-39
	3	-786	-604	-511	-161	-61	-39	-39	-39
	4	-811	-604	-586	-236	-136	-114	-114	-114
	5	-825	-650	-650	-350	-275	-200	-200	-200
	6	-975	-750	-750	-475	-425	-300	-300	-300
	7	-1075	-850	-850	-575	-525	-425	-425	-425
61	1-5	-917	-742	-742	-417	-317	-217	-217	-217
	6	-1042	-817	-817	-617	-517	-392	-392	-392
	7	-1142	-967	-942	-692	-592	-492	-492	-492
71	1-6	-1117	-942	-892	-692	-592	-517	-517	-517
	7	-1192	-967	-942	-717	-667	-592	-592	-592
12 & 22	1 & 2	-691	-484	-308	26	179	275	350	358
	3	-741	-534	-333	26	129	225	292	292
	4	-747	-566	-490	-181	40	160	235	235
	5	-856	-656	-628	-344	-143	-93	-43	-43
	6	-984	-759	-734	-425	-350	-250	-200	-200
	7	-1059	-859	-809	-500	-425	-325	-275	-275
32	1 & 2	-766	-548	-361	-113	-39	-18	46	54
	3	-816	-598	-386	-163	-50	-18	38	38
	4	-872	-655	-554	-220	-64	-32	7	7
	5	-981	-820	-742	-408	-257	-232	-193	-193
	6	-1109	-884	-834	-525	-450	-425	-375	-375
	7	-1209	-984	-884	-625	-525	-500	-450	-450
42	1-3	-905	-680	-604	-270	-193	-96	-46	-46
	4	-955	-755	-629	-309	-233	-121	-71	-71
	5	-1039	-889	-786	-466	-314	-303	-253	-253
	6	-1239	-939	-884	-589	-514	-450	-400	-400
	7	-1309	-1084	-984	-714	-589	-525	-475	-475
52	1-4	-1159	-909	-859	-600	-475	-425	-375	-375
	5	-1234	-1009	-934	-650	-525	-475	-425	-425
	6	-1434	-1184	-1109	-775	-675	-625	-575	-575
	7	-1509	-1284	-1209	-875	-775	-725	-675	-675
62	1-5	-1284	-1084	-1034	-750	-650	-600	-550	-550
	6	-1459	-1234	-1184	-900	-825	-775	-725	-725

Table 11. West Texas (Continued)

August 2019 - July 2020

Color	Leaf	Staple								
		26-31	32	33	34	35	36	37	38	
13 & 23	1 & 2	-1059	-834	-776	-442	-350	-325	-275	-275	
	3	-1109	-859	-801	-467	-375	-350	-300	-300	
	4	-1134	-934	-876	-517	-425	-400	-350	-350	
	5	-1234	-1009	-976	-642	-550	-500	-450	-450	
	6	-1334	-1084	-1051	-717	-625	-575	-525	-525	
	7	-1409	-1184	-1126	-767	-725	-675	-625	-625	
	33	1 & 2	-1184	-909	-841	-492	-425	-400	-350	-350
3		-1184	-909	-841	-492	-425	-400	-350	-350	
4		-1259	-984	-926	-557	-489	-450	-400	-400	
5		-1384	-1084	-1026	-707	-614	-550	-500	-500	
6		-1434	-1159	-1151	-757	-714	-650	-600	-600	
7		-1509	-1259	-1201	-882	-814	-750	-700	-700	
43		1-3	-1234	-1009	-951	-567	-500	-450	-400	-400
	4	-1309	-1084	-1001	-607	-514	-450	-400	-400	
	5	-1409	-1159	-1076	-732	-639	-575	-525	-525	
	6	-1484	-1234	-1176	-832	-789	-725	-675	-675	
	7	-1559	-1334	-1251	-907	-864	-800	-750	-750	
	53	1-4	-1409	-1259	-1159	-750	-700	-650	-600	-600
		5	-1484	-1284	-1209	-850	-800	-750	-700	-700
6		-1609	-1384	-1309	-950	-925	-875	-825	-825	
7		-1684	-1459	-1409	-1075	-1050	-1000	-950	-950	
63	1-5	-1634	-1409	-1309	-900	-825	-775	-725	-725	
	6	-1684	-1484	-1359	-1050	-1000	-950	-900	-900	
34	1 & 2	-1309	-1084	-1009	-650	-625	-575	-525	-525	
	3	-1309	-1084	-1009	-650	-625	-575	-525	-525	
	4	-1434	-1209	-1109	-750	-725	-675	-625	-625	
	5	-1509	-1284	-1209	-875	-850	-800	-750	-750	
	6	-1659	-1434	-1359	-1075	-1050	-1000	-950	-950	
	44	1-3	-1434	-1209	-1134	-775	-750	-700	-650	-650
4		-1509	-1309	-1184	-825	-800	-750	-700	-700	
5		-1584	-1359	-1259	-925	-900	-850	-800	-800	
6		-1734	-1509	-1434	-1150	-1125	-1075	-1025	-1025	
54	1-4	-1534	-1334	-1259	-900	-875	-825	-775	-775	
	5	-1609	-1384	-1284	-1025	-1000	-950	-900	-900	

Mike	
Range	Diff.
24 & Below	-1834
25-26	-1834
27-29	-1184
30-32	-909
33-34	-684
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-291
53 & Above	-416

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-366
20.0 - 20.9	-366
21.0 - 21.9	-341
22.0 - 22.9	-330
23.0 - 23.9	-305
24.0 - 24.9	-305
25.0 - 25.9	-230
26.0 - 26.9	-208
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	12
31.0 - 32.9	24
33.0 & above	37

Uniformity	
Unit	Points
77.9 & Below	-100
78.0 - 78.9	-81
79.0 - 79.9	-66
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-500
Bark	Diff.
Level 1	-350
Level 2	-525
Other	Diff.
Level 1	-550
Level 2	-600
Plastic	Diff.
Level 1	-4000
Level 2	-4000

Table 12. Desert Southwest spot cotton differences, season average.

August 2019 - July 2020

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-125	100	550	887	951	1051	24 & Below	-1350	
	3	-125	75	475	837	868	951	25-26	-1150	
	4	-325	25	250	360	395	420	27-29	-1050	
	5	-400	-200	-25	75	160	160	30-32	-650	
	6	-475	-375	-150	-110	-55	-55	33-34	-450	
	7	-675	-400	-225	-165	-125	-125	Base 35-36	0	
	31	1 & 2	-200	50	500	837	888	978	37-42	25
3		-200	25	400	787	813	903	Base 43-49	0	
4		-375	0	150	310	345	395	50-52	-281	
5		-425	-225	-100	-25	45	45	53 & Above	-517	
6		-500	-400	-185	-145	-65	-65			
7		-700	-425	-275	-220	-140	-140			
41		1 & 2	-600	0	50	135	145	245	<b>Strength</b>	
	3	-600	0	10	85	107	207	(Grams per Tex)		
	4	-650	54.66	0	35	82	132	Range	Diff.	
	5	-675	-525	-425	-390	-330	-330	21.0 - 21.9	-600	
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-450	
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-300	
	51	1 & 2	-725	-550	-350	-315	-305	-305	24.0 - 24.9	-225
3		-725	-550	-350	-315	-305	-305	25.0 - 25.9	-200	
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-125	
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0	
6		-1000	-900	-763	-763	-713	-713	29.0 - 29.9	0	
7		-1200	-1100	-963	-963	-938	-938	30.0 - 30.9	23	
12 & 22		1 & 2	-500	25	250	327	403	403	31.0 - 32.9	64
	3	-500	25	225	285	361	361	33.0 & above	89	
	4	-600	-25	200	260	345	345			
	5	-625	-450	-150	-150	-75	-75			
	6	-775	-650	-350	-350	-275	-275			
	7	-950	-825	-600	-600	-525	-525			
	32	1 & 2	-600	-225	50	135	145	145	<b>Extraneous Matter</b>	
3		-600	-225	50	135	145	145	Prep	Diff.	
4		-650	-450	-100	-15	-5	-5	Level 1	-50	
5		-700	-700	-450	-450	-450	-450	Level 2	-800	
6		-900	-825	-575	-575	-575	-575	Other	Diff.	
7		-1050	-1000	-825	-825	-825	-825	Level 1	-350	
42		1-3	-700	-525	-250	-200	-200	-200	Level 2	-800
	4	-725	-600	-350	-300	-300	-300	Plastic	Diff.	
	5	-800	-775	-550	-550	-550	-550	Level 1	-4000	
	6	-975	-900	-675	-675	-675	-675	Level 2	-4000	
	7	-1175	-1075	-925	-925	-925	-925			
	52	1-4	-925	-800	-600	-550	-550	-550	<b>Uniformity</b>	
		5	-975	-875	-688	-688	-688	-688	Unit	Points
6		-1075	-975	-788	-788	-788	-788	77.9 & Below	-100	
7		-1325	-1225	-1088	-1063	-1063	-1063	78.0 - 78.9	-90	
43		1-3	-800	-725	-650	-575	-575	-575	79.0 - 79.9	-80
	4	-900	-825	-700	-650	-650	-650	80.0 - 80.9	0	
	5	-1000	-900	-725	-700	-700	-700	Base 81.0 - 81.9	0	
	6	-1100	-1000	-975	-975	-975	-975	82.0 - 82.9	0	
	7	-1200	-1125	-1100	-1100	-1100	-1100	83.0 - 83.9	30	
	53	1-4	-1050	-950	-875	-875	-875	-875	84.0 - 84.9	40
		5	-1100	-1000	-925	-925	-925	-925	85.0 - 85.9	50
6		-1200	-1100	-1025	-1025	-1025	-1025	86.0 & Above	60	
7		-1450	-1350	-1350	-1350	-1350	-1350			





Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2019-2020

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	0	1,471	5,289	10,398	13,594	9,342	3,646	1,840	4,234	4,504	3,363	20,712	<b>78,393</b>
North Delta	8,521	15,149	518	40,100	9,296	2,669	2	186	29,168	11,547	12,344	586	<b>130,086</b>
South Delta	0	264	0	2,571	2,948	1,852	1,199	0	338	1,897	0	3,251	<b>14,320</b>
East Texas-Oklahoma	15,040	39,279	74,991	45,641	121,404	130,852	43,725	11,688	22,740	17,989	19,907	17,783	<b>561,039</b>
West Texas	11,666	14,519	22,245	92,054	296,615	185,823	51,871	34,065	19,624	9,899	12,108	24,094	<b>774,583</b>
Desert Southwest	14	423	547	8,501	11,842	19,528	7,224	583	1,088	444	0	4,316	<b>54,510</b>
San Joaquin Valley	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>
<b>Total</b>	<b>35,241</b>	<b>71,105</b>	<b>103,590</b>	<b>199,265</b>	<b>455,699</b>	<b>350,066</b>	<b>107,667</b>	<b>48,362</b>	<b>77,192</b>	<b>46,280</b>	<b>47,722</b>	<b>70,742</b>	<b>1,612,931</b>

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2014-2019. 1/

Market Area	2014	2015	2016	2017	2018	2019
Southeast	289,121	135,753	76,226	50,981	40,547	78,393
North Delta	79,665	17,428	24,791	51,924	15,399	130,086
South Delta	53,327	14,824	10,708	13,157	10,846	14,320
East Texas-Oklahoma	546,023	392,737	503,703	919,919	534,752	561,039
West Texas	1,092,604	936,359	931,576	978,219	626,998	774,583
Desert Southwest	45,238	23,207	19,567	39,214	50,418	54,510
San Joaquin Valley	21,308	14,385	4,075	7,012	4,323	2,064
<b>Total</b>	<b>2,127,286</b>	<b>1,534,693</b>	<b>1,570,646</b>	<b>2,060,426</b>	<b>1,283,283</b>	<b>1,614,995</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS, Season Average**

Color	Leaf	Staple			
		44	46	48	48
1	1	105.57	112.55	113.41	113.41
	2	105.32	112.30	113.16	113.16
	3	97.57	105.32	105.32	105.32
	4				
	5				
	6				
2	1	105.32	112.30	113.16	113.16
	2	105.07	112.05	112.91	112.91
	3	97.32	105.07	105.07	105.07
	4	87.32	95.57	95.57	95.57
	5				
	6				
3	1	95.07	102.82	102.82	102.82
	2	92.57	100.32	100.32	100.32
	3	91.32	99.07	99.07	99.07
	4	82.32	90.07	90.07	90.07
	5	66.32	73.57	73.57	73.57
	6				
4	1	76.07	83.82	84.57	84.57
	2	75.82	83.57	83.82	83.82
	3	75.57	83.32	83.29	83.29
	4	70.57	78.32	78.29	78.29
	5	59.32	67.07	67.04	67.04
	6				
5	1				
	2	55.07	65.07	65.04	65.04
	3	55.07	64.57	64.82	64.82
	4	55.07	59.07	59.04	59.04
	5	54.82	58.82	58.79	58.79
	6				
6	1				
	2	47.32	50.32	50.29	50.29
	3	47.32	50.32	50.29	50.29
	4	47.32	50.32	50.29	50.29
	5	47.07	50.07	50.04	50.04
	6	46.57	49.57	49.54	49.54

  

Mike	
Range	Diff.
26 & Below	-1900
27- 29	-1400
30 - 32	-900
33 - 34	-400
35 & Above	0

  

Strength (Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	0
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	0

  

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices and average quotations in designated spot markets,  
in cents per pound, net weight, United States, marketing years 2006-2019

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	47.80
2009	49.50	53.20	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	75.60	74.80	77.30	81.50	81.20	82.10	92.90	84.40	86.70	83.20	83.30	82.50	81.50
2011	94.00	93.50	92.20	92.60	88.90	90.10	92.30	90.00	90.40	84.40	77.10	76.60	88.30
2012	71.40	70.90	69.80	69.20	71.80	72.90	76.90	77.50	78.40	78.30	79.30	80.90	72.50
2013	76.90	74.80	77.80	75.90	77.20	77.50	80.20	81.70	82.70	81.70	83.90	84.70	77.90
2014	69.50	68.90	64.50	62.70	60.80	59.10	57.80	61.30	62.60	65.90	66.80	69.30	61.30
2015	59.90	60.30	57.90	60.00	61.30	60.30	59.80	58.20	58.70	63.20	67.00	74.50	61.20
2016	67.30	67.00	66.00	67.20	67.90	67.00	68.80	69.20	69.30	69.90	70.40	73.00	68.00
2017	64.80	64.10	66.50	67.30	68.60	68.90	68.10	68.30	67.70	69.60	75.70	76.80	68.60
2018	69.90	70.80	72.10	72.90	72.60	65.40	67.60	68.90	70.50	69.60	68.20	74.70	70.30
2019	56.60	61.50	59.10	59.70	61.50	59.70	60.70	57.60	54.90	55.00	56.50	60.40	

Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	81.16	91.53	108.26	126.62	135.46	144.79	177.65	195.79	181.98	151.93	144.77	113.03	137.75
2011	102.89	102.06	97.63	93.59	85.99	89.83	85.17	83.14	83.37	72.51	67.35	66.14	85.81
2012	69.97	69.38	68.03	67.34	70.61	73.33	76.87	82.80	80.94	79.84	82.18	81.62	75.24
2013	83.36	81.25	77.37	74.43	78.75	81.43	83.21	86.70	85.48	83.20	78.54	69.63	80.28
2014	64.99	64.83	63.51	59.64	59.38	58.19	61.74	60.65	63.08	63.06	62.86	62.36	62.02
2015	61.85	59.70	60.83	60.99	62.32	60.69	58.06	55.96	59.65	60.36	62.78	69.25	61.04
2016	68.57	67.65	68.04	69.42	69.69	71.81	73.02	74.33	74.13	75.75	69.85	66.24	70.71
2017	67.71	69.12	66.67	68.09	73.13	77.58	75.24	79.57	79.34	82.40	85.54	83.95	75.70
2018	80.75	76.72	73.90	73.72	72.66	68.72	67.17	69.78	72.27	64.05	61.19	58.08	69.92
2019	54.17	57.01	60.63	60.89	62.39	65.60	62.38	52.35	48.73	52.40	56.00	58.46	57.58

Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 27.0 to 28.9, uniformity 81.0 to 81.9 cotton in the designated markets

2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.30	93.67	110.40	128.76	137.55	146.84	179.72	197.86	184.05	154.00	146.84	115.10	140.01
2011	104.77	103.85	99.37	95.40	87.80	91.64	86.98	85.00	85.25	74.39	69.23	68.02	87.64
2012	71.85	71.26	69.91	69.22	72.49	74.96	78.33	84.25	82.35	81.25	83.59	83.03	76.87
2013	84.77	82.66	78.78	75.86	80.16	82.81	84.59	88.08	86.86	84.58	79.92	71.03	81.68
2014	66.51	66.30	64.92	60.98	60.68	59.46	63.01	61.92	64.35	64.33	64.13	63.63	63.35
2015	63.12	60.97	62.10	62.29	63.66	62.06	59.44	57.32	60.99	61.70	64.03	70.45	62.34
2016	69.77	68.85	69.24	70.68	70.86	72.06	73.98	75.17	74.99	76.63	70.73	67.12	71.67
2017	68.59	70.00	67.55	68.97	74.08	78.53	76.19	80.52	80.28	83.33	86.62	85.09	76.65
2018	81.89	77.86	75.04	74.86	73.80	69.86	68.30	70.89	73.35	65.26	62.40	59.29	71.07
2019	55.38	58.22	61.84	62.08	63.50	66.71	63.49	53.46	49.77	53.44	57.04	59.47	58.70

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA.

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
 Weighted averages based on the 2019-crop year's production by spot market

August 2019 - July 2020

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-360	-249	-81	154	317	445	488	506
	3	-424	-270	-97	133	269	411	442	459
	4	-470	-293	-185	75	162	309	334	337
	5	-536	-433	-324	-110	18	100	111	111
	6	-698	-544	-471	-329	-277	-224	-222	-222
	7	-773	-641	-575	-433	-375	-322	-321	-321
31	1 & 2	-466	-275	-117	97	260	398	446	463
	3	-506	-285	-126	96	241	374	411	428
	4	-577	-328	-231	63	137	246	271	276
	5	-623	-475	-364	-147	-35	32	44	44
	6	-766	-581	-496	-346	-315	-276	-274	-274
	7	-855	-678	-601	-445	-408	-373	-371	-371
41	1 & 2	-585	-353	-210	62	166	250	259	277
	3	-610	-363	-219	55	118	207	217	234
	4	-660	-384	-306	58.66	67	151	169	177
	5	-740	-573	-484	-259	-155	-77	-69	-69
	6	-887	-685	-606	-470	-412	-337	-338	-338
	7	-1001	-793	-736	-583	-522	-482	-488	-488
51	1 & 2	-772	-585	-443	-221	-152	-118	-114	-114
	3	-772	-627	-450	-251	-174	-133	-128	-128
	4	-807	-647	-479	-297	-242	-208	-202	-202
	5	-837	-754	-678	-495	-427	-385	-378	-378
	6	-998	-851	-784	-610	-571	-516	-515	-515
	7	-1098	-929	-887	-720	-676	-631	-630	-630
61	1-5	-922	-791	-726	-534	-479	-435	-435	-435
	6	-1069	-910	-872	-708	-663	-614	-614	-614
	7	-1169	-1034	-975	-805	-750	-706	-706	-706
71	1-6	-1122	-1082	-1021	-865	-825	-787	-787	-787
	7	-1208	-1119	-1068	-896	-877	-839	-839	-839
12 & 22	1 & 2	-705	-360	-196	45	159	276	310	320
	3	-745	-379	-209	33	117	225	261	269
	4	-770	-398	-294	-40	58	177	207	214
	5	-864	-615	-530	-309	-151	-97	-67	-67
	6	-1013	-730	-662	-490	-406	-353	-332	-332
	7	-1109	-820	-766	-595	-528	-475	-454	-454
32	1 & 2	-780	-461	-302	-83	-2	46	71	74
	3	-820	-479	-319	-105	-28	19	42	43
	4	-874	-535	-376	-195	-104	-60	-43	-43
	5	-979	-729	-599	-392	-324	-273	-255	-255
	6	-1127	-813	-740	-559	-506	-473	-454	-454
	7	-1248	-917	-842	-669	-613	-587	-568	-568
42	1-3	-892	-641	-512	-268	-188	-143	-124	-124
	4	-942	-684	-529	-305	-252	-205	-186	-186
	5	-1054	-811	-693	-447	-368	-333	-314	-314
	6	-1265	-892	-828	-612	-565	-530	-509	-509
	7	-1359	-991	-912	-739	-674	-642	-623	-623
52	1-4	-1144	-838	-725	-561	-499	-474	-455	-455
	5	-1219	-913	-843	-648	-594	-573	-552	-552
	6	-1430	-1043	-980	-799	-754	-731	-712	-712
	7	-1516	-1149	-1088	-908	-864	-832	-813	-813
62	1-5	-1269	-1028	-955	-782	-748	-724	-705	-705
	6	-1466	-1194	-1121	-933	-905	-877	-857	-857

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1120	-927	-852	-467	-382	-325	-253	-253
	3	-1159	-952	-877	-492	-407	-350	-278	-278
	4	-1195	-1027	-941	-542	-457	-400	-328	-328
	5	-1306	-1113	-1052	-667	-582	-511	-439	-439
	6	-1417	-1188	-1116	-753	-668	-597	-525	-525
	7	-1502	-1288	-1212	-836	-779	-707	-636	-636
33	1 & 2	-1223	-992	-910	-251	-226	-204	-176	-176
	3	-1223	-992	-910	-255	-231	-208	-176	-176
	4	-1298	-1067	-980	-288	-264	-238	-206	-206
	5	-1434	-1167	-1091	-363	-333	-302	-270	-270
	6	-1495	-1242	-1194	-424	-405	-374	-341	-341
	7	-1581	-1352	-1266	-488	-464	-432	-400	-400
43	1-3	-1273	-971	-853	-626	-578	-541	-510	-510
	4	-1348	-1016	-897	-666	-604	-565	-533	-533
	5	-1459	-1064	-976	-789	-740	-709	-677	-677
	6	-1545	-1139	-1053	-870	-840	-809	-778	-778
	7	-1631	-1262	-1154	-972	-942	-912	-880	-880
	53	1-4	-1427	-1117	-1014	-812	-776	-753	-721
5	-1513	-1197	-1124	-914	-893	-870	-839	-839	
6	-1627	-1295	-1201	-1000	-980	-957	-925	-925	
7	-1713	-1368	-1317	-1109	-1087	-1064	-1032	-1032	
63	1-5	-1641	-1282	-1208	-992	-954	-931	-898	-898
	6	-1713	-1373	-1290	-1085	-1053	-1030	-997	-997
34	1 & 2	-1348	-1167	-1092	-693	-668	-607	-547	-547
	3	-1348	-1167	-1092	-693	-668	-607	-547	-547
	4	-1473	-1292	-1192	-793	-768	-707	-647	-647
	5	-1559	-1377	-1302	-918	-893	-832	-772	-772
	6	-1720	-1538	-1463	-1107	-1082	-1022	-961	-961
	44	1-3	-1463	-1281	-1206	-807	-782	-722	-661
4	-1538	-1381	-1256	-857	-832	-772	-711	-711	
5	-1613	-1442	-1342	-957	-932	-872	-811	-811	
6	-1773	-1592	-1517	-1161	-1136	-1075	-1014	-1014	
54	1-4	-1563	-1406	-1331	-911	-897	-836	-786	-786
	5	-1648	-1477	-1377	-1025	-1000	-939	-889	-889

Mike	
Range	Diff.
24 & Below	-1824
25-26	-1363
27-29	-890
30-32	-677
33-34	-517
Base 35-36	0
37-42	8
Base 43-49	0
50-52	-246
53 & Above	-392

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-368
20.0 - 20.9	-368
21.0 - 21.9	-603
22.0 - 22.9	-565
23.0 - 23.9	-531
24.0 - 24.9	-509
25.0 - 25.9	-459
26.0 - 26.9	-210
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	20
31.0 - 32.9	41
33.0 & above	47

Uniformity	
Unit	Points
77.9 & Below	-103
78.0 - 78.9	-88
79.0 - 79.9	-77
80.0 - 80.9	-8
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	16
84.0 - 84.9	22
85.0 - 85.9	28
86.0 & Above	35

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-195
Level 2	-686
Other (ET-OK and WT Bark not included)	
Level 1	-463
Level 2	-720
Bark	
Level 1	-350
Level 2	-525
Plastic	
Level 1	-4000
Level 2	-4000