

COTTON QUALITY - UNITED STATES 1998 Crop

Color. The predominant color of upland cotton classed from the 1998 crop was color 31, accounting for 30 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Programs. Color 31 was predominant in 1997 and made up 32 percent of classings. In the white color grades, color 41 and better made up 71 percent of classings down from 76 percent in 1997. All white color grades accounted for 73 percent of the 1998 crop, down from 78 percent in 1997. Light Spotted color grades comprised 26 percent of classings, up from 20 percent in 1997. Spotted color grades made up about 2 percent of classings this season, the same as a year earlier. Tinged, Stained and Below color grades accounted for less than 1 percent of classings this season, the same as last year.

Leaf. The predominant leaf grade of cotton classed from the 1998 crop was leaf grade 3, accounting for 40 percent of upland classings. Leaf grade 3 was predominant a year earlier making up 45 percent of classings. Leaf grade 4 comprised the next highest percentage from the 1998 crop at 30 percent against 23 percent a year ago. Leaf grade 1-2 made up 19 percent of classings from this year's crop, compared with 25 percent in 1997. Leaf grade 5-7 made up about 10 percent of classings, up from 7 percent last year.

Staple. The average staple length of upland cotton classed from the 1998 crop was 34.3 thirty-seconds inches, down from 35.1 a year ago. The predominant staple length was 34, making up about 28 percent of classings. Staple 36 was the predominant length last year, accounting for 24 percent of classings. Staples 31 and shorter comprised 3 percent of classings this season, up from 1 percent in 1997. Staples 32 and 33, at 24 percent, was up from 13 percent the previous year. Staples 34 and 35 made up 53 percent of the crop, up from 43 percent last year. Staples 36 and longer accounted for 20 percent of classings, down sharply from 44 percent the previous year.

Mike. The average mike of upland cotton classed from the 1998 crop was 45, up from 43 last year. Cotton with mike 34 and lower made up 3 percent of classings against 5 percent in 1997. Cotton miking 35 through 49 comprised 83 percent of the classings this season, down slightly from 88 percent a year ago. Cotton with mike 50 and higher made up 13 percent, up from 7 percent in 1997.

Strength. The average fiber strength of upland cotton classed from the 1998 crop was 28.0 grams per tex, compared with 28.9 in 1997. Strengths in the 19 and lower range accounted for less than 1 percent of classings, the same as last year. Less than 1 percent of classings had strengths in the 20 to 23 range, the same as the previous year. Cotton with strengths of 24 to 27 grams per tex accounted for 45 percent of classings, against 23 percent a year ago. Strengths in the 28 and higher range comprised 54 percent of classings, down from 76 percent a year ago.

American Pima. Grades 3 and better made up 87 percent of classings from the 1998 crop, down from 97 percent last year. Grade 2 was the predominant grade both years, accounting for 45 and 74 percent in 1998 and 1997, respectively. Grades 4 and lower comprised 13 percent of classings against 3 percent a year ago. The average staple length was 46.4 thirty-seconds inches, up from 45.7 last year. Staple 46 was the predominant length, comprising 59 percent of classings this season, and 74 percent in 1997. Average mike was 40, the same as last year. Average fiber strength was 39.2 grams per tex, up from 37.9 the previous year.

Ginnings of 1998-crop cotton in the United States totaled 13,534,000 running bales, according to a preliminary report by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 13,107,300 bales of upland and 426,700 bales of American Pima cotton. The number of active cotton gins for crop year 1998 was 1,109 compared with 1,153 in 1997.

April 7, 1999

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed, 1997 crop.

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	38	693	4,871	28,460	99,545	248,072	387,173	768,852
	3	-	8	198	2,040	14,124	58,528	170,828	268,941	514,667
	4	-	2	27	365	2,743	12,960	37,978	81,172	115,247
	5	-	-	1	35	394	2,056	4,947	6,283	13,696
	6	-	-	-	-	31	160	288	242	721
	7	-	-	-	-	-	6	19	9	34
	TOTAL		-	48	919	7,311	45,752	173,255	482,132	723,800
31	1-2	-	11	93	676	3,871	15,921	60,314	167,342	248,228
	3	-	12	201	1,431	10,339	44,837	149,976	339,708	546,504
	4	-	9	119	1,077	8,722	41,919	122,972	207,597	382,415
	5	-	8	55	496	5,400	28,704	75,370	104,794	214,827
	6	-	-	14	110	1,546	9,236	19,936	21,037	51,879
	7	-	-	3	11	152	1,103	2,135	1,371	4,775
	TOTAL		-	40	485	3,801	30,030	141,720	430,703	841,849
41	1-2	-	-	7	27	333	3,687	26,042	66,088	96,164
	3	-	2	10	86	966	10,742	107,882	368,584	488,272
	4	-	2	14	68	739	4,461	30,706	132,425	188,415
	5	-	1	2	111	982	4,443	12,303	22,992	40,834
	6	-	-	8	70	712	3,934	9,159	10,370	24,253
	7	-	-	3	14	250	1,575	3,293	2,590	7,725
	TOTAL		-	5	44	376	3,982	28,842	189,365	603,049
51	1-2	-	-	-	4	120	1,304	6,343	9,534	17,305
	3	-	-	2	25	319	4,311	29,396	67,113	101,166
	4	-	-	1	9	123	1,340	10,173	32,628	44,274
	5	-	1	-	3	29	283	1,954	7,288	9,558
	6	-	-	2	-	31	107	464	1,115	1,719
	7	-	-	-	-	8	82	242	328	660
	TOTAL		-	1	5	41	630	7,427	48,572	118,008
61	1-2	-	-	-	2	27	96	280	271	676
	3	-	-	-	1	30	346	1,254	1,555	3,186
	4	-	-	-	-	6	102	523	979	1,610
	5	-	-	-	3	4	22	111	414	554
	6	-	-	-	-	2	4	47	193	246
	7	-	-	-	-	-	-	5	20	25
	TOTAL		-	-	-	6	69	570	2,220	3,432
71	1-2	-	-	-	-	1	5	1	3	10
	3	-	-	-	1	4	14	44	27	90
	4	-	-	-	-	1	9	30	21	61
	5	-	-	-	-	-	2	11	7	20
	6	-	-	-	-	-	1	1	2	4
	7	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	1	6	31	87	60
12 & 22	1-2	-	33	816	4,324	12,995	24,835	53,412	72,269	168,684
	3	-	28	298	2,366	10,636	31,312	77,842	107,678	229,960
	4	-	1	41	455	2,561	9,346	22,866	32,943	68,215
	5	-	-	5	52	406	3,932	1,789	4,831	11,015
	6	-	-	-	4	35	144	241	253	677
	7	-	-	-	-	1	9	11	9	30
	TOTAL		-	62	1,160	7,201	26,634	67,435	158,108	217,883
32	1-2	-	15	222	924	2,657	4,975	10,484	18,702	37,979
	3	-	31	298	1,974	8,351	24,199	60,833	108,445	204,131
	4	-	9	124	947	5,449	20,111	51,766	83,765	162,171
	5	-	3	45	430	3,291	13,991	32,658	45,133	95,551
	6	-	1	4	79	785	3,969	7,938	8,792	21,566
	7	-	-	2	8	64	500	850	658	2,082
	TOTAL		-	59	695	4,362	20,597	67,745	184,527	285,495
42	1-2	-	-	3	31	320	2,139	9,019	15,962	27,474
	3	-	1	16	143	1,300	10,312	64,842	165,842	242,256
	4	-	2	16	111	792	4,584	28,418	97,129	131,062
	5	-	2	10	136	846	3,260	9,621	19,779	33,654
	6	-	-	12	61	527	2,436	5,828	7,633	16,497
	7	-	-	1	25	161	955	2,260	2,101	5,503
	TOTAL		-	5	58	507	3,946	23,696	119,788	308,448
52	1-2	-	-	2	14	229	1,712	5,167	6,946	14,070
	3	-	-	2	81	959	7,521	32,392	58,966	99,921
	4	-	-	1	22	346	3,316	16,421	38,665	58,771
	5	-	-	1	5	84	621	3,138	7,295	11,144
	6	-	-	-	2	45	259	1,060	1,483	2,869
	7	-	-	-	1	20	171	540	619	1,351
	TOTAL		-	-	6	125	1,683	13,600	58,738	113,974

Table 2. - United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	7	93	311	475	401	1,287
	3	-	-	-	7	266	1,501	3,291	2,905	7,990
	4	-	-	-	4	79	617	1,858	2,243	4,801
	5	-	-	-	3	11	80	350	705	1,149
	6	-	-	-	1	6	30	82	142	261
	7	-	-	-	-	2	7	17	46	72
	TOTAL--		-	-	-	22	477	2,546	6,073	6,442
13 & 23	1-2	-	4	90	501	1,425	2,858	7,692	12,589	25,159
	3	-	2	27	201	824	2,572	7,832	11,878	23,234
	4	-	-	1	23	174	591	1,600	2,415	4,804
	5	-	-	-	2	31	129	211	307	680
	6	-	-	-	-	-	5	10	13	28
	7	-	-	-	-	-	1	1	2	4
	TOTAL--		-	6	118	727	2,554	6,156	17,148	27,202
33	1-2	-	8	130	443	1,273	1,847	2,360	3,915	9,776
	3	-	9	110	570	2,213	4,361	6,640	13,825	29,728
	4	-	37	79	124	712	2,325	5,283	6,810	17,170
	5	-	-	7	39	282	1,193	2,806	3,444	7,573
	6	-	-	-	1	43	299	509	513	1,365
	7	-	-	-	-	8	29	63	38	136
	TOTAL--		-	54	326	1,177	4,529	9,854	19,463	30,345
43	1-2	-	-	6	27	66	237	727	1,370	2,433
	3	-	3	23	122	390	1,079	3,921	6,710	14,248
	4	-	8	28	43	247	782	2,528	6,227	9,861
	5	-	-	7	36	145	570	1,422	2,289	4,489
	6	-	-	2	7	72	317	860	1,080	2,338
	7	-	-	2	1	31	149	391	349	923
	TOTAL--		-	9	68	236	951	3,134	9,849	20,025
53	1-2	-	-	1	6	28	180	573	785	1,573
	3	-	-	-	12	129	825	3,168	5,138	9,272
	4	-	1	-	6	78	505	1,765	3,550	5,905
	5	-	-	1	4	36	130	523	964	1,658
	6	-	-	-	2	12	69	187	295	535
	7	-	-	1	3	4	37	110	137	292
	TOTAL--		-	1	3	33	287	1,746	6,326	10,839
63	1-2	-	-	-	2	17	42	66	44	171
	3	-	-	5,138	5	77	245	437	409	6,311
	4	-	-	-	2	32	153	314	378	877
	5	-	-	-	1	4	37	137	172	351
	6	-	-	-	-	-	6	33	54	93
	7	-	-	-	-	-	1	5	20	26
	TOTAL--		-	-	-	10	130	484	992	1,075
24-54	1-7	-	9	135	568	1,887	3,763	7,196	11,813	25,351
25-35	1-7	-	-	2	24	69	200	203	127	625
81-85 1/	1-7	-	-	3	35	214	423	821	543	1,839
	8 2/	-	-	1	7	91	872	2,037	1,659	4,667
TOTAL, ALL--		-	299	4,028	26,570	144,498	553,499	1,704,184	3,306,164	5,739,222

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	523,513	704,863	488,348	35,291	984	129	1,753,148	2,521,998
	3	214,855	267,591	289,530	36,484	1,068	37	809,345	1,324,012
	4	37,433	23,389	28,509	5,076	172	2	94,581	209,828
	5	3,882	1,471	1,462	364	21	-	7,200	20,896
	6	128	44	67	15	5	-	259	980
	7	5	6	2	-	-	-	13	47
	TOTAL--		778,618	997,284	807,916	77,210	2,250	188	2,884,544
31	1-2	314,309	311,431	177,405	13,497	350	44	817,038	1,085,284
	3	829,103	880,188	744,552	90,034	1,857	81	2,325,795	2,872,299
	4	243,240	325,153	285,292	43,758	1,281	35	898,759	1,281,174
	5	70,886	50,587	33,208	5,193	373	4	160,031	374,858
	6	11,749	4,340	1,967	393	43	2	18,494	70,373
	7	505	159	105	25	2	-	796	5,571
	TOTAL--		1,269,592	1,551,838	1,242,529	152,900	3,906	146	4,220,911
41	1-2	75,613	42,808	15,986	1,187	33	1	135,628	231,812
	3	575,085	440,900	258,942	29,015	564	18	1,304,504	1,782,776
	4	321,662	404,484	309,520	46,008	1,116	42	1,082,812	1,251,227
	5	48,082	81,003	61,423	9,180	302	13	200,003	240,837
	6	7,842	7,249	4,511	620	39	-	20,261	44,514
	7	1,482	530	225	71	3	-	2,311	10,036
	TOTAL--		1,029,748	978,954	850,607	88,081	2,057	74	2,745,519
51	1-2	6,963	2,529	650	51	-	-	10,193	27,498
	3	71,192	34,144	9,598	665	8	-	115,607	216,773
	4	49,190	34,007	13,929	1,599	2	111	98,838	143,112
	5	14,833	14,154	7,841	1,010	48	2	37,688	47,246
	6	1,830	1,634	898	114	2	-	4,478	6,187
	7	230	93	65	7	1	-	396	1,056
	TOTAL--		144,238	86,561	32,781	3,448	118	4	287,148
61	1-2	113	38	20	1	-	-	172	848
	3	948	351	138	4	-	-	1,441	4,627
	4	982	474	128	12	-	-	1,594	3,204
	5	711	543	210	16	-	-	1,480	2,034
	6	344	233	99	11	2	-	689	935
	7	45	29	18	2	1	-	95	120
	TOTAL--		3,143	1,688	611	46	3	-	5,471
71	1-2	-	-	-	-	-	-	-	10
	3	9	5	3	-	-	-	17	107
	4	14	6	-	-	-	-	20	81
	5	4	2	3	-	-	-	9	29
	6	5	2	2	-	-	-	9	13
	7	-	-	2	-	-	-	2	2
	TOTAL--		32	18	10	-	-	-	57
12 & 22	1-2	55,557	37,358	17,082	1,267	126	730	112,140	280,824
	3	66,022	31,994	14,380	1,415	95	4	113,890	343,850
	4	19,527	7,150	3,032	303	31	1	30,044	98,259
	5	2,865	888	304	46	8	-	4,111	15,126
	6	128	39	17	5	-	-	189	866
	7	5	4	1	-	-	-	10	40
	TOTAL--		144,104	77,433	34,796	3,056	260	735	290,384
32	1-2	22,322	18,553	9,109	701	55	159	50,899	88,878
	3	128,954	114,274	76,530	9,569	314	29	329,670	533,801
	4	83,518	75,772	49,909	7,525	411	14	217,149	379,320
	5	31,229	19,080	11,495	1,585	163	2	83,554	159,105
	6	5,341	1,782	778	131	15	-	8,047	29,613
	7	333	131	53	8	13	-	538	2,620
	TOTAL--		271,697	229,592	147,874	19,519	971	204	689,857
42	1-2	12,347	4,866	1,397	98	2	5	18,715	46,189
	3	184,928	88,284	28,251	2,008	80	6	301,537	543,793
	4	152,353	104,388	44,980	5,149	242	6	307,118	438,180
	5	26,850	24,770	14,118	1,848	99	11	67,496	101,150
	6	5,560	3,331	1,826	234	9	5	10,965	27,462
	7	1,151	327	129	25	2	-	1,634	7,137
	TOTAL--		382,989	225,966	88,701	9,362	414	33	707,465
52	1-2	3,320	655	123	10	1	-	4,109	18,179
	3	44,598	14,385	2,518	84	1	-	61,596	161,517
	4	38,684	16,518	4,158	270	7	-	59,637	118,408
	5	8,383	4,776	1,885	205	20	-	15,269	28,413
	6	1,396	713	392	49	6	-	2,558	5,425
	7	351	122	74	10	-	1	558	1,909
	TOTAL--		96,732	37,169	9,150	638	35	1	143,725

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								TOTAL	
		35	36	37	38	39	40 &+	35 to 40+	Bales		
62	1-2	100	25	6	1	-	-	-	132	1,419	
	3	1,044	220	47	-	1	-	-	1,312	9,302	
	4	1,046	275	81	4	1	-	-	1,407	6,208	
	5	409	142	58	9	-	-	-	618	1,767	
	6	146	57	48	6	1	-	-	256	517	
	7	18	8	11	2	-	-	-	39	111	
	TOTAL---		2,763	727	240	22	3	-	-	3,764	19,324
13 & 23	1-2	8,577	4,578	1,550	89	6	3	-	14,803	39,962	
	3	7,088	2,957	1,060	80	7	-	-	11,192	34,426	
	4	1,451	459	123	2	1	-	-	2,036	6,840	
	5	221	50	15	1	-	-	-	287	967	
	6	13	-	1	-	-	-	-	14	42	
	7	2	-	-	-	-	-	-	2	6	
	TOTAL---		17,352	8,044	2,749	172	14	3	-	26,334	82,243
33	1-2	3,121	2,140	1,075	68	3	4	-	6,411	16,187	
	3	11,619	7,480	4,226	459	22	2	-	23,788	53,516	
	4	6,892	3,596	1,745	224	15	-	-	12,272	29,442	
	5	2,370	951	381	50	8	-	-	3,760	11,333	
	6	349	129	51	5	2	-	-	538	1,901	
	7	36	12	7	1	-	-	-	58	194	
	TOTAL---		24,189	14,288	7,485	807	50	6	-	46,825	112,573
43	1-2	1,136	489	167	12	-	-	-	1,804	4,237	
	3	9,322	5,215	2,081	207	17	6	-	16,848	31,096	
	4	7,911	5,423	2,494	339	81	7	-	16,255	26,116	
	5	2,267	1,370	747	109	37	5	-	4,535	9,004	
	6	889	335	158	31	9	8	-	1,430	3,788	
	7	189	57	33	5	1	1	-	286	1,209	
	TOTAL---		21,714	12,889	5,880	703	145	27	-	41,158	75,430
53	1-2	384	93	25	-	-	-	-	502	2,075	
	3	3,286	1,139	275	23	-	-	-	4,723	13,995	
	4	3,146	1,458	517	39	4	1	-	5,165	11,070	
	5	879	451	208	38	15	-	-	1,591	3,249	
	6	216	102	58	22	6	3	-	407	942	
	7	73	21	12	5	-	-	-	111	403	
	TOTAL---		7,984	3,264	1,095	127	25	4	-	12,499	31,734
63	1-2	13	5	2	-	-	-	-	20	191	
	3	135	42	22	4	1	-	-	204	6,515	
	4	175	74	23	-	2	-	-	274	1,151	
	5	94	40	19	3	-	-	-	156	507	
	6	24	20	21	5	1	-	-	71	164	
	7	3	3	7	4	-	1	-	18	44	
	TOTAL---		444	184	94	16	4	1	-	743	3,434
24-54	1-7	9,509	4,532	1,784	222	66	19	-	16,132	41,483	
25-35	1-7	128	52	16	2	-	-	-	198	821	
81-85 1/	1-7	324	187	116	36	4	-	-	667	2,506	
	8 2/	787	232	167	28	7	-	-	1,221	5,888	
TOTAL, ALL---		4,207,081	4,228,979	3,034,410	354,393	10,330	1,425	-	11,836,618	17,575,840	
EXTRANEEOUS MATTER										Average Staple -----	35.1
Bark - Level 1		1,125,540								Percent Tenderable -----	68.5
Bark - Level 2		2,481									
Grass - Level 1		190,052									
Grass - Level 2		2,943									
Prep - Level 1		45,516									
Prep - Level 2		305									
Other - Level 1		9,118									
Other - Level 2		79									

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE									
		26 & -	28	29	30	31	32	33	34	34 & -	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
11 & 21	1-2	6	94	1,877	16,516	61,152	127,617	207,350	230,598	645,210	
	3	2	104	945	7,494	24,836	45,774	71,508	72,260	222,921	
	4	5	27	169	1,021	3,333	6,907	12,057	11,351	34,870	
	5	-	-	9	54	216	787	1,623	1,205	3,894	
	6	-	-	1	-	5	54	152	73	285	
	7	-	-	-	-	-	2	6	2	10	
	TOTAL		13	226	3,001	25,086	86,542	181,141	292,694	315,469	907,190
	31	1-2	8	94	762	6,615	29,509	64,182	122,849	177,405	401,424
3		5	162	1,144	8,039	35,668	115,341	340,422	599,078	1,099,857	
4		4	96	680	3,706	16,019	58,912	157,836	220,918	458,171	
5		3	11	111	714	3,815	15,590	37,537	39,804	97,585	
6		-	3	10	76	500	2,250	5,190	4,210	12,239	
7		-	-	1	4	36	193	448	297	979	
TOTAL			20	366	2,708	19,154	85,545	256,498	664,282	1,041,712	2,070,256
41		1-2	-	10	61	629	3,877	10,801	30,614	48,125	93,917
	3	-	12	220	1,291	8,216	47,062	227,789	504,021	788,611	
	4	1	11	187	1,511	10,646	54,513	205,016	441,164	713,049	
	5	1	10	94	981	6,856	31,499	75,602	105,401	220,244	
	6	-	-	27	271	2,257	10,443	21,271	19,778	54,047	
	7	-	-	5	44	289	1,330	2,727	2,145	6,520	
	TOTAL		2	43	594	4,727	31,721	155,648	563,019	1,120,634	1,876,388
	51	1-2	-	1	8	37	337	815	1,438	2,119	4,755
3		-	1	11	36	476	3,720	15,193	28,100	47,537	
4		-	-	5	20	329	3,961	18,883	37,075	60,273	
5		-	2	10	34	163	1,930	9,221	17,976	29,336	
6		-	-	4	22	65	411	1,777	3,119	5,398	
7		-	-	-	7	28	119	272	361	787	
TOTAL			-	4	38	188	1,368	10,958	46,784	68,750	148,688
61		1-2	-	-	-	8	19	24	38	45	134
	3	-	-	-	27	47	122	250	355	801	
	4	-	-	-	-	8	163	350	317	838	
	5	-	-	1	1	4	96	293	352	747	
	6	-	-	-	-	7	57	214	306	584	
	7	-	-	-	-	6	17	53	59	135	
	TOTAL		-	-	1	36	81	479	1,198	1,434	3,239
	71	1-2	-	-	-	-	-	-	1	2	3
3		-	-	-	-	1	14	24	17	56	
4		-	-	-	-	4	4	1	5	14	
5		-	-	-	-	3	1	5	3	12	
6		-	-	-	-	-	-	5	10	15	
7		-	-	-	-	-	1	5	8	14	
TOTAL			-	-	-	-	8	20	41	45	114
12 & 22		1-2	48	224	1,372	5,394	15,857	33,131	47,525	43,497	147,048
	3	2	42	537	3,255	11,810	26,991	39,164	31,789	113,590	
	4	2	3	65	573	2,543	6,277	10,357	8,694	28,514	
	5	-	-	16	40	240	894	1,473	1,256	3,919	
	6	-	-	-	1	25	81	138	100	345	
	7	-	-	-	-	1	4	3	4	12	
	TOTAL		52	269	1,980	9,263	30,476	67,378	98,690	85,340	293,428
	32	1-2	54	311	712	2,136	5,277	9,646	12,900	14,354	45,390
3		22	246	1,194	5,102	15,928	40,198	77,057	110,463	250,210	
4		1	39	396	2,893	10,647	30,054	61,491	76,708	182,231	
5		1	15	109	749	3,430	10,643	21,356	20,798	57,101	
6		-	2	11	108	490	1,592	3,140	2,707	8,050	
7		-	-	-	11	34	117	335	201	698	
TOTAL			78	613	2,424	10,989	35,806	92,250	178,279	225,231	543,680
42		1-2	6	63	145	526	1,264	3,493	8,036	10,843	24,376
	3	8	76	510	1,857	4,905	25,945	114,542	217,362	365,005	
	4	3	40	376	1,785	6,322	26,529	123,141	279,030	437,226	
	5	4	26	208	1,028	4,362	12,845	32,115	68,699	119,287	
	6	1	2	63	351	1,432	4,369	7,305	9,431	22,954	
	7	-	2	10	51	192	588	962	809	2,614	
	TOTAL		22	209	1,312	5,398	18,477	73,769	286,101	586,174	971,462
	52	1-2	8	17	49	151	375	933	1,592	1,618	4,743
3		12	81	260	579	1,367	7,478	27,398	40,786	77,981	
4		13	86	213	538	1,376	10,065	44,402	77,559	134,254	
5		6	33	81	340	727	3,446	15,605	31,808	52,046	
6		-	5	30	105	274	862	2,438	4,364	8,078	
7		-	-	1	16	60	185	419	505	1,186	
TOTAL			39	224	654	1,729	4,179	22,969	91,854	156,640	278,288

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
82	1-2	-	2	3	23	55	85	67	34	269
	3	-	4	48	118	239	499	702	825	2,433
	4	-	15	89	147	365	734	1,012	894	3,236
	5	-	7	32	109	249	411	560	468	1,866
	6	-	-	6	32	100	171	232	183	724
	7	-	-	-	7	23	39	63	71	203
	TOTAL---		-	28	168	436	1,031	1,939	2,666	2,475
13 & 23	1-2	-	21	48	167	310	636	782	711	2,673
	3	-	6	72	144	402	805	967	747	3,143
	4	-	1	36	50	84	207	248	246	872
	5	-	-	12	7	20	27	35	32	133
	6	-	-	3	8	5	15	3	7	41
	7	-	-	3	2	-	-	-	-	5
	TOTAL---		-	28	172	378	821	1,690	2,035	1,743
33	1-2	9	26	89	167	358	536	571	544	2,300
	3	8	40	147	451	1,154	2,101	2,822	3,144	9,867
	4	1	15	94	268	800	1,815	2,518	2,517	8,028
	5	-	1	29	127	217	567	845	681	2,467
	6	-	1	7	21	53	84	117	107	390
	7	-	-	-	6	3	6	10	1	26
	TOTAL---		18	83	366	1,040	2,565	5,109	6,883	6,994
43	1-2	6	23	48	57	70	225	458	428	1,315
	3	2	34	155	245	504	2,358	7,079	8,671	20,048
	4	2	41	170	291	557	2,598	9,723	15,307	28,889
	5	-	32	150	230	380	775	1,835	3,029	6,431
	6	-	3	39	55	143	299	413	372	1,324
	7	-	-	-	4	17	46	57	34	160
	TOTAL---		10	133	562	882	1,671	6,303	19,565	28,841
53	1-2	-	3	6	18	76	176	255	141	675
	3	1	9	81	152	374	1,716	5,110	4,674	12,117
	4	2	6	88	171	446	3,360	12,231	13,259	29,561
	5	2	6	79	136	356	1,048	4,103	5,482	11,212
	6	1	8	31	84	168	294	591	665	1,842
	7	-	-	2	17	30	83	98	59	289
	TOTAL---		6	32	285	578	1,450	6,677	22,388	24,280
63	1-2	-	3	7	14	29	35	24	9	121
	3	2	52	4,674	95	97	244	409	212	5,785
	4	-	60	123	122	190	558	912	501	2,466
	5	-	9	38	55	110	260	482	328	1,280
	6	-	-	7	26	64	95	143	115	450
	7	-	-	2	6	21	13	25	13	80
	TOTAL---		2	124	299	318	511	1,205	1,993	1,176
24-54	1-7	-	33	188	483	793	2,155	4,388	4,202	12,242
25-35	1-7	-	-	-	-	-	4	4	6	14
81-85 1/	1-7	2	25	91	226	378	506	557	334	2,119
	8 2/	-	-	5	17	108	307	725	625	1,787
TOTAL, ALL---		264	2,439	14,846	80,905	306,591	886,973	2,282,118	3,692,125	7,266,261

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	248,035	235,746	160,880	18,747	1,105	87	662,600	1,307,810
	3	61,693	55,794	83,327	19,510	1,504	95	221,923	444,644
	4	7,117	5,423	10,123	4,025	475	35	27,198	62,068
	5	714	466	397	230	56	1	1,864	5,758
	6	46	20	18	8	-	-	92	377
	7	1	1	2	-	-	-	4	14
	TOTAL		315,608	297,480	254,747	42,520	3,140	218	913,681
31	1-2	155,193	88,361	51,629	6,153	454	40	301,830	703,254
	3	533,673	230,791	178,579	39,564	3,138	319	986,064	2,085,921
	4	204,824	105,284	102,062	36,287	3,747	295	452,479	910,650
	5	30,173	17,063	17,219	9,203	1,153	82	74,913	172,498
	6	2,320	1,556	1,695	961	162	7	6,731	18,970
	7	129	86	156	101	21	1	494	1,473
	TOTAL		926,312	443,141	351,340	92,208	8,675	744	1,822,511
41	1-2	30,635	10,467	5,368	617	56	3	47,366	141,283
	3	407,632	131,274	48,012	8,837	1,043	110	596,908	1,385,519
	4	453,726	188,759	78,415	20,503	2,630	292	744,327	1,457,376
	5	101,453	49,396	28,809	11,255	1,535	146	192,584	412,838
	6	11,960	6,203	4,840	2,431	440	48	25,920	79,967
	7	619	428	668	408	88	10	2,421	8,941
	TOTAL		1,008,427	386,527	186,132	44,061	5,792	607	1,609,536
51	1-2	1,248	328	106	17	4	-	1,703	6,458
	3	18,125	5,103	1,595	207	17	1	25,048	72,585
	4	29,048	10,116	3,905	691	94	981	44,835	105,108
	5	15,914	6,327	3,298	671	54	2	26,266	55,602
	6	2,480	1,151	1,008	266	36	3	4,944	10,342
	7	234	191	219	89	14	-	747	1,534
	TOTAL		87,049	23,216	10,131	1,841	185	14	102,536
61	1-2	40	8	8	-	-	-	56	190
	3	246	116	56	5	-	-	425	1,224
	4	151	141	135	18	-	-	445	1,283
	5	197	164	144	14	1	-	520	1,267
	6	121	74	71	3	-	-	269	853
	7	28	24	20	3	-	-	75	210
	TOTAL		783	527	434	43	1	-	1,788
71	1-2	-	2	-	-	-	-	2	5
	3	5	12	3	1	-	-	21	77
	4	3	7	9	2	-	-	21	35
	5	-	4	7	-	-	-	11	23
	6	5	-	-	1	-	-	6	21
	7	5	2	2	-	-	-	9	23
	TOTAL		18	27	21	4	-	-	70
12 & 22	1-2	28,760	12,333	4,093	390	324	613	46,483	193,531
	3	19,694	8,859	4,674	1,074	156	21	35,478	149,068
	4	4,705	2,061	1,228	369	79	4	8,446	36,960
	5	691	293	133	37	12	-	1,166	5,085
	6	44	21	6	2	-	-	73	418
	7	3	1	-	-	-	-	4	16
	TOTAL		53,887	24,568	10,104	1,872	571	638	91,650
32	1-2	10,506	4,518	1,746	255	76	158	17,259	62,649
	3	92,571	35,261	13,879	3,303	398	137	145,569	395,779
	4	68,356	27,126	10,826	3,474	560	99	110,441	292,672
	5	17,296	7,099	2,598	952	188	17	28,130	85,231
	6	1,831	932	372	138	35	1	3,309	11,359
	7	137	118	48	16	5	4	326	1,024
	TOTAL		190,697	75,074	29,487	8,138	1,242	416	305,034
42	1-2	5,481	1,230	303	27	8	3	7,052	31,428
	3	147,934	37,973	7,367	958	98	26	194,356	559,361
	4	258,263	84,082	17,960	2,295	306	59	362,965	800,191
	5	77,798	29,785	7,599	1,507	197	34	116,920	236,207
	6	9,434	3,897	1,330	465	87	16	15,229	38,183
	7	555	301	208	127	23	2	1,216	3,830
	TOTAL		499,465	157,288	34,767	5,379	719	140	697,736
52	1-2	850	155	28	6	1	-	1,040	5,783
	3	22,595	4,550	649	52	6	1	27,853	105,834
	4	49,666	10,966	1,827	188	17	3	62,667	196,921
	5	24,647	8,929	1,483	192	16	3	33,250	85,296
	6	3,226	1,076	374	111	10	1	4,798	12,876
	7	278	182	133	44	9	1	627	1,813
	TOTAL		101,262	23,838	4,474	593	59	9	130,235

Table 2. -- United States: Continued.

QUALITY		STAPLE								
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
62	1-2	11	7	1	-	-	-	19	288	
	3	371	90	38	7	-	-	506	2,939	
	4	420	124	73	9	-	-	626	3,862	
	5	198	63	68	15	-	-	344	2,210	
	6	107	35	40	8	-	-	190	914	
	7	27	5	11	2	-	-	45	248	
	TOTAL---		1,134	324	231	41	-	-	1,730	10,461
13 & 23	1-2	386	196	222	32	-	2	838	3,511	
	3	446	254	330	85	4	2	1,121	4,264	
	4	105	59	44	19	-	1	228	1,100	
	5	25	6	8	1	-	-	40	173	
	6	-	2	1	-	-	-	3	44	
	7	-	-	-	-	-	-	-	5	
	TOTAL---		962	517	605	137	4	5	2,230	9,097
33	1-2	467	334	371	87	12	3	1,274	3,574	
	3	2,493	1,808	2,115	748	117	19	7,098	16,965	
	4	1,663	858	1,075	605	74	16	4,291	12,319	
	5	421	201	191	148	15	9	985	3,452	
	6	50	29	26	24	4	1	134	524	
	7	3	3	7	6	-	-	19	45	
	TOTAL---		5,067	3,033	3,785	1,816	222	48	13,601	36,879
43	1-2	262	93	78	16	2	4	455	1,770	
	3	6,121	1,918	1,070	318	46	14	9,487	29,535	
	4	10,936	3,569	1,788	804	60	21	16,980	45,669	
	5	2,458	958	868	300	34	16	4,434	10,865	
	6	408	145	194	96	18	7	866	2,190	
	7	42	16	49	41	3	-	151	311	
	TOTAL---		20,229	6,699	3,847	1,375	161	62	32,373	90,340
53	1-2	43	8	6	1	-	-	58	733	
	3	1,541	273	114	19	2	-	1,949	14,066	
	4	4,950	905	236	42	4	-	6,137	35,698	
	5	2,626	582	186	45	10	-	3,449	14,661	
	6	384	125	66	23	2	-	600	2,442	
	7	40	39	33	9	-	1	122	411	
	TOTAL---		9,584	1,932	641	139	18	1	12,315	68,011
63	1-2	2	1	-	-	-	-	3	124	
	3	81	14	5	5	-	-	105	5,890	
	4	123	23	11	2	-	-	159	2,625	
	5	149	21	8	1	-	-	179	1,459	
	6	54	17	7	-	-	-	78	528	
	7	3	5	4	-	-	-	12	92	
	TOTAL---		412	81	35	8	-	-	536	6,166
24-54	1-7	2,398	1,574	1,736	637	65	8	6,418	18,660	
25-35	1-7	5	6	2	-	-	-	13	27	
81-85 1/	1-7	107	68	43	21	1	12	252	2,371	
	8 2/	352	283	306	114	20	1	1,076	2,863	
TOTAL, ALL---		3,201,796	1,446,153	872,848	200,928	20,875	2,923	5,745,523	13,011,784	
EXTRANEIOUS MATTER									Average Staple -----	34.3
Bark - Level 1		479,611							Percent Tenderable -----	56.5
Bark - Level 2		1,580								
Grass - Level 1		180,350								
Grass - Level 2		1,993								
Prep - Level 1		25,776								
Prep - Level 2		113								
Other - Level 1		4,187								
Other - Level 2		39								

13,011,784 Bales classed including 9,089 bales from Kansas. 1/ Below Color. 2/ Below Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	*	0.1	0.5	1.0	1.6	1.8	1.9	1.8	1.2	0.1	*	*	10.1
	3	*	*	*	0.1	0.2	0.4	0.5	0.6	0.5	0.4	0.6	0.1	*	*	3.4
	4	*	*	*	*	*	*	0.1	0.1	*	*	0.1	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	0.2	0.7	1.4	2.2	2.4	2.4	2.3	2.0	0.3	*	*
31	1-2	*	*	*	*	0.2	0.5	0.9	1.4	1.2	0.7	0.4	*	*	*	5.4
	3	*	*	*	0.1	0.3	0.9	2.6	4.6	4.1	1.6	1.4	0.3	*	*	16.0
	4	*	*	*	*	0.1	0.5	1.2	1.7	1.6	0.8	0.8	0.3	*	*	7.0
	5	*	*	*	*	*	0.1	0.3	0.3	0.2	0.1	0.1	*	*	*	1.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	0.1	0.7	2.0	5.1	8.0	7.1	3.4	2.7	0.7	0.1	*
41	1-2	*	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	*	1.1
	3	*	*	*	*	0.1	0.4	1.8	3.9	3.1	1.0	0.4	0.1	*	*	10.6
	4	*	*	*	*	0.1	0.4	1.8	3.4	3.5	1.5	0.6	0.2	*	*	11.2
	5	*	*	*	*	*	0.2	0.6	0.8	0.8	0.4	0.2	0.1	*	*	3.2
	6	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL		*	*	*	0.2	1.2	4.3	8.6	7.7	3.0	1.3	0.3	*	*	26.8
51	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	*	0.6
	4	*	*	*	*	*	0.1	0.3	0.2	0.1	*	*	*	*	*	0.8
	5	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	0.1	0.4	0.7	0.5	0.2	0.1	*	*	*	1.9
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	*	1.5
	3	*	*	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	*	*	1.1
	4	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	0.1	0.2	0.5	0.8	0.7	0.4	0.2	0.1	*	*	3.0
32	1-2	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	3	*	*	*	*	0.1	0.3	0.6	0.8	0.7	0.3	0.1	*	*	*	3.0
	4	*	*	*	*	0.1	0.2	0.5	0.6	0.5	0.2	0.1	*	*	*	2.2
	5	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	0.1	0.3	0.7	1.4	1.7	1.5	0.6	0.2	0.1	*	6.5
42	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	0.2	0.9	1.7	1.1	0.3	0.1	*	*	*	4.3
	4	*	*	*	*	*	0.2	0.9	2.1	2.0	0.6	0.1	*	*	*	6.1
	5	*	*	*	*	*	0.1	0.2	0.5	0.6	0.2	0.1	*	*	*	1.6
	6	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	0.1	0.6	2.2	4.5	3.8	1.2	0.3	*	*	*	12.8
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	*	0.8
	4	*	*	*	*	*	0.1	0.3	0.6	0.4	0.1	*	*	*	*	1.5
	5	*	*	*	*	*	*	0.1	0.2	0.2	*	*	*	*	*	0.7
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	0.2	0.7	1.2	0.8	0.2	*	*	*	*	3.1

* Less than 0.05 percent.

Table 3. -- United States: Continued.

QUALITY		STAPLE														TOTAL
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2
	3
	4
	5
	6
	7
TOTAL		0.1
13 & 23	1-2
	3
	4
	5
	6
	7
TOTAL		0.1
33	1-2
	3
	4
	5
	6
	7
TOTAL		0.3
43	1-2
	3	0.1
	4	0.1	0.1	0.1
	5
	6
	7
TOTAL		0.2	0.2	0.2	0.7
53	1-2
	3
	4	0.1	0.1
	5
	6
	7
TOTAL		0.2	0.2	0.1	0.5
63	1-2
	3
	4
	5
	6
	7
TOTAL	
24-54	1-7
25-35	1-7
81-85 1/	1-7
	8 2/
TOTAL, ALL		.	.	0.1	0.6	2.4	6.8	17.5	28.4	24.6	11.1	6.7	1.5	0.2	.	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		3.7														
Bark - Level 2		.														
Grass - Level 1		1.4														
Grass - Level 2		.														
Prep - Level 1		0.2														
Prep - Level 2		.														
Other - Level 1		.														
Other - Level 1		.														

13,011,784 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple 34.3
Percent Tenderable 56.5

Table 4. - Alabama: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	0.1	0.6	1.7	2.2	1.3	0.3	*	*	-	6.1
	3	-	-	-	-	*	*	0.2	0.6	1.1	0.7	0.2	*	*	-	2.6
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	0.1	0.8	2.4	3.4	2.0	0.5	*	*	-
31	1-2	-	-	-	-	-	0.2	1.3	2.0	1.1	0.3	*	*	-	-	5.0
	3	-	-	-	-	*	0.3	2.5	5.7	5.6	2.4	0.5	*	*	-	17.0
	4	-	-	-	-	*	0.1	0.6	1.7	2.3	1.3	0.4	*	*	-	6.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL		-	-	-	-	*	0.6	4.4	9.5	9.3	4.2	0.9	*	*	-
41	1-2	-	-	-	-	-	0.1	0.4	0.4	0.1	*	*	-	-	-	1.0
	3	-	-	-	-	*	0.5	2.5	3.8	2.4	0.7	0.1	*	*	-	10.1
	4	-	-	-	-	*	0.3	1.8	2.9	2.4	0.9	0.2	*	*	-	8.2
	5	-	-	-	-	*	*	0.2	0.4	0.4	0.2	0.1	*	*	-	1.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL		-	-	-	-	*	0.9	4.7	7.5	5.3	1.9	0.4	*	*	-
51	1-2	-	-	-	-	-	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	TOTAL		-	-	-	-	*	0.2	0.7	0.7	0.3	0.1	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	TOTAL		-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-
32	1-2	-	-	-	-	-	0.1	0.2	0.1	*	*	-	-	-	-	0.4
	3	-	-	-	-	*	0.1	0.7	1.5	1.1	0.5	0.1	*	*	-	4.0
	4	-	-	-	-	*	0.4	0.8	0.9	0.4	0.1	*	*	-	-	2.7
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	TOTAL		-	-	-	-	*	0.2	1.2	2.6	2.4	1.1	0.2	*	*	-
42	1-2	-	-	-	-	-	0.6	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.6	2.7	3.2	1.3	0.3	*	*	-	-	8.1
	4	-	-	-	-	*	0.4	2.4	3.3	1.9	0.5	0.1	*	*	-	8.7
	5	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	TOTAL		-	-	-	-	*	1.1	5.4	7.0	3.6	0.9	0.1	*	*	-
52	1-2	-	-	-	-	-	0.2	0.8	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	*	0.4	1.8	1.7	0.6	0.1	*	*	-	-	4.4
	4	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	TOTAL		-	-	-	-	*	0.7	2.6	2.6	0.9	0.2	*	*	-	-

* Less than 0.05 percent.

Table 4. -- Alabama: Continued.

QUALITY		STAPLE																
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		
	3		
	4	0.1		
	5		
	6		
	7		
	TOTAL		0.1	0.1	0.2	
13 & 23	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
33	1-2		
	3	0.1		
	4	0.1		
	5		
	6		
	7		
	TOTAL		0.1	0.1	0.2	
43	1-2		
	3	0.2	0.2	0.1	0.5		
	4	0.3	0.4	0.2	1.0		
	5	0.1		
	6		
	7		
	TOTAL		0.1	0.5	0.6	0.3	0.1	1.5	
53	1-2		
	3	0.2	0.1	0.3		
	4	0.2	0.6	0.5	0.1	1.5		
	5	0.2	0.2	0.1	0.4		
	6		
	7		
	TOTAL		0.3	1.0	0.8	0.2	2.3	
63	1-2		
	3	.	.	0.1		
	4	0.1		
	5		
	6		
	7		
	TOTAL		0.1	0.1	
24-54	1-7	0.1	0.1	0.1	0.4		
25-35	1-7		
81-85 1/	1-7		
	8 2/		
TOTAL, ALL		0.1	4.4	21.9	34.4	26.2	10.6	2.4	0.1	.	.	100.0		
EXTRANEIOUS MATTER																Average Staple	34.2	
																Percent Tenderable	57.4	
Bark - Level 1		3.0																
Bark - Level 2		.																
Grass - Level 1		1.2																
Grass - Level 2		.																
Prep - Level 1		0.4																
Prep - Level 2		.																
Other - Level 1		.																
Other - Level 1		.																

538,700 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2						0.1	0.7	4.8	16.5	21.6	11.5	0.8	0.1		56.1
	3								0.4	1.1	1.4	1.0	0.1			4.1
	4										0.1	0.1				0.2
	5															
	6															
	7															
	TOTAL							0.1	0.8	5.2	17.7	23.1	12.5	1.0	0.1	
31	1-2						0.1	0.7	3.3	6.1	4.9	2.2	0.2			17.6
	3							0.3	1.4	2.4	2.0	1.0	0.1			7.2
	4								0.1	0.3	0.5	0.4	0.2			1.6
	5									0.1	0.1	0.1				0.4
	6															0.1
	7															
	TOTAL							0.2	1.2	5.1	9.1	7.5	3.5	0.3		
41	1-2							0.2	0.6	0.5	0.2					1.5
	3							0.2	0.6	0.6	0.2					1.7
	4							0.1	0.2	0.2	0.1					0.8
	5							0.1	0.1	0.1						0.5
	6															0.1
	7															
	TOTAL							0.2	0.7	1.6	1.4	0.6	0.1			
51	1-2															
	3															
	4															
	5															
	6															
	7															
	TOTAL															
61	1-2															
	3															
	4															
	5															
	6															
	7															
	TOTAL															
71	1-2															
	3															
	4															
	5															
	6															
	7															
	TOTAL															
12 & 22	1-2								0.2	0.5	0.3	0.1			0.1	1.4
	3								0.1	0.2	0.2	0.1				0.6
	4															0.1
	5															
	6															
	7															
	TOTAL								0.1	0.3	0.7	0.6	0.2		0.1	2.1
32	1-2								0.1	0.1	0.1					0.4
	3							0.1	0.3	0.3	0.2	0.1				1.0
	4							0.3	0.4	0.4	0.1	0.1				1.4
	5							0.2	0.2	0.2	0.1					0.7
	6															0.1
	7															
	TOTAL							0.1	0.8	1.1	1.0	0.5	0.2			3.7
42	1-2															
	3								0.1							0.2
	4							0.1	0.1	0.1						0.4
	5						0.1	0.3	0.2	0.1						0.8
	6							0.1	0.1							0.4
	7															
	TOTAL							0.2	0.5	0.5	0.3	0.2				1.8
52	1-2															
	3															
	4															
	5															
	6															
	7															
	TOTAL															

* Less than 0.05 percent.

Table 5. -- Arizona: Continued.

QUALITY		STAPLE																
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
13 & 23	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
33	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.1	
43	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.1	
53	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
63	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
24-54	1-7		
25-35	1-7		
81-85 1/	1-7		
	8 2/		
TOTAL, ALL		0.1	0.9	4.0	13.9	30.3	32.6	16.5	1.4	0.2	0.1	100.0		
EXTRANEOUS MATTER																Average Staple	35.5	
																Percent Tenderable	56.0	
Bark - Level 1		5.6																
Bark - Level 2		0.1																
Grass - Level 1		0.7																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.4																
Other - Level 2		*																

575,334 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	0.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.3	0.4	0.3	0.1	*	*	*	-
31	1-2	-	-	*	-	*	*	0.1	0.6	0.5	0.2	*	*	*	-	1.5
	3	-	-	*	-	*	*	0.4	3.5	5.1	2.1	0.4	*	*	*	11.5
	4	-	-	-	*	*	*	0.1	1.2	2.7	1.4	0.3	*	*	*	5.7
	5	-	-	-	-	*	*	*	0.2	0.6	0.3	0.1	*	*	*	1.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	0.7	5.5	8.9	4.0	0.8	*	*	*
41	1-2	-	-	-	-	*	*	*	0.3	0.2	*	*	*	*	-	0.6
	3	-	-	-	-	*	*	0.6	4.3	5.3	1.7	0.2	*	*	*	12.1
	4	-	-	-	*	*	*	0.5	4.3	7.4	3.4	0.6	*	*	*	16.2
	5	-	-	-	-	*	*	0.1	1.0	2.2	1.1	0.2	*	*	*	4.6
	6	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	1.3	10.0	15.3	6.3	1.1	0.1	*	*
51	1-2	-	-	-	-	*	*	*	0.1	0.5	0.4	0.1	*	*	-	1.1
	3	-	-	-	-	*	*	0.1	0.5	0.4	0.1	*	*	-	1.1	
	4	-	-	-	*	*	*	0.1	0.7	0.7	0.2	*	*	-	1.7	
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	*	1.1	
	6	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	0.4	1.7	1.6	0.4	0.1	*	*	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----		-	-	*	*	*	*	0.1	*	*	*	*	*	*	-
32	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.2	1.0	1.4	0.5	0.1	*	*	-	3.2
	4	-	-	-	-	*	*	0.1	0.7	1.3	0.5	0.1	*	*	-	2.6
	5	-	-	-	-	*	*	*	0.2	0.4	0.1	*	*	*	-	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	0.3	1.9	3.2	1.2	0.2	*	*	-
42	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	3	-	-	*	*	*	*	0.6	2.7	2.9	0.8	0.1	*	*	-	7.2
	4	-	-	*	*	*	*	0.7	4.2	5.8	1.8	0.3	*	*	-	12.9
	5	-	-	-	*	*	*	0.2	1.2	2.1	0.8	0.1	*	*	*	4.4
	6	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	-	0.5
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	0.1	1.5	8.4	11.3	3.5	0.5	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.3	0.8	0.5	0.1	*	*	*	-	1.7
	4	-	-	-	-	*	*	0.4	1.2	1.1	0.2	*	*	*	-	2.9
	5	-	-	-	*	*	*	0.2	0.7	0.8	0.2	*	*	*	-	1.9
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	*	*	0.1	0.9	2.9	2.5	0.5	*	*	*

* Less than 0.05 percent.

Table 6. -- Arkansas: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & .	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
82	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL															0.1
13 & 23	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL															
33	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL									0.1						0.1
43	1-2	
	3	0.1	0.1	
	4	0.2	0.2	0.1	
	5	0.1	
	6	
	7	
	TOTAL								0.1	0.3	0.4	0.1				0.8
53	1-2	
	3	
	4	0.1	0.1	0.1	
	5	0.1	
	6	
	7	
	TOTAL								0.1	0.2	0.1					0.5
63	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL															
24-54	1-7	
25-35	1-7	
81-85 1/	1-7	
	8 2/	
TOTAL, ALL								0.3	5.3	31.3	43.8	16.4	2.8	0.1		100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.1															
Bark - Level 2	*															
Grass - Level 1	1.0															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

1,164,668 Bales classed 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	0.1	0.9	2.1	4.8	6.9	1.1	*	*	16.0
	3	-	-	-	-	-	-	*	0.1	0.4	2.1	6.3	1.6	0.1	*	10.5
	4	-	-	-	-	-	-	*	*	*	0.2	0.8	0.3	*	*	1.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.1	1.0	2.5	7.1	14.0	3.0	0.2	*
31	1-2	-	-	-	-	*	*	0.1	0.6	1.5	2.2	2.7	0.4	*	*	7.5
	3	-	-	-	-	-	-	*	0.2	0.9	4.5	13.2	3.4	0.3	*	22.5
	4	-	-	-	-	-	-	*	0.1	0.3	1.6	7.4	3.2	0.3	*	12.9
	5	-	-	-	-	-	-	*	*	*	0.2	1.1	0.8	0.1	*	2.3
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	0.1	0.9	2.8	8.6	24.5	7.8	0.7	0.1
41	1-2	-	-	-	-	-	-	*	0.1	0.2	0.3	0.3	*	*	*	0.9
	3	-	-	-	-	-	-	*	0.1	0.4	1.4	2.9	0.8	0.1	*	5.6
	4	-	-	-	-	-	-	*	*	0.2	1.2	4.1	1.7	0.2	*	7.5
	5	-	-	-	-	-	-	*	*	0.1	0.3	1.6	0.9	0.1	*	3.0
	6	-	-	-	-	-	-	*	*	*	*	0.3	0.2	*	*	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL		-	-	-	-	-	*	0.2	0.9	3.2	9.3	3.6	0.4	*	17.6
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.2	0.4	0.8	0.2	*	*	1.4
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	*	0.6
32	1-2	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.3	*	*	1.4
	4	-	-	-	-	-	-	*	*	*	0.1	0.5	0.3	*	*	1.1
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	0.1	0.1	0.5	1.4	0.7	0.1	*	2.9
42	1-2	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	3	-	-	-	-	-	-	*	*	*	0.1	0.4	0.2	*	*	0.8
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	0.1	0.3	1.0	0.4	0.1	*	*	1.9
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.4

* Less than 0.05 percent

Table 7. - California: Continued.

QUALITY	LEAF	STAPLE														TOTAL			
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +				
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.				
62	1-2				
	3				
	4				
	5				
	6				
	7				
	TOTAL				
13 & 23	1-2				
	3				
	4				
	5				
	6				
	7				
	TOTAL		0.1			
33	1-2				
	3	0.1	0.2	0.1	.	.				
	4	0.1	.	.	.				
	5				
	6				
	7				
	TOTAL		0.1	0.3	0.1	.	0.6			
43	1-2				
	3	0.1	.	.	.				
	4	0.1	.	.	.				
	5				
	6				
	7				
	TOTAL		0.1	0.3	0.1	.	0.5			
53	1-2				
	3				
	4				
	5				
	6				
	7				
	TOTAL		0.1			
63	1-2				
	3				
	4				
	5				
	6				
	7				
	TOTAL				
24-54	1-7	0.1	0.1	0.1	.	.				
25-35	1-7				
81-85 1/	1-7				
	8 2/				
TOTAL, ALL		0.4	2.2	6.7	20.7	52.2	16.1	1.5	0.2	100.0			
EXTRANEEOUS MATTER																	Average Staple	36.8	
																		Percent Tenderable	86.2
Bark - Level 1		0.5																	
Bark - Level 2		.																	
Grass - Level 1		1.3																	
Grass - Level 2		.																	
Prep - Level 1		0.1																	
Prep - Level 2		.																	
Other - Level 1		.																	
Other - Level 1		.																	

1,094,889 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	0.1
	3	0.1
	4
	5
	6
	7
	TOTAL		0.1	0.1
31	1-2	0.4	0.5	0.3	0.1	1.4
	3	0.1	0.7	1.7	1.4	0.3	4.2
	4	0.1	0.2	0.3	0.1	0.7
	5
	6
	7
	TOTAL		0.1	1.2	2.4	2.0	0.5
41	1-2	0.1	0.3	0.3	0.1	0.8
	3	0.3	2.1	3.7	1.8	0.4	.	.	.	8.2
	4	0.1	0.5	1.1	0.9	0.3	.	.	.	2.9
	5	0.1	0.2	0.3
	6
	7
	TOTAL		0.4	3.0	5.2	3.0	0.7	0.1	.	.	.
51	1-2
	3	0.2	0.2	0.5
	4	0.1	0.1	0.1	0.3
	5
	6
	7
	TOTAL		0.3	0.3	0.1
61	1-2
	3
	4
	5
	6
	7
	TOTAL	
71	1-2
	3
	4
	5
	6
	7
	TOTAL	
12 & 22	1-2
	3
	4
	5
	6
	7
	TOTAL	
32	1-2	0.1	0.2
	3	0.3	0.9	0.7	0.2	2.2
	4	0.2	0.2	0.1	0.5
	5
	6
	7
	TOTAL		0.4	1.1	1.0	0.3
42	1-2	0.1	0.2	0.2	0.1	0.6
	3	0.7	5.6	8.1	3.1	0.4	18.0
	4	0.3	2.6	5.2	2.9	0.8	0.1	.	.	.	11.7
	5	0.1	0.2	0.2	0.1	0.6
	6
	7
	TOTAL		1.1	8.5	13.7	6.2	1.2	0.1
52	1-2	0.1	0.2
	3	0.5	3.4	3.4	0.6	7.9
	4	0.5	3.1	4.6	1.4	0.2	9.9
	5	0.2	0.4	0.3	0.1	1.1
	6
	7
	TOTAL		1.0	6.8	8.5	2.3	0.3	0.1

* Less than 0.05 percent.

Table 8. -- Florida: Continued.

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	-	0.5	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	0.1	0.8	0.8	0.3	-	-	-	-	-	-	
	4	-	-	-	-	-	0.2	1.3	1.6	0.7	0.1	-	-	-	-	-	
	5	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	0.3	2.2	2.5	1.1	0.2	-	-	-	-	-	6.3	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	0.3	1.5	1.4	0.3	-	-	-	-	-	-	
	4	-	-	-	-	-	0.8	3.3	4.0	1.1	0.1	-	-	-	-	-	
	5	-	-	-	-	-	0.1	0.6	0.9	0.4	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	1.0	5.3	6.4	1.8	0.2	-	-	-	-	-	14.8	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	1.4	-	-	-	0.1	0.1	-	-	-	-	-	-	-	
	4	-	-	-	-	-	0.1	0.3	0.2	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	0.2	0.1	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	-	-	-	0.2	0.7	0.3	0.1	-	-	-	-	-	-	1.3	
24-54	1-7	-	-	-	-	-	0.3	1.7	1.4	0.4	0.1	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	-	-	
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL		-	-	-	-	0.1	4.7	30.5	42.3	18.3	3.7	0.5	-	-	-	-	
EXTRANEOUS MATTER																	Average Staple
Bark - Level 1		1.6															Percent Tenderable
Bark - Level 2		-															33.9
Grass - Level 1		0.3															18.3
Grass - Level 2		-															
Prep - Level 1		5.9															
Prep - Level 2		-															
Other - Level 1		0.1															
Other - Level 1		-															

84,864 Bales classed: 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 9. - Georgia: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-
31	1-2	-	-	-	-	*	*	0.2	0.6	0.9	0.5	0.1	*	*	-	2.2
	3	-	-	-	-	*	*	0.4	2.4	4.3	2.8	0.8	0.1	*	*	10.9
	4	-	-	-	-	*	*	*	0.4	0.9	0.7	0.3	0.1	*	*	2.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	0.6	3.4	6.1	4.0	1.2	0.2	*	*
41	1-2	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	-	-	1.3
	3	-	-	-	-	*	*	0.1	0.8	4.9	9.2	5.1	1.2	0.2	*	21.6
	4	-	-	-	-	*	*	*	0.4	2.6	5.8	3.8	1.1	0.3	*	13.9
	5	-	-	-	-	*	*	*	*	0.2	0.4	0.3	0.1	0.1	*	1.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	0.1	1.4	6.1	15.6	9.5	2.5	0.6	*	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.4	0.8	0.3	0.1	*	*	-	1.5
	4	-	-	-	-	*	*	0.1	0.5	0.8	0.5	0.1	*	*	-	2.0
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	0.2	1.0	1.7	1.0	0.2	0.1	*	*	-	4.2
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	-
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	-
32	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.6	0.9	0.5	0.1	*	*	-	2.3
	4	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	0.2	0.8	1.4	0.9	0.3	*	*	*	-	3.6
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.8	2.9	4.7	2.2	0.4	0.1	*	*	11.0
	4	-	-	-	-	*	*	0.5	3.0	5.6	3.3	0.8	0.2	*	*	13.4
	5	-	-	-	-	*	*	0.1	0.4	0.8	0.5	0.1	*	*	-	1.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	0.1	1.2	6.4	11.3	8.1	1.4	0.3	*	*	*	26.7
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.6	0.6	0.3	*	*	-	-	1.9
	4	-	-	-	-	*	*	0.2	1.2	1.9	0.9	0.2	*	*	-	4.6
	5	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	*	-	1.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	0.5	2.2	3.5	1.7	0.3	0.1	*	*	-	8.3

less than 0.05 percent.

Table 9. -- Georgia: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
82	1-2		
	3		
	4		
	5		
	6		
	7		
TOTAL		0.1		
13 & 23	1-2		
	3		
	4		
	5		
	6		
	7		
TOTAL			
33	1-2		
	3		
	4		
	5		
	6		
	7		
TOTAL		0.1		
43	1-2		
	3	0.1	0.2	0.1		
	4	0.2	0.3	0.1		
	5		
	6		
	7		
TOTAL		0.1	0.3	0.5	0.3	0.1	.	.	.	1.3		
53	1-2		
	3	0.1	0.1		
	4	0.1	0.2	0.2	0.1		
	5	0.1	0.1		
	6		
	7		
TOTAL		0.1	0.5	0.5	0.1	1.3		
63	1-2		
	3	.	.	0.1		
	4		
	5		
	6		
	7		
TOTAL		.	.	0.1	0.1		
24-54	1-7	0.1		
25-35	1-7		
81-85 1/	1-7		
	8 2/		
TOTAL, ALL		0.3	4.4	23.0	41.0	23.9	6.0	1.3	.	.	100.0		
EXTRANEEOUS MATTER																Average Staple	34.1
																Percent Tenderable	50.1
Bark - Level 1		2.9	
Bark - Level 2		
Grass - Level 1		2.0	
Grass - Level 2		
Prep - Level 1		0.8	
Prep - Level 2		
Other - Level 1		
Other - Level 1		

1,507,262 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.2	0.5	0.2	*	*	.	.	.	0.9
	3	*	0.1	0.1	*	*	.	.	.	0.2
	4
	5
	6
	7
	TOTAL		0.2	0.8	0.3	*	*
31	1-2	0.1	0.6	1.7	1.2	0.2	*	*	.	.	3.7
	3	0.1	0.9	4.1	4.1	1.2	0.1	*	*	.	10.5
	4	*	0.3	0.5	0.3	0.1	*	*	.	1.2
	5	*	*	.	.
	6	*	*	.	.
	7	*	*	.	.
	TOTAL		0.2	1.6	6.0	5.8	1.7	0.2	*	*	.	.
41	1-2	0.1	0.5	0.9	0.4	*	*	.	.	.	2.0
	3	0.3	2.6	9.1	7.4	1.8	0.2	*	*	.	21.4
	4	0.1	0.7	3.2	4.5	2.2	0.7	0.1	*	*	11.4
	5	*	0.3	0.6	0.4	0.2	*	*	.	1.5
	6	*	*	*	.	0.1
	7	*	*	*	.	.
	TOTAL		0.5	3.8	13.4	12.9	4.4	1.1	0.1	*	*	.
51	1-2	0.1	0.2	0.1	*	*	*	*	.	0.4
	3	0.1	0.3	0.2	0.1	*	*	*	.	0.7
	4	0.1	0.1	*	*	*	*	.	0.3
	5	*	*	*	*	.	.
	6	*	*	*	*	.	.
	7	*	*	*	*	.	.
	TOTAL		0.1	0.3	0.5	0.4	0.1	*	*	*	*	.
61	1-2
	3
	4
	5
	6
	7
	TOTAL	
71	1-2
	3
	4
	5
	6
	7
	TOTAL	
12 & 22	1-2
	3
	4
	5
	6
	7
	TOTAL	
32	1-2	0.1	0.2	0.1	*	*	*	*	.	0.4
	3	0.1	0.4	1.4	1.4	0.4	0.1	*	*	.	3.7
	4	0.1	0.3	0.5	0.2	0.1	*	*	.	1.2
	5	*	*	*	*	.	0.1
	6	*	*	*	*	.	.
	7	*	*	*	*	.	.
	TOTAL		0.2	0.8	1.9	2.0	0.7	0.1	*	*	.	.
42	1-2	0.1	0.3	0.3	0.1	*	*	*	*	.	0.8
	3	0.6	2.8	5.7	3.7	0.8	0.1	*	*	.	13.7
	4	0.2	1.7	4.7	4.8	1.9	0.5	*	*	.	13.8
	5	0.2	0.7	1.2	0.7	0.2	*	*	.	3.0
	6	*	0.1	0.1	0.1	*	*	*	.	0.3
	7	*	*	*	*	.	.
	TOTAL		1.0	5.0	11.5	9.9	3.5	0.8	*	*	.	.
52	1-2	0.1	0.4	0.4	0.1	*	*	*	*	0.1
	3	0.1	0.4	0.4	0.1	*	*	*	*	1.1
	4	0.1	0.5	0.9	0.5	0.1	*	*	*	2.1
	5	0.1	0.3	0.3	0.1	*	*	*	0.8
	6	*	0.1	0.1	*	*	*	*	0.2
	7	*	*	*	*	.	.
	TOTAL		0.3	1.1	1.6	1.0	0.3	*	*	*	*	.

* Less than 0.05 percent.

Table 10. -- Louisiana: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
82	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
13 & 23	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
33	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		0.1	
43	1-2	
	3	0.1	0.3	0.4	0.2	
	4	0.1	0.3	0.5	0.4	0.1	
	5	0.1	0.1	
	6	
	7	
	TOTAL		0.2	0.7	1.0	0.6	0.2	.	.	.	
53	1-2	
	3	0.1	0.1	
	4	0.1	0.2	0.1	
	5	0.1	
	6	
	7	
	TOTAL		0.1	0.3	0.3	0.2	
63	1-2	
	3	.	.	0.1	
	4	
	5	
	6	
	7	
	TOTAL		
24-54	1-7		
25-35	1-7		
81-85 1/	1-7		
	8 2/		
TOTAL, ALL		0.1	2.6	13.6	37.0	33.1	10.9	2.5	0.2	.	.	
EXTRANEEOUS MATTER																
Bark - Level 1		0.6	
Bark - Level 2		
Grass - Level 1		2.9	
Grass - Level 2		
Prep - Level 1		0.1	
Prep - Level 2		
Other - Level 1		
Other - Level 1		

652,706 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	*	0.2	0.5	0.5	0.2	*	*	-	-	1.3
	3	-	-	*	*	*	*	0.1	0.3	0.4	0.1	*	*	-	-	0.9
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	*	*	*	*	0.2	0.8	0.9	0.3	*	*	-	-
31	1-2	-	-	*	*	*	*	0.1	1.0	2.1	1.7	0.4	*	*	-	5.4
	3	-	-	*	*	*	*	0.2	1.8	6.4	7.7	2.3	0.3	*	*	18.6
	4	-	-	-	*	*	*	*	0.2	1.3	2.2	0.9	0.2	*	*	4.8
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.3	3.0	9.8	11.7	3.7	0.5	*	*
41	1-2	-	-	*	*	*	*	0.1	0.5	0.9	0.5	0.1	*	*	-	2.2
	3	-	-	*	*	*	*	0.3	2.2	6.2	6.3	1.7	0.2	*	*	16.9
	4	-	-	-	*	*	*	0.1	1.3	5.3	7.9	3.0	0.4	*	*	18.0
	5	-	-	-	*	*	*	*	0.2	1.0	1.5	0.7	0.1	*	*	3.6
	6	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.5	4.3	13.4	16.4	5.6	0.7	*	*
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	*	0.7
	5	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	*	0.7
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.1	0.5	0.8	0.5	0.2	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	3	-	-	*	*	*	*	0.3	1.3	1.4	0.4	*	*	*	*	3.5
	4	-	-	*	*	*	*	0.1	0.7	0.9	0.3	*	*	*	*	2.2
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.5	2.2	2.5	0.9	0.1	*	*	*
42	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	*	*	*	*	0.1	0.6	1.7	1.5	0.4	*	*	*	4.4
	4	-	-	*	*	*	*	0.8	2.9	3.6	1.2	0.1	*	*	*	8.7
	5	-	-	*	*	*	*	0.2	1.0	1.4	0.5	*	*	*	*	3.1
	6	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.1	1.7	5.8	6.7	2.1	0.2	*	*
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	0.2	0.3	0.1	*	*	*	*	-	0.7
	5	-	-	*	*	*	*	0.1	0.3	0.2	*	*	*	*	-	0.6
	6	-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	*	*	*	0.4	0.7	0.4	0.1	*	*	*	-

* Less than 0.05 percent.

Table 11. - Mississippi: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
13 & 23	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
33	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
43	1-2	
	3	
	4	0.1	0.1	0.1	
	5	0.2	
	6	
	7	
	TOTAL		0.1	0.1	0.3	
53	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		0.1	0.2	
63	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
24-54	1-7	
25-35	1-7	
81-85 1/	1-7	
TOTAL, ALL	8 2/	0.1	1.1	10.8	33.8	39.4	13.0	1.6	.	.	100.0	
EXTRANEIOUS MATTER																
Bark - Level 1		1.5	
Bark - Level 2		
Grass - Level 1		1.0	
Grass - Level 2		
Prep - Level 1		
Prep - Level 2		
Other - Level 1		
Other - Level 1		

1,400,819 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.1	0.1	0.2
	3	0.1
	4
	5
	6
	7
	TOTAL		0.1	0.1
31	1-2	0.1	0.4	0.6	0.4	0.1	.	.	.	1.6
	3	0.3	1.7	3.5	2.3	0.5	.	.	.	8.3
	4	0.1	0.6	1.5	1.0	0.3	.	.	.	3.5
	5	0.1	0.2
	6
	7
	TOTAL		0.4	2.8	5.7	3.8	0.9	.	.	.
41	1-2	0.1	0.2	0.1	0.5
	3	0.5	2.8	5.1	3.2	0.6	.	.	.	12.1
	4	0.3	2.7	6.3	4.1	0.7	.	.	.	14.1
	5	0.4	1.0	0.6	0.1	.	.	.	2.2
	6
	7
	TOTAL		0.9	6.0	12.6	7.9	1.4	.	.	.
51	1-2	0.1
	3	0.2	0.7	0.7	0.3	1.8
	4	0.2	0.9	1.5	0.7	0.1	.	.	.	3.4
	5	0.3	0.6	0.3	1.3
	6	0.1
	7
	TOTAL		0.4	2.0	2.9	1.3	0.1	.	.	.
61	1-2
	3
	4
	5
	6
	7
	TOTAL	
71	1-2
	3
	4
	5
	6
	7
	TOTAL	
12 & 22	1-2
	3
	4
	5
	6
	7
	TOTAL	
32	1-2	0.1	0.1	0.3
	3	0.2	0.9	1.1	0.6	0.2	.	.	.	2.9
	4	0.1	0.7	1.0	0.5	0.2	.	.	.	2.5
	5	0.1	0.2	0.1	0.4
	6
	7
	TOTAL		0.4	1.7	2.3	1.2	0.4	.	.	.
42	1-2	0.1	0.2	0.2	0.1	0.5
	3	0.6	2.7	3.8	1.7	0.3	.	.	.	9.1
	4	0.7	3.9	6.3	3.1	0.5	.	.	.	14.6
	5	0.2	1.0	1.8	0.9	0.2	.	.	.	4.0
	6	0.1	0.1	0.2
	7
	TOTAL		1.5	7.9	12.2	5.8	1.0	.	.	.
52	1-2	0.1	0.1	0.2
	3	0.4	1.4	1.4	0.4	3.6
	4	0.5	2.2	2.8	0.8	0.1	.	.	.	6.5
	5	0.2	0.9	1.2	0.4	2.8
	6	0.1	0.1	0.2
	7
	TOTAL		1.1	4.7	5.6	1.6	0.2	.	.	.

Less than 0.05 percent.

Table 12. - Missouri: Continued.

QUALITY		STAPLE														TOTAL		
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
13 & 23	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
33	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.1	0.1	0.3	
43	1-2		
	3	0.2	0.2		
	4	0.1	0.2	0.3	0.1		
	5		
	6		
	7		
	TOTAL		0.1	0.5	0.5	0.2	1.4	
53	1-2		
	3	0.1		
	4	0.1	0.2	0.1		
	5	0.1	0.1		
	6		
	7		
	TOTAL		0.2	0.3	0.2	0.1	0.8	
63	1-2		
	3	.	.	0.1		
	4		
	5		
	6		
	7		
	TOTAL		
24-54	1-7	0.1	0.1	0.2		
25-35	1-7		
81-85 1/	1-7		
	8 2/		
TOTAL, ALL		0.1	5.1	26.1	42.4	22.1	4.0	0.1	.	100.0		
EXTRANEEOUS MATTER																Average Staple	34.9	
																Percent Tenderable	45.1	
Bark - Level 1		0.6																
Bark - Level 2		.																
Grass - Level 1		1.1																
Grass - Level 2		.																
Prep - Level 1		.																
Prep - Level 2		.																
Other - Level 1		.																
Other - Level 1		.																

337,768 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 13. - New Mexico: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	*	0.1	0.5	1.7	3.7	5.6	6.2	2.6	0.6	*	20.9	
	3	-	-	-	-	-	-	*	0.1	0.3	0.7	2.5	2.1	0.7	*	6.3	
	4	-	-	-	-	-	-	-	*	*	0.1	0.4	0.4	0.3	*	1.3	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	TOTAL		-	-	-	-	*	0.1	0.5	1.7	4.1	6.3	9.1	5.1	1.5	0.1	28.6
	31	1-2	-	-	-	-	*	0.2	1.0	2.2	5.7	7.8	5.4	0.8	0.1	*	23.3
3		-	-	-	-	*	0.2	1.1	1.2	2.0	3.0	3.5	1.4	0.4	*	12.9	
4		-	-	-	-	*	0.1	0.3	0.4	0.5	1.1	2.7	1.7	0.6	*	7.3	
5		-	-	-	-	*	-	*	*	0.1	0.3	1.5	1.0	0.3	*	3.3	
6		-	-	-	-	*	-	*	*	*	0.1	0.2	0.2	0.1	*	0.6	
7		-	-	-	-	*	-	*	*	*	*	*	*	*	*	0.1	
TOTAL			-	-	-	*	0.1	0.6	2.5	3.6	8.3	12.4	13.3	5.0	1.4	0.1	47.5
41		1-2	-	-	-	-	*	0.2	0.6	1.7	2.0	1.4	0.2	*	-	-	6.1
	3	-	-	-	-	*	0.2	0.3	0.9	1.2	1.1	0.4	0.1	*	-	4.2	
	4	-	-	-	-	*	0.1	0.2	0.4	0.8	1.6	0.8	0.2	*	-	4.2	
	5	-	-	-	-	*	0.1	0.1	0.2	0.6	1.3	0.9	0.2	*	-	3.4	
	6	-	-	-	-	*	-	*	*	0.2	0.5	0.3	0.1	*	-	1.2	
	7	-	-	-	-	*	-	*	*	*	0.1	*	*	-	-	0.2	
	TOTAL		-	-	-	*	0.1	0.6	1.2	3.3	4.8	5.9	2.6	0.8	*	-	19.3
	51	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1	
5		-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1	
6		-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.1	
7		-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	
TOTAL			-	-	-	*	-	-	0.1	0.1	0.2	*	*	-	-	0.4	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	0.3
	3	-	-	-	-	-	-	-	-	-	0.3	0.3	0.1	-	-	0.6	
	4	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	0.4	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	0.1	0.1	0.5	0.6	0.2	*	-	1.6	
	32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
3		-	-	-	-	-	-	0.1	0.1	*	0.1	0.1	*	-	-	0.6	
4		-	-	-	-	-	-	*	0.1	*	0.1	0.1	0.1	*	-	0.6	
5		-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	0.3	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL			-	-	-	-	0.1	0.1	0.2	0.2	0.1	0.3	0.4	0.3	*	1.7	
42		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	-	0.6	
	52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL			-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* Less than 0.05 percent.

Table 13. -- New Mexico: Continued.

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2
	3
	4
	5
	6
	7
	TOTAL	
13 & 23	1-2
	3
	4
	5
	6
	7
	TOTAL	
33	1-2
	3
	4
	5
	6
	7
	TOTAL	
43	1-2
	3
	4
	5
	6
	7
	TOTAL	
53	1-2
	3
	4
	5
	6
	7
	TOTAL	
63	1-2
	3
	4
	5
	6
	7
	TOTAL	
24-54	1-7
25-35	1-7
81-85 1/	1-7
	8 2/	0.1	.	.	.	0.1
TOTAL, ALL		0.1	1.0	3.9	7.1	16.2	24.0	29.7	13.8	4.0	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		2.7														
Bark - Level 2		.														
Grass - Level 1		0.7														
Grass - Level 2		.														
Prep - Level 1		.														
Prep - Level 2		.														
Other - Level 1		.														
Other - Level 1		.														

62,673 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-
31	1-2	-	-	-	-	*	0.1	0.4	0.8	0.5	0.1	*	-	-	-	2.0
	3	-	-	-	-	0.2	1.3	6.8	11.7	8.3	2.3	0.3	*	*	-	30.7
	4	-	-	-	-	*	0.5	2.6	4.5	3.4	1.2	0.2	*	*	-	12.4
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	0.2	1.9	9.9	17.3	12.5	3.6	0.5	*	*	-	-
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	0.1	0.8	3.5	5.4	3.6	1.0	0.1	*	*	-	14.4
	4	-	-	-	-	0.1	1.2	5.2	8.1	5.8	1.9	0.2	*	*	-	22.6
	5	-	-	-	-	*	0.2	0.7	1.1	0.8	0.3	*	*	-	-	3.2
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	0.3	2.2	9.6	14.6	10.4	3.2	0.4	*	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	0.1	0.2	0.3	0.1	*	*	*	-	-	-	-
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	-	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.2	0.8	1.0	0.6	0.2	*	*	-	-	3.0
	4	-	-	-	-	*	0.1	0.7	0.9	0.6	0.2	*	*	-	-	2.6
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	0.4	1.7	2.1	1.3	0.4	0.1	*	*	-	-	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.1
	4	-	-	-	-	*	0.2	0.9	1.1	0.7	0.2	*	*	-	-	3.1
	5	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	0.3	1.4	1.8	1.1	0.4	*	*	-	-	-	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	0.1	*	*	*	-	-	-	-

* Less than 0.05 percent.

Table 14. - North Carolina: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	
	3	
	4	
	5	
	6	
	7	
TOTAL			
13 & 23	1-2	
	3	
	4	
	5	
	6	
	7	
TOTAL			
33	1-2	
	3	
	4	
	5	
	6	
	7	
TOTAL			
43	1-2	
	3	
	4	
	5	
	6	
	7	
TOTAL			
53	1-2	
	3	
	4	
	5	
	6	
	7	
TOTAL			
63	1-2	
	3	
	4	
	5	
	6	
	7	
TOTAL			
24-54	1-7	
25-35	1-7	
81-85 1/	1-7	
	8 2/	
TOTAL, ALL		0.6	5.0	23.1	36.8	25.8	7.7	1.0	.	.	.	
EXTRANEOUS MATTER																
Bark - Level 1	1.7															
Bark - Level 2	.															
Grass - Level 1	4.1															
Grass - Level 2	.															
Prep - Level 1	0.1															
Prep - Level 2	.															
Other - Level 1	.															
Other - Level 2	.															

1,006,447 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	0.2	0.4	1.9	5.2	8.3	5.1	0.2	.	.	21.3
	3	0.1	0.2	0.1	0.2	0.6	1.4	1.1	0.1	.	.	3.8
	4	0.1	0.1	.	.	.	0.4
	5
	6
	7
	TOTAL---		0.1	0.4	0.6	2.1	9.7	8.3	0.4	.	.	.
31	1-2	0.2	0.4	0.6	0.9	2.2	3.2	1.4	.	.	.	8.8
	3	0.1	0.2	0.5	1.0	1.7	1.9	1.1	.	.	.	6.4
	4	0.1	0.1	0.3	0.3	0.2	.	.	.	1.0
	5	0.2
	6
	7
	TOTAL---		0.2	0.7	1.2	2.0	4.1	5.4	2.7	.	.	.
41	1-2	0.1	0.2	0.3	0.4	0.3	0.2	0.1	.	.	.	1.5
	3	0.1	0.3	0.7	1.6	1.6	0.7	0.2	.	.	.	5.2
	4	0.1	0.3	0.8	0.8	0.4	0.1	.	.	.	2.6
	5	0.1	0.2	0.4	0.3	0.1	1.2
	6	0.1	0.1	0.1	0.3
	7
	TOTAL---		.	.	.	0.1	0.2	0.6	1.6	3.4	3.2	1.4	0.4	.	.	.
51	1-2	0.1
	3	0.1	0.1	0.1	0.4
	4	0.1	0.1	0.2
	5	0.1	0.1	0.3
	6	0.2
	7
	TOTAL---		0.1	0.3	0.3	0.3	0.1
61	1-2
	3
	4
	5
	6
	7
	TOTAL---	
71	1-2
	3
	4
	5
	6
	7
	TOTAL---	
12 & 22	1-2	.	.	.	0.1	0.2	0.3	0.4	1.0	2.2	1.9	0.6	.	.	.	6.7
	3	0.1	0.1	0.2	0.4	1.1	1.2	0.4	.	.	.	3.5
	4	0.1	0.1	0.1	.	.	.	0.4
	5
	6
	7
	TOTAL---		.	.	.	0.1	0.3	0.4	0.6	1.4	3.3	3.2	1.2	.	.	.
32	1-2	.	.	.	0.1	0.2	0.3	0.3	0.9	1.8	1.1	0.3	.	.	.	4.9
	3	.	.	.	0.1	0.2	0.4	0.5	1.3	2.8	1.9	0.5	.	.	.	7.6
	4	.	.	.	0.1	0.1	0.2	0.3	0.3	0.5	0.4	0.1	.	.	.	2.1
	5	0.1	0.1	0.1	0.1	0.1	0.6
	6	0.1
	7
	TOTAL---		.	.	0.1	0.3	0.6	1.0	1.2	2.7	5.2	3.4	1.0	.	.	.
42	1-2	.	.	.	0.1	0.1	0.2	0.2	0.2	0.1	1.0
	3	.	.	0.1	0.1	0.2	0.5	0.7	0.7	0.6	0.2	3.3
	4	.	.	0.1	0.1	0.1	0.3	0.5	0.5	0.3	0.2	2.2
	5	.	.	0.1	0.1	0.1	0.3	0.5	0.4	0.2	0.1	1.7
	6	.	.	.	0.1	0.2	0.2	0.2	0.2	0.1	0.8
	7	0.1	0.1	0.2
	TOTAL---		.	0.2	0.4	0.6	1.6	2.2	2.1	1.3	0.5	0.1	.	.	.	9.2
52	1-2	0.1
	3	.	.	0.1	0.1	.	0.1	0.1	0.1	0.6
	4	.	.	0.1	0.2	0.1	0.1	0.1	0.1	0.8
	5	.	.	.	0.2	0.2	0.2	0.2	0.1	1.0
	6	.	.	.	0.1	0.1	0.2	0.2	0.6
	7	0.1	0.1	0.2
	TOTAL---		.	0.1	0.2	0.5	0.6	0.7	0.6	0.4	0.1	3.2

* Less than 0.05 percent.

Table 15. -- Oklahoma: Continued.

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
82	1-2		
	3		
	4	.	.	.	0.1	0.1	0.1		
	5	.	.	.	0.1	0.1	0.1	0.3	
	6	0.1	0.1	0.4	
	7	0.2	
	TOTAL		.	.	0.1	0.2	0.4	0.2	0.1	1.0	
13 & 23	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		.	.	0.1	0.3	
33	1-2	0.1		
	3	.	.	.	0.1	0.1	0.1	0.1	0.1	0.1	0.2		
	4	0.1	0.6		
	5	0.3		
	6	0.1		
	7		
	TOTAL		.	.	0.1	0.2	0.2	0.3	0.2	0.1	0.2	0.1	1.3	
43	1-2		
	3	0.1	0.1	0.1	0.1	0.1	0.1		
	4	.	.	0.1	.	0.1	0.1	0.1	0.1	0.6		
	5	.	.	0.1	0.1	0.1	0.1	0.1	0.6		
	6	0.4		
	7	0.2		
	TOTAL		.	0.1	0.3	0.2	0.2	0.4	0.3	0.2	0.1	0.1	1.9	
53	1-2		
	3		
	4	.	.	.	0.1	0.2		
	5	.	.	.	0.1	0.1	0.1	0.2		
	6	0.1	0.1	0.1	0.4		
	7	0.3		
	TOTAL		.	.	0.1	0.2	0.3	0.2	0.2	0.1	1.3	
63	1-2		
	3		
	4	.	.	0.1	0.1	0.2		
	5	0.2		
	6	0.1		
	7	0.1		
	TOTAL		.	0.1	0.2	0.1	0.1	0.1	0.6	
24-54	1-7	.	.	.	0.1	0.1	0.1	0.1	0.1	0.6		
25-35	1-7		
81-85 1/	1-7	0.2		
	8 2/	0.1	0.2		
TOTAL, ALL		.	0.4	1.6	2.7	4.1	6.8	9.6	15.0	23.6	23.9	11.7	0.5	.	.	100.0		
EXTRANEIOUS MATTER																Average Staple	34.5	
																Percent Tenderable	56.1	
Bark - Level 1		10.2																
Bark - Level 2		.																
Grass - Level 1		0.1																
Grass - Level 2		.																
Prep - Level 1		.																
Prep - Level 2		.																
Other - Level 1		.																
Other - Level 1		.																

138,102 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 16. - South Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.3	0.5	0.3	0.1	1.1
	3	0.1	0.3	0.2	0.1	0.7
	4
	5
	6
	7
	TOTAL		0.4	0.7	0.5	0.1
31	1-2	0.1	1.2	2.0	1.4	0.5	0.1	.	.	.	5.4
	3	0.1	0.8	5.8	12.9	10.6	3.6	0.6	.	.	.	34.3
	4	0.1	1.4	3.9	3.4	1.0	0.2	.	.	.	10.0
	5	0.1	0.1	0.2	0.1	0.4
	6
	7
	TOTAL		.	.	.	0.1	0.9	8.4	19.0	15.7	5.1	0.9
41	1-2	0.2	0.3	0.2	0.7
	3	0.3	2.4	4.9	3.9	1.3	0.2	.	.	.	13.1
	4	0.4	2.9	6.5	5.3	1.6	0.2	.	.	.	16.9
	5	0.1	0.5	0.9	0.7	0.3	2.5
	6	0.1
	7
	TOTAL		.	.	.	0.1	0.8	6.0	12.6	10.1	3.2	0.5
51	1-2
	3	0.1	0.1	0.3
	4	0.1	0.2	0.2	0.1	0.6
	5	0.2	0.2	0.1	0.6
	6	0.1
	7
	TOTAL		0.2	0.6	0.6	0.2
61	1-2
	3
	4
	5
	6
	7
	TOTAL	
71	1-2
	3
	4
	5
	6
	7
	TOTAL	
12 & 22	1-2
	3
	4
	5
	6
	7
	TOTAL	
32	1-2	0.1	0.1	0.3
	3	0.1	0.8	1.1	0.7	0.2	2.9
	4	0.4	0.7	0.6	0.2	2.0
	5	0.1	0.1	0.2
	6
	7
	TOTAL		0.1	1.3	2.1	1.4	0.4	0.1
42	1-2	0.1
	3	0.1	0.4	0.7	0.5	0.2	1.8
	4	0.1	0.8	1.4	1.1	0.3	3.8
	5	0.2	0.4	0.3	0.1	0.9
	6	0.1
	7
	TOTAL		0.2	1.5	2.5	1.8	0.6	0.1
52	1-2
	3	0.1
	4	0.1	0.1	0.2
	5	0.1	0.1	0.2
	6	0.1
	7
	TOTAL		0.2	0.2	0.1

Less than 0.05 percent.

Table 16. - South Carolina: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
13 & 23	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
33	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
43	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
53	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
63	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		
24-54	1-7		
25-35	1-7		
81-85 1/	1-7		
	8 2/		
TOTAL, ALL		0.3	2.3	18.5	37.9	29.9	9.5	1.6	*	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple	34.3
																Percent Tenderable	76.4
Bark - Level 1		2.3															
Bark - Level 2		.															
Grass - Level 1		3.4															
Grass - Level 2		.															
Prep - Level 1		0.2															
Prep - Level 2		.															
Other - Level 1		.															
Other - Level 1		.															

333,661 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 17. - Tennessee: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	0.1	0.6	1.0	0.5	0.1	*	-	2.3	
	3	-	-	-	-	-	*	0.1	0.5	1.1	0.6	0.1	*	-	2.4	
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	*	0.2	1.1	2.2	1.2	0.2	*	*	-	4.9
31	1-2	-	-	-	-	-	*	0.3	1.0	0.9	0.3	*	*	-	2.6	
	3	-	-	-	-	-	0.1	1.4	5.8	6.9	2.3	0.3	*	-	16.8	
	4	-	-	-	-	-	*	0.4	2.1	3.3	1.6	0.3	*	-	7.7	
	5	-	-	-	-	-	*	0.1	0.4	0.7	0.3	0.1	*	-	1.7	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	0.2	2.3	9.3	11.8	4.5	0.7	*	*	-	28.8
41	1-2	-	-	-	-	-	*	0.3	0.7	0.3	0.1	*	*	-	1.4	
	3	-	-	-	-	-	0.4	2.7	6.7	4.3	0.8	0.1	*	-	14.8	
	4	-	-	-	-	-	0.3	2.4	6.6	5.2	1.3	0.1	*	-	15.9	
	5	-	-	-	-	-	0.1	0.7	1.9	1.6	0.5	0.1	*	-	4.9	
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.4	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	0.8	6.0	18.0	11.5	2.7	0.9	*	*	-	37.4
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	-	0.1	0.3	0.4	0.2	*	*	*	-	1.0	
	4	-	-	-	-	-	0.1	0.4	0.5	0.3	0.1	*	*	-	1.3	
	5	-	-	-	-	-	*	0.2	0.4	0.2	*	*	*	-	0.9	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	0.2	0.9	1.5	0.7	0.1	*	*	*	-	3.4
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2	
	3	-	-	-	-	-	*	0.1	0.1	*	*	*	*	-	0.3	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	*	0.2	0.2	0.1	*	*	*	*	-	0.5
32	1-2	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2	
	3	-	-	-	-	-	*	0.4	1.2	1.0	0.3	*	*	-	2.9	
	4	-	-	-	-	-	*	0.3	0.9	1.1	0.4	*	*	-	2.7	
	5	-	-	-	-	-	*	0.1	0.3	0.5	0.2	*	*	-	1.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	0.7	2.8	2.8	0.9	0.1	*	*	*	-	7.2
42	1-2	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.3	
	3	-	-	-	-	-	0.1	0.9	1.6	0.8	0.1	*	*	-	3.5	
	4	-	-	-	-	-	0.2	1.4	3.0	1.9	0.4	*	*	-	6.9	
	5	-	-	-	-	-	0.1	0.5	1.3	1.0	0.3	*	*	-	3.1	
	6	-	-	-	-	-	*	*	0.2	0.2	*	*	*	-	0.4	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	0.4	2.8	6.2	3.8	0.9	0.1	*	*	-	14.2
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	*	-	0.5	
	4	-	-	-	-	-	0.1	0.4	0.4	0.2	*	*	*	-	1.1	
	5	-	-	-	-	-	0.1	0.3	0.3	0.1	*	*	*	-	0.8	
	6	-	-	-	-	-	*	0.1	0.1	*	*	*	*	-	0.2	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	TOTAL		-	-	-	-	0.3	0.9	1.0	0.4	0.1	*	*	*	-	2.7

* less than 0.05 percent.

Table 17. - Tennessee: Continued.

QUALITY		STAPLE														TOTAL	
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL	
13 & 23	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL	
33	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		0.1
43	1-2	
	3	
	4	0.1	
	5	
	6	
	7	
	TOTAL		0.1	0.2	0.1	0.4
53	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL		0.1	0.1	0.2
63	1-2	
	3	
	4	
	5	
	6	
	7	
	TOTAL	
24-54	1-7	
25-35	1-7	
81-85 1/	1-7	
TOTAL, ALL	8 2/	2.0	14.2	38.2	33.6	10.5	1.5	0.1	*	.	100.0	
EXTRANEIOUS MATTER																Average Staple	34.4
																Percent Tenderable	69.8
Bark - Level 1	1.2																
Bark - Level 2	.																
Grass - Level 1	1.1																
Grass - Level 2	.																
Prep - Level 1	0.1																
Prep - Level 2	.																
Other - Level 1	.																
Other - Level 1	.																

529,671 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.5	1.8	3.6	5.5	4.7	2.5	0.9	0.2	*	*	*	19.6
	3	*	*	*	0.2	0.7	1.3	1.9	1.5	0.7	0.3	0.1	*	*	*	6.8
	4	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	*	1.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	0.1	0.7	2.8	5.1	7.8	6.5	3.4	1.2	0.3	*	*	*
31	1-2	*	*	*	0.2	0.8	1.6	2.0	1.6	0.8	0.2	*	*	*	*	7.4
	3	*	*	*	0.2	1.0	2.5	4.3	3.5	1.8	0.5	0.1	*	*	*	13.8
	4	*	*	*	0.1	0.4	1.5	3.1	2.5	1.0	0.4	0.1	*	*	*	9.1
	5	*	*	*	*	0.1	0.4	1.0	0.9	0.4	0.1	*	*	*	*	3.0
	6	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	0.1	0.5	2.3	6.1	10.6	6.6	3.9	1.2	0.2	*	*	*
41	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.8
	3	*	*	*	*	0.2	0.4	0.5	0.4	0.3	0.1	*	*	*	*	1.9
	4	*	*	*	*	0.2	0.8	1.4	1.0	0.5	0.2	*	*	*	*	4.2
	5	*	*	*	*	0.2	0.8	1.5	1.2	0.5	0.2	*	*	*	*	4.5
	6	*	*	*	*	0.1	0.3	0.6	0.4	0.2	0.1	*	*	*	*	1.6
	7	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	TOTAL		*	*	0.1	0.7	2.5	4.2	3.3	1.6	0.7	0.1	*	*	*	13.2
51	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	0.2	0.4	0.9	1.3	1.1	0.6	0.2	*	*	*	*	4.9
	3	*	*	*	0.1	0.3	0.8	1.1	0.8	0.4	0.2	*	*	*	*	3.8
	4	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	1.0
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	0.1	0.3	0.9	1.9	2.8	2.2	1.2	0.4	0.1	*	*	*
32	1-2	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	*	0.9
	3	*	*	*	0.1	0.4	1.0	1.2	0.6	0.2	0.1	*	*	*	*	3.7
	4	*	*	*	0.1	0.3	0.8	1.2	0.7	0.2	0.1	*	*	*	*	3.3
	5	*	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	*	*	1.4
	6	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	0.1	0.3	1.0	2.3	3.2	1.8	0.6	0.2	*	*	*	9.5
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	*	0.7
	4	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	*	*	1.0
	5	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	*	*	1.0
	6	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL		*	*	0.1	0.4	0.9	1.0	0.6	0.3	0.1	*	*	*	*	3.4
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	*	0.8

* less than 0.05 percent

Table 18. -- Texas: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.1	
13 & 23	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.1	0.2	
33	1-2		
	3		
	4	0.1		
	5		
	6		
	7		
	TOTAL		0.1	0.1	0.1	0.1	0.5	
43	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.1	0.2	
53	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		0.2	
63	1-2		
	3		
	4		
	5		
	6		
	7		
	TOTAL		
24-54	1-7	0.1		
25-35	1-7		
81-85 1/	1-7		
8 2/			
TOTAL ALL		.	.	0.3	2.2	8.2	19.4	30.2	23.6	11.4	3.9	0.8	.	.	100.0		
EXTRANEEOUS MATTER															Average Staple	33.2	
															Percent Tenderable	47.2	
Bark - Level 1		8.3															
Bark - Level 2		.															
Grass - Level 1		0.4															
Grass - Level 2		.															
Prep - Level 1		0.1															
Prep - Level 2		.															
Other - Level 1		.															
Other - Level 1		.															

3,461,186 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed, 1998 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.1	0.2	0.1	0.4
	3	0.1	0.1	0.2	0.1	0.6
	4
	5
	6
	7
	TOTAL		0.1	0.3	0.4	0.2
31	1-2	0.2	0.5	0.5	0.2	1.4
	3	0.4	4.0	10.0	11.5	4.8	31.1
	4	0.1	1.5	3.3	3.8	1.8	0.5	.	.	.	11.1
	5	0.1	0.2	0.2	0.1	0.5
	6
	7
	TOTAL		0.5	5.7	13.9	16.0	6.7	1.2	.	.	.
41	1-2	0.1	0.1	0.2
	3	0.4	3.2	7.3	6.7	1.8	0.2	.	.	.	19.7
	4	0.4	3.9	8.0	7.5	3.2	0.5	.	.	.	23.6
	5	0.4	0.7	0.6	0.3	0.1	.	.	.	2.1
	6	0.1
	7
	TOTAL		0.1	0.9	7.6	16.1	14.9	5.3	0.8	.	.	.
51	1-2
	3
	4	0.1
	5	0.1
	6
	7
	TOTAL		0.1	0.1
61	1-2
	3
	4
	5
	6
	7
	TOTAL	
71	1-2
	3
	4
	5
	6
	7
	TOTAL	
12 & 22	1-2
	3	0.1
	4
	5
	6
	7
	TOTAL	
32	1-2	0.1
	3	0.1	0.5	0.8	0.8	0.3	0.1	.	.	.	2.7
	4	0.3	0.7	0.5	0.2	0.1	.	.	.	1.9
	5	0.1	0.2
	6
	7
	TOTAL		0.1	0.9	1.8	1.4	0.6	0.2
42	1-2
	3	0.3	0.3	0.2	0.1	0.9
	4	0.6	0.9	0.5	0.1	2.3
	5	0.1	0.2	0.1	0.4
	6
	7
	TOTAL		0.1	1.0	1.4	0.8	0.3	0.1
52	1-2
	3
	4
	5
	6
	7
	TOTAL	

* Less than 0.05 percent.

Table 19. - Virginia: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	
	3	
	4	
	5	
	6	
TOTAL	7	
13 & 23	1-2	
	3	
	4	
	5	
	6	
TOTAL	7	
33	1-2	
	3	
	4	
	5	
	6	
TOTAL	7	
43	1-2	
	3	
	4	
	5	
	6	
TOTAL	7	
53	1-2	
	3	
	4	
	5	
	6	
TOTAL	7	
63	1-2	
	3	
	4	
	5	
	6	
TOTAL	7	
24-54	1-7	
25-35	1-7	
81-85 1/	1-7	
	8 2/	
TOTAL ALL		0.1	1.7	15.3	33.7	33.8	13.1	2.3	.	.	100.0	
EXTRANEEOUS MATTER															Average Staple	34.5
															Percent Tenderable	54.9
Bark - Level 1		0.7														
Bark - Level 2		*														
Grass - Level 1		2.7														
Grass - Level 2		*														
Prep - Level 1		.														
Prep - Level 2		.														
Other - Level 1		.														
Other - Level 1		.														

133,743 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 20. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 1998 crop.

State	Extraneous Matter														Total	
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other			
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	1,975	0	16,245	51	6,718	55	70	0	2	0	0	0	93	0	25,103	106
Arizona	84	3	32,060	467	4,120	175	2,101	6	9	0	1	0	36	0	38,411	651
Arkansas	347	1	13,172	15	11,573	62	38	0	4	0	4	1	33	0	25,171	79
California	1,364	13	2,396	48	13,661	94	60	2	5	8	75	0	85	1	17,668	166
Florida	3,859	2	1,028	0	218	0	40	0	0	0	0	0	0	0	5,145	2
Georgia	12,357	41	43,749	468	29,558	141	137	0	7	0	7	0	149	0	85,964	650
Louisiana	783	2	4,221	27	18,939	107	6	3	11	0	9	0	43	0	24,012	139
Mississippi	342	1	20,587	73	14,315	145	19	0	19	5	10	2	30	0	35,322	225
Oklahoma	42	0	2,154	0	3,638	0	0	0	4	0	0	0	1	0	5,839	0
Mexico	33	0	1,687	9	432	3	5	0	0	0	0	0	2	0	2,159	12
North Carolina	1,245	0	17,109	94	41,570	482	1	0	1	0	0	0	8	0	59,932	578
Texas	12	0	14,125	17	104	7	0	0	2	0	0	0	1	0	14,244	24
South Carolina	793	1	7,608	36	11,250	156	1	0	1	0	0	0	2	1	19,655	194
Tennessee	349	0	6,384	6	5,730	33	0	0	4	0	0	0	48	0	12,515	39
Virginia	2,042	49	287,789	205	14,254	496	234	7	93	1	155	0	446	1	304,993	759
Washington	10	0	922	3	3,559	33	0	0	0	0	0	0	0	1	4,491	37
United States 1/	25,657	113	476,102	1,519	179,640	1,989	2,712	18	163	14	281	3	975	4	685,510	3,680

1/ Includes Kansas.

Table 21. -- Tenderability of upland cotton classed, by states, 1998 crop.

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	309,207	57.4	229,493	42.6
Arizona	322,045	56.0	253,289	44.0
Arkansas	624,530	53.6	540,138	46.4
California	943,463	86.2	151,426	13.8
Florida	9,160	16.2	47,270	83.8
Georgia	757,384	50.0	758,312	50.0
Louisiana	224,262	34.4	428,446	65.6
Mississippi	916,704	65.4	484,115	34.6
Missouri	152,428	45.1	185,340	54.9
New Mexico	42,163	67.3	20,510	32.7
North Carolina	640,478	63.6	365,969	36.4
Oklahoma	77,450	56.1	60,652	43.9
South Carolina	254,975	76.4	78,886	23.6
Tennessee	369,530	69.8	160,141	30.2
Texas	1,634,696	47.2	1,826,490	52.8
Virginia	73,443	54.9	60,300	45.1
United States 2/	7,351,983	56.5	5,659,801	43.5

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

2/ Total includes small amount in Kansas.

Table 22. -- Tenderability of upland cotton classed, in the United States, 1976-1998 crops.

Year	Tenderable 1/ 2/		Untenderable	
	Bales	Pct.	Bales	Pct.
1976	5,767,782	56.1	4,516,274	43.9
1977	8,853,834	63.7	5,055,287	36.3
1978	5,711,866	54.6	4,747,335	45.4
1979	6,996,723	49.4	7,168,941	50.6
1980	5,405,563	50.4	5,316,703	49.6
1981	6,361,006	42.2	8,711,848	57.8
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5

1/ 1975-1978 tenderable on New York No. 1 and No. 2 futures contracts; 1979-1981, New York No. 2; 1982, New York No. 2 and New Orleans; 1983-1984, New York No. 2; 1985, New York No. 2 and Chicago; and 1986-1998, New York No. 2 futures contracts. 2/ 1996-1998 totals include small amount in Kansas.

Table 23. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1998 crop.

Color	Leaf	ABILENE			BIRMINGHAM			CORPUS CHRISTI
		Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	TEXAS
11 & 21	1-2	21.5	22.5	21.9	6.1	0.1	5.6	33.8
	3	3.8	6.1	5.4	2.8	0.1	2.6	10.9
	4	0.4	0.8	0.7	0.3	-	0.3	1.1
	5	*	0.1	0.1	*	-	*	*
	6	-	*	*	*	-	*	-
	7	-	-	-	-	-	-	-
	TOTAL	25.7	29.5	28.0	9.3	0.1	8.4	45.9
	31	1-2	8.9	5.6	6.4	5.0	0.9	4.6
3	6.5	11.2	9.8	17.0	3.3	15.7	10.1	
4	1.0	5.2	4.0	6.4	0.7	5.9	2.5	
5	0.2	1.9	1.4	0.6	*	0.5	0.3	
6	*	0.2	0.2	*	*	*	*	
7	-	*	*	*	-	*	*	
TOTAL	16.6	24.2	21.8	29.0	4.9	26.7	32.3	
41	1-2	1.6	1.2	1.3	1.0	0.7	0.9	3.2
	3	5.3	4.5	4.7	10.1	7.2	9.8	2.9
	4	2.6	5.3	4.5	8.2	2.9	7.7	0.7
	5	1.2	4.3	3.4	1.4	0.4	1.3	0.1
	6	0.3	0.8	0.7	0.1	*	0.1	*
	7	*	0.1	*	*	-	*	*
	TOTAL	11.0	16.2	14.6	20.9	11.1	19.9	6.8
	51	1-2	0.1	*	*	*	*	*
3		0.4	0.1	0.2	0.8	0.3	0.7	1.3
4		0.2	0.1	0.2	1.0	0.3	1.0	0.4
5		0.2	0.1	0.1	0.2	*	0.2	*
6		0.2	0.1	0.1	*	*	*	*
7		*	*	*	*	-	*	*
TOTAL		1.1	0.5	0.7	2.1	0.7	2.0	2.1
61		1-2	-	*	*	*	*	*
	3	*	*	*	*	*	*	0.1
	4	*	*	*	*	-	*	*
	5	*	-	*	*	*	*	*
	6	*	-	*	*	*	*	*
	7	*	-	*	*	*	*	-
	TOTAL	*	*	*	0.1	*	0.1	0.1
	71	1-2	-	-	-	*	-	*
3		-	-	-	*	-	*	*
4		-	-	-	*	-	*	*
5		-	-	-	*	-	*	*
6		-	-	-	*	-	*	-
7		-	-	-	*	-	*	*
TOTAL		-	-	-	*	-	*	*
12 & 22		1-2	6.7	5.0	5.4	0.3	*	0.3
	3	3.6	3.5	3.4	0.4	*	0.3	1.3
	4	0.4	0.6	0.5	0.1	-	0.1	0.3
	5	*	0.1	*	*	-	*	*
	6	-	*	*	*	-	*	*
	7	-	*	*	-	-	-	-
	TOTAL	10.7	9.1	9.4	0.8	0.1	0.7	2.9
	32	1-2	5.0	1.4	2.4	0.4	0.1	0.4
3		7.7	3.8	4.9	4.0	2.3	3.8	1.2
4		2.1	2.0	2.0	2.7	0.6	2.5	0.6
5		0.6	0.7	0.7	0.5	*	0.5	0.1
6		0.1	0.1	0.1	0.1	*	*	*
7		*	*	*	*	-	*	-
TOTAL		15.6	8.0	10.1	7.7	3.1	7.3	2.7
42		1-2	1.0	0.6	0.7	0.3	0.5	0.3
	3	3.3	2.3	2.7	8.1	17.9	9.0	1.4
	4	2.2	1.6	1.9	8.7	12.2	9.0	0.5
	5	1.8	1.0	1.3	1.1	0.6	1.0	*
	6	0.8	0.5	0.6	0.1	*	0.1	*
	7	0.2	0.1	0.1	*	*	*	*
	TOTAL	9.2	6.1	7.3	18.3	31.3	19.5	2.6
	52	1-2	0.1	0.2	0.2	*	0.1	*
3		0.6	1.3	1.2	1.9	7.8	2.4	1.7
4		0.7	1.1	1.2	4.4	10.2	5.0	0.7
5		0.8	0.4	0.6	0.7	1.1	0.8	0.1
6		0.5	0.1	0.2	*	*	*	*
7		0.2	*	0.1	*	-	*	-
TOTAL		2.9	3.2	3.6	7.1	19.2	8.2	2.8

Table 23. -- Continued.

Color	Leaf	ABILENE			BIRMINGHAM			CORPUS CHRISTI
		Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	TEXAS
62	1-2	*	*	*	*	*	*	*
	3	0.1	0.1	0.1	*	0.1	*	0.2
	4	0.3	0.1	0.1	0.1	0.2	0.1	0.2
	5	0.3	*	0.1	*	0.1	*	*
	6	0.1	*	*	*	*	*	*
	7	*	*	*	*	*	*	*
	TOTAL		0.9	0.3	0.4	0.2	0.5	0.2
13 & 23	1-2	0.1	0.1	0.1	*	-	*	*
	3	0.1	0.1	0.1	*	*	*	*
	4	0.1	*	*	*	-	*	*
	5	*	*	*	*	-	*	-
	6	*	*	*	-	-	-	-
	7	*	-	*	-	-	-	-
	TOTAL		0.3	0.3	0.3	*	*	*
33	1-2	0.2	0.1	0.1	*	*	*	0.1
	3	0.6	0.3	0.4	0.1	0.1	0.1	0.2
	4	0.3	0.2	0.3	0.1	*	0.1	*
	5	0.1	0.1	0.1	*	-	*	*
	6	*	*	*	*	-	*	*
	7	*	*	*	-	-	-	-
	TOTAL		1.4	0.7	0.9	0.2	0.1	0.2
43	1-2	0.1	*	0.1	*	*	*	*
	3	0.6	0.2	0.3	0.5	2.3	0.6	0.1
	4	0.5	0.2	0.4	1.0	4.6	1.3	0.1
	5	0.4	0.1	0.2	0.1	0.2	0.1	*
	6	0.2	0.1	0.1	*	*	*	*
	7	*	*	*	-	-	-	-
	TOTAL		1.9	0.6	1.1	1.5	7.1	2.1
53	1-2	*	*	*	*	0.1	*	*
	3	0.2	0.2	0.2	0.3	3.6	0.6	0.2
	4	0.2	0.4	0.3	1.5	10.1	2.3	0.1
	5	0.3	0.2	0.2	0.4	2.2	0.6	0.1
	6	0.3	0.1	0.1	*	0.2	*	*
	7	0.1	*	*	*	-	*	-
	TOTAL		1.2	0.9	1.0	2.3	16.1	3.6
63	1-2	*	*	*	*	-	*	*
	3	0.1	0.1	0.1	*	0.2	*	*
	4	0.2	0.1	0.1	0.1	0.5	0.1	*
	5	0.1	*	0.1	*	0.3	0.1	*
	6	0.1	*	*	*	*	*	*
	7	*	*	*	-	-	-	*
	TOTAL		0.5	0.2	0.3	0.1	1.1	0.2
24-54	1-7	0.6	0.2	0.4	0.4	4.4	0.8	0.2
25-35	1-7	-	*	*	-	-	-	-
81-85 2/	1-7	0.2	0.1	0.1	*	0.3	0.1	*
	8 3/	0.2	*	0.1	*	*	*	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0	100.0	33.8
=====								
STAPLE								
28 & SHORTER								
		0.3	*	0.1	-	-	-	0.1
29		1.4	0.4	0.8	-	-	-	0.7
30		2.5	2.4	2.7	*	*	*	6.2
31		3.9	8.8	7.6	0.1	0.1	0.1	20.3
32		6.7	17.3	14.4	4.4	4.5	4.4	26.6
33		9.6	19.9	17.1	21.8	30.5	22.7	22.2
34		15.1	20.4	18.8	34.4	42.2	35.1	14.4
35		24.0	19.2	20.2	26.2	18.4	25.5	7.7
36		24.2	9.5	13.4	10.6	3.7	9.9	1.8
37		11.8	2.1	4.7	2.4	0.5	2.2	*
38 & LONGER		0.5	*	0.1	0.1	*	0.1	*

All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0

Average staple		34.5	33.5	33.8	34.2	33.9	34.2	32.5

1/ Abilene classing office includes 5,562 bales from Kansas. 2/ Below Color. 3/ Below Leaf.
 * Less than 0.05 percent.

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1998 crop.

Color	Leaf	DUMAS			FLORENCE			Classing Office Total 1/
		Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	
11 & 21	1-2	0.4	1.4	0.9	0.4	1.1	0.4	0.5
	3	0.3	1.0	0.7	0.5	0.7	0.6	0.6
	4	*	0.1	*	*	*	*	*
	5	*	*	*	*	-	*	*
	6	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-
	TOTAL	0.7	2.5	1.6	0.9	1.9	1.0	1.1
	31	1-2	2.0	5.5	3.8	2.0	5.4	1.4
3	13.3	18.7	16.0	30.7	34.4	31.1	31.6	
4	3.7	4.6	4.2	12.4	10.0	11.1	11.8	
5	0.3	0.2	0.3	0.6	0.4	0.5	0.6	
6	*	*	*	*	*	*	*	
7	-	*	*	*	*	*	*	
TOTAL	19.3	29.1	24.2	45.9	50.2	44.2	46.7	
41	1-2	0.9	2.2	1.5	0.3	0.7	0.2	0.4
	3	16.5	16.6	16.5	14.4	13.1	19.7	14.6
	4	20.2	18.0	19.1	22.6	16.9	23.6	21.4
	5	4.3	3.1	3.7	3.2	2.5	2.1	3.0
	6	0.3	0.2	0.2	0.2	0.1	0.1	0.2
	7	*	*	*	*	*	*	*
	TOTAL	42.2	40.0	41.1	40.8	33.4	45.8	39.6
	51	1-2	*	*	0.0	*	*	-
3		0.2	0.3	0.2	0.1	0.3	*	0.1
4		0.5	0.5	0.5	0.3	0.6	0.1	0.4
5		0.5	0.4	0.5	0.3	0.6	0.1	0.4
6		0.1	0.1	0.1	0.1	0.1	*	0.1
7		*	*	*	*	*	-	*
TOTAL		1.3	1.3	1.3	0.8	1.6	0.2	0.9
61		1-2	*	*	*	-	*	-
	3	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*
	6	*	*	*	*	*	-	*
	7	*	*	*	*	*	-	*
	TOTAL	*	*	*	*	0.1	*	*
	71	1-2	-	-	-	-	-	-
3		-	-	-	-	*	-	*
4		*	*	*	-	-	-	-
5		*	-	*	-	-	-	-
6		*	*	*	*	-	-	*
7		-	-	*	*	-	-	*
TOTAL		*	*	*	*	*	-	*
12 & 22		1-2	*	*	*	*	*	*
	3	*	0.1	*	0.1	*	0.1	0.1
	4	*	*	*	*	*	*	*
	5	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
	TOTAL	*	0.1	0.1	0.1	0.1	0.1	0.1
	32	1-2	0.2	0.3	0.2	0.1	0.3	0.1
3		2.6	3.8	3.2	3.0	2.9	2.7	2.9
4		1.9	2.4	2.1	2.6	2.0	1.9	2.4
5		0.2	0.3	0.3	0.3	0.2	0.2	0.3
6		*	*	*	*	*	*	*
7		*	*	*	*	-	-	*
TOTAL		5.0	6.8	5.9	5.9	5.4	4.9	5.7
42		1-2	0.2	0.3	0.2	*	0.1	*
	3	7.2	4.7	5.9	1.1	1.8	0.9	1.3
	4	14.5	9.3	11.9	3.1	3.8	2.3	3.2
	5	4.6	3.2	3.9	0.8	0.9	0.4	0.8
	6	0.4	0.3	0.4	0.1	0.1	*	0.1
	7	*	*	*	*	*	*	*
	TOTAL	26.9	17.8	22.4	5.1	6.7	3.7	5.3
	52	1-2	*	*	*	*	*	-
3		0.4	0.2	0.3	*	0.1	*	*
4		1.3	0.6	1.0	0.1	0.2	*	0.1
5		1.2	0.6	0.9	0.1	0.2	*	0.1
6		0.2	0.1	0.1	*	0.1	*	*
7		*	*	*	*	*	-	*
TOTAL		3.2	1.6	2.4	0.2	0.5	*	0.2

Table 24. -- Continued.

		DUMAS			FLORENCE			
Color	Leaf	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total 1/
62	1-2	-	*	*	*	*	-	*
	3	*	*	*	*	*	*	*
	4	*	*	*	*	*	-	*
	5	*	*	*	*	*	-	*
	6	*	*	*	*	*	-	*
	7	*	*	*	*	*	-	*
	TOTAL		*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	-	*
	3	*	*	*	*	*	-	*
	4	-	*	*	*	*	-	*
	5	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-
	TOTAL		*	*	*	*	*	*
33	1-2	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*
	4	*	*	*	0.1	*	*	0.1
	5	*	*	*	*	*	-	*
	6	-	*	*	*	*	-	*
	7	-	-	*	-	-	-	-
	TOTAL		*	0.1	*	0.1	0.1	*
43	1-2	*	*	*	*	*	-	*
	3	0.2	0.1	0.1	*	*	*	*
	4	0.5	0.2	0.3	0.1	*	*	0.1
	5	0.1	*	*	*	*	*	*
	6	*	*	*	*	*	-	*
	7	-	*	*	*	*	-	*
	TOTAL		0.7	0.4	0.5	0.2	0.1	*
53	1-2	*	*	*	*	-	*	*
	3	*	*	*	*	*	*	*
	4	0.2	0.1	0.1	*	*	*	*
	5	0.1	0.1	0.1	*	*	*	*
	6	*	*	*	*	*	*	*
	7	*	*	*	*	*	-	*
	TOTAL		0.4	0.2	0.3	*	*	*
63	1-2	-	-	-	*	*	-	*
	3	*	*	*	*	*	-	*
	4	*	*	*	*	*	-	*
	5	*	*	*	*	*	-	*
	6	*	*	*	*	-	-	*
	7	-	*	*	*	-	-	*
	TOTAL		*	*	*	*	*	*
24-54	1-7	0.1	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	*	*	*
	8 2/	*	*	*	*	*	*	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0	100.0	100.0
=====								
STAPLE								
28 & SHORTER		-	-	-	-	-	-	-
29		*	*	*	-	-	-	-
30		*	*	*	-	-	-	-
31		*	0.1	0.1	0.6	0.3	0.1	0.5
32		0.2	0.8	0.5	5.0	2.3	1.7	4.1
33		6.2	9.9	8.1	23.1	18.5	15.3	21.4
34		33.9	33.7	33.8	36.8	37.9	33.7	36.8
35		41.2	40.5	40.9	25.8	29.9	33.8	27.4
36		15.4	13.3	14.4	7.7	9.5	13.1	8.6
37		2.8	1.6	2.2	1.0	1.6	2.3	1.3
38 & LONGER		0.1	0.1	0.1	*	*	*	*
All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.7	34.6	34.6	34.1	34.3	34.5	34.2

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1998 crop.

Color	Leaf	HAYTI			LANESA		LUBBOCK		MACON		
		Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
11 & 21	1-2	0.2	0.2	0.2	32.6	0.2	13.6	13.6	0.5	0.3	0.3
	3	0.1	0.1	0.1	7.3	0.5	5.9	5.9	0.4	0.3	0.3
	4	*	*	*	1.6	-	1.2	1.2	*	*	*
	5	-	-	-	0.1	-	0.2	0.2	-	*	*
	6	-	-	-	*	-	*	*	-	-	-
	7	-	-	-	-	-	*	*	-	-	-
	TOTAL	0.3	0.3	0.3	41.6	0.8	20.8	20.8	0.8	0.5	0.5
31	1-2	1.7	1.6	1.6	3.6	3.2	4.8	4.8	4.7	2.2	2.3
	3	12.4	8.3	9.5	13.5	34.7	15.2	15.3	10.1	10.9	10.9
	4	7.6	3.5	4.8	11.0	15.5	11.2	11.2	0.6	2.4	2.4
	5	0.7	0.2	0.3	2.3	4.8	4.0	4.0	-	0.1	0.1
	6	*	*	*	0.2	0.5	0.6	0.6	-	*	*
	7	-	-	-	*	-	*	*	-	*	*
	TOTAL	22.4	13.6	16.3	30.6	58.8	35.7	35.8	15.5	15.6	15.6
41	1-2	0.4	0.5	0.4	0.5	-	0.1	0.1	1.8	1.3	1.3
	3	8.7	12.1	11.1	1.6	0.4	1.4	1.4	15.4	21.6	21.6
	4	11.9	14.1	13.4	3.5	2.7	5.0	5.0	3.0	13.9	13.9
	5	3.6	2.2	2.6	2.0	7.5	6.1	6.1	*	1.2	1.2
	6	0.2	*	0.1	0.5	5.2	2.3	2.3	-	0.1	0.1
	7	*	*	*	0.1	0.8	0.3	0.3	-	*	*
	TOTAL	24.8	28.9	27.7	8.3	16.6	15.1	15.1	20.2	38.1	38.0
51	1-2	0.1	0.1	0.1	*	-	*	*	0.1	0.1	0.1
	3	1.6	1.8	1.7	*	-	*	*	1.3	1.5	1.5
	4	2.3	3.4	3.1	*	-	*	*	0.4	2.0	2.0
	5	1.1	1.3	1.2	*	-	*	*	*	0.6	0.6
	6	0.1	0.1	0.1	*	-	*	*	-	0.1	0.1
	7	*	*	*	*	-	*	*	-	*	*
	TOTAL	5.2	6.6	6.2	0.1	-	*	*	1.8	4.2	4.2
61	1-2	*	*	*	-	-	-	-	-	*	*
	3	*	*	*	-	-	-	-	-	*	*
	4	*	*	*	*	-	*	*	-	*	*
	5	*	*	*	*	-	-	-	-	*	*
	6	-	*	*	-	-	*	*	-	*	*
	7	-	*	*	-	-	-	-	-	*	*
	TOTAL	*	*	*	*	-	*	*	-	*	*
71	1-2	-	-	-	-	-	*	*	-	*	*
	3	-	-	-	-	-	-	-	-	*	*
	4	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	-	-	*	*	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	*	*	-	*	*
	TOTAL	-	-	-	-	-	*	*	-	*	*
12 & 22	1-2	*	*	*	5.7	0.1	5.7	5.7	-	*	*
	3	*	*	*	3.7	0.1	4.4	4.4	*	*	*
	4	*	*	*	1.1	-	1.2	1.2	-	*	*
	5	-	-	-	*	-	0.2	0.2	-	*	*
	6	-	-	-	*	-	*	*	-	-	-
	7	-	-	-	-	-	*	*	-	-	-
	TOTAL	*	*	*	10.5	0.2	11.5	11.5	*	0.1	0.1
32	1-2	0.2	0.3	0.2	0.6	0.2	1.0	1.0	0.3	0.2	0.2
	3	2.6	2.9	2.8	2.6	2.9	4.5	4.5	1.6	2.3	2.3
	4	3.5	2.5	2.8	3.2	4.8	4.2	4.2	0.2	1.0	1.0
	5	1.1	0.4	0.6	0.8	3.9	2.0	2.0	-	0.1	0.1
	6	*	*	*	0.1	0.8	0.3	0.3	-	*	*
	7	-	-	-	*	0.1	*	*	-	*	*
	TOTAL	7.4	6.1	6.5	7.1	12.7	11.9	12.0	2.1	3.6	3.5
42	1-2	0.5	0.5	0.5	*	-	*	*	0.9	0.3	0.3
	3	7.3	9.1	8.6	0.1	-	0.4	0.4	18.4	11.0	11.0
	4	11.3	14.6	13.6	0.4	0.4	1.1	1.1	8.7	13.4	13.4
	5	4.6	4.0	4.2	0.4	3.9	1.3	1.3	0.3	1.9	1.9
	6	0.4	0.2	0.3	0.1	4.1	0.6	0.6	*	0.1	0.1
	7	-	*	*	*	2.5	0.1	0.1	-	*	*
	TOTAL	24.2	28.4	27.1	1.1	10.9	3.5	3.5	28.3	26.7	26.7
52	1-2	0.3	0.2	0.2	*	-	*	*	0.5	*	*
	3	3.1	3.6	3.4	*	-	*	*	8.8	1.9	1.9
	4	5.4	6.5	6.2	*	-	*	*	7.8	4.6	4.6
	5	3.8	2.8	3.1	*	-	*	*	0.9	1.6	1.6
	6	0.6	0.2	0.3	*	-	*	*	0.1	0.2	0.2
	7	*	*	*	*	-	*	*	*	*	*
	TOTAL	13.3	13.3	13.3	*	-	*	*	18.1	8.3	8.3

Table 25. -- Continued.

Color	Leaf	HAYTI			LAMESA	LUBBOCK			MACON		
		Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
62	1-2	*	-	*	-	-	*	*	-	*	*
	3	*	*	*	-	-	*	*	0.2	*	*
	4	*	*	*	*	-	*	*	0.5	*	*
	5	*	*	*	-	-	*	*	0.2	*	*
	6	*	*	*	-	-	*	*	-	*	*
	7	*	*	*	*	-	*	*	-	*	*
	TOTAL		0.1	*	0.1	*	-	*	*	0.9	0.1
13 & 23	1-2	-	*	*	0.1	-	0.1	0.1	-	*	*
	3	*	-	*	0.1	-	0.1	0.1	-	*	*
	4	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	*	-	*	*	-	*	*
	6	-	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	TOTAL		*	*	*	0.3	-	0.2	0.2	-	*
33	1-2	*	*	*	*	-	0.1	0.1	-	*	*
	3	0.1	0.1	0.1	0.1	-	0.2	0.2	-	0.1	0.1
	4	0.1	0.1	0.1	0.1	-	0.2	0.2	-	*	*
	5	*	*	*	*	-	0.1	0.1	-	*	*
	6	-	*	*	*	-	*	*	-	*	*
	7	-	-	-	*	-	*	*	-	*	*
	TOTAL		0.2	0.3	0.2	0.3	-	0.6	0.6	-	0.1
43	1-2	*	*	*	*	-	*	*	*	*	*
	3	0.2	0.5	0.4	*	-	*	*	0.5	0.5	0.5
	4	0.5	0.7	0.6	*	-	0.1	0.1	0.3	0.7	0.7
	5	0.1	0.1	0.1	*	-	0.1	0.1	*	0.1	0.1
	6	*	*	*	*	-	*	*	-	*	*
	7	*	-	*	-	-	*	*	-	*	*
	TOTAL		0.9	1.4	1.2	*	-	0.2	0.2	0.8	1.3
53	1-2	*	*	*	*	-	*	*	*	*	*
	3	0.1	0.1	0.1	*	-	*	*	2.5	0.3	0.3
	4	0.5	0.4	0.4	*	-	*	*	3.0	0.7	0.7
	5	0.3	0.2	0.2	-	-	*	*	0.5	0.3	0.3
	6	0.1	*	*	-	-	*	*	-	*	*
	7	-	*	*	-	-	*	*	-	*	*
	TOTAL		1.0	0.8	0.9	*	-	*	*	6.0	1.3
63	1-2	-	-	-	-	-	*	*	*	*	*
	3	*	*	*	-	-	*	*	0.9	*	*
	4	*	*	*	-	-	*	*	1.7	*	*
	5	*	*	*	-	-	*	*	0.3	*	*
	6	*	*	*	-	-	*	*	*	*	*
	7	-	*	*	-	-	*	*	-	*	*
	TOTAL		*	*	*	-	-	*	*	3.0	0.1
24-54	1-7	0.1	0.2	0.2	0.1	-	0.1	0.1	0.7	0.1	0.1
25-35	1-7	-	-	-	-	-	*	*	-	*	*
81-85 1/	1-7	*	*	*	*	-	*	*	1.7	*	*
8 2/	*	*	*	*	*	-	*	*	-	*	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
STAPLE											
28 & SHORTER		-	-	-	*	-	0.1	0.1	-	-	-
29		-	-	-	0.1	-	0.3	0.3	*	*	*
30		-	-	-	0.5	0.8	1.4	1.4	-	*	*
31		*	*	*	3.3	6.6	6.0	6.0	0.3	0.3	0.3
32		0.5	0.1	0.3	14.8	16.1	18.9	18.9	5.8	4.4	4.4
33		5.9	5.1	5.3	32.2	25.3	33.8	33.8	30.4	23.0	23.0
34		32.7	26.1	28.1	27.4	32.6	25.9	25.9	42.6	41.0	41.0
35		44.5	42.4	43.1	13.9	15.6	10.2	10.2	17.1	23.9	23.8
36		14.7	22.1	19.9	5.9	2.8	2.8	2.8	3.1	6.0	6.0
37		1.6	4.0	3.3	1.7	0.1	0.6	0.6	0.7	1.3	1.3
38 & LONGER		0.1	0.1	0.1	0.1	-	*	*	0.1	0.1	0.1
All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.7	34.9	34.9	33.6	33.4	33.2	33.2	33.8	34.1	34.1

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1998 crop.

MEMPHIS

PHOENIX

Color	Leaf	MEMPHIS				PHOENIX				Classing Office Total
		Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	
11 & 21	1-2	0.5	0.3	2.3	1.3	56.1	53.1	21.2	22.6	51.7
	3	0.9	0.4	2.4	1.5	4.1	2.2	6.3	0.8	4.0
	4	0.1	*	0.1	0.1	0.2	*	1.3	0.3	0.3
	5	*	-	*	*	*	-	0.2	-	*
	6	-	-	*	*	*	-	*	-	*
	7	-	-	-	-	*	-	*	*	*
	TOTAL	----	1.5	0.8	4.9	2.9	60.4	55.3	29.0	23.8
31	1-2	1.0	3.8	2.6	2.0	17.6	32.6	23.6	55.4	20.6
	3	9.7	18.6	16.8	13.8	7.2	3.7	12.6	5.5	7.3
	4	7.0	6.8	7.7	7.3	1.6	1.5	7.2	0.5	2.0
	5	2.1	0.9	1.7	1.8	0.4	0.4	3.3	0.1	0.6
	6	0.2	0.1	0.1	0.1	0.1	*	0.6	*	0.1
	7	*	*	-	*	*	*	0.1	-	*
	TOTAL	----	20.0	30.2	28.8	25.0	26.8	38.2	47.4	61.5
41	1-2	0.3	2.4	1.4	1.0	1.5	2.3	6.2	9.6	2.3
	3	9.3	18.0	14.8	12.6	1.7	0.5	4.2	2.2	1.8
	4	14.0	18.5	15.9	15.3	0.8	0.6	4.2	0.8	1.1
	5	5.2	8.8	4.9	5.4	0.5	0.2	3.4	0.2	0.7
	6	0.8	1.3	0.4	0.6	0.1	0.1	1.1	0.1	0.2
	7	*	0.1	*	*	*	*	0.2	-	*
	TOTAL	----	29.6	49.0	37.4	35.0	4.7	3.7	19.3	12.8
51	1-2	0.1	0.2	0.1	0.1	*	*	*	0.7	*
	3	1.7	1.7	1.0	1.4	*	*	*	0.1	*
	4	2.6	2.8	1.3	2.0	*	*	0.1	0.1	*
	5	1.6	3.8	0.9	1.5	*	-	0.1	-	*
	6	0.2	1.5	0.1	0.3	*	*	0.1	*	*
	7	*	0.1	*	*	*	-	*	*	*
	TOTAL	----	6.3	10.0	3.4	5.4	0.1	*	0.4	0.8
61	1-2	*	-	*	*	-	-	-	*	*
	3	*	*	*	*	-	-	*	*	*
	4	*	*	*	*	-	-	*	-	*
	5	*	*	*	*	-	-	*	-	*
	6	*	*	*	*	-	-	*	-	*
	7	*	*	*	*	-	-	*	-	*
	TOTAL	----	0.1	0.1	*	0.1	*	-	*	*
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	*	-	-	*	-	-	-	-	-
	6	*	-	-	*	-	-	-	-	-
	7	*	*	*	*	-	-	-	-	-
	TOTAL	----	*	*	*	*	*	-	*	*
12 & 22	1-2	*	*	0.2	0.1	1.4	0.2	0.3	0.3	1.1
	3	0.1	*	0.3	0.2	0.6	0.1	0.9	*	0.6
	4	*	*	0.1	0.1	0.1	*	0.4	*	0.1
	5	*	*	*	*	*	-	0.1	-	*
	6	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	-	*
	TOTAL	----	0.2	*	0.5	0.3	2.1	0.3	1.6	0.4
32	1-2	0.2	*	0.2	0.2	0.4	0.2	0.2	0.3	0.3
	3	3.8	0.5	2.9	3.1	1.0	0.6	0.6	0.2	0.9
	4	3.0	0.5	2.7	2.6	1.4	0.9	0.5	*	1.2
	5	1.0	0.2	1.1	1.0	0.7	0.3	0.3	*	0.6
	6	0.1	*	0.1	0.1	0.1	*	*	-	0.1
	7	*	-	*	*	*	*	*	-	*
	TOTAL	----	8.2	1.3	7.2	7.0	3.7	2.0	1.5	0.5
42	1-2	0.3	0.1	0.3	0.2	0.1	*	*	*	*
	3	7.1	0.9	3.5	4.9	0.2	0.1	0.1	*	0.2
	4	12.0	2.4	6.9	8.7	0.4	0.2	0.1	*	0.4
	5	4.1	2.0	3.1	3.4	0.8	0.1	0.1	*	0.6
	6	0.6	0.6	0.4	0.5	0.4	*	*	-	0.3
	7	*	*	*	*	*	-	*	-	*
	TOTAL	----	24.0	5.9	14.2	17.8	1.8	0.4	0.4	0.1
52	1-2	*	*	*	*	*	-	*	-	*
	3	2.3	0.2	0.5	1.3	*	-	*	-	*
	4	3.6	0.6	1.1	2.2	*	-	*	-	*
	5	2.0	0.8	0.8	1.4	*	-	*	-	*
	6	0.2	0.6	0.2	0.3	*	-	*	-	*
	7	*	0.1	*	*	*	-	*	-	*
	TOTAL	----	8.2	2.3	2.7	5.2	0.1	-	0.1	*

Table 26. -- Continued.

MEMPHIS						PHOENIX				
Color	Leaf	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	*	*	-	*	-	-	-	-	-
	3	*	*	*	*	-	-	-	-	-
	4	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	-	-	*	-	*
	6	*	*	*	*	-	-	*	-	*
	7	*	*	*	*	-	-	-	-	-
	TOTAL	----	0.1	0.1	0.1	0.1	*	-	*	-
13 & 23	1-2	-	-	-	-	*	*	*	-	*
	3	*	-	*	*	*	-	*	-	*
	4	-	-	*	*	*	-	*	-	*
	5	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-
	TOTAL	----	*	-	*	*	*	*	-	*
33	1-2	*	-	*	*	*	-	*	*	*
	3	0.1	*	0.1	0.1	*	-	*	-	*
	4	0.1	*	*	*	*	-	*	-	*
	5	*	-	*	*	*	-	*	-	*
	6	*	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-
	TOTAL	----	0.2	*	0.1	0.1	0.1	-	*	*
43	1-2	*	-	*	*	*	-	*	-	*
	3	0.3	*	0.1	0.2	*	-	*	-	*
	4	0.5	*	0.2	0.3	*	*	*	-	*
	5	0.1	0.1	0.1	0.1	*	-	*	-	*
	6	*	*	*	*	*	-	*	-	*
	7	-	*	*	*	*	-	-	-	*
	TOTAL	----	0.9	0.2	0.4	0.6	0.1	*	*	-
53	1-2	*	-	*	*	*	-	*	-	*
	3	0.1	*	*	*	*	-	*	-	*
	4	0.3	*	0.1	0.2	*	-	-	-	*
	5	0.2	*	0.1	0.1	*	-	*	-	*
	6	*	*	*	*	*	-	*	-	*
	7	*	*	*	*	*	-	-	-	*
	TOTAL	----	0.5	0.1	0.2	0.3	*	-	*	-
63	1-2	-	-	-	-	-	-	-	-	-
	3	*	*	-	*	-	-	-	-	-
	4	*	*	*	*	-	-	-	-	-
	5	*	-	*	*	-	-	-	-	-
	6	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-
	TOTAL	----	*	*	*	*	*	-	-	*
24-54	1-7	0.1	*	*	0.1	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	*	*	*	*	-	-	*	*	*
	8 2/	*	*	*	*	0.1	*	0.1	*	0.1
TOTAL, ALL	----	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

STAPLE										
28 & SHORTER										
	29	-	-	-	-	*	-	-	-	*
	30	-	-	-	-	*	-	*	-	*
	31	-	-	-	-	0.1	*	*	*	0.1
	32	0.2	4.6	2.0	1.4	0.9	0.4	0.7	0.3	0.8
	33	4.2	20.9	14.2	10.3	4.0	6.7	3.6	2.5	4.1
	34	28.7	36.8	38.2	33.7	13.9	29.2	6.7	15.6	14.5
	35	46.0	27.9	33.6	38.7	30.3	42.1	16.2	42.4	30.4
	36	17.7	8.3	10.5	13.5	32.6	16.9	24.3	27.5	30.5
	37	3.1	1.4	1.5	2.2	16.5	4.4	30.1	8.4	16.5
38 & LONGER										
		0.2	0.1	0.1	0.2	1.7	0.3	18.3	3.3	3.0

All staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.9	34.2	34.4	34.6	35.5	34.8	36.3	35.3	35.5

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 27. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1998 crop.

Color	Leaf	RAYVILLE			Classing Office Total	VISALIA California
		Arkansas	Louisiana	Mississippi		
11 & 21	1-2	0.5	0.9	0.3	0.9	14.0
	3	0.3	0.2	0.1	0.2	11.0
	4	-	*	-	*	1.4
	5	-	-	-	-	0.1
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL		0.7	1.1	0.4	1.1
31	1-2	0.3	3.7	5.4	3.7	6.2
	3	0.3	10.5	14.6	10.5	23.5
	4	0.4	1.2	1.3	1.2	13.5
	5	-	*	*	*	2.4
	6	-	*	-	*	0.2
	7	-	*	-	*	*
	TOTAL		1.0	15.4	21.3	15.5
41	1-2	0.4	2.0	0.8	1.9	0.8
	3	10.4	21.4	36.9	21.7	5.9
	4	8.5	11.4	17.8	11.5	7.9
	5	0.9	1.5	2.1	1.5	3.1
	6	-	0.1	0.3	0.1	0.6
	7	-	*	0.1	*	0.1
	TOTAL		20.1	36.4	58.1	36.7
51	1-2	0.6	*	*	*	*
	3	8.7	0.4	1.0	0.5	0.3
	4	5.4	0.7	2.7	0.8	0.5
	5	0.5	0.3	1.8	0.3	0.4
	6	0.1	*	0.5	0.1	0.1
	7	-	*	0.1	*	*
	TOTAL		15.3	1.5	6.1	1.7
61	1-2	-	*	-	*	*
	3	0.1	*	-	*	*
	4	*	*	-	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL		0.1	*	-	*
71	1-2	-	-	-	-	*
	3	-	-	-	-	*
	4	-	-	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL		-	-	-	-
12 & 22	1-2	0.1	*	-	*	0.2
	3	-	*	-	*	0.3
	4	-	*	-	*	0.1
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL		0.1	0.1	-	0.1
32	1-2	0.2	0.4	0.1	0.4	0.2
	3	0.2	3.7	0.2	3.7	1.5
	4	0.2	1.2	0.1	1.2	1.1
	5	-	0.1	*	0.1	0.2
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL		0.6	5.5	0.4	5.4
42	1-2	1.1	0.8	*	0.8	*
	3	13.9	13.7	2.6	13.5	0.5
	4	7.7	13.8	7.1	13.7	0.8
	5	0.9	3.0	1.3	3.0	0.4
	6	-	0.3	*	0.3	0.1
	7	-	*	-	*	*
	TOTAL		23.6	31.7	11.0	31.2
52	1-2	1.5	0.1	-	0.1	*
	3	22.8	1.1	0.2	1.2	0.1
	4	9.4	2.1	1.6	2.1	0.1
	5	0.6	0.8	0.2	0.8	0.1
	6	*	0.2	*	0.2	*
	7	-	*	-	*	*
	TOTAL		34.3	4.3	2.0	4.4

Table 27. -- Continued.

		RAYVILLE			VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California
62	1-2	0.2	*	-	*	*
	3	0.2	*	-	*	*
	4	*	*	-	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL		0.4	*	-	*
13 & 23	1-2	-	-	-	-	*
	3	-	-	-	-	*
	4	-	-	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
	TOTAL		-	-	-	-
33	1-2	-	*	-	*	0.1
	3	-	0.1	-	0.1	0.4
	4	-	*	-	*	0.2
	5	-	*	-	*	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	TOTAL		-	0.2	-	0.2
43	1-2	-	0.1	-	*	*
	3	0.3	1.1	0.2	1.1	0.2
	4	0.2	1.4	0.2	1.3	0.2
	5	-	0.2	*	0.2	0.1
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL		0.6	2.7	0.4	2.7
53	1-2	0.3	*	-	*	*
	3	1.7	0.2	*	0.2	*
	4	1.0	0.5	0.1	0.5	*
	5	0.1	0.2	*	0.2	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	TOTAL		3.1	0.9	0.2	0.9
63	1-2	-	*	-	*	-
	3	0.1	*	-	*	*
	4	0.1	*	-	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	TOTAL		0.2	*	-	*
24-54	1-7	-	0.1	*	0.1	0.3
25-35	1-7	-	-	-	-	*
81-85 1/	1-7	-	*	-	*	*
	8 2/	-	*	0.1	*	*
TOTAL, ALL		100.0	100.0	100.0	100.0	100.0
=====						
STAPLE						
28 & SHORTER		-	-	-	-	-
29		-	-	-	-	-
30		-	*	-	*	-
31		0.8	0.1	*	0.1	-
32		8.6	2.6	0.4	2.6	*
33		22.8	13.6	3.2	13.4	*
34		37.5	37.0	18.5	36.6	0.8
35		24.1	33.1	42.7	33.3	4.8
36		5.4	10.9	31.4	11.3	20.9
37		0.7	2.5	3.8	2.5	54.7
38 & LONGER		-	0.2	0.1	0.2	18.7

All staples		100.0	100.0	100.0	100.0	100.0

Average staple		33.9	34.4	35.1	34.5	36.9

1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1998 crop.

		ABILENE			BIRMINGHAM			CORPUS CHRISTI
Mike and Fiber Strength		Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas
Mike	24 & below	-	-	-	*	-	*	*
	25	*	*	*	*	*	*	*
	26	*	*	*	*	*	*	*
	27	*	*	*	*	*	*	*
	28	0.1	*	0.1	0.1	*	0.1	*
	29	0.3	0.1	0.2	0.1	0.1	0.1	*
	30	0.3	0.1	0.2	0.2	0.1	0.2	*
	31	0.3	0.2	0.3	0.2	0.1	0.2	*
	32	0.4	0.4	0.5	0.4	0.1	0.3	0.1
	33	0.5	0.6	0.7	0.5	0.2	0.5	0.1
	34	0.7	0.8	0.9	0.6	0.2	0.6	0.2
	35	1.1	1.4	1.5	1.1	0.3	1.1	0.5
	36	1.5	2.0	1.9	1.4	0.3	1.3	0.7
	37	1.9	2.7	2.6	1.9	0.5	1.7	1.0
	38	2.4	3.8	3.5	2.7	0.8	2.5	1.2
	39	3.3	4.8	4.4	3.3	1.2	3.1	1.6
	40	4.1	5.9	5.5	4.9	1.8	4.6	2.2
	41	5.1	6.8	6.3	6.3	2.5	6.0	3.1
	42	6.2	7.6	7.2	7.7	4.1	7.4	4.1
	43	7.5	8.3	8.0	10.0	6.3	9.6	5.4
	44	8.3	8.7	8.5	10.1	8.5	10.0	7.4
	45	9.2	8.9	8.9	10.0	11.1	10.1	9.2
	46	9.8	8.6	8.8	9.8	13.3	10.1	10.7
	47	9.0	7.8	8.0	8.2	12.1	8.5	11.7
	48	7.5	6.8	6.9	7.3	11.3	7.7	11.2
	49	6.4	5.4	5.6	5.0	8.0	5.3	9.6
	50	4.8	3.8	4.0	3.5	6.7	3.8	7.5
	51	3.8	2.4	2.7	2.4	4.9	2.6	6.0
	52	3.1	1.4	1.9	1.3	2.9	1.4	2.8
	53	1.3	0.4	0.7	0.6	1.4	0.7	1.9
	54	0.8	0.1	0.3	0.3	0.6	0.3	1.0
	55	0.5	0.1	0.2	0.1	0.3	0.1	0.5
	56	-	-	-	*	0.1	*	0.3
	57	*	-	*	*	-	*	0.1
	58	-	-	-	-	-	-	*
	59	*	-	*	-	-	-	*
	60 & above	*	-	*	-	-	-	*
Average mike		45	44	44	44	46	44	46
Fiber Strength 1/	17 & below	-	-	-	*	-	*	-
	18	-	*	*	-	-	-	-
	19	*	*	*	-	-	-	-
	20	*	0.1	0.1	*	-	*	*
	21	0.1	0.2	0.2	*	-	*	*
	22	0.5	0.6	0.6	*	0.2	0.1	0.3
	23	1.2	1.8	1.9	0.5	2.9	0.8	1.9
	24	2.4	4.0	3.9	2.9	12.9	3.9	7.3
	25	4.1	7.0	6.6	9.4	23.5	10.7	16.9
	26	8.4	11.6	10.9	18.4	24.8	19.0	24.3
	27	17.9	18.5	18.2	24.4	18.8	23.9	23.7
	28	26.4	22.0	22.9	22.0	10.0	20.9	14.8
	29	22.3	17.6	18.6	13.5	4.3	12.6	7.1
	30	10.3	10.5	10.2	6.1	1.8	5.6	2.7
	31	4.2	4.6	4.4	2.0	0.6	1.9	0.9
	32	1.7	1.4	1.4	0.6	0.1	0.5	0.2
	33	0.4	0.1	0.2	0.1	*	0.1	*
	34	0.1	*	0.1	*	*	*	*
	35	*	*	*	*	*	*	*
	36 & above	*	*	*	*	-	*	-
Average strength		28.0	27.6	27.7	27.3	26.0	27.2	26.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1998 crop.

		DUMAS			FLORENCE			
Mike and Fiber Strength		Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Mike	24 & below	-	-	-	*	*	-	*
	25	*	*	*	*	*	-	*
	26	*	*	*	*	*	-	*
	27	*	*	*	*	0.1	-	*
	28	*	*	*	*	0.1	*	*
	29	*	*	*	*	0.1	*	*
	30	*	*	*	*	0.3	*	0.1
	31	*	0.1	*	*	0.2	*	0.1
	32	*	0.1	0.1	0.1	0.3	*	0.1
	33	0.1	0.2	0.1	0.1	0.5	*	0.2
	34	0.1	0.2	0.1	0.1	0.5	*	0.2
	35	0.2	0.4	0.3	0.2	0.9	*	0.4
	36	0.3	0.5	0.4	0.4	1.2	0.1	0.5
	37	0.5	0.7	0.6	0.6	2.0	0.1	0.9
	38	0.7	1.0	0.8	1.1	3.4	0.2	1.5
	39	1.1	1.4	1.3	1.5	4.1	0.2	1.9
	40	1.9	2.1	2.0	2.4	6.2	0.5	3.1
	41	3.3	3.3	3.3	3.2	7.6	0.9	4.0
	42	5.2	4.9	5.1	4.4	8.9	1.5	5.2
	43	7.8	7.0	7.4	6.4	10.5	2.6	7.0
	44	10.2	9.6	9.9	7.4	9.9	4.1	7.7
	45	12.6	11.9	12.2	8.0	9.0	5.6	8.0
	46	13.6	12.8	13.2	9.5	8.6	8.0	9.2
	47	12.8	12.1	12.5	10.1	7.2	10.1	9.5
	48	10.6	10.6	10.6	11.1	6.2	13.4	10.2
	49	7.7	8.2	8.0	9.3	4.4	13.0	8.5
	50	4.9	5.2	5.0	7.3	2.8	11.5	6.6
	51	3.2	3.7	3.5	6.2	2.1	10.5	5.7
	52	2.2	2.5	2.3	4.4	1.3	7.8	4.0
	53	0.6	0.9	0.7	3.2	0.9	5.5	2.9
	54	0.3	0.3	0.3	1.6	0.5	2.8	1.5
	55	0.1	0.1	0.1	0.8	0.2	1.1	0.7
	56	*	*	*	0.5	0.1	0.6	0.4
	57	*	*	*	*	*	*	*
	58	*	*	*	*	-	-	*
	59	-	-	-	*	-	-	*
	60 & above	-	-	-	-	-	-	-
Average mike		46	46	46	47	44	49	46
Fiber Strength 1/								
	17 & below	-	-	-	-	-	-	-
	18	-	-	-	-	-	-	-
	19	-	-	-	-	-	-	-
	20	*	*	*	-	-	-	-
	21	*	*	*	-	*	-	*
	22	*	0.1	*	*	*	*	*
	23	0.3	0.4	0.3	0.3	0.2	0.2	0.2
	24	1.7	1.5	1.6	1.0	0.6	0.6	0.9
	25	6.1	4.8	5.5	5.9	3.1	4.9	5.2
	26	16.9	13.4	15.1	16.7	10.0	17.1	15.2
	27	28.4	25.4	26.9	23.5	17.8	27.1	22.5
	28	25.3	27.7	26.5	21.7	21.3	24.4	21.9
	29	12.8	16.4	14.6	15.1	19.2	14.4	15.9
	30	5.3	6.6	6.0	9.0	14.3	6.8	10.0
	31	2.1	2.7	2.4	4.8	8.7	3.1	5.5
	32	0.7	0.9	0.8	1.7	3.5	1.1	2.0
	33	0.2	0.2	0.2	0.3	0.8	0.2	0.4
	34	0.1	0.1	0.1	0.1	0.4	0.1	0.2
	35	*	*	*	*	0.1	*	*
	36 & above	*	*	*	-	-	-	-
Average strength		27.4	27.7	27.6	27.8	28.4	27.6	27.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 30. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1998 crop.

Mike and Fiber Strength	HAYTI			LAMESA	LUBBOCK			MACON		
	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
Mike 24 & below	-	-	-	*	-	*	*	-	*	*
25	-	*	*	*	-	0.1	0.1	-	*	*
26	*	*	*	*	-	0.1	0.1	-	*	*
27	*	*	*	0.1	-	0.2	0.2	-	*	*
28	*	*	*	0.1	-	0.3	0.3	-	*	*
29	*	*	*	0.2	-	0.5	0.5	-	*	*
30	0.1	*	*	0.5	0.2	0.9	0.9	-	*	*
31	0.1	*	0.1	0.7	-	1.2	1.2	-	0.1	0.1
32	0.2	0.1	0.1	1.0	0.5	1.7	1.7	-	0.1	0.1
33	0.3	0.1	0.1	1.4	2.4	2.2	2.2	-	0.1	0.1
34	0.3	0.1	0.2	1.7	5.1	2.7	2.7	-	0.1	0.1
35	0.5	0.3	0.3	2.1	7.4	3.3	3.3	*	0.3	0.3
36	0.6	0.5	0.5	2.9	9.3	3.8	3.8	*	0.4	0.4
37	0.8	0.8	0.8	3.7	8.9	4.4	4.4	0.1	0.6	0.6
38	1.2	1.4	1.3	4.3	8.7	4.9	4.9	0.2	1.0	1.0
39	1.5	2.1	1.9	4.9	8.2	5.5	5.5	0.4	1.5	1.5
40	2.3	3.0	2.8	5.4	10.2	5.9	5.9	0.6	2.3	2.3
41	3.1	4.0	3.7	6.2	12.2	6.4	6.4	1.9	3.5	3.5
42	4.9	4.6	4.7	7.1	10.0	6.8	6.8	5.0	5.0	5.0
43	6.5	6.0	6.2	8.2	8.3	7.3	7.3	10.5	6.8	6.8
44	9.0	7.5	8.0	8.8	4.4	7.4	7.4	11.6	8.9	9.0
45	11.1	9.6	10.0	9.2	2.2	7.5	7.5	12.9	10.7	10.7
46	12.0	11.3	11.5	9.0	1.5	7.1	7.1	12.7	12.4	12.4
47	11.9	12.2	12.1	7.6	0.4	6.3	6.3	11.4	13.0	13.0
48	10.8	12.0	11.6	5.8	-	5.1	5.1	10.9	11.7	11.7
49	8.8	9.6	9.4	4.1	-	3.7	3.7	8.5	9.0	9.0
50	6.3	7.1	6.8	2.6	0.1	2.3	2.3	6.3	5.9	5.9
51	4.5	4.6	4.6	1.3	-	1.3	1.3	4.1	3.4	3.4
52	2.0	2.0	2.0	0.6	-	0.6	0.6	1.9	1.8	1.8
53	0.6	0.7	0.7	0.2	-	0.2	0.2	0.6	1.0	1.0
54	0.3	0.4	0.3	0.1	-	0.1	0.1	0.1	0.2	0.2
55	0.1	0.1	0.1	*	-	*	*	*	0.1	0.1
56	*	*	*	*	-	*	*	*	*	*
57	*	*	*	*	-	*	*	*	*	*
58	*	-	*	-	-	*	*	-	*	*
59	-	-	-	-	-	-	-	-	*	*
60 & above	-	-	-	-	-	-	-	-	*	*
Average mike	46	46	46	43	39	42	42	46	46	46
Fiber Strength 1/ 17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	*	*
19	-	-	-	*	-	-	-	*	*	*
20	*	*	*	*	-	*	*	*	*	*
21	0.1	*	*	*	-	*	*	0.3	*	*
22	0.3	0.3	0.3	0.1	-	*	*	1.4	0.1	0.1
23	1.9	1.8	1.9	0.3	0.1	0.2	0.2	4.0	0.9	0.9
24	7.5	6.8	7.1	1.5	0.6	1.4	1.4	13.7	5.7	5.7
25	15.9	14.3	14.8	5.8	8.2	5.5	5.5	19.9	12.5	12.6
26	23.1	21.8	22.2	13.8	16.7	12.3	12.3	22.5	18.5	18.5
27	22.4	23.3	23.1	23.4	23.1	21.1	21.1	18.3	20.0	20.0
28	15.2	16.5	16.1	26.3	26.9	26.8	26.8	11.9	17.9	17.9
29	8.4	8.7	8.6	18.1	17.0	20.1	20.1	4.9	12.5	12.4
30	3.5	4.0	3.8	7.6	6.2	9.0	9.0	2.1	6.7	6.7
31	1.3	1.7	1.6	2.2	1.1	2.8	2.8	0.6	3.0	3.0
32	0.3	0.5	0.4	0.6	-	0.7	0.7	0.1	1.3	1.3
33	*	0.1	0.1	0.2	0.1	0.2	0.2	*	0.5	0.5
34	*	0.1	*	*	-	*	*	*	0.2	0.1
35	*	*	*	*	-	*	*	-	*	*
36 & above	*	*	*	*	-	*	*	*	*	*
Average strength	26.6	26.8	26.7	27.7	27.5	27.8	27.8	26.0	27.2	27.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 31. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1998 crop.

MEMPHIS					PHOENIX				
Mike and Fiber Strength	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
Mike 24 & below	-	-	-	-	0.1	0.2	0.4	0.2	0.1
25	-	-	-	-	0.1	0.4	0.5	0.3	0.2
26	*	*	*	*	0.2	0.4	0.8	0.2	0.2
27	*	*	*	*	0.2	0.5	1.1	0.3	0.3
28	*	0.1	*	*	0.3	0.6	1.4	0.5	0.4
29	*	0.1	0.1	0.1	0.4	0.5	2.0	0.6	0.6
30	*	0.1	0.1	0.1	0.4	0.6	2.2	0.5	0.6
31	*	0.3	0.2	0.1	0.5	0.7	3.2	0.6	0.8
32	0.1	0.3	0.2	0.2	0.6	0.7	4.3	0.8	0.9
33	0.1	0.5	0.4	0.3	0.8	0.6	4.8	1.4	1.1
34	0.2	0.6	0.6	0.4	0.9	0.7	5.5	1.8	1.3
35	0.2	0.7	0.7	0.5	1.0	0.8	6.3	2.1	1.5
36	0.3	0.9	0.9	0.6	1.1	1.0	7.0	3.3	1.7
37	0.4	1.0	1.2	0.8	1.3	1.0	7.5	4.1	1.9
38	0.6	1.3	1.7	1.2	1.5	1.3	7.9	5.0	2.2
39	1.0	1.7	2.5	1.7	1.9	1.3	7.7	7.1	2.5
40	1.5	2.5	3.8	2.6	2.1	2.1	7.6	9.2	2.8
41	2.3	3.7	5.2	3.7	2.6	3.2	7.0	9.8	3.3
42	3.5	5.4	6.9	5.2	3.2	4.0	6.3	12.9	3.8
43	5.5	7.0	8.5	7.0	3.8	4.4	5.1	11.4	4.2
44	8.0	8.6	9.7	8.8	4.4	5.5	4.0	10.8	4.7
45	10.2	10.1	10.5	10.3	5.3	6.7	2.5	7.7	5.2
46	11.5	11.0	10.8	11.1	6.4	8.8	1.7	4.5	6.1
47	12.0	10.6	10.1	11.0	7.7	10.4	1.1	2.2	7.2
48	11.4	9.5	8.9	10.1	9.2	8.7	0.7	1.3	8.2
49	9.9	8.0	7.1	8.4	9.9	7.4	0.5	0.5	8.6
50	7.9	6.3	4.8	6.3	10.1	8.1	0.4	0.2	8.7
51	5.7	4.6	2.7	4.3	8.7	9.0	0.2	0.5	7.7
52	3.9	3.0	1.5	2.7	6.8	5.7	0.2	0.2	5.9
53	2.6	1.6	0.7	1.7	4.6	2.6	0.1	0.1	3.9
54	0.7	0.3	0.1	0.4	2.6	1.5	0.1	0.1	2.2
55	0.2	0.1	0.1	0.1	1.2	0.4	0.1	0.1	1.0
56	*	*	*	*	0.2	0.1	*	*	0.2
57	*	*	-	*	0.1	*	*	*	*
58	-	-	-	-	*	*	-	-	*
59	-	-	-	-	*	-	*	-	*
60 & above	-	-	-	-	*	*	-	-	*
Average mike	46	45	44	45	47	46	38	46	45
Fiber Strength 1/ 17 & below	-	*	*	*	-	-	-	-	-
18	-	-	-	-	*	-	-	-	*
19	-	-	-	-	*	-	*	*	*
20	-	-	-	-	*	*	*	*	*
21	-	-	-	-	0.1	*	0.1	0.1	0.1
22	-	-	-	-	0.4	0.1	0.2	0.4	0.4
23	*	*	*	*	1.5	0.6	0.8	1.7	1.4
24	0.1	0.3	0.4	0.3	4.5	2.2	2.9	4.8	4.2
25	0.9	2.3	2.9	2.0	9.3	5.7	6.5	8.2	8.8
26	5.1	8.9	11.0	8.1	15.0	12.7	13.3	14.7	14.7
27	18.1	22.0	24.5	21.3	20.0	21.9	16.3	25.2	20.0
28	33.2	29.3	30.8	31.7	20.5	27.5	15.1	28.9	20.9
29	23.9	21.5	19.5	21.7	14.7	18.5	13.6	11.5	14.8
30	11.5	10.0	7.6	9.6	8.0	7.4	13.1	3.1	8.2
31	4.8	3.8	2.4	3.6	3.8	2.5	10.2	0.8	4.1
32	1.7	1.2	0.7	1.2	1.5	0.9	5.5	0.4	1.8
33	0.5	0.4	0.2	0.4	0.4	0.1	1.9	0.2	0.5
34	0.2	0.1	0.1	0.1	0.1	*	0.3	*	0.1
35	*	*	*	*	*	*	0.2	*	*
36 & above	*	*	*	*	-	-	-	-	-
Average strength	27.4	27.1	26.9	27.2	28.4	28.7	29.3	28.5	27.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 32. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1998 crop.

		RAYVILLE				VISALIA	
Mike and Fiber Strength		Arkansas	Louisiana	Mississippi	Classing Office Total	California	United States
Mike	24 & below	-	-	-	-	*	*
	25	-	-	-	-	*	*
	26	0.1	-	-	*	0.1	*
	27	0.2	*	-	*	0.2	0.1
	28	0.1	*	-	*	0.2	0.1
	29	-	*	-	*	0.3	0.2
	30	-	*	-	*	0.4	0.3
	31	*	*	*	*	0.5	0.4
	32	0.2	*	-	*	0.7	0.5
	33	0.1	*	-	*	0.9	0.7
	34	0.3	0.1	*	0.1	1.0	0.8
	35	0.4	0.1	-	0.1	2.0	1.2
	36	0.7	0.1	*	0.1	2.9	1.5
	37	1.0	0.1	0.1	0.2	4.2	1.9
	38	1.2	0.2	0.3	0.2	6.1	2.5
	39	1.4	0.3	0.8	0.3	8.5	3.1
	40	2.3	0.6	1.8	0.6	11.2	4.1
	41	3.0	1.0	3.2	1.0	13.1	5.1
	42	5.2	1.6	5.9	1.8	13.3	6.1
	43	10.0	2.8	9.5	3.0	11.7	7.3
	44	10.8	3.8	8.5	3.9	8.4	8.2
	45	10.3	5.0	7.9	5.1	5.1	8.8
	46	8.4	7.2	7.2	7.2	3.0	9.3
	47	10.2	9.3	6.8	9.2	2.1	9.1
	48	11.4	12.3	7.0	12.2	1.6	8.4
	49	8.1	12.2	7.6	12.1	1.2	6.8
	50	5.6	11.9	10.4	11.8	0.4	5.0
	51	3.9	11.2	12.1	11.2	0.3	3.7
	52	2.8	9.1	7.6	9.0	0.2	2.4
	53	1.6	6.4	2.4	6.3	0.1	1.3
	54	0.6	2.7	0.5	2.6	*	0.6
	55	0.2	1.6	0.2	1.5	*	0.3
	56	-	0.5	0.1	0.5	*	0.1
	57	-	*	-	-	*	*
	58	-	-	-	-	*	*
	59	-	-	-	-	-	*
	60 & above	-	-	-	-	-	*
Average mike		41	49	47	49	41	45
Fiber Strength 1/							
	17 & below	-	-	-	-	-	*
	18	-	-	-	-	-	*
	19	-	-	-	-	-	*
	20	-	*	-	*	*	*
	21	-	*	-	*	*	*
	22	0.4	*	-	*	*	0.1
	23	2.1	0.2	0.1	0.2	*	0.5
	24	8.6	1.2	0.6	1.3	*	2.5
	25	21.5	4.7	3.5	4.8	0.1	7.0
	26	28.7	13.5	11.2	13.6	0.3	14.5
	27	24.5	25.6	20.6	25.5	1.0	21.3
	28	10.2	26.0	25.5	25.9	2.0	21.0
	29	3.2	16.0	22.0	16.1	3.0	14.2
	30	0.7	7.3	11.0	7.3	4.1	7.2
	31	0.1	3.2	4.1	3.2	7.1	3.5
	32	*	1.5	1.2	1.5	14.2	2.2
	33	-	0.5	0.3	0.5	23.7	2.2
	34	-	0.1	*	0.1	24.7	2.1
	35	*	*	*	*	13.8	1.1
	36 & above	-	*	-	*	6.1	0.5
Average strength		28.1	27.8	28.1	27.8	33.0	28.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 33. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1998 crop.

Uniformity and Trash	ABILENE			BIRMINGHAM			CORPUS CHRISTI
	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas
Uniformity 1/							
72 & below	-	*	*	-	-	-	-
73	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-
75	*	*	*	*	*	*	-
76	*	*	*	*	0.1	*	*
77	0.2	0.6	0.5	0.4	0.7	0.5	*
78	1.8	3.8	3.4	2.4	4.2	2.6	0.6
79	6.7	13.2	11.8	8.5	13.5	9.0	5.2
80	16.0	26.6	23.9	20.9	27.6	21.6	20.0
81	27.8	30.3	29.3	31.3	30.1	31.2	32.6
82	29.6	18.5	21.2	24.7	18.4	24.1	29.1
83	15.2	6.2	8.5	10.0	4.9	9.5	10.9
84	2.5	0.8	1.3	1.6	0.5	1.5	1.5
85	*	*	*	*	*	*	*
86	-	-	-	*	*	*	-
87	-	-	-	*	-	*	-
88	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-
Average uniformity	81.3	80.8	80.8	81.0	80.6	81.0	81.2
Trash 2/							
00	*	0.2	0.2	*	*	*	*
01	25.3	21.3	22.1	5.8	1.0	5.4	35.0
02	33.5	26.3	28.0	17.7	6.3	16.6	38.2
03	17.4	20.0	19.2	22.6	14.8	21.9	16.4
04	8.3	13.2	12.0	20.1	19.7	20.0	6.3
05	4.9	8.1	7.4	14.8	18.8	15.2	2.6
06	3.0	4.6	4.3	9.2	15.5	9.8	0.7
07	2.1	2.7	2.6	5.8	11.7	6.4	0.4
08	1.4	1.5	1.6	1.4	3.9	1.7	0.1
09	1.0	0.9	1.0	1.0	3.3	1.2	0.1
10	0.8	0.5	0.6	0.6	2.1	0.7	*
11	0.4	0.2	0.3	0.4	1.3	0.5	*
12	0.4	0.2	0.2	0.2	0.9	0.3	*
13	0.3	0.1	0.2	0.1	0.4	0.1	*
14	0.2	0.1	0.1	0.1	0.3	0.1	*
15	0.2	0.1	0.1	*	0.1	*	*
16	0.1	*	0.1	*	*	*	*
17	0.1	*	*	*	-	*	*
18 & above	0.4	0.1	0.2	*	-	*	*
Average trash	0.30	0.31	0.31	0.40	0.52	0.41	0.21

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 34. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1998 crop.

Uniformity and Trash	DUMAS			FLORENCE			
	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Uniformity 1/ 72 & below	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-
74	-	*	*	-	*	-	*
75	-	*	*	*	*	-	*
76	*	*	*	*	*	-	*
77	*	*	*	*	*	*	*
78	0.2	0.3	0.2	0.2	0.7	0.1	0.3
79	2.0	2.1	2.0	2.3	4.9	0.9	2.8
80	10.3	10.1	10.2	11.9	18.0	6.3	12.7
81	31.5	30.1	30.8	29.2	31.7	20.7	29.0
82	38.4	39.0	38.7	34.9	29.5	36.3	33.8
83	15.1	16.0	15.5	18.1	13.0	27.8	17.8
84	2.4	2.2	2.3	3.3	2.1	7.6	3.4
85	0.1	0.1	0.1	0.1	0.1	0.3	0.1
86	*	*	*	*	*	-	*
87	*	*	*	-	-	-	-
88	*	-	*	-	-	-	-
89	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-
Average uniformity	81.6	81.6	81.6	81.6	81.3	82.1	81.6
Trash 2/ 00	-	*	*	*	0.1	*	*
01	0.9	3.1	2.0	4.3	7.2	3.0	4.8
02	11.4	19.5	15.5	15.6	17.5	14.1	15.9
03	25.0	28.1	26.6	22.4	21.5	23.8	22.3
04	24.6	22.3	23.5	20.7	18.7	23.3	20.5
05	16.7	13.4	15.0	14.9	13.4	16.0	14.6
06	9.5	6.7	8.1	9.4	8.6	9.3	9.2
07	5.2	3.3	4.3	5.4	5.3	5.0	5.4
08	2.9	1.6	2.2	3.1	3.1	2.6	3.0
09	1.6	0.9	1.2	1.8	1.9	1.4	1.8
10	0.9	0.5	0.7	1.1	1.2	0.8	1.1
11	0.5	0.3	0.4	0.7	0.8	0.4	0.7
12	0.3	0.2	0.2	0.4	0.5	0.3	0.4
13	0.2	0.1	0.1	0.1	0.1	*	0.1
14	0.1	0.1	0.1	0.1	0.1	*	0.1
15	*	*	*	*	0.1	*	*
16	*	*	*	*	*	-	*
17	*	*	*	*	*	-	*
18 & above	*	*	*	*	*	*	*
Average trash	0.44	0.38	0.42	0.42	0.41	0.42	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 35. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1998 crop.

Uniformity and Trash	HAYTI			LAMESA	LUBBOCK			MACON		
	Arkansas	Missouri	Classing Office Total	Texas	New Mexico	Texas	Classing Office Total	Florida	Georgia	Classing Office Total
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	*	-	-	-	-	-	-
74	-	-	-	*	-	-	-	-	-	-
75	*	*	*	*	-	*	*	-	*	*
76	*	*	*	0.1	-	*	*	*	*	*
77	0.1	*	0.1	0.5	0.3	0.2	0.2	0.3	0.1	0.1
78	0.5	0.3	0.4	2.2	1.6	1.7	1.7	3.1	1.5	1.5
79	2.5	1.9	2.1	8.4	9.8	8.6	8.6	13.8	9.6	9.6
80	10.3	9.0	9.4	22.8	29.5	25.6	25.6	29.8	26.6	26.6
81	26.6	26.1	26.2	35.0	42.0	38.7	38.7	31.0	35.5	35.5
82	33.3	34.5	34.1	23.8	15.6	21.2	21.2	16.7	21.0	21.0
83	19.8	20.7	20.4	6.5	1.0	3.6	3.6	5.1	5.3	5.3
84	5.9	6.4	6.3	0.7	0.1	0.2	0.2	0.3	0.5	0.5
85	0.9	1.0	1.0	*	*	*	*	*	*	*
86	*	*	*	*	-	*	*	-	*	*
87	*	*	*	-	-	*	*	-	*	*
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.8	81.9	81.8	80.9	80.6	80.8	80.8	80.6	80.8	80.8
Trash 2/ 00	0.1	0.2	0.2	*	-	0.1	0.1	-	*	*
01	6.3	7.1	6.8	18.0	0.2	10.5	10.5	1.3	0.9	0.9
02	17.1	17.4	17.3	28.6	5.2	23.4	23.4	12.4	11.7	11.7
03	20.7	21.6	21.4	22.7	18.0	23.1	23.1	23.6	26.1	26.1
04	17.7	19.2	18.8	14.6	19.2	17.2	17.2	24.4	25.9	25.9
05	13.0	13.6	13.4	8.1	16.1	11.0	11.0	17.2	17.1	17.1
06	9.1	8.6	8.7	4.1	9.4	6.5	6.5	9.4	9.2	9.2
07	5.9	5.1	5.3	2.0	9.6	3.6	3.7	4.7	4.6	4.6
08	3.8	3.0	3.2	1.0	6.9	2.0	2.0	2.9	2.3	2.3
09	2.3	1.7	1.9	0.5	5.2	1.1	1.1	1.7	1.2	1.2
10	1.5	1.1	1.2	0.2	2.8	0.6	0.6	1.3	0.7	0.7
11	1.0	0.6	0.7	0.1	2.2	0.4	0.4	0.4	0.1	0.1
12	0.7	0.4	0.5	0.1	1.3	0.2	0.2	0.4	0.1	0.1
13	0.3	0.2	0.2	*	1.3	0.1	0.1	0.2	0.1	0.1
14	0.2	0.1	0.1	*	1.1	0.1	0.1	0.1	*	*
15	0.1	*	*	*	0.6	*	*	-	*	*
16	*	*	*	*	0.3	*	*	*	*	*
17	*	*	*	*	0.4	*	*	*	*	*
18 & above	*	*	*	*	0.1	*	*	*	*	*
Average trash	0.43	0.41	0.41	0.30	0.57	0.36	0.36	0.44	0.42	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 36. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1998 crop.

Uniformity and Trash	MEMPHIS				PHOENIX				
	Arkansas	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
Uniformity 1/									
72 & below	-	-	-	-	*	-	-	-	*
73	-	-	-	-	-	-	*	-	*
74	-	-	-	-	*	*	*	*	*
75	-	-	-	-	0.1	*	*	0.2	0.1
76	-	-	-	-	0.5	0.3	0.5	1.3	0.6
77	*	*	*	*	2.2	2.0	4.0	6.5	2.4
78	*	0.4	0.6	0.3	6.6	6.6	11.4	33.1	7.9
79	0.5	3.3	3.7	2.2	20.5	23.2	21.4	41.3	21.5
80	3.6	13.2	13.1	8.8	38.4	45.0	24.0	12.4	36.8
81	18.6	29.8	28.6	24.2	25.6	21.2	20.8	4.2	24.1
82	46.1	33.4	33.3	39.1	5.7	1.7	13.6	1.0	5.9
83	26.2	16.4	17.1	21.2	0.5	*	3.9	0.1	0.8
84	4.6	3.1	3.4	3.9	*	-	0.4	*	*
85	0.4	0.2	0.3	0.3	*	-	-	-	*
86	*	*	*	*	*	*	-	-	*
87	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.1	81.6	81.6	81.8	81.0	80.8	81.0	80.9	80.7
Trash 2/									
00	-	*	*	*	0.1	*	*	*	0.1
01	0.5	1.2	1.6	1.0	52.6	61.1	25.5	53.9	50.9
02	8.3	13.0	14.6	11.5	31.1	28.6	30.9	36.8	31.0
03	22.3	22.3	25.4	23.7	8.6	5.6	18.3	6.9	9.1
04	25.5	21.3	23.7	24.3	3.2	2.3	10.9	1.6	3.8
05	19.0	15.6	16.1	17.4	1.8	1.3	6.6	0.5	2.1
06	11.3	10.3	9.0	10.1	1.1	0.6	3.9	0.2	1.2
07	6.1	6.4	4.6	5.5	0.6	0.3	2.4	0.1	0.7
08	3.2	3.9	2.3	2.9	0.3	0.1	0.6	*	0.3
09	1.7	2.3	1.2	1.5	0.2	0.1	0.4	*	0.2
10	0.9	1.4	0.6	0.9	0.2	*	0.2	*	0.1
11	0.5	0.9	0.4	0.5	0.1	*	0.1	*	0.1
12	0.3	0.5	0.2	0.3	*	*	0.1	-	*
13	0.2	0.3	0.1	0.2	*	-	*	-	*
14	0.1	0.2	0.1	0.1	*	*	*	-	*
15	0.1	0.1	*	0.1	*	-	*	-	*
16	*	*	*	*	*	-	*	-	*
17	*	*	*	*	*	-	*	-	*
18 & above	*	0.1	*	*	*	-	0.1	-	*
Average trash	0.49	0.46	0.41	0.44	0.18	0.16	0.27	0.19	0.21

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 37. -- Percentage distribution of uniformity and trash for upland cotton classed, by classing office, 1998 crop.

Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	United States
Uniformity 1/ 72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	*	-	*	-	*
75	-	*	-	*	-	*
76	*	*	-	*	*	*
77	0.2	0.1	*	0.1	*	0.1
78	1.4	0.7	0.4	0.7	*	1.1
79	7.7	3.9	2.6	3.9	0.2	5.4
80	22.6	15.2	11.3	15.2	1.1	16.8
81	37.9	31.8	25.0	31.7	7.3	30.3
82	24.8	31.3	32.5	31.3	29.5	29.0
83	4.9	14.0	20.2	14.1	43.2	13.9
84	0.6	2.7	6.6	2.8	16.6	3.1
85	*	0.2	1.2	0.2	1.9	0.3
86	-	*	*	*	0.1	*
87	-	-	-	-	*	*
88	-	-	-	-	*	*
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
Average uniformity	79.7	81.4	81.8	81.4	82.7	81.4
Trash 2/ 00	0.1	0.1	0.1	0.1	*	*
01	2.0	7.2	4.6	7.1	9.6	10.1
02	12.7	22.1	16.6	22.0	31.1	20.6
03	23.6	24.8	23.1	24.7	27.9	23.1
04	23.5	18.4	20.9	18.4	16.0	18.7
05	17.7	11.5	13.3	11.6	8.0	12.2
06	9.2	6.8	8.0	6.9	3.8	6.9
07	5.0	4.0	5.4	4.0	2.0	3.8
08	3.1	2.3	3.5	2.4	0.7	2.0
09	1.4	1.4	2.1	1.5	0.4	1.1
10	1.0	0.9	1.5	1.0	0.2	0.7
11	0.3	0.1	0.3	0.1	0.1	0.3
12	0.2	0.1	0.3	0.1	0.1	0.2
13	0.1	0.1	0.2	0.1	*	0.1
14	*	*	0.1	*	*	0.1
15	*	*	0.1	*	*	*
16	0.1	*	*	*	*	*
17	-	*	*	*	*	*
18 & above	0.1	*	*	*	*	*
Average trash	0.16	0.37	0.42	0.37	0.31	0.37

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 38. -- Percentage distribution of grade, staple, mike and strength for American Pima cotton classed, by states and United States, 1998 crop.

Grade, staple and mike	State								United States	
	Arizona		California		New Mexico		Texas			
Grade	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
01	4,565	18.0	10,314	3.3	5	0.1	156	0.3	15,040	3.8
02	12,607	49.6	142,582	46.0	1,429	21.3	22,018	40.7	178,636	45.1
03	6,773	26.7	108,608	35.0	4,994	74.4	29,099	53.8	149,474	37.7
04	1,122	4.4	39,212	12.6	251	3.7	2,591	4.8	43,176	10.9
05	196	0.8	8,076	2.6	18	0.3	164	0.3	8,454	2.1
06	93	0.4	1,173	0.4	19	0.3	9		1,294	0.3
07	42	0.2	178	0.1	0	-	29	0.1	249	0.1
All grades	25,398		310,143		6,716		54,066		396,323	100.0
Staple										
40 and shorter	0	-	1	*	0	-	0	-	1	*
42	41	0.2	21	*	115	1.7	1,152	2.1	1,329	0.3
44	4,392	17.3	13,707	4.4	2,640	39.3	20,833	38.5	41,572	10.5
46	15,972	62.9	184,480	59.5	3,293	49.0	30,566	56.5	234,311	59.1
48 and longer	4,993	19.7	111,934	36.1	668	9.9	1,515	2.8	119,110	30.1
Average staple		46.0		46.6		45.3		45.2		46.4
Mike										
24 and below	0	-	4	*	0	-	14	*	18	*
25-26	12	*	106	*	13	0.2	124	0.2	255	0.1
27-29	200	0.8	1,901	0.6	98	1.5	1,213	2.2	3,312	0.8
30-32	901	3.5	9,701	3.1	316	4.7	2,669	4.9	13,587	3.4
33-34	1,012	4.0	10,312	3.3	557	8.3	2,540	4.7	14,421	3.6
35-36	1,561	6.1	18,874	6.1	885	13.2	4,730	8.7	26,050	6.6
37-42	18,864	74.3	193,663	62.4	3,979	59.2	36,921	68.3	253,427	63.9
43-49	2,848	11.2	75,673	24.4	868	12.9	5,855	10.8	85,244	21.5
50-52	0	-	9	*	0	-	0	-	9	*
53 and above	0	-	0	-	0	-	0	-	0	-
Average mike		39		40		38		39		40
Strength										
17 & below	0	-	0	-	0	-	0	-	0	-
18	0	-	0	-	0	-	0	-	0	-
19	0	-	0	-	0	-	0	-	0	-
20	0	-	0	-	0	-	0	-	0	-
21	0	-	0	-	0	-	0	-	0	-
22	0	-	0	-	0	-	0	-	0	-
23	0	-	0	-	0	-	0	-	0	-
24	0	-	0	-	0	-	0	-	0	-
25	0	-	0	-	0	-	0	-	0	-
26	0	-	0	-	0	-	0	-	0	-
27	0	-	0	-	0	-	0	-	0	-
28	0	-	2	*	0	-	0	-	2	*
29	0	-	11	*	0	-	0	-	11	*
30	1	*	27	*	1	*	21	*	50	*
31	6	*	45	*	10	0.1	69	0.1	130	*
32	17	0.1	77	*	27	0.4	119	0.2	240	0.1
33	46	0.2	493	0.2	50	0.7	537	1.0	1126	0.3
34	104	0.4	1671	0.5	211	3.1	1295	2.4	3281	0.8
35	327	1.3	4102	1.3	446	6.6	2388	4.4	7263	1.8
36	690	2.7	6766	2.2	797	11.9	5197	9.6	13450	3.4
37	1703	6.7	11243	3.6	1053	15.7	9789	18.1	23788	6.0
38	3155	12.4	18928	6.1	1149	17.1	13728	25.4	36960	9.3
39	4846	19.1	32632	10.5	993	14.8	11298	20.9	49769	12.6
40 & above	14503	57.1	234146	75.5	1979	29.5	9625	17.8	260253	65.7
Average strength		39.1		39.5		38.0		37.9		39.2
Extraneous matter	572	2.3	43,974	14.2	355	5.3	1,917	3.5	46,818	11.8

Less than 0.05 percent.

NOTE: Totals may not add due to rounding.