

## COTTON QUALITY - UNITED STATES 1999 Crop

Color. The predominant color of upland cotton classed from the 1999 crop was colors 11 & 21, accounting for 37 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Programs. Color 31 was predominant in 1998 and made up 30 percent of classings. In the white color grades, color 41 and better made up 86 percent of classings down from 71 percent in 1998. All white color grades accounted for 88 percent of the 1999 crop, up from 73 percent in 1998. Light Spotted color grades comprised 12 percent of classings, down from 26 percent in 1998. Spotted color grades made up about 1 percent of classings this season, down from 2 percent a year earlier. Tinged, Stained and Below color grades accounted for less than 1 percent of classings this season, the same as last year.

Leaf. The predominant leaf grade of cotton classed from the 1999 crop was leaf grade 3, accounting for 41 percent of upland classings. Leaf grade 3 was predominant a year earlier making up 40 percent of classings. Leaf grade 1-2 comprised the next highest percentage from the 1999 crop at 36 percent against 19 percent a year ago. Leaf grade 4 made up 19 percent of classings from this year's crop, compared with 30 percent in 1998. Leaf grade 5-7 made up about 3 percent of classings, down from 10 percent last year.

Staple. The average staple length of upland cotton classed from the 1999 crop was 34.1 thirty-seconds inches, down from 34.3 a year ago. The predominant staple length was 34, making up about 26 percent of classings. Staple 34 was the predominant length last year, accounting for 28 percent of classings. Staples 31 and shorter comprised 5 percent of classings this season, up from 3 percent in 1998. Staples 32 and 33, at 29 percent, was up from 24 percent the previous year. Staple 35 made up 22 percent of the crop, down from 25 percent last year. Staples 36 and longer accounted for 18 percent of classings, down from 20 percent the previous year.

Mike. The average mike of upland cotton classed from the 1999 crop was 44, down from 45 last year. Cotton with mike 34 and lower made up 4 percent of classings against 3 percent in 1998. Cotton miking 35 through 49 comprised 80 percent of the classings this season, down slightly from 83 percent a year ago. Cotton with mike 50 and higher made up 16 percent, up from 13 percent in 1998.

Strength. The average fiber strength of upland cotton classed from the 1999 crop was 28.3 grams per tex, compared with 28.0 in 1998. Strengths in the 19 and lower range accounted for less than 1 percent of classings, the same as last year. Less than 1 percent of classings had strengths in the 20 to 23 range, the same as the previous year. Cotton with strengths of 24 to 27 grams per tex accounted for 37 percent of classings, against 45 percent a year ago. Strengths in the 28 and higher range comprised 63 percent of classings, up from 54 percent a year ago.

American Pima. Grades 3 and better made up 99 percent of classings from the 1999 crop, up from 87 percent last year. Grade 2 was the predominant grade both years, accounting for 69 and 45 percent in 1999 and 1998, respectively. Grades 4 and lower comprised 1 percent of classings against 13 percent a year ago. The average staple length was 45.6 thirty-seconds inches, down from 46.4 last year. Staple 46 was the predominant length, comprising 61 percent of classings this season, and 59 percent in 1998. Average mike was 40, the same as last year. Average fiber strength was 38.7 grams per tex, down from 39.2 the previous year.

Ginnings of 1999-crop cotton in the United States totaled 16,527,500 running bales, according to a preliminary report released on March 24 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 15,878,000 bales of upland and 649,500 bales of American Pima cotton. The number of active cotton gins for crop year 1999 was 1,084 compared with 1,113 in 1998. Classings at AMS, Cotton Program Offices totaled 15,773,244 upland samples and 649,996 American Pima samples through March 23, 2000.

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed: 1999 crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	320	2,359	16,695	60,456	187,050	468,712	783,233	833,341	2,352,166
	3	115	1,064	7,985	30,123	83,391	186,202	290,244	265,567	864,691
	4	21	184	1,585	6,385	15,929	28,208	37,091	30,414	119,817
	5	-	12	157	652	1,801	2,641	2,356	1,802	9,421
	6	1	-	6	39	152	196	109	63	566
	7	-	1	1	3	14	18	8	4	49
	TOTAL----		457	3,620	26,429	97,658	288,337	685,977	1,113,041	1,131,191
31	1-2	59	458	2,416	6,879	22,914	102,194	250,111	345,980	731,011
	3	54	577	4,650	16,819	54,448	173,871	435,226	739,353	1,424,998
	4	24	357	3,151	12,811	35,808	73,402	125,689	188,022	439,264
	5	8	142	1,336	5,999	14,508	20,798	22,310	20,884	85,985
	6	5	33	334	1,515	3,668	4,297	3,120	1,899	14,871
	7	4	9	53	186	464	521	303	158	1,698
	TOTAL----		154	1,576	11,940	44,209	131,810	375,083	836,759	1,296,296
41	1-2	20	119	193	394	3,497	23,122	51,974	60,691	140,010
	3	4	134	475	1,596	17,921	108,696	336,250	570,912	1,035,988
	4	2	47	450	1,589	10,731	56,198	181,745	364,368	615,130
	5	1	19	313	1,198	3,562	7,575	16,452	32,930	62,050
	6	1	13	175	770	1,670	1,729	1,967	2,237	8,562
	7	1	3	73	237	529	504	491	383	2,221
	TOTAL----		29	335	1,679	5,784	37,910	197,824	588,879	1,031,521
51	1-2	-	3	6	39	394	1,608	2,341	1,818	6,209
	3	-	1	39	329	3,518	14,549	28,024	27,919	74,379
	4	-	-	34	373	4,064	16,573	34,486	40,872	96,402
	5	-	-	14	77	924	4,472	11,410	15,873	32,770
	6	-	-	20	24	66	370	1,049	1,674	3,203
	7	1	-	22	23	29	39	104	159	377
	TOTAL----		1	4	135	865	8,995	37,611	77,414	88,315
61	1-2	-	-	-	-	6	33	29	9	77
	3	-	-	1	9	71	221	349	199	850
	4	-	1	4	22	112	302	477	438	1,356
	5	-	1	-	6	71	147	325	412	962
	6	-	-	-	1	15	69	125	201	411
	7	-	-	-	-	4	3	17	30	54
	TOTAL----		-	2	5	38	279	775	1,322	1,289
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	6	6	3	15
	4	-	-	-	-	-	3	3	1	7
	5	-	-	-	-	1	1	2	1	5
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	1	1
	TOTAL----		-	-	-	-	1	10	11	8
12 & 22	1-2	74	483	2,133	5,866	14,956	31,909	45,259	41,572	142,252
	3	30	219	1,577	4,474	12,361	25,315	36,388	34,777	115,141
	4	6	49	381	1,378	3,271	5,888	7,553	6,768	25,294
	5	1	10	56	205	427	590	576	559	2,424
	6	1	6	7	12	28	37	31	34	156
	7	-	1	1	-	2	4	-	-	8
	TOTAL----		112	768	4,155	11,935	31,045	63,743	89,807	83,710
32	1-2	72	368	1,034	1,462	3,258	9,259	15,872	17,072	48,397
	3	51	363	1,697	4,117	10,847	31,356	62,005	82,680	193,116
	4	10	126	891	2,673	7,525	17,180	31,323	43,446	103,174
	5	1	33	434	1,089	2,601	4,085	6,181	7,243	21,667
	6	1	11	73	243	518	620	691	685	2,842
	7	-	3	16	44	53	64	65	55	300
	TOTAL----		135	904	4,145	9,628	24,802	62,564	116,137	151,181
42	1-2	20	78	140	195	1,036	4,197	7,071	7,172	19,909
	3	10	52	403	1,332	10,362	39,422	76,070	92,575	220,226
	4	1	20	291	1,063	8,302	35,246	78,805	107,455	231,183
	5	-	14	210	408	1,478	4,534	10,555	17,089	34,288
	6	-	3	46	138	317	583	806	1,068	2,961
	7	-	1	14	35	92	137	142	135	556
	TOTAL----		31	168	1,104	3,171	21,587	84,119	173,449	225,494
52	1-2	-	-	11	41	194	541	840	862	2,489
	3	-	-	89	542	3,333	8,673	13,024	13,706	39,367
	4	-	-	75	649	4,592	13,612	21,643	22,576	63,147
	5	-	-	16	124	907	3,415	7,423	8,916	20,801
	6	-	1	4	9	72	315	769	1,197	2,367
	7	-	3	16	7	14	44	83	137	304
	TOTAL----		-	4	211	1,372	9,112	26,600	43,782	47,394

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	2	2	7	18	23	52
	3	-	-	2	11	51	213	276	282	835
	4	-	-	7	21	77	347	536	445	1,433
	5	-	2	3	18	41	149	244	289	746
	6	-	-	1	5	9	33	76	122	246
	7	-	-	-	-	3	9	13	34	59
	TOTAL----		-	2	13	57	183	758	1,163	1,195
13 & 23	1-2	-	12	66	161	585	1,310	2,271	2,362	6,767
	3	1	16	68	164	546	1,109	2,010	2,062	5,976
	4	-	9	40	61	155	238	303	301	1,107
	5	-	2	15	22	31	38	24	21	153
	6	-	-	2	1	-	2	2	3	10
	7	-	-	1	1	-	-	-	-	2
	TOTAL----		-	39	192	410	1,317	2,697	4,610	4,749
33	1-2	1	22	38	69	210	592	1,621	2,551	5,104
	3	3	65	155	229	996	2,363	5,529	8,451	17,791
	4	-	21	150	238	773	1,523	2,679	3,256	8,640
	5	-	2	30	70	227	323	382	421	1,455
	6	-	13	5	21	29	75	60	20	223
	7	-	-	-	1	8	8	5	4	26
	TOTAL----		4	123	378	628	2,243	4,884	10,276	14,703
43	1-2	-	2	2	4	92	260	462	519	1,341
	3	6	12	26	135	792	2,279	4,359	5,728	13,337
	4	3	2	36	160	874	2,317	4,195	5,151	12,738
	5	-	-	23	76	236	401	619	760	2,115
	6	-	1	11	92	136	84	134	89	547
	7	-	-	1	9	36	44	72	40	202
	TOTAL----		9	17	99	476	2,166	5,385	9,841	12,287
53	1-2	-	-	3	9	30	55	84	128	309
	3	-	2	40	112	379	782	1,418	1,611	4,344
	4	-	2	13	96	487	1,260	1,917	2,155	5,930
	5	-	-	6	17	103	357	584	712	1,779
	6	-	-	1	2	9	63	94	93	262
	7	-	-	-	-	9	32	42	24	107
	TOTAL----		-	4	63	236	1,017	2,549	4,139	4,723
63	1-2	-	-	-	-	1	2	5	4	12
	3	-	-	1,611	1	7	37	67	45	1,768
	4	-	-	-	2	11	44	68	63	188
	5	-	-	-	-	1	18	45	48	112
	6	-	-	-	-	1	3	14	21	39
	7	-	-	-	-	-	4	2	2	8
	TOTAL----		-	-	2	3	21	108	201	183
24-54	1-7	2	14	98	295	878	2,286	5,075	7,213	15,861
25-35	1-7	-	-	-	-	-	-	8	6	14
81-85 1/	1-7	-	-	-	7	57	147	349	545	1,105
	8 2/	1	12	42	114	245	325	315	256	1,310
TOTAL, ALL----		936	7,592	50,690	176,886	562,005	1,553,445	3,076,578	4,102,259	9,530,391

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	721,821	621,748	417,088	52,853	6,746	127	1,820,383	4,172,549
	3	192,400	171,868	170,168	38,491	6,890	220	580,037	1,444,728
	4	17,498	12,717	11,031	2,876	650	15	44,787	164,604
	5	932	519	289	57	18	-	1,815	11,236
	6	29	18	10	3	-	-	60	626
	7	1	2	-	-	-	-	3	52
	TOTAL----		932,681	806,872	598,586	94,280	14,304	362	2,447,085
31	1-2	245,215	103,985	39,721	3,635	289	12	392,857	1,123,868
	3	657,234	265,696	81,527	10,151	1,210	23	1,015,841	2,440,839
	4	204,186	113,089	36,253	4,852	745	10	359,135	798,399
	5	18,138	12,226	4,556	797	140	1	35,858	121,843
	6	1,097	577	243	64	23	-	2,004	16,875
	7	75	67	24	1	-	-	167	1,865
	TOTAL----		1,125,945	495,640	162,324	19,500	2,407	46	1,805,862
41	1-2	32,326	7,503	1,123	85	5	-	41,042	181,052
	3	453,038	140,509	20,016	561	48	-	614,172	1,650,160
	4	384,024	178,139	37,805	1,563	103	6	601,640	1,216,770
	5	45,464	31,455	9,591	626	76	11	87,223	149,273
	6	2,821	2,185	848	79	13	25	5,971	14,533
	7	336	265	132	10	3	7	753	2,974
	TOTAL----		918,009	360,056	69,515	2,924	248	49	1,350,801
51	1-2	672	86	29	2	-	-	789	6,998
	3	13,101	2,672	353	13	-	-	16,139	90,518
	4	24,189	7,053	1,123	51	313	1,198	33,927	130,329
	5	12,221	4,381	1,022	54	21	11	17,710	50,480
	6	1,534	629	184	44	31	10	2,432	5,635
	7	180	89	22	7	1	5	304	681
	TOTAL----		51,897	14,910	2,733	171	57	27	69,795
61	1-2	3	-	-	-	-	-	3	80
	3	64	12	2	-	-	-	78	928
	4	165	40	3	-	-	-	208	1,564
	5	247	45	9	-	-	-	301	1,263
	6	131	34	4	2	-	-	171	582
	7	30	9	-	-	-	-	39	93
	TOTAL----		640	140	18	2	-	-	800
71	1-2	-	-	-	-	-	-	-	-
	3	1	-	1	-	-	-	2	17
	4	3	-	-	-	-	-	3	10
	5	-	-	-	-	-	-	-	5
	6	-	-	-	-	-	-	-	2
	7	-	-	-	-	-	-	-	1
	TOTAL----		4	-	1	-	-	-	5
12 & 22	1-2	24,291	9,223	2,818	237	66	44	36,679	178,931
	3	20,352	7,807	2,225	174	30	22	30,610	145,751
	4	3,737	1,494	481	44	7	-	5,763	31,057
	5	390	96	36	1	-	-	523	2,947
	6	16	7	2	3	-	-	28	184
	7	1	-	-	-	-	-	1	9
	TOTAL----		48,787	18,627	5,562	459	103	66	73,604
32	1-2	10,105	3,198	693	60	10	11	14,077	62,474
	3	60,667	22,749	4,568	245	41	43	88,313	281,429
	4	36,084	16,547	4,217	284	27	8	57,167	160,341
	5	5,537	2,597	779	77	15	1	9,006	30,673
	6	456	147	47	6	-	1	657	3,499
	7	55	28	9	-	1	-	93	393
	TOTAL----		112,904	45,266	10,313	672	94	64	169,313
42	1-2	3,470	870	157	12	1	-	4,510	24,419
	3	60,462	18,662	2,636	78	-	-	81,838	302,064
	4	87,072	37,078	6,892	183	9	-	131,234	362,417
	5	16,566	9,434	2,514	88	5	-	28,607	62,895
	6	1,205	699	241	14	2	1	2,162	5,123
	7	125	110	51	-	1	1	288	844
	TOTAL----		168,900	66,853	12,491	375	18	2	248,639
52	1-2	247	58	20	1	-	-	326	2,815
	3	6,088	1,233	174	4	1	-	7,500	46,867
	4	12,473	3,351	518	19	2	-	16,363	79,510
	5	6,331	2,234	479	14	1	-	9,059	29,860
	6	1,068	431	85	-	7	-	1,591	3,958
	7	142	39	12	-	-	-	193	497
	TOTAL----		26,349	7,346	1,288	38	11	-	35,032

Table 1. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		35	36	37	38	39	40 &+	35 to 40+	TOTAL	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
62	1-2	4	2	1	-	-	-	7	59	
	3	80	28	8	-	1	-	117	952	
	4	193	30	5	-	-	-	228	1,661	
	5	217	61	3	-	-	-	281	1,027	
	6	101	22	1	-	-	-	124	370	
	7	15	1	-	-	-	-	16	75	
	TOTAL----		610	144	18	-	1	-	773	4,144
13 & 23	1-2	1,233	371	132	5	1	1	1,743	8,510	
	3	1,032	369	155	13	-	-	1,569	7,545	
	4	144	50	22	1	3	-	220	1,327	
	5	10	2	1	-	1	-	14	167	
	6	-	-	-	-	-	-	-	10	
	7	-	-	-	-	-	-	-	2	
	TOTAL----		2,419	792	310	19	5	1	3,546	17,561
33	1-2	1,647	487	130	8	3	-	2,275	7,379	
	3	5,847	2,386	626	53	6	2	8,920	26,711	
	4	2,314	1,025	319	37	3	-	3,698	12,338	
	5	247	107	32	12	-	-	398	1,853	
	6	22	8	3	2	-	-	35	258	
	7	5	-	-	-	-	-	5	31	
	TOTAL----		10,082	4,013	1,110	112	12	2	15,331	48,570
43	1-2	288	67	20	3	-	-	378	1,719	
	3	3,558	1,084	175	11	-	-	4,828	18,165	
	4	3,840	1,451	354	20	5	-	5,670	18,408	
	5	574	240	89	16	7	2	928	3,043	
	6	65	27	12	4	1	-	109	656	
	7	19	11	5	1	-	-	36	238	
	TOTAL----		8,344	2,880	655	55	13	2	11,949	42,229
53	1-2	39	10	2	-	-	-	51	360	
	3	686	147	21	1	1	-	856	5,200	
	4	1,233	298	50	1	-	-	1,582	7,512	
	5	466	170	40	2	-	-	678	2,457	
	6	86	45	6	1	-	-	138	400	
	7	14	11	1	-	-	-	26	133	
	TOTAL----		2,524	681	120	5	1	-	3,331	16,062
63	1-2	1	-	-	-	-	-	1	13	
	3	13	7	3	-	-	-	23	1,791	
	4	33	7	1	-	-	-	41	229	
	5	30	5	1	-	-	-	36	148	
	6	6	2	-	-	-	-	8	47	
	7	3	-	-	-	-	-	3	11	
	TOTAL----		86	21	5	-	-	-	112	630
24-54	1-7	4,090	1,285	428	60	13	3	5,879	21,740	
25-35	1-7	6	4	-	-	-	-	10	24	
81-85 1/	1-7	229	81	29	3	-	2	344	1,449	
	8 2/	256	207	113	16	4	46	642	1,952	
<b>TOTAL, ALL-----</b>		<b>3,414,762</b>	<b>1,825,818</b>	<b>865,619</b>	<b>118,691</b>	<b>17,291</b>	<b>672</b>	<b>6,242,853</b>	<b>15,773,244</b>	
<b>EXTRANEOUS MATTER</b>									Average Staple -----	34.1
Bark - Level 1		354,980							Percent Tenderable -----	61.1
Bark - Level 2		1,720								
Grass - Level 1		123,990								
Grass - Level 2		2,141								
Prep - Level 1		6,903								
Prep - Level 2		113								
Other - Level 1		21,569								
Other - Level 2		110								

15,773,244 Bales classed include 20,298 bales from Kansas. 1/ Below Color. 2/ Below Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed: 1998 crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	6	94	1,877	16,516	61,152	127,617	207,350	230,598	645,210
	3	2	104	945	7,494	24,836	45,774	71,506	72,260	222,921
	4	5	27	169	1,021	3,333	6,907	12,057	11,351	34,870
	5	-	-	9	54	216	787	1,623	1,205	3,894
	6	-	-	1	-	5	54	152	73	285
	7	-	-	-	-	-	2	6	2	10
	TOTAL----		13	225	3,001	25,085	89,542	181,141	292,694	315,489
31	1-2	8	94	762	6,615	29,509	64,182	122,849	177,405	401,424
	3	5	162	1,144	8,039	35,666	115,341	340,422	599,078	1,099,857
	4	4	96	680	3,706	16,019	58,912	157,836	220,918	458,171
	5	3	11	111	714	3,815	15,590	37,537	39,804	97,585
	6	-	3	10	76	500	2,250	5,190	4,210	12,239
	7	-	-	1	4	36	193	448	297	979
	TOTAL----		20	366	2,708	19,154	85,545	256,468	664,282	1,041,712
41	1-2	-	10	61	629	3,677	10,801	30,614	48,125	93,917
	3	-	12	220	1,291	8,216	47,062	227,789	504,021	788,611
	4	1	11	187	1,511	10,646	54,513	205,016	441,164	713,049
	5	1	10	94	981	6,656	31,499	75,602	105,401	220,244
	6	-	-	27	271	2,257	10,443	21,271	19,778	54,047
	7	-	-	5	44	269	1,330	2,727	2,145	6,520
	TOTAL----		2	43	594	4,727	31,721	155,648	563,019	1,120,634
51	1-2	-	1	8	37	337	815	1,438	2,119	4,755
	3	-	1	11	36	476	3,720	15,193	28,100	47,537
	4	-	-	5	20	329	3,961	18,883	37,075	60,273
	5	-	2	10	34	163	1,930	9,221	17,976	29,336
	6	-	-	4	22	65	411	1,777	3,119	5,398
	7	-	-	-	7	28	119	272	361	787
	TOTAL----		-	4	38	156	1,398	10,956	46,784	88,750
61	1-2	-	-	-	8	19	24	38	45	134
	3	-	-	-	27	47	122	250	355	801
	4	-	-	-	-	8	163	350	317	838
	5	-	-	1	1	4	96	293	352	747
	6	-	-	-	-	7	57	214	306	584
	7	-	-	-	-	6	17	53	59	135
	TOTAL----		-	-	1	36	91	479	1,198	1,434
71	1-2	-	-	-	-	-	-	1	2	3
	3	-	-	-	-	1	14	24	17	56
	4	-	-	-	-	4	4	1	5	14
	5	-	-	-	-	3	1	5	3	12
	6	-	-	-	-	-	-	5	10	15
	7	-	-	-	-	-	1	5	8	14
	TOTAL----		-	-	-	-	8	20	41	45
12 & 22	1-2	48	224	1,372	5,394	15,857	33,131	47,525	43,497	147,048
	3	2	42	537	3,255	11,810	26,991	39,164	31,789	113,590
	4	2	3	65	573	2,543	6,277	10,357	8,694	28,514
	5	-	-	16	40	240	894	1,473	1,256	3,919
	6	-	-	-	1	25	81	138	100	345
	7	-	-	-	-	1	4	3	4	12
	TOTAL----		52	269	1,990	9,263	30,476	67,378	98,660	85,340
32	1-2	54	311	712	2,136	5,277	9,646	12,900	14,354	45,390
	3	22	246	1,194	5,102	15,928	40,198	77,057	110,463	250,210
	4	1	39	398	2,893	10,647	30,054	61,491	76,708	182,231
	5	1	15	109	749	3,430	10,643	21,356	20,798	57,101
	6	-	2	11	108	490	1,592	3,140	2,707	8,050
	7	-	-	-	11	34	117	335	201	698
	TOTAL----		78	613	2,424	10,999	35,806	92,250	176,279	225,231
42	1-2	6	63	145	526	1,264	3,493	8,036	10,843	24,376
	3	8	76	510	1,657	4,905	25,945	114,542	217,362	365,005
	4	3	40	376	1,785	6,322	26,529	123,141	279,030	437,226
	5	4	26	208	1,028	4,362	12,845	32,115	68,699	119,287
	6	1	2	63	351	1,432	4,369	7,305	9,431	22,954
	7	-	2	10	51	192	588	962	809	2,614
	TOTAL----		22	209	1,312	5,398	18,477	73,769	286,101	586,174
52	1-2	8	17	49	151	375	933	1,592	1,618	4,743
	3	12	81	280	579	1,367	7,478	27,398	40,786	77,981
	4	13	88	213	538	1,376	10,065	44,402	77,559	134,254
	5	6	33	81	340	727	3,446	15,605	31,808	52,046
	6	-	5	30	105	274	862	2,438	4,364	8,078
	7	-	-	1	16	60	185	419	505	1,186
	TOTAL----		39	224	654	1,729	4,179	22,969	91,854	156,640

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	2	3	23	55	85	67	34	269
	3	-	4	46	118	239	499	702	825	2,433
	4	-	15	69	147	365	734	1,012	894	3,236
	5	-	7	32	109	249	411	590	468	1,866
	6	-	-	6	32	100	171	232	183	724
	7	-	-	-	7	23	39	63	71	203
	TOTAL----		-	28	156	436	1,031	1,939	2,666	2,475
13 & 23	1-2	-	21	46	167	310	636	782	711	2,673
	3	-	6	72	144	402	805	967	747	3,143
	4	-	1	36	50	84	207	248	246	872
	5	-	-	12	7	20	27	35	32	133
	6	-	-	3	8	5	15	3	7	41
	7	-	-	3	2	-	-	-	-	5
	TOTAL----		-	28	172	378	821	1,690	2,035	1,743
33	1-2	9	26	89	167	358	536	571	544	2,300
	3	8	40	147	451	1,154	2,101	2,822	3,144	9,867
	4	1	15	94	268	800	1,815	2,518	2,517	8,028
	5	-	1	29	127	217	567	845	681	2,467
	6	-	1	7	21	53	84	117	107	390
	7	-	-	-	6	3	6	10	1	26
	TOTAL----		18	83	366	1,040	2,585	5,109	6,883	6,994
43	1-2	6	23	48	57	70	225	458	428	1,315
	3	2	34	155	245	504	2,358	7,079	9,671	20,048
	4	2	41	170	291	557	2,598	9,723	15,307	28,689
	5	-	32	150	230	380	775	1,835	3,029	6,431
	6	-	3	39	55	143	299	413	372	1,324
	7	-	-	-	4	17	48	57	34	160
	TOTAL----		10	133	562	882	1,671	6,303	19,565	28,841
53	1-2	-	3	6	18	76	176	255	141	675
	3	1	9	81	152	374	1,716	5,110	4,674	12,117
	4	2	6	86	171	446	3,360	12,231	13,259	29,561
	5	2	6	79	136	356	1,048	4,103	5,482	11,212
	6	1	8	31	84	168	294	591	665	1,842
	7	-	-	2	17	30	83	98	59	289
	TOTAL----		6	32	285	578	1,450	6,677	22,388	24,280
63	1-2	-	3	7	14	29	35	24	9	121
	3	2	52	4,674	95	97	244	409	212	5,785
	4	-	60	123	122	190	558	912	501	2,466
	5	-	9	38	55	110	260	482	326	1,280
	6	-	-	7	26	64	95	143	115	450
	7	-	-	2	6	21	13	25	13	80
	TOTAL----		2	124	299	318	511	1,205	1,995	1,176
24-54	1-7	-	33	188	483	793	2,155	4,388	4,202	12,242
25-35	1-7	-	-	-	-	-	4	4	6	14
81-85 1/	1-7	2	25	91	226	378	506	557	334	2,119
	8 2/	-	-	5	17	108	307	725	625	1,787
TOTAL, ALL----		264	2,439	14,846	80,905	306,591	886,973	2,282,118	3,692,125	7,266,261

Table 2. -- United States: Continued.

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	246,035	235,746	160,880	18,747	1,105	87	662,600	1,307,810
	3	61,693	55,794	83,327	19,510	1,504	95	221,923	444,844
	4	7,117	5,423	10,123	4,025	475	35	27,198	62,068
	5	714	466	397	230	56	1	1,864	5,758
	6	46	20	18	8	-	-	92	377
	7	1	1	2	-	-	-	4	14
	TOTAL----		315,606	297,450	254,747	42,520	3,140	218	913,681
31	1-2	155,193	88,361	51,629	6,153	454	40	301,830	703,254
	3	533,673	230,791	178,579	39,564	3,138	319	986,064	2,085,921
	4	204,824	105,264	102,062	36,287	3,747	295	452,479	910,650
	5	30,173	17,083	17,219	9,203	1,153	82	74,913	172,498
	6	2,320	1,556	1,695	991	162	7	6,731	18,970
	7	129	86	156	101	21	1	494	1,473
	TOTAL----		926,312	443,141	351,340	92,299	8,675	744	1,822,511
41	1-2	30,835	10,467	5,388	617	56	3	47,366	141,283
	3	407,632	131,274	48,012	8,837	1,043	110	596,908	1,385,519
	4	453,728	188,759	78,415	20,503	2,630	292	744,327	1,457,376
	5	101,453	49,396	28,809	11,255	1,535	146	192,594	412,838
	6	11,960	6,203	4,840	2,431	440	46	25,920	79,967
	7	819	428	668	408	88	10	2,421	8,941
	TOTAL----		1,006,427	386,527	166,132	44,051	5,792	607	1,609,536
51	1-2	1,248	328	106	17	4	-	1,703	6,458
	3	18,125	5,103	1,595	207	17	1	25,048	72,585
	4	29,048	10,116	3,905	691	94	981	44,835	105,108
	5	15,914	6,327	3,298	671	54	2	26,266	55,602
	6	2,480	1,151	1,008	266	36	3	4,944	10,342
	7	234	191	219	89	14	-	747	1,534
	TOTAL----		67,049	23,216	10,131	1,941	185	14	102,536
61	1-2	40	8	8	-	-	-	56	190
	3	246	116	56	5	-	-	423	1,224
	4	151	141	135	18	-	-	445	1,283
	5	197	164	144	14	1	-	520	1,267
	6	121	74	71	3	-	-	269	853
	7	28	24	20	3	-	-	75	210
	TOTAL----		783	527	434	43	1	-	1,788
71	1-2	-	2	-	-	-	-	2	5
	3	5	12	3	1	-	-	21	77
	4	3	7	9	2	-	-	21	35
	5	-	4	7	-	-	-	11	23
	6	5	-	-	1	-	-	6	21
	7	5	2	2	-	-	-	9	23
	TOTAL----		18	27	21	4	-	-	70
12 & 22	1-2	28,760	12,333	4,063	390	324	613	46,483	193,531
	3	19,694	9,859	4,674	1,074	156	21	35,478	149,068
	4	4,705	2,061	1,228	369	79	4	8,446	36,960
	5	691	293	133	37	12	-	1,166	5,085
	6	44	21	6	2	-	-	73	418
	7	3	1	-	-	-	-	4	16
	TOTAL----		53,897	24,568	10,104	1,872	571	638	91,650
32	1-2	10,506	4,518	1,746	255	76	158	17,259	62,649
	3	92,571	35,281	13,879	3,303	398	137	145,569	395,779
	4	68,356	27,126	10,826	3,474	560	99	110,441	292,672
	5	17,296	7,099	2,598	952	168	17	28,130	85,231
	6	1,831	932	372	138	35	1	3,309	11,359
	7	137	118	46	16	5	4	326	1,024
	TOTAL----		190,697	75,074	29,467	8,138	1,242	416	305,034
42	1-2	5,481	1,230	303	27	8	3	7,052	31,428
	3	147,934	37,973	7,367	958	98	26	194,356	559,361
	4	258,263	84,082	17,960	2,295	306	59	362,965	800,191
	5	77,798	29,785	7,599	1,507	197	34	116,920	236,207
	6	9,434	3,897	1,330	465	87	16	15,229	38,183
	7	555	301	208	127	23	2	1,216	3,830
	TOTAL----		499,465	157,268	34,767	5,379	719	140	697,738
52	1-2	850	155	28	6	1	-	1,040	5,783
	3	22,595	4,550	649	52	6	1	27,853	105,834
	4	49,666	10,966	1,827	188	17	3	62,667	196,921
	5	24,647	6,929	1,463	192	16	3	33,250	85,296
	6	3,226	1,076	374	111	10	1	4,798	12,876
	7	278	162	133	44	9	1	627	1,813
	TOTAL----		101,262	23,838	4,474	593	59	9	130,235

Table 2. -- United States: Continued.

QUALITY		STAPLE								
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
62	1-2	11	7	1	-	-	-	19	288	
	3	371	90	38	7	-	-	506	2,939	
	4	420	124	73	9	-	-	626	3,862	
	5	198	63	68	15	-	-	344	2,210	
	6	107	35	40	8	-	-	190	914	
	7	27	5	11	2	-	-	45	248	
	TOTAL----		1,134	324	231	41	-	-	1,730	10,461
13 & 23	1-2	386	196	222	32	-	2	838	3,511	
	3	446	254	330	85	4	2	1,121	4,264	
	4	105	59	44	19	-	1	228	1,100	
	5	25	6	8	1	-	-	40	173	
	6	-	2	1	-	-	-	3	44	
	7	-	-	-	-	-	-	-	5	
	TOTAL----		962	517	605	137	4	5	2,230	9,097
33	1-2	467	334	371	87	12	3	1,274	3,574	
	3	2,493	1,608	2,115	746	117	19	7,098	16,965	
	4	1,663	858	1,075	605	74	16	4,291	12,319	
	5	421	201	191	148	15	9	985	3,452	
	6	50	29	26	24	4	1	134	524	
	7	3	3	7	6	-	-	19	45	
	TOTAL----		5,097	3,033	3,785	1,616	222	48	13,801	36,879
43	1-2	262	93	78	16	2	4	455	1,770	
	3	6,121	1,918	1,070	318	46	14	9,487	29,535	
	4	10,938	3,569	1,788	604	60	21	16,980	45,669	
	5	2,458	958	668	300	34	16	4,434	10,865	
	6	408	145	194	96	16	7	866	2,190	
	7	42	16	49	41	3	-	151	311	
	TOTAL----		20,229	6,699	3,847	1,375	161	62	32,373	90,340
53	1-2	43	8	6	1	-	-	58	733	
	3	1,541	273	114	19	2	-	1,949	14,066	
	4	4,950	905	236	42	4	-	6,137	35,698	
	5	2,626	582	186	45	10	-	3,449	14,661	
	6	384	125	66	23	2	-	600	2,442	
	7	40	39	33	9	-	1	122	411	
	TOTAL----		9,584	1,932	641	139	18	1	12,315	68,011
63	1-2	2	1	-	-	-	-	3	124	
	3	81	14	5	5	-	-	105	5,890	
	4	123	23	11	2	-	-	159	2,625	
	5	149	21	8	1	-	-	179	1,459	
	6	54	17	7	-	-	-	78	528	
	7	3	5	4	-	-	-	12	92	
	TOTAL----		412	81	35	8	-	-	536	6,166
24-54	1-7	2,398	1,574	1,736	637	65	8	6,418	18,660	
25-35	1-7	5	6	2	-	-	-	13	27	
81-85 1/	1-7	107	68	43	21	1	12	252	2,371	
	8 2/	352	283	306	114	20	1	1,076	2,863	
<b>TOTAL, ALL-----</b>		<b>3,201,796</b>	<b>1,446,153</b>	<b>872,848</b>	<b>200,928</b>	<b>20,875</b>	<b>2,923</b>	<b>5,745,523</b>	<b>13,011,784</b>	
<b>EXTRANEOUS MATTER</b>									Average Staple -----	34.3
									Percent Tenderable -----	56.5
Bark - Level 1		479,611								
Bark - Level 2		1,580								
Grass - Level 1		180,350								
Grass - Level 2		1,993								
Prep - Level 1		25,776								
Prep - Level 2		113								
Other - Level 1		4,187								
Other - Level 2		39								

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	0.1	0.4	1.2	3.0	5.0	5.3	4.6	3.9	2.6	0.3	*	*	26.5
	3	*	*	*	0.2	0.5	1.2	1.8	1.7	1.2	1.1	0.2	*	*	9.2	
	4	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	1.0	
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	0.2	0.6	1.8	4.3	7.1	7.2	5.9	5.1	3.8	0.6	0.1	*
31	1-2	*	*	*	*	0.1	0.6	1.6	2.2	1.6	0.7	0.3	*	*	*	7.1
	3	*	*	*	0.1	0.3	1.1	2.8	4.7	4.2	1.7	0.5	0.1	*	*	15.5
	4	*	*	*	0.1	0.2	0.5	0.8	1.2	1.3	0.7	0.2	*	*	*	5.1
	5	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.8
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	0.1	0.3	0.8	2.4	5.3	8.2	7.1	3.1	1.0	0.1	*	*
41	1-2	*	*	*	*	*	0.1	0.3	0.4	0.2	*	*	*	*	*	1.1
	3	*	*	*	*	0.1	0.7	2.1	3.6	2.9	0.9	0.1	*	*	*	10.5
	4	*	*	*	*	0.1	0.4	1.2	2.3	2.4	1.1	0.2	*	*	*	7.7
	5	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.9
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.2	1.3	3.7	6.5	5.8	2.3	0.4	*	*	*	*
51	1-2	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	3	*	*	*	*	*	0.1	0.2	0.2	0.3	0.2	*	*	*	*	0.8
	4	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.1	0.2	0.5	0.6	0.3	0.1	*	*	*	*	*
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.1
	3	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.9
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	0.1	*	*	*	*
32	1-2	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
	3	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	*	*	1.8
	4	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.1	0.2	0.4	0.7	1.0	0.7	0.3	0.1	*	*	*
42	1-2	*	*	*	*	*	0.1	0.2	0.5	0.6	0.4	0.1	*	*	*	0.2
	3	*	*	*	*	0.1	0.2	0.5	0.6	0.7	0.6	0.2	*	*	*	1.9
	4	*	*	*	*	*	0.2	0.5	0.7	0.6	0.2	*	*	*	*	2.3
	5	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.1	0.5	1.1	1.4	1.1	0.4	0.1	*	*	*	*
52	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	*	*	*

\* Less than 0.05 percent.

Table 3. -- United States: Continued.

QUALITY		STAPLE														TOTAL	
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.	
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		*	*	0.3	1.1	3.6	9.8	19.5	26.0	21.6	11.6	5.5	0.8	0.1	*	100.0	
EXTRANEOUS MATTER																Average Staple	34.1
																Percent Tenderable	61.1
Bark - Level 1		2.3															
Bark - Level 2		*															
Grass - Level 1		0.8															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 1		*															

15,773,244 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	0.4	1.6	2.3	1.5	0.5	0.1	*	*	*	-	6.5
	3	-	-	*	*	0.2	0.8	1.4	1.3	0.7	0.2	*	*	*	-	4.5
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	*	0.6	2.5	3.8	2.9	1.3	0.3	*	*	*	-
31	1-2	-	-	*	*	0.3	1.3	1.8	1.4	0.7	0.1	*	*	*	-	5.6
	3	-	-	*	*	0.7	3.6	6.3	5.9	3.3	0.7	0.1	*	*	-	20.6
	4	-	-	*	*	0.2	0.9	1.8	1.9	1.1	0.4	*	*	*	-	6.4
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	0.1	1.1	5.9	10.0	9.3	5.2	1.3	0.1	*	*	-
41	1-2	-	-	*	*	0.2	0.7	1.0	0.7	0.2	*	*	*	-	2.8	
	3	-	-	*	*	0.8	3.5	6.1	5.5	2.4	0.4	*	*	*	-	18.7
	4	-	-	*	*	0.4	1.9	3.7	4.0	2.3	0.6	*	*	*	-	13.0
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	0.9
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	0.1	1.3	6.3	11.1	10.4	5.1	1.1	0.1	*	*	-
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	*	*	*	0.2	0.2	0.2	*	*	*	*	-	0.6	
	4	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	0.8	
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	0.1	0.4	0.6	0.5	0.1	*	*	*	*	-	1.7
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	0.2	0.2	0.1	*	*	*	*	-	0.5	
	3	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	-	0.7	
	4	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	0.1	0.4	0.5	0.3	0.1	*	*	*	*	-	1.5
32	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3	
	3	-	-	*	*	0.2	0.7	1.0	0.7	0.2	*	*	*	-	2.9	
	4	-	-	*	*	0.1	0.5	0.8	0.6	0.2	*	*	*	-	2.3	
	5	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	0.3	1.4	2.1	1.6	0.6	0.1	*	*	*	-	6.1
42	1-2	-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3	
	3	-	-	*	*	0.3	1.1	1.3	0.9	0.3	*	*	*	-	4.0	
	4	-	-	*	*	0.3	1.1	1.5	1.2	0.5	0.1	*	*	-	4.6	
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	0.6	2.3	3.1	2.3	0.9	0.2	*	*	*	-	9.5
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	0.2	
	4	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	0.1	0.2	0.2	0.2	*	*	*	*	*	-	0.8

\* Less than 0.05 percent.

Table 4. -- Alabama: Continued.

QUALITY		STAPLE														TOTAL		
COLOR	LEAF	26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.		
62	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	0.1		
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	0.2		
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	*	0.3	
53	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
25-35	1-7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
81-85 1/	1-7	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	8 2/	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
TOTAL, ALL----		-	-	-	0.2	4.4	19.5	31.6	27.5	13.4	3.0	0.3	*	*	*	100.0		
EXTRANEEOUS MATTER																Average Staple	33.4	
																Percent Tenderable	54.4	
Bark - Level 1		3.0																
Bark - Level 2		*																
Grass - Level 1		0.5																
Grass - Level 2		*																
Prep - Level 1		0.1																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		-																

620,682 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY		STAPLE														TOTAL
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.3	2.3	10.3	22.8	20.9	9.2	0.8	0.1	*	66.9
	3	-	-	-	-	*	*	0.1	0.3	0.7	0.8	0.5	*	*	*	2.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	*	*	*	0.3	2.4	10.6	23.6	21.8	9.7	0.9	0.1	*
31	1-2	-	-	*	*	*	0.1	0.8	3.4	6.1	4.5	1.8	0.1	*	*	16.9
	3	-	-	-	-	*	*	0.3	0.8	1.4	1.3	0.6	*	*	*	4.5
	4	-	-	-	-	*	*	0.2	0.3	0.3	0.3	0.1	*	*	*	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	*	*	*	0.2	1.3	4.6	7.9	6.1	2.6	0.2	*	*
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	0.2	0.4	0.3	0.2	*	*	*	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.2	*	*	*	2.0
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	0.2	0.5	0.9	0.7	0.3	*	*	*	2.6
32	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	-	-	*	*	*	0.2	0.4	0.4	0.2	0.1	*	*	*	1.2
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	*	1.1
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	0.1	0.5	0.9	0.9	0.4	0.1	*	*	*	3.0
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.7
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*

\* Less than 0.05 percent.

Table 5. -- Arizona: Continued.

QUALITY	LEAF	STAPLE														TOTAL		
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.1	
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	8 2/	-	-	-	*	*	0.1	0.8	4.7	17.3	33.8	29.3	12.8	1.1	0.1	*		
TOTAL, ALL---		-	-	-	*	*	0.1	0.8	4.7	17.3	33.8	29.3	12.8	1.1	0.1	*		
EXTRANEOUS MATTER																Average Staple	35.3	
																Percent Tenderable	52.4	
Bark - Level 1		4.3																
Bark - Level 2		*																
Grass - Level 1		0.4																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.5																
Other - Level 1		*																

679,856 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	0.4	1.5	3.6	4.7	2.2	0.3	*	*	-	12.6
	3	-	-	-	-	*	0.2	0.7	1.8	3.1	1.9	0.3	*	*	-	8.0
	4	-	-	-	-	*	*	*	0.1	0.3	0.3	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	TOTAL		-	-	-	-	0.1	0.6	2.2	5.4	8.1	4.4	0.6	*	*	-
31	1-2	-	-	-	-	*	0.2	0.8	2.5	2.5	0.8	0.1	*	-	-	6.9
	3	-	-	-	-	*	0.4	1.6	5.8	9.1	4.1	0.6	*	-	-	21.7
	4	-	-	-	-	*	0.1	0.4	1.6	3.7	2.4	0.4	*	*	-	8.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	-	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	0.1	0.7	2.9	10.1	15.8	7.7	1.1	*	*	-
41	1-2	-	-	-	-	*	*	0.1	0.4	0.5	0.1	*	*	-	-	1.1
	3	-	-	-	*	*	0.1	0.5	2.5	4.3	1.8	0.2	*	-	-	9.5
	4	-	-	-	-	*	0.1	0.4	1.9	4.6	2.8	0.5	*	-	-	10.3
	5	-	-	-	-	*	*	0.1	0.3	0.9	0.7	0.2	*	-	-	2.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	0.2	1.0	5.2	10.2	5.6	0.9	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	0.2	0.5	0.6	0.3	*	*	-	-	-
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	0.1	0.2	0.4	0.5	0.2	*	*	-	-
32	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	3	-	-	-	-	*	0.1	0.3	0.6	0.8	0.4	0.1	*	-	-	2.3
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	-	-	1.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	0.2	0.5	1.1	1.4	0.8	0.1	*	-	-
42	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	0.3	0.7	1.0	0.4	0.1	*	-	-	2.5
	4	-	-	-	-	*	*	0.2	0.7	1.4	1.0	0.2	*	-	-	3.5
	5	-	-	-	-	*	*	*	0.2	0.3	0.3	0.1	*	-	-	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	0.1	0.5	1.7	2.8	1.7	0.3	*	-	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	0.2	0.5	0.5	0.2	*	*	-	-	-

\* Less than 0.05 percent.

Table 6. -- Arkansas: Continued.

QUALITY		STAPLE															
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL		-	-	-	-	0.2	1.9	7.9	25.3	40.4	21.1	3.2	0.1	-	-	-	100.0
EXTRANEOUS MATTER																	
Bark - Level 1		0.4															
Bark - Level 2		*															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

1,383,140 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL Pct.
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	-	*	*	0.4	3.4	11.4	22.4	21.1	2.9	0.4	*	61.9
	3	-	-	-	-	*	*	*	0.4	1.9	6.2	9.6	2.3	0.4	*	20.9
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.2	*	*	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL---		-	-	*	-	*	*	0.4	3.8	13.4	28.9	31.2	5.4	0.8	*
31	1-2	-	-	*	-	*	*	0.1	0.6	1.3	1.7	1.4	0.1	*	*	5.4
	3	-	-	-	-	*	*	0.1	0.3	1.0	2.2	2.6	0.5	0.1	*	6.7
	4	-	-	-	-	*	*	*	0.1	0.2	0.6	0.7	0.2	*	*	1.9
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL---		-	-	*	-	*	*	0.2	1.0	2.5	4.5	4.8	0.9	0.1	*
41	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	*	*

\* Less than 0.05 percent.

Table 7. -- California: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL, ALL----		-	-	-	-	-	0.1	0.7	5.0	16.4	34.1	36.3	6.3	1.0	*	100.0
EXTRANEIOUS MATTER															Average Staple	36.2
Bark - Level 1		0.3													Percent Tenderable	90.3
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		1.1														
Other - Level 1		*														

1,546,727 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	-	1.1
	3	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	0.1	0.4	0.6	0.4	0.2	0.1	*	-	-	-
31	1-2	-	-	-	*	0.1	0.7	1.0	1.3	1.1	0.2	*	-	-	-	4.4
	3	-	-	-	*	0.2	1.4	3.7	6.0	7.1	2.0	0.1	-	-	-	20.5
	4	-	-	-	*	*	0.2	0.7	1.4	2.4	1.1	0.1	*	-	-	6.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	0.3	2.2	5.4	8.8	10.7	3.3	0.3	*	-	-
41	1-2	-	-	-	*	*	0.2	0.5	0.9	0.5	0.1	*	-	-	-	2.2
	3	-	-	-	*	0.1	1.1	4.1	8.5	8.0	2.3	0.2	-	-	-	24.4
	4	-	-	-	*	0.1	0.5	2.6	6.8	7.4	3.0	0.4	*	-	-	20.8
	5	-	-	-	-	-	-	*	0.2	0.4	0.4	0.2	*	-	-	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	0.2	1.8	7.5	16.6	16.4	5.6	0.6	*	-	-
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	-	1.0
	5	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	0.1	0.2	0.6	0.6	0.3	*	*	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.2	0.4	0.5	0.3	0.1	*	-	-	-	1.6
	4	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	-	-	-	0.8
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	0.2	0.7	0.8	0.6	0.2	*	-	-	-	-
42	1-2	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	-	0.2
	3	-	-	-	*	*	0.4	1.0	1.5	0.9	0.2	*	-	-	-	4.1
	4	-	-	-	*	*	0.4	1.7	2.9	1.8	0.5	0.1	*	-	-	7.2
	5	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	0.1	0.8	2.9	4.8	2.9	0.8	0.1	*	-	-
52	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	-	0.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----		-	-	-	*	0.1	0.2	0.4	0.4	0.2	0.1	*	-	-	-

\* Less than 0.05 percent.

Table 8. -- Florida: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	*	*	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	-	-	-	-	-	-	-	-		
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-		
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	-		
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-		
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	-		
TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-		
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2		
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	*	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL ALL----		-	-	-	*	0.8	5.9	18.0	32.6	31.4	10.1	1.0	*	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple	34.2
																Percent Tenderable	57.5
Bark - Level 1	2.7																
Bark - Level 2	*																
Grass - Level 1	0.4																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

104,981 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
31	1-2	-	-	*	*	0.1	0.2	0.5	1.0	0.8	0.2	*	*	*	2.8	
	3	-	-	*	*	0.3	1.0	2.5	5.5	5.4	1.4	0.1	*	*	16.2	
	4	-	-	*	*	*	0.2	0.5	1.0	1.1	0.4	*	*	*	3.4	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.4	1.4	3.6	7.6	7.3	1.9	0.2	*	*	22.4
41	1-2	-	-	*	*	*	0.2	0.5	0.6	0.3	*	*	*	*	1.6	
	3	-	-	*	*	0.5	2.5	7.2	10.3	6.1	1.3	0.1	*	*	28.1	
	4	-	-	*	*	0.2	1.4	4.6	7.4	5.3	1.4	0.2	*	*	20.6	
	5	-	-	-	-	*	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.8	4.2	12.5	18.6	12.0	2.9	0.3	*	*	51.3
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	0.1	0.4	0.7	0.6	0.2	*	*	*	*	2.1	
	4	-	-	*	*	0.2	0.6	1.0	1.0	0.5	0.1	*	*	*	3.4	
	5	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.4	1.2	1.9	1.8	0.8	0.2	*	*	*	6.3
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	*	1.0	
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.3	0.4	0.4	0.3	0.1	*	*	*	1.6
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	0.3	1.0	1.6	1.4	0.6	0.1	*	*	*	5.1	
	4	-	-	*	*	0.3	1.0	2.1	2.2	1.1	0.3	*	*	*	6.9	
	5	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.7	2.2	3.9	3.8	1.8	0.4	*	*	12.8
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.0	
	4	-	-	*	*	0.2	0.5	0.7	0.5	0.2	*	*	*	*	2.1	
	5	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	*	0.5	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.4	1.0	1.1	0.8	0.3	*	*	*	3.7

\* Less than 0.05 percent.

Table 9. -- Georgia: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	*	*	*	*	*	*	*	*	*	*	*	*		
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL---		-	-	-	*	*	*	*	*	*	*	*	*	*		
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*		
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2		
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*		
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3		
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL---		-	-	*	*	*	*	*	*	*	*	*	*	*		
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	*			
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	*			
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	*			
TOTAL, ALL----		-	*	*	0.4	2.9	10.5	23.8	33.4	22.7	5.6	0.6	*	*	100.0		
EXTRANEIOUS MATTER															Average Staple	33.8	
Bark - Level 1		1.9														Percent Tenderable	57.3
Bark - Level 2		*															
Grass - Level 1		0.7															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

1,518,024 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.9	1.9	1.5	0.5	0.1	*	*	-	-	4.9
	3	-	-	-	-	*	-	0.2	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.9	2.1	1.8	0.6	0.1	*	*	-	-
31	1-2	-	-	-	*	0.1	2.5	6.0	6.1	2.6	0.5	0.1	*	*	-	17.8
	3	-	-	-	-	*	1.6	6.6	11.1	7.2	2.2	0.5	*	*	-	29.2
	4	-	-	-	-	*	0.1	0.6	1.6	1.8	0.9	0.3	*	*	-	5.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	*	0.1	4.2	13.3	18.9	11.6	3.5	0.8	0.1	*	-
41	1-2	-	-	-	*	*	0.4	0.9	0.8	0.2	*	*	-	-	-	2.4
	3	-	-	-	-	*	1.0	3.8	6.0	3.6	1.0	0.2	*	*	-	15.6
	4	-	-	-	-	*	0.2	1.3	3.5	3.5	1.8	0.5	0.1	*	*	10.9
	5	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	1.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	*	0.1	1.6	6.1	10.6	7.7	3.1	0.8	0.1	*	*
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.2	*	*	-	-	0.6
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.4
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	0.2	0.3	0.2	*	*	-	-	-	-	0.8
	3	-	-	-	-	*	0.4	0.8	0.7	0.3	0.1	*	*	-	-	2.3
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	0.7	1.3	1.1	0.6	0.2	*	*	-	-	4.0
42	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.4	0.8	0.7	0.3	*	*	-	-	-	2.2
	4	-	-	-	-	*	0.2	0.5	0.8	0.5	0.2	*	*	-	-	2.2
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	0.1	0.7	1.5	1.7	0.9	0.3	0.1	*	-	5.2
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6

\* Less than 0.05 percent.

Table 10. -- Louisiana: Continued.

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		-	-	-	*	0.4	8.4	24.8	35.0	22.1	7.4	1.8	0.2	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.0
		Percent Tenderable														62.8
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		1.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

918,891 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	0.4	1.7	3.1	1.7	0.4	*	*	-	-	7.2
	3	-	-	-	*	*	0.1	0.3	0.7	0.6	0.2	*	*	-	-	1.9
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.5	2.0	3.8	2.4	0.6	*	*	-	-	9.2
31	1-2	-	-	-	*	0.1	1.2	4.5	6.1	2.9	0.6	*	*	-	-	15.3
	3	-	-	*	*	*	1.0	5.2	9.9	6.9	2.1	0.3	*	*	-	25.5
	4	-	-	*	*	*	0.1	0.8	2.2	2.3	1.0	0.2	*	*	-	6.7
	5	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	0.1	2.3	10.5	18.4	12.3	3.9	0.6	*	*	-	48.1
41	1-2	-	-	-	*	*	0.3	0.8	0.9	0.5	0.1	*	*	-	-	2.6
	3	-	-	-	*	*	0.8	2.9	4.5	3.7	1.2	0.2	*	*	-	13.3
	4	-	-	-	*	*	0.3	1.4	3.2	3.6	1.8	0.4	*	*	-	10.8
	5	-	-	-	*	*	*	0.2	0.5	0.7	0.5	0.1	*	*	-	1.9
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	*	0.1	1.4	5.3	9.2	8.5	3.6	0.7	*	*	-	28.7
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	4	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	*	0.2	0.6	0.7	0.4	0.1	*	*	*	-	-	2.2
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.2
32	1-2	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	3	-	-	-	*	*	0.2	0.7	0.9	0.6	0.2	*	*	-	-	2.8
	4	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	-	-	1.4
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	0.4	1.2	1.6	1.2	0.5	0.1	*	*	-	-	5.0
42	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	*	*	*	0.2	0.6	0.6	0.5	0.2	*	*	-	-	2.1
	4	-	-	*	*	*	0.2	0.5	0.7	0.6	0.3	*	*	-	-	2.3
	5	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.5	1.3	1.6	1.3	0.5	0.1	*	*	-	-	5.3
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	0.3
	4	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	*	*	-	-	1.0

\* Less than 0.05 percent.

Table 11. -- Mississippi: Continued.

QUALITY		STAPLE														TOTAL	
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		-	-	-	*	0.3	5.4	21.2	35.7	26.5	9.3	1.5	*	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	34.2
																Percent Tenderable	71.5
Bark - Level 1		0.7															
Bark - Level 2		*															
Grass - Level 1		0.4															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

1,679,985 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	0.2	1.6	4.7	9.0	10.1	6.1	1.5	*	*	-	33.4	
	3	-	-	-	-	*	0.4	1.2	2.6	4.0	3.5	1.4	*	*	-	13.2	
	4	-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	-	1.1	
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL---		-	-	-	-	0.3	2.1	5.9	11.8	14.4	9.9	3.2	0.1	*	-	47.7
31	1-2	-	-	-	-	*	0.4	1.3	2.3	2.4	1.2	0.3	*	*	-	8.0	
	3	-	-	-	-	0.1	0.6	1.6	3.5	4.9	3.6	1.2	*	*	-	15.5	
	4	-	-	-	-	*	0.1	0.2	0.7	1.6	1.8	0.8	*	*	-	5.3	
	5	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	0.6	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	0.1	1.1	3.2	6.6	9.0	6.9	2.4	0.1	*	-	29.3
41	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3	
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.5	0.2	*	*	-	2.0	
	4	-	-	-	-	*	*	0.1	0.4	1.1	1.4	0.6	*	*	-	3.7	
	5	-	-	-	-	*	*	*	0.1	0.5	0.8	0.3	*	*	-	1.8	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	0.1	0.3	1.1	2.4	2.8	1.1	0.1	-	-	7.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.4	0.5	0.4	0.2	*	*	*	-	1.6	
	3	-	-	-	-	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	-	1.3	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	0.3	0.6	0.9	0.7	0.4	0.1	*	*	-	3.1
32	1-2	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	*	*	-	0.7	
	3	-	-	-	-	*	0.1	0.4	0.7	0.8	0.5	0.1	*	*	-	2.7	
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	1.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	0.2	0.6	1.1	1.3	0.9	0.3	*	*	-	4.6
42	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2	
	3	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	*	-	1.5	
	4	-	-	-	-	*	*	0.1	0.4	0.8	0.7	0.3	*	*	-	2.3	
	5	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	0.8	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	0.3	1.0	1.7	1.2	0.5	*	*	-	-	4.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL---		-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6

\* Less than 0.05 percent.

Table 12. -- Missouri: Continued.

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	0.1	0.2	0.3	0.2	*	*	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	0.5	3.8	11.2	23.3	30.4	22.8	7.7	0.3	*	-	100.0
EXTRANEEOUS MATTER																Average Staple Percent Tenderable
Bark - Level 1		0.1														34.8
Bark - Level 2		*														63.0
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		*														

450,125 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	0.3	2.2	5.4	11.1	16.3	16.0	12.6	3.3	0.5	*	67.7	
	3	-	-	-	-	0.1	0.1	0.4	1.0	2.6	7.0	2.5	0.5	*	14.1	
	4	-	-	-	-	-	-	*	*	0.4	1.5	0.5	0.1	*	2.6	
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL---		-	-	*	0.3	2.3	5.4	11.5	17.5	19.0	21.2	6.4	1.1	*	84.6
31	1-2	-	-	-	-	*	0.1	0.2	0.4	0.7	1.0	0.9	0.3	*	3.5	
	3	-	-	-	-	*	*	*	0.1	0.4	1.0	2.4	0.7	0.1	4.7	
	4	-	-	-	-	-	-	*	*	0.2	0.7	2.1	0.8	0.2	4.1	
	5	-	-	-	-	-	-	*	*	*	0.1	0.4	0.2	0.1	0.9	
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	*	0.1	0.2	0.5	1.3	2.8	5.8	2.0	0.4	*	13.2
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	0.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	0.1	0.1	0.1	0.2	0.2	0.2	*	*	*	1.0	
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3	
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	TOTAL---		-	-	-	-	0.1	0.1	0.2	0.2	0.3	0.3	0.1	*	-	1.3
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	0.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	*

\* Less than 0.05 percent.



Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY		STAPLE														TOTAL	
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	-	-	0.1	*	*	*	*	*	0.1
31	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.9	
	3	-	-	-	*	*	0.3	1.7	6.3	8.3	3.2	0.4	*	*	*	20.3	
	4	-	-	-	*	*	0.1	0.4	1.3	2.1	1.1	0.3	*	*	*	5.3	
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	0.1	0.4	2.2	8.0	10.8	4.4	0.8	*	*	*	*	26.6
41	1-2	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	*	0.9	
	3	-	-	-	*	0.1	0.7	3.7	11.9	13.0	4.5	0.7	*	*	*	34.7	
	4	-	-	-	*	*	0.3	1.6	5.8	8.3	4.4	1.1	*	*	*	21.6	
	5	-	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	1.3	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	0.2	1.0	5.6	18.3	22.2	9.4	2.0	*	*	*	*	58.6
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	*	1.4	
	4	-	-	-	*	*	0.1	0.2	0.5	0.5	0.2	*	*	*	*	1.5	
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.5	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	0.2	0.6	1.2	1.0	0.4	0.1	*	*	*	*	*	3.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*	
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	*	
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	*	0.1	0.1	0.2	0.4	0.3	0.1	*	*	*	*	1.2	
	4	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	1.0	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	0.1	0.2	0.4	0.7	0.6	0.2	0.1	*	*	*	*	2.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	3	-	-	-	*	0.1	0.2	0.5	1.1	0.8	0.2	*	*	*	*	3.0	
	4	-	-	-	*	*	0.2	0.5	1.2	1.2	0.4	0.1	*	*	*	3.6	
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	0.1	0.4	1.1	2.4	2.2	0.7	0.1	*	*	*	*	7.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	*	0.5	
	4	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	*	*	0.5	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	0.1	0.2	0.4	0.3	0.1	*	*	*	*	*	1.1

\* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed through

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	0.1	0.4	0.6	1.0	1.9	3.7	7.9	8.3	3.4	0.6	*	-	-	27.9
	3	*	*	0.1	0.3	0.5	0.7	1.0	1.3	1.0	0.4	0.1	*	-	-	5.3
	4	-	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	-	-	-	0.7
	5	-	-	*	*	*	*	*	*	*	-	-	-	-	-	0.1
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	TOTAL---		*	0.1	0.5	1.0	1.7	2.7	4.8	9.3	9.4	3.8	0.7	*	-	-
31	1-2	*	0.2	0.5	0.6	1.0	2.0	3.6	5.7	5.6	2.2	0.4	*	-	-	21.9
	3	*	0.1	0.6	1.0	1.3	1.8	2.3	2.5	1.7	0.7	0.2	*	-	-	12.2
	4	*	*	0.2	0.6	1.0	1.2	1.2	1.0	0.5	0.2	*	*	-	-	6.0
	5	*	*	0.1	0.3	0.5	0.5	0.5	0.4	0.2	*	*	-	-	-	2.4
	6	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	-	0.6
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL---		*	0.4	1.5	2.5	3.8	5.7	7.6	9.8	8.1	3.1	0.6	*	-	-
41	1-2	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.8
	3	*	0.1	0.2	0.3	0.2	0.2	0.2	0.3	0.1	*	*	-	-	-	1.8
	4	*	*	0.2	0.2	0.4	0.4	0.3	0.2	0.2	*	*	-	-	-	1.9
	5	*	*	0.1	0.2	0.4	0.4	0.3	0.2	0.1	*	*	-	-	-	1.9
	6	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	*	*	-	-	-	1.2
	7	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	-	0.4
	TOTAL---		*	0.2	0.7	1.0	1.3	1.6	1.2	1.1	0.6	0.2	*	*	-	-
51	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	-	0.1	0.2	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL---		-	*	*	*	*	*	*	*	*	*	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	0.1	0.2	0.2	0.3	0.3	0.2	0.1	0.1	*	*	-	-	-	1.5
	3	*	*	0.1	0.1	0.3	0.2	0.2	0.2	0.2	*	*	-	-	-	1.4
	4	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL---		*	0.1	0.3	0.4	0.6	0.6	0.4	0.4	0.3	0.1	*	-	-	-
32	1-2	*	0.2	0.4	0.2	0.2	0.3	0.2	0.2	0.1	*	*	*	-	-	1.9
	3	*	0.1	0.4	0.4	0.5	0.5	0.4	0.4	0.2	0.1	*	*	-	-	3.0
	4	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.1	*	*	-	-	-	1.5
	5	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.7
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL---		0.1	0.3	0.9	0.9	1.1	1.3	1.0	1.0	0.5	0.1	*	-	-	-
42	1-2	*	*	0.1	*	*	*	*	*	*	*	*	-	-	-	0.4
	3	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.6
	4	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	-	-	-	0.7
	5	-	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	-	-	-	0.6
	6	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	-	0.3
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	TOTAL---		*	0.1	0.3	0.4	0.5	0.5	0.3	0.3	0.2	0.1	*	-	-	-
52	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL---		-	-	*	*	*	*	*	*	*	*	-	-	-	-

\* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed through

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	0.1	0.4	0.6	1.0	1.9	3.7	7.9	8.3	3.4	0.6	*	-	-	27.9
	3	*	*	0.1	0.3	0.5	0.7	1.0	1.3	1.0	0.4	0.1	*	-	-	5.3
	4	-	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	-	-	-	0.7
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
	6	-	-	*	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		*	0.1	0.5	1.0	1.7	2.7	4.8	9.3	9.4	3.8	0.7	*	-	-
31	1-2	*	0.2	0.5	0.6	1.0	2.0	3.6	5.7	5.6	2.2	0.4	*	-	-	21.9
	3	*	0.1	0.6	1.0	1.3	1.8	2.3	2.5	1.7	0.7	0.2	*	-	-	12.2
	4	*	*	0.2	0.6	1.0	1.2	1.2	1.0	0.5	0.2	*	*	-	-	6.0
	5	*	*	0.1	0.3	0.5	0.5	0.5	0.4	0.2	*	*	-	-	-	2.4
	6	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	-	0.6
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL----		*	0.4	1.5	2.5	3.8	5.7	7.6	9.8	8.1	3.1	0.6	*	-	-
41	1-2	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.8
	3	*	0.1	0.2	0.3	0.2	0.2	0.2	0.3	0.1	*	*	*	-	-	1.8
	4	*	*	0.2	0.2	0.4	0.4	0.3	0.2	0.2	*	*	-	-	-	1.9
	5	*	*	0.1	0.2	0.4	0.4	0.3	0.2	0.1	*	*	-	-	-	1.9
	6	*	*	*	0.1	0.2	0.3	0.2	0.1	0.1	*	*	-	-	-	1.2
	7	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	TOTAL----		*	0.2	0.7	1.0	1.3	1.6	1.2	1.1	0.6	0.2	*	*	-	-
51	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	-	-	-	-	-	0.1	0.2	*
	5	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	0.1	0.2	0.2	0.3	0.3	0.2	0.1	0.1	*	*	-	-	-	1.5
	3	*	*	0.1	0.1	0.3	0.2	0.2	0.2	0.2	*	*	-	-	-	1.4
	4	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	*	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL----		*	0.1	0.3	0.4	0.6	0.6	0.4	0.4	0.3	0.1	*	-	-	-
32	1-2	*	0.2	0.4	0.2	0.2	0.3	0.2	0.2	0.1	*	*	-	-	-	1.9
	3	*	0.1	0.4	0.4	0.5	0.5	0.4	0.4	0.2	0.1	*	-	-	-	3.0
	4	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.1	*	*	-	-	-	1.5
	5	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.7
	6	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		0.1	0.3	0.9	0.9	1.1	1.3	1.0	1.0	0.5	0.1	*	*	-	-
42	1-2	-	*	0.1	*	*	*	*	*	*	*	*	-	-	-	0.4
	3	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	-	0.6
	4	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	-	-	-	0.7
	5	-	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	-	-	-	0.6
	6	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	-	0.3
	7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	TOTAL----		*	0.1	0.3	0.4	0.5	0.5	0.3	0.3	0.2	0.1	*	-	-	-
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	*	-	*	*	*	*	*	*	-	-	-	-

\* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	*	*	*	0.2	0.2	0.1	*	-	-	-
31	1-2	-	-	-	*	*	*	0.2	0.6	0.6	0.1	*	-	-	-	1.6
	3	-	-	-	*	0.1	0.3	0.9	3.0	4.3	1.5	0.1	*	-	-	10.1
	4	-	-	-	*	*	0.1	0.2	0.4	0.7	0.3	*	*	-	-	1.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL		-	-	-	*	0.1	0.4	1.3	4.0	5.5	1.9	0.2	*	-	-
41	1-2	-	-	-	*	*	0.2	0.6	0.9	0.5	0.1	*	*	-	-	2.2
	3	-	-	-	*	0.3	1.8	6.3	11.2	8.3	2.1	0.2	*	-	-	30.2
	4	-	-	-	*	0.1	1.0	3.3	6.6	5.5	1.4	0.1	*	-	-	18.1
	5	-	-	-	*	*	0.1	0.2	0.5	0.6	0.2	*	*	-	-	1.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	*	0.5	3.0	10.5	19.2	14.9	3.8	0.3	*	-	-
51	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.2	1.0	1.8	1.4	0.5	0.1	*	-	-	-	5.0
	4	-	-	-	*	0.2	0.9	1.7	1.6	0.7	0.1	*	-	-	-	5.3
	5	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	0.5	2.2	4.2	3.8	1.7	0.3	*	-	-	-
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	*	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	-
42	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.2	0.8	1.5	1.6	0.8	0.2	*	*	-	-	5.1
	4	-	-	-	*	0.1	0.8	2.0	2.3	1.2	0.3	*	*	-	-	6.7
	5	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	*	0.4	1.8	3.9	4.2	2.2	0.5	*	*	-	-
52	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	0.2	0.6	0.7	0.4	0.1	*	*	-	-	-	2.0
	4	-	-	-	*	0.2	0.8	1.2	0.8	0.3	0.1	*	*	-	-	3.3
	5	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	*	0.4	1.6	2.3	1.5	0.5	0.1	*	-	-	-

\* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	0.2	0.2	0.1	*	-	-	-
31	1-2	-	-	-	*	0.1	0.3	0.9	0.6	0.6	0.1	*	-	-	-	1.6
	3	-	-	-	*	0.1	0.3	0.9	0.6	0.6	0.1	*	-	-	-	10.1
	4	-	-	-	*	*	0.1	0.2	0.4	0.7	0.3	*	-	-	-	1.7
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	0.1	0.4	1.3	4.0	5.5	1.9	0.2	*	-	-	-
41	1-2	-	-	-	*	0.3	1.8	6.3	11.2	8.3	2.1	0.2	*	-	-	2.2
	3	-	-	-	*	0.1	1.0	3.3	6.6	5.5	1.4	0.1	*	-	-	30.2
	4	-	-	-	*	*	0.1	0.2	0.5	0.6	0.2	*	-	-	-	18.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	1.6
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	0.5	3.0	10.5	19.2	14.9	3.8	0.3	*	-	-	-
51	1-2	-	-	-	*	0.2	1.0	1.8	1.4	0.5	0.1	*	-	-	-	0.2
	3	-	-	-	*	0.2	0.9	1.7	1.6	0.7	0.1	*	-	-	-	5.0
	4	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	5.3
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	2.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	0.5	2.2	4.2	3.8	1.7	0.3	*	-	-	-	-
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-
32	1-2	-	-	-	*	0.1	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	3	-	-	-	*	0.1	0.1	0.2	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	0.1	0.1	0.2	0.2	0.2	0.1	*	-	-	-	-
42	1-2	-	-	-	*	0.2	0.8	1.5	1.6	0.8	0.2	*	-	-	-	0.2
	3	-	-	-	*	0.1	0.8	2.0	2.3	1.2	0.3	*	-	-	-	5.1
	4	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	-	6.7
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.9
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	0.4	1.8	3.9	4.2	2.2	0.5	*	-	-	-	-
52	1-2	-	-	-	*	0.2	0.6	0.7	0.4	0.1	*	*	-	-	-	2.0
	3	-	-	-	*	0.2	0.8	1.2	0.8	0.3	0.1	*	-	-	-	3.3
	4	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	-	1.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	0.4	1.6	2.3	1.5	0.5	0.1	*	-	-	-	-

\* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	1.1	5.1	8.6	7.6	3.7	1.2	0.2	*	-	-	27.4
	3	-	-	-	-	0.2	1.1	2.5	2.7	1.7	0.6	0.1	*	-	-	8.9
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	1.2	6.3	11.2	10.5	5.6	1.8	0.3	*	-	-
31	1-2	-	-	-	-	0.2	1.3	2.8	3.0	1.8	0.6	0.1	*	-	-	9.8
	3	-	-	-	-	0.2	1.6	4.5	6.0	4.2	1.5	0.3	*	-	-	18.4
	4	-	-	-	-	*	0.2	0.9	1.6	1.5	0.6	0.1	*	-	-	5.0
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.4	3.2	8.3	10.8	7.6	2.8	0.6	*	-	-
41	1-2	-	-	-	-	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.7
	3	-	-	-	-	0.1	0.7	2.3	3.2	2.0	0.6	0.1	*	-	-	9.0
	4	-	-	-	-	*	0.2	1.0	1.9	1.6	0.7	0.2	*	-	-	5.6
	5	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	1.2	3.9	6.0	4.2	1.6	0.3	*	-	-
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	0.4	0.6	0.3	0.1	*	*	-	-	1.6
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.4
32	1-2	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	0.2	0.6	0.6	0.3	0.1	*	*	-	-	1.8
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.4	1.0	1.1	0.6	0.2	*	*	-	-	3.3
42	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	0.2	0.6	0.8	0.4	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.6
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.4	1.2	1.6	0.9	0.2	*	*	-	-	4.5
52	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	0.3	0.3	0.2	*	*	*	-	-	0.9

\* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	1.1	5.1	8.6	7.6	3.7	1.2	0.2	*	-	-	27.4
	3	-	-	-	-	0.2	1.1	2.5	2.7	1.7	0.6	0.1	*	-	-	8.9
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	1.2	6.3	11.2	10.5	5.6	1.8	0.3	*	-	-
31	1-2	-	-	-	-	0.2	1.3	2.8	3.0	1.8	0.6	0.1	*	-	-	9.8
	3	-	-	-	-	0.2	1.6	4.5	6.0	4.2	1.5	0.3	*	-	-	18.4
	4	-	-	-	-	*	0.2	0.9	1.6	1.5	0.6	0.1	*	-	-	5.0
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.4	3.2	8.3	10.8	7.6	2.8	0.6	*	-	-
41	1-2	-	-	-	-	*	0.2	0.5	0.6	0.3	0.1	*	*	-	-	1.7
	3	-	-	-	-	0.1	0.7	2.3	3.2	2.0	0.6	0.1	*	-	-	9.0
	4	-	-	-	-	*	0.2	1.0	1.9	1.6	0.7	0.2	*	-	-	5.6
	5	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	1.2	3.9	6.0	4.2	1.6	0.3	*	-	-
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	0.4	0.6	0.3	0.1	*	*	-	-	1.6
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.4
32	1-2	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	0.2	0.6	0.6	0.3	0.1	*	*	-	-	1.8
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.4	1.0	1.1	0.6	0.2	*	*	-	-	3.3
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	3	-	-	-	-	*	0.2	0.6	0.8	0.4	0.1	*	*	-	-	2.1
	4	-	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.6
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.4	1.2	1.6	0.9	0.2	*	*	-	-	4.5
52	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	0.1	0.3	0.3	0.2	*	*	*	-	-	0.9

\* Less than 0.05 percent.

Table 17. -- Tennessee: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	TOTAL		-	-	-	-	*	-	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	TOTAL		-	-	-	-	*	-	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	TOTAL		-	-	-	-	*	-	*	*	*	*	-	-	-	0.1	
43	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	TOTAL		-	-	-	-	*	-	*	*	*	*	-	-	-	0.2	
53	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	TOTAL		-	-	-	-	*	-	*	*	*	*	-	-	-	0.1	
63	1-2	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	3	-	-	*	-	*	-	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	TOTAL		-	-	-	-	*	-	*	*	*	*	-	-	-	*	
24-54	1-7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
81-85 1/	1-7	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
	8 2/	-	-	-	-	*	-	*	*	*	*	-	-	-	*		
TOTAL, ALL		-	-	-	-	1.9	11.9	26.9	31.4	19.6	6.8	1.4	0.1	-	100.0		
EXTRANEOUS MATTER															Average Staple	33.8	
															Percent Tenderable	39.2	
Bark - Level 1		0.2															
Bark - Level 2		*															
Grass - Level 1		0.2															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

574,034 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	0.3	1.2	3.6	8.1	12.3	9.9	4.1	1.0	0.2	*	*	*	40.7
	3	*	*	0.2	0.6	1.6	3.4	5.0	3.7	1.4	0.3	0.1	*	*	*	16.3
	4	*	*	*	0.1	0.3	0.6	0.7	0.5	0.2	*	*	*	*	*	2.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	0.1	0.5	2.0	5.5	12.1	18.0	14.1	5.7	1.4	0.3	*	*	*
31	1-2	*	*	*	0.1	0.3	0.7	1.1	1.1	0.5	0.1	*	*	*	*	3.9
	3	*	*	0.1	0.3	0.8	1.7	2.6	2.7	1.5	0.4	0.1	*	*	*	10.1
	4	*	*	0.1	0.2	0.6	1.1	1.4	1.1	0.5	0.2	*	*	*	*	5.2
	5	*	*	*	0.1	0.3	0.4	0.4	0.2	0.1	*	*	*	*	*	1.5
	6	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.3
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	0.2	0.8	2.1	3.9	5.5	5.1	2.6	0.6	0.1	*	*	*
41	1-2	*	*	*	*	*	0.1	0.2	0.2	*	*	*	*	*	*	0.5
	3	*	*	*	*	*	0.2	0.6	0.9	0.5	0.1	*	*	*	*	2.4
	4	*	*	*	*	0.1	0.1	0.3	0.5	0.3	0.1	*	*	*	*	1.4
	5	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	*	0.1	0.2	0.5	1.2	1.7	0.9	0.2	*	*	*	*
51	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	4	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	0.1	0.3	0.6	0.8	0.6	0.3	*	*	*	*	*	2.8
	3	*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	0.1	*	*	*	*	2.3
	4	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	0.1	0.2	0.6	1.1	1.5	1.3	0.6	0.1	*	*	*	*
32	1-2	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	3	*	*	*	0.1	0.1	0.2	0.4	0.6	0.4	0.1	*	*	*	*	2.0
	4	*	*	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	*	*	1.2
	5	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	0.1	0.3	0.5	0.8	1.1	0.7	0.2	*	*	*	*	*
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	*	0.9
	4	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	0.8
	5	*	*	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	*	0.1	0.2	0.4	0.8	0.5	0.1	*	*	*	*	*
52	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	4	*	*	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL---		*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	*

\* Less than 0.05 percent.

Table 18. -- Texas: Continued.

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	*	-	*	*	*	*	*	-	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2		
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1		
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*		
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*		
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*		
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*		
	TOTAL----		-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1		
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3		
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2		
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	0.6	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	3	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3		
25-35	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		*	0.1	0.9	3.2	9.0	18.7	28.3	25.2	11.4	2.7	0.5	*	*	*	100.0		
EXTRANEEOUS MATTER																Average Staple	33.1	
																Percent Tenderable	51.2	
Bark - Level 1		4.4																
Bark - Level 2		*																
Grass - Level 1		1.0																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		*																

4,883,492 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed, 1999 crop.

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-
31	1-2	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	-	-	-	0.9
	3	-	-	-	-	*	*	0.1	1.2	6.0	11.8	7.2	1.4	*	-	27.9
	4	-	-	-	-	*	*	0.2	1.6	4.6	3.6	1.0	*	-	-	11.0
	5	-	-	-	-	-	-	-	*	0.2	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	0.2	1.5	7.9	17.0	11.1	2.5	*	-
41	1-2	-	-	-	-	*	*	0.2	0.2	0.4	0.3	0.1	*	-	-	1.0
	3	-	-	-	-	*	*	0.2	2.1	9.0	12.5	6.1	0.9	*	-	30.9
	4	-	-	-	-	*	*	0.1	0.7	4.2	9.4	6.4	1.4	*	-	22.3
	5	-	-	-	-	-	-	-	*	0.2	0.6	0.5	0.2	*	-	1.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	0.3	3.0	13.9	22.9	13.1	2.6	*	-
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	*	*	*	0.2	0.5	0.4	0.1	-	-	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	4	-	-	-	-	*	*	*	*	0.2	0.4	0.2	*	-	-	0.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	*	0.1	0.4	0.7	0.4	0.1	-	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*

\* Less than 0.05 percent.

Table 19. -- Virginia: Continued.

QUALITY	LEAF	STAPLE														TOTAL	
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	8 2/	-	-	-	-	-	-	0.4	4.8	22.6	41.5	25.2	5.3	*	-	100.0	
TOTAL, ALL		-	-	-	-	-	-	0.4	4.8	22.6	41.5	25.2	5.3	*	-	100.0	
EXTRANEEOUS MATTER																Average Staple	35.0
																Percent Tenderable	83.8
Bark - Level 1		0.8															
Bark - Level 2		*															
Grass - Level 1		1.7															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

134,140 Bales classed. 1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 20. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 1999 crop.

State	Extraneous matter														Total Bales	
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other			
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2		
Alabama	613	1	18,696	121	2,832	13	11	0	4	0	0	0	45	0	22,201	135
Arizona	72	1	29,188	102	2,628	122	3,293	78	7	0	0	0	29	0	35,217	303
Arkansas	172	1	5,400	37	6,251	26	4	2	14	0	0	4	11	0	11,856	66
California	843	9	5,250	102	9,922	119	16,928	6	14	0	0	39	39	0	33,035	236
Florida	83	0	2,830	5	371	5	3	0	0	0	0	2	4	0	3,293	10
Georgia	1,128	22	28,277	345	10,476	117	75	4	7	0	0	4	30	0	39,997	488
Kansas	4	1	6,073	29	86	0	0	0	2	0	0	0	0	0	6,165	30
Louisiana	137	4	3,577	16	9,852	81	1	0	10	0	0	0	8	0	13,585	101
Mississippi	314	3	11,370	70	6,207	79	10	1	60	2	1	11	10	0	17,982	156
Missouri	112	0	477	9	2,310	4	1	1	3	0	0	0	3	0	2,906	14
New Mexico	13	0	194	1	197	2	10	0	0	0	0	0	6	0	420	3
North Carolina	639	3	14,772	131	16,453	203	8	0	0	0	0	0	2	0	31,874	337
Oklahoma	41	1	7,735	5	175	13	0	0	4	0	0	0	1	0	7,956	19
South Carolina	129	1	2,014	11	1,734	25	2	0	0	0	0	0	0	0	3,879	37
Tennessee	88	0	988	16	1,156	6	3	0	3	0	0	0	3	0	2,241	22
Texas	2,495	66	217,008	712	51,053	1,277	425	11	71	3	0	44	315	1	271,411	2,070
Virginia	20	0	1,131	8	2,287	49	4	0	0	0	0	0	0	0	3,442	57
<b>United States</b>	<b>6,903</b>	<b>113</b>	<b>354,980</b>	<b>1,720</b>	<b>123,990</b>	<b>2,141</b>	<b>20,778</b>	<b>103</b>	<b>199</b>	<b>5</b>	<b>104</b>	<b>1</b>	<b>506</b>	<b>1</b>	<b>507,460</b>	<b>4,084</b>

Table 21. -- Tenderability of upland cotton classed, by states, 1999 crop

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	337,820	54.4	282,862	45.6
Arizona	356,508	52.4	323,348	47.6
Arkansas	855,581	61.9	527,559	38.1
California	1,396,411	90.3	150,316	9.7
Florida	60,414	57.5	44,567	42.5
Georgia	869,495	57.3	648,529	42.7
Kansas	3,164	15.6	17,134	84.4
Louisiana	576,874	62.8	342,017	37.2
Mississippi	1,201,567	71.5	478,418	28.5
Missouri	283,361	63.0	166,764	37.0
New Mexico	38,932	73.8	13,805	26.2
North Carolina	605,744	75.5	196,077	24.5
Oklahoma	67,859	48.7	71,390	51.3
South Carolina	140,217	52.9	124,845	47.1
Tennessee	224,887	39.2	349,147	60.8
Texas	2,500,440	51.2	2,383,052	48.8
Virginia	112,457	83.8	21,683	16.2
<b>United States</b>	<b>9,631,731</b>	<b>61.1</b>	<b>6,141,513</b>	<b>38.9</b>

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 22. -- Tenderability of upland cotton classed, in the United States, 1979-1999 crops.

Year	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
1979	6,996,723	49.4	7,168,941	50.6
1980	5,405,563	50.4	5,316,703	49.6
1981	6,361,006	42.2	8,711,848	57.8
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	6,889,963	62.9	4,067,843	37.1
1991	8,034,460	55.5	6,443,058	44.5
1992	9,576,743	58.2	6,867,923	41.8
1993	10,082,486	67.4	4,881,090	32.6
1994	9,262,901	61.7	5,747,395	38.3
1995	11,968,375	64.7	6,541,523	35.3
1996	10,492,168	62.6	6,259,089	37.4
1997	11,469,168	64.9	6,199,753	35.1
1998	12,042,873	68.5	5,532,967	31.5
1999	7,351,983	56.5	5,659,801	43.5
	9,631,731	61.1	6,141,513	38.9

1/ 1979-1981 tenderable on New York No. 2 futures contracts; 1982, New York No. 2 and New Orleans; 1983-1984, New York No. 2; 1985, New York and Chicago; and 1986-1999 New York No. 2 futures contracts.

Table 23. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1999 crop.

Color	Leaf	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
11 & 21	1-2	6.5	27.9	52.3	47.2	6.5	1.0	5.8	7.1	3.6	7.3	6.3	
	3	5.0	5.3	11.1	10.0	4.5	0.7	4.0	5.6	1.5	1.9	1.8	
	4	0.9	0.7	1.4	1.3	0.4	*	0.3	0.4	0.1	0.1	0.1	
	5	0.1	0.1	0.1	0.1	*	-	*	*	*	*	*	
	6	*	*	*	*	*	-	*	*	*	*	*	
	7	*	*	*	*	*	-	*	*	*	*	*	
	<b>Total</b>		<b>12.5</b>	<b>34.0</b>	<b>65.0</b>	<b>58.6</b>	<b>11.4</b>	<b>1.7</b>	<b>10.1</b>	<b>13.1</b>	<b>5.2</b>	<b>9.2</b>	<b>8.2</b>
31	1-2	2.9	21.9	5.4	8.1	5.6	3.8	5.3	8.8	8.5	15.7	13.8	
	3	12.7	12.2	6.2	7.4	20.6	20.4	20.5	21.3	24.6	25.8	25.4	
	4	10.8	6.0	3.1	3.7	6.4	6.6	6.4	6.3	8.4	6.6	7.1	
	5	5.9	2.4	1.1	1.4	0.5	0.1	0.5	0.6	0.8	0.6	0.6	
	6	1.6	0.6	0.2	0.3	*	*	*	*	*	*	*	
	7	0.2	0.1	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>34.1</b>	<b>43.1</b>	<b>16.1</b>	<b>21.0</b>	<b>33.0</b>	<b>31.0</b>	<b>32.8</b>	<b>37.0</b>	<b>42.3</b>	<b>48.7</b>	<b>47.0</b>
41	1-2	*	0.8	0.1	0.2	2.8	2.1	2.7	1.8	2.3	2.6	2.5	
	3	1.0	1.8	0.2	0.5	18.7	23.6	19.3	9.7	17.1	12.8	13.9	
	4	3.0	1.9	0.2	0.6	13.0	22.6	14.2	5.7	16.7	10.3	12.1	
	5	3.9	1.9	0.3	0.6	0.9	1.4	1.0	1.2	2.9	1.9	2.2	
	6	3.6	1.2	0.2	0.4	*	*	*	0.1	0.2	0.1	0.1	
	7	1.4	0.4	0.1	0.2	*	*	*	*	0.2	0.1	0.1	
	<b>Total</b>		<b>12.9</b>	<b>8.0</b>	<b>1.1</b>	<b>2.5</b>	<b>35.4</b>	<b>49.7</b>	<b>37.3</b>	<b>18.6</b>	<b>39.2</b>	<b>27.7</b>	<b>30.8</b>
51	1-2	-	*	*	*	0.1	*	0.1	0.1	0.1	0.1	0.1	
	3	-	*	*	*	0.6	0.3	0.6	1.0	0.4	0.5	0.4	
	4	-	*	*	*	0.8	1.1	0.9	0.9	1.1	0.8	0.9	
	5	0.1	*	*	*	0.2	0.3	0.2	0.4	1.0	0.5	0.7	
	6	0.1	*	*	*	*	*	*	*	0.1	0.1	0.1	
	7	*	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>0.2</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>1.7</b>	<b>1.8</b>	<b>1.7</b>	<b>2.5</b>	<b>2.6</b>	<b>2.0</b>	<b>2.1</b>
61	1-2	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	
	<b>Total</b>								<b>0.1</b>				
71	1-2	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>												
12 & 22	1-2	3.5	1.5	7.1	6.1	0.5	*	0.4	1.2	0.1	0.1	0.1	
	3	2.5	1.4	4.2	3.7	0.7	*	0.7	1.7	0.1	0.1	0.1	
	4	0.4	0.3	0.8	0.7	0.3	*	0.2	0.3	*	*	*	
	5	*	0.1	0.1	0.1	*	-	*	*	*	*	*	
	6	*	*	*	*	*	-	*	*	*	*	*	
	7	-	-	*	*	-	-	-	*	-	-	-	
	<b>Total</b>		<b>6.4</b>	<b>3.3</b>	<b>12.2</b>	<b>10.6</b>	<b>1.5</b>	<b>*</b>	<b>1.3</b>	<b>3.2</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>
32	1-2	1.7	1.9	1.1	1.2	0.3	0.1	0.3	1.0	0.4	0.7	0.6	
	3	6.8	3.0	2.0	2.2	2.9	1.5	2.7	5.6	1.2	3.0	2.5	
	4	5.7	1.5	1.0	1.2	2.3	0.8	2.1	2.9	0.7	1.5	1.3	
	5	2.5	0.7	0.4	0.5	0.5	*	0.5	0.4	0.1	0.2	0.2	
	6	0.5	0.2	0.1	0.1	0.1	*	0.1	*	*	*	*	
	7	0.1	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>17.5</b>	<b>7.3</b>	<b>4.5</b>	<b>5.3</b>	<b>6.1</b>	<b>2.4</b>	<b>5.7</b>	<b>9.9</b>	<b>2.4</b>	<b>5.4</b>	<b>4.6</b>
42	1-2	0.1	0.4	*	0.1	0.3	0.2	0.3	0.4	0.2	0.3	0.3	
	3	1.1	0.6	0.1	0.2	4.0	3.6	4.0	3.7	2.0	2.2	2.1	
	4	2.3	0.7	0.1	0.3	4.6	7.3	5.0	3.3	3.1	2.4	2.6	
	5	2.1	0.6	0.1	0.2	0.5	0.8	0.5	0.8	0.9	0.6	0.6	
	6	0.7	0.3	*	0.1	*	*	*	0.1	0.1	*	*	
	7	0.6	0.1	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>6.8</b>	<b>2.7</b>	<b>0.5</b>	<b>1.0</b>	<b>9.5</b>	<b>11.9</b>	<b>9.8</b>	<b>8.2</b>	<b>6.3</b>	<b>5.4</b>	<b>5.7</b>
52	1-2	*	*	*	*	*	*	*	0.1	*	*	*	
	3	-	*	*	*	0.2	0.1	0.2	0.7	0.3	0.2	0.3	
	4	-	*	*	*	0.4	0.8	0.5	0.8	0.6	0.4	0.5	
	5	*	*	*	*	0.1	0.3	0.1	0.3	0.5	0.3	0.3	
	6	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>0.8</b>	<b>1.2</b>	<b>0.8</b>	<b>1.9</b>	<b>1.5</b>	<b>1.0</b>	<b>1.1</b>

Table 23. -- Continued.

Color	Leaf	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
62	1-2	-	-	*	*	*	-	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	0.1	0.1	*	*
	<b>Total</b>				0.1				0.2			
13 & 23	1-2	0.3	*	0.1	0.1	*	*	*	0.2	*	*	*
	3	0.4	*	0.1	0.1	*	*	*	*	*	*	*
	4	0.1	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*
	<b>Total</b>		0.9	0.1	0.3	0.3			0.4			
33	1-2	0.2	0.1	*	*	*	*	*	0.3	*	*	*
	3	2.1	0.2	0.1	0.2	*	*	*	1.1	*	*	*
	4	1.6	0.2	0.1	0.1	*	*	*	0.4	*	*	*
	5	0.3	0.1	*	*	*	*	*	*	*	*	*
	6	0.2	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*
	<b>Total</b>		4.5	0.5	0.2	0.4	0.1	0.1	1.9		0.1	0.1
43	1-2	-	*	*	*	*	*	0.1	0.1	*	*	*
	3	0.3	0.1	*	*	0.1	*	0.1	0.6	*	*	*
	4	0.8	0.1	*	0.1	0.2	*	0.1	0.6	*	*	*
	5	0.6	0.1	*	*	*	*	*	0.1	*	*	*
	6	0.8	*	*	*	*	*	*	*	*	*	*
	7	0.3	*	*	*	*	*	*	*	*	*	*
	<b>Total</b>		2.6	0.4	0.1	0.2	0.3	0.1	0.3	1.5	0.1	0.1
53	1-2	-	*	*	*	*	*	*	0.2	*	*	*
	3	*	0.1	*	*	*	*	*	0.2	*	*	*
	4	*	*	*	*	*	*	*	0.1	*	*	*
	5	0.1	*	*	*	*	*	*	*	*	*	*
	6	0.1	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*
	<b>Total</b>		0.2	0.1	*	*	0.1	*	0.1	0.4	0.1	0.1
63	1-2	-	-	-	-	-	-	-	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*
	<b>Total</b>								1.2			
24 - 54	1-7	1.0	0.2	0.1	0.1	*	*	*	*	*	*	
25 - 35	1-7	-	-	-	-	*	*	*	0.1	*	*	
81 - 85 1/ Below	1-7 8 2/	- 0.3	- 0.1	- *	- 0.1	*	*	*	*	*	*	
<b>STAPLE</b>												
28 & shorter		1.7	1.4	0.3	0.5	-	-	-	*	-	-	
29		9.3	4.5	2.1	2.7	-	-	-	*	-	-	
30		17.1	6.3	6.1	6.4	0.2	*	0.2	0.3	*	*	
31		21.0	9.3	13.5	13.0	4.4	0.7	3.9	2.1	0.2	0.2	
32		18.7	12.5	21.5	19.9	19.5	5.8	17.8	8.1	4.9	3.8	
33		17.2	15.8	23.5	22.1	31.6	17.4	29.8	23.4	5.2	20.9	
34		11.6	22.2	19.5	19.7	27.5	32.0	28.1	37.0	25.3	36.2	
35		3.1	19.2	10.4	11.7	13.4	32.2	15.8	22.3	43.3	26.9	
36		0.3	7.4	2.6	3.3	3.0	10.6	4.0	5.5	21.8	9.3	
37		*	1.4	0.4	0.6	0.3	1.1	0.4	1.1	3.5	1.5	
38 & longer		-	*	*	*	*	*	*	0.1	0.1	*	
<b>All Staples</b>		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	99.9	
<b>Average staple</b>		31.6	33.1	32.7	32.8	33.4	34.3	33.5	33.9	34.9	34.2	
<b>Total Classed</b>		20,298	139,249	688,488	848,035	620,682	91,787	712,469	1,187,670	556,932	1,520,073	

1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 24. - Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1999 crop.

Color	Leaf	FLORENCE				LAMESA	LUBBOCK	MACON		
		North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
11 & 21	1-2	0.1	0.3	0.1	0.1	56.8	49.4	1.9	0.4	0.4
	3	0.1	0.2	0.3	0.1	19.5	22.4	0.5	0.4	0.4
	4	*	*	*	*	3.5	3.6	-	*	*
	5	*	-	-	*	0.1	0.4	-	*	*
	6	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	*	*	-	-	-
	<b>Total</b>	<b>---</b>	<b>0.1</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>79.9</b>	<b>75.9</b>	<b>2.4</b>	<b>0.8</b>
31	1-2	0.9	1.6	0.9	1.0	0.8	1.8	8.7	2.8	2.8
	3	20.3	10.1	27.9	18.9	3.6	7.3	21.2	16.2	16.3
	4	5.3	1.7	11.0	5.1	3.4	5.8	1.8	3.4	3.4
	5	0.2	0.1	0.4	0.2	0.5	2.4	*	*	*
	6	*	*	*	*	*	0.5	-	*	*
	7	*	-	*	*	*	0.1	-	*	*
	<b>Total</b>	<b>---</b>	<b>26.6</b>	<b>13.5</b>	<b>40.2</b>	<b>25.2</b>	<b>8.3</b>	<b>17.9</b>	<b>31.8</b>	<b>22.4</b>
41	1-2	0.9	2.2	1.0	1.2	*	*	2.9	1.6	1.6
	3	34.7	30.2	30.9	33.3	*	*	29.8	28.1	28.1
	4	21.6	18.1	22.3	20.9	0.1	*	8.2	20.6	20.5
	5	1.3	1.6	1.5	1.4	*	0.1	0.3	1.1	1.1
	6	0.1	0.1	0.1	0.1	*	0.1	-	*	*
	7	*	*	*	*	*	*	-	*	*
	<b>Total</b>	<b>---</b>	<b>58.6</b>	<b>52.2</b>	<b>55.8</b>	<b>56.9</b>	<b>0.1</b>	<b>0.2</b>	<b>41.3</b>	<b>51.3</b>
51	1-2	*	0.2	*	0.1	*	*	0.1	0.1	0.1
	3	1.4	5.0	0.1	2.0	-	*	1.2	2.1	2.1
	4	1.5	5.3	0.1	2.2	*	*	0.6	3.4	3.4
	5	0.5	2.1	0.1	0.8	*	*	*	0.7	0.7
	6	*	0.1	*	0.1	*	*	-	*	*
	7	*	*	*	*	*	*	-	*	*
	<b>Total</b>	<b>---</b>	<b>3.4</b>	<b>12.8</b>	<b>0.3</b>	<b>5.1</b>	<b>*</b>	<b>*</b>	<b>1.9</b>	<b>6.3</b>
61	1-2	-	*	-	*	-	*	-	*	*
	3	-	*	-	*	-	*	-	*	*
	4	*	0.1	-	*	-	*	-	*	*
	5	*	*	-	*	-	*	-	*	*
	6	*	*	-	*	-	*	-	*	*
	7	*	*	-	*	-	*	-	*	*
	<b>Total</b>	<b>---</b>	<b>*</b>	<b>0.2</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	*	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	<b>Total</b>	<b>---</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	*	*	*	*	5.1	1.7	-	*	*
	3	*	*	*	*	3.0	1.8	0.1	*	*
	4	*	*	-	*	0.8	0.4	0.1	*	*
	5	*	-	-	*	*	0.1	-	-	-
	6	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	*	*	-	-	-
	<b>Total</b>	<b>---</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>9.0</b>	<b>4.0</b>	<b>0.2</b>	<b>*</b>
32	1-2	*	*	*	*	0.1	0.1	0.4	0.1	0.1
	3	1.2	0.5	0.6	1.0	0.5	0.5	1.9	1.0	1.0
	4	1.0	0.3	0.5	0.8	0.6	0.5	0.7	0.5	0.5
	5	0.1	*	0.1	0.1	0.1	0.2	*	*	*
	6	*	*	*	*	*	*	-	*	*
	7	*	-	*	*	*	*	-	*	*
	<b>Total</b>	<b>---</b>	<b>2.4</b>	<b>0.9</b>	<b>1.2</b>	<b>1.9</b>	<b>1.3</b>	<b>1.4</b>	<b>3.1</b>	<b>1.6</b>
42	1-2	0.1	0.2	*	0.1	*	*	0.3	0.1	0.1
	3	3.0	5.1	0.6	3.2	*	*	7.6	5.1	5.1
	4	3.6	6.7	0.9	4.0	*	*	6.9	6.9	6.9
	5	0.4	0.9	0.2	0.5	*	*	0.5	0.7	0.7
	6	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*
	<b>Total</b>	<b>---</b>	<b>7.1</b>	<b>13.0</b>	<b>1.7</b>	<b>7.8</b>	<b>*</b>	<b>*</b>	<b>15.3</b>	<b>12.8</b>
52	1-2	*	0.1	*	*	-	*	-	*	*
	3	0.5	2.0	*	0.7	-	*	1.0	1.0	1.0
	4	0.5	3.3	*	1.1	-	*	1.4	2.1	2.1
	5	0.1	1.1	*	0.3	-	*	0.2	0.5	0.5
	6	*	0.1	-	*	-	*	-	*	*
	7	*	*	-	*	-	*	-	*	*
	<b>Total</b>	<b>---</b>	<b>1.1</b>	<b>6.5</b>	<b>0.1</b>	<b>2.2</b>	<b>*</b>	<b>*</b>	<b>2.6</b>	<b>3.7</b>

Table 25. - Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1999 crop.

Color	Leaf	MEMPHIS					Classing Office Total	PHOENIX				Classing Office Total
		Arkansas	Mississippi	Missouri	Tennessee	Arizona		California	New Mexico	Texas		
11 & 21	1-2	18.8	33.4	8.4	27.4	24.1	66.9	64.1	67.7	82.4	67.2	
	3	12.4	13.2	2.5	8.9	11.0	2.4	1.1	14.1	3.5	3.0	
	4	1.3	1.1	0.3	0.6	1.0	0.1	0.1	2.6	0.3	0.3	
	5	0.1	*	*	*	*	*	*	0.1	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>32.6</b>	<b>47.7</b>	<b>11.2</b>	<b>36.9</b>	<b>36.1</b>	<b>69.4</b>	<b>65.4</b>	<b>84.6</b>	<b>86.2</b>	<b>70.5</b>
31	1-2	5.8	8.0	11.5	9.8	7.8	16.9	26.0	3.5	8.1	16.7	
	3	19.6	15.5	18.6	18.4	18.3	4.5	3.2	4.7	2.3	4.3	
	4	9.0	5.3	7.9	5.0	6.9	1.2	1.8	4.1	2.0	1.5	
	5	1.3	0.6	0.9	0.5	0.9	0.1	0.1	0.9	0.2	0.2	
	6	*	*	0.1	*	*	*	*	0.1	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>35.8</b>	<b>29.3</b>	<b>38.9</b>	<b>33.7</b>	<b>33.9</b>	<b>22.8</b>	<b>31.2</b>	<b>13.2</b>	<b>12.6</b>	<b>22.7</b>
41	1-2	0.3	0.3	3.6	1.7	0.9	0.5	1.1	*	0.3	0.5	
	3	4.2	2.0	18.3	9.0	5.9	0.3	0.1	*	0.1	0.2	
	4	5.9	3.7	12.9	5.6	5.7	0.3	0.1	0.1	0.1	0.2	
	5	1.5	1.8	2.7	1.0	1.5	0.1	*	0.1	*	0.1	
	6	0.1	0.1	0.3	0.1	0.1	*	*	*	*	*	
	7	*	*	0.1	*	*	*	*	*	*	*	
	<b>Total</b>		<b>12.0</b>	<b>7.8</b>	<b>37.8</b>	<b>17.3</b>	<b>14.1</b>	<b>1.1</b>	<b>1.3</b>	<b>0.2</b>	<b>0.5</b>	<b>1.1</b>
51	1-2	*	*	0.3	*	*	*	*	*	*	*	
	3	0.2	0.1	2.1	0.3	0.3	*	*	*	*	*	
	4	0.3	0.1	1.7	0.6	0.5	*	*	*	*	*	
	5	0.3	0.1	0.8	0.5	0.3	*	*	*	*	*	
	6	0.1	*	0.1	0.1	0.1	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>0.9</b>	<b>0.4</b>	<b>5.1</b>	<b>1.6</b>	<b>1.2</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
61	1-2	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	
	4	*	*	*	*	*	*	*	*	*	*	
	5	*	*	0.1	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>*</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
71	1-2	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>		<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	1.0	1.6	0.1	0.5	1.0	2.0	0.2	1.0	0.1	1.7	
	3	1.1	1.3	0.1	0.7	1.0	0.5	0.1	0.3	0.1	0.4	
	4	0.2	0.2	*	0.2	0.2	0.1	*	0.1	*	0.1	
	5	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>		<b>2.3</b>	<b>3.1</b>	<b>0.2</b>	<b>1.4</b>	<b>2.1</b>	<b>2.6</b>	<b>0.4</b>	<b>1.3</b>	<b>0.3</b>	<b>2.2</b>
32	1-2	0.5	0.7	0.1	0.4	0.5	0.4	0.2	0.1	0.1	0.3	
	3	3.0	2.7	0.6	1.8	2.4	1.2	0.6	0.2	0.1	1.1	
	4	1.7	1.1	0.4	0.8	1.2	1.1	0.7	0.2	0.1	1.0	
	5	0.3	0.1	0.1	0.2	0.2	0.2	0.1	0.1	*	0.2	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>5.6</b>	<b>4.6</b>	<b>1.2</b>	<b>3.3</b>	<b>4.4</b>	<b>3.0</b>	<b>1.6</b>	<b>0.5</b>	<b>0.3</b>	<b>2.6</b>
42	1-2	0.2	0.2	0.2	0.3	0.2	*	0.1	*	*	*	
	3	2.8	1.5	1.9	2.1	2.2	0.2	*	*	*	0.1	
	4	3.8	2.3	1.5	1.6	2.7	0.3	*	*	*	0.3	
	5	0.9	0.8	0.3	0.4	0.7	0.2	*	*	*	0.1	
	6	0.1	*	0.1	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>7.8</b>	<b>4.8</b>	<b>4.0</b>	<b>4.5</b>	<b>5.9</b>	<b>0.7</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>0.6</b>
52	1-2	*	*	0.1	*	*	*	*	*	*	*	
	3	0.4	0.1	0.6	0.2	0.3	*	*	*	*	*	
	4	0.6	0.2	0.4	0.3	0.4	*	*	*	*	*	
	5	0.4	0.2	0.1	0.2	0.3	*	*	*	*	*	
	6	0.1	0.1	*	0.1	0.1	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>1.5</b>	<b>0.6</b>	<b>1.2</b>	<b>0.9</b>	<b>1.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1999 crop.

Color	Leaf	MEMPHIS					Classing Office Total	PHOENIX				Classing Office Total
		Arkansas	Mississippi	Missouri	Tennessee	Arizona		California	New Mexico	Texas		
11 & 21	1-2	18.8	33.4	8.4	27.4	24.1	66.9	64.1	67.7	82.4	67.2	
	3	12.4	13.2	2.5	8.9	11.0	2.4	1.1	14.1	3.5	3.0	
	4	1.3	1.1	0.3	0.6	1.0	0.1	0.1	2.6	0.3	0.3	
	5	0.1	*	*	*	*	*	*	0.1	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>32.6</b>	<b>47.7</b>	<b>11.2</b>	<b>36.9</b>	<b>36.1</b>	<b>69.4</b>	<b>65.4</b>	<b>84.6</b>	<b>86.2</b>	<b>70.5</b>
31	1-2	5.8	8.0	11.5	9.8	7.8	16.9	26.0	3.5	8.1	16.7	
	3	19.6	15.5	18.6	18.4	18.3	4.5	3.2	4.7	2.3	4.3	
	4	9.0	5.3	7.9	5.0	6.9	1.2	1.8	4.1	2.0	1.5	
	5	1.3	0.6	0.9	0.5	0.9	0.1	0.1	0.9	0.2	0.2	
	6	*	*	0.1	*	*	*	*	0.1	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>35.8</b>	<b>29.3</b>	<b>38.9</b>	<b>33.7</b>	<b>33.9</b>	<b>22.8</b>	<b>31.2</b>	<b>13.2</b>	<b>12.6</b>	<b>22.7</b>
41	1-2	0.3	0.3	3.6	1.7	0.9	0.5	1.1	*	0.3	0.5	
	3	4.2	2.0	18.3	9.0	5.9	0.3	0.1	*	0.1	0.2	
	4	5.9	3.7	12.9	5.6	5.7	0.3	0.1	0.1	0.1	0.2	
	5	1.5	1.8	2.7	1.0	1.5	0.1	*	0.1	*	0.1	
	6	0.1	0.1	0.3	0.1	0.1	*	*	*	*	*	
	7	*	*	0.1	*	*	*	*	*	*	*	
	<b>Total</b>		<b>12.0</b>	<b>7.8</b>	<b>37.8</b>	<b>17.3</b>	<b>14.1</b>	<b>1.1</b>	<b>1.3</b>	<b>0.2</b>	<b>0.5</b>	<b>1.1</b>
51	1-2	0.2	0.1	2.1	0.3	0.3	*	*	*	*	*	
	3	0.3	0.1	1.7	0.6	0.5	*	*	*	*	*	
	4	0.3	0.1	0.8	0.5	0.3	*	*	*	*	*	
	5	0.1	*	0.1	0.1	0.1	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>0.9</b>	<b>0.4</b>	<b>5.1</b>	<b>1.6</b>	<b>1.2</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
61	1-2	*	*	0.3	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	*	*	*	
	4	*	*	*	*	*	*	*	*	*	*	
	5	*	*	0.1	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>*</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
71	1-2	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>		<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	1.0	1.6	0.1	0.5	1.0	2.0	0.2	1.0	0.1	1.7	
	3	1.1	1.3	0.1	0.7	1.0	0.5	0.1	0.3	0.1	0.4	
	4	0.2	0.2	*	0.2	0.2	0.1	*	0.1	*	0.1	
	5	*	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>2.3</b>	<b>3.1</b>	<b>0.2</b>	<b>1.4</b>	<b>2.1</b>	<b>2.6</b>	<b>0.4</b>	<b>1.3</b>	<b>0.3</b>	<b>2.2</b>
32	1-2	0.5	0.7	0.1	0.4	0.5	0.4	0.2	0.1	0.1	0.3	
	3	3.0	2.7	0.6	1.8	2.4	1.2	0.6	0.2	0.1	1.1	
	4	1.7	1.1	0.4	0.8	1.2	1.1	0.7	0.2	0.1	1.0	
	5	0.3	0.1	0.1	0.2	0.2	0.2	0.1	0.1	*	0.2	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>5.6</b>	<b>4.6</b>	<b>1.2</b>	<b>3.3</b>	<b>4.4</b>	<b>3.0</b>	<b>1.6</b>	<b>0.5</b>	<b>0.3</b>	<b>2.6</b>
42	1-2	0.2	0.2	0.2	0.3	0.2	*	0.1	*	*	0.1	
	3	2.8	1.5	1.9	2.1	2.2	0.2	*	*	*	0.1	
	4	3.8	2.3	1.5	1.6	2.7	0.3	*	*	*	0.3	
	5	0.9	0.8	0.3	0.4	0.7	0.2	*	*	*	0.1	
	6	0.1	*	0.1	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>7.8</b>	<b>4.8</b>	<b>4.0</b>	<b>4.5</b>	<b>5.9</b>	<b>0.7</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>0.6</b>
52	1-2	0.4	0.1	0.6	0.2	0.3	*	*	*	*	*	
	3	0.6	0.2	0.4	0.3	0.4	*	*	*	*	*	
	4	0.4	0.2	0.1	0.2	0.3	*	*	*	*	*	
	5	0.1	0.1	*	0.1	0.1	*	*	*	*	*	
	6	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	*	*	*	*	*	*	
	<b>Total</b>		<b>1.5</b>	<b>0.6</b>	<b>1.2</b>	<b>0.9</b>	<b>1.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>

Table 25. -- Continued.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total 1/	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	*	*	*	-	*	-	-	-	-	-
	3	*	*	*	*	*	-	-	-	-	*
	4	*	*	*	*	*	-	-	-	-	*
	5	*	*	*	*	*	-	-	-	-	*
	6	*	*	-	*	*	-	-	-	-	-
	7	*	*	-	*	*	-	-	-	-	-
	<b>Total</b>		0.1	*	*	*	*	*	*	*	*
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*
	5	-	*	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>		0.1	0.1	*	*	*	0.1	*	*	*
33	1-2	0.1	0.1	*	-	0.1	*	*	*	-	*
	3	0.3	0.6	*	0.1	0.3	0.1	*	*	*	*
	4	0.1	0.2	*	*	0.1	0.1	-	-	*	0.1
	5	*	*	*	*	*	*	*	*	*	*
	6	*	*	-	-	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*
	<b>Total</b>		0.5	0.9	0.1	0.1	0.5	0.2	*	*	*
43	1-2	*	*	*	*	*	*	*	*	*	*
	3	0.2	0.2	*	0.1	0.2	*	*	*	*	*
	4	0.2	0.2	*	0.1	0.1	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*
	6	*	*	-	-	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*
	<b>Total</b>		0.5	0.4	*	0.2	0.3	0.1	*	-	-
53	1-2	*	*	-	*	*	*	*	*	*	*
	3	0.1	*	*	*	*	*	*	*	*	*
	4	0.1	*	*	*	0.1	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*
	6	*	*	-	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*
	<b>Total</b>		0.2	0.1	*	0.1	0.1	*	*	*	*
63	1-2	-	-	-	-	*	-	-	-	-	-
	3	*	*	*	*	*	-	-	-	-	*
	4	*	*	*	*	*	-	-	-	-	*
	5	*	*	*	*	*	-	-	-	-	*
	6	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	*
	<b>Total</b>		*	*	*	*	*	*	*	*	*
24 - 54	1-7	0.2	0.3	*	*	0.1	*	*	*	*	*
	25 - 35	-	-	-	-	*	*	*	*	*	*
81 - 85 1/ Below	1-7	*	*	*	*	*	*	*	*	*	*
	8 2/	*	*	*	*	*	*	*	*	*	*
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	*	*	*	*	*
30		-	-	-	-	-	*	*	*	*	*
31		0.3	0.5	1.4	1.9	0.9	0.1	*	0.3	*	0.1
32		2.7	3.8	11.1	11.9	6.2	0.8	0.8	2.5	1.6	0.9
33		9.6	11.2	22.1	26.9	15.8	4.7	5.7	5.8	9.1	5.0
34		25.2	23.3	28.7	31.4	26.8	17.3	22.8	12.3	21.8	17.7
35		38.6	30.4	23.0	19.6	30.2	33.8	43.9	19.1	39.9	34.1
36		20.6	22.8	10.6	6.8	16.5	29.3	24.0	22.2	20.4	28.0
37		3.0	7.7	2.9	1.4	3.6	12.8	2.8	27.6	6.4	12.5
38 & longer		0.1	0.3	0.1	0.1	0.1	1.3	0.1	10.2	0.6	1.7
<b>All Staples</b>		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<b>Average staple</b>		34.7	34.1	34.8	33.8	34.4	35.3	34.9	35.8	34.9	35.3
<b>Total Classed</b>		820,997	450,125	114,663	574,034	1,959,819	679,856	81,617	52,737	28,069	842,279

1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 1999 crop.

Color	Leaf	RAYVILLE				VISALIA	
		Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	3.3	4.9	1.9	4.7	61.7	26.5
	3	1.6	0.7	0.8	0.7	22.0	9.2
	4	*	*	*	*	1.1	1.0
	5	-	-	-	-	*	0.1
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	<b>Total</b>	<b>---</b>	<b>4.9</b>	<b>5.6</b>	<b>2.8</b>	<b>5.5</b>	<b>84.9</b>
31	1-2	8.9	17.8	10.2	17.4	4.2	7.1
	3	33.8	29.2	34.2	29.5	6.9	15.5
	4	6.3	5.3	7.2	5.4	1.9	5.1
	5	0.7	0.2	0.1	0.2	0.2	0.8
	6	-	*	-	*	*	0.1
	7	-	*	-	*	*	*
	<b>Total</b>	<b>---</b>	<b>49.7</b>	<b>52.5</b>	<b>51.8</b>	<b>52.5</b>	<b>13.2</b>
41	1-2	1.7	2.4	0.9	2.3	0.2	1.1
	3	20.6	15.6	16.3	15.6	0.3	10.5
	4	13.6	10.9	19.1	11.3	0.2	7.7
	5	2.7	1.2	1.5	1.2	0.1	0.9
	6	0.2	0.1	*	0.1	*	0.1
	7	*	*	*	*	*	*
	<b>Total</b>	<b>---</b>	<b>38.8</b>	<b>30.1</b>	<b>37.8</b>	<b>30.5</b>	<b>0.9</b>
51	1-2	*	*	*	*	*	*
	3	0.3	0.3	0.1	0.3	*	0.6
	4	0.3	0.6	0.7	0.6	*	0.8
	5	0.1	0.4	0.7	0.4	*	0.3
	6	-	0.1	0.1	0.1	*	*
	7	-	*	*	*	*	*
	<b>Total</b>	<b>---</b>	<b>0.8</b>	<b>1.4</b>	<b>1.6</b>	<b>1.4</b>	<b>0.1</b>
61	1-2	-	*	-	*	-	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	<b>Total</b>	<b>---</b>	<b>-</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>*</b>
71	1-2	-	-	-	-	-	-
	3	-	*	-	*	-	*
	4	-	*	-	*	-	*
	5	-	*	-	*	-	*
	6	-	*	-	*	-	*
	7	-	*	-	*	-	*
	<b>Total</b>	<b>---</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
12 & 22	1-2	-	*	-	*	0.1	1.1
	3	0.1	*	*	*	0.1	0.9
	4	-	*	-	*	*	0.2
	5	-	-	-	-	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	<b>Total</b>	<b>---</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>0.3</b>
32	1-2	0.2	0.8	0.1	0.8	0.1	0.4
	3	0.9	2.3	1.1	2.2	0.2	1.8
	4	0.3	0.9	0.4	0.8	0.1	1.0
	5	-	0.1	*	0.1	*	0.2
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	<b>Total</b>	<b>---</b>	<b>1.4</b>	<b>4.0</b>	<b>1.6</b>	<b>3.9</b>	<b>0.4</b>
42	1-2	0.3	0.3	*	0.3	*	0.2
	3	2.1	2.2	0.8	2.1	0.1	1.9
	4	1.2	2.2	2.0	2.2	*	2.3
	5	0.2	0.4	0.6	0.4	*	0.4
	6	-	*	*	*	*	*
	7	-	*	*	*	*	*
	<b>Total</b>	<b>---</b>	<b>3.7</b>	<b>5.2</b>	<b>3.5</b>	<b>5.1</b>	<b>0.2</b>
52	1-2	-	*	*	*	*	*
	3	0.1	0.1	*	0.1	*	0.3
	4	0.1	0.3	0.3	0.3	*	0.5
	5	*	0.2	0.3	0.2	*	0.2
	6	-	*	*	*	*	*
	7	-	*	*	*	*	*
	<b>Total</b>	<b>---</b>	<b>0.2</b>	<b>0.6</b>	<b>0.7</b>	<b>0.6</b>	<b>*</b>

Table 26. -- Continued.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	California	UNITED STATES
62	1-2	-	*	-	*	*	*
	3	-	*	-	*	*	*
	4	-	*	*	*	*	*
	5	-	*	*	*	*	*
	6	-	*	*	*	*	*
	7	-	*	-	*	-	*
	<b>Total</b>		-	*	-	*	*
13 & 23	1-2	-	*	-	*	*	*
	3	-	*	-	*	*	*
	4	-	-	-	-	*	*
	5	-	-	-	-	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	<b>Total</b>		-	*	-	*	-
33	1-2	0.1	*	-	*	*	*
	3	*	*	*	*	*	0.2
	4	-	*	*	*	*	0.1
	5	-	*	-	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	*
	<b>Total</b>		0.1	0.1	*	0.1	0.1
43	1-2	-	*	-	*	*	*
	3	-	0.1	-	0.1	*	0.1
	4	0.1	0.1	*	0.1	*	0.1
	5	-	*	*	*	*	*
	6	-	*	-	*	*	*
	7	-	-	-	-	*	*
	<b>Total</b>		0.1	0.2	0.1	0.2	*
53	1-2	-	*	-	*	*	*
	3	*	*	*	*	*	*
	4	-	*	*	*	*	*
	5	-	*	*	*	*	*
	6	-	*	*	*	*	*
	7	-	-	-	-	*	*
	<b>Total</b>		0.1	0.1	*	0.1	*
63	1-2	-	-	-	-	*	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	-	-	-	*	*
	<b>Total</b>		-	*	-	*	*
24 - 54	1-7	-	*	-	*	*	0.1
25 - 35	1-7	-	-	-	-	*	*
81 - 85 1/	1-7	-	*	-	*	*	*
Below	8 2/	-	*	-	*	*	*
<b>STAPLE</b>							
28 & shorter		-	-	-	-	-	*
29		-	-	-	-	-	0.3
30		-	-	-	-	-	1.1
31		*	0.4	0.4	0.4	-	3.6
32		4.6	8.4	7.7	8.3	0.1	9.8
33		23.9	24.8	28.4	24.9	0.4	19.5
34		40.5	35.0	38.2	35.2	4.1	26.0
35		25.2	22.1	20.9	22.0	14.9	21.6
36		5.2	7.4	4.0	7.2	34.6	11.6
37		0.6	1.8	0.3	1.8	38.2	5.5
38 & longer		-	0.2	-	0.2	7.8	0.9
<b>All Staples</b>		<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>0.9</b>
<b>Average staple</b>		<b>34.0</b>	<b>34.0</b>	<b>33.9</b>	<b>34.0</b>	<b>36.3</b>	<b>34.1</b>
<b>Total Classed</b>		<b>5,211</b>	<b>918,891</b>	<b>45,249</b>	<b>969,351</b>	<b>1,465,110</b>	<b>15,773,244</b>

1/ Below Color. 2/ Below Leaf. \* Less than 0.05 percent.

Table 27. - Percentage distribution of mike and strength for upland cotton classed, by classing office, 1999 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
<b>MIKE</b>											
24 & below	0.3	0.1	*	*	-	-	-	*	-	*	*
25	0.2	0.1	*	*	*	*	*	*	*	*	*
26	0.2	0.1	*	0.1	*	*	*	*	*	*	*
27	0.4	0.1	0.1	0.1	*	*	*	*	*	*	*
28	0.4	0.2	0.1	0.1	0.1	*	0.1	0.1	*	*	*
29	0.5	0.2	0.2	0.2	0.1	*	0.1	0.1	*	*	*
30	1.3	0.5	0.5	0.5	0.2	*	0.2	0.2	0.1	*	*
31	1.7	0.5	0.8	0.7	0.4	*	0.4	0.2	0.1	0.1	0.1
32	1.8	0.7	1.1	1.1	0.6	*	0.6	0.4	0.1	0.1	0.1
33	3.0	0.7	1.8	1.6	1.1	0.1	1.0	0.6	0.2	0.2	0.2
34	2.7	1.0	2.3	2.1	1.3	0.1	1.1	0.9	0.2	0.3	0.3
35	3.3	1.4	3.4	3.1	1.9	0.2	1.7	1.7	0.4	0.6	0.6
36	4.0	1.7	4.1	3.7	2.1	0.3	1.9	2.2	0.4	0.9	0.8
37	5.4	2.1	5.0	4.5	2.6	0.5	2.3	2.7	0.5	1.3	1.1
38	5.4	2.7	5.8	5.3	3.6	0.8	3.3	3.6	0.7	1.9	1.5
39	6.6	3.2	6.6	6.1	3.6	0.9	3.2	4.5	0.9	2.6	2.2
40	7.6	4.0	7.2	6.7	4.5	1.3	4.1	5.2	1.3	3.5	2.9
41	6.7	5.1	7.6	7.1	5.0	2.0	4.6	5.9	1.8	4.6	3.8
42	6.8	6.2	7.7	7.4	5.7	2.7	5.4	6.3	2.7	5.7	4.9
43	5.9	6.8	7.7	7.6	7.0	4.0	6.7	6.6	4.0	6.9	6.1
44	6.2	7.3	7.5	7.4	7.5	5.1	7.2	6.9	5.5	8.1	7.4
45	5.9	7.9	7.3	7.4	8.0	7.0	7.8	7.3	7.4	9.0	8.6
46	5.7	8.2	6.6	6.9	8.6	10.1	8.8	7.3	9.3	9.7	9.6
47	4.5	8.4	5.5	6.0	8.7	12.3	9.2	7.3	11.4	10.0	10.4
48	3.7	8.0	4.3	4.9	8.5	14.4	9.3	7.1	12.7	9.6	10.4
49	2.5	7.5	3.0	3.7	6.6	12.7	7.4	6.8	12.3	8.4	9.4
50	2.8	5.5	1.9	2.5	4.8	9.8	5.5	6.1	10.6	6.5	7.6
51	2.0	4.3	1.1	1.6	3.5	7.3	4.0	4.7	8.1	4.8	5.7
52	1.4	3.2	0.6	1.0	2.0	4.7	2.3	3.2	6.0	3.4	4.1
53	0.3	1.1	0.1	0.3	1.1	2.4	1.3	1.1	1.8	1.0	1.2
54	0.2	0.8	0.1	0.2	0.6	1.2	0.7	0.5	1.0	0.5	0.6
55	0.1	0.3	*	0.1	*	0.1	*	0.2	0.4	0.2	0.3
56	-	0.1	*	*	*	*	*	0.1	0.1	*	*
57	-	-	-	-	*	*	*	*	*	*	*
58	-	-	-	-	*	*	*	*	*	*	*
59	-	-	-	-	*	*	*	*	*	*	*
60 & above	-	-	*	*	*	*	*	*	*	*	*
<b>Average mike</b>	<b>41</b>	<b>45</b>	<b>42</b>	<b>42</b>	<b>44</b>	<b>47</b>	<b>45</b>	<b>44</b>	<b>47</b>	<b>46</b>	<b>46</b>
<b>Fiber Strength 1/</b>											
17 & below	-	-	-	-	*	*	*	*	-	-	-
18	-	-	-	-	*	-	*	*	-	-	-
19	*	*	*	*	*	-	*	*	-	*	*
20	0.1	*	0.1	0.1	*	*	*	*	*	*	*
21	0.1	*	0.2	0.2	*	*	*	*	*	*	*
22	0.3	0.3	0.9	0.8	0.1	*	0.1	0.4	*	*	*
23	1.2	0.9	3.1	2.7	0.3	0.1	0.3	2.5	0.1	0.3	0.3
24	3.3	2.7	7.6	6.7	2.0	0.5	1.8	8.7	0.6	1.4	1.2
25	8.4	6.3	12.6	11.4	7.3	2.6	6.7	21.2	1.9	4.1	3.5
26	15.0	11.9	15.5	14.9	16.0	8.3	15.0	28.8	5.6	10.8	9.4
27	22.4	18.3	16.1	16.6	23.3	20.5	22.9	21.1	13.6	20.5	18.6
28	18.7	19.8	16.2	16.8	22.4	29.4	23.3	10.0	23.0	25.8	25.0
29	12.7	17.5	13.3	14.0	15.7	22.5	16.6	4.2	25.2	20.1	21.5
30	11.5	13.0	8.4	9.2	8.5	10.9	8.8	1.7	16.9	10.5	12.2
31	5.8	6.4	4.4	4.7	3.4	4.1	3.5	0.8	8.1	4.3	5.3
32	0.6	2.3	1.4	1.5	0.9	1.0	0.9	0.3	3.4	1.7	2.1
33	*	0.5	0.2	0.2	0.1	0.1	0.1	0.1	1.1	0.5	0.7
34	*	0.2	0.1	0.1	*	*	*	*	0.2	0.1	0.1
35	*	0.1	*	*	*	*	*	*	0.1	*	0.1
36 & above	*	*	*	*	*	*	*	*	*	*	*
<b>Total</b>	<b>27.6</b>	<b>28.0</b>	<b>27.1</b>	<b>27.3</b>	<b>27.6</b>	<b>28.2</b>	<b>27.7</b>	<b>26.2</b>	<b>28.7</b>	<b>28.0</b>	<b>28.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1999 crop.

Mike and Fiber Strength	FLORENCE			Classing Office Total	LAMESA LUBBOCK		MACON		Classing Office Total
	North Carolina	South Carolina	Virginia		Texas	Texas	Florida	Georgia	
MIKE									
24 & below	*	*	*	*	0.2	0.5	-	*	*
25	*	*	*	*	0.1	0.4	-	*	*
26	*	*	*	*	0.3	0.5	-	*	*
27	0.1	*	*	0.1	0.4	0.6	*	*	*
28	0.1	0.1	0.1	0.1	0.4	0.8	-	*	*
29	0.2	0.1	0.2	0.2	0.5	0.9	0.1	0.1	0.1
30	0.5	0.1	0.5	0.4	0.7	1.1	0.1	0.1	0.1
31	0.7	0.1	0.9	0.6	0.9	1.3	*	0.1	0.1
32	1.1	0.2	1.6	0.9	1.3	1.6	-	0.2	0.2
33	1.6	0.2	2.7	1.4	1.7	1.8	*	0.3	0.2
34	1.8	0.2	3.5	1.7	1.9	2.1	*	0.3	0.3
35	3.9	0.4	7.6	3.5	2.3	2.6	0.1	0.5	0.5
36	4.4	0.5	8.2	4.0	2.8	3.0	0.1	0.6	0.6
37	5.4	0.7	9.2	4.8	3.6	3.6	0.1	0.8	0.8
38	6.5	0.9	9.4	5.6	4.2	4.2	0.1	1.0	1.0
39	7.1	1.3	9.4	6.1	5.0	4.8	0.5	1.4	1.4
40	7.8	1.7	8.8	6.6	6.2	5.5	1.1	2.0	2.0
41	8.0	2.4	7.7	6.8	7.4	6.4	1.8	2.8	2.8
42	7.8	3.3	6.6	6.7	8.5	7.2	2.8	4.0	4.0
43	7.3	4.3	5.4	6.4	9.4	7.9	4.3	5.5	5.5
44	6.5	5.5	4.4	6.1	10.0	8.1	4.9	7.3	7.3
45	5.9	7.3	3.7	5.9	9.4	8.2	7.1	9.2	9.2
46	5.2	9.1	3.0	5.8	8.4	7.7	9.2	10.9	10.9
47	4.4	10.5	2.3	5.5	6.4	6.6	11.7	12.0	12.0
48	3.7	11.3	1.6	5.1	4.0	5.1	14.5	11.8	11.8
49	3.1	10.7	1.1	4.5	2.1	3.5	14.7	10.2	10.3
50	2.5	10.3	0.8	4.0	1.0	2.1	12.2	8.0	8.0
51	1.7	7.2	0.5	2.8	0.5	1.1	7.8	5.3	5.3
52	1.3	6.2	0.3	2.3	0.2	0.5	4.3	3.1	3.1
53	0.5	2.5	0.1	0.9	0.1	0.2	1.8	1.8	1.8
54	0.4	1.6	0.1	0.6	*	*	0.5	0.4	0.4
55	0.2	0.7	0.1	0.3	*	*	0.4	0.2	0.2
56	0.1	0.2	0.1	0.1	*	*	*	0.1	0.1
57	*	0.1	*	0.1	*	-	-	*	*
58	*	*	*	*	-	-	*	*	*
59	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	42	47	40	43	42	42	48	46	46
Fiber Strength 1/ 17 & below	-	-	-	-	*	-	-	*	*
18	-	-	-	-	*	*	-	*	*
19	-	-	-	-	*	*	*	*	*
20	*	*	*	*	*	*	*	*	*
21	*	*	*	*	*	*	0.1	0.1	0.1
22	*	*	*	*	0.2	0.2	0.1	0.1	0.1
23	*	*	*	*	0.7	0.5	0.8	0.5	0.5
24	0.5	0.2	0.3	0.4	1.8	1.9	4.1	2.7	2.7
25	5.2	1.9	3.7	4.3	4.4	5.1	9.1	5.8	5.9
26	16.6	7.5	15.2	14.5	9.4	10.2	16.3	10.8	10.8
27	24.5	16.0	26.5	22.9	16.4	17.5	21.1	15.9	16.0
28	22.1	22.9	24.7	22.6	22.3	23.9	18.5	18.3	18.3
29	14.7	22.6	15.0	16.5	21.6	22.5	14.1	17.3	17.3
30	9.1	16.0	8.2	10.5	13.6	12.4	8.4	13.5	13.5
31	5.1	8.9	4.5	5.9	6.1	4.4	4.4	8.5	8.4
32	1.8	3.3	1.5	2.1	2.3	1.2	1.9	4.2	4.2
33	0.2	0.5	0.2	0.3	0.8	0.2	1.0	1.7	1.7
34	0.1	0.2	0.1	0.1	0.3	*	0.3	0.5	0.5
35	*	*	*	*	0.1	*	*	*	*
36 & above	-	-	-	-	*	*	-	*	*
Total	27.8	28.6	27.8	28.0	28.2	28.0	27.6	28.3	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 1999 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
<b>MIKE</b>										
24 & below	-	-	-	-	-	*	0.1	0.4	*	*
25	-	-	-	-	-	*	0.1	0.3	0.3	0.1
26	-	-	-	-	-	*	0.1	0.5	0.3	0.1
27	*	*	0.1	*	*	0.1	0.2	0.8	0.3	0.1
28	*	*	0.1	*	*	0.1	0.2	1.0	0.5	0.2
29	*	*	0.1	*	*	0.1	0.3	1.4	0.8	0.3
30	*	0.1	0.2	*	0.1	0.2	0.3	1.9	0.5	0.3
31	0.1	0.1	0.3	0.1	0.1	0.3	0.5	2.8	0.8	0.5
32	0.1	0.1	0.4	0.1	0.1	0.3	0.6	3.7	0.8	0.6
33	0.1	0.2	0.6	0.2	0.2	0.4	0.6	3.9	0.9	0.7
34	0.1	0.2	0.6	0.2	0.2	0.5	0.7	4.9	1.4	0.8
35	0.3	0.5	1.3	0.5	0.4	0.5	0.7	5.3	1.4	0.9
36	0.4	0.7	1.6	0.5	0.6	0.6	0.8	6.4	2.1	1.1
37	0.5	0.9	2.2	0.7	0.7	0.8	0.9	6.8	2.7	1.2
38	0.8	1.2	3.1	0.8	1.0	1.0	0.9	7.2	3.6	1.4
39	1.4	1.9	4.1	1.0	1.6	1.3	0.9	7.8	4.7	1.8
40	2.1	2.5	5.0	1.3	2.1	1.7	1.1	7.7	6.5	2.2
41	2.8	3.5	5.7	1.6	2.8	2.1	1.2	6.8	6.8	2.5
42	3.9	4.6	6.6	2.2	3.7	2.7	1.7	6.1	7.4	3.0
43	5.1	5.8	7.7	2.7	4.7	3.5	1.9	5.6	10.3	3.7
44	6.6	6.8	8.2	3.5	5.8	4.3	2.1	4.9	11.8	4.3
45	7.8	7.7	8.7	4.3	6.8	5.2	3.6	4.2	11.7	5.2
46	9.0	8.7	8.8	5.3	7.8	6.3	5.1	3.3	10.5	6.2
47	10.0	9.0	8.0	6.5	8.6	7.6	6.3	2.2	6.1	7.1
48	10.3	9.1	7.2	7.6	9.0	9.1	8.0	1.6	4.4	8.4
49	10.1	8.7	6.4	8.9	9.2	10.4	9.2	1.0	1.9	9.4
50	9.3	7.7	5.2	9.9	8.9	10.8	11.3	0.6	0.6	9.9
51	7.5	6.8	3.6	10.3	7.9	9.9	11.7	0.3	0.3	9.2
52	5.4	5.4	2.2	10.0	6.6	8.1	11.1	0.2	0.2	7.6
53	3.5	3.9	1.2	9.0	5.1	5.6	8.0	0.1	0.1	5.3
54	2.0	2.6	0.8	8.2	3.9	3.5	5.5	0.1	0.1	3.4
55	0.5	0.7	0.2	2.8	1.2	2.0	3.4	0.1	0.1	1.9
56	0.2	0.4	0.1	2.0	0.7	0.6	0.9	*	-	0.6
57	-	-	-	-	-	0.2	0.1	*	*	0.2
58	-	-	-	-	-	*	*	-	*	*
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>47</b>	<b>44</b>	<b>47</b>	<b>49</b>	<b>47</b>	<b>48</b>	<b>48</b>	<b>39</b>	<b>42</b>	<b>47</b>
<b>Fiber Strength 1/</b>										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	*	*	-	-	*
19	-	-	-	-	-	*	*	*	-	*
20	-	-	-	-	-	*	*	*	-	*
21	-	-	-	-	-	*	*	*	-	*
22	-	-	-	-	-	0.3	0.1	0.2	0.1	0.2
23	*	*	0.1	0.1	*	1.2	0.4	0.7	0.4	1.0
24	0.3	0.3	1.4	0.6	0.5	3.4	1.1	1.8	1.3	3.0
25	1.4	1.5	5.6	2.5	2.0	8.3	3.5	3.8	3.8	7.4
26	4.7	5.1	13.2	7.4	6.1	15.6	8.7	7.0	9.6	14.2
27	13.4	13.8	22.7	16.7	15.0	21.4	19.6	10.7	19.7	20.5
28	26.4	24.9	25.2	25.5	25.7	21.8	30.6	16.3	31.5	22.6
29	27.9	26.4	18.0	23.8	25.7	15.7	23.4	16.8	22.4	16.7
30	15.9	15.6	8.8	14.2	14.9	8.0	9.3	16.2	7.2	8.6
31	6.4	7.1	3.3	6.2	6.3	3.0	2.5	13.0	2.8	3.6
32	2.6	3.6	1.2	2.3	2.6	0.9	0.7	8.6	0.9	1.4
33	0.8	1.3	0.3	0.6	0.8	0.2	0.2	3.7	0.2	0.4
34	0.1	0.3	*	0.1	0.1	*	0.1	0.9	*	0.1
35	*	0.1	*	*	*	*	*	0.1	*	*
36 & above	-	-	-	-	-	*	*	0.1	-	*
<b>Total</b>	<b>28.7</b>	<b>27.8</b>	<b>28.7</b>	<b>28.4</b>	<b>28.6</b>	<b>27.5</b>	<b>28.0</b>	<b>29.0</b>	<b>27.9</b>	<b>27.6</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 30. - Percentage distribution of mike and strength for upland cotton classed, by classing office, 1999 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below	-	-	-	-	*	0.1
25	-	-	-	-	*	0.1
26	-	-	-	-	*	0.1
27	-	-	-	-	0.1	0.1
28	*	-	-	*	0.1	0.2
29	-	*	-	*	0.2	0.2
30	0.7	*	0.1	*	0.3	0.3
31	0.9	*	0.1	*	0.4	0.4
32	0.6	*	0.1	*	0.6	0.6
33	1.1	0.1	0.3	0.1	1.0	0.8
34	1.4	0.1	0.5	0.1	1.2	1.0
35	2.8	0.2	1.1	0.3	3.2	1.7
36	2.8	0.4	1.1	0.4	5.1	2.1
37	3.1	0.5	1.3	0.6	7.2	2.7
38	5.5	1.0	2.1	1.1	9.6	3.4
39	5.9	1.3	2.7	1.4	11.5	4.1
40	8.1	2.1	4.5	2.2	12.9	4.8
41	7.7	3.0	6.9	3.2	12.9	5.4
42	8.8	4.4	8.6	4.6	10.8	6.0
43	9.2	5.9	10.7	6.1	7.7	6.5
44	8.2	7.0	11.7	7.2	5.2	6.9
45	8.1	8.2	11.5	8.3	3.5	7.3
46	8.4	9.6	10.3	9.6	2.3	7.6
47	6.2	10.7	7.7	10.5	1.6	7.7
48	4.6	11.3	5.2	11.0	1.2	7.4
49	3.2	10.1	3.5	9.7	0.8	6.6
50	1.6	8.4	3.2	8.2	0.3	5.4
51	0.8	6.6	2.9	6.4	0.2	4.2
52	0.2	4.6	2.2	4.5	0.1	3.0
53	0.1	2.9	1.4	2.8	*	1.7
54	*	1.3	0.5	1.3	*	1.0
55	-	0.4	0.1	0.4	*	0.4
56	-	-	-	-	*	0.2
57	-	-	-	-	*	*
58	-	-	-	-	-	*
59	-	-	-	-	-	*
60 & above	-	-	-	-	-	*
<b>Average mike</b>	<b>42</b>	<b>47</b>	<b>44</b>	<b>47</b>	<b>40</b>	<b>44</b>
Fiber Strength 1/						
17 & below	-	-	-	-	-	*
18	-	-	-	-	-	*
19	-	-	-	-	*	*
20	-	-	-	-	*	*
21	-	-	-	-	*	0.1
22	-	*	*	*	*	0.6
23	0.2	0.3	0.3	0.3	*	2.2
24	1.4	1.5	1.4	1.5	0.1	5.8
25	6.0	5.4	6.1	5.4	0.3	11.4
26	13.6	13.5	17.8	13.7	1.0	17.1
27	24.7	22.6	29.2	22.9	2.4	20.2
28	26.4	24.2	26.4	24.3	4.1	17.5
29	17.4	17.1	13.3	16.9	6.0	10.8
30	7.6	8.8	4.4	8.6	8.9	6.0
31	2.1	3.8	1.0	3.7	15.7	3.9
32	0.5	1.7	0.2	1.6	23.4	2.5
33	*	0.8	0.1	0.7	21.6	1.1
34	*	0.2	*	0.2	10.9	0.4
35	-	0.1	-	0.1	3.8	0.2
36 & above	-	*	-	*	1.7	*
<b>Total</b>	<b>27.7</b>	<b>27.9</b>	<b>27.4</b>	<b>27.8</b>	<b>31.7</b>	<b>28.3</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 1999 crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		Classing Office Total
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi		
<b>MIKE</b>												
24 & below	0.3	0.1	*	*	-	-	-	*	-	*	*	*
25 - 26	0.4	0.1	*	0.1	*	*	*	*	-	*	*	*
27 - 29	1.3	0.6	0.4	0.4	0.2	*	0.1	0.2	*	*	*	*
30 - 32	4.8	1.6	2.4	2.3	1.3	*	1.1	0.7	*	*	*	*
33 - 34	5.7	1.7	4.1	3.7	2.4	0.2	2.1	1.5	0.4	0.5	0.5	0.5
35 - 36	7.3	3.0	7.5	6.8	4.1	0.5	3.6	3.9	0.8	1.6	1.4	1.4
37 - 42	38.5	23.3	39.9	37.1	25.1	8.1	22.9	28.3	8.0	19.5	16.4	16.4
43 - 49	34.5	54.2	41.9	43.8	55.0	65.5	56.3	49.4	62.6	61.7	61.9	61.9
50 - 52	6.2	13.0	3.6	5.2	10.3	21.8	11.7	14.0	24.7	14.7	17.4	17.4
53 & above	0.5	2.2	0.2	0.6	1.7	3.7	2.0	1.8	3.3	1.7	2.1	2.1
<b>Average mike</b>	<b>41</b>	<b>45</b>	<b>42</b>	<b>42</b>	<b>44</b>	<b>47</b>	<b>45</b>	<b>44</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>46</b>
<b>Mike 35 - 49</b>	<b>80.3</b>	<b>80.6</b>	<b>89.3</b>	<b>87.6</b>	<b>84.1</b>	<b>74.1</b>	<b>82.9</b>	<b>81.6</b>	<b>71.3</b>	<b>82.8</b>	<b>79.7</b>	<b>79.7</b>
<b>Uniformity 1/</b>												
72 & below	-	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-
75	-	*	*	*	*	*	*	*	-	-	-	-
76	0.1	0.1	0.2	0.2	*	*	*	*	-	-	-	-
77	1.0	0.7	1.6	1.5	0.5	0.1	0.4	*	-	*	*	*
78	5.4	3.7	7.3	6.7	3.0	0.8	2.7	0.4	0.2	0.3	0.3	0.3
79	18.1	11.1	20.5	18.9	10.7	3.6	9.8	3.4	1.3	2.8	2.4	2.4
80	35.5	20.6	31.1	29.5	23.9	11.8	22.4	14.8	6.5	12.6	11.0	11.0
81	31.5	29.1	25.5	26.2	31.6	26.7	30.9	35.4	22.0	30.4	28.1	28.1
82	7.9	25.3	11.0	13.3	21.8	34.4	23.4	33.3	37.7	34.0	35.0	35.0
83	0.6	8.5	2.4	3.4	7.4	18.9	8.9	11.4	26.6	16.8	19.5	19.5
84	*	0.9	0.3	0.4	1.1	3.7	1.4	1.2	5.4	2.9	3.6	3.6
85	-	*	*	*	*	0.1	*	*	0.2	0.1	0.1	0.1
86	-	-	-	-	*	*	*	*	*	*	*	*
87	-	-	-	-	*	*	*	*	*	*	*	*
88	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.2</b>	<b>80.9</b>	<b>80.2</b>	<b>80.3</b>	<b>80.8</b>	<b>81.6</b>	<b>80.9</b>	<b>81.4</b>	<b>82.0</b>	<b>81.6</b>	<b>81.7</b>	<b>81.7</b>
<b>Trash 2/</b>												
00	-	*	0.1	0.1	*	*	*	*	*	*	*	*
01	2.7	25.8	33.1	31.2	5.9	2.8	5.5	4.7	3.6	8.7	7.3	7.3
02	13.7	32.5	37.3	35.9	20.3	12.6	19.3	25.5	19.5	27.7	25.5	25.5
03	18.3	17.4	16.6	16.7	25.3	22.2	24.9	30.0	26.9	26.8	26.8	26.8
04	17.5	9.1	6.6	7.3	20.3	22.2	20.5	19.0	21.3	17.4	18.4	18.4
05	13.6	5.3	2.9	3.6	13.1	16.3	13.5	9.9	13.0	9.5	10.4	10.4
06	9.9	3.3	1.4	1.9	7.5	10.6	7.9	4.8	7.0	4.7	5.3	5.3
07	7.0	2.0	0.8	1.1	4.1	6.5	4.4	2.5	3.9	2.4	2.8	2.8
08	4.5	1.4	0.4	0.7	1.7	3.4	1.9	1.4	2.1	1.2	1.5	1.5
09	3.4	1.0	0.3	0.5	1.0	2.0	1.1	0.8	1.2	0.7	0.8	0.8
10	2.5	0.7	0.2	0.3	0.4	0.7	0.4	0.5	0.7	0.4	0.4	0.4
11	1.9	0.4	0.1	0.2	0.2	0.5	0.3	0.3	0.4	0.2	0.3	0.3
12	1.7	0.4	0.1	0.2	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2
13	0.8	0.1	*	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1
14	0.7	0.1	*	0.1	*	*	*	0.1	*	*	*	*
15	0.6	0.1	*	*	*	*	*	0.1	*	*	*	*
15	0.4	0.1	*	*	*	*	*	0.1	*	*	*	*
17	0.3	0.1	*	*	*	*	*	*	*	*	*	*
18 & above	0.6	0.2	*	0.1	*	*	*	0.1	*	*	*	*
<b>Average trash</b>	<b>0.52</b>	<b>0.29</b>	<b>0.22</b>	<b>0.24</b>	<b>0.37</b>	<b>0.43</b>	<b>0.38</b>	<b>0.35</b>	<b>0.39</b>	<b>0.33</b>	<b>0.35</b>	<b>0.35</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 1999 crop

Mike Groupings, Uniformity and Trash	FLORENCE			Classing Office Total	LAMESA		LUBBOCK		MACON	
	North Carolina	South Carolina	Virginia		Texas	Texas	Florida	Georgia	Classing Office Total	
24 & below	*	*	*	*	0.2	0.5	-	*	*	
25 - 26	*	*	*	*	0.4	0.9	-	*	*	
27 - 29	0.5	0.2	0.3	0.4	1.3	2.3	0.1	0.1	0.1	
30 - 32	2.3	0.4	2.9	2.0	2.9	4.0	0.1	0.5	0.4	
33 - 34	3.4	0.4	6.2	3.1	3.6	4.0	*	0.5	0.5	
35 - 36	8.3	0.9	15.8	7.5	5.2	5.6	0.1	1.1	1.1	
37 - 42	42.7	10.4	51.2	36.5	35.0	31.7	6.3	12.0	11.9	
43 - 49	36.0	58.6	21.5	39.3	49.7	47.0	66.4	66.9	66.9	
50 - 52	5.5	23.7	1.6	9.1	1.6	3.7	24.3	16.4	16.5	
53 & above	1.1	4.9	0.4	1.9	0.1	0.2	2.7	2.5	2.5	
<b>Average mike</b>	<b>42</b>	<b>47</b>	<b>40</b>	<b>43</b>	<b>42</b>	<b>42</b>	<b>48</b>	<b>46</b>	<b>46</b>	
<b>Mike 35 - 49</b>	<b>86.9</b>	<b>70.0</b>	<b>88.5</b>	<b>83.4</b>	<b>89.9</b>	<b>84.3</b>	<b>72.8</b>	<b>80.0</b>	<b>79.9</b>	
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	
73	-	-	-	-	*	-	-	-	-	
74	-	-	-	-	*	-	-	-	-	
75	*	*	-	*	0.1	*	-	*	*	
76	*	*	*	*	0.7	0.1	-	*	*	
77	*	*	*	*	3.4	0.3	*	0.2	0.2	
78	0.2	0.2	0.1	0.2	10.9	2.0	0.8	1.8	1.8	
79	3.6	4.8	1.5	3.6	23.1	8.2	4.5	8.3	8.2	
80	19.6	23.0	11.2	19.4	31.4	21.0	16.4	21.0	20.9	
81	39.9	39.8	32.8	39.1	22.0	33.3	31.7	33.2	33.2	
82	29.3	25.8	38.2	29.5	7.2	26.3	31.4	26.3	26.4	
83	6.9	5.9	14.7	7.5	0.9	8.0	13.0	8.3	8.3	
84	0.5	0.5	1.6	0.6	0.1	0.8	2.1	1.0	1.0	
85	*	*	*	*	*	*	*	*	*	
86	-	-	-	-	-	*	-	*	*	
87	-	-	-	-	-	*	-	*	*	
88	-	-	-	-	-	-	-	-	-	
89	-	-	-	-	-	-	-	-	-	
90 & above	-	-	-	-	-	-	-	-	-	
<b>Average uniformity</b>	<b>81.2</b>	<b>81.1</b>	<b>81.6</b>	<b>81.2</b>	<b>80.8</b>	<b>81.0</b>	<b>81.4</b>	<b>81.0</b>	<b>81.0</b>	
Trash 2/ 00	*	*	*	*	*	0.2	-	*	*	
01	1.1	1.9	0.9	1.3	31.1	25.2	2.1	0.6	0.6	
02	15.2	15.5	13.4	15.1	38.1	37.0	18.2	9.4	9.4	
03	30.9	27.2	31.2	30.1	18.3	20.7	30.5	23.4	23.4	
04	25.9	23.8	27.5	25.6	7.6	9.3	23.3	26.3	26.3	
05	14.3	15.1	15.3	14.6	2.9	4.1	12.9	19.4	19.3	
06	6.6	8.2	6.6	7.0	1.1	1.8	6.4	10.9	10.9	
07	3.0	4.1	2.8	3.2	0.5	0.9	3.0	5.4	5.4	
08	1.4	2.0	1.2	1.5	0.2	0.4	1.8	2.5	2.5	
09	0.7	1.0	0.6	0.8	0.1	0.2	1.1	1.2	1.2	
10	0.4	0.6	0.2	0.4	0.1	0.1	0.5	0.6	0.6	
11	0.2	0.3	0.1	0.2	*	0.1	0.1	0.1	0.1	
12	0.1	0.2	0.1	0.1	*	*	0.1	0.1	0.1	
13	*	*	*	*	*	*	*	*	*	
14	*	*	*	*	*	*	*	*	*	
15	*	*	*	*	*	*	*	*	*	
15	*	*	-	*	*	*	-	*	*	
17	*	*	-	*	-	*	-	*	*	
18 & above	*	*	-	*	*	*	*	*	*	
<b>Average trash</b>	<b>0.39</b>	<b>0.40</b>	<b>0.39</b>	<b>0.39</b>	<b>0.22</b>	<b>0.25</b>	<b>0.38</b>	<b>0.44</b>	<b>0.44</b>	

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 1999 crop

Mike Groupings, Uniformity and Trash	MEMPHIS					PHOENIX				
	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
24 & below	-	-	-	-	-	*	0.1	0.4	*	*
25 - 26	-	-	-	-	-	*	0.2	0.9	0.6	0.1
27 - 29	*	*	0.3	*	*	0.3	0.7	3.2	1.6	0.6
30 - 32	0.2	0.3	0.9	0.2	0.3	0.8	1.4	8.4	2.1	1.3
33 - 34	0.3	0.4	1.2	0.4	0.4	0.8	1.3	8.9	2.3	1.4
35 - 36	0.6	1.2	2.9	1.0	1.0	1.2	1.5	11.7	3.5	1.9
37 - 42	11.6	14.6	26.7	7.5	11.9	9.7	6.5	42.4	31.8	12.1
43 - 49	58.9	55.8	54.9	38.7	52.0	46.4	36.1	22.9	56.8	44.2
50 - 52	22.2	19.9	10.9	30.2	23.3	28.8	34.1	1.1	1.1	26.7
53 & above	6.2	7.6	2.3	22.0	10.9	11.9	18.0	0.2	0.3	11.4
<b>Average mike</b>	<b>47</b>	<b>44</b>	<b>47</b>	<b>49</b>	<b>47</b>	<b>48</b>	<b>48</b>	<b>39</b>	<b>42</b>	<b>47</b>
<b>Mike 35 - 49</b>	<b>71.1</b>	<b>71.6</b>	<b>84.5</b>	<b>47.1</b>	<b>65.0</b>	<b>57.2</b>	<b>44.1</b>	<b>76.9</b>	<b>92.1</b>	<b>58.3</b>
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	*	*	*	-	*
76	-	-	-	-	-	0.1	0.1	0.1	*	0.1
77	*	*	*	*	*	0.4	0.6	0.7	0.9	0.5
78	0.1	0.1	0.9	0.3	0.2	2.0	2.0	3.4	4.8	2.2
79	0.7	0.9	6.5	2.1	1.5	7.1	5.4	11.4	13.9	7.4
80	4.4	6.1	20.7	9.6	7.3	21.3	20.1	17.2	39.7	21.5
81	19.9	25.0	32.9	28.1	24.2	36.8	45.4	22.4	32.4	36.6
82	43.8	43.3	27.0	38.0	41.0	24.6	24.3	24.4	6.5	24.0
83	27.1	21.2	10.4	18.9	22.4	6.8	2.1	15.0	1.6	6.6
84	3.9	3.4	1.6	3.0	3.4	0.9	0.1	4.8	0.2	1.0
85	0.1	0.1	*	0.1	0.1	0.1	*	0.6	*	0.1
86	*	*	-	*	*	*	-	-	-	*
87	-	-	-	-	-	*	-	-	-	*
88	-	-	-	-	-	*	-	-	*	*
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>82.0</b>	<b>81.2</b>	<b>81.9</b>	<b>81.7</b>	<b>81.9</b>	<b>81.0</b>	<b>80.9</b>	<b>81.2</b>	<b>80.3</b>	<b>81.0</b>
Trash 2/ 00	*	*	*	*	*	0.1	0.2	0.3	0.1	0.1
01	5.6	14.8	3.8	11.2	9.2	55.2	67.1	45.9	58.4	55.9
02	26.3	35.8	18.3	32.2	29.7	31.3	23.6	29.7	32.2	30.5
03	27.4	23.1	24.8	25.3	25.7	7.5	5.3	14.0	6.3	7.7
04	18.4	11.8	21.6	15.1	16.1	2.7	2.3	6.2	2.2	2.8
05	10.6	6.4	14.7	8.0	9.1	1.4	1.0	2.3	0.7	1.3
06	5.5	3.6	8.0	3.9	4.7	0.7	0.3	0.9	0.2	0.7
07	2.9	2.0	4.0	2.0	2.5	0.4	0.1	0.4	*	0.4
08	1.5	1.1	2.1	1.0	1.3	0.2	*	0.1	*	0.2
09	0.8	0.6	1.1	0.6	0.7	0.1	*	0.1	*	0.1
10	0.5	0.3	0.7	0.3	0.4	0.1	*	*	-	0.1
11	0.3	0.2	0.4	0.2	0.2	*	*	*	-	*
12	0.2	0.1	0.3	0.1	0.1	*	*	*	-	*
13	0.1	0.1	0.2	0.1	0.1	*	-	*	-	*
14	0.1	*	0.1	*	*	*	-	-	-	*
15	*	*	*	*	*	*	-	-	-	*
15	*	*	*	*	*	*	-	-	-	*
17	*	*	*	*	*	*	-	-	-	*
18 & above	*	*	*	*	*	*	-	-	-	*
<b>Average trash</b>	<b>0.35</b>	<b>0.40</b>	<b>0.29</b>	<b>0.31</b>	<b>0.33</b>	<b>0.17</b>	<b>0.15</b>	<b>0.19</b>	<b>0.16</b>	<b>0.17</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 34. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 1999 crop

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	-	-	-	*	0.1
25 - 26	-	-	-	-	*	0.2
27 - 29	*	*	-	*	0.3	0.5
30 - 32	2.2	*	0.2	*	1.3	1.3
33 - 34	2.5	0.2	0.8	0.2	2.2	1.8
35 - 36	5.6	0.6	2.2	0.7	8.2	3.8
37 - 42	39.2	12.4	26.1	13.2	64.9	26.4
43 - 49	47.8	62.6	60.5	62.4	22.3	50.0
50 - 52	2.7	19.6	8.3	19.0	0.6	12.6
53 & above	0.1	4.6	2.0	4.4	*	3.3
<b>Average mike</b>	<b>42</b>	<b>47</b>	<b>44</b>	<b>47</b>	<b>40</b>	<b>44</b>
<b>Mike 35 - 49</b>	<b>92.6</b>	<b>75.6</b>	<b>88.8</b>	<b>76.3</b>	<b>95.4</b>	<b>80.2</b>
Uniformity 1/ 72 & below	-	-	-	-	-	-
73	-	-	-	-	-	*
74	-	-	-	-	-	*
75	-	*	*	*	-	*
76	-	*	*	*	*	*
77	*	0.1	0.2	0.1	*	0.2
78	0.9	1.0	1.5	1.0	*	1.4
79	4.3	5.2	7.1	5.3	0.5	5.7
80	16.8	17.1	20.3	17.2	3.4	16.2
81	33.4	31.0	31.3	31.0	12.3	29.6
82	31.0	28.6	26.7	28.5	31.7	29.6
83	11.1	13.6	11.0	13.5	37.4	14.3
84	2.3	3.2	1.9	3.1	12.8	2.8
85	0.2	0.3	0.1	0.3	1.7	0.2
86	-	*	*	*	0.1	*
87	-	*	-	*	*	*
88	-	-	-	-	*	*
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.3</b>	<b>81.4</b>	<b>81.2</b>	<b>81.3</b>	<b>82.5</b>	<b>81.3</b>
Trash 2/ 00	0.1	0.2	*	0.2	0.1	0.1
01	5.3	10.6	4.2	10.3	32.2	16.1
02	21.9	24.8	17.4	24.4	42.8	28.0
03	26.6	24.3	22.3	24.3	17.1	22.9
04	19.0	17.2	19.9	17.3	5.3	15.1
05	11.5	10.4	14.8	10.6	1.6	8.6
06	6.3	5.7	9.2	5.8	0.5	4.5
07	4.0	3.0	5.4	3.1	0.2	2.3
08	2.3	1.7	3.1	1.7	*	1.1
09	1.3	1.0	1.7	1.0	*	0.6
10	0.8	0.5	1.0	0.6	*	0.3
11	0.4	0.3	0.6	0.3	*	0.2
12	0.5	0.2	0.4	0.2	*	0.1
13	*	*	*	*	*	*
14	*	*	*	*	*	*
15	*	*	*	*	*	*
15	-	*	*	*	*	*
17	-	*	*	*	*	*
18 & above	-	*	*	*	*	*
<b>Average trash</b>	<b>0.38</b>	<b>0.34</b>	<b>0.41</b>	<b>0.35</b>	<b>0.20</b>	<b>0.31</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 35. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 1999 crop.

Grade, Staple and Mike	State									
	Arizona		California		New Mexico		Texas		United States	
Grade	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
01	5,949	37.3	137,834	23.8	1,049	16.3	11,610	24.4	156,442	24.1
02	7,733	48.5	401,314	69.2	4,803	74.6	31,573	66.4	445,423	68.5
03	1,678	10.5	38,155	6.6	558	8.7	3,987	8.4	44,378	6.8
04	317	2.0	2,591	0.4	31	0.5	322	0.7	3,261	0.5
05	216	1.4	170	*	0	-	19	*	405	0.1
06	53	0.3	10	*	0	-	1	*	64	*
07	5	*	16	*	0	-	2	*	23	*
<b>Staple</b>										
40 and shorter	2	*	0	-	1	*	1	*	4	*
42	145	0.9	362	0.1	64	1.0	609	1.3	1,180	0.2
44	4,869	30.5	65,588	11.3	2,327	36.1	31,091	65.4	103,875	16.0
46	8,908	55.8	367,034	63.3	3,169	49.2	15,363	32.3	394,474	60.7
48 & longer	2,027	12.7	147,106	25.4	880	13.7	450	0.9	150,463	23.1
<b>Average staple</b>	<b>45.6</b>		<b>46.3</b>		<b>45.5</b>		<b>44.7</b>		<b>45.6</b>	
<b>Mike groups</b>										
24 & below	0	-	66	*	0	-	0	-	66	*
25 - 26	1	*	737	0.1	0	-	2	*	740	0.1
27 - 29	34	0.2	6,486	1.1	46	0.7	217	0.5	6,783	1.0
30 - 32	228	1.4	31,610	5.4	166	2.6	1,348	2.8	33,352	5.1
33 - 34	298	1.9	48,493	8.4	271	4.2	1,211	2.5	50,273	7.7
35 - 36	874	5.5	110,905	19.1	580	9.0	1,587	3.3	113,946	17.5
37 - 42	11,931	74.8	351,202	60.5	3,111	48.3	21,667	45.6	387,911	59.7
43 - 49	2,585	16.2	30,591	5.3	2,262	35.1	21,471	45.2	56,909	8.8
50 - 52	0	-	0	-	5	0.1	11	*	16	*
53 & above	0	-	0	-	0	-	0	-	0	-
<b>Average mike</b>	<b>40</b>		<b>38</b>		<b>41</b>		<b>42</b>		<b>40</b>	
<b>Mike readings</b>										
24 & below	0	-	66	*	0	-	0	-	66	*
25	1	*	124	*	0	-	0	-	125	*
26	0	-	613	0.1	0	-	2	*	615	0.1
27	0	-	1,168	0.2	3	*	14	*	1,185	0.2
28	3	*	2,026	0.3	9	0.1	68	0.1	2,106	0.3
29	31	0.2	3,292	0.6	34	0.5	135	0.3	3,492	0.5
30	34	0.2	8,686	1.5	41	0.6	243	0.5	9,004	1.4
31	107	0.7	10,380	1.8	55	0.9	483	1.0	11,025	1.7
32	87	0.5	12,544	2.2	70	1.1	622	1.3	13,323	2.0
33	130	0.8	18,569	3.2	110	1.7	673	1.4	19,482	3.0
34	168	1.1	29,924	5.2	161	2.5	538	1.1	30,791	4.7
35	332	2.1	47,581	8.2	237	3.7	679	1.4	48,829	7.5
36	542	3.4	63,324	10.9	343	5.3	908	1.9	65,117	10.0
37	863	5.4	74,324	12.8	402	6.2	1,016	2.1	76,605	11.8
38	1,391	8.7	76,095	13.1	516	8.0	1,459	3.1	79,461	12.2
39	2,445	15.3	73,092	12.6	549	8.5	1,875	3.9	77,961	12.0
40	2,720	17.1	59,348	10.2	534	8.3	3,616	7.6	66,218	10.2
41	2,519	15.8	40,730	7.0	541	8.4	5,830	12.3	49,620	7.6
42	1,993	12.5	27,613	4.8	569	8.8	7,871	16.6	38,046	5.9
43	1,362	8.5	17,262	3.0	567	8.8	7,849	16.5	27,040	4.2
44	583	3.7	8,575	1.5	517	8.0	5,927	12.5	15,602	2.4
45	365	2.3	3,239	0.6	512	7.9	4,653	9.8	8,769	1.3
46	217	1.4	1,434	0.2	352	5.5	2,250	4.7	4,253	0.7
47	48	0.3	81	*	248	3.9	660	1.4	1,037	0.2
48	6	*	0	-	48	0.7	115	0.2	169	*
49	4	*	0	-	18	0.3	17	*	39	*
50	0	-	0	-	5	0.1	11	*	16	*
51	0	-	0	-	0	-	0	-	0	-
52	0	-	0	-	0	-	0	-	0	-
53	0	-	0	-	0	-	0	-	0	-
54	0	-	0	-	0	-	0	-	0	-
55	0	-	0	-	0	-	0	-	0	-
56	0	-	0	-	0	-	0	-	0	-
57	0	-	0	-	0	-	0	-	0	-
58	0	-	0	-	0	-	0	-	0	-
59	0	-	0	-	0	-	0	-	0	-
60 & above	0	-	0	-	0	-	0	-	0	-
<b>Average mike</b>	<b>40</b>		<b>38</b>		<b>41</b>		<b>42</b>		<b>40</b>	

\* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

Table 36. -- Percentage distribution of strength and uniformity for American Pima cotton classed, by states and United States, 1999 crop.

Strength	State								United States	
	Arizona		California		New Mexico		Texas			
	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.	Bales	Pct.
17 & below	0	-	0	-	0	-	0	-	0	-
18	0	-	0	-	0	-	0	-	0	-
19	0	-	0	-	0	-	0	-	0	-
20	0	-	0	-	0	-	0	-	0	-
21	0	-	0	-	0	-	0	-	0	-
22	0	-	0	-	0	-	0	-	0	-
23	0	-	0	-	0	-	0	-	0	-
24	0	-	0	-	0	-	0	-	0	-
25	0	-	0	-	0	-	0	-	0	-
26	0	-	0	-	0	-	0	-	0	-
27	0	-	0	-	0	-	0	-	0	-
28	0	-	0	-	0	-	0	-	0	-
29	0	-	0	-	0	-	0	-	0	-
30	3	*	30	*	2	*	3	*	38	*
31	21	0.1	97	*	8	0.1	27	0.1	153	*
32	26	0.2	278	*	36	0.6	76	0.2	416	0.1
33	49	0.3	466	0.1	127	2.0	195	0.4	837	0.1
34	124	0.8	2,155	0.4	230	3.6	520	1.1	3,029	0.5
35	229	1.4	6,937	1.2	453	7.0	1,358	2.9	8,977	1.4
36	528	3.3	16,901	2.9	744	11.6	3,423	7.2	21,596	3.3
37	1164	7.3	39,387	6.8	934	14.5	8,342	17.6	49,827	7.7
38	2219	13.9	72,573	12.5	1,006	15.6	12,783	26.9	88,581	13.6
39	3211	20.1	105,316	18.2	928	14.4	10,402	21.9	119,857	18.4
40	3459	21.7	116,422	20.1	711	11.0	5,674	11.9	126,266	19.4
41	2997	18.8	102,683	17.7	595	9.2	2,960	6.2	109,235	16.8
42	1312	8.2	65,230	11.2	354	5.5	1,191	2.5	68,087	10.5
43	417	2.6	34,653	6.0	185	2.9	385	0.8	35,640	5.5
44	129	0.8	13,601	2.3	91	1.4	128	0.3	13,949	2.1
45 & above	63	0.4	3,361	0.6	37	0.6	47	0.1	3,508	0.5
<b>Average</b>	<b>39.5</b>		<b>39.9</b>		<b>38.3</b>		<b>38.3</b>		<b>38.7</b>	
<b>Uniformity</b>										
72 & below	0	-	0	-	0	-	0	-	0	-
73	0	-	0	-	0	-	0	-	0	-
74	0	-	0	-	0	-	0	-	0	-
75	0	-	0	-	0	-	0	-	0	-
76	0	-	0	-	0	-	0	-	0	-
77	0	-	0	-	0	-	0	-	0	-
78	0	-	0	-	0	-	0	-	0	-
79	0	-	4	*	0	-	0	-	4	*
80	5	*	42	*	0	-	5	*	52	*
81	26	0.2	315	0.1	3	*	33	0.1	377	0.1
82	123	0.8	1,417	0.2	16	0.2	160	0.3	1,716	0.3
83	476	3.0	8,106	1.4	155	2.4	907	1.9	9,644	1.5
84	1,459	9.1	39,336	6.8	730	11.3	4,385	9.2	45,910	7.1
85	3,654	22.9	151,469	26.1	1,808	28.1	15,894	33.5	172,825	26.6
86	6,131	38.4	226,634	39.1	2,257	35.0	20,946	44.1	255,968	39.4
87	3,552	22.3	114,054	19.7	1,180	18.3	4,881	10.3	123,667	19.0
88	501	3.1	32,506	5.6	266	4.1	294	0.6	33,567	5.2
89	24	0.2	5,878	1.0	26	0.4	9	*	5,937	0.9
90 & above	0	-	329	0.1	0	-	0	-	329	0.1
<b>Average</b>	<b>85.8</b>		<b>85.9</b>		<b>85.7</b>		<b>85.5</b>		<b>85.6</b>	
<b>Extraneous matter</b>										
Grass	247	1.5	3,302	0.6	99	1.5	367	0.8	4,015	0.6
Spindle twist	25	0.2	729	0.1	15	0.2	14	*	783	0.1
Preparation	4	*	11,180	1.9	0	-	2	*	11,186	1.7
<b>Classings</b>	<b>15.951</b>		<b>580.090</b>		<b>6.441</b>		<b>47.514</b>		<b>649.996</b>	

\* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.