

COTTON QUALITY - UNITED STATES

2002 Crop

mp_cn831

Color. The predominant color of Upland cotton classed from the 2002 crop was color 41, accounting for 35 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 31 was the predominant color grade in 2001 and made up 35 percent of classings. In the white color grades, color 41 and better made up 70 percent of classings, down from 82 percent in 2001. All white color grades accounted for 77 percent of the 2002 crop, down from 84 percent in 2001. Light Spotted color grades comprised 20 percent of classings, up from 14 percent in 2001. Spotted color grades made up about 3 percent of classings this season, as compared to 2 percent a year earlier. Tinged, Yellow Stained and Below grades accounted for less than 1 percent of classings this season, the same as last year.

Leaf. The predominant leaf grade of Upland cotton classed from the 2002 crop was leaf grade 3, accounting for 44 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 56 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2002 crop at 40 percent against 21 percent a year ago. Leaf grades 1-2 made up 10 percent of classings from this year's crop, compared with 21 percent in 2001. Leaf grades 5-7 made up about 6 percent of classings, as compared to 2 percent last year.

Staple. The average staple length of Upland cotton classed from the 2002 crop was 34.3 thirty-seconds inches, down slightly from 34.5 a year ago. The predominant staple length was 34, making up about 27 percent of classings. Staple 34 was the predominant length last year, accounting for 29 percent of classings. Staples 31 and shorter comprised 4 percent of classings this season, up from 2 percent last year. Staples 32 and 33, at 26 percent, were up from 21 percent the previous year. Staple 35 made up 22 percent of the crop, down from 26 percent last year. Staples 36 and longer accounted for 21 percent of classings, down from 22 percent the previous year.

Mike. The average mike of Upland cotton classed from the 2002 crop was 4.6, the same as last year. Cotton with mike 3.4 and lower made up 2 percent of classings, the same as in 2001. Cotton miking 3.5 through 4.9 comprised 74 percent of the classings this season, down from 76 percent a year ago. Cotton with mike 5.0 and higher made up 24 percent of the classings, up from 21 percent in 2001.

Strength. The average fiber strength of Upland cotton classed from the 2002 crop was 28.6 grams per tex, compared with 28.3 in 2001. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as last year. Strengths in the 23 to 25 range accounted for 7 percent, the same as 2001. Cotton with strengths of 26 to 29 grams per tex accounted for 65 percent of classings, against 68 percent a year ago. Strengths in the 30 and higher range comprised 28 percent of classings, up from 24 percent a year ago.

American Pima. Color grades 1 and 2 made up 93 percent of classings from the 2002 crop, the same as last year. Color grade 2 was the predominant color grade in 2002, accounting for 57 percent of the classings. Color grades 3 and lower comprised 7 percent of 2002 classings. Leaf grades 1 and 2 accounted respectively for 74 percent and 20 percent of the 2002 classings. The average staple length was 46.5 thirty-seconds inches, as compared to 46.0 last year. Staple 46 was the predominant length, comprising 54 percent of classings this season, compared to 64 percent in 2001. Average mike was 4.1, the same as last year. Average fiber strength was 40.6 grams per tex, up from 40.1 last year.

Ginnings of 2002-crop cotton in the United States totaled 16,710,450 running bales, according to the Cotton Ginnings 2002 Summary report released on May 12, 2002 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 16,055,450 bales of Upland and 655,000 bales of American Pima cotton. The number of active cotton gins for crop year 2002 was 921 compared with 970 in 2001. Classings at AMS, Cotton Program Offices totaled 16,052,928 Upland samples and 653,046 American Pima samples through April 10, 2003.

May 14, 2003

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through April 10, 2003

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	3	82	1,066	5,724	15,886	36,875	69,031	107,085	235,752
	3	5	113	1,018	6,457	24,503	55,407	100,182	127,832	315,517
	4	1	46	231	1,168	4,900	12,073	20,417	28,041	66,877
	5	-	-	13	28	194	552	942	1,217	2,946
	6	-	-	-	-	3	20	29	18	70
	7	-	-	-	-	-	1	2	-	3
	TOTAL----		9	241	2,328	13,377	45,486	104,928	190,603	264,193
31	1-2	1	26	337	1,573	5,797	15,466	32,653	59,629	115,482
	3	3	209	2,585	15,627	58,962	148,841	307,557	483,386	1,017,170
	4	5	115	1,357	8,293	40,601	114,822	214,770	280,967	660,930
	5	2	14	138	934	4,909	16,115	32,216	38,811	93,139
	6	-	1	3	53	222	835	1,991	2,195	5,300
	7	-	-	-	4	3	22	107	101	237
	TOTAL----		11	365	4,420	26,484	110,494	296,101	589,294	865,089
41	1-2	-	40	199	615	1,742	5,253	12,510	23,601	43,960
	3	6	176	1,945	11,842	43,592	127,847	382,598	786,610	1,354,616
	4	9	181	2,169	14,892	62,276	171,874	393,040	746,126	1,390,567
	5	1	40	541	3,263	15,144	48,093	96,347	111,862	275,291
	6	-	6	64	369	1,434	4,606	10,495	12,090	29,064
	7	-	-	8	33	92	274	724	814	1,945
	TOTAL----		16	443	4,926	31,014	124,280	357,947	895,714	1,681,103
51	1-2	-	-	3	26	134	785	2,836	2,523	6,307
	3	-	2	59	716	5,404	29,313	105,613	144,360	285,467
	4	1	9	102	1,001	7,465	38,105	120,442	194,049	361,174
	5	-	22	84	428	2,135	6,810	16,739	23,096	49,314
	6	-	11	45	172	647	1,543	2,913	3,128	8,459
	7	-	-	3	45	100	221	446	456	1,271
	TOTAL----		1	44	296	2,388	15,885	76,777	248,989	367,612
61	1-2	-	-	1	2	5	46	120	74	248
	3	-	-	3	35	187	1,245	4,588	4,461	10,519
	4	-	1	2	25	207	1,110	4,048	4,288	9,681
	5	-	-	-	5	72	248	585	670	1,580
	6	-	-	-	4	35	62	127	97	325
	7	-	-	-	1	4	18	23	11	57
	TOTAL----		-	1	6	72	510	2,729	9,491	9,601
71	1-2	-	-	-	-	-	-	3	1	4
	3	-	-	-	-	4	8	15	8	35
	4	-	-	-	2	5	21	22	20	70
	5	-	-	-	-	4	7	4	4	19
	6	-	-	-	2	4	2	1	-	9
	7	-	-	-	1	1	-	-	-	2
	TOTAL----		-	-	-	5	18	38	45	33
12 & 22	1-2	10	49	326	1,315	3,354	4,699	4,438	3,912	18,103
	3	11	84	601	2,167	6,822	12,540	15,994	14,475	52,694
	4	-	53	150	568	2,065	4,149	6,185	6,631	19,801
	5	-	4	13	29	137	328	416	419	1,346
	6	-	-	-	2	2	9	13	16	42
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		21	190	1,090	4,081	12,380	21,725	27,046	25,453
32	1-2	2	34	149	561	1,072	2,216	4,073	4,139	12,246
	3	12	184	1,487	7,006	18,719	38,251	72,148	90,346	228,153
	4	18	142	741	3,998	15,067	32,510	48,544	55,234	156,254
	5	13	38	130	498	1,994	5,920	9,735	9,462	27,790
	6	-	4	10	62	183	501	989	955	2,704
	7	-	1	1	8	8	29	62	74	183
	TOTAL----		45	403	2,518	12,133	37,043	79,427	135,551	160,210
42	1-2	1	28	104	326	681	1,878	3,174	3,012	9,204
	3	10	269	2,314	9,699	24,779	62,386	159,140	226,552	485,149
	4	17	216	2,305	11,848	35,663	76,676	152,201	240,315	519,241
	5	1	39	405	2,608	8,118	17,180	29,223	28,282	85,856
	6	-	14	65	360	840	1,973	4,118	3,848	11,218
	7	-	5	7	30	66	190	597	531	1,426
	TOTAL----		29	571	5,200	24,871	70,147	160,283	348,453	502,540
52	1-2	-	-	1	24	101	452	1,083	761	2,422
	3	-	17	153	986	5,683	28,660	80,320	86,960	202,779
	4	1	21	223	1,623	9,569	42,191	113,534	149,969	317,131
	5	1	7	73	573	2,909	7,818	15,118	17,504	44,003
	6	-	3	29	134	597	1,305	2,110	2,145	6,323
	7	-	-	5	22	113	211	275	344	970
	TOTAL----		2	48	484	3,362	18,972	80,637	212,440	257,683

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through April 10, 2003

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	3	7	5	10	54	105	54	238
	3	-	-	38	155	895	5,962	16,413	11,603	35,066
	4	-	-	23	164	1,637	8,868	25,657	24,700	61,049
	5	-	-	7	37	394	1,598	3,141	2,795	7,972
	6	-	-	2	9	141	331	351	203	1,037
	7	-	-	2	4	32	70	56	57	221
TOTAL----		-	3	79	374	3,109	16,883	45,723	39,412	105,583
13 & 23	1-2	-	-	5	20	127	299	298	254	1,003
	3	1	-	13	120	330	736	1,080	1,035	3,315
	4	-	-	2	27	245	341	422	423	1,460
	5	-	-	-	2	13	19	33	30	97
	6	-	-	-	-	1	-	1	1	3
	7	-	-	-	-	-	-	-	-	-
TOTAL----		1	-	20	169	716	1,395	1,834	1,743	5,878
33	1-2	-	3	10	49	141	343	527	498	1,571
	3	1	9	74	513	1,565	3,596	6,953	8,932	21,643
	4	-	4	44	257	1,300	2,827	3,953	4,669	13,054
	5	-	2	6	75	332	727	968	789	2,899
	6	-	-	6	18	47	129	190	98	488
	7	-	-	-	-	-	9	11	12	32
TOTAL----		1	18	140	912	3,385	7,631	12,602	14,998	39,687
43	1-2	-	1	5	13	49	319	684	556	1,627
	3	-	33	184	726	2,108	8,585	22,815	28,619	63,070
	4	-	22	233	977	2,939	7,619	16,811	25,097	53,698
	5	-	7	40	191	522	1,254	2,393	2,632	7,039
	6	-	1	11	45	116	308	614	649	1,744
	7	-	-	2	5	8	84	174	112	385
TOTAL----		-	64	475	1,957	5,742	18,169	43,491	57,665	127,563
53	1-2	-	-	6	12	17	97	179	164	475
	3	-	5	57	340	1,760	7,441	17,714	17,296	44,613
	4	-	5	48	407	2,530	9,711	23,997	27,876	64,574
	5	-	19	25	168	511	1,291	2,909	3,508	8,431
	6	-	5	5	21	53	167	373	433	1,057
	7	-	-	-	8	11	11	50	63	143
TOTAL----		-	34	141	956	4,882	18,718	45,222	49,340	119,293
63	1-2	-	-	-	3	-	8	38	16	65
	3	-	-	4	48	436	3,589	6,828	3,680	14,585
	4	-	-	11	122	1,006	5,224	13,085	10,219	29,667
	5	-	-	13	35	313	1,025	2,197	1,682	5,265
	6	-	-	1	16	66	126	172	116	497
	7	-	-	-	3	10	35	34	13	95
TOTAL----		-	-	29	227	1,831	10,007	22,354	15,726	50,174
24-54	1-7	1	20	53	238	849	2,475	6,399	8,360	18,395
25-35	1-7	-	-	-	-	1	1	2	5	9
81-85 1/	1-7	-	-	13	223	854	2,622	4,401	3,127	11,240
All Colors	8 2/	-	12	4	31	125	337	562	404	1,475
TOTAL, ALL----		137	2,457	22,222	122,874	456,709	1,258,830	2,840,216	4,324,297	9,027,742

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
April 10, 2003

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	178,088	232,465	276,982	149,676	44,871	5,202	887,284	1,123,036
	3	119,088	163,034	255,093	87,571	39,184	23,301	687,271	1,002,788
	4	19,395	11,582	13,395	4,300	1,461	222	50,355	117,232
	5	875	425	222	46	11	2	1,581	4,527
	6	25	8	6	-	-	-	39	109
	7	-	-	-	-	-	-	-	3
	TOTAL----		317,471	407,514	545,698	241,593	85,527	28,727	1,626,530
31	1-2	83,298	65,982	39,148	14,061	4,296	445	207,230	322,712
	3	408,526	216,278	116,023	34,313	13,697	5,791	794,628	1,811,798
	4	239,626	130,417	66,490	10,303	2,594	461	449,891	1,110,821
	5	24,009	10,791	6,966	1,318	234	36	43,354	136,493
	6	1,012	329	196	52	3	1	1,593	6,893
	7	40	6	6	2	-	-	54	291
	TOTAL----		756,511	423,803	228,829	60,049	20,824	6,734	1,496,750
41	1-2	20,920	9,054	3,064	320	62	8	33,428	77,388
	3	643,425	233,784	54,380	6,448	500	95	938,632	2,293,248
	4	803,950	413,071	140,497	18,752	1,683	44	1,377,997	2,768,564
	5	77,896	44,338	25,617	4,218	542	25	152,636	427,927
	6	6,273	2,835	1,860	218	17	4	11,207	40,271
	7	412	154	84	18	1	-	669	2,614
	TOTAL----		1,552,876	703,236	225,502	29,974	2,805	176	2,514,569
51	1-2	1,257	422	112	69	34	1	1,895	8,202
	3	81,192	22,896	5,644	1,000	55	9	110,796	396,263
	4	141,410	56,766	22,110	3,545	541	3,263	227,635	588,809
	5	17,454	10,119	5,075	898	136	8	33,690	83,004
	6	1,555	753	359	77	8	1	2,753	11,212
	7	160	88	31	-	-	-	279	1,550
	TOTAL----		243,028	91,044	33,331	5,589	617	42	373,651
61	1-2	21	15	14	3	3	-	56	304
	3	1,530	405	79	15	5	3	2,037	12,556
	4	2,289	1,042	403	70	3	4	3,811	13,492
	5	345	222	88	7	1	-	663	2,243
	6	53	32	6	4	2	-	97	422
	7	1	5	4	-	-	-	10	67
	TOTAL----		4,239	1,721	594	99	14	7	6,674
71	1-2	1	3	-	1	-	-	5	9
	3	8	15	7	7	-	-	37	72
	4	18	15	12	12	-	-	57	127
	5	3	7	-	1	-	-	11	30
	6	1	1	-	-	-	-	2	11
	7	-	-	-	-	-	-	-	2
	TOTAL----		31	41	19	21	-	-	112
12 & 22	1-2	3,262	2,207	1,889	722	146	35	8,261	26,364
	3	7,642	3,798	2,441	731	264	307	15,183	67,877
	4	3,735	1,515	670	84	21	3	6,028	25,829
	5	291	104	28	5	-	-	428	1,774
	6	6	1	-	-	-	-	7	49
	7	-	1	-	-	-	-	1	1
	TOTAL----		14,936	7,626	5,028	1,542	431	345	29,908
32	1-2	2,461	1,078	565	210	69	20	4,403	16,649
	3	59,403	18,859	5,318	1,155	278	273	85,286	313,439
	4	44,275	17,577	4,821	573	135	29	67,410	223,664
	5	5,868	2,082	541	66	19	3	8,579	36,369
	6	427	114	46	1	-	-	588	3,292
	7	33	9	4	-	-	-	46	229
	TOTAL----		112,467	39,719	11,295	2,005	501	325	166,312
42	1-2	1,303	375	148	37	9	1	1,873	11,077
	3	137,502	33,240	4,701	599	73	10	176,125	661,274
	4	210,974	73,947	12,035	949	145	2	298,052	817,293
	5	21,952	10,938	2,479	220	53	8	35,650	121,506
	6	1,744	619	162	26	2	-	2,553	13,771
	7	216	50	13	2	-	1	282	1,708
	TOTAL----		373,691	119,169	19,538	1,833	282	22	514,535
52	1-2	221	39	27	9	2	-	298	2,720
	3	32,859	5,945	951	133	6	-	39,894	242,673
	4	81,281	19,906	3,403	264	46	3	104,903	422,034
	5	11,551	5,161	1,301	139	36	5	18,193	62,196
	6	977	293	106	29	2	-	1,407	7,730
	7	127	12	13	2	4	-	158	1,128
	TOTAL----		127,016	31,356	5,801	576	96	8	164,853

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through
April 10, 2003

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	11	8	1	-	-	-	20	258
	3	2,370	241	92	10	1	-	2,714	37,780
	4	8,183	2,207	333	41	3	-	10,767	71,816
	5	916	363	75	12	3	-	1,369	9,341
	6	64	9	5	-	-	-	78	1,115
	7	4	5	3	-	-	-	12	233
TOTAL----		11,548	2,833	509	63	7	-	14,960	120,543
13 & 23	1-2	203	161	131	60	10	12	577	1,580
	3	686	395	182	31	15	24	1,333	4,648
	4	301	133	52	7	1	1	495	1,955
	5	13	12	4	-	-	-	29	126
	6	1	5	-	-	-	-	6	9
	7	-	-	-	-	-	-	-	-
TOTAL----		1,204	706	369	98	26	37	2,440	8,318
33	1-2	316	295	156	61	15	8	851	2,422
	3	6,216	2,403	1,049	214	54	75	10,011	31,654
	4	3,678	1,692	699	105	8	4	6,186	19,240
	5	527	217	128	16	2	-	890	3,789
	6	39	12	10	3	-	-	64	552
	7	4	-	2	-	-	-	6	38
TOTAL----		10,780	4,619	2,044	399	79	87	18,008	57,695
43	1-2	220	64	61	16	4	1	366	1,993
	3	16,449	4,387	1,001	197	23	6	22,063	85,133
	4	19,368	6,992	1,385	165	49	1	27,960	81,658
	5	2,130	997	408	69	14	1	3,619	10,658
	6	215	98	71	7	3	-	394	2,138
	7	23	10	5	-	-	-	38	423
TOTAL----		38,405	12,548	2,931	454	93	9	54,440	182,003
53	1-2	40	8	5	2	-	1	56	531
	3	6,020	1,017	239	35	-	-	7,311	51,924
	4	13,484	2,931	547	57	11	-	17,030	81,604
	5	2,118	718	235	22	5	-	3,098	11,529
	6	198	42	25	2	1	-	268	1,325
	7	21	6	-	1	-	-	28	171
TOTAL----		21,881	4,722	1,051	119	17	1	27,791	147,084
63	1-2	2	-	-	-	-	-	2	67
	3	669	85	34	5	-	-	793	15,378
	4	2,566	475	75	29	1	-	3,146	32,813
	5	464	133	9	1	-	-	607	5,872
	6	33	5	3	-	-	-	41	538
	7	3	1	-	-	-	-	4	99
TOTAL----		3,737	699	121	35	1	-	4,593	54,767
24-54	1-7	4,880	1,673	567	136	28	28	7,312	25,707
25-35	1-7	6	1	-	-	-	-	7	16
81-85 1/	1-7	1,058	278	68	29	5	14	1,452	12,692
All Colors	8 2/	180	50	58	-	1	-	289	1,764
TOTAL, ALL-----		3,595,945	1,853,358	1,083,353	344,614	111,354	36,562	7,025,186	16,052,928
EXTRANEIOUS MATTER								Average Staple -----	34.3
Bark - Level 1		888,534						Percent Tenderable -----	52.0
Bark - Level 2		776							
Grass - Level 1		99,409							
Grass - Level 2		1,409							
Prep - Level 1		37,542							
Prep - Level 2		169							
Other - Level 1		25,519							
Other - Level 2		85							

16,052,928 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	5	96	1,625	11,010	58,524	177,538	381,747	594,321	1,224,866
	3	2	95	1,166	6,469	27,500	92,907	254,049	451,253	833,441
	4	-	2	58	454	2,297	7,332	20,130	38,311	68,584
	5	-	-	3	23	102	388	773	1,079	2,368
	6	-	-	-	2	6	11	16	34	69
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		7	193	2,852	17,958	88,429	278,176	656,715	1,084,998
31	1-2	-	16	230	1,479	8,258	41,686	120,748	166,911	339,328
	3	21	118	699	3,960	28,040	185,097	822,887	1,571,515	2,612,337
	4	1	20	267	1,365	7,118	34,077	156,939	400,986	600,773
	5	-	1	37	139	698	2,693	8,165	17,280	29,013
	6	-	-	2	13	35	180	337	787	1,354
	7	-	-	-	1	-	12	26	28	67
	TOTAL----		22	155	1,235	6,957	44,149	263,745	1,109,102	2,157,507
41	1-2	-	4	23	190	1,065	5,524	18,841	29,073	54,720
	3	6	43	228	1,414	11,445	83,914	398,142	813,569	1,308,761
	4	1	20	318	1,139	6,114	34,077	154,285	409,468	605,422
	5	1	7	63	337	1,485	6,157	16,574	30,710	55,334
	6	-	1	10	51	256	1,098	2,704	3,679	7,799
	7	-	-	-	6	24	88	202	477	797
	TOTAL----		8	75	642	3,137	20,389	130,858	590,748	1,286,976
51	1-2	-	-	1	19	148	722	2,269	3,302	6,461
	3	-	-	6	193	1,834	11,449	44,738	82,751	140,971
	4	-	2	14	88	945	5,655	20,162	44,555	71,421
	5	-	-	3	54	276	962	2,585	4,665	8,545
	6	-	-	1	19	131	398	816	814	2,179
	7	-	-	1	9	48	124	226	221	629
	TOTAL----		-	2	26	382	3,382	19,310	70,796	136,308
61	1-2	-	-	-	1	28	49	71	60	209
	3	-	-	-	4	70	279	721	1,047	2,121
	4	-	-	-	11	75	318	648	842	1,894
	5	-	-	-	2	18	79	186	185	470
	6	-	-	-	-	2	15	41	57	115
	7	-	-	-	-	-	1	7	4	12
	TOTAL----		-	-	-	18	193	741	1,674	2,195
71	1-2	-	-	-	-	2	1	1	3	7
	3	-	-	-	-	4	24	23	16	67
	4	-	-	-	-	-	7	26	14	47
	5	-	-	-	-	-	4	3	5	12
	6	-	-	-	-	1	2	2	2	7
	7	-	-	-	-	-	1	2	-	3
	TOTAL----		-	-	-	-	7	39	57	40
12 & 22	1-2	2	40	470	2,710	11,091	24,636	39,273	49,216	127,438
	3	-	51	590	2,404	8,703	21,380	35,421	44,721	113,270
	4	1	5	47	299	1,008	2,663	4,943	6,616	15,582
	5	-	-	5	13	49	103	225	283	678
	6	-	-	-	-	-	4	3	9	16
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		3	96	1,112	5,426	20,851	48,786	79,865	100,845
32	1-2	13	14	139	678	2,951	9,537	17,199	16,549	47,080
	3	21	163	670	2,355	10,350	37,393	102,795	131,752	285,499
	4	5	72	359	1,336	4,226	11,538	27,669	49,862	95,067
	5	-	3	61	195	545	1,519	2,867	3,784	8,974
	6	-	-	8	14	47	98	193	175	535
	7	-	1	2	2	5	4	23	11	48
	TOTAL----		39	253	1,239	4,580	18,124	60,089	150,746	202,133
42	1-2	-	9	32	237	942	2,915	5,348	5,108	14,591
	3	1	46	543	3,074	12,450	48,204	152,817	217,115	434,250
	4	1	23	279	1,775	7,350	25,617	93,040	184,922	313,007
	5	1	13	58	624	2,505	6,737	12,558	17,077	39,573
	6	-	8	27	112	637	1,777	2,326	2,275	7,162
	7	-	3	9	15	50	206	271	259	813
	TOTAL----		3	102	948	5,837	23,934	85,456	266,360	426,756
52	1-2	-	1	10	145	869	2,065	2,205	1,889	7,184
	3	-	6	207	1,501	7,319	16,707	27,953	29,415	83,108
	4	-	7	147	913	3,226	8,963	23,192	38,296	74,744
	5	-	2	34	283	681	1,287	2,997	5,104	10,388
	6	-	-	4	94	378	723	800	757	2,756
	7	-	-	5	43	158	257	258	188	909
	TOTAL----		-	16	407	2,979	12,631	30,002	57,405	75,649

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	1	67	411	626	174	57	1,336
	3	-	-	4	126	751	2,035	2,268	962	6,146
	4	-	-	2	38	258	658	932	853	2,741
	5	-	-	-	3	25	73	143	239	483
	6	-	-	-	2	3	7	42	63	117
	7	-	-	-	2	-	4	7	8	21
TOTAL----		-	-	7	238	1,448	3,403	3,566	2,182	10,844
13 & 23	1-2	1	1	32	220	944	2,046	3,783	5,077	12,104
	3	-	2	45	263	958	2,128	3,552	4,707	11,655
	4	-	1	19	101	198	353	465	592	1,729
	5	-	-	5	11	9	25	36	39	125
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		1	4	101	595	2,109	4,552	7,837	10,415	25,614
33	1-2	4	2	18	151	618	1,930	4,163	4,569	11,455
	3	3	21	82	427	1,773	5,534	12,978	17,814	38,632
	4	-	3	40	207	777	1,809	3,448	5,269	11,553
	5	-	1	8	41	195	292	501	566	1,604
	6	-	-	-	2	11	36	46	30	125
	7	-	-	-	1	-	1	1	6	9
TOTAL----		7	27	148	829	3,374	9,602	21,137	28,254	63,378
43	1-2	-	-	8	58	214	698	1,203	1,170	3,351
	3	-	14	207	647	1,904	6,515	16,775	22,983	49,045
	4	1	6	98	357	1,339	4,169	10,997	18,176	35,143
	5	-	2	20	138	598	1,465	2,251	2,699	7,173
	6	-	1	2	28	122	407	479	414	1,453
	7	-	-	-	2	18	29	46	41	136
TOTAL----		1	23	335	1,230	4,195	13,283	31,751	45,483	96,301
53	1-2	-	1	13	149	613	1,071	825	406	3,078
	3	-	4	114	861	3,409	8,179	10,700	6,772	30,039
	4	-	-	38	424	1,407	3,647	7,323	7,801	20,640
	5	-	-	9	150	327	481	992	1,193	3,152
	6	-	-	5	44	104	89	133	155	530
	7	-	-	2	8	16	21	38	38	123
TOTAL----		-	5	181	1,636	5,876	13,488	20,011	16,365	57,562
63	1-2	-	-	1	94	392	316	125	37	965
	3	-	1	11	463	2,435	3,913	3,670	1,450	11,943
	4	-	-	8	158	961	2,105	2,308	1,415	6,955
	5	-	-	2	30	162	376	379	315	1,264
	6	-	-	1	14	8	20	21	48	112
	7	-	-	-	3	4	1	-	1	9
TOTAL----		-	1	23	762	3,962	6,731	6,503	3,266	21,248
24-54	1-7	-	4	50	322	1,038	2,919	6,808	9,796	20,937
25-35	1-7	-	-	-	-	1	3	6	8	18
81-85 1/	1-7	-	-	12	334	1,636	3,020	3,053	2,018	10,073
All Colors	8 2/	-	3	8	33	96	197	357	415	1,109
TOTAL, ALL----		91	959	9,326	53,253	255,824	974,400	3,084,497	5,591,609	9,969,959

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	641,891	563,894	374,565	97,471	16,056	1,670	1,695,547	2,920,413
	3	421,608	339,454	220,703	55,169	12,940	5,183	1,055,057	1,888,498
	4	35,368	19,262	10,625	2,231	496	115	68,097	136,681
	5	864	371	206	29	7	2	1,479	3,847
	6	19	7	6	1	1	-	34	103
	7	-	-	1	-	-	-	1	1
TOTAL----		1,099,750	922,988	606,106	154,901	29,500	6,970	2,820,215	4,949,543
31	1-2	134,199	79,590	36,417	8,265	1,058	86	259,615	598,943
	3	1,250,969	561,652	151,791	24,213	4,283	1,537	1,994,445	4,606,782
	4	424,871	224,372	65,071	7,001	1,299	162	722,776	1,323,549
	5	17,930	9,397	3,544	606	134	14	31,625	60,638
	6	683	289	138	52	9	1	1,172	2,526
	7	36	14	16	7	-	1	74	141
TOTAL----		1,828,688	875,314	256,977	40,144	6,783	1,801	3,009,707	6,592,579
41	1-2	24,022	10,546	3,112	544	39	2	38,265	92,985
	3	659,421	279,801	59,602	3,875	605	23	1,003,327	2,312,088
	4	500,411	276,886	66,391	4,743	871	15	849,317	1,454,739
	5	37,201	23,570	6,575	888	170	8	68,412	123,746
	6	2,570	1,215	576	119	17	1	4,498	12,297
	7	252	109	119	24	4	-	508	1,305
TOTAL----		1,223,877	592,127	136,375	10,193	1,706	49	1,964,327	3,997,160
51	1-2	2,774	1,363	306	14	1	-	4,458	10,919
	3	67,004	32,395	6,049	227	15	-	105,690	246,661
	4	51,390	31,414	6,982	656	63	337	90,842	162,263
	5	5,662	3,556	1,018	269	71	-	10,576	19,121
	6	552	365	211	54	14	2	1,198	3,377
	7	122	55	59	11	-	-	247	876
TOTAL----		127,504	69,148	14,625	1,231	185	4	212,697	442,903
61	1-2	48	26	6	1	-	-	81	290
	3	675	251	66	7	2	-	1,001	3,122
	4	643	216	68	8	1	-	936	2,830
	5	177	87	45	7	-	-	316	786
	6	45	27	46	10	-	-	128	243
	7	1	8	2	1	-	-	12	24
TOTAL----		1,589	615	233	34	3	-	2,474	7,295
71	1-2	7	2	1	-	-	-	10	17
	3	12	12	2	-	-	-	26	93
	4	11	8	10	-	-	1	30	77
	5	4	1	2	-	-	-	7	19
	6	1	1	3	-	-	-	5	12
	7	-	1	-	-	-	-	1	4
TOTAL----		35	25	18	-	-	1	79	222
12 & 22	1-2	36,741	17,341	8,175	1,895	333	43	64,528	191,966
	3	31,476	16,473	9,156	2,229	448	56	59,838	173,108
	4	5,528	2,383	1,154	205	69	15	9,354	24,936
	5	213	87	41	5	1	-	347	1,025
	6	4	1	1	-	-	-	6	22
	7	-	-	-	-	-	-	-	-
TOTAL----		73,962	36,285	18,527	4,334	851	114	134,073	391,057
32	1-2	9,255	3,869	2,195	635	87	7	16,048	63,128
	3	77,828	30,990	12,222	3,073	475	155	124,743	410,242
	4	43,807	18,819	5,946	998	227	33	69,830	164,897
	5	3,313	1,517	444	129	49	6	5,458	14,432
	6	154	74	19	15	6	3	271	806
	7	5	4	2	2	2	-	15	63
TOTAL----		134,362	55,273	20,828	4,852	846	204	216,365	653,568
42	1-2	2,494	948	558	296	13	-	4,309	18,900
	3	126,813	46,206	9,813	978	154	28	183,992	618,242
	4	173,371	79,070	16,816	641	88	5	269,991	582,998
	5	15,613	8,007	2,075	212	66	5	25,978	65,551
	6	1,217	532	173	62	27	-	2,011	9,173
	7	170	52	22	6	2	-	252	1,065
TOTAL----		319,678	134,815	29,457	2,195	350	38	486,533	1,295,929
52	1-2	837	243	58	16	3	-	1,157	8,341
	3	16,617	6,732	1,594	170	9	2	25,124	108,232
	4	32,049	13,300	2,280	81	7	3	47,720	122,464
	5	5,524	2,856	493	22	6	3	8,904	19,292
	6	541	253	76	12	8	1	891	3,647
	7	124	30	13	3	2	-	172	1,081
TOTAL----		55,692	23,414	4,514	304	35	9	83,968	263,057

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE							TOTAL	
		35	36	37	38	39	40 &+	35 to 40+		
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
62	1-2	20	6	3	1	-	-	30	1,366	
	3	427	223	98	5	-	-	753	6,899	
	4	531	164	96	8	1	4	804	3,545	
	5	130	58	8	2	1	-	199	682	
	6	38	13	9	2	-	-	62	179	
	7	13	4	3	1	-	-	21	42	
TOTAL----		1,159	468	217	19	2	4	1,869	12,713	
13 & 23	1-2	3,691	1,543	604	105	7	-	5,950	18,054	
	3	3,198	1,398	595	116	12	3	5,322	16,977	
	4	426	198	52	5	2	-	683	2,412	
	5	19	11	-	-	-	-	30	155	
	6	1	-	-	-	-	-	1	2	
	7	-	-	-	-	-	-	-	-	
TOTAL----		7,335	3,150	1,251	226	21	3	11,986	37,600	
33	1-2	2,987	1,510	630	108	13	4	5,252	16,707	
	3	12,744	6,571	3,338	935	89	20	23,697	62,329	
	4	4,507	1,926	823	223	20	13	7,512	19,065	
	5	320	145	82	9	3	-	559	2,163	
	6	16	9	3	-	-	-	28	153	
	7	2	1	-	-	-	-	3	12	
TOTAL----		20,576	10,162	4,876	1,275	125	37	37,051	100,429	
43	1-2	800	362	306	130	4	1	1,603	4,954	
	3	15,069	7,051	2,989	697	57	11	25,874	74,919	
	4	15,149	6,841	2,268	347	30	7	24,642	59,785	
	5	1,845	805	296	50	16	1	3,013	10,186	
	6	198	82	21	16	9	1	327	1,780	
	7	26	8	3	4	1	-	42	178	
TOTAL----		33,087	15,149	5,883	1,244	117	21	55,501	151,802	
53	1-2	133	50	42	18	-	-	243	3,321	
	3	3,088	1,174	691	130	6	4	5,093	35,132	
	4	4,958	1,780	454	59	4	-	7,255	27,895	
	5	895	388	83	7	1	-	1,374	4,526	
	6	83	52	29	4	-	-	168	698	
	7	26	6	-	6	1	-	39	162	
TOTAL----		9,183	3,450	1,299	224	12	4	14,172	71,734	
63	1-2	3	4	3	-	-	-	10	975	
	3	308	92	98	7	-	-	505	12,448	
	4	477	117	119	16	1	-	730	7,685	
	5	200	55	24	1	-	-	280	1,544	
	6	63	52	14	-	-	-	129	241	
	7	1	2	-	2	-	-	5	14	
TOTAL----		1,052	322	258	26	1	-	1,659	22,907	
24-54	1-7	7,581	3,679	2,072	578	44	4	13,958	34,895	
25-35	1-7	6	3	-	-	-	-	9	27	
81-85 1/	1-7	1,096	546	272	62	15	1	1,992	12,065	
All Colors	8 2/	305	110	62	4	-	-	481	1,590	
TOTAL, ALL-----		4,946,517	2,747,043	1,103,850	221,846	40,596	9,264	9,069,116	19,039,075	
EXTRANEIOUS MATTER									Average Staple -----	34.5
Bark - Level 1		429,479							Percent Tenderable -----	63.9
Bark - Level 2		463								
Grass - Level 1		135,282								
Grass - Level 2		1,030								
Prep - Level 1		9,347								
Prep - Level 2		91								
Other - Level 1		12,222								
Other - Level 2		33								

19,039,075 bales classed, includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	*	*	0.1	0.2	0.4	0.7	1.1	1.4	1.7	0.9	0.3	*	7.0	
	3	*	*	*	*	0.2	0.3	0.6	0.8	0.7	1.0	1.6	0.5	0.2	0.1	6.2	
	4	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	*	0.7	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL----		*	*	*	0.1	0.3	0.7	1.2	1.6	2.0	2.5	3.4	1.5	0.5	0.2	14.0
31	1-2	*	*	*	*	0.1	0.4	0.9	2.4	4.0	5.0	2.6	0.9	0.1	*	11.3	
	3	*	*	*	0.1	0.4	0.9	1.9	3.0	2.5	1.3	0.7	0.2	0.1	*	6.9	
	4	*	*	*	*	0.3	0.7	1.3	1.8	1.5	0.8	0.4	0.1	*	*	0.9	
	5	*	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		*	*	*	0.2	0.7	1.8	3.7	5.4	4.7	2.6	1.4	0.4	0.1	*	21.1
41	1-2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
	3	*	*	*	0.1	0.3	0.8	2.4	4.9	4.0	1.5	0.3	*	*	*	14.3	
	4	*	*	*	0.1	0.4	1.1	2.4	4.6	5.0	2.6	0.9	0.1	*	*	17.2	
	5	*	*	*	*	0.1	0.3	0.6	0.7	0.5	0.3	0.2	*	*	*	2.7	
	6	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		*	*	*	0.2	0.8	2.2	5.6	10.5	9.7	4.4	1.4	0.2	*	*	34.9
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	0.2	0.7	0.9	0.5	0.1	*	*	*	*	2.5	
	4	*	*	*	*	*	0.2	0.8	1.2	0.9	0.4	0.1	*	*	*	3.6	
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		*	*	*	0.1	0.5	1.6	2.3	1.5	0.6	0.2	*	*	*	*	6.8
61	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	*	0.2
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	-
12 & 22	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----		*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.8
32	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	0.1	0.2	0.4	0.6	0.4	0.1	*	*	*	*	2.0	
	4	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	*	*	1.4	
	5	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		*	*	*	0.1	0.2	0.5	0.8	1.0	0.7	0.2	0.1	*	*	*	3.7
42	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	0.1	0.2	0.4	1.0	1.4	0.9	0.2	*	*	*	*	4.1	
	4	*	*	*	0.1	0.2	0.5	0.9	1.5	1.3	0.5	0.1	*	*	*	5.1	
	5	*	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	0.8	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		*	*	*	0.2	0.4	1.0	2.2	3.1	2.3	0.7	0.1	*	*	*	10.1
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	0.2	0.5	0.5	0.2	*	*	*	*	-	1.5	
	4	*	*	*	*	0.1	0.3	0.7	0.9	0.5	0.1	*	*	*	*	2.6	
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		*	*	*	0.1	0.5	1.3	1.6	0.8	0.2	*	*	*	*	*	4.6

* Less than 0.05 percent.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	
	4	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	0.1	0.3	0.2	0.1	*	*	*	*	0.8
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		*	-	*	*	*	*	*	*	*	*	*	*	*	
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	*	0.1	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	
	4	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	0.1	0.3	0.4	0.2	0.1	*	*	*	1.1
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	
	4	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.9
63	1-2	-	-	-	*	-	*	*	*	*	-	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	0.1	0.8	2.8	7.8	17.7	26.9	22.4	11.5	6.7	2.1	0.7	0.2	100.0
EXTRANEIOUS MATTER		Average Staple													34.3	
		Percent Tenderable													52.0	
Bark - Level 1	5.5															
Bark - Level 2	*															
Grass - Level 1	0.6															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	0.2															
Other - Level 1	*															

16,052,928 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	0.2	0.2	0.2	*	*	-	-	-	0.7
	3	-	-	-	-	*	0.1	0.3	0.4	0.4	0.1	*	*	-	-	1.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.1	0.5	0.7	0.6	0.1	*	*	-	-
31	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.3	0.8	1.1	0.5	0.1	*	-	-	-	2.8
	4	-	-	-	-	*	0.1	0.2	0.4	0.4	0.1	*	*	-	-	1.3
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.4	1.2	1.6	0.9	0.3	*	*	-	-
41	1-2	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	0.1	0.9	3.4	4.5	2.3	0.5	*	*	-	-	11.7
	4	-	-	-	*	*	0.4	2.4	4.8	3.4	1.1	0.1	*	-	-	12.2
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	0.1	1.4	6.0	9.5	5.9	1.6	0.1	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	*	0.1	0.8	2.1	1.9	0.6	0.1	*	-	-	-	5.5
	4	-	-	-	*	*	0.6	2.3	3.0	1.5	0.3	*	-	-	*	7.7
	5	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	0.1	1.4	4.6	5.2	2.2	0.4	*	-	-	-
61	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	*	*	*	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.2	0.4	0.4	0.2	*	*	*	-	-	1.3
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	0.1	0.2	0.6	0.7	0.3	0.1	*	*	-	-
42	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	*	0.1	1.0	3.1	3.6	1.7	0.3	*	*	-	-	9.9
	4	-	-	-	*	*	0.6	2.3	3.9	2.3	0.5	*	-	-	-	9.6
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	0.2	1.6	5.6	7.7	4.1	0.8	*	*	-	-
52	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	0.2	1.2	2.9	2.2	0.6	0.1	*	-	-	-	7.2
	4	-	-	-	*	0.1	1.1	3.4	3.8	1.6	0.2	*	-	-	-	10.2
	5	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	-	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	0.3	2.5	6.6	6.5	2.4	0.3	*	-	-	-

* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	-	
	4	-	-	-	*	0.1	0.4	0.7	0.4	0.1	*	-	-	-	-	
	5	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.8	1.3	0.6	0.1	*	-	-	-	-
13 & 23	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	0.1	0.4	0.6	0.3	0.1	*	-	-	-	
	4	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	-	-	-	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.2	0.8	1.1	0.6	0.1	*	-	-	-	-
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	0.3	0.8	0.7	0.2	*	*	-	-	-	
	4	-	-	-	*	*	0.2	0.7	0.7	0.3	*	*	-	-	-	
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.6	1.6	1.5	0.5	0.1	*	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	0.7	*	*	0.2	0.4	0.2	*	*	-	-	-	-	
	4	-	-	-	*	0.1	0.3	0.5	0.3	0.1	*	*	-	-	-	
	5	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.6	1.0	0.6	0.1	*	*	-	-	-
24-54	1-7	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	-	
All Colors	8 2/	-	-	-	-	-	*	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	0.1	1.3	10.2	30.4	36.0	18.0	3.8	0.2	*	-	-	
EXTRANEIOUS MATTER															Average Staple	33.7
															Percent Tenderable	35.4
Bark - Level 1		2.9														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		1.0														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

566,065 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
11 & 21	1-2	-	-	-	*	*	0.1	0.7	4.2	12.4	14.4	7.3	0.8	0.1	*	*	40.0	
	3	-	-	-	-	-	*	0.1	0.7	2.1	2.9	1.9	0.3	*	*	*	8.0	
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.8	4.9	14.6	17.3	9.3	1.1	0.1	*	*	48.2
31	1-2	-	-	-	-	*	0.1	0.6	3.0	7.3	6.7	3.6	0.5	*	*	*	21.9	
	3	-	-	-	-	*	*	0.4	2.0	4.1	3.6	2.2	0.4	*	*	*	12.7	
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.2	*	*	-	-	1.3	
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	*	0.2	1.1	5.4	11.8	10.6	6.0	0.9	0.1	*	*	36.0
41	1-2	-	-	-	*	*	*	0.1	0.7	1.2	0.9	0.4	*	*	-	-	3.3	
	3	-	-	-	-	*	*	0.3	1.2	1.8	0.8	0.3	*	*	-	-	4.5	
	4	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	-	*	-	1.3	
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.7	2.6	3.6	2.0	0.7	*	*	*	*	9.8
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	*	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	-	0.4
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	*	*	-	-	*	*	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7	
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	-	1.1
32	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3	
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8	
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	3	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	-	-	0.5	
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	-	0.8	
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL----		-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	*	*	*	-	1.8
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	-	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.4

* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3	
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*		
	TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*		
TOTAL, ALL-----		-	-	-	*	*	0.5	3.4	14.6	31.9	30.9	16.4	2.1	0.2	*	100.0		
EXTRANEEOUS MATTER																Average Staple	35.5	
																Percent Tenderable	67.9	
Bark - Level 1		5.1																
Bark - Level 2		0.1																
Grass - Level 1		0.4																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.4																
Other - Level 1		*																

579,289 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.1	0.4	0.2	0.1	*	*	-	-
31	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	-	*	*	0.9	3.5	4.2	2.1	0.3	*	*	-	11.1
	4	-	-	-	-	*	*	0.2	1.5	2.7	1.6	0.4	*	-	-	6.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.1	1.2	5.1	7.1	3.7	0.8	*	*	-
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.1	2.3	8.8	8.7	3.3	0.4	*	*	-	23.7
	4	-	-	-	*	*	*	1.3	8.7	13.5	7.6	2.3	0.1	*	-	33.6
	5	-	-	-	-	*	*	0.1	0.4	1.0	0.7	0.2	*	*	-	2.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.2	3.7	18.0	23.3	11.6	3.0	0.1	*	-
51	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.6	0.5	0.1	*	*	-	-	1.5
	4	-	-	-	-	*	*	0.4	1.1	1.3	0.7	0.3	*	-	-	3.9
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.7	2.0	2.0	1.0	0.4	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	-	-	-	*	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	-	-	1.3
	4	-	-	-	-	-	*	*	0.3	0.6	0.3	*	*	-	-	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.1	0.7	1.1	0.5	*	*	-	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.4	1.4	1.2	0.3	*	*	-	-	3.4
	4	-	-	-	-	*	*	0.3	2.1	2.7	0.9	0.1	*	*	-	6.1
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	*	-	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	*	*	0.8	3.6	4.3	1.5	0.1	*	*	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.9
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	*	-

* Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2	
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.2	0.2	0.1	*	*	*	0.5	
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL, ALL-----		-	-	-	*	*	0.4	6.9	30.6	38.8	18.7	4.4	0.2	*	*	100.0
EXTRANEIOUS MATTER														Average Staple	34.8	
														Percent Tenderable	68.4	
Bark - Level 1		0.8														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,615,056 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	1.5	4.4	9.0	15.7	10.1	3.1	0.4	44.7
	3	-	-	-	-	*	*	0.1	0.4	1.8	7.4	15.8	5.8	2.7	1.6	35.7
	4	-	-	-	-	-	*	*	*	*	0.2	0.6	0.3	0.1	*	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.1	0.6	1.9	6.3	16.6	32.1	16.2	5.9	2.0
31	1-2	-	-	-	-	*	*	0.1	0.4	1.1	1.0	0.8	0.7	0.3	*	4.4
	3	-	-	-	-	*	*	*	0.2	0.7	1.8	2.7	1.6	0.9	0.4	8.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.6	0.3	0.2	*	1.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	0.1	0.6	1.9	3.1	4.2	2.7	1.4	0.5
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	1.0
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.4	0.2	*	*
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.3
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	*	*	*	*	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	*	0.2	0.9	2.9	8.9	20.7	37.3	19.3	7.4	2.6	100.0	
EXTRANEIOUS MATTER															Average Staple	36.9	
															Percent Tenderable	90.7	
Bark - Level 1		0.9															
Bark - Level 2		*															
Grass - Level 1		0.7															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		1.5															
Other - Level 1		*															

1,428,806 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-
31	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.7	1.0	0.5	*	*	-	-	-	2.4
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.1	0.7	1.2	0.7	0.1	*	-	-	-
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.6	2.7	4.3	2.0	0.2	*	-	-	-	9.8
	4	-	-	-	-	*	0.1	1.1	2.3	1.4	0.1	-	-	-	-	5.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.7	3.8	6.6	3.4	0.3	*	-	-	-
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.3	1.7	2.0	0.6	*	*	-	-	-	4.7
	4	-	-	-	-	*	0.2	1.7	3.0	1.3	0.1	*	-	-	-	6.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.5	3.3	5.0	2.0	0.2	*	-	-	-
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	0.2	0.1	*	-	-	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.2	0.2	*	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.2	0.3	0.1	*	*	*	-	-	-
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	-	*	0.3	2.0	3.7	1.8	0.2	*	-	-	-	8.1
	4	-	-	-	-	*	0.1	0.8	2.3	1.5	0.2	*	-	-	-	4.9
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	-	*	0.4	2.8	6.1	3.3	0.4	*	-	-	-
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.9	4.4	4.4	0.9	*	*	-	-	-	10.6
	4	-	-	-	*	*	0.5	4.0	6.6	2.3	0.1	-	-	-	-	13.5
	5	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.4
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	1.4	8.5	11.3	3.3	0.2	*	-	-	-	-

* Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	*	*	0.4	1.2	0.7	*	*	-	-	-	-		
	4	-	-	-	-	*	0.7	2.5	2.2	0.4	*	*	-	-	-		
	5	-	-	-	-	-	0.1	0.2	0.3	0.1	*	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	*	1.2	3.9	3.2	0.6	*	*	-	-	-	9.0
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	-	-	*	*	0.3	0.6	0.3	*	*	-	-	-		
	4	-	-	-	-	*	*	0.2	0.4	0.3	*	*	-	-	-		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	0.1	0.5	1.0	0.5	0.1	*	-	-	-	2.2
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	-	-	*	0.3	1.2	1.3	0.3	*	*	-	-	-		
	4	-	-	-	*	*	0.2	1.7	2.8	0.9	*	-	-	-	-		
	5	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	*	0.6	3.0	4.3	1.3	*	*	-	-	-	9.3
63	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	1.3	-	*	0.4	0.9	0.4	*	-	-	-	-	-		
	4	-	-	-	*	0.1	0.7	3.1	2.2	0.3	*	-	-	-	-		
	5	-	-	-	-	*	0.1	0.3	0.3	0.1	*	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	0.1	1.2	4.2	3.0	0.4	*	-	-	-	-	8.9
24-54	1-7	-	-	-	-	-	*	0.4	0.4	0.2	*	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/ All Colors	1-7 8 2/	-	-	-	-	*	0.4	0.8	0.6	*	*	-	-	-	-		
TOTAL, ALL-----		-	-	*	*	0.3	6.7	32.5	43.2	15.9	1.3	*	-	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple	33.7
																Percent Tenderable	19.5
Bark - Level 1		1.6															
Bark - Level 2		*															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		2.4															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 1		-															

67,291 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.5
31	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.1	0.5	1.4	2.2	1.7	0.4	0.1	*	*	*	
	4	-	-	*	*	*	0.1	0.4	0.8	0.8	0.2	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	0.2	0.7	1.8	3.0	2.5	0.7	0.1	*	*	9.0
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.1	0.9	4.0	8.2	5.3	1.1	0.1	*	*	*	
	4	-	-	*	*	*	0.4	2.8	8.1	7.4	2.1	0.3	*	*	*	
	5	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.2	1.4	6.9	16.5	12.9	3.3	0.5	*	*	41.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.1	0.3	1.2	1.6	0.5	*	*	*	*	*	
	4	-	-	*	*	*	0.5	2.0	3.5	1.8	0.3	*	*	*	*	
	5	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.8	3.3	5.3	2.5	0.4	*	*	*	12.6
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	0.1	*	*	*	*	*	*	*	0.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	*	*	
	4	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	*	1.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	0.2	0.7	1.8	2.2	1.0	0.2	*	*	*	*	
	4	-	-	*	*	0.1	0.5	1.7	2.8	1.8	0.4	*	*	*	*	
	5	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	0.3	1.2	3.5	5.2	2.9	0.6	0.1	*	*	13.9
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.1	0.4	1.1	1.1	0.3	*	*	*	*	*	
	4	-	-	*	*	0.1	0.8	2.5	3.1	1.2	0.2	*	*	*	*	
	5	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.2	1.4	3.9	4.5	1.6	0.2	*	*	*	11.9

* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	*	
	4	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	*	*	*	
	5	-	-	*	*	*	*	0.1	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	0.1	0.3	0.5	0.2	*	*	*	*	*	1.2
13 & 23	1-2	-	-	-	*	-	-	-	-	-	-	-	-	-	*	
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	*	*	1.1	
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	*	1.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.3	0.7	0.8	0.4	0.1	*	*	*	2.4
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	0.2	0.4	0.4	0.1	*	*	*	*	1.1	
	4	-	-	*	*	0.1	0.3	0.6	0.7	0.2	*	*	*	*	1.9	
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.5	1.1	1.1	0.4	*	*	*	*	3.2
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	0.4	*	*	*	0.1	*	*	*	*	*	*	0.2	
	4	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	*	0.9
24-54	1-7	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4	
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
81-85 1/ All Colors	1-7 8 2/	-	-	*	*	*	0.1	*	*	*	*	*	*	*	0.2	
TOTAL, ALL-----		-	*	*	0.2	1.5	7.2	23.0	38.0	23.7	5.6	0.8	*	*	100.0	
EXTRANEIOUS MATTER															Average Staple	33.9
															Percent Tenderable	34.5
Bark - Level 1		1.7														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.6														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

1,549,573 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	3	-	-	-	*	*	0.1	0.3	0.3	*	-	-	-	-	0.8	
	4	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5	
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.3	0.4	0.5	0.1	*	*	-	-	1.4
31	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	3	-	-	*	*	0.5	0.9	1.3	1.3	0.2	*	-	-	-	4.3	
	4	-	-	*	0.1	1.1	4.1	5.6	3.3	1.1	0.2	*	-	-	15.7	
	5	-	-	*	*	0.4	2.1	4.7	2.5	0.5	0.1	*	-	-	10.3	
	6	-	-	-	-	*	0.1	0.4	0.3	*	-	-	-	-	0.8	
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	TOTAL----		-	-	0.1	0.2	1.9	7.3	12.0	7.5	1.9	0.3	*	-	-	31.1
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.6	
	4	-	-	*	0.2	1.1	2.0	2.7	1.7	0.6	0.1	*	-	-	8.4	
	5	-	-	*	0.1	0.9	3.3	7.7	5.9	1.5	0.3	*	-	-	19.9	
	6	-	-	*	*	0.3	0.9	2.8	3.2	0.7	0.1	*	-	-	8.0	
	7	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.8	
	TOTAL----		-	*	*	0.4	2.5	6.4	13.6	11.2	2.8	0.5	*	-	-	37.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	0.1	*	
	5	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4	
	6	-	-	-	*	0.1	0.1	0.3	0.3	0.1	*	-	-	-	0.9	
	7	-	-	-	*	*	0.1	0.3	0.4	0.1	-	-	-	-	0.9	
	TOTAL----		-	-	-	*	0.1	0.3	0.7	0.8	0.2	*	*	-	-	2.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	3	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	0.3	
	4	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2	
	5	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6	
	4	-	-	-	0.1	0.6	1.3	1.4	0.5	0.4	0.1	*	-	-	4.4	
	5	-	-	-	*	0.3	1.6	2.5	0.9	0.2	*	-	-	-	5.6	
	6	-	-	-	-	*	0.2	0.3	0.2	*	*	-	-	-	0.7	
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	TOTAL----		-	-	-	0.1	0.9	3.3	4.4	1.7	0.6	0.2	*	-	-	11.3
42	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	
	3	-	-	-	*	0.1	0.3	0.5	0.3	0.2	*	*	-	-	0.1	
	4	-	-	*	*	0.1	0.8	1.7	1.0	0.3	0.1	*	-	-	1.4	
	5	-	-	*	*	0.2	0.8	1.7	1.0	0.3	0.1	*	-	-	4.2	
	6	-	-	*	*	0.1	0.5	1.7	1.2	0.2	*	-	-	-	3.7	
	7	-	-	*	*	*	*	0.3	0.2	*	*	-	-	-	0.6	
	TOTAL----		-	-	*	0.1	0.4	1.7	4.2	2.8	0.8	0.1	*	-	-	10.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	*	*	*	-	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2	
	6	-	-	*	*	*	*	*	0.1	*	*	-	-	-	0.3	
	7	-	-	*	*	*	*	*	0.1	*	*	-	-	-	0.3	
	TOTAL----		-	-	*	*	0.1	0.1	0.1	0.3	0.1	*	-	-	-	0.7

* Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1		
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	0.1	*	-	-	-	-	-	-	0.1	
33	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1		
	4	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5		
	5	-	-	*	*	0.1	0.4	0.5	0.2	*	*	-	-	-	1.2		
	6	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.4		
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	TOTAL----		-	-	*	*	0.2	0.8	0.8	0.3	0.1	*	-	-	-	2.2	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	*	0.1	0.3	0.1	0.1	*	*	-	-	0.6		
	6	-	-	-	*	*	0.2	0.4	0.3	*	*	-	-	-	1.1		
	7	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.2		
	TOTAL----		-	-	-	*	0.1	0.4	0.9	0.6	0.1	*	*	-	-	2.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	-	-	-	-	-	-	-	*		
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1		
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	*	*	*	*	*	-	-	-	-	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.5		
TOTAL, ALL-----		-	*	0.1	0.9	6.5	20.9	37.8	25.9	6.7	1.2	*	-	-	100.0		
EXTRANEIOUS MATTER															Average Staple	33.1	
															Percent Tenderable	27.3	
Bark - Level 1		29.7															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

68,311 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	0.1	0.6	0.7	0.3	0.1	*	-	-	-	1.8
	3	-	-	-	-	*	0.1	0.4	0.5	0.3	0.1	*	-	-	-	1.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.2	0.9	1.3	0.6	0.2	0.1	*	-	-
31	1-2	-	-	-	-	*	0.1	0.4	0.7	0.3	0.1	*	-	-	-	1.5
	3	-	-	-	-	*	0.4	2.1	5.1	3.6	1.3	0.7	0.1	*	-	13.3
	4	-	-	-	-	-	*	0.1	0.6	0.7	0.4	0.5	0.1	*	-	2.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.5	2.6	6.4	4.6	1.8	1.2	0.2	*	-
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	*	-	0.5
	3	-	-	-	-	*	0.3	3.0	7.5	5.7	1.8	0.7	0.1	*	-	19.2
	4	-	-	-	-	*	*	0.6	3.0	4.6	2.9	1.7	0.8	0.1	-	13.7
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.4	3.7	10.8	10.5	5.0	2.6	1.0	0.1	-
51	1-2	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.2	1.5	3.0	1.9	0.6	0.2	*	*	-	7.5
	4	-	-	-	-	*	*	0.2	0.8	1.3	0.9	0.6	0.2	-	-	4.0
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.2	1.8	4.0	3.2	1.6	0.8	0.2	*	-
61	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.6	0.9	0.5	0.1	*	*	*	-	2.3
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.1	0.7	1.2	0.8	0.2	*	*	*	-
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.2	1.5	2.6	1.5	0.3	*	*	*	-	6.1
	4	-	-	-	-	*	*	0.4	1.5	1.7	0.7	0.1	*	*	-	4.4
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.3	1.9	4.1	3.3	1.0	0.2	*	*	-
52	1-2	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.3	1.6	2.7	1.0	0.1	*	*	-	-	5.7
	4	-	-	-	-	*	*	0.4	1.5	1.3	0.4	0.1	*	*	-	3.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.3	2.1	4.3	2.4	0.6	0.2	*	*	-

* Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	0.1	0.6	0.6	0.1	*	*	*	*	1.5	
	4	-	-	-	-	*	*	0.5	0.8	0.5	0.1	*	*	*	-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	0.2	1.1	1.5	0.6	0.2	*	*	*	3.5
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	0.2	0.4	0.3	*	*	*	*	0.9	
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	0.7	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	0.3	0.6	0.5	0.2	*	*	*	1.7
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	0.2	0.3	0.1	*	*	*	*	0.7	
	4	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	0.7	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	0.1	0.3	0.6	0.4	0.1	*	*	*	1.4
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	0.3	-	*	0.2	0.3	0.2	*	*	*	*	-	0.7	
	4	-	-	-	-	*	*	0.2	0.3	0.1	*	*	*	-	0.8	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	0.2	0.5	0.5	0.2	*	*	*	-	1.4
24-54	1-7	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	0.3	
25-35	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
81-85 1/ All Colors	1-7 8 2/	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.3	
TOTAL, ALL-----		-	-	-	-	*	2.6	16.3	35.7	27.4	11.1	5.2	1.5	0.2	-	100.0
EXTRANEEOUS MATTER															Average Staple	34.5
															Percent Tenderable	36.3
Bark - Level 1		1.0														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

749,007 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	*	0.3	0.3	0.1	*	*	*	-	-	0.8
	3	-	-	-	*	*	0.1	0.8	1.4	0.8	0.2	*	*	*	-	3.3
	4	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.1	1.2	1.9	1.1	0.3	*	*	*	-
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.9	2.9	2.3	0.7	0.1	*	*	-	7.0
	4	-	-	-	-	*	*	0.3	1.0	1.2	0.6	0.2	*	*	-	3.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL----		-	-	-	*	*	0.1	1.3	4.2	3.7	1.3	0.3	*	*	-
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.2	2.6	9.1	7.6	2.3	0.3	*	*	-	22.1
	4	-	-	-	*	*	*	0.8	4.2	6.7	3.7	0.9	0.1	*	*	16.3
	5	-	-	-	-	-	-	*	0.1	0.3	0.2	0.2	0.1	*	*	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	0.2	3.5	13.6	14.6	6.3	1.3	0.2	*	*
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	2.0	2.8	1.8	0.4	*	*	*	-	7.2
	4	-	-	-	-	*	0.1	0.7	2.0	2.1	1.0	0.4	0.1	-	-	6.4
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	0.3	2.8	4.9	4.1	1.5	0.5	0.1	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	*	0.3	0.3	0.1	*	*	*	-	-
71	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.5	0.1	*	*	-	-	1.5
	4	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.2	0.8	0.9	0.3	*	*	*	-	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.9	2.6	2.2	0.6	*	*	-	-	6.5
	4	-	-	-	*	*	*	0.4	2.0	3.0	1.4	0.2	*	*	-	7.1
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	0.1	1.4	4.8	5.4	2.1	0.3	*	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.2	1.0	1.2	0.6	0.1	*	*	-	-	3.0
	4	-	-	-	-	*	0.1	0.7	1.7	1.3	0.4	0.1	*	*	*	4.3
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	0.3	1.7	3.0	2.0	0.6	0.1	*	*	*

* Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	0.1	0.4	0.3	*	*	*	*	*	*		
	4	-	-	-	-	*	0.1	0.6	0.6	0.2	*	*	*	*	*		
	5	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	-	*	0.2	1.0	0.9	0.3	0.1	*	*	*	-	2.4
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*		
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	0.1	0.4	0.4	0.2	*	*	*	*	1.1
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	*		
	4	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	*	1.0
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	0.1	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	0.2	0.2	*	*	*	*	*	*	0.5
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*			
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*			
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*			
TOTAL, ALL-----		-	-	-	*	0.1	1.5	13.9	35.6	33.0	12.9	2.6	0.3	0.1	*	100.0	
EXTRANEIOUS MATTER															Average Staple	34.5	
															Percent Tenderable	51.1	
Bark - Level 1		1.1															
Bark - Level 2		*															
Grass - Level 1		0.2															
Grass - Level 2		*															
Prep - Level 1		0.4															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

1,879,801 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-
31	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	*	1.0	3.9	5.6	3.1	0.6	*	-	-	14.3
	4	-	-	-	*	*	*	0.1	1.1	3.2	2.3	0.6	*	-	-	7.4
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.1	1.2	5.2	9.0	5.5	1.2	*	-	-
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.1	1.7	7.9	10.4	5.4	0.9	*	-	-	26.4
	4	-	-	-	-	*	*	0.6	5.7	13.5	8.9	2.8	*	-	-	31.5
	5	-	-	-	-	-	*	*	0.1	0.4	0.4	0.3	*	-	-	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.1	2.4	13.9	24.4	14.8	4.0	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	-	1.0
	4	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	-	-	1.4
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.3	0.9	0.9	0.4	0.1	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.2	0.5	0.6	0.2	*	-	-	-	1.6
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	0.8
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.2	0.7	1.0	0.4	0.1	*	-	-	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.9	2.0	1.8	0.4	*	-	-	-	5.4
	4	-	-	-	-	*	*	0.4	1.6	2.4	0.8	0.1	*	-	-	5.4
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	0.2	1.3	3.8	4.3	1.3	0.2	*	-	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	-	-	-

* Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2		
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.5	
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
TOTAL, ALL-----		-	-	-	*	*	0.5	5.7	25.2	40.3	22.6	5.6	*	-	100.0		
EXTRANEIOUS MATTER															Average Staple	35.0	
															Percent Tenderable	80.9	
Bark - Level 1		0.3															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		0.4															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

578,898 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	0.1	1.1	2.9	3.5	5.9	9.2	1.4	0.1	-	24.2
	3	-	-	-	-	-	*	0.1	0.5	0.5	1.5	3.2	2.3	0.9	*	9.0
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	0.6
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	0.1	1.1	3.4	4.0	7.5	12.5	3.9	1.2	*
31	1-2	-	-	-	-	*	0.2	0.7	2.2	3.6	8.0	8.0	0.8	*	-	23.6
	3	-	-	-	-	*	0.1	0.8	2.2	2.2	3.3	5.8	2.3	0.4	*	17.2
	4	-	-	-	-	-	*	0.1	0.2	0.5	0.5	1.6	1.0	0.3	*	4.3
	5	-	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	0.1	0.3	1.7	4.6	6.4	11.8	15.6	4.1	0.8	*
41	1-2	-	-	-	-	*	0.1	0.8	1.4	0.8	0.8	0.4	*	-	-	4.3
	3	-	-	-	-	0.1	0.3	1.1	2.8	2.8	1.2	1.1	0.2	*	-	9.7
	4	-	-	-	-	*	0.2	0.3	0.4	0.6	0.7	1.5	0.3	*	-	4.1
	5	-	-	-	-	-	*	*	*	*	0.1	0.3	0.1	*	-	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	0.1	0.6	2.2	4.7	4.2	2.8	3.3	0.6	0.1	-
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.1	0.1	0.3	*	*	*	*	-	0.5
	4	-	-	-	-	-	*	0.1	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	0.1	0.2	0.4	*	0.1	*	*	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-
32	1-2	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	*	*	*	*	-	-	0.3
	4	-	-	-	-	-	-	*	-	*	0.1	0.2	0.1	*	-	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	0.1	*	0.2	0.3	0.1	*	-
42	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	*	*	*	0.1	*	*	-
52	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	-	-	*	*	-	-	-	-

* Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	-	-	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	0.1	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	*	0.1	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	0.1	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	*	0.1	-	-	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	0.2	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	0.2	1.0	5.2	13.1	15.1	22.3	32.2	8.7	2.1	0.1	100.0
EXTRANEIOUS MATTER															Average Staple	35.9
															Percent Tenderable	86.2
Bark - Level 1	1.5															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

40,614 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	0.2	0.7	0.7	0.5	0.1	*	-	-	2.2	
	4	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	-	-	1.4	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	*	0.3	1.0	1.2	0.9	0.2	*	-	-	3.7
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.3	1.8	4.3	4.5	2.2	0.3	*	-	-	13.5	
	4	-	-	-	*	0.3	2.0	6.3	8.9	5.6	1.2	0.1	*	-	24.3	
	5	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	-	-	1.0	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	TOTAL----		-	-	*	*	0.6	3.9	10.9	13.7	8.1	1.5	0.1	*	-	38.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.3	1.1	1.6	1.0	0.3	*	*	-	-	4.4	
	4	-	*	*	*	0.5	2.5	5.0	4.6	1.7	0.2	*	*	*	14.6	
	5	-	-	-	*	0.1	0.3	0.7	0.7	0.3	*	*	*	-	2.3	
	6	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	*	*	0.1	0.9	4.0	7.4	6.4	2.4	0.3	*	*	-	21.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.1	*	*	*	*	*	*	-	0.2
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4	
	4	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.3	1.3	2.2	1.4	0.4	*	*	*	*	5.7	
	4	-	-	*	*	0.3	1.7	3.6	3.1	1.2	0.2	*	*	*	9.9	
	5	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	0.1	0.6	3.0	5.9	4.7	1.7	0.2	*	*	-	16.3
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	0.2	0.8	1.0	0.5	0.1	*	*	*	*	2.7	
	4	-	-	*	*	0.5	2.0	3.2	2.2	0.6	0.1	*	*	*	8.6	
	5	-	-	-	*	0.1	0.3	0.6	0.5	0.2	*	*	*	*	1.7	
	6	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	0.1	0.8	3.2	4.8	3.3	0.9	0.1	*	*	-	13.2

* Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	-	*	-	-	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	*	*	0.8		
	4	-	*	*	*	*	0.2	0.4	0.3	0.1	*	*	*	*	1.1		
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	*	*	*	0.1	0.4	0.7	0.5	0.2	*	*	*	*	2.0	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6		
	4	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	*	1.4		
	5	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	*	*	*	0.2	0.6	0.9	0.6	0.1	*	*	*	*	2.4	
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	0.1	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2	
24-54	1-7	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL-----		-	*	*	0.3	3.5	15.9	32.3	30.9	14.4	2.4	0.1	*	*	100.0		
EXTRANEIOUS MATTER															Average Staple	33.4	
															Percent Tenderable	41.9	
Bark - Level 1		0.6															
Bark - Level 2		-															
Grass - Level 1		1.3															
Grass - Level 2		*															
Prep - Level 1		0.5															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

782,390 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	*	*	*	0.1	0.2	0.7	1.2	1.3	1.1	0.5	*	-	-	5.2
	3	-	*	*	0.1	0.1	0.2	0.6	1.0	1.2	1.1	0.6	*	-	-	4.9
	4	-	-	*	*	*	*	0.1	0.1	0.2	*	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	*	*	0.1	0.2	0.5	1.3	2.3	2.7	2.3	1.1	*	-	-
31	1-2	-	*	*	0.1	0.2	0.1	0.3	0.6	0.9	0.6	0.2	*	-	-	3.1
	3	-	*	0.1	0.6	1.4	2.0	2.7	3.2	4.1	3.5	1.6	0.1	-	-	19.3
	4	-	*	*	0.2	0.6	1.2	1.9	1.7	1.3	0.9	0.6	*	-	-	8.5
	5	-	-	*	*	*	0.2	0.4	0.3	0.2	*	*	*	-	-	1.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL----		-	*	0.2	0.9	2.3	3.5	5.3	5.9	6.5	5.1	2.4	0.1	-	-
41	1-2	-	*	*	*	*	0.1	0.3	0.6	0.5	0.2	*	-	-	-	1.7
	3	*	*	0.1	0.4	0.8	1.3	2.9	5.2	5.0	2.7	0.8	*	-	-	19.3
	4	*	*	0.1	0.4	1.1	1.8	2.4	2.9	2.1	1.2	0.7	*	-	-	12.8
	5	*	*	*	0.1	0.4	0.9	1.1	0.8	0.5	0.1	*	*	-	-	3.9
	6	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.6
	7	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----		*	*	0.2	1.0	2.5	4.2	6.8	9.6	8.3	4.2	1.5	0.1	-	-
51	1-2	-	-	*	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	*	*	*	*	0.1	0.5	0.9	0.8	0.2	*	-	-	-	2.6
	4	-	*	*	*	*	0.1	0.3	0.5	0.3	0.1	*	-	*	0.1	1.2
	5	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	-	-	0.5
	6	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	-	0.3
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL----		-	*	*	0.1	0.2	0.4	1.0	1.6	1.2	0.3	*	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	*	*	*	0.1	0.1	0.2	0.2	0.2	*	*	-	-	-	0.8
	4	-	-	*	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	*	*	*	0.1	0.2	0.3	0.4	0.2	*	*	-	-	-
32	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	3	*	*	0.1	0.2	0.3	0.4	0.5	0.6	0.3	0.1	*	*	-	-	2.5
	4	-	*	*	0.1	0.1	0.3	0.5	0.5	0.4	0.1	*	*	*	-	2.1
	5	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----		*	*	0.1	0.3	0.6	0.8	1.4	1.5	0.8	0.2	*	*	*	-
42	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	*	*	0.1	0.3	0.3	0.3	0.2	0.2	0.2	0.1	*	*	-	-	1.7
	4	*	*	0.1	0.2	0.3	0.3	0.5	0.4	0.3	0.2	0.1	*	*	-	2.0
	5	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	-	-	0.8
	6	-	-	*	*	*	*	0.1	0.2	*	*	*	-	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
	TOTAL----		*	*	0.2	0.5	0.8	0.9	1.0	0.9	0.5	0.2	*	*	*	-
52	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	*	*	*	*	*	*	*	*	*	*	-	-	-	-	0.2
	5	*	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----		*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	-

* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
33	1-2	-	-	-	*	*	*	*	-	*	*	*	-	-	-	*		
	3	-	-	*	*	*	0.1	*	0.1	0.1	*	*	-	-	-	0.3		
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1		
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	TOTAL----		-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	*	-	0.7	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	*	-	0.6	
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	*	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	*	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	*	-	*	-	*	-	*	-	*	-	*		
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL-----		*	0.2	0.8	2.9	6.8	10.9	17.6	22.5	20.5	12.5	5.1	0.2	*	-	100.0		
EXTRANEIOUS MATTER																Average Staple	33.9	
																Percent Tenderable	55.1	
Bark - Level 1		11.0																
Bark - Level 2		*																
Grass - Level 1		*																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

202,921 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	*
31	1-2	-	-	-	-	-	*	0.1	*	*	*	-	-	-	0.1	
	3	-	-	-	*	*	0.1	0.7	0.9	0.5	0.2	*	-	-	2.4	
	4	-	-	-	-	*	*	0.3	0.4	0.4	0.2	*	-	-	1.3	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	0.2	1.0	1.3	1.0	0.3	*	-	-	3.9
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3	
	3	-	-	-	*	0.2	1.3	4.6	6.8	3.8	0.7	*	*	-	17.4	
	4	-	-	-	*	0.1	0.8	4.0	7.6	5.9	1.6	0.1	*	-	20.1	
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	TOTAL----		-	-	-	*	0.2	2.1	8.9	14.7	10.0	2.4	0.1	*	-	38.5
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	*	*	0.1	0.6	1.3	1.4	0.4	0.1	*	-	-	4.0	
	4	-	-	-	*	0.1	1.0	3.0	3.9	1.7	0.3	*	-	-	10.0	
	5	-	-	-	-	*	0.1	0.4	0.5	0.2	*	-	-	-	1.2	
	6	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2	
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	TOTAL----		-	-	*	*	0.3	1.7	4.8	5.9	2.3	0.4	*	-	-	15.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	-	-	-	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	-	-	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8	
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.4
42	1-2	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1	
	3	-	-	-	0.1	0.7	2.1	2.5	1.6	0.6	0.1	*	-	-	7.7	
	4	-	-	*	*	0.6	1.9	3.4	2.9	1.4	0.3	*	-	-	10.5	
	5	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	-	0.6	
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	TOTAL----		-	-	*	0.2	1.3	4.1	6.1	4.9	2.0	0.4	*	-	-	19.0
52	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	*	0.1	0.4	1.0	1.0	0.5	0.2	*	*	-	-	3.2	
	4	-	-	*	0.1	0.5	1.9	3.2	2.5	0.9	0.1	*	-	-	9.3	
	5	-	-	-	*	0.1	0.3	0.6	0.7	0.3	*	*	-	-	1.9	
	6	-	-	-	-	*	0.1	0.1	0.2	*	*	-	-	-	0.4	
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
	TOTAL----		-	-	*	0.2	1.0	3.2	5.0	3.9	1.4	0.2	*	-	-	15.0

* Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	*	*	*	0.1	*	*	*	*	*	*	*	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	*	*	0.1	0.2	0.1	*	*	-	*	-	-	0.4	
13 & 23	1-2	-	-	-	*	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	-	-	*	*	-	*	-	-	-	*	
33	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	*	0.2	0.3	0.4	0.2	0.1	*	*	*	*	1.2		
	4	-	-	*	*	0.2	0.3	0.3	0.2	0.1	*	*	*	*	1.1		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	*	-	-	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	*	0.1	0.3	0.7	0.6	0.5	0.2	*	*	*	*	2.4	
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	*	0.8		
	4	-	-	*	0.1	0.4	0.6	0.5	0.3	0.1	*	*	*	*	2.0		
	5	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	*	0.2	0.6	0.9	0.8	0.5	0.2	*	*	*	*	3.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	0.1	*	*	*	*	-	-	-	-	-	-	*		
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	*	*	0.1	0.1	*	*	*	*	*	*	*	0.2	
24-54	1-7	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL-----		-	-	0.1	0.8	4.1	13.5	28.0	32.2	17.3	3.8	0.2	*	-	100.0		
EXTRANEIOUS MATTER															Average Staple	33.5	
															Percent Tenderable	24.0	
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		0.7															
Grass - Level 2		-															
Prep - Level 1		0.2															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

127,039 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.8
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.1	0.4	0.3	0.2	0.1	*	-	-	-
31	1-2	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	*	*	0.4	3.7	8.3	5.7	2.2	0.5	*	-	-	20.8
	4	-	-	-	-	*	*	0.3	1.3	1.8	1.1	0.4	*	-	-	5.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.5	4.3	10.0	7.6	3.4	0.9	*	-	-
41	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	3	-	-	-	*	*	1.0	4.7	7.0	4.4	1.7	0.3	*	-	-	19.2
	4	-	-	-	-	*	0.1	1.3	3.4	3.5	2.0	0.5	*	-	-	10.8
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	1.2	6.2	10.7	8.1	3.9	0.8	*	-	-
51	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.4	0.4	0.2	0.1	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	*	0.1	*	*	*	*	-	-	-
32	1-2	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.7	3.3	4.3	2.1	0.4	0.1	*	-	-	11.0
	4	-	-	-	-	-	*	0.2	0.7	0.8	0.3	0.1	*	-	-	2.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.8	3.8	5.2	2.9	0.7	0.2	*	-	-
42	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	1.2	4.5	4.8	2.0	0.4	*	*	-	-	13.0
	4	-	-	-	-	*	0.1	1.0	2.3	1.8	0.6	0.1	*	-	-	5.8
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	1.4	5.7	7.2	4.0	1.0	0.1	*	-	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	-	-

* Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	*	*	-	*	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	3	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	1.1		
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2		
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.4	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	3	-	-	-	*	*	0.3	0.9	0.9	0.4	0.1	*	-	-	-	2.6		
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.1		
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	0.4	1.2	1.3	0.7	0.2	*	-	-	-	3.8	
53	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
TOTAL, ALL-----		-	-	-	*	0.2	4.8	22.8	36.1	24.4	9.6	2.1	*	-	-	100.0		
EXTRANEIOUS MATTER																Average Staple	34.2	
																Percent Tenderable	27.5	
Bark - Level 1		0.8																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

788,945 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	*	*	*	0.1	0.3	0.6	0.9	0.9	0.7	0.3	0.1	*	*	-	4.0
	3	*	*	*	0.1	0.5	1.0	1.4	1.5	1.1	0.6	0.3	*	*	-	6.6
	4	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	0.1	*	*	-	1.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----		*	*	*	0.3	0.9	1.9	2.7	2.9	2.0	1.0	0.5	*	*	-
31	1-2	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	-	1.7
	3	*	*	*	0.3	1.1	2.5	3.7	3.5	2.4	1.3	0.8	0.1	*	*	15.7
	4	*	*	*	0.2	0.8	2.1	3.7	3.8	2.2	1.1	0.7	0.1	*	*	14.7
	5	*	*	*	*	0.1	0.3	0.5	0.7	0.4	0.1	0.1	*	*	*	2.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		*	*	0.1	0.5	2.0	5.2	8.4	8.5	5.3	2.6	1.6	0.3	*	*
41	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	3	*	*	*	0.2	0.7	1.4	1.9	1.9	1.5	0.8	0.4	0.1	*	*	9.0
	4	*	*	*	0.3	1.1	2.8	4.4	3.9	2.4	1.5	0.9	0.2	*	*	17.4
	5	-	*	*	0.1	0.3	0.9	1.7	1.8	0.9	0.4	0.3	*	*	*	6.3
	6	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	0.6
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		*	*	0.1	0.6	2.2	5.2	8.2	7.9	5.0	2.7	1.6	0.3	*	*
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	4	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	0.1	0.8
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		*	*	*	*	0.1	0.2	0.3	0.5	0.4	0.3	0.2	*	*	-
61	1-2	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	-	*	-	*	*	*	*	-	*
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	*	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	-	*	*	-	-
12 & 22	1-2	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	0.3
	3	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	-	1.1
	4	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----		*	*	*	0.1	0.2	0.4	0.5	0.4	0.2	0.1	*	*	*	-
32	1-2	*	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	*	*	*	0.1	0.3	0.5	0.5	0.4	0.2	0.1	*	*	*	*	2.2
	4	*	*	*	0.1	0.3	0.6	0.8	0.6	0.3	0.1	*	*	*	*	2.8
	5	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		*	*	*	0.2	0.7	1.2	1.5	1.2	0.6	0.2	0.1	*	*	*
42	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	0.2	0.3	0.4	0.3	0.2	0.1	*	*	*	*	-	1.7
	4	*	*	*	0.2	0.6	0.9	1.0	0.6	0.3	0.1	0.1	*	*	*	3.8
	5	-	*	*	*	0.2	0.3	0.4	0.3	0.1	*	*	*	*	*	1.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		*	*	*	0.1	0.5	1.1	1.6	1.8	1.2	0.5	0.2	0.1	*	*
52	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	-

* Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	
	4	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.6
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.5
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	0.4	2.2	7.5	16.2	23.9	23.0	14.5	7.4	4.2	0.6	*	*	100.0
EXTRANEIOUS MATTER															Average Staple	33.5
															Percent Tenderable	47.0
Bark - Level 1	14.3															
Bark - Level 2	*															
Grass - Level 1	1.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

4,940,363 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	
31	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	0.2	0.3	0.4	0.2	*	-	-	-	
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	0.2	0.6	0.9	0.5	0.1	-	-	-
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	3	-	-	-	*	0.2	1.5	3.7	4.9	3.6	1.3	0.2	*	-	-	
	4	-	-	-	*	0.1	1.0	4.1	8.7	9.4	4.7	0.7	*	-	-	
	5	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	-	-	-	
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.3	2.5	7.9	13.7	13.1	6.1	0.8	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	3	-	-	-	*	0.2	0.9	1.2	1.2	0.7	0.2	*	-	-	-	
	4	-	-	-	*	0.2	1.3	3.1	4.5	3.5	1.5	0.2	*	-	-	
	5	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.4	2.3	4.6	6.1	4.5	1.7	0.2	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	-	*	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	
	4	-	-	-	*	*	*	*	0.2	0.1	*	*	-	-	-	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	-
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	3	-	-	-	*	0.1	0.5	1.2	1.9	1.1	0.2	*	-	-	-	
	4	-	-	-	*	0.1	0.7	2.7	5.5	4.5	1.1	0.1	-	-	-	
	5	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.2	1.2	4.1	7.6	5.8	1.4	0.1	-	-	-
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	3	-	-	-	-	*	0.2	0.4	0.4	0.2	0.1	*	-	-	-	
	4	-	-	-	*	0.1	0.5	1.4	2.3	1.6	0.5	*	-	-	-	
	5	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	-	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.9	2.0	3.2	2.1	0.6	*	-	-	-

* Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
April 10, 2003

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-		
	6	-	-	-	-	-	*	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-		
	4	-	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	0.2	0.5	0.6	0.4	0.1	*	-	-	1.8	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-		
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	-	-	-		
	5	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-		
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	-	-	1.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	0.1	-	-	*	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	*	-	-	-	-	*	-	-	-		
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	-	-	*	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	*	1.2	7.3	19.7	32.5	27.3	10.6	1.3	*	-	-	100.0	
EXTRANEEOUS MATTER															Average Staple	34.1	
															Percent Tenderable	48.9	
Bark - Level 1		0.7															
Bark - Level 2		-															
Grass - Level 1		1.6															
Grass - Level 2		-															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

88,559 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2002 crop.

State	Extraneous matter															
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		Total	
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	5,472	0	16,544	28	1,255	1	3	0	1	0	2	0	0	0	23,277	29
Arizona	167	2	29,282	319	2,459	46	2,195	42	8	0	9	0	18	0	34,138	409
Arkansas	2,406	0	12,867	4	2,588	1	6	0	20	0	0	0	9	0	17,896	5
California	408	6	12,535	52	9,398	100	21,387	4	10	0	210	2	139	0	44,087	164
Florida	1,628	3	1,081	1	150	0	60	0	0	0	5	0	0	0	2,924	4
Georgia	9,019	79	25,754	152	3,124	1	163	0	9	0	172	31	0	0	38,241	263
Kansas	0	0	20,256	0	35	0	0	0	0	0	0	0	0	0	20,291	0
Louisiana	1,558	24	7,482	99	2,579	7	13	0	6	0	190	0	4	0	11,832	130
Mississippi	7,778	1	20,578	1	4,311	1	22	0	13	0	61	0	21	0	32,784	3
Missouri	2,157	1	1,800	0	789	0	9	0	2	0	0	0	9	0	4,766	1
New Mexico	2	1	593	0	58	0	4	0	6	0	0	0	2	0	665	1
North Carolina	4,138	3	4,930	0	10,493	1	2	0	11	0	0	0	11	0	19,585	4
Oklahoma	13	0	22,372	1	51	1	0	0	1	0	0	0	0	0	22,437	2
South Carolina	249	0	607	0	860	0	3	0	0	0	0	0	3	0	1,722	0
Tennessee	824	0	6,024	0	859	0	4	0	14	0	0	0	8	0	7,733	0
Texas	1,604	49	705,183	119	59,023	1,250	333	4	50	0	11	0	276	2	766,480	1,424
Virginia	119	0	646	0	1,377	0	1	0	0	0	3	0	0	0	2,146	0
United States	37,542	169	888,534	776	99,409	1,409	24,205	50	151	0	663	33	500	2	1,051,004	2,439

Table 22. -- Tenderability of upland cotton classed, by states, 2002 crop

State	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
Alabama	200,173	35.4	365,892	64.6
Arizona	393,108	67.9	186,181	32.1
Arkansas	1,105,397	68.4	509,659	31.6
California	1,295,660	90.7	133,146	9.3
Florida	13,115	19.5	54,176	80.5
Georgia	534,379	34.5	1,015,194	65.5
Kansas	18,642	27.3	49,669	72.7
Louisiana	272,064	36.3	476,943	63.7
Mississippi	960,492	51.1	919,309	48.9
Missouri	468,482	80.9	110,416	19.1
New Mexico	35,029	86.2	5,585	13.8
North Carolina	328,210	41.9	454,180	58.1
Oklahoma	111,761	55.1	91,160	44.9
South Carolina	30,500	24.0	96,539	76.0
Tennessee	216,579	27.5	572,366	72.5
Texas	2,323,545	47.0	2,616,818	53.0
Virginia	43,317	48.9	45,242	51.1
United States	8,350,453	52.0	7,702,475	48.0

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1983-2002 crops.

Year	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0

1/ 1983-84, New York No. 2; 1985, New York No. 2 and Chicago; 1986-2002 New York No. 2.

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2002 crop.

Color	Leaf	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
11 & 21	1-2	*	5.2	5.1	4.8	0.7	*	0.6	4.4	0.1	0.9	0.7
	3	0.8	4.9	5.5	5.1	1.3	0.1	1.2	7.5	0.6	3.7	2.9
	4	0.5	0.5	0.8	0.7	0.1	*	0.1	0.6	0.1	0.6	0.5
	5	*	*	*	*	*	-	*	*	*	*	*
	6	-	-	*	*	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	----	1.4	10.6	11.4	10.6	2.1	0.1	2.0	12.5	0.8	5.2
31	1-2	*	3.1	1.4	1.6	0.3	0.1	0.3	4.8	0.5	0.4	0.4
	3	4.3	19.3	17.5	17.0	2.8	1.6	2.8	29.3	12.3	7.1	8.4
	4	15.7	8.5	8.4	8.9	1.3	0.3	1.2	9.3	6.0	3.2	3.9
	5	10.3	1.1	0.7	1.4	0.1	-	0.1	0.4	0.2	0.4	0.3
	6	0.8	0.1	*	0.1	*	-	*	*	*	*	*
	7	*	*	*	*	-	-	-	*	-	*	*
	Total	----	31.1	32.1	28.0	29.0	4.4	2.0	4.3	43.7	19.1	11.0
41	1-2	-	1.7	0.4	0.6	0.2	0.1	0.2	0.9	0.4	0.5	0.5
	3	0.6	19.3	14.9	14.8	11.7	4.6	11.3	15.3	26.4	22.4	23.5
	4	8.4	12.8	17.2	15.8	12.2	3.0	11.6	11.1	33.8	15.3	20.0
	5	19.9	3.9	4.0	5.0	0.4	*	0.4	1.1	2.5	0.9	1.3
	6	8.0	0.6	0.4	0.9	*	-	*	*	*	*	*
	7	0.8	*	*	0.1	-	-	-	*	*	*	*
	Total	----	37.6	38.4	37.0	37.3	24.6	7.6	23.5	28.4	63.1	39.2
51	1-2	-	0.2	*	0.1	0.1	-	0.1	0.1	*	0.2	0.1
	3	*	2.6	0.9	1.2	5.5	3.0	5.4	2.0	2.0	7.5	6.1
	4	*	1.2	2.1	1.8	7.7	3.5	7.4	1.6	4.8	6.4	6.0
	5	0.4	0.5	1.1	0.9	0.6	*	0.6	0.4	0.8	0.4	0.5
	6	0.9	0.3	0.2	0.3	*	*	*	*	*	*	*
	7	0.9	0.1	*	0.1	-	-	-	*	*	*	*
	Total	----	2.1	4.8	4.4	4.3	13.9	6.6	13.5	4.1	7.6	14.4
61	1-2	-	-	*	*	*	-	*	*	-	*	*
	3	-	*	*	*	0.1	0.1	0.1	*	*	0.5	0.4
	4	-	*	*	*	0.1	0.2	0.1	*	*	0.4	0.3
	5	*	*	*	*	*	-	*	*	*	*	*
	6	*	*	*	*	*	-	*	*	*	*	*
	7	-	-	*	*	*	-	*	*	-	*	*
	Total	----	*	0.1	*	*	0.2	0.3	0.2	0.1	*	1.0
71	1-2	-	-	-	-	-	-	-	*	-	*	*
	3	-	-	*	*	*	-	*	-	-	*	*
	4	*	*	*	*	*	-	*	-	*	*	*
	5	-	-	*	*	*	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	*	*	*	-	-	-	-	-	-
	Total	----	*	*	*	*	*	-	*	*	*	*
12 & 22	1-2	*	0.3	0.5	0.4	*	0.1	*	0.1	*	*	*
	3	0.3	0.8	0.9	0.8	0.1	*	0.1	0.3	*	0.1	*
	4	0.2	0.2	0.2	0.2	*	*	*	*	*	*	*
	5	*	*	*	*	*	-	*	*	-	*	*
	6	*	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	----	0.5	1.3	1.6	1.5	0.1	0.1	0.1	0.4	*	0.1
32	1-2	-	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	0.1	*
	3	0.6	2.5	2.5	2.4	1.3	0.6	1.2	1.6	0.6	1.4	1.2
	4	4.4	2.1	1.6	1.9	0.6	0.1	0.6	0.7	0.4	0.7	0.6
	5	5.6	0.8	0.3	0.7	0.1	-	0.1	*	*	*	*
	6	0.7	0.1	*	0.1	*	-	*	*	*	*	*
	7	*	*	*	*	-	-	-	-	-	-	-
	Total	----	11.3	5.7	4.6	5.2	2.0	0.8	1.9	2.4	1.1	2.2
42	1-2	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1
	3	0.1	1.7	3.5	3.0	9.9	6.2	9.6	2.3	1.9	6.5	5.4
	4	1.4	2.0	4.8	4.1	9.6	5.6	9.4	2.1	3.4	6.9	6.0
	5	4.2	0.8	1.2	1.3	0.5	0.1	0.5	0.2	0.6	0.5	0.5
	6	3.7	0.4	0.2	0.4	*	-	*	*	*	*	*
	7	0.6	0.1	*	0.1	-	-	-	*	*	*	*
	Total	----	10.1	5.0	9.9	9.0	20.2	12.1	19.7	4.6	5.9	14.1
52	1-2	-	*	*	*	*	*	*	*	*	*	*
	3	-	0.1	0.2	0.2	7.2	9.7	7.4	0.9	0.4	3.0	2.3
	4	*	0.2	0.8	0.6	10.2	17.2	10.7	1.0	1.1	4.2	3.4
	5	0.2	0.1	0.6	0.5	1.1	0.6	1.1	0.2	0.3	0.4	0.4
	6	0.3	*	0.1	0.1	0.1	-	0.1	*	*	*	*
	7	0.3	*	*	*	*	-	*	*	*	*	*
	Total	----	0.7	0.5	1.8	1.5	18.7	27.5	19.2	2.1	1.8	7.6

Table 24. -- Continued.

ABILENE						BIRMINGHAM			CORPUS CHRISTI		DUMAS		
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
62	1-2	-	*	*	*	*	-	*	*	-	*	*	
	3	-	*	*	*	1.0	2.5	1.1	*	*	0.8	0.6	
	4	-	*	*	*	1.7	6.2	2.0	*	*	1.6	1.2	
	5	-	*	*	*	0.2	0.5	0.2	*	*	0.2	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	-	*	*	-	*	*	
Total	-----	-	*	*	*	3.0	9.2	3.4	0.1	*	2.5	1.9	
13 & 23	1-2	*	*	0.1	*	*	*	*	*	-	*	*	
	3	*	*	0.1	*	*	-	*	*	*	*	*	
	4	0.1	*	*	*	*	-	*	*	*	*	*	
	5	*	*	*	*	-	-	-	-	-	-	-	
	6	-	*	-	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	
Total	-----	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*	
33	1-2	*	*	*	*	*	*	*	*	*	*	*	
	3	0.1	0.3	0.2	0.2	0.1	*	0.1	0.2	*	0.1	0.1	
	4	0.5	0.2	0.1	0.2	0.1	*	0.1	0.1	*	*	*	
	5	1.2	0.1	*	0.1	*	-	*	*	*	*	*	
	6	0.4	*	*	*	-	-	-	-	-	*	*	
	7	*	*	*	*	-	-	-	-	-	-	-	
Total	-----	2.2	0.7	0.3	0.5	0.2	0.1	0.2	0.3	*	0.1	0.1	
43	1-2	-	*	*	*	*	*	*	*	*	*	*	
	3	*	0.2	0.2	0.2	1.4	1.3	1.4	0.3	0.1	0.5	0.4	
	4	0.1	0.2	0.3	0.3	1.3	1.3	1.3	0.2	0.2	0.5	0.4	
	5	0.6	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	
	6	1.1	0.1	*	0.1	*	-	*	*	*	*	*	
	7	0.2	*	*	*	-	-	-	*	-	-	-	
Total	-----	2.1	0.6	0.5	0.7	2.8	2.6	2.8	0.6	0.3	1.1	0.9	
53	1-2	-	*	*	*	*	*	*	*	*	*	*	
	3	*	*	*	*	2.1	3.8	2.2	0.2	*	0.3	0.2	
	4	*	*	0.1	*	2.0	8.8	2.4	0.3	0.1	0.5	0.4	
	5	*	*	*	*	0.2	0.7	0.2	0.1	*	0.1	0.1	
	6	0.1	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	*	-	-	-	*	-	-	-	
Total	-----	0.1	0.1	0.1	0.1	4.3	13.3	4.9	0.5	0.1	0.9	0.7	
63	1-2	-	-	-	-	-	-	-	*	-	*	*	
	3	-	*	*	*	0.8	2.4	0.9	*	*	0.1	0.1	
	4	-	-	*	*	1.3	10.0	1.8	*	*	0.2	0.2	
	5	-	*	*	*	0.2	0.8	0.2	*	*	0.1	0.1	
	6	-	-	*	*	*	*	*	*	-	*	*	
	7	-	-	*	*	-	-	-	*	*	*	*	
Total	-----	-	*	*	*	2.3	13.2	3.0	0.1	*	0.4	0.3	
24 - 54	1-7	0.1	*	0.1	0.1	0.5	1.5	0.6	0.1	*	0.1	0.1	
25 - 35	1-7	-	-	*	*	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	*	*	*	0.7	3.0	0.9	*	-	*	*	
All Colors	8 2/	0.5	*	*	*	*	-	*	*	*	*	*	
STAPLE													
28 & shorter		*	0.2	0.1	0.1	-	-	-	*	-	-	-	
29		0.1	0.8	0.7	0.7	-	-	-	0.2	-	-	-	
30		0.9	2.9	4.1	3.7	0.1	*	0.1	0.7	-	*	*	
31		6.5	6.8	12.0	10.7	1.3	0.3	1.3	2.4	*	*	*	
32		20.9	10.9	21.0	19.1	10.2	5.7	9.9	6.8	0.2	1.2	0.9	
33		37.8	17.6	24.4	24.0	30.4	32.6	30.5	13.3	5.6	13.1	11.2	
34		25.9	22.5	20.7	21.4	36.0	45.5	36.6	22.3	21.3	35.5	31.9	
35		6.7	20.5	10.9	12.4	18.0	15.0	17.8	23.4	40.0	33.6	35.2	
36		1.2	12.5	4.3	5.7	3.8	0.8	3.7	15.9	25.4	13.3	16.3	
37		*	5.1	1.6	2.2	0.2	*	0.2	12.1	7.2	2.8	3.9	
38 & longer		-	0.2	0.2	0.2	*	-	*	2.9	0.4	0.5	0.5	
All Staples		100.0	100.0	100.0	100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	
Average staple		33.1	33.9	33.0	33.2	33.7	33.7	33.7	34.7	35.1	34.5	34.7	
Total Classed		68,311	202,921	794,584	1,065,816	566,065	36,897	602,962	836,810	564,083	1,658,693	2,222,776	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2002 crop.

Color	Leaf	FLORENCE			Classing Office Total	LAMESA	LUBBOCK	MACON		Classing Office Total
		North Carolina	South Carolina	Virginia		Texas	Texas	Florida	Georgia	
11 & 21	1-2	*	*	-	*	7.5	2.5	-	*	*
	3	*	*	-	*	8.6	6.3	0.1	0.4	0.4
	4	*	*	-	*	2.0	2.2	-	0.1	0.1
	5	-	-	-	-	*	0.1	-	*	*
	6	-	-	-	-	-	*	-	-	-
	7	-	-	-	-	-	*	-	-	-
	Total	----	*	*	-	*	18.1	11.2	0.1	0.5
31	1-2	*	0.1	-	*	1.9	0.4	0.1	0.1	0.1
	3	2.2	2.4	1.0	2.1	15.1	11.1	3.4	6.5	6.4
	4	1.4	1.3	1.3	1.4	13.2	18.8	0.3	2.4	2.4
	5	*	*	*	*	1.0	3.6	-	*	*
	6	-	-	-	-	*	0.2	-	*	*
	7	-	-	-	-	*	*	-	-	-
	Total	----	3.7	3.9	2.4	3.6	31.2	34.1	3.8	9.0
41	1-2	0.1	0.3	0.1	0.1	0.5	0.1	0.1	0.1	0.1
	3	13.5	17.4	15.4	14.1	9.3	5.2	16.1	19.8	19.8
	4	24.3	20.1	28.6	24.1	19.2	19.3	7.5	21.2	20.9
	5	1.0	0.6	0.5	0.9	4.5	9.0	0.1	0.6	0.6
	6	*	*	*	*	0.3	0.9	-	*	*
	7	*	*	-	*	*	0.1	-	*	*
	Total	----	38.8	38.5	44.6	39.3	33.8	34.5	23.7	41.8
51	1-2	*	*	*	*	*	*	*	*	*
	3	4.4	4.0	4.5	4.4	0.1	0.1	6.7	3.7	3.8
	4	14.6	10.0	14.3	14.0	0.7	0.3	9.6	8.3	8.3
	5	2.3	1.2	1.0	2.0	0.4	0.4	0.2	0.5	0.5
	6	0.2	0.2	0.1	0.2	0.1	0.1	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	----	21.5	15.4	19.9	20.6	1.4	0.8	16.6	12.6
61	1-2	*	-	-	*	-	-	-	*	*
	3	*	*	*	*	*	*	0.1	*	*
	4	0.1	0.1	*	0.1	*	*	0.6	0.1	0.1
	5	0.1	*	*	*	-	*	0.1	*	*
	6	*	*	-	*	-	*	-	*	*
	7	*	-	-	*	*	-	-	*	*
	Total	----	0.2	0.1	*	0.2	*	*	0.7	0.2
71	1-2	-	-	-	-	-	-	-	-	-
	3	*	*	*	*	-	*	*	*	*
	4	*	*	*	*	-	*	*	*	*
	5	*	-	-	*	-	*	*	*	*
	6	*	-	-	*	-	*	-	*	*
	7	*	-	-	*	-	-	-	-	-
	Total	----	*	*	*	*	-	*	0.1	*
12 & 22	1-2	*	*	-	*	0.7	0.3	-	*	*
	3	*	*	*	*	2.0	1.3	-	*	*
	4	*	*	-	*	0.9	0.6	-	*	*
	5	*	-	-	*	*	*	-	*	*
	6	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	-	*	-	-	-
	Total	----	*	*	*	*	3.6	2.2	-	*
32	1-2	*	*	-	*	0.2	0.1	-	*	*
	3	0.4	0.8	0.2	0.5	2.7	2.3	0.3	1.1	1.0
	4	0.4	0.5	0.4	0.4	3.1	3.8	0.1	0.5	0.5
	5	*	*	*	*	0.5	0.8	-	*	*
	6	*	*	-	*	*	0.1	-	*	*
	7	-	-	-	-	*	*	-	*	*
	Total	----	0.8	1.4	0.6	0.9	6.5	7.0	0.3	1.6
42	1-2	*	0.1	*	*	*	*	*	*	*
	3	5.7	7.7	5.0	5.9	0.8	1.2	10.3	6.1	6.2
	4	9.9	10.5	14.7	10.4	1.8	4.6	3.9	7.3	7.2
	5	0.6	0.6	0.6	0.6	0.6	2.0	*	0.4	0.4
	6	*	0.1	*	*	0.1	0.2	-	*	*
	7	*	*	-	*	*	*	-	*	*
	Total	----	16.3	19.0	20.4	17.0	3.4	8.0	14.3	13.9
52	1-2	*	*	*	*	*	*	*	*	*
	3	2.7	3.2	1.3	2.6	*	*	11.8	3.1	3.3
	4	8.6	9.3	6.5	8.5	0.1	0.1	9.0	7.9	7.9
	5	1.7	1.9	1.1	1.6	0.1	0.2	0.3	0.8	0.8
	6	0.2	0.4	0.1	0.2	*	0.1	*	0.1	0.1
	7	*	0.1	*	*	*	*	-	*	*
	Total	----	13.2	15.0	9.0	13.1	0.2	0.4	21.1	11.9

Table 25. -- Continued.

		FLORENCE				LAMESA	LUBBOCK	MACON		
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
62	1-2	*	-	-	*	-	-	-	*	*
	3	0.1	*	*	0.1	*	*	2.3	0.2	0.2
	4	0.3	0.1	*	0.3	*	*	5.6	0.8	0.9
	5	0.1	0.1	*	0.1	-	*	1.0	0.2	0.2
	6	*	0.1	*	*	-	*	*	*	*
	7	*	*	*	*	-	*	-	*	*
Total	-----	0.6	0.4	*	0.5	*	*	8.9	1.2	1.4
13 & 23	1-2	-	*	-	*	0.1	*	-	*	*
	3	*	*	-	*	0.1	0.1	-	*	*
	4	-	*	-	*	0.1	*	-	*	*
	5	-	-	-	-	*	*	-	-	-
	6	-	-	-	-	-	*	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total	-----	*	*	-	*	0.2	0.2	-	*	*
33	1-2	*	*	-	*	*	*	-	*	*
	3	*	0.1	*	*	0.4	0.3	*	0.1	0.1
	4	*	*	*	*	0.4	0.4	-	*	*
	5	*	-	*	*	0.1	0.1	-	*	*
	6	*	-	-	*	*	*	-	*	*
	7	*	-	-	*	-	*	-	*	*
Total	-----	0.1	0.1	*	0.1	0.9	0.8	*	0.2	0.2
43	1-2	*	*	-	*	*	*	-	*	*
	3	0.8	1.2	0.5	0.8	0.1	0.1	1.3	1.1	1.2
	4	1.1	1.1	1.2	1.1	0.2	0.3	0.4	1.1	1.1
	5	0.1	0.1	0.1	0.1	0.1	0.1	-	0.1	0.1
	6	*	*	*	*	*	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
Total	-----	2.0	2.4	1.8	2.0	0.4	0.6	1.7	2.4	2.3
53	1-2	*	*	-	*	-	*	-	*	*
	3	0.6	0.8	0.2	0.6	*	*	2.3	1.1	1.1
	4	1.4	2.0	0.8	1.5	*	*	1.9	1.9	1.9
	5	0.2	0.4	0.1	0.3	*	*	0.1	0.2	0.2
	6	*	0.1	*	*	*	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
Total	-----	2.4	3.2	1.2	2.4	*	*	4.3	3.2	3.3
63	1-2	*	-	-	*	-	*	*	*	*
	3	*	*	*	*	-	*	0.9	0.2	0.2
	4	0.1	0.1	*	0.1	-	*	2.2	0.5	0.6
	5	*	0.1	*	*	-	*	0.5	0.1	0.2
	6	*	*	*	*	-	*	*	*	*
	7	*	*	*	*	-	*	-	*	*
Total	-----	0.2	0.2	*	0.2	-	*	3.7	0.9	0.9
24 - 54	1-7	0.2	0.3	0.1	0.2	0.1	0.1	0.4	0.4	0.4
25 - 35	1-7	-	-	-	-	*	-	-	*	*
81 - 85 1/	1-7	*	*	*	*	*	*	0.4	0.2	0.2
All Colors	8 2/	*	*	-	*	*	*	-	*	*
STAPLE										
28 & shorter		*	-	-	*	*	*	-	*	*
29		*	0.1	-	*	0.5	0.4	*	*	*
30		0.3	0.8	*	0.4	3.3	1.9	*	0.2	0.2
31		3.5	4.1	1.2	3.3	10.3	7.2	0.3	1.5	1.5
32		15.9	13.5	7.3	14.9	18.8	17.3	7.9	7.2	7.2
33		32.3	28.0	19.7	30.7	23.1	27.4	32.4	23.0	23.2
34		30.9	32.2	32.5	31.2	19.2	24.6	40.5	38.0	38.0
35		14.4	17.3	27.3	15.9	14.1	12.4	16.9	23.7	23.6
36		2.4	3.8	10.6	3.3	7.6	5.7	1.9	5.6	5.5
37		0.1	0.2	1.3	0.3	2.9	2.8	*	0.8	0.8
38 & longer		*	*	*	*	0.2	0.2	-	*	*
All Staples		100.0	100.0	99.9	100.0	100.0	100.0	99.9	100.0	100.0
Average staple		33.4	33.5	34.1	33.5	33.3	33.4	33.7	33.9	33.9
Total Classed		782,390	127,039	88,559	997,988	565,195	2,711,976	30,394	1,549,573	1,579,967

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2002 crop.

Color	Leaf	MEMPHIS					Classing Office Total	PHOENIX				Classing Office Total
		Arkansas	Missouri	Mississippi	Tennessee	Arizona		California	New Mexico	Texas		
11 & 21	1-2	0.1	0.1	0.1	0.3	0.1	40.0	32.4	24.2	24.4	37.6	
	3	0.6	0.4	0.4	0.8	0.6	8.0	5.0	9.0	1.1	7.4	
	4	0.1	0.1	*	*	0.1	0.2	*	0.6	*	0.2	
	5	*	*	-	*	*	*	-	*	-	*	
	6	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.8	0.5	0.5	1.1	0.8	48.2	37.5	33.8	25.5	45.2
31	1-2	0.1	0.4	*	0.8	0.4	21.9	34.1	23.6	35.5	24.0	
	3	10.2	14.3	6.7	20.8	14.1	12.7	17.7	17.2	9.0	13.3	
	4	6.7	7.4	3.0	5.0	6.1	1.3	1.8	4.3	0.1	1.5	
	5	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	-	0.2	
	6	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	*	*	-	-	*	
	Total	-----	17.2	22.3	9.9	26.7	20.7	36.0	53.7	45.4	44.7	39.0
41	1-2	0.1	0.4	*	0.5	0.3	3.3	3.6	4.3	21.4	4.2	
	3	22.2	26.4	21.5	19.2	22.2	4.5	2.8	9.7	7.6	4.7	
	4	33.6	31.5	26.5	10.8	25.7	1.3	1.3	4.1	0.3	1.4	
	5	2.2	1.3	1.4	0.5	1.4	0.5	0.1	0.5	*	0.4	
	6	*	*	*	*	*	0.1	*	*	-	0.1	
	7	*	-	-	*	*	*	-	-	-	*	
	Total	-----	58.2	59.6	49.4	31.0	49.6	9.8	7.7	18.6	29.4	10.9
51	1-2	*	*	*	*	*	0.1	*	0.1	0.1	0.1	
	3	1.2	1.0	5.7	0.4	1.2	0.1	*	0.5	0.1	0.1	
	4	3.5	1.4	7.0	0.5	2.3	0.1	*	0.2	0.1	0.1	
	5	0.8	0.2	0.8	0.2	0.5	0.1	-	0.1	*	0.1	
	6	*	*	*	*	*	0.1	-	*	-	*	
	7	*	*	*	*	*	*	-	-	-	*	
	Total	-----	5.5	2.6	13.6	1.2	4.1	0.4	0.1	0.9	0.3	0.4
61	1-2	-	-	-	-	-	*	-	-	*	*	
	3	*	*	0.1	*	*	-	-	-	-	-	
	4	*	*	0.1	*	*	*	-	*	-	*	
	5	*	*	*	*	*	*	-	-	-	*	
	6	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	-	-	-	*	
	Total	-----	0.1	*	0.1	*	*	*	-	*	*	*
71	1-2	-	-	-	-	-	*	-	-	-	*	
	3	*	-	-	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	*	*	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	*	-	-	*	*	*	-	-	-	*
12 & 22	1-2	*	*	*	*	*	0.7	0.3	*	*	0.6	
	3	*	*	0.1	0.2	0.1	0.4	0.1	0.1	*	0.3	
	4	*	*	*	*	*	0.1	*	*	-	*	
	5	*	*	-	-	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	*	*	0.1	0.2	0.1	1.1	0.4	0.1	*	1.0
32	1-2	*	0.1	*	0.5	0.2	0.3	0.1	*	*	0.3	
	3	1.6	1.6	2.1	11.0	4.5	0.8	0.2	0.3	*	0.6	
	4	1.6	0.8	1.2	2.1	1.5	0.5	0.1	0.4	-	0.4	
	5	0.1	*	0.1	*	*	0.1	*	0.1	-	0.1	
	6	*	-	*	*	*	*	-	*	-	*	
	7	-	-	-	-	-	*	-	-	-	*	
	Total	-----	3.3	2.4	3.4	13.7	6.3	1.6	0.4	0.8	0.1	1.4
42	1-2	*	0.1	*	0.4	0.2	0.1	*	*	*	0.1	
	3	4.2	5.4	6.2	13.0	7.3	0.5	0.1	0.1	*	0.4	
	4	7.6	5.4	7.3	5.8	6.6	0.8	0.1	0.1	-	0.6	
	5	0.8	0.2	0.9	0.3	0.5	0.5	*	*	-	0.4	
	6	*	*	*	*	*	0.1	-	-	-	0.1	
	7	*	*	-	*	*	*	-	-	-	*	
	Total	-----	12.7	11.1	14.5	19.5	14.6	1.8	0.2	0.2	*	1.5
52	1-2	*	*	*	*	*	*	*	-	-	*	
	3	0.2	0.3	2.0	0.3	0.4	*	*	*	-	*	
	4	0.7	0.4	3.0	0.3	0.7	0.1	*	*	-	0.1	
	5	0.2	0.1	0.5	0.1	0.1	0.2	-	*	-	0.1	
	6	*	*	*	*	*	0.1	-	-	-	0.1	
	7	*	*	-	*	*	*	-	-	-	*	
	Total	-----	1.2	0.8	5.5	0.8	1.3	0.4	*	*	-	0.3

Table 26. -- Continued.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total 1/	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	-	-	*	*	*	*	-	-	-	*
	3	*	*	0.1	*	*	*	-	-	-	*
	4	*	*	0.2	*	*	*	-	-	-	*
	5	*	-	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	*	-	-	-	-	*	-	-	-	*
	Total	-----	*	*	0.3	*	*	*	-	-	-
13 & 23	1-2	*	*	*	*	*	*	*	-	-	*
	3	*	*	*	*	*	*	*	*	-	*
	4	*	*	-	*	*	*	-	*	-	*
	5	*	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	*	*	*	*	*	*	*	-	-
33	1-2	*	*	*	0.1	*	*	*	-	-	*
	3	*	*	0.3	1.1	0.4	*	*	*	-	*
	4	*	*	0.1	0.2	0.1	*	*	0.1	-	*
	5	*	*	*	*	*	*	-	*	-	*
	6	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	-----	0.1	0.1	0.4	1.4	0.5	0.1	*	0.1	-
43	1-2	*	*	*	0.1	*	*	-	*	-	*
	3	0.2	0.2	0.9	2.6	1.0	*	*	*	-	*
	4	0.4	0.3	0.5	1.1	0.6	0.1	*	0.1	-	0.1
	5	*	*	0.1	0.1	*	0.1	*	0.1	-	0.1
	6	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	-	-	-	*
	Total	-----	0.7	0.5	1.5	3.8	1.6	0.3	*	0.2	-
53	1-2	*	*	*	*	*	-	-	-	-	-
	3	*	*	0.3	0.1	0.1	*	-	-	-	*
	4	0.1	0.1	0.3	0.1	0.1	*	-	-	-	*
	5	*	*	0.1	*	*	0.1	-	-	-	0.1
	6	*	*	*	*	*	*	-	-	-	*
	7	*	-	-	*	*	*	-	-	-	*
	Total	-----	0.2	0.1	0.6	0.3	0.2	0.1	-	-	-
63	1-2	-	-	-	-	-	*	-	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	-	*	*	*	*	-	-	-	*
	6	*	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
	Total	-----	*	*	*	*	*	*	-	-	-
24 - 54	1-7	*	*	0.1	0.2	0.1	*	*	*	-	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	*	*	-	*	*	*	-	-	-	*
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	*	*	*	*	-	-	-	*
31		*	*	0.3	0.2	0.1	*	*	0.2	-	*
32		0.5	0.5	4.2	4.8	2.1	0.5	0.7	1.0	0.1	0.6
33		7.6	5.7	19.1	22.8	12.6	3.4	5.6	5.2	3.8	3.7
34		35.6	25.2	35.6	36.1	33.4	14.6	19.9	13.1	32.4	15.9
35		38.2	40.3	29.1	24.4	33.8	31.9	38.4	15.1	50.2	32.5
36		15.2	22.6	10.1	9.6	14.8	30.9	29.9	22.3	11.1	29.4
37		2.9	5.6	1.7	2.1	3.2	16.4	5.2	32.2	2.2	15.4
38 & longer		*	*	*	*	*	2.3	0.2	10.9	0.2	2.5
All Staples		100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.7	35.0	34.3	34.2	34.6	35.5	35.1	35.9	34.8	35.4
Total Classed		1,045,885	578,898	174,551	788,945	2,588,279	579,289	84,911	40,614	31,798	736,612

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 27. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2002 crop.

Color	Leaf	RAYVILLE				VISALIA	
		Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	0.4	1.8	*	1.7	45.4	7.0
	3	2.8	1.4	0.5	1.4	37.7	6.3
	4	*	*	0.1	*	1.3	0.7
	5	-	*	-	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	*
	Total	----	3.2	3.3	0.6	3.1	84.4
31	1-2	1.8	1.5	*	1.5	2.6	2.0
	3	47.0	13.3	5.4	13.0	7.8	11.3
	4	5.4	2.5	3.0	2.5	1.5	6.9
	5	-	0.1	*	0.1	0.1	0.8
	6	*	*	-	*	*	*
	7	-	-	-	-	*	*
	Total	----	54.2	17.4	8.5	17.1	11.9
41	1-2	0.1	0.5	0.1	0.4	0.2	0.5
	3	8.8	19.2	10.9	18.7	0.9	14.3
	4	7.8	13.7	15.2	13.7	0.3	17.3
	5	0.1	0.8	0.3	0.8	0.1	2.7
	6	*	*	-	*	*	0.2
	7	-	-	-	-	*	*
	Total	----	16.8	34.2	26.5	33.6	1.5
51	1-2	*	0.2	*	0.2	*	*
	3	2.3	7.5	2.8	7.2	0.3	2.5
	4	2.8	4.0	2.7	3.9	0.1	3.6
	5	0.6	0.2	0.1	0.2	*	0.5
	6	*	*	-	*	*	0.1
	7	-	-	-	-	-	*
	Total	----	5.8	11.9	5.5	11.5	0.4
61	1-2	-	*	-	*	*	*
	3	-	0.2	*	0.2	*	0.1
	4	-	0.3	0.1	0.3	*	0.1
	5	*	*	*	*	*	*
	6	-	*	-	*	*	*
	7	-	-	-	-	-	*
	Total	----	*	0.5	0.1	0.5	0.1
71	1-2	-	-	-	-	*	*
	3	-	-	-	-	*	*
	4	-	-	-	-	*	*
	5	-	-	-	-	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	Total	----	-	-	-	-	*
12 & 22	1-2	*	*	-	*	0.3	0.2
	3	0.2	0.1	*	0.1	0.3	0.4
	4	-	*	*	*	*	0.2
	5	-	-	-	-	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	Total	----	0.3	0.1	*	0.1	0.6
32	1-2	0.2	0.1	*	0.1	0.1	0.1
	3	5.3	2.3	0.6	2.2	0.3	2.0
	4	2.4	0.6	0.9	0.6	0.1	1.4
	5	-	*	*	*	*	0.2
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	Total	----	7.8	3.0	1.5	2.9	0.4
42	1-2	-	0.1	*	0.1	*	0.1
	3	2.8	6.1	5.0	6.0	0.1	4.1
	4	4.4	4.4	10.8	4.8	0.1	5.1
	5	0.1	0.2	0.3	0.2	*	0.8
	6	-	*	-	*	*	0.1
	7	-	-	-	-	*	*
	Total	----	7.4	10.9	16.1	11.2	0.2
52	1-2	-	0.1	0.2	0.1	*	*
	3	0.1	5.7	6.8	5.8	*	1.5
	4	0.9	3.8	11.6	4.3	*	2.6
	5	0.4	0.2	0.4	0.2	*	0.4
	6	-	*	-	*	*	*
	7	-	-	-	-	*	*
	Total	----	1.4	9.9	19.1	10.4	0.1

Table 27. -- Continued.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	California	UNITED STATES
62	1-2	-	*	*	*	*	*
	3	*	1.5	1.8	1.5	*	0.2
	4	*	2.0	3.8	2.1	*	0.4
	5	0.1	*	0.2	0.1	*	0.1
	6	-	*	-	*	-	*
	7	-	*	-	*	-	*
Total	-----	0.1	3.5	5.8	3.6	*	0.8
13 & 23	1-2	-	*	-	*	*	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	-	-	-	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	-
Total	-----	-	*	-	*	0.1	*
33	1-2	-	*	-	*	*	*
	3	0.3	0.2	0.1	0.2	0.1	0.2
	4	0.2	*	*	*	*	0.1
	5	-	*	-	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	*
Total	-----	0.5	0.3	0.1	0.2	0.1	0.4
43	1-2	-	*	-	*	*	*
	3	0.7	0.9	0.8	0.9	*	0.5
	4	1.1	0.7	1.1	0.8	*	0.5
	5	*	*	*	*	*	0.1
	6	-	*	-	*	*	*
	7	-	-	-	-	-	*
Total	-----	1.8	1.7	1.9	1.7	0.1	1.1
53	1-2	-	*	*	*	*	*
	3	0.1	0.7	2.1	0.7	*	0.3
	4	0.3	0.7	3.7	0.9	*	0.5
	5	*	*	0.1	0.1	*	0.1
	6	-	*	*	*	*	*
	7	-	-	*	*	-	*
Total	-----	0.4	1.4	6.0	1.7	*	0.9
63	1-2	-	*	*	*	-	*
	3	-	0.7	1.2	0.7	*	0.1
	4	-	0.8	4.0	0.9	*	0.2
	5	-	*	0.3	*	*	*
	6	-	-	*	*	*	*
	7	-	-	-	-	-	*
Total	-----	-	1.4	5.5	1.7	*	0.3
24 - 54	1-7	0.3	0.3	1.0	0.4	*	0.2
25 - 35	1-7	-	*	*	*	-	*
81 - 85 1/	1-7	-	0.3	1.7	0.3	*	0.1
All Colors	8 2/	-	-	-	-	-	*
STAPLE							
28 & shorter		-	-	-	-	-	*
29		-	-	-	-	-	0.1
30		-	-	-	-	-	0.8
31		-	*	0.2	*	*	2.8
32		0.2	2.6	4.4	2.7	0.1	7.8
33		9.5	16.3	23.6	16.7	0.6	17.7
34		29.1	35.7	37.2	35.7	1.8	27.0
35		48.0	27.4	24.7	27.4	7.0	22.4
36		12.8	11.1	8.9	10.9	20.1	11.6
37		0.5	5.2	1.1	5.0	39.3	6.8
38 & longer		-	1.7	*	1.6	31.1	2.8
All Staples		100.0	100.0	100.0	100.0	100.0	2.8
Average staple		34.7	34.5	34.1	34.5	36.9	34.3
Total Classed		5,088	749,007	46,557	800,652	1,343,895	16,035,982

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2002 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
MIKE												
24 & below	0.6	0.1	*	0.1	-	-	-	*	-	-	-	
25	0.6	0.2	*	0.1	-	-	-	*	-	-	-	
26	0.9	0.3	*	0.1	*	-	*	*	*	*	*	
27	1.0	0.3	0.1	0.2	*	-	*	*	*	*	*	
28	1.1	0.3	0.1	0.2	*	-	*	*	*	*	*	
29	1.3	0.4	0.2	0.3	*	-	*	*	*	*	*	
30	1.5	0.5	0.3	0.4	*	-	*	*	*	*	*	
31	2.0	0.6	0.4	0.6	*	-	*	*	*	*	*	
32	2.6	0.8	0.6	0.7	*	*	*	0.1	*	*	*	
33	3.1	0.9	0.7	0.9	0.1	*	0.1	0.1	*	*	*	
34	4.2	1.0	1.0	1.2	0.1	*	0.1	0.1	*	*	*	
35	4.4	1.2	1.5	1.6	0.2	*	0.2	0.3	0.1	*	*	
36	4.9	1.6	2.1	2.1	0.4	*	0.4	0.5	0.1	*	0.1	
37	5.1	2.0	2.7	2.7	0.7	*	0.6	0.8	0.2	0.1	0.1	
38	5.3	2.7	3.6	3.5	1.0	0.1	1.0	1.3	0.4	0.1	0.2	
39	5.7	3.4	4.5	4.4	1.6	0.1	1.6	1.9	0.6	0.3	0.4	
40	6.0	4.3	5.5	5.3	2.4	0.2	2.3	2.7	1.0	0.6	0.7	
41	6.1	5.1	6.6	6.3	3.2	0.3	3.1	3.9	1.7	1.2	1.3	
42	6.5	6.1	7.5	7.1	4.4	0.5	4.2	5.4	3.0	2.1	2.3	
43	5.9	7.1	8.3	7.9	5.8	1.2	5.5	7.0	4.5	3.4	3.7	
44	5.7	8.2	8.8	8.5	7.2	1.6	6.8	8.5	6.5	5.2	5.5	
45	5.4	8.8	9.1	8.8	8.5	2.4	8.1	9.8	8.6	7.6	7.9	
46	4.2	9.3	8.9	8.7	9.4	4.0	9.0	10.6	10.1	10.2	10.1	
47	4.2	8.6	7.8	7.7	10.2	6.3	9.9	10.8	11.2	12.2	12.0	
48	3.5	7.1	6.4	6.4	10.4	10.0	10.4	9.7	11.6	13.0	12.7	
49	3.1	6.1	5.0	5.1	10.0	12.5	10.2	7.9	11.3	12.7	12.3	
50	2.0	4.7	3.8	3.8	8.6	14.3	9.0	6.1	9.8	11.2	10.8	
51	1.5	3.4	2.4	2.5	6.7	14.4	7.1	4.8	8.2	8.8	8.7	
52	0.8	2.2	1.2	1.4	4.6	12.6	5.1	3.4	5.9	6.1	6.0	
53	0.5	1.3	0.5	0.7	2.5	9.6	2.9	2.1	3.1	3.1	3.1	
54	0.2	0.8	0.2	0.3	1.3	6.3	1.6	1.3	1.7	1.6	1.6	
55	*	0.4	0.1	0.1	0.4	2.6	0.6	0.7	0.3	0.3	0.3	
56	*	0.1	*	0.1	0.1	1.0	0.2	0.1	0.1	0.1	0.1	
57	*	*	*	*	*	0.1	*	0.1	*	*	*	
58	*	*	*	*	*	-	*	*	*	*	*	
59	-	-	*	*	*	-	*	*	-	*	*	
60 & above	-	-	*	*	-	-	-	*	-	*	*	
Average mike	40	45	44	43	47	50	47	46	47	48	48	
Fiber Strength 1/												
17 & below	-	-	-	-	-	-	-	-	-	-	-	
18	*	*	*	*	-	-	-	*	-	-	-	
19	*	*	*	*	-	-	-	-	-	-	-	
20	*	*	*	*	*	-	*	*	-	*	*	
21	*	*	*	*	*	*	*	*	*	*	*	
22	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	
23	0.1	0.1	0.5	0.4	0.6	0.9	0.6	0.2	0.1	0.2	0.2	
24	0.3	0.3	2.0	1.6	3.3	5.6	3.5	0.9	0.7	1.7	1.4	
25	1.2	1.3	5.3	4.3	12.0	18.2	12.4	3.2	3.7	7.5	6.6	
26	4.1	4.1	9.0	7.8	22.2	29.1	22.6	7.3	11.6	16.5	15.2	
27	11.4	9.5	12.2	11.6	25.5	25.7	25.5	11.6	23.9	23.5	23.6	
28	20.6	16.2	16.9	17.0	19.0	13.7	18.7	14.2	26.6	23.0	23.9	
29	22.7	19.2	19.4	19.6	10.3	4.9	10.0	14.3	16.4	15.0	15.3	
30	19.4	17.3	16.6	16.9	4.6	1.2	4.4	14.3	7.9	7.0	7.2	
31	13.2	13.2	10.5	11.2	1.7	0.3	1.6	14.2	3.6	3.1	3.2	
32	5.6	9.5	5.0	5.9	0.4	*	0.4	11.2	2.2	1.5	1.7	
33	1.2	6.0	1.9	2.6	0.1	-	0.1	5.9	1.7	0.8	1.0	
34	0.2	2.6	0.5	0.9	*	-	*	2.0	1.2	0.2	0.5	
35	*	0.7	0.1	0.2	*	-	*	0.5	0.4	*	0.1	
36 & above	*	0.2	*	*	-	-	-	0.1	0.1	*	*	
Average Strength	29.1	29.6	28.6	28.8	27.0	26.4	27.0	29.4	28.1	27.6	27.7	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2002 crop.

Mike and Fiber Strength	FLORENCE			Classing Office Total	LAMESA LUBBOCK		MACON		Classing Office Total
	North Carolina	South Carolina	Virginia		Texas	Texas	Florida	Georgia	
MIKE									
24 & below	*	-	-	*	*	0.1	-	*	*
25	*	*	-	*	*	*	-	*	*
26	*	*	-	*	*	0.1	-	*	*
27	*	*	-	*	0.1	0.2	-	*	*
28	*	*	-	*	0.1	0.3	-	*	*
29	*	*	-	*	0.2	0.5	*	*	*
30	*	*	-	*	0.4	0.7	-	*	*
31	*	*	*	*	0.5	0.9	-	*	*
32	*	*	*	*	0.7	1.2	*	*	*
33	0.1	*	0.2	0.1	1.0	1.5	*	*	*
34	0.2	0.1	0.2	0.2	1.6	1.8	*	0.1	0.1
35	0.3	0.1	0.3	0.3	2.2	2.2	*	0.1	0.1
36	0.5	0.1	0.4	0.4	2.7	2.7	*	0.1	0.1
37	0.7	0.2	0.9	0.7	3.1	3.2	0.1	0.2	0.2
38	1.2	0.2	1.3	1.1	3.9	3.8	0.2	0.3	0.3
39	1.8	0.3	1.7	1.6	4.7	4.5	0.2	0.4	0.4
40	2.6	0.5	2.4	2.4	5.6	5.1	0.3	0.7	0.6
41	3.7	1.0	3.6	3.4	6.5	5.9	0.2	0.9	0.9
42	5.0	1.5	4.4	4.5	7.4	6.6	0.4	1.4	1.4
43	6.4	2.1	5.7	5.8	8.3	7.1	1.0	2.1	2.1
44	7.8	3.2	7.5	7.2	8.8	7.5	1.9	3.2	3.2
45	8.9	4.3	9.2	8.4	9.2	7.6	3.7	4.7	4.6
46	9.8	5.4	11.3	9.4	8.7	7.5	6.6	6.5	6.5
47	9.9	6.8	11.8	9.7	7.3	7.2	9.0	8.6	8.6
48	9.7	9.1	11.4	9.8	6.1	6.5	11.3	10.5	10.5
49	9.0	10.9	9.8	9.3	4.6	5.4	13.7	12.2	12.2
50	7.5	12.4	7.5	8.1	3.1	4.0	15.2	13.1	13.1
51	5.8	12.9	4.9	6.6	1.7	2.8	13.6	12.4	12.4
52	4.1	11.8	3.1	5.0	0.8	1.8	10.3	10.1	10.1
53	2.5	8.6	1.5	3.2	0.4	0.9	6.7	6.8	6.8
54	1.4	5.8	0.6	1.9	0.2	0.4	3.4	3.6	3.6
55	0.5	1.8	0.2	0.7	*	0.1	1.7	1.6	1.6
56	0.2	0.6	*	0.2	*	*	0.3	0.4	0.4
57	0.1	0.1	*	0.1	*	*	0.1	0.1	0.1
58	*	*	*	*	*	*	*	*	*
59	*	*	-	*	-	-	*	*	*
60 & above	-	-	-	-	-	-	-	*	*
Average mike	46	49	46	47	43	43	49	49	49
Fiber Strength 1/									
17 & below	-	-	-	-	*	-	-	-	-
18	-	-	-	-	*	*	-	-	-
19	-	-	-	-	*	*	-	-	-
20	*	-	*	*	*	*	*	*	*
21	0.1	*	*	*	*	*	*	*	*
22	0.3	0.1	0.1	0.3	*	*	0.7	0.1	0.1
23	1.6	0.5	0.6	1.4	0.1	0.1	3.0	0.6	0.7
24	7.0	2.7	3.3	6.1	0.3	0.2	10.0	3.1	3.3
25	16.6	8.7	10.4	15.1	1.1	1.1	18.9	9.2	9.3
26	22.9	17.5	19.6	21.9	3.9	4.4	21.2	16.7	16.8
27	21.3	23.2	24.0	21.8	10.1	12.8	20.1	21.9	21.8
28	14.8	21.0	19.9	16.1	18.4	24.6	13.7	20.5	20.3
29	8.8	13.9	11.5	9.7	24.1	26.8	7.3	14.6	14.4
30	4.4	7.2	5.6	4.8	20.8	17.8	3.4	8.0	7.9
31	1.6	3.3	2.8	2.0	12.2	8.1	1.2	3.5	3.5
32	0.5	1.3	1.4	0.6	5.8	2.9	0.4	1.3	1.3
33	0.1	0.4	0.5	0.2	2.3	0.9	0.1	0.4	0.4
34	*	0.1	0.1	*	0.8	0.2	*	0.1	0.1
35	*	*	*	*	0.2	*	-	*	*
36 & above	*	*	*	*	0.1	*	-	*	*
Average Strength	26.7	27.5	27.3	26.8	29.2	28.8	26.4	27.5	27.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 30. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2002 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
MIKE										
24 & below	*	-	-	-	*	*	*	0.1	*	*
25	*	*	-	*	*	*	0.1	0.1	*	*
26	*	*	-	*	*	0.1	0.1	0.2	*	0.1
27	*	*	-	*	*	0.1	0.2	0.2	0.1	0.1
28	*	*	-	*	*	0.2	0.2	0.2	0.1	0.2
29	*	*	*	*	*	0.2	0.3	0.3	0.1	0.2
30	*	*	*	*	*	0.3	0.4	0.5	0.1	0.3
31	*	0.1	*	*	*	0.3	0.4	1.0	0.1	0.4
32	0.1	0.1	*	*	0.1	0.4	0.4	1.3	0.2	0.5
33	0.1	0.2	*	0.1	0.1	0.5	0.5	2.1	0.2	0.5
34	0.2	0.2	*	0.1	0.1	0.5	0.7	2.6	0.1	0.7
35	0.4	0.4	0.1	0.1	0.3	0.7	0.6	3.2	0.3	0.8
36	0.6	0.7	0.2	0.1	0.5	0.9	0.5	4.1	0.4	1.0
37	0.9	1.3	0.3	0.2	0.8	1.1	0.9	5.2	0.4	1.3
38	1.5	2.2	0.5	0.3	1.2	1.5	0.7	6.4	0.5	1.6
39	2.6	3.6	0.9	0.5	2.1	2.0	1.1	7.3	1.5	2.2
40	3.7	5.6	1.7	0.7	3.1	2.7	1.4	8.4	2.9	2.9
41	5.4	7.5	3.0	0.9	4.4	3.7	1.7	8.5	5.3	3.8
42	7.1	9.2	4.6	1.3	5.7	4.6	2.2	8.9	8.6	4.7
43	8.5	10.7	6.2	1.9	6.8	5.5	3.3	9.1	13.5	5.8
44	9.5	11.3	8.1	2.6	7.7	6.6	5.3	8.1	13.5	6.9
45	9.7	10.8	10.0	3.2	8.0	7.7	7.6	6.8	14.6	7.9
46	9.2	9.9	11.3	4.0	7.9	8.6	8.4	5.2	16.7	8.8
47	8.7	8.1	11.4	5.2	7.7	9.2	8.8	4.1	10.0	8.9
48	8.0	6.5	10.8	6.4	7.4	9.1	9.7	2.6	6.2	8.7
49	7.1	5.0	10.1	7.8	7.0	8.9	10.5	1.2	3.5	8.5
50	5.6	3.1	8.3	9.3	6.4	7.9	9.9	1.0	0.8	7.5
51	4.4	1.8	5.7	10.7	5.8	6.1	8.5	0.6	0.3	5.8
52	3.0	0.9	3.7	11.5	5.2	4.3	6.5	0.5	*	4.2
53	1.9	0.4	2.0	11.6	4.5	2.9	4.6	0.2	*	2.8
54	1.0	0.2	0.8	10.5	3.7	1.8	2.8	0.1	0.1	1.8
55	0.4	0.1	0.2	8.1	2.7	0.9	1.1	-	*	0.9
56	0.1	*	*	2.1	0.7	0.4	0.3	*	-	0.3
57	*	*	*	0.6	0.2	0.1	-	-	-	0.1
58	*	*	*	*	*	*	-	-	-	*
59	-	-	-	-	-	*	-	-	-	*
60 & above	-	-	-	-	-	*	-	-	-	*
Average mike	45	44	47	50	47	46	47	41	44	46
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	*	-	*	-	*
21	-	-	-	*	*	*	-	*	-	*
22	*	*	*	*	*	*	*	*	-	*
23	0.1	0.1	0.2	0.1	0.1	0.1	*	0.4	0.1	0.1
24	0.5	0.4	1.4	0.4	0.5	0.5	0.1	1.9	0.1	0.5
25	2.7	2.4	6.3	2.9	2.9	2.2	0.8	4.1	0.4	2.1
26	9.2	8.4	16.4	10.7	9.9	6.6	4.2	5.3	2.0	6.1
27	19.0	16.2	25.1	23.9	20.3	13.5	13.2	11.3	10.7	13.2
28	29.9	26.5	24.2	30.1	28.8	19.4	19.3	19.7	28.3	19.8
29	23.7	26.0	15.0	19.6	22.4	22.6	20.1	19.4	41.3	23.0
30	9.4	13.2	7.0	8.1	9.7	18.2	20.6	14.4	15.0	18.2
31	3.1	4.8	2.8	2.6	3.3	10.0	13.4	10.5	1.7	10.1
32	1.1	1.6	0.9	0.8	1.1	4.5	6.0	7.7	0.3	4.7
33	0.7	0.3	0.3	0.3	0.5	1.7	1.8	3.6	*	1.8
34	0.5	0.1	0.3	0.2	0.3	0.6	0.4	1.2	0.1	0.6
35	0.1	*	0.2	0.1	0.1	0.1	0.1	0.3	*	0.1
36 & above	*	*	*	*	*	*	*	*	-	*
Average Strength	28.2	28.3	27.6	28.0	28.1	28.8	29.1	28.9	28.6	28.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 31. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2002 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below	-	-	-	-	*	*
25	-	-	-	-	*	*
26	-	-	-	-	*	*
27	-	-	-	-	*	0.1
28	-	-	-	-	*	0.1
29	-	-	-	-	*	0.1
30	-	-	-	-	0.1	0.2
31	-	*	-	*	0.2	0.2
32	-	*	-	*	0.3	0.3
33	-	*	-	*	0.5	0.5
34	0.5	*	-	*	0.8	0.6
35	0.1	*	-	*	1.4	0.8
36	-	*	*	*	2.3	1.1
37	0.4	*	*	*	3.5	1.4
38	0.3	0.1	*	0.1	4.9	1.9
39	0.8	0.2	0.1	0.2	6.7	2.6
40	1.0	0.3	0.4	0.3	8.3	3.3
41	2.8	0.6	0.9	0.6	10.3	4.2
42	2.6	0.9	1.6	1.0	11.4	5.1
43	2.8	1.4	2.7	1.5	11.2	6.0
44	5.0	2.2	4.0	2.3	10.2	6.9
45	10.6	3.6	5.3	3.8	8.4	7.6
46	9.6	5.7	7.5	5.8	6.7	8.2
47	15.2	8.5	9.1	8.5	5.0	8.5
48	21.4	11.4	11.7	11.5	3.6	8.5
49	14.2	13.9	14.0	13.9	2.3	8.1
50	5.3	15.2	13.7	15.0	1.1	7.2
51	3.8	14.2	11.0	14.0	0.4	6.0
52	3.7	10.8	8.1	10.6	0.2	4.5
53	-	6.5	5.7	6.4	0.1	2.9
54	-	3.0	2.9	2.9	*	1.8
55	-	1.1	1.0	1.1	*	0.8
56	-	0.2	0.2	0.2	*	0.2
57	-	*	*	*	*	0.1
58	-	*	*	*	*	*
59	-	*	*	*	*	*
60 & above	-	*	*	*	-	*
Average mike	47	49	49	49	42	45.8
Fiber Strength 1/						
17 & below	-	-	-	-	-	*
18	-	-	-	-	-	*
19	-	-	-	-	-	*
20	-	*	*	*	-	*
21	-	*	*	*	-	*
22	-	0.1	0.2	0.1	*	0.1
23	*	0.7	2.3	0.8	*	0.3
24	*	3.3	9.1	3.6	*	1.5
25	3.3	9.4	17.4	9.9	0.2	5.0
26	7.5	17.6	21.7	17.8	0.5	10.6
27	37.9	22.7	20.1	22.6	1.1	16.7
28	30.4	20.4	14.4	20.1	1.8	20.4
29	12.4	12.9	7.7	12.6	2.2	17.4
30	6.7	6.3	3.6	6.1	2.8	10.8
31	1.7	3.0	1.4	2.9	6.3	5.9
32	*	1.7	0.9	1.6	14.9	3.8
33	-	1.0	0.6	1.0	23.7	3.1
34	-	0.6	0.3	0.6	23.5	2.4
35	-	0.2	0.1	0.2	14.8	1.3
36 & above	-	*	*	*	8.1	0.7
Average Strength	27.7	27.5	26.6	27.4	33.1	28.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2002 crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
MIKE											
24 & below	0.6	0.1	*	0.1	-	-	-	*	-	-	-
25 - 26	1.5	0.4	-	0.2	-	-	-	-	-	-	-
27 - 29	3.4	1.1	0.4	0.7	-	-	-	-	-	-	-
30 - 32	6.2	1.9	1.3	1.7	-	-	-	0.1	-	-	-
33 - 34	7.3	1.9	1.8	2.2	0.2	-	0.2	0.2	-	-	-
35 - 36	9.3	2.8	3.6	3.8	0.6	-	0.6	0.8	0.2	-	0.1
37 - 42	34.7	23.6	30.3	29.3	13.4	1.0	12.7	16.0	6.8	4.3	4.9
43 - 49	31.9	55.2	54.3	53.1	61.4	38.0	60.0	64.2	63.8	64.4	64.2
50 - 52	4.3	10.3	7.3	7.7	19.9	41.3	21.2	14.3	24.0	26.1	25.6
53 & above	0.7	2.6	0.9	1.2	4.3	19.6	5.3	4.3	5.1	5.1	5.1
Average mike	40	45	44	43	47	50	47	46	47	48	48
Mike 35 - 49	75.9	81.6	88.2	86.2	75.4	39.0	73.2	81.0	70.8	68.7	69.2
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	*	*	*	*	-	-	-	-	-	-	-
75	*	*	*	*	*	-	*	-	-	-	-
76	*	*	*	*	*	-	*	*	-	-	-
77	0.1	0.4	0.6	0.5	0.3	0.4	0.3	0.1	*	*	*
78	1.1	2.6	5.2	4.5	2.0	3.0	2.0	0.9	*	0.1	0.1
79	6.6	10.1	19.5	16.9	9.1	13.3	9.3	5.9	0.4	1.2	1.0
80	24.3	26.5	35.0	32.7	26.2	32.3	26.5	18.4	4.1	7.4	6.6
81	38.9	35.7	27.7	29.9	36.7	34.7	36.6	31.0	21.9	25.2	24.4
82	24.4	20.3	10.0	12.9	21.2	14.2	20.8	29.1	46.1	43.2	44.0
83	4.5	4.1	1.8	2.4	4.3	2.0	4.2	12.9	24.1	20.4	21.3
84	0.2	0.2	0.2	0.2	0.3	0.1	0.3	1.8	3.4	2.5	2.7
85	*	*	*	*	*	*	*	0.1	0.1	0.1	0.1
86	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	80.9	80.7	80.2	80.4	80.8	80.5	80.8	81.3	82.0	81.8	81.9
Trash 2/											
00	-	-	*	*	*	-	*	*	-	*	*
01	*	6.3	4.9	4.9	0.4	0.1	0.4	4.4	0.5	1.4	1.2
02	1.1	25.9	17.1	17.8	6.9	2.5	6.7	20.3	7.7	12.3	11.1
03	4.2	25.1	23.2	22.3	19.2	10.7	18.7	26.8	19.3	23.1	22.1
04	8.0	16.7	20.0	18.6	24.1	18.1	23.8	21.1	23.3	23.7	23.6
05	11.2	10.0	13.6	12.8	20.3	19.7	20.3	12.8	19.8	17.4	18.0
06	13.8	6.0	8.3	8.2	13.2	17.3	13.5	6.8	13.4	10.5	11.2
07	13.7	3.6	4.9	5.2	7.4	12.7	7.7	3.4	7.7	5.6	6.2
08	11.9	2.2	2.9	3.3	3.9	8.6	4.2	1.8	4.1	2.9	3.2
09	9.4	1.5	1.7	2.2	2.1	5.0	2.3	1.0	2.1	1.5	1.6
10	7.3	1.0	1.1	1.5	1.1	2.9	1.2	0.6	1.1	0.8	0.9
11	5.5	0.6	0.7	1.0	0.5	1.1	0.6	0.3	0.5	0.4	0.4
12	4.0	0.4	0.5	0.7	0.3	0.6	0.3	0.2	0.3	0.2	0.2
13	2.8	0.2	0.3	0.5	0.2	0.3	0.2	0.1	0.2	0.2	0.2
14	1.9	0.2	0.2	0.3	0.1	0.2	0.1	0.1	*	*	*
15	1.4	0.1	0.2	0.2	0.1	0.1	0.1	0.1	*	*	*
16	1.0	0.1	0.1	0.2	*	*	*	*	*	*	*
17	0.8	0.1	0.1	0.1	*	*	*	*	*	*	*
18 & above	1.9	0.1	0.1	0.2	*	*	*	0.1	*	*	*
Average trash	0.79	0.37	0.42	0.43	0.48	0.57	0.48	0.38	0.47	0.43	0.44

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2002 crop

Mike Groupings, Uniformity and Trash	FLORENCE				LAMESA	LUBBOCK	MACON		Classing Office Total
	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	
24 & below	*	-	-	*	*	0.1	-	*	*
25 - 26	-	-	-	-	-	0.1	-	-	-
27 - 29	-	-	-	-	0.5	1.0	-	-	-
30 - 32	-	-	-	-	1.6	2.7	-	-	-
33 - 34	0.3	0.1	0.4	0.3	2.6	3.3	-	0.1	0.1
35 - 36	0.8	0.3	0.7	0.7	4.8	4.9	-	0.2	0.2
37 - 42	15.2	3.7	14.2	13.6	31.1	28.9	1.4	3.9	3.8
43 - 49	61.5	41.8	66.7	59.5	53.0	48.8	47.2	47.7	47.7
50 - 52	17.4	37.2	15.5	19.8	5.6	8.6	39.0	35.6	35.6
53 & above	4.7	16.9	2.3	6.1	0.5	1.4	12.2	12.4	12.4
Average mike	46	49	46	47	43	43	49	49	49
Mike 35 - 49	77.5	45.7	81.7	73.8	89.0	82.7	48.7	51.8	51.7
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	*	-	-	-	-
74	-	-	-	-	*	*	-	-	-
75	-	-	-	-	0.1	*	-	*	*
76	*	-	-	*	0.8	*	-	*	*
77	0.2	0.1	*	0.2	4.2	0.2	0.1	0.2	0.2
78	2.5	1.0	1.0	2.2	14.2	1.4	0.8	1.6	1.6
79	13.3	6.7	7.2	12.0	29.4	7.8	5.6	7.8	7.7
80	30.8	22.6	22.2	29.0	32.4	25.7	22.1	22.8	22.8
81	33.8	36.3	34.2	34.1	15.7	40.1	37.3	36.1	36.1
82	16.1	25.4	26.1	18.2	2.9	21.4	26.6	24.5	24.6
83	3.1	7.2	8.4	4.1	0.3	3.3	6.8	6.4	6.4
84	0.2	0.7	0.9	0.3	*	0.2	0.7	0.6	0.6
85	*	*	*	*	*	*	*	*	*
86	-	-	-	-	-	*	-	*	*
87	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.0	81.1	80.7	80.5	80.8	81.1	81.0	81.0
Trash 2/ 00	-	-	-	-	*	*	-	-	-
01	0.2	0.6	0.2	0.2	6.0	2.3	0.1	0.3	0.3
02	4.2	9.1	4.8	4.9	18.3	11.4	3.4	6.1	6.0
03	16.0	21.0	17.3	16.8	22.5	19.4	14.4	19.2	19.1
04	23.9	23.9	25.7	24.1	19.1	20.2	23.2	25.5	25.4
05	21.8	19.0	23.1	21.5	13.6	16.4	20.8	21.2	21.2
06	15.0	12.3	14.7	14.6	8.6	11.5	15.3	13.4	13.5
07	8.8	6.6	7.7	8.4	5.1	7.4	9.5	7.2	7.2
08	4.8	3.3	3.6	4.5	2.9	4.5	5.6	3.6	3.6
09	2.5	1.9	1.6	2.3	1.7	2.7	3.4	1.7	1.8
10	1.4	1.0	0.8	1.3	1.0	1.7	2.3	0.9	1.0
11	0.6	0.5	0.3	0.6	0.6	1.0	0.9	0.4	0.4
12	0.4	0.3	0.2	0.4	0.3	0.6	0.6	0.2	0.2
13	0.2	0.2	0.1	0.2	0.2	0.4	0.3	0.1	0.1
14	0.1	0.1	*	0.1	0.1	0.2	0.1	0.1	0.1
15	*	*	*	*	0.1	0.1	0.1	*	*
16	*	*	*	*	*	0.1	*	*	*
17	*	*	*	*	*	0.1	*	*	*
18 & above	*	*	*	*	*	0.1	*	*	*
Average trash	0.51	0.46	0.48	0.50	0.41	0.48	0.53	0.47	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 34. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2002 crop

Mike Groupings, Uniformity and Trash	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
24 & below	*	-	-	-	*	*	*	0.1	*	*
25 - 26	-	-	-	-	-	0.1	0.1	0.2	-	0.1
27 - 29	-	-	-	-	-	0.5	0.8	0.6	0.2	0.5
30 - 32	0.1	0.2	-	-	0.1	1.0	1.3	2.8	0.4	1.1
33 - 34	0.3	0.4	-	0.1	0.2	1.0	1.2	4.7	0.3	1.2
35 - 36	1.0	1.2	0.3	0.3	0.8	1.6	1.1	7.3	0.7	1.8
37 - 42	21.3	29.4	11.0	4.0	17.1	15.5	8.0	44.7	19.2	16.4
43 - 49	60.8	62.3	67.8	31.1	52.5	55.7	53.7	37.2	78.0	55.4
50 - 52	13.1	5.8	17.7	31.5	17.4	18.3	24.9	2.1	1.0	17.4
53 & above	3.3	0.7	3.0	33.0	11.8	6.2	8.8	0.2	0.1	5.9
Average mike	45	44	47	50	47	46	47	41	44	46
Mike 35 - 49	83.1	92.8	79.1	35.3	70.4	72.8	62.8	89.2	97.9	73.6
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	*	-	-	-	*
75	-	-	-	-	-	*	-	-	-	*
76	-	-	-	-	-	*	*	*	*	*
77	*	*	*	*	*	0.4	0.1	0.1	0.2	0.3
78	0.1	*	0.2	0.1	0.1	2.5	1.3	1.0	1.5	2.2
79	0.7	0.6	1.8	1.2	0.9	10.4	8.0	8.1	37.6	11.2
80	5.8	5.6	10.3	8.5	6.9	29.3	30.7	28.2	52.6	30.4
81	29.4	29.4	31.9	32.0	30.3	37.2	49.2	34.3	6.9	37.1
82	49.1	47.5	39.2	42.4	46.1	16.8	10.5	21.8	1.0	15.7
83	13.8	15.3	14.8	14.4	14.4	3.0	0.2	5.8	0.2	2.7
84	1.1	1.5	1.7	1.3	1.3	0.3	-	0.5	*	0.3
85	*	0.1	0.1	*	*	*	-	*	-	*
86	-	-	-	-	-	*	-	-	-	*
87	-	-	-	-	-	*	-	-	-	*
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.7	81.8	81.6	81.6	81.7	80.6	80.6	80.9	79.7	80.6
Trash 2/ 00	*	-	-	*	*	0.1	0.1	0.1	-	0.1
01	0.5	1.2	0.4	2.6	1.3	40.8	47.5	27.8	46.8	41.1
02	8.1	12.2	8.1	21.7	13.2	38.7	36.4	34.5	44.3	38.4
03	22.2	26.4	23.4	31.4	26.0	11.2	9.5	18.7	7.2	11.2
04	26.4	27.4	26.7	22.4	25.5	3.5	3.3	9.5	1.2	3.7
05	20.0	18.0	18.6	11.8	17.0	1.7	1.5	4.4	0.3	1.7
06	11.7	8.7	10.6	5.5	9.0	1.1	0.8	2.3	0.1	1.1
07	5.8	3.6	5.5	2.3	4.3	0.8	0.4	1.2	*	0.7
08	2.8	1.4	2.8	1.1	2.0	0.6	0.2	0.6	-	0.5
09	1.3	0.6	1.6	0.5	0.9	0.4	0.1	0.4	-	0.4
10	0.6	0.3	0.9	0.3	0.5	0.3	0.1	0.2	*	0.3
11	0.2	0.1	0.5	0.1	0.2	0.2	*	0.1	-	0.2
12	0.1	*	0.3	0.1	0.1	0.2	*	*	*	0.1
13	0.1	*	0.2	*	0.1	0.1	*	*	-	0.1
14	*	*	0.1	*	*	0.1	*	*	*	0.1
15	*	*	0.1	*	*	0.1	*	*	-	0.1
16	*	*	*	*	*	0.1	*	*	-	*
17	*	*	*	*	*	*	-	-	-	*
18 & above	*	*	0.1	*	*	0.2	*	-	-	0.1
Average trash	0.45	0.40	0.45	0.36	0.41	0.21	0.18	0.25	0.16	0.21

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 35. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2002 crop

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	-	-	-	*	*
25 - 26	-	-	-	-	-	*
27 - 29	-	-	-	-	-	0.3
30 - 32	-	-	-	-	0.5	0.7
33 - 34	0.5	-	-	-	1.4	1.1
35 - 36	0.1	-	-	-	3.7	1.9
37 - 42	7.8	2.1	3.0	2.2	45.0	18.5
43 - 49	78.8	46.7	54.3	47.4	47.4	53.8
50 - 52	12.8	40.2	32.8	39.6	1.7	17.7
53 & above	-	10.8	9.8	10.7	0.1	5.8
Average mike	47	49	49	49	42	45.8
Mike 35 - 49	86.7	48.9	57.3	49.6	96.1	74.2
Uniformity 1/ 72 & below	-	-	-	-	-	-
73	-	-	-	-	-	-
74	-	-	-	-	-	*
75	-	-	-	-	*	*
76	-	-	-	-	*	*
77	-	*	0.1	*	*	0.2
78	-	0.5	1.7	0.6	0.2	1.3
79	0.5	3.9	9.1	4.2	1.0	6.2
80	5.2	15.3	21.9	15.6	4.6	18.1
81	56.2	33.4	31.6	33.5	18.6	31.8
82	36.7	33.2	24.4	32.7	42.8	30.3
83	1.4	12.2	9.4	12.0	25.4	10.7
84	-	1.4	1.6	1.4	5.1	1.3
85	-	*	0.1	*	1.4	0.1
86	-	*	*	*	0.7	0.1
87	-	-	-	-	0.1	*
88	-	-	-	-	*	*
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
Average uniformity	81.3	81.4	81.0	81.4	82.1	81.2
Trash 2/ 00	-	-	-	-	*	*
01	1.8	2.1	0.4	2.0	39.3	6.9
02	20.6	14.9	6.9	14.5	40.2	15.5
03	33.5	24.5	16.0	24.0	14.0	20.7
04	23.2	22.8	21.1	22.7	4.2	20.3
05	11.0	16.2	20.8	16.5	1.3	15.2
06	4.6	9.6	15.8	9.9	0.5	9.5
07	2.2	5.0	9.8	5.2	0.2	5.3
08	1.4	2.5	5.0	2.7	0.1	2.9
09	0.9	1.2	2.5	1.3	0.1	1.6
10	0.5	0.7	1.1	0.7	*	0.9
11	0.1	0.2	0.3	0.2	*	0.5
12	*	0.1	0.2	0.1	*	0.3
13	*	*	*	*	*	0.2
14	*	*	*	*	*	0.1
15	*	*	*	*	*	0.1
16	-	*	*	*	*	*
17	*	*	-	*	*	*
18 & above	-	*	-	*	*	*
Average trash	0.36	0.41	0.49	0.42	0.19	4.1

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 36. -- Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2002 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	4,813	28.7	203,337	35.1	1,794	10.0	1,960	5.1	211,904	32.4
	2	3,000	17.9	16,751	2.9	2,338	13.0	1,678	4.3	23,767	3.6
	3	53	0.3	126	*	221	1.2	16	*	416	0.1
	4	-	-	5	*	1	*	-	-	6	*
	5	-	-	13	*	-	-	-	-	13	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total -----		7,866	46.9	220,232	38.0	4,354	24.3	3,654	9.4	236,106	36.2
02	1	2,339	13.9	255,229	44.0	522	2.9	6,076	15.7	264,166	40.5
	2	5,262	31.4	59,098	10.2	5,363	29.9	22,109	57.1	91,832	14.1
	3	244	1.5	5,733	1.0	4,500	25.1	2,639	6.8	13,116	2.0
	4	2	*	828	0.1	548	3.1	49	0.1	1,427	0.2
	5	-	-	44	*	1	*	1	*	46	*
	6	-	-	1	*	-	-	-	-	1	*
	7	-	-	1	*	-	-	-	-	1	*
Total -----		7,847	46.8	320,934	55.4	10,934	61.0	30,874	79.8	370,589	56.7
03	1	124	0.7	6,238	1.1	4	*	89	0.2	6,455	1.0
	2	331	2.0	8,387	1.4	298	1.7	2,193	5.7	11,209	1.7
	3	118	0.7	6,034	1.0	1,112	6.2	1,460	3.8	8,724	1.3
	4	32	0.2	1,660	0.3	435	2.4	155	0.4	2,282	0.3
	5	1	*	186	*	13	0.1	-	-	200	*
	6	1	*	6	*	-	-	-	-	7	*
	7	1	*	-	-	-	-	-	-	1	*
Total -----		608	3.6	22,511	3.9	1,862	10.4	3,897	10.1	28,878	4.4
04	1	33	0.2	1,268	0.2	-	-	1	*	1,302	0.2
	2	62	0.4	3,193	0.6	11	0.1	30	0.1	3,296	0.5
	3	23	0.1	2,434	0.4	32	0.2	111	0.3	2,600	0.4
	4	73	0.4	1,830	0.3	115	0.6	23	0.1	2,041	0.3
	5	91	0.5	539	0.1	40	0.2	-	-	670	0.1
	6	17	0.1	33	*	1	*	-	-	51	*
	7	19	0.1	5	*	-	-	-	-	24	*
Total -----		318	1.9	9,302	1.6	199	1.1	165	0.4	9,984	1.5
05	1	13	0.1	557	0.1	-	-	-	-	570	0.1
	2	10	0.1	1,741	0.3	-	-	4	*	1,755	0.3
	3	4	*	1,094	0.2	1	*	9	*	1,108	0.2
	4	3	*	616	0.1	30	0.2	39	0.1	688	0.1
	5	22	0.1	672	0.1	65	0.4	17	0.0	776	0.1
	6	31	0.2	143	*	20	0.1	-	-	194	*
	7	43	0.3	5	*	-	-	-	-	48	*
Total -----		126	0.8	4,828	0.8	116	0.6	69	0.2	5,139	0.8
06	1	-	-	182	*	-	-	-	-	182	*
	2	2	*	628	0.1	-	-	-	-	630	0.1
	3	-	-	433	0.1	-	-	-	-	433	0.1
	4	-	-	128	*	5	*	7	*	140	*
	5	-	-	84	*	37	0.2	15	*	136	*
	6	-	-	118	*	169	0.9	6	*	293	*
	7	1	*	15	*	13	0.1	-	-	29	*
Total -----		3	*	1,588	0.3	224	1.2	28	0.1	1,843	0.3
07	1	-	-	48	*	-	-	-	-	48	*
	2	1	*	107	*	-	-	-	-	108	*
	3	-	-	76	*	-	-	-	-	76	*
	4	-	-	16	*	-	-	-	-	16	*
	5	-	-	5	*	6	*	2	*	13	*
	6	-	-	-	-	164	0.9	-	-	164	*
	7	-	-	10	*	67	0.4	-	-	77	*
Total -----		1	*	262	*	237	1.3	2	*	502	0.1
STAPLE											
40 & shorter		-	-	1	-	-	-	-	-	1	-
42		9	0.1	241	-	175	1.0	234	0.6	659	0.1
44		2,180	13.0	35,787	6.2	3,876	21.6	20,300	52.5	62,143	9.5
46		9,819	58.6	317,496	54.8	9,094	50.7	17,454	45.1	353,863	54.2
48 & longer		4,761	28.4	226,136	39.0	4,782	26.7	701	1.8	236,380	36.2
Average		46.3		46.7		46.1		45.0		46.5	
UNIFORMITY											
72 & below		-	-	-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-	-	-
78		-	-	2	*	1	*	-	-	3	*
79		-	-	17	*	1	*	-	-	18	*
80		1	*	192	*	13	0.1	1	*	207	*
81		5	*	1,664	0.3	107	0.6	3	*	1,779	0.3
82		227	1.4	10,334	1.8	509	2.8	79	0.2	11,149	1.7
83		1,164	6.9	42,338	7.3	1,808	10.1	1,484	3.8	46,794	7.2
84		3,115	18.6	132,049	22.8	4,272	23.8	12,035	31.1	151,471	23.2
85		5,322	31.7	209,406	36.1	5,921	33.0	17,314	44.8	237,963	36.4
86		4,876	29.1	132,011	22.8	3,723	20.8	6,394	16.5	147,004	22.5
87		1,768	10.5	42,193	7.3	1,226	6.8	1,234	3.2	46,421	7.1
88		272	1.6	8,409	1.5	293	1.6	137	0.4	9,111	1.4
89		19	0.1	1,024	0.2	53	0.3	8	*	1,104	0.2
90 & above		-	-	22	*	-	-	-	-	22	*
Average		85.2		85.0		84.9		84.8		85.0	
BALES CLASSED		16,769		579,661		17,927		38,689		653,046	

Table 37. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2002 crop.

Grade, Staple and Mike	State				United States
	Arizona	California	New Mexico	Texas	
Mike groups					
24 & below	0 -	0 -	0 -	0 -	0 -
25 - 26	0 -	0 -	1 *	0 -	1 *
27 - 29	4 *	1,174 0.2	18 0.1	0 -	1,196 0.2
30 - 32	95 0.6	10,206 1.8	223 1.2	84 0.2	10,608 1.6
33 - 34	280 1.7	14,185 2.4	207 1.2	229 0.6	14,901 2.3
35 - 36	738 4.4	22,804 3.9	483 2.7	651 1.7	24,676 3.8
37 - 42	12,302 73.4	369,685 63.8	9,548 53.3	8,902 23.0	400,437 61.3
43 - 49	3,350 20.0	161,599 27.9	7,418 41.4	28,810 74.5	201,177 30.8
50 - 52	0 -	8 *	29 0.2	13 *	50 *
53 & above	0 -	0 -	0 -	0 -	0 -
Average mike	40	41	42	44	41
Mike readings					
24 & below	-	-	-	-	-
25	-	-	1 *	-	1 *
26	-	-	-	-	-
27	-	60 *	5 *	-	65 *
28	-	290 0.1	4 *	-	294 *
29	4 *	824 0.1	9 0.1	-	837 0.1
30	9 0.1	1,823 0.3	44 0.2	-	1,876 0.3
31	27 0.2	3,241 0.6	81 0.5	25 0.1	3,374 0.5
32	59 0.4	5,142 0.9	98 0.5	59 0.2	5,358 0.8
33	123 0.7	6,390 1.1	96 0.5	60 0.2	6,669 1.0
34	157 0.9	7,795 1.3	111 0.6	169 0.4	8,232 1.3
35	260 1.6	9,549 1.6	191 1.1	256 0.7	10,256 1.6
36	478 2.9	13,255 2.3	292 1.6	395 1.0	14,420 2.2
37	842 5.0	19,925 3.4	474 2.6	509 1.3	21,750 3.3
38	1,446 8.6	33,164 5.7	862 4.8	599 1.5	36,071 5.5
39	2,376 14.2	52,677 9.1	1,436 8.0	758 2.0	57,247 8.8
40	2,688 16.0	75,429 13.0	1,925 10.7	1,229 3.2	81,271 12.4
41	2,680 16.0	92,452 15.9	2,327 13.0	2,016 5.2	99,475 15.2
42	2,270 13.5	96,038 16.6	2,524 14.1	3,791 9.8	104,623 16.0
43	1,605 9.6	79,543 13.7	2,490 13.9	5,984 15.5	89,622 13.7
44	965 5.8	49,409 8.5	1,999 11.2	7,765 20.1	60,138 9.2
45	498 3.0	22,603 3.9	1,381 7.7	7,633 19.7	32,115 4.9
46	199 1.2	7,515 1.3	814 4.5	4,679 12.1	13,207 2.0
47	61 *	1,992 0.3	433 2.4	1,974 5.1	4,460 0.7
48	16 *	428 0.1	201 1.1	711 1.8	1,356 0.2
49	6 *	109 *	100 0.6	64 0.2	279 *
50	-	4 *	29 0.2	13 *	46 *
51	-	4 *	-	-	4 *
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average mike	40	41	42	44	41
Strength					
17 & below	0 -	0 -	0 -	0 -	0 -
18	0 -	0 -	0 -	0 -	0 -
19	0 -	0 -	0 -	0 -	0 -
20	0 -	0 -	0 -	0 -	0 -
21	0 -	0 -	0 -	0 -	0 -
22	0 -	0 -	0 -	0 -	0 -
23	0 -	0 -	0 -	0 -	0 -
24	0 -	0 -	0 -	0 -	0 -
25	0 -	0 -	0 -	0 -	0 -
26	0 -	0 -	0 -	0 -	0 -
27	0 -	0 -	0 -	0 -	0 -
28	0 -	0 -	0 -	0 -	0 -
29	0 -	0 -	0 -	0 -	0 -
30	0 -	0 -	0 -	0 -	0 -
31	0 -	37 *	0 -	0 -	37 *
32	2 *	231 *	1 *	0 -	234 *
33	18 0.1	835 0.1	12 0.1	9 *	874 0.1
34	102 0.6	2,269 0.4	62 0.3	19 *	2,452 0.4
35	319 1.9	5,186 0.9	286 1.6	131 0.3	5,922 0.9
36	849 5.1	10,345 1.8	762 4.3	765 2.0	12,721 1.9
37	1,793 10.7	21,569 3.7	1,928 10.8	4,412 11.4	29,702 4.5
38	3,112 18.6	41,412 7.1	3,368 18.8	10,905 28.2	58,797 9.0
39	4,079 24.3	66,349 11.4	3,974 22.2	11,629 30.1	86,031 13.2
40	3,418 20.4	94,326 16.3	3,636 20.3	7,408 19.1	108,788 16.7
41	1,892 11.3	108,176 18.7	2,183 12.2	2,850 7.4	115,101 17.6
42	826 4.9	92,592 16.0	1,058 5.9	486 1.3	94,962 14.5
43	248 1.5	66,917 11.5	468 2.6	58 0.1	67,691 10.4
44	82 0.5	38,429 6.6	147 0.8	16 *	38,674 5.9
45 & above	29 0.2	30,988 5.3	42 0.2	1 *	31,060 4.8
Average Strength	39	40.9	39.2	38.8	40.6
Extraneous matter					
Bark	255 1.5	815 0.1	792 4.4	265 0.7	2,127 0.3
Grass	162 1.0	1,094 0.2	240 1.3	173 0.4	1,669 0.3
Spindle twist	32 0.2	2,818 0.5	37 0.2	126 0.3	3,013 0.5
Preparation	3 *	6,477 1.1	3 *	2 *	6,485 1.0

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.