

## COTTON QUALITY - UNITED STATES 2005 Crop

Color. The predominant color of Upland cotton classed from the 2005 crop was color 31, accounting for 36 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 41 was the predominant color grade in 2004 and made up 32 percent of classings. In the white color grades, color 41 and better made up 89 percent of classings, up from 75 percent in 2004. All white color grades accounted for 91 percent of the 2005 crop, up from 84 percent in 2004. Light Spotted color grades comprised 8 percent of classings, down from 12 percent in 2004. Spotted color grades made up about 1 percent of classings this season, as compared to 3 percent a year earlier. Tinged, Yellow Stained and Below grades accounted for less than 1 percent of classings this season, compared to 1 percent last year.

Leaf. The predominant leaf grade of Upland cotton classed from the 2005 crop was leaf grade 3, accounting for 51 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 52 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2005 crop at 31 percent against 35 percent a year ago. Leaf grades 1-2 made up 15 percent of classings of the 2005 crop, compared with 9 percent in 2004. Leaf grades 5-7 made up about 3 percent of classings, as compared to 4 percent last year.

Staple. The average staple length of Upland cotton classed from the 2005 crop was 34.8 thirty-seconds of an inch, down slightly from 34.9 a year ago. The predominant staple length was 32, making up about 30 percent of classings. Staple 35 was the predominant length last year and accounted for 30 percent of classings. Staples 31 and shorter comprised 1 percent of classings this season, the same as last year. Staples 32 and 33, at 14 percent, were up slightly from 13 percent the previous year. Staple 34 made up 26 percent of the crop, up from 21 percent last year. Staples 36 and longer accounted for 28 percent of classings, down from 34 percent the previous year.

Mike. The average mike of Upland cotton classed from the 2005 crop was 4.3, the same as last year. Cotton with mike 3.4 and lower made up about 10 percent of classings, up from 9 percent in 2004. Cotton miking 3.5 through 4.9 comprised 82 percent of the classings this season, down from 84 percent a year ago. Cotton with mike 5.0 and higher made up 12 percent of the classings, the same as in 2004.

Strength. The average fiber strength of Upland cotton classed from the 2005 crop was 29.2 grams per tex, the same as in 2004. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as the last three years. Strengths in the 23 to 25 range accounted for 2 percent, down from 3 percent in 2004. Cotton with strengths of 26 to 29 grams per tex accounted for 60 percent of classings, up from 57 percent in 2004. Strengths in the 30 and higher range comprised 38 percent of classings, down from 40 percent a year ago.

American Pima. Color grades 1 and 2 made up 88 percent of classings from the 2005 crop, up from 76 percent in 2004. Color grade 2 was the predominant color grade in 2005, accounting for 78 percent of the classings. Color grades 3 and lower comprised 12 percent of 2005 classings. Leaf grades 1 and 2 accounted respectively for 12 percent and 65 percent of the 2005 classings. The average staple length was 47.7 thirty-seconds of an inch, as compared to 46.5 last year. Staple 48 was the predominant length, comprising 74 percent of classings this season. Staple 46 was the predominant staple length in 2004. Average mike was 4.0 and was the same as last year. Average fiber strength was 40.4 grams per tex, up slightly from 40.3 last year.

Ginnings of 2005-crop cotton in the United States totaled 23,253,050 running bales, according to the Cotton Ginnings 2005 Summary report released on May 12, 2006 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 22,646,050 bales of Upland and 607,000 bales of American Pima cotton. The number of active cotton gins for crop year 2005 was 887 compared with 896 in 2004. Classings at AMS, Cotton Program Offices totaled 22,638,247 Upland samples and 606,579 American Pima samples through April 27, 2006.

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2005 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	1	8	241	4,793	29,757	122,616	357,514	633,192	1,148,122
	3	-	13	200	4,322	34,702	149,170	480,050	946,809	1,615,266
	4	-	1	18	702	6,684	24,190	50,292	100,622	182,509
	5	1	-	-	53	787	2,926	3,263	2,989	10,019
	6	-	-	-	-	34	213	173	71	491
	7	-	-	-	-	-	8	1	3	12
	<b>TOTAL----</b>		<b>2</b>	<b>22</b>	<b>459</b>	<b>9,870</b>	<b>71,964</b>	<b>299,123</b>	<b>891,293</b>	<b>1,683,686</b>
31	1-2	-	-	20	418	3,830	23,719	71,102	111,900	210,989
	3	-	2	62	1,387	15,764	120,181	584,086	1,449,818	2,171,300
	4	-	3	37	663	7,437	46,787	208,649	676,235	939,811
	5	-	-	9	175	2,438	11,623	21,828	35,503	71,576
	6	-	-	2	18	633	3,244	4,879	2,811	11,587
	7	-	-	-	2	63	298	720	211	1,294
	<b>TOTAL----</b>		<b>-</b>	<b>5</b>	<b>130</b>	<b>2,663</b>	<b>30,165</b>	<b>205,852</b>	<b>891,264</b>	<b>2,276,478</b>
41	1-2	-	1	1	31	214	1,789	6,276	9,365	17,677
	3	-	-	25	177	2,337	25,858	194,396	558,000	780,793
	4	-	1	12	203	2,144	17,273	137,037	588,738	745,408
	5	-	-	3	43	804	3,806	14,293	44,906	63,855
	6	-	-	3	43	365	1,470	3,689	5,900	11,470
	7	-	-	-	3	104	465	1,269	722	2,563
	<b>TOTAL----</b>		<b>-</b>	<b>2</b>	<b>44</b>	<b>500</b>	<b>5,968</b>	<b>50,661</b>	<b>356,960</b>	<b>1,207,631</b>
51	1-2	-	-	-	-	19	132	307	572	1,030
	3	-	-	1	13	193	2,747	16,964	48,846	68,764
	4	-	-	-	3	79	1,670	17,951	75,759	95,462
	5	-	-	-	-	24	351	2,219	7,856	10,450
	6	-	-	-	-	10	106	524	1,833	2,473
	7	-	-	-	-	5	36	163	540	744
	<b>TOTAL----</b>		<b>-</b>	<b>-</b>	<b>1</b>	<b>16</b>	<b>330</b>	<b>5,042</b>	<b>38,128</b>	<b>135,406</b>
61	1-2	-	-	-	3	1	4	10	14	32
	3	-	-	-	-	5	25	99	316	445
	4	-	-	-	-	3	23	120	397	543
	5	-	-	-	-	-	2	31	109	142
	6	-	-	-	-	-	4	7	15	26
	7	-	-	-	-	-	-	-	2	2
	<b>TOTAL----</b>		<b>-</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>9</b>	<b>58</b>	<b>267</b>	<b>853</b>
71	1-2	-	-	-	-	-	-	1	5	6
	3	-	-	-	-	1	1	8	11	21
	4	-	-	-	-	-	3	8	45	56
	5	-	-	-	-	-	-	1	1	2
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>4</b>	<b>19</b>	<b>62</b>
12 & 22	1-2	-	1	48	408	2,376	8,686	16,453	17,444	45,416
	3	-	-	19	541	3,521	15,884	36,983	51,897	108,845
	4	-	-	5	130	843	2,869	6,952	12,179	22,978
	5	-	1	1	9	104	447	660	516	1,738
	6	-	-	-	-	10	63	60	19	152
	7	-	-	-	-	-	5	3	-	8
	<b>TOTAL----</b>		<b>-</b>	<b>2</b>	<b>73</b>	<b>1,088</b>	<b>6,854</b>	<b>27,954</b>	<b>61,111</b>	<b>82,055</b>
32	1-2	-	-	3	57	490	2,264	3,898	3,672	10,384
	3	-	-	22	412	2,789	17,357	58,156	93,641	172,377
	4	-	-	15	293	2,116	10,515	34,869	79,618	127,426
	5	-	-	-	49	504	2,401	4,723	6,166	13,843
	6	-	-	-	9	61	610	1,013	578	2,271
	7	-	-	-	-	5	129	113	67	314
	<b>TOTAL----</b>		<b>-</b>	<b>-</b>	<b>40</b>	<b>820</b>	<b>5,965</b>	<b>33,276</b>	<b>102,772</b>	<b>183,742</b>
42	1-2	-	-	-	1	33	209	552	523	1,318
	3	-	-	16	107	787	5,417	25,000	57,797	89,124
	4	-	-	5	104	829	6,278	33,009	114,880	155,105
	5	-	-	2	33	302	1,544	5,788	15,508	23,177
	6	-	-	-	20	125	464	1,283	1,967	3,859
	7	-	-	-	8	38	122	246	304	718
	<b>TOTAL----</b>		<b>-</b>	<b>-</b>	<b>23</b>	<b>273</b>	<b>2,114</b>	<b>14,034</b>	<b>65,878</b>	<b>190,979</b>
52	1-2	-	-	-	2	4	38	71	88	203
	3	-	-	3	23	127	1,281	8,898	22,916	33,248
	4	-	-	9	24	110	1,176	13,402	50,908	65,629
	5	-	-	1	2	18	197	1,933	7,715	9,866
	6	-	-	-	-	6	40	277	927	1,250
	7	-	-	-	-	-	12	62	167	241
	<b>TOTAL----</b>		<b>-</b>	<b>-</b>	<b>13</b>	<b>51</b>	<b>265</b>	<b>2,744</b>	<b>24,643</b>	<b>82,721</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2005 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	4	1	1	6
	3	-	-	-	1	9	52	352	1,179	1,593
	4	-	-	-	-	6	52	651	2,874	3,583
	5	-	-	-	-	2	6	65	461	534
	6	-	-	-	-	-	3	12	49	64
	7	-	-	-	-	-	-	4	8	12
	<b>TOTAL----</b>		-	-	-	<b>1</b>	<b>17</b>	<b>117</b>	<b>1,085</b>	<b>4,572</b>
13 & 23	1-2	-	-	2	132	615	1,788	2,853	2,696	8,086
	3	-	-	5	110	592	2,373	5,602	8,467	17,149
	4	-	-	1	27	254	570	1,014	1,529	3,395
	5	-	-	-	4	22	88	149	71	334
	6	-	-	-	-	-	7	4	3	14
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	<b>8</b>	<b>273</b>	<b>1,483</b>	<b>4,826</b>	<b>9,622</b>	<b>12,766</b>
33	1-2	-	-	1	17	96	278	535	600	1,527
	3	-	-	4	63	274	1,294	3,284	5,714	10,633
	4	-	-	1	34	341	1,111	2,085	3,414	6,986
	5	-	-	3	12	120	422	859	565	1,981
	6	-	-	-	2	18	99	262	78	459
	7	-	-	-	-	2	33	30	15	80
	<b>TOTAL----</b>		-	-	<b>9</b>	<b>128</b>	<b>851</b>	<b>3,237</b>	<b>7,055</b>	<b>10,386</b>
43	1-2	-	-	-	-	5	18	55	60	138
	3	-	-	-	7	55	414	1,817	3,704	5,997
	4	-	-	2	7	70	472	2,026	5,494	8,071
	5	-	-	-	3	64	156	468	801	1,492
	6	-	-	-	1	17	82	232	150	482
	7	-	-	-	-	3	31	90	58	182
	<b>TOTAL----</b>		-	-	<b>2</b>	<b>18</b>	<b>214</b>	<b>1,173</b>	<b>4,688</b>	<b>10,267</b>
53	1-2	-	-	-	-	2	4	6	5	17
	3	-	-	-	3	10	107	665	1,309	2,094
	4	-	-	-	2	14	110	1,205	3,828	5,159
	5	-	-	-	-	11	38	192	537	778
	6	-	-	-	-	3	4	28	81	116
	7	-	-	-	-	-	-	7	14	21
	<b>TOTAL----</b>		-	-	-	<b>5</b>	<b>40</b>	<b>263</b>	<b>2,103</b>	<b>5,774</b>
63	1-2	-	-	-	-	1	3	13	1	18
	3	-	-	-	-	1	7	40	159	207
	4	-	-	-	5	11	25	82	438	561
	5	-	-	-	1	-	18	37	81	137
	6	-	-	-	-	1	1	2	3	7
	7	-	-	-	-	-	-	1	1	2
	<b>TOTAL----</b>		-	-	-	<b>6</b>	<b>14</b>	<b>54</b>	<b>175</b>	<b>683</b>
24-54	1-7	-	1	5	21	538	1,466	2,456	3,183	7,670
25-35	1-7	-	-	-	22	32	75	116	42	287
81-85 1/	1-7	-	-	1	53	28	61	104	142	389
All Colors	8 2/	-	-	-	1	19	169	569	259	1,017
<b>TOTAL, ALL----</b>		<b>2</b>	<b>32</b>	<b>808</b>	<b>15,812</b>	<b>126,871</b>	<b>650,189</b>	<b>2,460,308</b>	<b>5,891,687</b>	<b>9,145,709</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2005 Crop

QUALITY	LEAF	STAPLE								
		35	36	37	38	39	40 &+	35 to 40+	TOTAL	
11 & 21		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	1-2	749,994	559,716	291,984	95,880	44,719	13,863	1,756,156	2,904,278	
	3	1,154,627	873,633	488,360	95,847	44,736	23,938	2,681,141	4,296,407	
	4	128,348	100,562	57,388	7,915	1,205	1,603	297,021	479,530	
	5	3,277	2,318	1,226	206	33	22	7,082	17,101	
	6	74	53	22	5	-	-	154	645	
	7	3	2	1	-	-	-	6	18	
	<b>TOTAL----</b>		<b>2,036,323</b>	<b>1,536,284</b>	<b>838,981</b>	<b>199,853</b>	<b>90,693</b>	<b>39,426</b>	<b>4,741,560</b>	<b>7,697,979</b>
31	1-2	100,139	55,328	23,119	8,997	6,223	5,254	199,060	410,049	
	3	1,522,557	681,554	221,128	40,774	25,570	14,067	2,505,650	4,676,950	
	4	1,012,517	578,627	184,766	19,540	4,139	2,994	1,802,583	2,742,394	
	5	50,842	37,231	18,165	2,680	400	136	109,454	181,030	
	6	2,596	1,864	974	121	8	-	5,563	17,150	
	7	100	87	47	6	-	-	240	1,534	
	<b>TOTAL----</b>		<b>2,688,751</b>	<b>1,354,691</b>	<b>448,199</b>	<b>72,118</b>	<b>36,340</b>	<b>22,451</b>	<b>4,622,550</b>	<b>8,029,107</b>
	41	1-2	6,500	2,503	914	124	24	22	10,087	27,764
3		554,864	200,982	43,148	3,783	440	130	803,347	1,584,140	
4		987,982	529,788	120,681	7,416	620	177	1,646,664	2,392,072	
5		99,097	70,307	22,868	1,873	186	47	194,378	258,233	
6		9,417	6,547	2,808	297	18	2	19,089	30,559	
7		875	616	361	19	1	-	1,872	4,435	
<b>TOTAL----</b>			<b>1,658,735</b>	<b>810,743</b>	<b>190,780</b>	<b>13,512</b>	<b>1,289</b>	<b>378</b>	<b>2,675,437</b>	<b>4,297,203</b>
51		1-2	428	104	25	3	1	-	561	1,591
	3	55,648	26,011	7,520	593	18	1	89,791	158,555	
	4	126,938	79,203	23,641	1,729	3	43	231,557	327,019	
	5	15,114	12,565	4,710	437	41	1	32,868	43,318	
	6	2,860	2,286	534	24	2	-	5,706	8,179	
	7	784	671	157	1	-	-	1,613	2,357	
	<b>TOTAL----</b>		<b>201,772</b>	<b>120,840</b>	<b>36,587</b>	<b>2,787</b>	<b>120</b>	<b>4</b>	<b>362,110</b>	<b>541,033</b>
	61	1-2	5	4	1	-	1	-	11	43
3		437	292	70	4	-	-	803	1,248	
4		923	775	237	22	-	-	1,957	2,500	
5		181	139	48	2	-	-	370	512	
6		41	29	15	-	-	-	85	111	
7		2	5	-	-	-	-	7	9	
<b>TOTAL----</b>			<b>1,589</b>	<b>1,244</b>	<b>371</b>	<b>28</b>	<b>1</b>	<b>-</b>	<b>3,233</b>	<b>4,423</b>
71		1-2	3	-	-	-	-	-	3	9
	3	14	7	3	-	-	-	24	45	
	4	49	10	1	-	-	-	60	116	
	5	4	-	-	-	-	-	4	6	
	6	-	-	-	-	-	-	-	1	
	7	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		<b>70</b>	<b>17</b>	<b>4</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>91</b>	<b>177</b>
	12 & 22	1-2	13,121	6,483	2,145	563	141	199	22,652	68,068
3		45,294	22,905	8,029	914	567	1,259	78,968	187,813	
4		12,025	6,046	2,478	297	74	313	21,233	44,211	
5		629	345	147	49	5	7	1,182	2,920	
6		21	23	3	-	-	-	47	199	
7		-	1	-	-	-	-	1	9	
<b>TOTAL----</b>			<b>71,090</b>	<b>35,803</b>	<b>12,802</b>	<b>1,823</b>	<b>787</b>	<b>1,778</b>	<b>124,083</b>	<b>303,220</b>
32		1-2	2,203	997	392	185	121	187	4,085	14,469
	3	70,468	24,703	6,359	1,294	979	920	104,723	277,100	
	4	90,411	38,947	9,049	819	363	667	140,256	267,682	
	5	7,097	4,450	1,692	239	89	76	13,643	27,486	
	6	514	427	174	24	3	2	1,144	3,415	
	7	48	49	19	2	-	-	118	432	
	<b>TOTAL----</b>		<b>170,741</b>	<b>69,573</b>	<b>17,685</b>	<b>2,563</b>	<b>1,555</b>	<b>1,852</b>	<b>263,969</b>	<b>590,584</b>
	42	1-2	387	152	80	24	20	2	665	1,983
3		59,580	22,031	4,469	456	124	34	86,694	175,818	
4		173,903	87,882	17,269	772	111	40	279,977	435,082	
5		28,028	19,643	4,946	215	57	4	52,893	76,070	
6		2,311	1,581	549	68	5	-	4,514	8,373	
7		336	195	103	2	-	-	636	1,354	
<b>TOTAL----</b>			<b>264,545</b>	<b>131,484</b>	<b>27,416</b>	<b>1,537</b>	<b>317</b>	<b>80</b>	<b>425,379</b>	<b>698,680</b>
52		1-2	66	23	8	1	-	-	98	301
	3	25,128	10,015	1,697	104	6	2	36,952	70,200	
	4	74,732	38,963	8,177	309	14	1	122,196	187,825	
	5	13,643	8,703	2,235	72	4	1	24,658	34,524	
	6	1,478	1,015	259	12	1	-	2,765	4,015	
	7	260	147	48	2	-	1	458	699	
	<b>TOTAL----</b>		<b>115,307</b>	<b>58,866</b>	<b>12,424</b>	<b>500</b>	<b>25</b>	<b>5</b>	<b>187,127</b>	<b>297,564</b>

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2005 Crop

QUALITY	LEAF	STAPLE								TOTAL
		35 Bales	36 Bales	37 Bales	38 Bales	39 Bales	40 &+ Bales	35 to 40+ Bales	Bales	
62	1-2	2	1	1	-	-	-	-	4	10
	3	1,517	570	49	2	-	-	-	2,138	3,731
	4	3,787	1,609	290	4	2	-	-	5,692	9,275
	5	623	294	71	2	1	-	-	991	1,525
	6	72	46	9	2	-	-	-	129	193
	7	1	1	1	-	-	-	-	3	15
	<b>TOTAL----</b>		<b>6,002</b>	<b>2,521</b>	<b>421</b>	<b>10</b>	<b>3</b>	<b>-</b>	<b>8,957</b>	<b>14,749</b>
13 & 23	1-2	2,178	736	149	14	7	14	3,098	11,184	
	3	7,079	3,340	857	68	40	33	11,417	28,566	
	4	1,305	554	203	32	2	11	2,107	5,502	
	5	71	38	6	1	-	-	116	450	
	6	2	3	-	-	-	-	5	19	
	7	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		<b>10,635</b>	<b>4,671</b>	<b>1,215</b>	<b>115</b>	<b>49</b>	<b>58</b>	<b>16,743</b>	<b>45,721</b>
33	1-2	562	246	67	17	8	3	903	2,430	
	3	5,682	3,279	1,397	275	126	143	10,902	21,535	
	4	3,906	2,384	1,153	151	60	173	7,827	14,813	
	5	589	451	257	37	9	38	1,381	3,362	
	6	64	65	26	2	-	-	157	616	
	7	10	3	1	1	-	-	15	95	
	<b>TOTAL----</b>		<b>10,813</b>	<b>6,428</b>	<b>2,901</b>	<b>483</b>	<b>203</b>	<b>357</b>	<b>21,185</b>	<b>42,851</b>
43	1-2	54	23	26	2	1	-	106	244	
	3	3,840	1,737	538	68	33	15	6,231	12,228	
	4	7,132	3,836	1,060	82	47	31	12,188	20,259	
	5	860	601	226	52	20	13	1,772	3,264	
	6	145	103	75	16	1	-	340	822	
	7	41	26	18	4	-	-	89	271	
	<b>TOTAL----</b>		<b>12,072</b>	<b>6,326</b>	<b>1,943</b>	<b>224</b>	<b>102</b>	<b>59</b>	<b>20,726</b>	<b>37,088</b>
53	1-2	5	-	2	1	-	-	8	25	
	3	1,336	444	98	5	1	2	1,886	3,980	
	4	5,404	2,299	298	7	4	3	8,015	13,174	
	5	861	368	56	2	-	2	1,289	2,067	
	6	106	49	23	1	-	-	179	295	
	7	24	34	12	1	1	-	72	93	
	<b>TOTAL----</b>		<b>7,736</b>	<b>3,194</b>	<b>489</b>	<b>17</b>	<b>6</b>	<b>7</b>	<b>11,449</b>	<b>19,634</b>
63	1-2	2	-	-	-	-	-	2	20	
	3	283	47	2	1	-	-	333	540	
	4	747	196	14	-	1	-	958	1,519	
	5	124	34	-	-	-	-	158	295	
	6	14	3	-	-	-	-	17	24	
	7	1	1	-	-	-	-	2	4	
	<b>TOTAL----</b>		<b>1,171</b>	<b>281</b>	<b>16</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>1,470</b>	<b>2,402</b>
24-54	1-7	3,204	1,610	657	74	43	11	5,599	13,269	
25-35	1-7	11	15	2	-	-	-	28	315	
81-85 1/	1-7	191	153	58	11	1	2	416	805	
All Colors	8 2/	241	131	53	1	-	-	426	1,443	
<b>TOTAL, ALL-----</b>		<b>7,260,999</b>	<b>4,144,875</b>	<b>1,593,004</b>	<b>295,657</b>	<b>131,535</b>	<b>66,468</b>	<b>13,492,538</b>	<b>22,638,247</b>	
<b>EXTRANEOUS MATTER</b>									Average Staple -----	<b>34.8</b>
									Percent Tenderable -----	<b>71.1</b>
Bark - Level 1		915,506								
Bark - Level 2		888								
Grass - Level 1		64,421								
Grass - Level 2		1,145								
Prep - Level 1		17,755								
Prep - Level 2		76								
Other - Level 1		20,551								
Other - Level 2		377								

22,638,247 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2004 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	21	217	1,876	10,936	54,148	187,302	254,500
	3	-	1	46	613	4,197	20,234	108,334	413,225	546,650
	4	-	-	16	85	359	2,124	10,740	43,350	56,674
	5	-	-	3	11	18	75	287	735	1,129
	6	-	-	-	1	1	-	5	20	27
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	<b>1</b>	<b>86</b>	<b>927</b>	<b>6,451</b>	<b>33,369</b>	<b>173,514</b>	<b>644,632</b>
31	1-2	-	9	66	399	2,464	10,343	26,467	52,552	92,300
	3	-	17	364	2,820	17,151	76,717	275,127	696,936	1,069,132
	4	-	27	282	1,433	5,188	23,345	91,888	267,837	390,000
	5	-	30	90	267	473	1,392	5,942	16,352	24,546
	6	-	-	4	13	17	44	260	579	917
	7	-	-	-	1	7	5	10	24	47
	<b>TOTAL----</b>		-	<b>83</b>	<b>806</b>	<b>4,933</b>	<b>25,300</b>	<b>111,846</b>	<b>399,694</b>	<b>1,034,280</b>
41	1-2	-	11	58	319	1,795	6,446	14,022	26,248	48,899
	3	-	49	626	4,535	23,348	121,738	423,672	920,329	1,494,297
	4	-	24	425	3,865	15,802	67,856	262,370	650,428	1,000,770
	5	-	30	298	1,399	2,991	8,209	23,182	52,909	89,018
	6	-	-	77	465	694	919	2,196	3,455	7,806
	7	-	-	15	67	219	106	264	381	1,052
	<b>TOTAL----</b>		-	<b>114</b>	<b>1,499</b>	<b>10,650</b>	<b>44,849</b>	<b>205,274</b>	<b>725,706</b>	<b>1,653,750</b>
51	1-2	-	-	16	43	437	1,885	3,711	5,654	11,746
	3	-	12	177	1,505	6,720	37,711	127,701	244,865	418,691
	4	-	3	69	804	4,011	20,887	84,478	194,247	304,499
	5	-	-	11	151	932	4,429	13,144	25,828	44,495
	6	-	-	2	24	122	903	1,768	2,598	5,417
	7	-	-	3	13	69	132	275	288	780
	<b>TOTAL----</b>		-	<b>15</b>	<b>278</b>	<b>2,540</b>	<b>12,291</b>	<b>65,947</b>	<b>231,077</b>	<b>473,480</b>
61	1-2	-	-	-	-	8	31	167	330	536
	3	-	1	1	12	158	840	2,694	5,413	9,119
	4	-	-	6	17	143	996	2,784	4,898	8,844
	5	-	-	-	4	38	280	777	1,093	2,192
	6	-	-	-	-	5	40	117	186	348
	7	-	-	-	-	-	9	31	47	87
	<b>TOTAL----</b>		-	<b>1</b>	<b>7</b>	<b>33</b>	<b>352</b>	<b>2,196</b>	<b>6,570</b>	<b>11,967</b>
71	1-2	-	-	-	-	1	5	1	2	9
	3	-	-	1	9	14	57	76	38	195
	4	-	-	-	1	8	20	45	43	117
	5	-	-	-	-	1	5	7	13	26
	6	-	-	-	-	-	3	10	13	26
	7	-	-	-	-	1	6	24	8	39
	<b>TOTAL----</b>		-	-	<b>1</b>	<b>10</b>	<b>25</b>	<b>96</b>	<b>163</b>	<b>117</b>
12 & 22	1-2	-	-	3	63	426	1,800	3,133	5,557	10,982
	3	-	3	39	465	3,006	9,543	15,972	20,204	49,232
	4	-	-	7	48	582	2,249	4,523	5,622	13,031
	5	-	-	-	1	10	66	224	252	553
	6	-	-	-	-	-	-	7	22	29
	7	-	-	-	-	-	2	1	-	3
	<b>TOTAL----</b>		-	<b>3</b>	<b>49</b>	<b>577</b>	<b>4,024</b>	<b>13,660</b>	<b>23,860</b>	<b>31,657</b>
32	1-2	-	11	48	199	783	2,103	2,816	2,753	8,713
	3	-	19	298	2,787	12,695	38,492	66,405	74,972	195,668
	4	1	25	273	1,385	5,842	20,183	43,057	52,115	122,881
	5	-	36	128	182	394	1,419	3,617	4,834	10,610
	6	-	9	5	10	17	63	248	378	730
	7	-	-	-	-	2	8	36	51	97
	<b>TOTAL----</b>		<b>1</b>	<b>100</b>	<b>752</b>	<b>4,563</b>	<b>19,733</b>	<b>62,268</b>	<b>116,179</b>	<b>135,103</b>
42	1-2	2	9	84	138	474	1,332	1,793	1,529	5,361
	3	16	125	734	4,305	15,306	51,354	106,501	121,169	299,510
	4	8	73	556	3,891	14,750	47,710	123,448	161,279	351,715
	5	-	55	451	2,113	3,463	7,680	18,417	24,279	56,458
	6	-	26	193	1,014	859	1,015	1,801	2,150	7,058
	7	1	4	75	323	375	223	207	296	1,504
	<b>TOTAL----</b>		<b>27</b>	<b>292</b>	<b>2,093</b>	<b>11,784</b>	<b>35,227</b>	<b>109,314</b>	<b>252,167</b>	<b>310,702</b>
52	1-2	-	2	10	22	93	374	673	698	1,872
	3	1	29	254	1,176	3,785	12,755	34,662	60,911	113,573
	4	-	6	183	1,138	3,698	12,498	36,539	64,720	118,782
	5	-	4	51	499	1,429	3,984	9,594	13,155	28,716
	6	-	1	23	170	436	754	1,666	1,884	4,934
	7	-	-	11	71	254	225	287	306	1,154
	<b>TOTAL----</b>		<b>1</b>	<b>42</b>	<b>532</b>	<b>3,076</b>	<b>9,695</b>	<b>30,590</b>	<b>83,421</b>	<b>141,674</b>

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2004 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	2	9	50	62	111	234
	3	-	-	7	40	115	456	1,119	2,226	3,963
	4	-	2	17	72	202	715	1,675	2,591	5,274
	5	-	-	3	16	83	264	806	888	2,060
	6	-	-	-	6	12	52	187	184	441
	7	-	-	-	-	1	6	25	26	58
	<b>TOTAL----</b>		-	<b>2</b>	<b>27</b>	<b>136</b>	<b>422</b>	<b>1,543</b>	<b>3,874</b>	<b>6,026</b>
13 & 23	1-2	-	3	1	27	112	297	563	895	1,898
	3	-	10	9	133	755	2,401	3,648	3,463	10,419
	4	-	-	1	17	127	603	1,080	912	2,740
	5	-	-	-	-	5	22	40	39	106
	6	-	-	-	-	-	-	9	3	12
	7	-	-	-	-	-	-	2	-	2
	<b>TOTAL----</b>		-	<b>13</b>	<b>11</b>	<b>177</b>	<b>999</b>	<b>3,323</b>	<b>5,342</b>	<b>5,312</b>
33	1-2	-	2	34	206	475	1,079	1,345	1,495	4,636
	3	-	11	187	1,421	4,707	14,242	22,816	27,428	70,812
	4	-	27	102	632	2,279	7,041	14,037	15,229	39,347
	5	-	11	15	31	164	491	1,192	1,021	2,925
	6	-	-	1	-	17	21	60	53	152
	7	-	-	-	1	5	5	7	5	23
	<b>TOTAL----</b>		-	<b>51</b>	<b>339</b>	<b>2,291</b>	<b>7,647</b>	<b>22,879</b>	<b>39,457</b>	<b>45,231</b>
43	1-2	-	-	2	79	210	435	553	603	1,882
	3	-	18	317	2,189	5,329	13,493	24,973	31,305	77,624
	4	1	38	416	2,941	8,025	17,088	34,090	42,820	105,419
	5	-	65	335	1,384	2,010	3,549	6,082	6,014	19,439
	6	-	35	319	865	492	473	660	551	3,395
	7	-	23	137	366	220	122	69	88	1,025
	<b>TOTAL----</b>		<b>1</b>	<b>179</b>	<b>1,526</b>	<b>7,824</b>	<b>16,286</b>	<b>35,160</b>	<b>66,427</b>	<b>81,381</b>
53	1-2	-	-	1	6	25	74	134	74	314
	3	-	12	39	183	426	1,189	3,032	5,286	10,167
	4	-	10	53	197	705	1,883	4,401	6,861	14,110
	5	-	2	16	164	552	1,227	2,334	2,227	6,522
	6	-	-	31	187	211	304	634	624	1,991
	7	-	6	58	206	155	87	113	157	782
	<b>TOTAL----</b>		-	<b>30</b>	<b>198</b>	<b>943</b>	<b>2,074</b>	<b>4,764</b>	<b>10,648</b>	<b>15,229</b>
63	1-2	-	-	-	2	13	33	21	28	97
	3	-	-	-	3	39	138	222	275	677
	4	-	-	1	6	67	205	362	489	1,130
	5	-	-	-	6	44	68	159	254	531
	6	-	-	-	5	6	13	62	60	146
	7	-	-	-	3	3	3	19	10	38
	<b>TOTAL----</b>		-	-	<b>1</b>	<b>25</b>	<b>172</b>	<b>460</b>	<b>845</b>	<b>1,116</b>
24-54	1-7	9	211	809	3,717	8,294	17,147	32,269	35,405	97,861
25-35	1-7	-	-	27	62	236	368	241	222	1,156
81-85 1/	1-7	24	107	211	736	1,651	2,519	3,045	2,110	10,403
All Colors	8 2/	2	36	206	641	622	400	374	352	2,633
<b>TOTAL, ALL----</b>		<b>65</b>	<b>1,280</b>	<b>9,458</b>	<b>55,645</b>	<b>196,350</b>	<b>723,123</b>	<b>2,174,873</b>	<b>4,629,746</b>	<b>7,790,540</b>

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2004 Crop

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	352,493	330,810	308,812	120,572	19,789	2,712	1,135,188	1,389,688
	3	764,297	645,860	303,475	72,908	15,945	1,690	1,804,175	2,350,825
	4	100,947	99,232	50,145	50,145	9,261	1,370	117	261,072
	5	1,352	1,304	722	146	36	3	3,563	4,692
	6	13	6	4	-	-	-	23	50
	7	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		<b>1,219,102</b>	<b>1,077,212</b>	<b>663,158</b>	<b>202,887</b>	<b>37,140</b>	<b>4,522</b>	<b>3,204,021</b>
31	1-2	68,640	48,598	37,514	9,304	1,687	320	166,063	258,363
	3	1,030,968	704,816	304,584	53,555	7,658	1,078	2,102,659	3,171,791
	4	511,250	479,895	250,647	40,561	3,121	304	1,285,778	1,675,778
	5	31,368	34,428	23,419	5,024	436	21	94,696	119,242
	6	735	616	421	119	20	-	1,911	2,828
	7	16	11	9	2	-	-	38	85
	<b>TOTAL----</b>		<b>1,642,977</b>	<b>1,268,364</b>	<b>616,594</b>	<b>108,565</b>	<b>12,922</b>	<b>1,723</b>	<b>3,651,145</b>
41	1-2	31,143	19,173	12,281	3,260	448	24	66,329	115,228
	3	1,149,667	666,789	181,317	25,818	4,919	622	2,029,132	3,523,429
	4	1,023,745	786,802	268,760	28,407	3,289	501	2,111,504	3,112,274
	5	82,983	81,984	44,940	6,916	664	76	217,563	306,581
	6	4,597	3,982	2,657	537	56	4	11,833	19,639
	7	280	187	97	14	4	-	582	1,634
	<b>TOTAL----</b>		<b>2,292,415</b>	<b>1,558,917</b>	<b>510,052</b>	<b>64,952</b>	<b>9,380</b>	<b>1,227</b>	<b>4,436,943</b>
51	1-2	4,866	3,006	2,569	733	89	3	11,266	23,012
	3	257,699	129,108	36,311	5,694	1,051	127	429,990	848,681
	4	302,391	243,603	76,636	7,191	298	1,399	631,518	936,017
	5	36,180	37,143	16,584	1,807	111	5	91,830	136,325
	6	2,730	1,775	926	137	14	1	5,583	11,000
	7	236	95	67	9	-	-	407	1,187
	<b>TOTAL----</b>		<b>604,102</b>	<b>414,730</b>	<b>133,093</b>	<b>15,571</b>	<b>1,796</b>	<b>184</b>	<b>1,169,476</b>
61	1-2	244	75	20	11	-	-	350	886
	3	5,867	2,484	531	40	14	1	8,937	18,056
	4	6,913	3,701	934	93	4	-	11,645	20,489
	5	1,075	565	163	17	2	-	1,822	4,014
	6	164	93	30	10	1	-	298	646
	7	22	16	1	-	-	-	39	126
	<b>TOTAL----</b>		<b>14,285</b>	<b>6,934</b>	<b>1,679</b>	<b>171</b>	<b>21</b>	<b>1</b>	<b>23,091</b>
71	1-2	-	-	1	-	-	-	1	10
	3	26	15	4	-	1	-	46	241
	4	42	15	5	-	1	-	63	180
	5	16	5	1	1	-	-	23	49
	6	1	3	1	-	-	-	5	31
	7	2	-	-	-	-	-	2	41
	<b>TOTAL----</b>		<b>87</b>	<b>38</b>	<b>12</b>	<b>1</b>	<b>2</b>	<b>-</b>	<b>140</b>
12 & 22	1-2	8,926	6,547	9,089	4,014	2,063	515	31,154	42,136
	3	23,444	15,223	12,291	4,390	1,102	339	56,789	106,021
	4	6,929	4,824	4,127	1,173	167	23	17,243	30,274
	5	200	160	130	64	23	5	582	1,135
	6	6	-	1	2	2	-	11	40
	7	-	-	-	-	-	-	-	3
	<b>TOTAL----</b>		<b>39,505</b>	<b>26,754</b>	<b>25,638</b>	<b>9,643</b>	<b>3,357</b>	<b>882</b>	<b>105,779</b>
32	1-2	2,633	1,969	3,177	1,513	364	50	9,706	18,419
	3	64,908	37,761	19,128	5,806	1,224	331	129,158	324,826
	4	51,847	35,342	20,826	4,403	604	120	113,142	236,023
	5	4,607	3,966	3,330	1,330	212	9	13,454	24,064
	6	289	142	136	52	9	-	628	1,358
	7	37	10	8	2	-	-	57	154
	<b>TOTAL----</b>		<b>124,321</b>	<b>79,190</b>	<b>46,605</b>	<b>13,106</b>	<b>2,413</b>	<b>510</b>	<b>266,145</b>
42	1-2	1,230	866	1,301	574	67	11	4,049	9,410
	3	104,705	59,103	18,378	3,717	749	42	186,694	486,204
	4	165,097	129,492	46,679	5,027	772	79	347,146	698,861
	5	24,344	24,433	13,552	1,930	234	40	64,533	120,991
	6	1,740	1,107	869	223	31	6	3,976	11,034
	7	213	84	147	32	-	-	476	1,980
	<b>TOTAL----</b>		<b>297,329</b>	<b>215,085</b>	<b>80,926</b>	<b>11,503</b>	<b>1,853</b>	<b>178</b>	<b>606,874</b>
52	1-2	398	145	74	20	2	-	639	2,511
	3	49,552	21,378	4,923	400	70	27	76,350	189,923
	4	79,876	62,318	17,045	969	107	12	160,327	279,109
	5	14,600	15,005	6,444	459	57	7	36,572	65,288
	6	1,380	892	440	46	3	3	2,764	7,698
	7	200	67	44	1	1	-	313	1,467
	<b>TOTAL----</b>		<b>146,006</b>	<b>99,805</b>	<b>28,970</b>	<b>1,895</b>	<b>240</b>	<b>49</b>	<b>276,965</b>



Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2004 Crop

QUALITY	LEAF	STAPLE							TOTAL	
		35	36	37	38	39	40 &+	35 to 40+		
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	
62	1-2	65	18	2	2	-	-	87	321	
	3	2,044	614	130	12	7	1	2,808	6,771	
	4	2,847	1,654	352	23	2	-	4,878	10,152	
	5	626	267	90	16	-	-	999	3,059	
	6	113	52	29	-	-	-	194	635	
	7	26	24	8	-	-	-	58	116	
	<b>TOTAL----</b>		<b>5,721</b>	<b>2,629</b>	<b>611</b>	<b>53</b>	<b>9</b>	<b>1</b>	<b>9,024</b>	<b>21,054</b>
13 & 23	1-2	1,040	667	905	354	67	15	3,048	4,946	
	3	3,382	1,640	806	292	77	10	6,207	16,626	
	4	812	382	168	31	7	-	1,400	4,140	
	5	29	19	12	4	-	2	66	172	
	6	1	-	-	-	-	-	1	13	
	7	-	-	-	-	-	-	-	2	
	<b>TOTAL----</b>		<b>5,264</b>	<b>2,708</b>	<b>1,891</b>	<b>681</b>	<b>151</b>	<b>27</b>	<b>10,722</b>	<b>25,899</b>
33	1-2	1,365	799	979	516	74	18	3,751	8,387	
	3	25,613	13,506	4,865	1,009	248	38	45,279	116,091	
	4	14,510	8,876	3,591	603	105	10	27,695	67,042	
	5	771	630	452	116	23	3	1,995	4,920	
	6	35	19	10	4	2	-	70	222	
	7	2	1	-	1	-	-	4	27	
	<b>TOTAL----</b>		<b>42,296</b>	<b>23,831</b>	<b>9,897</b>	<b>2,249</b>	<b>452</b>	<b>69</b>	<b>78,794</b>	<b>196,689</b>
43	1-2	495	483	526	273	30	12	1,819	3,701	
	3	26,543	14,346	5,649	1,247	148	76	48,009	125,633	
	4	38,602	22,619	9,050	916	142	32	71,361	176,780	
	5	4,501	3,084	1,708	244	60	4	9,601	29,040	
	6	301	171	99	35	4	-	610	4,005	
	7	81	24	14	1	-	-	120	1,145	
	<b>TOTAL----</b>		<b>70,523</b>	<b>40,727</b>	<b>17,046</b>	<b>2,716</b>	<b>384</b>	<b>124</b>	<b>131,520</b>	<b>340,304</b>
53	1-2	39	35	50	8	-	-	132	446	
	3	4,759	2,662	954	167	40	6	8,588	18,755	
	4	8,017	6,175	2,174	174	32	7	16,579	30,689	
	5	2,109	1,827	1,035	58	4	1	5,034	11,556	
	6	300	172	128	5	-	-	605	2,596	
	7	55	38	27	1	-	-	121	903	
	<b>TOTAL----</b>		<b>15,279</b>	<b>10,909</b>	<b>4,368</b>	<b>413</b>	<b>76</b>	<b>14</b>	<b>31,059</b>	<b>64,945</b>
63	1-2	13	2	-	-	-	-	15	112	
	3	263	94	32	6	2	3	400	1,077	
	4	386	177	55	5	1	-	624	1,754	
	5	150	63	25	5	-	-	243	774	
	6	30	15	6	6	-	-	57	203	
	7	7	4	1	-	-	-	12	50	
	<b>TOTAL----</b>		<b>849</b>	<b>355</b>	<b>119</b>	<b>22</b>	<b>3</b>	<b>3</b>	<b>1,351</b>	<b>3,970</b>
24-54	1-7	21,373	9,978	3,660	493	96	-	35,600	133,461	
25-35	1-7	72	6	1	-	-	-	79	1,235	
81-85 1/	1-7	1,132	490	251	40	10	454	2,377	12,780	
All Colors	8 2/	148	68	40	4	-	-	260	2,893	
<b>TOTAL, ALL----</b>		<b>6,542,786</b>	<b>4,838,730</b>	<b>2,144,611</b>	<b>434,965</b>	<b>70,305</b>	<b>9,968</b>	<b>14,041,365</b>	<b>21,831,905</b>	
EXTRANEIOUS MATTER									Average Staple -----	<b>34.9</b>
Bark - Level 1		3,425,537							Percent Tenderable -----	<b>63.8</b>
Bark - Level 2		2,180								
Grass - Level 1		79,813								
Grass - Level 2		940								
Prep - Level 1		45,694								
Prep - Level 2		142								
Other - Level 1		7,095								
Other - Level 2		7								

21,831,905 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	*	*	*	*	0.1	0.5	1.6	2.8	3.3	2.5	1.3	0.4	0.2	0.1	12.8	
	4	-	*	*	*	0.2	0.7	2.1	4.2	5.1	3.9	2.2	0.4	0.2	0.1	19.0	
	5	*	-	-	*	*	*	*	*	*	*	*	*	*	*	2.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	<b>TOTAL----</b>		*	*	*	*	<b>0.3</b>	<b>1.3</b>	<b>3.9</b>	<b>7.4</b>	<b>9.0</b>	<b>6.8</b>	<b>3.7</b>	<b>0.9</b>	<b>0.4</b>	<b>0.2</b>	<b>34.0</b>
	31	1-2	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	1.8
3		-	*	*	*	0.1	0.5	2.6	6.4	6.7	3.0	1.0	0.2	0.1	0.1	20.7	
4		-	*	*	*	*	0.2	0.9	3.0	4.5	2.6	0.8	0.1	*	*	12.1	
5		-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8	
6		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
7		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	*	*	*	<b>0.1</b>	<b>0.9</b>	<b>3.9</b>	<b>10.1</b>	<b>11.9</b>	<b>6.0</b>	<b>2.0</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	<b>35.5</b>
41		1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.9	2.5	2.5	0.9	0.2	*	*	*	7.0	
	4	-	*	*	*	*	0.1	0.6	2.6	4.4	2.3	0.5	*	*	*	10.6	
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	*	1.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	*	*	*	<b>0.2</b>	<b>1.6</b>	<b>5.3</b>	<b>7.3</b>	<b>3.6</b>	<b>0.8</b>	<b>0.1</b>	*	*	*	<b>19.0</b>
	51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
3		-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7	
4		-	-	-	*	*	*	0.1	0.3	0.6	0.3	0.1	*	*	*	1.4	
5		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	*	*	*	<b>0.2</b>	<b>0.6</b>	<b>0.9</b>	<b>0.5</b>	<b>0.2</b>	*	*	*	*	<b>2.4</b>
61		1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
3		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
4		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
5		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
6		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22		1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	*	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	*	*	*	*	<b>1.3</b>
	32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
3		-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	1.2	
4		-	-	*	*	*	*	0.2	0.4	0.4	0.2	*	*	*	*	1.2	
5		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
6		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	*	*	<b>0.1</b>	<b>0.5</b>	<b>0.8</b>	<b>0.8</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	*	<b>2.6</b>
42		1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.8	
	4	-	-	*	*	*	*	0.1	0.5	0.8	0.4	0.1	*	*	*	1.9	
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.8</b>	<b>1.2</b>	<b>0.6</b>	<b>0.1</b>	*	*	*	*	<b>3.1</b>
	52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
3		-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3	
4		-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8	
5		-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>	*	*	*	*	*	*	<b>1.3</b>

\* Less than 0.05 percent.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	-	<b>0.1</b>
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	*	<b>0.1</b>	*	*	*	*	*	*	<b>0.2</b>
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	*	*	*	*	*	*	*	*	<b>0.2</b>
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	*	*	*	*	*	*	*	*	<b>0.2</b>
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	*	<b>0.1</b>
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL, ALL----</b>		*	*	*	<b>0.1</b>	<b>0.6</b>	<b>2.9</b>	<b>10.9</b>	<b>26.0</b>	<b>32.1</b>	<b>18.3</b>	<b>7.0</b>	<b>1.3</b>	<b>0.6</b>	<b>0.3</b>	<b>100.0</b>	
EXTRANEIOUS MATTER																Average Staple	<b>34.8</b>
																Percent Tenderable	<b>71.1</b>
Bark - Level 1	4.0																
Bark - Level 2	*																
Grass - Level 1	0.3																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	*																
Other - Level 1	0.1																
Other - Level 1	*																

22,638,247 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	0.1	*	*	-	-	-	-	-	
	3	-	-	-	-	*	0.2	0.8	1.5	0.9	0.4	0.1	*	-	-	
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.2	*	*	-	-	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	<b>0.3</b>	<b>1.1</b>	<b>2.1</b>	<b>1.4</b>	<b>0.6</b>	<b>0.1</b>	*	-	-
31	1-2	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	
	3	-	-	-	-	*	0.9	5.6	11.0	8.4	3.2	0.6	*	*	-	
	4	-	-	-	-	*	0.5	3.4	9.1	9.7	4.4	1.0	*	*	*	
	5	-	-	-	-	*	*	0.2	0.4	0.5	0.3	0.1	*	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	<b>0.1</b>	<b>1.4</b>	<b>9.3</b>	<b>20.9</b>	<b>18.8</b>	<b>7.9</b>	<b>1.7</b>	*	*	*
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	
	3	-	-	-	-	*	0.4	2.4	4.4	3.3	1.2	0.2	*	*	-	
	4	-	-	-	-	*	0.2	1.4	4.1	5.1	2.7	0.9	*	*	-	
	5	-	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	*	*	-	
	6	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	<b>0.6</b>	<b>4.1</b>	<b>9.0</b>	<b>9.2</b>	<b>4.4</b>	<b>1.3</b>	<b>0.1</b>	*	-
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	
	4	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.2</b>	<b>0.1</b>	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	-	-	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	<b>0.1</b>	<b>0.4</b>	<b>0.6</b>	<b>0.6</b>	<b>0.3</b>	*	*	*	
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	-	-	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.6</b>	<b>0.3</b>	<b>0.1</b>	*	*	
52	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	

\* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	<b>0.1</b>	
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	<b>0.2</b>	
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	-	*	*	-	-	-	*		
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL, ALL----</b>		-	-	-	-	<b>0.1</b>	<b>2.6</b>	<b>15.6</b>	<b>33.6</b>	<b>31.0</b>	<b>13.7</b>	<b>3.3</b>	<b>0.1</b>	*	*	<b>100.0</b>	
EXTRANEIOUS MATTER																Average Staple	<b>34.5</b>
																Percent Tenderable	<b>86.1</b>
Bark - Level 1	2.0																
Bark - Level 2	*																
Grass - Level 1	0.2																
Grass - Level 2	*																
Prep - Level 1	0.2																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

831,629 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	*	*	0.1	0.8	4.5	13.5	17.3	10.8	1.6	0.3	*	48.9	
	3	-	-	-	-	*	*	0.3	1.4	4.3	5.9	4.5	0.8	0.2	*	17.4	
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.2	0.2	0.1	*	*	1.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.1</b>	<b>6.1</b>	<b>18.2</b>	<b>23.5</b>	<b>15.4</b>	<b>2.5</b>	<b>0.5</b>	*	<b>67.6</b>
31	1-2	-	-	-	-	*	*	0.5	1.7	3.0	2.5	1.2	0.2	*	*	9.0	
	3	-	-	-	-	*	*	0.3	1.6	3.0	2.8	1.5	0.3	0.1	*	9.6	
	4	-	-	-	-	*	*	0.1	0.4	0.8	0.6	0.4	0.3	0.1	*	2.8	
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	<b>TOTAL----</b>		-	-	-	-	*	<b>0.2</b>	<b>1.3</b>	<b>4.3</b>	<b>6.8</b>	<b>5.8</b>	<b>3.1</b>	<b>0.6</b>	<b>0.1</b>	*	<b>22.2</b>
41	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	1.0	
	3	-	-	-	-	*	*	0.2	0.7	1.0	0.5	0.1	*	*	*	2.5	
	4	-	-	-	*	*	*	0.2	0.3	0.3	0.1	0.1	*	*	*	1.1	
	5	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	*	0.5	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.7</b>	<b>1.5</b>	<b>1.7</b>	<b>0.9</b>	<b>0.3</b>	*	*	*	<b>5.3</b>
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	-	-	<b>0.2</b>
61	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6	
	3	-	-	-	-	*	*	*	0.1	0.4	0.4	0.2	*	*	*	1.1	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.4	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.8</b>	<b>0.7</b>	<b>0.3</b>	*	*	*	<b>2.2</b>
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.8	
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.5</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	<b>1.6</b>
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	-	<b>0.6</b>
52	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*

\* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	
	5	-	-	-	*	-	*	*	*	*	-	-	-	-	-	
	6	-	-	-	-	*	*	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
25-35	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	3.6	13.0	28.3	31.4	19.3	3.2	0.6	*	100.0
EXTRANEIOUS MATTER															Average Staple	35.6
															Percent Tenderable	68.2
Bark - Level 1	3.9															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	1.3															
Other - Level 1	*															

572,317 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	*	0.2	1.0	1.7	0.6	0.1	*	*	-	3.6
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.3</b>	<b>1.2</b>	<b>2.0</b>	<b>0.8</b>	<b>0.1</b>	*	*	-
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.1	1.7	7.8	10.8	4.0	0.5	*	*	-	25.0
	4	-	-	-	*	*	*	0.7	4.6	9.4	4.8	0.6	*	*	-	20.2
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.2</b>	<b>2.5</b>	<b>12.6</b>	<b>20.5</b>	<b>9.0</b>	<b>1.2</b>	*	*	-
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.6	2.5	3.9	1.3	0.1	*	*	-	8.4
	4	-	-	-	*	*	*	0.7	4.6	11.9	6.1	0.7	*	*	-	24.1
	5	-	-	-	-	-	*	*	0.3	1.1	0.7	0.1	*	*	-	2.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.3</b>	<b>7.4</b>	<b>17.0</b>	<b>8.1</b>	<b>0.9</b>	*	*	-
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	<b>0.1</b>	*	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	<b>0.1</b>	*	*	*	-	-
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.3	0.9	0.9	0.3	*	*	*	-	2.4
	4	-	-	-	-	*	*	0.2	0.8	1.2	0.5	0.1	*	-	0.2	2.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.5</b>	<b>1.7</b>	<b>2.1</b>	<b>0.8</b>	<b>0.1</b>	*	*	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.8	0.3	*	*	-	-	2.0
	4	-	-	-	-	*	*	0.3	1.4	2.6	1.3	0.2	*	-	-	5.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.5</b>	<b>2.2</b>	<b>3.8</b>	<b>1.9</b>	<b>0.3</b>	*	*	-
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	-	*	*	*	<b>0.1</b>	*	*	*	-	-

\* Less than 0.05 percent.



Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2	
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	5.1	25.3	45.7	20.7	2.6	*	*	-	100.0	
EXTRANEIOUS MATTER																Average Staple	34.9
																Percent Tenderable	74.4
Bark - Level 1		0.3															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

2,099,716 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	*	0.2	1.2	2.9	4.9	8.7	7.5	4.0	1.3	30.8	
	3	-	-	-	*	*	*	0.1	0.5	2.1	6.8	14.0	6.5	4.1	2.3	36.3	
	4	-	-	-	-	-	*	*	*	0.1	0.4	0.8	0.3	0.1	0.1	1.9	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>1.7</b>	<b>5.1</b>	<b>12.0</b>	<b>23.6</b>	<b>14.3</b>	<b>8.2</b>	<b>3.7</b>	<b>69.0</b>
31	1-2	-	-	-	*	*	*	0.2	0.6	0.8	0.5	0.7	0.7	0.6	0.5	4.5	
	3	-	-	-	-	*	*	0.1	0.5	1.4	2.9	4.8	2.8	2.3	1.3	16.3	
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.9	2.1	0.7	0.3	0.3	4.7	
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>1.2</b>	<b>2.4</b>	<b>4.5</b>	<b>7.9</b>	<b>4.3</b>	<b>3.2</b>	<b>2.1</b>	<b>26.1</b>
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	*	0.4	
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	0.1	*	*	0.9	
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	*	0.6	
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.5</b>	<b>0.4</b>	<b>0.5</b>	<b>0.1</b>	*	*	<b>2.2</b>
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	*	*	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	-	<b>0.1</b>
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	*	-	*	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	*	-	*
71	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.1	0.4	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.8</b>
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	0.6	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	0.4	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	<b>0.2</b>	<b>1.1</b>
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	*	<b>0.4</b>
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

\* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-		
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	*	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2	
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	-	*	*	*	*		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	*	*	*	*		
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.2	1.1	3.5	8.3	17.4	32.6	19.0	11.8	6.3	100.0	
EXTRANEIOUS MATTER																Average Staple	37.1
																Percent Tenderable	93.6
Bark - Level 1	1.3																
Bark - Level 2	*																
Grass - Level 1	0.4																
Grass - Level 2	*																
Prep - Level 1	*																
Prep - Level 2	*																
Other - Level 1	0.1																
Other - Level 1	-																

1,053,001 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	
	3	-	-	-	-	-	*	0.1	1.0	1.6	0.5	*	-	-	-	
	4	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	<b>0.2</b>	<b>1.2</b>	<b>1.9</b>	<b>0.7</b>	<b>0.1</b>	-	-	-
31	1-2	-	-	-	-	-	*	0.4	0.8	0.3	*	-	-	-	-	
	3	-	-	-	-	*	0.2	3.6	17.0	18.6	4.6	0.4	*	-	-	
	4	-	-	-	-	-	*	0.3	2.9	6.8	3.6	0.6	*	-	-	
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	<b>0.3</b>	<b>4.3</b>	<b>20.7</b>	<b>25.8</b>	<b>8.3</b>	<b>1.0</b>	*	-	-
41	1-2	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	
	3	-	-	-	-	-	0.1	2.3	9.5	7.3	1.6	0.2	-	-	-	
	4	-	-	-	-	-	*	0.5	3.3	5.7	2.2	0.4	*	-	-	
	5	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	<b>0.1</b>	<b>2.9</b>	<b>12.9</b>	<b>13.1</b>	<b>3.9</b>	<b>0.6</b>	*	-	-
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	0.1	0.5	0.2	*	*	-	-	-	
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>0.8</b>	<b>0.3</b>	<b>0.1</b>	*	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	-	-	-	-
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	<b>0.1</b>	*	*	-	-	-	-
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	-

\* Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	-	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL, ALL-----</b>		-	-	-	-	*	0.5	7.6	35.8	41.3	13.1	1.7	*	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple	34.6
	Bark - Level 1	0.6														Percent Tenderable	95.1
	Bark - Level 2	*															
	Grass - Level 1	*															
	Grass - Level 2	-															
	Prep - Level 1	0.1															
	Prep - Level 2	-															
	Other - Level 1	-															
	Other - Level 1	-															

112,142 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	*	0.2	1.0	1.3	0.5	0.1	*	*	-	3.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.3</b>	<b>1.2</b>	<b>1.5</b>	<b>0.6</b>	<b>0.1</b>	*	*	-
31	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.2	2.4	10.2	11.5	3.1	0.5	*	*	*	27.9
	4	-	-	-	*	*	0.6	3.2	5.4	2.6	0.7	*	*	*	-	12.5
	5	-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.2</b>	<b>3.1</b>	<b>13.7</b>	<b>17.0</b>	<b>5.9</b>	<b>1.2</b>	*	*	*
41	1-2	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.3	3.2	9.4	7.5	1.9	0.3	*	*	*	22.6
	4	-	-	-	*	*	0.1	1.8	7.9	10.0	4.3	1.2	*	*	*	25.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.4</b>	<b>5.1</b>	<b>17.5</b>	<b>17.9</b>	<b>6.4</b>	<b>1.6</b>	<b>0.1</b>	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.1
	4	-	-	-	-	*	*	0.2	0.7	0.8	0.4	0.1	*	-	-	2.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>1.2</b>	<b>1.2</b>	<b>0.6</b>	<b>0.2</b>	*	*	*
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	-	-
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	4	-	-	-	*	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>	<b>0.1</b>	*	*	-
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>		-	-	*	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.1</b>	*	*	*	*

\* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	<b>0.1</b>	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	<b>0.1</b>	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
<b>TOTAL, ALL----</b>		-	-	*	*	*	<b>0.7</b>	<b>9.1</b>	<b>34.1</b>	<b>38.5</b>	<b>14.1</b>	<b>3.3</b>	<b>0.1</b>	*	*	<b>100.0</b>	
EXTRANEIOUS MATTER																Average Staple	<b>34.7</b>
																Percent Tenderable	<b>91.0</b>
Bark - Level 1		0.9															
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

2,101,906 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	0.1	0.3	0.3	0.1	*	-	-	0.9
	3	-	-	*	0.4	0.6	0.7	0.7	1.6	2.6	1.4	1.1	*	-	-	9.0
	4	-	-	*	0.3	1.0	2.1	1.1	0.6	0.9	0.4	0.2	*	-	-	6.6
	5	*	-	-	*	0.3	0.6	0.4	0.1	0.1	*	*	-	-	-	1.6
	6	-	-	-	-	*	0.1	*	*	*	-	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		*	-	*	<b>0.7</b>	<b>2.0</b>	<b>3.5</b>	<b>2.3</b>	<b>2.4</b>	<b>3.9</b>	<b>2.0</b>	<b>1.4</b>	*	-	-
31	1-2	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	-	-	-	0.5
	3	-	-	*	*	0.4	1.0	1.2	1.7	2.4	1.8	1.7	0.1	-	-	10.3
	4	*	-	*	0.1	1.0	3.5	4.2	2.5	3.1	1.3	1.0	*	-	-	16.7
	5	-	-	*	0.1	1.1	4.9	6.0	1.4	1.0	0.4	0.2	*	-	-	15.2
	6	-	-	-	*	0.4	2.2	3.1	0.5	0.1	*	*	-	-	-	6.4
	7	-	-	-	-	*	0.2	0.6	0.1	*	*	*	-	-	-	0.9
	<b>TOTAL----</b>		-	-	*	<b>0.2</b>	<b>2.9</b>	<b>11.8</b>	<b>15.1</b>	<b>6.3</b>	<b>6.8</b>	<b>3.7</b>	<b>3.0</b>	<b>0.1</b>	-	-
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	*	0.1	0.2	0.5	0.2	0.2	0.1	*	*	-	-	1.3
	5	-	-	-	*	0.3	1.0	1.3	0.5	0.3	0.1	*	-	-	-	3.6
	6	-	-	-	*	0.3	1.0	1.8	0.5	0.1	*	*	-	-	-	3.6
	7	-	-	-	-	0.1	0.4	1.0	0.2	*	*	*	-	-	-	1.7
	<b>TOTAL----</b>		-	-	-	*	<b>0.8</b>	<b>2.6</b>	<b>4.7</b>	<b>1.4</b>	<b>0.6</b>	<b>0.2</b>	<b>0.1</b>	*	-	-
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	-	*	-	-	-	-	*	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	*	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	0.2	0.2	0.2	0.2	0.5	0.8	0.3	0.1	*	-	-	2.5
	4	-	-	*	*	0.3	0.4	0.3	0.3	0.3	0.1	*	-	-	-	1.9
	5	-	*	*	*	0.1	0.1	0.2	*	*	*	*	-	-	-	0.5
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	*	*	<b>0.2</b>	<b>0.5</b>	<b>0.7</b>	<b>0.8</b>	<b>0.9</b>	<b>1.2</b>	<b>0.5</b>	<b>0.2</b>	*	*	-
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	*	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.3	0.3	0.3	*	-	-	1.5
	4	-	-	-	*	0.1	0.4	0.6	0.6	0.4	0.2	0.2	*	-	-	2.6
	5	-	-	-	*	0.1	0.6	1.2	0.3	0.2	0.1	0.1	*	-	-	2.7
	6	-	-	-	*	0.4	0.6	0.1	0.1	0.1	*	*	-	-	-	1.2
	7	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	<b>TOTAL----</b>		-	-	-	*	<b>0.3</b>	<b>1.6</b>	<b>2.8</b>	<b>1.2</b>	<b>1.0</b>	<b>0.8</b>	<b>0.6</b>	*	*	-
42	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	7	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	<b>TOTAL----</b>		-	-	-	*	<b>0.2</b>	<b>0.4</b>	<b>0.2</b>	<b>0.1</b>	*	*	*	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-

\* Less than 0.05 percent.



Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	*	-	-	*	*	*	*	*	-	-	0.1		
	3	-	-	-	*	0.1	0.2	0.1	0.2	0.2	0.1	*	*	-	1.0		
	4	-	-	*	*	0.2	0.2	*	0.1	0.1	*	*	-	-	0.6		
	5	-	-	-	*	*	*	*	*	-	*	*	-	-	0.1		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	*	*	<b>0.3</b>	<b>0.5</b>	<b>0.1</b>	<b>0.3</b>	<b>0.3</b>	<b>0.1</b>	*	*	-	<b>1.7</b>	
33	1-2	-	-	-	-	-	*	-	*	*	*	*	*	-	*		
	3	-	-	-	*	*	0.2	*	0.1	0.1	0.1	0.1	*	-	0.7		
	4	-	-	-	*	0.2	0.3	0.2	0.1	0.1	*	*	-	-	1.1		
	5	-	-	-	*	0.1	0.2	0.4	0.1	0.1	*	*	-	-	0.9		
	6	-	-	-	*	*	0.1	0.2	*	*	*	*	-	-	0.3		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1		
	<b>TOTAL----</b>		-	-	-	*	<b>0.3</b>	<b>0.8</b>	<b>0.9</b>	<b>0.3</b>	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	*	-	<b>3.1</b>	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.1		
	6	-	-	-	-	-	-	0.1	*	*	*	*	-	-	0.2		
	7	-	-	-	-	-	*	0.1	*	*	*	*	-	-	0.1		
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.3</b>	*	*	*	*	-	-	<b>0.5</b>	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	-	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	*	0.2	0.4	0.2	0.1	*	*	*	-	-	1.0		
25-35	1-7	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
81-85 1/	1-7	-	-	-	-	*	*	*	-	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	*	*	0.1	0.5	0.1	*	-	-	-	-	0.7		
<b>TOTAL, ALL----</b>		*	*	*	<b>1.3</b>	<b>7.3</b>	<b>22.3</b>	<b>28.1</b>	<b>13.3</b>	<b>14.3</b>	<b>7.5</b>	<b>5.5</b>	<b>0.2</b>	*	<b>100.0</b>		
EXTRANEIOUS MATTER																Average Staple	<b>33.5</b>
																Percent Tenderable	<b>28.6</b>
Bark - Level 1	12.4																
Bark - Level 2	*																
Grass - Level 1	0.1																
Grass - Level 2	-																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	0.1																
Other - Level 1	-																

92,404 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	*	*	0.8	2.6	3.3	1.3	0.3	*	*	-	-	8.4	
	3	-	-	-	*	*	0.6	2.9	6.0	4.3	1.5	0.3	*	*	-	15.5	
	4	-	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	*	*	0.9	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	*	<b>0.1</b>	<b>1.4</b>	<b>5.5</b>	<b>9.5</b>	<b>6.0</b>	<b>1.9</b>	<b>0.4</b>	*	*	-	<b>24.8</b>
31	1-2	-	-	-	*	*	0.3	0.9	1.0	0.4	0.1	*	*	-	-	2.7	
	3	-	-	-	*	*	1.2	6.6	15.5	11.1	3.6	0.6	*	*	-	38.7	
	4	-	-	-	-	*	0.1	0.5	2.5	4.2	2.7	0.8	0.1	*	*	10.9	
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	*	<b>0.1</b>	<b>1.6</b>	<b>8.1</b>	<b>19.1</b>	<b>15.9</b>	<b>6.5</b>	<b>1.5</b>	<b>0.2</b>	*	*	<b>52.8</b>
41	1-2	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2	
	3	-	-	-	-	*	0.3	1.8	4.0	2.8	0.7	0.1	*	*	-	9.6	
	4	-	-	-	-	*	0.1	0.4	1.6	2.6	1.6	0.4	*	*	*	6.7	
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.6	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	<b>TOTAL----</b>		-	-	-	*	<b>0.4</b>	<b>2.3</b>	<b>5.7</b>	<b>5.5</b>	<b>2.5</b>	<b>0.7</b>	<b>0.1</b>	*	*	-	<b>17.1</b>
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	-	<b>0.2</b>
61	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	-	-	<b>0.5</b>
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	0.2	0.3	0.3	0.2	*	*	*	*	-	1.1	
	4	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	*	*	-	1.0	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.6</b>	<b>0.7</b>	<b>0.4</b>	<b>0.1</b>	*	*	-	<b>2.1</b>
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5	
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.3	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.4</b>	<b>0.7</b>	<b>0.5</b>	<b>0.2</b>	*	*	-	-	<b>2.0</b>
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	<b>0.1</b>

\* Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	
43	1-2	-	-	-	-	-	*	-	*	*	*	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	*	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL, ALL----</b>		-	-	-	*	0.1	3.5	16.5	35.7	29.1	12.0	2.8	0.3	*	*	
EXTRANEIOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,105,638 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE															
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.7	0.3	*	*	*	-	-	1.5	
	3	-	-	-	*	*	0.2	1.1	2.6	2.1	0.6	0.2	*	*	-	6.7	
	4	-	-	-	*	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>1.5</b>	<b>3.4</b>	<b>2.6</b>	<b>0.8</b>	<b>0.2</b>	*	*	-	<b>8.8</b>
	31	1-2	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	*	*	-	1.5
3		-	-	-	*	*	0.8	5.3	12.6	10.5	3.0	0.7	*	*	*	32.9	
4		-	-	-	*	*	0.2	1.3	5.4	8.0	3.4	0.7	*	*	1.3	18.9	
5		-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	*	-	0.6	
6		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
7		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
<b>TOTAL----</b>			-	-	-	*	<b>0.1</b>	<b>1.1</b>	<b>7.1</b>	<b>18.7</b>	<b>19.0</b>	<b>6.6</b>	<b>1.4</b>	<b>0.1</b>	*	*	<b>53.9</b>
41		1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	0.1	1.0	2.5	2.1	0.6	0.1	-	-	-	6.5	
	4	-	-	-	-	*	0.1	0.9	4.1	6.5	2.9	0.5	*	*	-	15.0	
	5	-	-	-	-	*	0.1	0.4	0.9	0.9	0.5	0.1	*	*	-	2.0	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	<b>TOTAL----</b>		-	-	-	*	<b>0.3</b>	<b>2.1</b>	<b>7.0</b>	<b>9.6</b>	<b>4.0</b>	<b>0.7</b>	*	*	-	<b>23.7</b>	
	51	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
3		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
4		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
5		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
6		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
7		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
<b>TOTAL----</b>			-	-	-	-	*	*	<b>0.1</b>	*	*	*	*	*	-	<b>0.2</b>	
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>			-	-	-	-	-	-	-	*	-	-	-	-	-	*	
12 & 22		1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	*	*	-	<b>0.3</b>
	32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
3		-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	*	*	*	*	2.1	
4		-	-	-	*	*	*	0.3	1.0	1.3	0.5	0.1	*	*	-	3.2	
5		-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2	
6		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>			-	-	-	*	*	<b>0.1</b>	<b>0.7</b>	<b>1.9</b>	<b>2.1</b>	<b>0.7</b>	<b>0.1</b>	*	*	*	<b>5.6</b>
42		1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	*	-	1.0	
	4	-	-	-	-	*	*	0.3	1.4	2.2	0.9	0.1	*	*	-	5.0	
	5	-	-	-	-	*	*	*	0.2	0.4	0.2	*	*	*	-	0.9	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.5</b>	<b>1.9</b>	<b>2.9</b>	<b>1.3</b>	<b>0.2</b>	*	*	-	<b>6.9</b>	
	52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
3		-	-	-	*	-	*	*	*	*	*	*	-	-	-	*	
4		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
5		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
6		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
7		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
<b>TOTAL----</b>			-	-	-	*	*	*	*	<b>0.1</b>	*	*	*	*	-	<b>0.2</b>	

\* Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		Pct.
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
<b>TOTAL, ALL----</b>		-	-	-	*	0.1	1.8	12.0	33.2	36.6	13.6	2.6	0.1	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple	34.6
																Percent Tenderable	78.5
Bark - Level 1		0.6															
Bark - Level 2		*															
Grass - Level 1		0.2															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

2,089,355 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.6	1.0	0.5	0.1	*	-	-	2.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.3</b>	<b>0.7</b>	<b>1.2</b>	<b>0.7</b>	<b>0.1</b>	*	-	-
31	1-2	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	*	*	0.2	2.9	11.2	16.7	8.6	1.5	*	*	-	41.3
	4	-	-	-	-	*	*	0.5	3.8	8.9	7.2	2.3	*	*	-	22.7
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>3.6</b>	<b>15.4</b>	<b>25.9</b>	<b>16.0</b>	<b>3.9</b>	<b>0.1</b>	*	-
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.4	1.8	3.7	2.3	0.3	-	-	-	8.5
	4	-	-	-	-	*	*	0.2	1.6	5.2	5.2	1.1	*	*	-	13.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.5</b>	<b>3.5</b>	<b>9.2</b>	<b>7.8</b>	<b>1.5</b>	*	*	-	<b>22.5</b>
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	-	-	*	-	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.8	1.6	1.0	0.2	*	*	-	3.7
	4	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.0</b>	<b>2.3</b>	<b>1.7</b>	<b>0.4</b>	*	*	-	<b>5.4</b>
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.6
	4	-	-	-	-	-	*	0.1	0.7	0.7	0.3	*	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.4</b>	<b>1.3</b>	<b>1.3</b>	<b>0.4</b>	*	*	-	-	<b>3.5</b>
52	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	-	-	-

\* Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	-	-	*	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	*	-	-	*	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	*	-	*	-	*	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.5	5.7	23.3	39.4	25.4	5.6	0.1	*	-	
<b>EXTRANEIOUS MATTER</b>																
Bark - Level 1	0.1															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															
Average Staple <b>35.0</b>																
Percent Tenderable <b>71.8</b>																

864,415 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.4	3.4	14.2	22.3	15.3	3.1	0.6	*	59.5
	3	-	-	-	*	*	0.1	0.8	1.6	2.2	4.9	6.4	2.9	0.8	0.1	19.8
	4	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.4	0.3	0.2	0.1	1.4
	5	-	-	-	-	-	-	*	-	*	*	*	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.2</b>	<b>1.2</b>	<b>5.1</b>	<b>16.5</b>	<b>27.4</b>	<b>22.2</b>	<b>6.4</b>	<b>1.6</b>	<b>0.2</b>
31	1-2	-	-	-	-	-	*	0.1	0.6	1.5	3.2	2.2	0.3	*	-	7.9
	3	-	-	-	-	-	*	0.1	0.4	1.0	2.5	2.8	0.8	0.2	*	7.8
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.6	0.6	0.1	*	1.9
	5	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	<b>TOTAL----</b>		-	-	-	-	-	*	<b>0.2</b>	<b>1.1</b>	<b>2.7</b>	<b>5.9</b>	<b>5.7</b>	<b>1.8</b>	<b>0.4</b>	*
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	-
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	*	*	-
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	<b>0.1</b>	*	*	*	*	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	*	-	-	*	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	*	-	-	-	-

\* Less than 0.05 percent.



Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	*	*	
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	*	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	*	-	-	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL, ALL----</b>		-	-	-	*	*	0.2	1.5	6.4	19.5	33.5	28.1	8.4	2.1	0.2	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.5															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	*															
		Average Staple													36.1	
		Percent Tenderable													76.9	

51,472 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*	-	-
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.3	1.3	1.6	0.8	0.2	*	*	-	4.3
	4	-	-	-	*	*	*	0.1	0.6	1.2	0.8	0.2	*	*	-	2.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.5</b>	<b>1.9</b>	<b>2.9</b>	<b>1.8</b>	<b>0.4</b>	*	*	-
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	1.1	4.5	5.4	2.4	0.5	*	*	-	14.0
	4	-	-	-	*	*	*	0.9	5.4	9.9	6.2	1.4	*	*	*	23.9
	5	-	-	-	-	*	*	*	0.3	0.8	0.8	0.2	*	*	-	2.2
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>2.0</b>	<b>10.2</b>	<b>16.2</b>	<b>9.4</b>	<b>2.1</b>	<b>0.1</b>	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.5	1.8	2.4	1.1	0.2	*	*	-	6.1
	4	-	-	-	*	*	*	0.7	3.3	6.1	3.6	0.8	*	*	-	14.6
	5	-	-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	*	-	1.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.2</b>	<b>5.5</b>	<b>9.2</b>	<b>5.3</b>	<b>1.1</b>	*	*	-
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	*	-
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	*	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.3	0.9	0.9	0.4	0.1	*	*	*	2.6
	4	-	-	-	*	*	*	0.4	1.6	2.4	1.2	0.2	*	*	*	5.9
	5	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.8</b>	<b>2.7</b>	<b>3.6</b>	<b>1.8</b>	<b>0.3</b>	*	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.5	1.3	1.3	0.4	*	*	*	*	3.6
	4	-	-	-	*	*	0.1	0.8	3.1	4.2	1.9	0.3	*	*	*	10.3
	5	-	-	-	-	*	*	0.1	0.4	0.7	0.5	0.1	*	*	*	1.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.4</b>	<b>4.8</b>	<b>6.3</b>	<b>2.8</b>	<b>0.4</b>	*	*	*

\* Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2	
	4	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	-	0.6	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.1</b>	*	*	-	-	<b>0.9</b>
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	*	*	<b>0.1</b>
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	0.1	0.1	*	*	*	-	-	0.2	
	4	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>	*	*	*	*	<b>0.8</b>
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.2</b>	*	*	*	*	<b>1.1</b>
63	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	3	-	-	0.1	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	*	*	*	*	*	*	<b>0.1</b>
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL, ALL----</b>		-	-	-	*	*	<b>0.5</b>	<b>6.4</b>	<b>26.4</b>	<b>40.0</b>	<b>22.0</b>	<b>4.5</b>	<b>0.1</b>	*	*	<b>100.0</b>	
EXTRANEIOUS MATTER																Average Staple	<b>34.9</b>
																Percent Tenderable	<b>62.3</b>
Bark - Level 1	1.5																
Bark - Level 2	*																
Grass - Level 1	0.4																
Grass - Level 2	-																
Prep - Level 1	0.6																
Prep - Level 2	*																
Other - Level 1	*																
Other - Level 1	-																

1,398,527 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	-	*	*	*	0.1	0.5	1.2	2.8	5.2	7.3	6.7	4.1	0.4	*	-	28.3
	4	-	-	-	*	*	0.1	0.4	0.8	0.8	0.5	0.2	*	*	-	3.0	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	<b>TOTAL----</b>	-	*	*	<b>0.1</b>	<b>0.9</b>	<b>2.7</b>	<b>7.2</b>	<b>13.3</b>	<b>16.0</b>	<b>13.4</b>	<b>9.4</b>	<b>1.5</b>	*	*	-	<b>64.6</b>
	31	1-2	-	-	*	*	*	0.1	0.3	0.6	0.7	0.7	0.4	*	*	-	2.9
3		-	-	*	*	0.1	0.5	1.3	2.4	2.7	2.6	2.1	0.4	*	-	12.2	
4		-	*	*	*	0.1	0.3	0.7	1.4	1.4	0.9	0.5	0.1	*	-	5.5	
5		-	-	-	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	-	1.3	
6		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
7		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
<b>TOTAL----</b>		-	-	*	*	<b>0.3</b>	<b>1.0</b>	<b>2.5</b>	<b>4.8</b>	<b>5.2</b>	<b>4.4</b>	<b>3.2</b>	<b>0.6</b>	*	-	-	<b>22.0</b>
41		1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.3	
	5	-	-	-	*	*	*	0.1	*	*	*	*	*	-	-	0.3	
	6	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.9	
	<b>TOTAL----</b>	-	*	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	<b>0.9</b>	
	51	1-2	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
3		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
4		-	-	-	-	-	*	*	*	*	-	-	-	-	*	*	
5		-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
6		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
7		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
61		1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	<b>TOTAL----</b>	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<b>TOTAL----</b>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	*	*	*	0.1	0.2	0.3	0.6	0.5	0.3	0.1	*	-	-	2.2
	3	-	-	*	*	0.1	0.2	0.7	1.2	1.2	0.5	0.2	*	-	-	4.1	
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.5</b>	<b>1.1</b>	<b>2.0</b>	<b>1.9</b>	<b>0.9</b>	<b>0.3</b>	*	-	-	<b>7.0</b>	
	32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
3		-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	-	-	1.1	
4		-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8	
5		-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3	
6		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
7		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
<b>TOTAL----</b>		-	-	-	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.7</b>	<b>0.6</b>	<b>0.4</b>	<b>0.1</b>	*	-	-	<b>2.5</b>	
42		1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>	-	-	-	*	*	*	<b>0.1</b>	*	*	*	*	*	-	-	<b>0.3</b>	
	52	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
3		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
4		-	-	-	-	*	-	*	*	*	*	*	-	-	-	*	
5		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
6		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
7		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	

\* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	*	0.1	0.1	0.1	0.2	0.1	*	-	-	-	0.7	
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	*	*	0.1	0.2	0.2	0.4	0.3	0.1	*	*	-	1.4
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2	
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.7
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4	
25-35	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	*	*	*	-	-	*	-	-	-	*	
<b>TOTAL, ALL----</b>		-	*	*	0.3	1.7	4.7	11.8	22.0	24.5	19.5	13.2	2.2	0.1	*	100.0
EXTRANEIOUS MATTER															Average Staple	34.8
															Percent Tenderable	73.9
Bark - Level 1	9.1															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	*															

340,953 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	*	-	0.9
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.5</b>	<b>0.3</b>	<b>0.1</b>	*	*	-
31	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.1	0.8	3.5	4.5	1.6	0.4	*	*	-	10.9
	4	-	-	-	-	*	*	0.2	0.9	2.0	1.6	0.4	*	*	-	5.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>1.0</b>	<b>4.6</b>	<b>6.7</b>	<b>3.3</b>	<b>0.8</b>	<b>0.1</b>	*	-
41	1-2	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.3	2.5	10.8	11.5	3.6	0.5	-	-	-	29.2
	4	-	-	-	-	*	*	1.1	7.4	12.1	6.3	1.5	*	*	-	28.5
	5	-	-	-	-	-	*	*	0.2	0.6	0.7	0.3	*	*	-	1.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>3.7</b>	<b>18.4</b>	<b>24.3</b>	<b>10.6</b>	<b>2.3</b>	<b>0.1</b>	*	-
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.5	2.0	1.8	0.5	0.1	*	-	-	4.9
	4	-	-	-	-	*	*	0.4	1.9	2.5	1.2	0.3	*	-	-	6.4
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.1</b>	<b>0.9</b>	<b>4.0</b>	<b>4.5</b>	<b>2.0</b>	<b>0.5</b>	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	*	-	-
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.5	0.7	0.3	0.1	*	-	-	1.7
	4	-	-	-	-	*	*	0.1	0.5	1.3	0.9	0.4	*	-	-	3.2
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>1.0</b>	<b>2.1</b>	<b>1.4</b>	<b>0.5</b>	*	*	-
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.4	0.2	*	*	-	-	0.9
	4	-	-	-	-	-	*	0.1	0.3	0.9	0.6	0.2	*	*	-	2.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	<b>0.1</b>	<b>0.6</b>	<b>1.4</b>	<b>1.0</b>	<b>0.3</b>	*	*	-

\* Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	<b>0.1</b>	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	-	-	-	-	<b>*</b>	
33	1-2	-	-	-	-	-	*	*	-	*	-	*	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	<b>0.1</b>	
43	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2		
	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	-	<b>0.3</b>	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	<b>0.1</b>	*	*	-	-	<b>0.1</b>	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	-	-	-	-	<b>*</b>	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
<b>TOTAL, ALL----</b>		-	-	-	*	*	<b>0.5</b>	<b>6.1</b>	<b>29.3</b>	<b>40.1</b>	<b>18.9</b>	<b>4.7</b>	<b>0.2</b>	*	*	<b>100.0</b>	
EXTRANEIOUS MATTER																Average Staple	<b>34.9</b>
																Percent Tenderable	<b>85.8</b>
Bark - Level 1		0.9															
Bark - Level 2		*															
Grass - Level 1		0.3															
Grass - Level 2		-															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

391,365 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	3	-	-	-	*	*	0.3	1.4	2.2	1.5	0.4	*	-	-	-	5.7
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>1.7</b>	<b>2.6</b>	<b>1.8</b>	<b>0.5</b>	*	*	-	-
31	1-2	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	-	-	-	0.7
	3	-	-	-	*	*	1.6	8.3	13.6	8.4	2.1	0.2	*	-	-	34.2
	4	-	-	-	*	*	0.7	4.2	11.2	10.6	3.4	0.4	*	-	-	30.6
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	-	-	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	<b>0.1</b>	<b>2.4</b>	<b>12.9</b>	<b>25.2</b>	<b>19.4</b>	<b>5.7</b>	<b>0.6</b>	*	-	-
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.8	1.6	0.9	0.2	*	-	-	-	3.7
	4	-	-	-	*	*	0.2	1.3	3.5	3.3	1.0	0.1	*	-	-	9.3
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	-	-	-	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.3</b>	<b>2.2</b>	<b>5.5</b>	<b>4.7</b>	<b>1.4</b>	<b>0.2</b>	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	*	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	*	<b>0.1</b>	<b>0.1</b>	*	*	*	-	-	-
32	1-2	-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.4	1.4	1.5	0.6	0.1	*	*	-	4.0
	4	-	-	-	*	*	*	0.2	0.8	1.1	0.7	0.2	*	*	-	2.9
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.6</b>	<b>2.3</b>	<b>2.7</b>	<b>1.3</b>	<b>0.2</b>	*	*	-	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	-	-	1.5
	4	-	-	-	-	*	0.1	0.5	0.9	0.6	0.2	*	-	-	-	2.4
	5	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<b>TOTAL----</b>		-	-	-	*	*	<b>0.2</b>	<b>1.0</b>	<b>1.7</b>	<b>1.1</b>	<b>0.2</b>	*	-	-	-
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-

\* Less than 0.05 percent.



Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
<b>TOTAL, ALL----</b>		-	-	-	*	0.2	4.0	20.3	38.0	28.5	8.2	0.8	*	-	-	100.0	
EXTRANEIOUS MATTER																Average Staple	34.2
																Percent Tenderable	74.8
Bark - Level 1		0.7															
Bark - Level 2		*															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

1,083,010 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	*	*	*	*	0.3	1.3	3.6	7.0	4.5	1.4	0.1	*	*	*	24.4	
	4	-	*	*	*	0.4	1.5	4.5	8.5	10.7	8.2	3.4	0.2	*	*	*	37.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	4.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	<b>TOTAL----</b>		*	*	*	<b>0.1</b>	<b>0.8</b>	<b>3.1</b>	<b>8.7</b>	<b>15.7</b>	<b>19.0</b>	<b>13.6</b>	<b>5.3</b>	<b>0.3</b>	*	*	<b>66.6</b>
	31	1-2	-	-	*	*	*	0.2	0.4	0.6	0.6	0.3	0.1	*	*	*	2.3
3		-	*	*	*	0.1	0.6	1.6	2.7	3.6	2.7	1.0	0.1	*	*	12.4	
4		-	*	*	*	0.1	0.3	0.7	1.4	2.0	1.7	0.8	0.1	*	*	7.1	
5		-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	1.1	
6		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
7		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	*	*	*	<b>0.3</b>	<b>1.2</b>	<b>2.9</b>	<b>5.0</b>	<b>6.6</b>	<b>5.0</b>	<b>2.0</b>	<b>0.2</b>	*	*	<b>23.2</b>
41		1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	1.2	
	4	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*	1.5	
	5	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	0.7	
	6	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	*	*	*	<b>0.2</b>	<b>0.4</b>	<b>0.8</b>	<b>1.1</b>	<b>0.8</b>	<b>0.4</b>	<b>0.1</b>	*	*	<b>3.8</b>	
	51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
3		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
4		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
5		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	*	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	*	<b>0.4</b>	
61		1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
3		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
4		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
5		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
6		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	-	-	*	*	*	*	*	*	*	*	*	*	
12 & 22		1-2	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	3	-	-	*	*	*	0.2	0.4	0.5	0.4	0.2	0.1	*	*	*	1.8	
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.6</b>	<b>0.8</b>	<b>0.6</b>	<b>0.3</b>	<b>0.1</b>	*	*	<b>2.8</b>	
	32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
3		-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	*	0.7	
4		-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	0.6	
5		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
6		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>0.2</b>	<b>0.1</b>	*	*	<b>1.6</b>	
42		1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	<b>TOTAL----</b>		-	-	*	*	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	*	<b>0.7</b>	
	52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
3		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
4		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
5		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
6		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
<b>TOTAL----</b>			-	-	*	*	*	*	*	*	*	*	*	*	*	*	

\* Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.5
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	0.1	*	*	*	*	*	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	<b>TOTAL----</b>		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1	
25-35	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
<b>TOTAL, ALL----</b>		*	*	*	0.2	1.3	5.2	13.4	23.1	28.1	20.1	8.0	0.6	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple	34.7
																Percent Tenderable	58.7
Bark - Level 1	9.0																
Bark - Level 2	*																
Grass - Level 1	0.4																
Grass - Level 2	*																
Prep - Level 1	*																
Prep - Level 2	*																
Other - Level 1	0.1																
Other - Level 1	*																

8,283,633 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	*	*	*
31	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	3	-	-	-	-	-	*	0.1	0.4	1.6	2.0	1.1	0.2	*	*	
	4	-	-	-	-	-	*	*	0.2	1.1	1.8	1.1	0.2	*	*	
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	*	<b>0.1</b>	<b>0.7</b>	<b>2.9</b>	<b>3.9</b>	<b>2.4</b>	<b>0.4</b>	*	*
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	3	-	-	-	-	*	*	0.2	1.2	3.9	4.7	2.4	0.2	*	*	
	4	-	-	-	-	-	*	0.1	1.3	5.0	6.6	4.0	0.5	*	*	
	5	-	-	-	-	-	-	*	*	0.3	0.6	0.4	*	*	-	
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.3</b>	<b>2.5</b>	<b>9.2</b>	<b>11.9</b>	<b>6.8</b>	<b>0.8</b>	*	*
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	3	-	-	-	-	*	*	0.1	0.9	2.8	3.1	1.9	0.2	*	*	
	4	-	-	-	-	-	*	0.1	1.4	5.2	6.7	4.1	0.4	-	-	
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.3	*	-	-	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	<b>0.2</b>	<b>2.4</b>	<b>8.1</b>	<b>10.1</b>	<b>6.3</b>	<b>0.6</b>	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	*	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	-	-	*	*	*	*	-	-	-	
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	-	
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	*	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.1</b>	*	-	
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	3	-	-	-	-	-	*	0.3	1.0	1.4	0.8	0.2	*	*	-	
	4	-	-	-	-	-	*	0.2	0.9	1.8	1.1	0.4	*	*	-	
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	-	<b>0.1</b>	<b>0.4</b>	<b>1.9</b>	<b>3.3</b>	<b>2.0</b>	<b>0.7</b>	*	*	*	
52	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	3	-	-	-	-	-	*	0.2	1.3	2.1	1.3	0.4	*	*	-	
	4	-	-	-	*	-	*	0.3	2.0	4.5	3.8	1.3	0.1	*	-	
	5	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>TOTAL----</b>		-	-	-	*	-	*	<b>0.5</b>	<b>3.4</b>	<b>6.9</b>	<b>5.5</b>	<b>1.9</b>	<b>0.1</b>	*	

\* Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
2005 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	-	-	0.6	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.2	
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2	
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.5	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----		-	-	-	*	*	0.1	1.7	11.3	31.5	34.7	18.5	2.0	0.1	*	100.0	
EXTRANEIOUS MATTER																Average Staple	35.6
																Percent Tenderable	60.0
Bark - Level 1	0.5																
Bark - Level 2	-																
Grass - Level 1	0.3																
Grass - Level 2	-																
Prep - Level 1	0.2																
Prep - Level 2	-																
Other - Level 1	-																
Other - Level 1	-																

166,764 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**Table 21. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2005 crop.**

State	Extraneous matter														Total	
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		level 1	level 2
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	1,576	0	17,034	90	1,482	25	8	0	5	0	1	0	3	0	20,109	115
Arizona	21	0	22,451	62	1,134	22	6,556	64	4	0	6	0	849	0	31,021	148
Arkansas	202	1	5,261	0	2,666	1	817	0	16	0	0	0	10	0	8,972	2
California	102	2	13,605	7	4,083	9	360	0	4	0	351	0	522	0	19,027	18
Florida	91	0	629	1	61	0	0	0	0	0	0	0	0	0	781	1
Georgia	3,728	8	18,909	328	2,251	111	225	0	26	0	0	0	4	0	25,143	447
Kansas	1	0	11,462	1	138	0	92	0	0	0	0	0	0	0	11,693	1
Louisiana	222	5	453	2	2,396	1	80	0	7	0	6	0	9	0	3,173	8
Mississippi	301	1	11,940	26	4,618	42	92	0	16	0	0	0	33	1	17,000	70
Missouri	90	0	1,261	1	466	0	179	0	4	0	0	0	0	0	2,000	1
New Mexico	6	0	255	0	76	0	58	1	1	0	0	0	8	0	404	1
North Carolina	7,908	1	21,173	50	5,900	0	0	0	2	0	0	0	0	0	34,983	51
Oklahoma	30	0	31,029	52	279	6	112	34	1	0	0	0	2	0	31,453	92
South Carolina	284	0	333	1	1,127	0	0	0	0	0	0	0	0	0	1,744	1
Tennessee	112	0	7,688	14	1,976	0	22	0	7	0	0	0	3	0	9,808	14
Texas	2,709	58	748,227	253	35,346	928	9,812	273	87	2	19	1	132	1	796,332	1,516
Virginia	372	0	796	0	422	0	0	0	0	0	0	0	0	0	1,590	0
<b>United States</b>	<b>17,755</b>	<b>76</b>	<b>912,506</b>	<b>888</b>	<b>64,421</b>	<b>1,145</b>	<b>18,413</b>	<b>372</b>	<b>180</b>	<b>2</b>	<b>383</b>	<b>1</b>	<b>1,575</b>	<b>2</b>	<b>1,015,233</b>	<b>2,486</b>

Table 22. -- Tenderability of upland cotton classed, by states, 2005 crop

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	780,590	86.8	119,009	13.2
Arizona	390,122	68.2	182,195	31.8
Arkansas	1,561,908	74.4	537,808	25.6
California	985,685	93.6	67,316	6.4
Florida	42,146	95.4	2,026	4.6
Georgia	1,912,857	91.0	189,049	9.0
Kansas	26,438	28.6	65,966	71.4
Louisiana	866,407	78.4	239,231	21.6
Mississippi	1,639,248	78.5	450,107	21.5
Missouri	620,363	71.8	244,052	28.2
New Mexico	39,600	76.9	11,872	23.1
North Carolina	871,393	62.3	527,134	37.7
Oklahoma	252,102	73.9	88,851	26.1
South Carolina	335,853	85.8	55,512	14.2
Tennessee	809,813	74.8	273,197	25.2
Texas	4,863,985	58.7	3,419,648	41.3
Virginia	100,009	60.0	66,755	40.0
<b>United States</b>	<b>16,098,519</b>	<b>71.1</b>	<b>6,539,728</b>	<b>28.9</b>

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1986-2005 crops.

Year	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9

1/ 1983-84, New York No. 2; 1985, New York No. 2 and Chicago; 1986-2002 New York No. 2.

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2005 crop.

Color	Leaf	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
11 & 21	1-2	0.9	28.3	26.2	25.4	0.2	0.4	0.3	2.3	0.7	1.6	1.3	
	3	9.0	33.2	31.5	30.8	4.0	4.7	4.0	12.8	4.5	7.1	6.4	
	4	6.6	3.0	2.4	2.7	1.4	0.6	1.4	2.6	0.5	0.6	0.6	
	5	1.6	0.1	0.1	0.2	*	-	*	0.1	*	*	*	
	6	0.2	*	*	*	*	-	*	*	-	*	*	
	7	*	-	-	*	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>18.3</b>	<b>64.6</b>	<b>60.1</b>	<b>59.0</b>	<b>5.7</b>	<b>5.7</b>	<b>5.7</b>	<b>17.8</b>	<b>5.6</b>	<b>9.4</b>	<b>8.3</b>
31	1-2	0.5	2.9	4.1	3.7	0.6	2.2	0.7	1.5	0.5	1.6	1.3	
	3	10.3	12.2	16.0	15.2	29.6	54.2	31.5	23.5	26.5	33.2	31.3	
	4	16.7	5.5	6.8	7.1	28.3	17.3	27.5	16.9	20.9	18.5	19.2	
	5	15.2	1.3	1.4	2.0	1.5	0.2	1.4	2.3	0.4	0.5	0.5	
	6	6.4	0.1	0.1	0.4	0.1	*	*	0.2	*	*	*	
	7	0.9	*	*	*	*	-	*	*	-	*	*	
	<b>Total</b>	----	<b>50.0</b>	<b>22.0</b>	<b>28.5</b>	<b>28.4</b>	<b>60.1</b>	<b>74.0</b>	<b>61.2</b>	<b>44.4</b>	<b>48.3</b>	<b>53.8</b>	<b>52.3</b>
41	1-2	*	*	0.2	0.1	0.2	0.1	0.2	0.3	*	0.1	0.1	
	3	0.2	0.1	0.7	0.6	12.0	10.6	11.9	7.4	5.9	6.2	6.2	
	4	1.3	0.3	0.8	0.7	14.4	8.7	14.0	9.7	18.5	14.6	15.7	
	5	3.6	0.3	0.5	0.6	1.9	0.3	1.7	4.4	2.1	1.9	2.0	
	6	3.6	0.1	0.2	0.3	0.2	*	0.2	1.3	*	0.1	*	
	7	1.7	*	*	0.1	*	-	*	0.1	*	*	*	
	<b>Total</b>	----	<b>10.4</b>	<b>0.9</b>	<b>2.4</b>	<b>2.5</b>	<b>28.6</b>	<b>19.7</b>	<b>28.0</b>	<b>23.1</b>	<b>26.6</b>	<b>22.9</b>	<b>24.0</b>
51	1-2	-	*	*	*	0.5	*	0.5	0.8	*	*	*	
	3	-	*	*	*	0.6	0.1	0.5	0.8	0.1	0.1	0.1	
	4	*	*	*	*	0.1	*	0.1	0.6	0.1	0.1	0.1	
	5	*	*	*	*	*	*	*	0.5	*	*	*	
	6	*	*	*	*	*	*	*	0.2	*	*	*	
	7	*	*	*	*	*	-	*	0.2	*	*	*	
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>1.2</b>	<b>0.2</b>	<b>1.2</b>	<b>2.8</b>	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>
61	1-2	-	*	*	*	-	-	-	*	-	-	-	
	3	-	-	*	*	*	-	*	*	-	*	*	
	4	-	-	*	*	*	*	*	*	-	*	*	
	5	-	-	*	*	*	-	*	*	-	*	*	
	6	-	-	*	*	*	-	*	*	-	*	*	
	7	-	*	*	*	*	-	-	*	-	-	-	
	<b>Total</b>	----	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	*	*	-	*	-	-	-	-	
	4	-	-	*	*	-	-	*	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	
	6	*	-	-	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	
12 & 22	1-2	0.1	2.2	1.2	1.3	*	*	*	0.2	*	*	*	
	3	2.5	4.1	3.0	3.2	0.1	*	0.1	1.2	0.1	0.2	0.2	
	4	1.9	0.6	0.5	0.6	*	-	*	0.4	*	0.1	0.1	
	5	0.5	*	*	0.1	*	-	*	*	*	*	*	
	6	0.1	*	*	*	-	-	-	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>5.1</b>	<b>7.0</b>	<b>4.8</b>	<b>5.1</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>1.9</b>	<b>0.2</b>	<b>0.4</b>	<b>0.3</b>
32	1-2	0.1	0.2	0.2	0.2	*	*	*	0.1	*	0.1	*	
	3	1.5	1.1	1.1	1.1	1.0	0.1	0.9	1.8	2.6	2.2	2.3	
	4	2.6	0.8	0.7	0.8	1.0	0.1	0.9	2.1	3.8	3.3	3.5	
	5	2.7	0.3	0.3	0.4	0.1	-	0.1	0.4	0.2	0.2	0.2	
	6	1.2	0.1	*	0.1	*	-	*	0.1	*	*	*	
	7	0.2	*	*	*	*	-	*	*	-	-	-	
	<b>Total</b>	----	<b>8.2</b>	<b>2.5</b>	<b>2.3</b>	<b>2.6</b>	<b>2.1</b>	<b>0.2</b>	<b>1.9</b>	<b>4.4</b>	<b>6.7</b>	<b>5.7</b>	<b>6.0</b>
42	1-2	*	*	*	*	*	-	*	*	*	*	*	
	3	*	*	0.1	0.1	0.4	0.1	0.4	1.1	1.6	1.0	1.2	
	4	0.1	*	0.1	0.1	1.0	0.2	0.9	1.8	8.4	5.2	6.1	
	5	0.2	0.1	0.1	0.1	0.2	*	0.2	0.9	2.0	0.9	1.2	
	6	0.3	*	*	*	*	-	*	0.4	0.1	*	*	
	7	0.2	*	*	*	*	-	*	*	*	*	*	
	<b>Total</b>	----	<b>0.9</b>	<b>0.3</b>	<b>0.4</b>	<b>0.4</b>	<b>1.7</b>	<b>0.2</b>	<b>1.5</b>	<b>4.3</b>	<b>12.1</b>	<b>7.1</b>	<b>8.5</b>
52	1-2	-	*	*	*	*	-	*	*	*	*	*	
	3	*	*	*	*	*	*	*	0.2	*	*	*	
	4	*	*	*	*	0.1	*	0.1	0.2	0.1	0.1	0.1	
	5	*	*	*	*	*	-	*	0.2	0.1	0.1	0.1	
	6	*	*	*	*	*	-	*	0.1	*	*	*	
	7	*	*	*	*	*	-	*	*	*	*	*	
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>0.2</b>	<b>*</b>	<b>0.1</b>	<b>0.7</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>



Table 24. -- Continued.

Color	Leaf	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
62	1-2	-	-	*	*	-	-	-	*	-	-	-	
	3	-	*	*	*	*	-	*	*	-	*	*	
	4	*	*	*	*	*	-	*	*	*	*	*	
	5	-	-	*	*	*	-	*	*	-	*	*	
	6	-	-	*	*	*	-	*	*	-	*	*	
	7	-	-	*	*	-	-	-	*	-	-	-	
<b>Total</b>	----	*	*	*	*	*	-	*	*	*	*	*	
13 & 23	1-2	0.1	0.7	0.3	<b>0.3</b>	-	-	-	*	*	*	*	
	3	1.0	0.7	0.6	<b>0.6</b>	*	*	*	*	*	*	*	
	4	0.6	0.1	0.1	<b>0.1</b>	*	*	*	*	*	*	*	
	5	0.1	*	*	*	*	-	*	*	-	-	-	
	6	*	-	-	*	-	-	-	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>	----	<b>1.7</b>	<b>1.4</b>	<b>0.9</b>	<b>1.0</b>	*	*	*	<b>0.1</b>	*	*	*	
33	1-2	*	0.1	*	*	*	-	*	*	*	*	*	
	3	0.7	0.3	0.2	<b>0.3</b>	0.1	*	*	<b>0.1</b>	*	0.1	<b>0.1</b>	
	4	1.1	0.2	0.1	<b>0.1</b>	*	*	*	<b>0.1</b>	*	0.1	<b>0.1</b>	
	5	0.9	0.1	*	<b>0.1</b>	*	-	*	*	*	*	*	
	6	0.3	*	*	*	*	-	*	*	-	*	*	
	7	0.1	*	*	*	*	-	-	*	-	-	-	
<b>Total</b>	----	<b>3.1</b>	<b>0.7</b>	<b>0.4</b>	<b>0.6</b>	<b>0.1</b>	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	
43	1-2	-	*	*	*	*	-	*	*	*	*	*	
	3	*	*	*	*	0.1	*	<b>0.1</b>	*	*	*	*	
	4	*	*	*	*	0.1	*	<b>0.1</b>	<b>0.1</b>	0.1	0.2	<b>0.2</b>	
	5	0.1	*	*	*	*	-	*	<b>0.1</b>	*	*	*	
	6	0.2	*	*	*	*	-	*	*	*	*	*	
	7	0.1	*	*	*	*	-	*	*	-	-	-	
<b>Total</b>	----	<b>0.5</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.3</b>	<b>0.2</b>	
53	1-2	-	-	*	*	*	-	*	*	-	-	-	
	3	-	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	-	*	*	*	*	*	
	5	*	*	*	*	*	-	*	*	*	*	*	
	6	-	*	*	*	*	-	*	*	*	*	*	
	7	*	-	-	*	*	-	*	*	*	*	*	
<b>Total</b>	----	*	*	*	*	*	*	*	<b>0.1</b>	*	*	*	
63	1-2	-	-	*	*	-	-	*	*	-	-	-	
	3	-	-	*	*	*	-	*	*	*	*	*	
	4	-	*	*	*	*	-	*	*	*	*	*	
	5	-	-	*	*	-	-	-	*	-	*	*	
	6	-	-	*	*	-	-	-	*	-	*	*	
	7	-	-	*	*	-	-	-	*	-	-	-	
<b>Total</b>	----	-	*	*	*	*	-	*	*	*	*	*	
24 - 54	1-7	1.0	0.4	0.1	<b>0.2</b>	*	*	*	*	*	*	*	
25 - 35	1-7	*	*	*	*	-	-	-	*	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	-	*	*	*	*	*	
All Colors	8 2/	0.7	*	*	*	-	-	-	*	*	*	*	
<b>STAPLE</b>													
28 & shorter		*	*	*	*	-	-	-	-	-	-	-	
29		*	*	*	*	-	-	-	*	-	-	-	
30		1.3	0.3	0.3	<b>0.3</b>	-	-	-	<b>0.2</b>	-	*	*	
31		7.3	1.7	1.8	<b>2.0</b>	0.1	*	<b>0.1</b>	<b>1.7</b>	*	*	*	
32		22.3	4.7	7.9	<b>8.0</b>	2.6	0.6	<b>2.5</b>	<b>6.5</b>	0.2	1.5	<b>1.1</b>	
33		28.1	11.8	19.3	<b>18.5</b>	15.6	8.4	<b>15.0</b>	<b>12.3</b>	4.0	11.4	<b>9.3</b>	
34		13.3	22.0	27.8	<b>26.2</b>	33.6	33.9	<b>33.6</b>	<b>20.9</b>	24.8	33.2	<b>30.8</b>	
35		14.3	24.5	25.3	<b>24.7</b>	31.0	40.6	<b>31.7</b>	<b>29.8</b>	44.4	37.2	<b>39.3</b>	
36		7.5	19.5	13.4	<b>14.1</b>	13.7	14.6	<b>13.7</b>	<b>20.3</b>	22.3	13.8	<b>16.2</b>	
37		5.5	13.2	4.0	<b>5.6</b>	3.3	1.8	<b>3.2</b>	<b>7.3</b>	4.2	2.7	<b>3.1</b>	
38 & longer		0.2	2.3	0.2	<b>0.6</b>	0.1	*	<b>0.1</b>	<b>1.0</b>	0.1	0.1	<b>0.1</b>	
<b>All Staples</b>		<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	
<b>Average staple</b>		<b>33.5</b>	<b>34.8</b>	<b>34.2</b>	<b>34.3</b>	<b>34.5</b>	<b>34.7</b>	<b>34.5</b>	<b>34.7</b>	<b>35.0</b>	<b>34.6</b>	<b>34.7</b>	
<b>Total Classed</b>		<b>92,404</b>	<b>340,953</b>	<b>1,642,051</b>	<b>2,075,408</b>	<b>831,629</b>	<b>67,970</b>	<b>899,599</b>	<b>1,076,190</b>	<b>732,363</b>	<b>1,829,987</b>	<b>2,562,350</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2005 crop.

Color	Leaf	FLORENCE				LAMESA	LUBBOCK	MACON		
		North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
11 & 21	1-2	*	0.1	*	*	32.7	26.6	0.1	0.3	0.3
	3	0.2	0.9	0.4	0.3	38.6	46.1	1.4	3.1	3.0
	4	*	0.2	*	0.1	3.3	6.3	0.1	0.4	0.3
	5	*	*	*	*	0.1	0.2	-	*	*
	6	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	-	*	-	-	-
	<b>Total</b>	----	<b>0.2</b>	<b>1.2</b>	<b>0.4</b>	<b>0.5</b>	<b>74.6</b>	<b>79.2</b>	<b>1.6</b>	<b>3.7</b>
31	1-2	*	0.2	*	0.1	3.5	1.3	0.3	0.5	0.5
	3	4.3	10.9	5.5	5.8	12.1	8.2	29.6	27.9	28.0
	4	2.9	5.2	4.5	3.5	5.2	5.4	9.5	12.5	12.5
	5	0.3	0.2	0.4	0.3	0.7	0.9	0.1	0.2	0.2
	6	*	*	*	*	0.1	0.1	*	*	*
	7	-	-	-	-	*	*	-	*	*
	<b>Total</b>	----	<b>7.5</b>	<b>16.6</b>	<b>10.4</b>	<b>9.6</b>	<b>21.5</b>	<b>15.9</b>	<b>39.5</b>	<b>41.1</b>
41	1-2	*	0.1	*	*	0.1	*	0.2	0.1	0.1
	3	14.0	29.2	12.8	16.9	0.2	0.1	36.9	22.6	22.9
	4	23.9	28.5	17.5	24.3	0.3	0.1	17.7	25.4	25.2
	5	2.2	1.8	1.3	2.0	0.1	0.1	0.2	0.9	0.8
	6	0.1	0.1	0.1	0.1	0.1	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
	<b>Total</b>	----	<b>40.2</b>	<b>59.7</b>	<b>31.7</b>	<b>43.4</b>	<b>0.8</b>	<b>0.3</b>	<b>55.0</b>	<b>48.9</b>
51	1-2	*	*	*	*	*	*	-	*	*
	3	6.1	4.9	8.9	6.1	*	*	2.2	1.1	1.1
	4	14.6	6.4	18.0	13.3	*	*	1.1	2.3	2.3
	5	1.7	0.7	0.8	1.4	*	*	*	0.2	0.2
	6	0.1	0.1	*	0.1	*	*	-	*	*
	7	*	*	-	*	*	-	-	*	*
	<b>Total</b>	----	<b>22.5</b>	<b>12.1</b>	<b>27.8</b>	<b>20.9</b>	<b>*</b>	<b>*</b>	<b>3.3</b>	<b>3.6</b>
61	1-2	*	-	-	*	-	-	-	*	*
	3	0.1	*	0.1	0.1	-	*	-	*	*
	4	0.1	*	0.2	0.1	*	*	-	*	*
	5	*	*	*	*	-	-	-	*	*
	6	*	*	*	*	-	-	-	*	*
	7	*	*	*	*	-	-	-	*	*
	<b>Total</b>	----	<b>0.2</b>	<b>*</b>	<b>0.3</b>	<b>0.2</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>
71	1-2	-	-	-	-	*	*	-	-	-
	3	*	*	*	*	*	-	-	*	*
	4	*	*	*	*	-	-	-	-	-
	5	*	-	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>
12 & 22	1-2	*	*	*	*	0.5	0.6	-	*	*
	3	*	*	*	*	1.1	1.6	-	*	*
	4	*	*	*	*	0.2	0.4	-	*	*
	5	*	-	-	*	*	*	-	-	-
	6	-	-	-	-	*	*	-	-	-
	7	-	-	-	-	*	*	-	-	-
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>1.8</b>	<b>2.7</b>	<b>-</b>	<b>*</b>
32	1-2	*	*	*	*	0.1	0.1	-	*	*
	3	0.4	0.4	0.6	0.4	0.4	0.4	0.1	0.2	0.2
	4	0.4	0.3	0.4	0.4	0.2	0.4	0.1	0.2	0.2
	5	*	*	*	*	0.1	0.1	-	*	*
	6	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	*	*	-	*	*
	<b>Total</b>	----	<b>0.8</b>	<b>0.7</b>	<b>0.9</b>	<b>0.8</b>	<b>0.7</b>	<b>1.0</b>	<b>0.1</b>	<b>0.4</b>
42	1-2	*	*	*	*	*	*	*	*	*
	3	2.6	1.7	3.7	2.6	*	*	0.2	0.4	0.4
	4	5.9	3.2	4.4	5.2	*	*	0.2	0.8	0.8
	5	0.8	0.5	0.3	0.7	*	*	*	0.1	0.1
	6	0.1	*	*	0.1	*	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
	<b>Total</b>	----	<b>9.5</b>	<b>5.4</b>	<b>8.4</b>	<b>8.6</b>	<b>0.1</b>	<b>0.1</b>	<b>0.3</b>	<b>1.3</b>
52	1-2	*	*	*	*	*	*	-	*	*
	3	3.6	0.9	5.4	3.3	*	*	*	0.1	0.1
	4	10.3	2.1	12.0	8.8	*	*	*	0.4	0.4
	5	1.8	0.4	0.9	1.4	*	*	-	0.1	0.1
	6	0.1	*	*	0.1	*	*	-	*	*
	7	*	*	-	*	-	*	-	*	*
	<b>Total</b>	----	<b>15.9</b>	<b>3.5</b>	<b>18.4</b>	<b>13.6</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>0.6</b>

Table 25. -- Continued.

Color	Leaf	FLORENCE				LAMESA		LUBBOCK	MACON		Classing Office Total
		North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia		
62	1-2	*	-	-	*	-	-	-	-	-	
	3	0.2	*	0.1	0.2	-	*	-	*	*	
	4	0.6	0.1	0.5	0.5	-	*	-	*	*	
	5	0.1	*	*	0.1	-	-	-	*	*	
	6	*	*	*	*	-	*	-	*	*	
	7	*	-	-	*	-	-	-	-	-	
	<b>Total</b>	----	<b>0.9</b>	<b>0.1</b>	<b>0.6</b>	<b>0.7</b>	<b>-</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>
13 & 23	1-2	*	-	-	*	0.1	0.1	-	-	-	
	3	*	*	*	*	0.2	0.3	-	*	*	
	4	*	*	*	*	*	0.1	-	*	*	
	5	-	-	-	-	*	*	-	*	*	
	6	-	-	-	-	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>0.3</b>	<b>0.5</b>	<b>-</b>	<b>*</b>	<b>*</b>
33	1-2	*	*	-	*	*	*	-	*	*	
	3	0.1	0.1	*	0.1	0.1	0.1	-	*	*	
	4	*	*	*	*	*	0.1	-	*	*	
	5	*	*	*	*	*	*	-	*	*	
	6	*	-	-	*	*	*	-	-	-	
	7	-	-	-	-	*	*	-	-	-	
	<b>Total</b>	----	<b>0.1</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>-</b>	<b>0.1</b>	<b>0.1</b>
43	1-2	*	*	*	*	*	*	-	*	*	
	3	0.2	0.2	0.2	0.2	*	*	*	0.1	0.1	
	4	0.5	0.1	0.2	0.4	*	*	*	0.1	0.1	
	5	*	*	*	*	*	*	-	*	*	
	6	*	-	-	*	*	*	-	*	*	
	7	*	-	-	*	*	*	-	-	-	
	<b>Total</b>	----	<b>0.8</b>	<b>0.3</b>	<b>0.4</b>	<b>0.7</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>
53	1-2	*	-	*	*	-	*	-	-	-	
	3	0.2	*	0.2	0.2	*	*	*	*	*	
	4	0.7	0.1	0.3	0.6	-	*	*	*	*	
	5	0.1	*	*	0.1	-	*	-	*	*	
	6	*	*	-	*	-	-	-	*	*	
	7	-	-	-	-	-	-	-	*	*	
	<b>Total</b>	----	<b>1.1</b>	<b>0.1</b>	<b>0.5</b>	<b>0.8</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
63	1-2	-	-	-	-	-	-	-	-	-	
	3	*	*	*	*	-	-	*	*	*	
	4	0.1	*	*	0.1	-	*	*	*	*	
	5	*	*	*	*	-	-	-	*	*	
	6	*	*	-	*	-	-	-	*	*	
	7	-	-	-	-	-	-	-	*	*	
	<b>Total</b>	----	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
24 - 54	1-7	0.1	*	*	0.1	*	0.1	*	*	*	
25 - 35	1-7	*	-	-	*	*	*	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	*	-	*	*	
All Colors	8 2/	-	-	-	-	-	*	-	*	*	
<b>STAPLE</b>											
28 & shorter		-	-	-	-	*	*	-	-	-	
29		-	-	-	-	*	*	-	*	*	
30		*	*	*	*	*	0.2	-	*	*	
31		*	*	*	*	0.2	1.3	-	*	*	
32		0.5	0.5	0.1	0.5	2.2	4.8	0.2	0.7	0.7	
33		6.4	6.1	1.7	5.9	10.2	12.4	6.5	9.1	9.0	
34		26.4	29.3	11.3	25.7	21.7	22.4	38.6	34.1	34.2	
35		40.0	40.1	31.5	39.3	32.3	27.2	42.4	38.5	38.6	
36		22.0	18.9	34.7	22.5	23.7	21.5	10.7	14.1	14.0	
37		4.5	4.7	18.5	5.7	9.0	9.5	1.6	3.3	3.3	
38 & longer		0.2	0.2	2.1	0.3	0.6	0.6	*	0.1	0.1	
<b>All Staples</b>		<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	
<b>Average staple</b>		<b>34.9</b>	<b>34.9</b>	<b>35.6</b>	<b>35.0</b>	<b>34.9</b>	<b>34.7</b>	<b>34.6</b>	<b>34.7</b>	<b>34.7</b>	
<b>Total Classed</b>		<b>1,398,527</b>	<b>391,365</b>	<b>166,764</b>	<b>1,956,656</b>	<b>1,472,260</b>	<b>4,078,557</b>	<b>44,172</b>	<b>2,101,906</b>	<b>2,146,078</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2005 crop.

Color	Leaf	MEMPHIS					Classing Office Total	PHOENIX				Classing Office Total
		Arkansas	Missouri	Mississippi	Tennessee	Arizona		California	New Mexico	Texas		
11 & 21	1-2	0.2	0.2	0.5	0.6	<b>0.3</b>	48.9	36.6	59.5	32.7	<b>47.8</b>	
	3	3.1	2.4	2.5	5.7	<b>3.7</b>	17.4	16.1	19.8	11.5	<b>17.3</b>	
	4	0.4	0.4	0.4	0.8	<b>0.5</b>	1.2	0.5	1.4	0.3	<b>1.1</b>	
	5	*	*	*	*	*	0.1	*	0.2	-	<b>0.1</b>	
	6	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>3.6</b>	<b>3.0</b>	<b>3.4</b>	<b>7.1</b>	<b>4.5</b>	<b>67.6</b>	<b>53.2</b>	<b>80.8</b>	<b>44.5</b>	<b>66.3</b>
31	1-2	0.3	0.9	0.6	0.7	<b>0.6</b>	9.0	17.7	7.9	23.2	<b>10.3</b>	
	3	24.2	41.3	30.2	34.2	<b>31.9</b>	9.6	13.2	7.8	21.0	<b>10.1</b>	
	4	19.8	22.7	23.8	30.6	<b>24.0</b>	2.8	2.5	1.9	3.2	<b>2.7</b>	
	5	0.3	0.4	0.8	0.9	<b>0.5</b>	0.7	0.1	0.3	0.5	<b>0.6</b>	
	6	*	*	*	*	*	0.1	*	*	-	<b>0.1</b>	
	7	-	-	-	-	-	*	-	*	-	*	
	<b>Total</b>	----	<b>44.6</b>	<b>65.2</b>	<b>55.5</b>	<b>66.4</b>	<b>57.1</b>	<b>22.2</b>	<b>33.5</b>	<b>17.9</b>	<b>47.9</b>	<b>23.8</b>
41	1-2	0.1	*	0.1	*	*	1.0	4.6	0.1	1.1	<b>1.3</b>	
	3	9.8	8.5	8.0	3.7	<b>7.5</b>	2.5	3.7	0.3	4.8	<b>2.6</b>	
	4	27.2	13.3	19.8	9.3	<b>17.8</b>	1.1	1.3	0.3	0.8	<b>1.0</b>	
	5	2.3	0.7	2.7	1.3	<b>1.6</b>	0.5	0.1	0.1	0.2	<b>0.4</b>	
	6	0.1	*	0.1	0.1	*	0.1	*	*	*	<b>0.1</b>	
	7	*	*	*	*	*	*	*	-	-	*	
	<b>Total</b>	----	<b>39.4</b>	<b>22.5</b>	<b>30.7</b>	<b>14.3</b>	<b>27.0</b>	<b>5.3</b>	<b>9.7</b>	<b>0.8</b>	<b>6.9</b>	<b>5.5</b>
51	1-2	*	-	*	*	*	*	0.6	-	-	<b>0.1</b>	
	3	*	*	*	*	*	0.1	0.2	*	-	<b>0.1</b>	
	4	0.1	*	0.1	*	<b>0.1</b>	*	*	*	*	*	
	5	*	*	0.1	*	*	*	-	*	*	*	
	6	*	*	*	*	*	*	-	-	*	*	
	7	*	-	*	*	*	*	-	-	-	*	
	<b>Total</b>	----	<b>0.2</b>	<b>*</b>	<b>0.3</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.8</b>	<b>*</b>	<b>0.1</b>	<b>0.2</b>
61	1-2	-	-	-	-	-	*	*	-	-	*	
	3	*	*	*	*	*	*	*	*	-	*	
	4	*	*	*	*	*	*	-	-	-	*	
	5	*	-	*	-	*	*	-	-	-	*	
	6	*	-	-	-	*	-	-	-	-	-	
	7	-	*	-	-	*	-	-	-	-	-	
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>
71	1-2	-	-	-	-	-	*	*	-	-	*	
	3	*	*	*	*	*	-	-	-	-	-	
	4	*	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>
12 & 22	1-2	*	*	*	*	*	0.6	0.5	*	*	<b>0.6</b>	
	3	0.1	0.1	0.1	0.2	<b>0.1</b>	1.1	0.2	0.1	*	<b>0.9</b>	
	4	*	*	*	*	*	0.4	0.2	*	-	<b>0.3</b>	
	5	*	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>2.2</b>	<b>0.9</b>	<b>0.2</b>	<b>*</b>	<b>1.9</b>
32	1-2	*	0.1	*	0.1	<b>0.1</b>	0.1	*	*	0.1	<b>0.1</b>	
	3	2.4	3.7	1.7	4.0	<b>3.2</b>	0.4	0.5	0.1	0.3	<b>0.4</b>	
	4	2.1	1.6	2.4	2.9	<b>2.3</b>	0.8	0.8	*	*	<b>0.8</b>	
	5	*	*	0.1	0.1	<b>0.1</b>	0.2	*	*	*	<b>0.2</b>	
	6	*	*	*	*	*	0.1	*	*	-	*	
	7	-	-	-	-	-	*	-	-	-	*	
	<b>Total</b>	----	<b>4.6</b>	<b>5.4</b>	<b>4.3</b>	<b>7.2</b>	<b>5.6</b>	<b>1.6</b>	<b>1.4</b>	<b>0.2</b>	<b>0.4</b>	<b>1.4</b>
42	1-2	*	*	*	*	*	*	*	-	0.1	*	
	3	2.1	1.6	1.2	1.5	<b>1.7</b>	0.1	*	*	0.1	<b>0.1</b>	
	4	4.4	1.8	3.5	2.4	<b>3.1</b>	0.3	0.1	*	*	<b>0.2</b>	
	5	0.4	0.1	0.6	0.3	<b>0.3</b>	0.2	*	-	-	<b>0.1</b>	
	6	*	*	*	*	*	0.1	-	*	-	*	
	7	*	-	-	*	*	*	-	-	-	*	
	<b>Total</b>	----	<b>7.0</b>	<b>3.5</b>	<b>5.3</b>	<b>4.2</b>	<b>5.2</b>	<b>0.6</b>	<b>0.2</b>	<b>*</b>	<b>0.2</b>	<b>0.5</b>
52	1-2	*	*	-	*	*	*	*	-	-	*	
	3	*	*	*	*	*	*	*	*	*	*	
	4	0.1	*	0.1	*	*	*	*	-	-	*	
	5	*	*	*	*	*	*	-	-	-	*	
	6	*	*	*	*	*	*	-	-	-	*	
	7	*	-	*	*	*	*	-	-	-	*	
	<b>Total</b>	----	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>

Table 26. -- Continued.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total 1/	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	-	-	-	*	*	-	-	-	-	-
	3	*	-	-	*	*	-	-	-	-	-
	4	*	-	*	*	*	*	-	-	-	*
	5	*	-	*	-	*	*	-	-	-	*
	6	*	-	-	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	*	-	*	*	*	*	*	-	-	*
13 & 23	1-2	*	-	-	*	*	*	-	*	*	*
	3	*	*	*	*	*	*	*	*	-	*
	4	*	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	*	*	*	*	*	*	*	*	*	*
33	1-2	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	0.1	0.1	*	*	*	-	*
	4	*	*	*	0.1	*	0.1	*	-	-	0.1
	5	*	*	*	*	*	*	*	-	-	*
	6	*	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
<b>Total</b>	----	0.1	0.1	0.1	0.2	0.1	0.2	0.1	*	*	0.2
43	1-2	*	*	*	*	*	*	-	-	-	*
	3	0.1	*	*	0.1	0.1	*	*	*	-	*
	4	0.1	*	0.1	0.1	0.1	*	*	*	-	*
	5	*	*	*	*	*	*	*	*	-	*
	6	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
<b>Total</b>	----	0.2	0.1	0.1	0.2	0.2	0.1	*	*	-	0.1
53	1-2	*	*	*	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	-	*	-	*
	6	*	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
<b>Total</b>	----	*	*	*	*	*	*	-	*	-	*
63	1-2	-	*	-	-	*	-	-	-	-	-
	3	*	*	-	-	*	*	-	-	-	*
	4	*	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	----	*	*	-	*	*	*	-	-	-	*
24 - 54	1-7	*	*	*	*	*	*	*	*	-	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	-	*	*	*	*	*	-	*
All Colors	8 2/	*	*	-	*	*	*	-	-	*	*
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		*	*	*	*	*	*	*	*	-	*
31		*	*	0.7	0.2	0.1	*	0.3	*	*	0.1
32		0.6	0.5	4.8	4.0	1.9	0.5	2.1	0.2	0.1	0.6
33		5.7	5.7	18.5	20.3	10.9	3.6	11.3	1.5	1.7	4.3
34		25.5	23.3	34.9	38.0	29.3	13.0	29.3	6.4	21.4	14.7
35		46.5	39.4	30.1	28.5	38.3	28.3	38.3	19.5	44.8	29.2
36		19.9	25.4	9.7	8.2	17.1	31.4	15.7	33.5	25.1	29.5
37		1.7	5.6	1.3	0.8	2.4	19.3	3.0	28.1	5.4	17.7
38 & longer		*	0.1	*	*	*	3.9	0.1	10.8	1.5	3.9
<b>All Staples</b>		<b>100.0</b>	<b>100.0</b>	<b>99.9</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Average staple</b>		<b>34.8</b>	<b>35.0</b>	<b>34.2</b>	<b>34.2</b>	<b>34.6</b>	<b>35.6</b>	<b>34.6</b>	<b>36.1</b>	<b>35.2</b>	<b>35.5</b>
<b>Total Classed</b>		<b>1,357,381</b>	<b>864,415</b>	<b>189,636</b>	<b>1,083,010</b>	<b>3,494,442</b>	<b>572,317</b>	<b>87,736</b>	<b>51,472</b>	<b>14,575</b>	<b>726,100</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 27. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2005 crop.

Color	Leaf	RAYVILLE				VISALIA	
		Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	2.6	8.4	0.8	7.9	30.3	12.8
	3	7.8	15.5	6.1	14.9	38.1	19.0
	4	0.9	0.9	1.4	0.9	2.0	2.1
	5	-	*	*	*	*	0.1
	6	-	*	-	*	*	*
	7	-	-	-	-	-	*
	<b>Total</b>	----	<b>11.4</b>	<b>24.8</b>	<b>8.3</b>	<b>23.7</b>	<b>70.4</b>
31	1-2	0.2	2.7	0.8	2.6	3.4	1.8
	3	18.1	38.7	34.1	38.3	16.6	20.7
	4	30.7	10.9	16.4	11.4	4.9	12.1
	5	1.8	0.5	0.7	0.5	0.5	0.8
	6	-	*	*	*	*	0.1
	7	-	-	*	*	*	*
	<b>Total</b>	----	<b>50.9</b>	<b>52.8</b>	<b>52.0</b>	<b>52.7</b>	<b>25.4</b>
41	1-2	-	0.2	0.1	0.2	0.1	0.1
	3	2.3	9.6	10.2	9.6	0.6	7.0
	4	9.6	6.7	13.4	7.1	0.6	10.6
	5	3.2	0.6	1.3	0.6	0.2	1.1
	6	0.1	*	*	*	*	0.1
	7	*	*	-	*	*	*
	<b>Total</b>	----	<b>15.2</b>	<b>17.1</b>	<b>25.0</b>	<b>17.6</b>	<b>1.5</b>
51	1-2	*	*	-	*	*	*
	3	*	0.1	*	0.1	*	0.7
	4	0.1	0.1	0.1	0.1	*	1.4
	5	*	*	0.1	*	*	0.2
	6	*	*	*	*	*	*
	7	-	*	*	*	*	*
	<b>Total</b>	----	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>0.2</b>	<b>*</b>
61	1-2	-	*	-	*	*	*
	3	-	*	*	*	*	*
	4	-	*	*	*	-	*
	5	-	*	*	*	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	<b>Total</b>	----	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
71	1-2	-	-	-	-	-	*
	3	-	-	-	-	-	*
	4	-	-	-	-	-	*
	5	-	-	-	-	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	-
	<b>Total</b>	----	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	-	0.1	*	0.1	0.2	0.3
	3	0.8	0.3	0.5	0.4	0.5	0.8
	4	0.4	0.1	0.2	0.1	0.1	0.2
	5	-	*	*	*	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	<b>Total</b>	----	<b>1.2</b>	<b>0.5</b>	<b>0.8</b>	<b>0.5</b>	<b>0.7</b>
32	1-2	*	*	*	*	0.1	0.1
	3	1.8	1.1	2.4	1.1	0.6	1.2
	4	7.6	1.0	3.3	1.2	0.3	1.2
	5	1.2	0.1	0.2	0.1	0.1	0.1
	6	-	*	-	*	*	*
	7	-	-	-	-	-	*
	<b>Total</b>	----	<b>10.6</b>	<b>2.1</b>	<b>5.9</b>	<b>2.4</b>	<b>1.1</b>
42	1-2	-	*	*	*	*	*
	3	0.5	0.5	1.3	0.6	0.2	0.8
	4	5.4	1.3	4.7	1.5	0.1	1.9
	5	2.1	0.2	0.7	0.2	0.1	0.3
	6	0.1	*	*	*	*	*
	7	*	-	-	*	*	*
	<b>Total</b>	----	<b>8.1</b>	<b>2.0</b>	<b>6.6</b>	<b>2.3</b>	<b>0.4</b>
52	1-2	-	*	-	*	*	*
	3	*	*	*	*	*	0.3
	4	0.1	*	0.2	0.1	*	0.8
	5	*	*	*	*	*	0.2
	6	*	*	-	*	*	*
	7	-	-	-	-	*	*
	<b>Total</b>	----	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>*</b>

Table 27. -- Continued.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	California	UNITED STATES
62	1-2	-	-	-	-	-	*
	3	-	*	-	*	-	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	-	-	-	*	*
	7	-	*	-	*	-	*
	<b>Total</b>	----	-	*	-	*	*
13 & 23	1-2	-	*	-	*	*	*
	3	*	*	*	*	*	<b>0.1</b>
	4	*	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	-
	<b>Total</b>	----	*	*	*	*	*
33	1-2	-	*	*	*	*	*
	3	0.2	0.2	0.1	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>
	4	0.8	0.1	0.1	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>
	5	0.1	*	*	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	*
	<b>Total</b>	----	<b>1.1</b>	<b>0.3</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>
43	1-2	-	*	*	*	*	*
	3	0.1	*	0.5	<b>0.1</b>	*	*
	4	0.9	0.1	0.2	<b>0.1</b>	*	<b>0.1</b>
	5	0.2	*	*	*	*	*
	6	*	-	-	*	*	*
	7	-	-	-	-	*	*
	<b>Total</b>	----	<b>1.2</b>	<b>0.1</b>	<b>0.7</b>	<b>0.2</b>	<b>0.1</b>
53	1-2	-	-	-	-	-	*
	3	-	*	*	*	*	*
	4	*	*	*	*	*	<b>0.1</b>
	5	-	*	*	*	*	*
	6	-	*	*	*	*	*
	7	-	-	-	-	*	*
	<b>Total</b>	----	*	*	<b>0.1</b>	*	*
63	1-2	-	-	-	-	-	*
	3	-	*	-	*	*	*
	4	-	*	-	*	*	*
	5	-	-	-	-	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	<b>Total</b>	----	-	*	-	*	*
24 - 54	1-7	0.1	*	0.1	*	*	<b>0.1</b>
25 - 35	1-7	-	-	-	-	-	*
81 - 85 1/	1-7	-	*	-	*	*	*
All Colors	8 2/	-	-	-	-	*	*
<b>STAPLE</b>							
28 & shorter		-	-	-	-	-	*
29		-	-	-	-	-	*
30		-	*	-	*	-	<b>0.1</b>
31		*	0.1	0.1	<b>0.1</b>	-	<b>0.6</b>
32		2.9	3.5	1.4	<b>3.3</b>	*	<b>2.9</b>
33		9.2	16.5	9.7	<b>16.0</b>	<b>0.2</b>	<b>10.9</b>
34		30.7	35.7	29.0	<b>35.3</b>	<b>1.1</b>	<b>26.0</b>
35		46.3	29.1	37.6	<b>29.8</b>	<b>5.5</b>	<b>32.1</b>
36		10.9	12.0	18.2	<b>12.3</b>	<b>17.5</b>	<b>18.3</b>
37		*	2.8	3.7	<b>2.8</b>	<b>35.3</b>	<b>7.0</b>
38 & longer		-	0.3	0.3	<b>0.3</b>	<b>40.4</b>	<b>1.9</b>
<b>All Staples</b>		<b>99.9</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>99.8</b>
<b>Average staple</b>		<b>34.5</b>	<b>34.4</b>	<b>34.7</b>	<b>34.4</b>	<b>37.1</b>	<b>34.8</b>
<b>Total Classed</b>		<b>9,972</b>	<b>1,105,638</b>	<b>69,732</b>	<b>1,185,342</b>	<b>965,265</b>	<b>22,638,247</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2005 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
<b>MIKE</b>											
24 & below	0.1	0.1	*	*	*	-	*	*	-	-	-
25	0.1	0.2	0.1	<b>0.1</b>	*	-	*	*	-	-	-
26	0.3	0.3	0.1	<b>0.2</b>	*	*	*	*	-	-	-
27	0.4	0.3	0.2	<b>0.3</b>	*	*	*	<b>0.1</b>	-	*	*
28	0.5	0.4	0.5	<b>0.5</b>	*	*	*	<b>0.2</b>	*	*	*
29	1.1	0.5	0.9	<b>0.8</b>	*	*	*	<b>0.4</b>	*	*	*
30	1.5	0.7	1.4	<b>1.3</b>	0.1	*	*	<b>0.9</b>	*	*	*
31	2.2	0.9	2.1	<b>1.9</b>	0.1	*	<b>0.1</b>	<b>1.5</b>	*	*	*
32	3.1	1.1	2.9	<b>2.6</b>	0.2	0.1	<b>0.2</b>	<b>2.2</b>	*	*	*
33	4.3	1.7	3.9	<b>3.6</b>	0.3	0.2	<b>0.3</b>	<b>2.9</b>	*	*	*
34	5.5	2.4	5.0	<b>4.6</b>	0.6	0.3	<b>0.6</b>	<b>3.8</b>	0.1	0.1	<b>0.1</b>
35	6.9	2.9	6.1	<b>5.6</b>	1.1	0.4	<b>1.1</b>	<b>4.3</b>	0.2	0.1	<b>0.1</b>
36	8.6	3.9	7.1	<b>6.7</b>	1.8	0.6	<b>1.7</b>	<b>4.7</b>	0.4	0.2	<b>0.3</b>
37	7.7	5.1	7.6	<b>7.2</b>	2.6	0.6	<b>2.4</b>	<b>4.9</b>	0.7	0.5	<b>0.5</b>
38	6.4	6.3	7.8	<b>7.5</b>	3.5	0.9	<b>3.3</b>	<b>5.3</b>	1.3	0.9	<b>1.0</b>
39	5.0	7.1	7.7	<b>7.5</b>	4.6	1.4	<b>4.4</b>	<b>5.6</b>	2.3	1.5	<b>1.8</b>
40	4.1	8.1	7.5	<b>7.4</b>	5.6	2.3	<b>5.4</b>	<b>5.6</b>	3.4	2.7	<b>2.9</b>
41	3.5	8.9	6.9	<b>7.1</b>	6.4	3.4	<b>6.2</b>	<b>5.5</b>	4.6	4.2	<b>4.3</b>
42	3.5	9.2	5.9	<b>6.4</b>	7.3	5.8	<b>7.2</b>	<b>5.4</b>	6.0	5.7	<b>5.8</b>
43	3.1	8.8	5.0	<b>5.5</b>	7.9	9.0	<b>8.0</b>	<b>5.5</b>	6.6	7.5	<b>7.2</b>
44	3.1	7.6	4.2	<b>4.7</b>	9.0	13.3	<b>9.3</b>	<b>5.4</b>	7.2	9.6	<b>8.9</b>
45	3.8	6.3	3.5	<b>4.0</b>	10.2	16.9	<b>10.7</b>	<b>5.2</b>	7.5	11.7	<b>10.5</b>
46	3.4	5.1	3.0	<b>3.4</b>	10.9	17.7	<b>11.4</b>	<b>5.0</b>	8.5	13.0	<b>11.7</b>
47	3.3	3.9	2.7	<b>2.9</b>	10.1	13.3	<b>10.3</b>	<b>4.7</b>	9.8	13.1	<b>12.1</b>
48	3.2	2.9	2.4	<b>2.5</b>	7.7	8.0	<b>7.8</b>	<b>4.2</b>	11.0	11.3	<b>11.2</b>
49	3.0	1.9	1.9	<b>1.9</b>	5.1	3.8	<b>5.0</b>	<b>3.8</b>	11.1	8.1	<b>9.0</b>
50	2.3	1.1	1.4	<b>1.4</b>	2.9	1.6	<b>2.8</b>	<b>3.2</b>	8.8	5.1	<b>6.1</b>
51	1.8	0.7	0.9	<b>0.9</b>	1.3	0.4	<b>1.2</b>	<b>2.8</b>	5.8	2.8	<b>3.7</b>
52	2.1	0.5	0.6	<b>0.6</b>	0.5	0.1	<b>0.5</b>	<b>2.2</b>	3.1	1.3	<b>1.8</b>
53	1.8	0.4	0.3	<b>0.4</b>	0.1	*	<b>0.1</b>	<b>1.8</b>	1.2	0.4	<b>0.7</b>
54	1.5	0.2	0.2	<b>0.3</b>	*	*	*	<b>1.4</b>	0.2	0.1	<b>0.2</b>
55	1.5	0.1	0.1	<b>0.2</b>	*	*	*	<b>0.9</b>	*	*	*
56	1.0	0.1	*	<b>0.1</b>	*	*	*	<b>0.5</b>	*	*	*
57	0.3	0.1	*	*	*	*	*	<b>0.2</b>	-	*	*
58	0.1	*	*	*	*	-	*	<b>0.1</b>	-	*	*
59	*	*	*	*	-	-	-	*	-	-	-
60 & above	-	*	*	*	-	-	-	-	-	-	-
<b>Average mike</b>	<b>40</b>	<b>41</b>	<b>39</b>	<b>40</b>	<b>44</b>	<b>45</b>	<b>44</b>	<b>42</b>	<b>46</b>	<b>46</b>	<b>46</b>
<b>Fiber Strength 1/</b>											
17 & below	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-
19	-	*	*	*	-	-	-	-	-	-	-
20	*	*	*	*	-	-	-	*	-	-	-
21	*	*	*	*	-	-	-	*	-	-	-
22	*	*	0.1	<b>0.1</b>	*	*	*	*	-	-	-
23	0.1	0.1	0.2	<b>0.2</b>	*	*	*	<b>0.1</b>	*	*	*
24	0.2	0.2	0.7	<b>0.6</b>	0.2	0.2	<b>0.2</b>	<b>0.4</b>	0.2	0.2	<b>0.2</b>
25	0.5	0.6	2.5	<b>2.1</b>	0.9	1.3	<b>1.0</b>	<b>1.2</b>	1.0	1.0	<b>1.0</b>
26	3.3	2.2	7.1	<b>6.1</b>	4.1	5.3	<b>4.2</b>	<b>3.2</b>	3.6	4.1	<b>3.9</b>
27	12.4	7.4	15.1	<b>13.7</b>	12.2	15.4	<b>12.4</b>	<b>6.8</b>	11.7	12.1	<b>12.0</b>
28	25.0	15.0	22.4	<b>21.3</b>	21.7	26.0	<b>22.1</b>	<b>11.1</b>	23.6	23.1	<b>23.2</b>
29	24.5	20.5	22.5	<b>22.3</b>	23.9	26.5	<b>24.1</b>	<b>15.1</b>	25.6	26.4	<b>26.2</b>
30	18.9	21.5	16.2	<b>17.2</b>	17.8	15.8	<b>17.6</b>	<b>17.2</b>	17.7	18.9	<b>18.5</b>
31	10.8	16.4	8.5	<b>9.9</b>	10.6	6.2	<b>10.2</b>	<b>16.6</b>	9.7	9.1	<b>9.3</b>
32	3.5	9.7	3.3	<b>4.4</b>	5.2	2.1	<b>4.9</b>	<b>13.8</b>	4.4	3.3	<b>3.6</b>
33	0.6	4.4	1.0	<b>1.6</b>	2.3	0.8	<b>2.2</b>	<b>8.5</b>	1.5	1.0	<b>1.1</b>
34	0.1	1.5	0.3	<b>0.5</b>	0.8	0.2	<b>0.8</b>	<b>4.0</b>	0.6	0.5	<b>0.5</b>
35	*	0.4	0.1	<b>0.1</b>	0.2	0.1	<b>0.2</b>	<b>1.4</b>	0.2	0.2	<b>0.2</b>
36 & above	*	0.1	*	*	*	*	*	<b>0.5</b>	0.1	0.1	<b>0.1</b>
<b>Average Strength</b>	<b>28.9</b>	<b>29.7</b>	<b>28.6</b>	<b>28.8</b>	<b>29.1</b>	<b>28.6</b>	<b>29.0</b>	<b>30.1</b>	<b>29.0</b>	<b>28.9</b>	<b>28.9</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.



Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2005 crop.

Mike and Fiber Strength	FLORENCE			Classing Office Total	LAMESA LUBBOCK		MACON		Classing Office Total
	North Carolina	South Carolina	Virginia		Texas	Texas	Florida	Georgia	
<b>MIKE</b>									
24 & below	*	-	*	*	*	<b>0.3</b>	-	*	*
25	*	*	*	*	<b>0.1</b>	<b>0.4</b>	-	*	*
26	-	*	-	*	<b>0.2</b>	<b>0.7</b>	-	*	*
27	*	*	*	*	<b>0.4</b>	<b>1.2</b>	*	*	*
28	*	*	-	*	<b>0.8</b>	<b>1.9</b>	-	*	*
29	*	*	-	*	<b>1.3</b>	<b>2.6</b>	-	*	*
30	*	*	-	*	<b>2.2</b>	<b>3.5</b>	-	*	*
31	*	*	*	*	<b>3.2</b>	<b>4.5</b>	*	0.1	<b>0.1</b>
32	*	0.1	*	*	<b>4.2</b>	<b>5.5</b>	0.1	0.1	<b>0.1</b>
33	*	0.1	*	*	<b>5.4</b>	<b>6.3</b>	0.2	0.1	<b>0.1</b>
34	*	0.2	*	<b>0.1</b>	<b>6.0</b>	<b>7.0</b>	0.2	0.2	<b>0.2</b>
35	0.1	0.4	0.1	<b>0.1</b>	<b>6.9</b>	<b>7.5</b>	0.3	0.4	<b>0.4</b>
36	0.2	0.5	0.2	<b>0.2</b>	<b>7.8</b>	<b>7.8</b>	0.2	0.5	<b>0.5</b>
37	0.3	0.9	0.5	<b>0.5</b>	<b>8.5</b>	<b>7.7</b>	0.5	0.7	<b>0.7</b>
38	0.7	1.5	1.4	<b>0.9</b>	<b>9.1</b>	<b>7.6</b>	0.8	1.0	<b>1.0</b>
39	1.4	2.3	2.0	<b>1.6</b>	<b>9.1</b>	<b>7.1</b>	1.3	1.5	<b>1.5</b>
40	2.6	3.6	2.9	<b>2.8</b>	<b>8.8</b>	<b>6.4</b>	2.5	2.2	<b>2.2</b>
41	4.6	5.3	4.5	<b>4.7</b>	<b>7.9</b>	<b>5.5</b>	3.6	3.3	<b>3.3</b>
42	7.0	7.8	6.0	<b>7.0</b>	<b>6.6</b>	<b>4.5</b>	4.3	4.8	<b>4.8</b>
43	9.2	10.8	7.6	<b>9.4</b>	<b>5.0</b>	<b>3.5</b>	5.8	7.1	<b>7.1</b>
44	10.8	13.7	9.3	<b>11.2</b>	<b>3.2</b>	<b>2.7</b>	8.8	10.0	<b>10.0</b>
45	11.9	15.7	10.2	<b>12.5</b>	<b>1.8</b>	<b>1.9</b>	12.1	13.1	<b>13.0</b>
46	12.3	14.3	10.1	<b>12.5</b>	<b>1.0</b>	<b>1.3</b>	17.4	15.4	<b>15.4</b>
47	11.6	10.8	9.6	<b>11.3</b>	<b>0.4</b>	<b>0.9</b>	17.0	15.4	<b>15.4</b>
48	9.5	6.8	9.1	<b>8.9</b>	<b>0.2</b>	<b>0.6</b>	14.6	12.3	<b>12.3</b>
49	6.9	3.5	8.2	<b>6.3</b>	<b>0.1</b>	<b>0.4</b>	7.6	7.4	<b>7.4</b>
50	4.5	1.2	7.0	<b>4.1</b>	*	<b>0.2</b>	2.4	3.2	<b>3.2</b>
51	2.8	0.3	4.9	<b>2.5</b>	*	<b>0.1</b>	0.3	1.0	<b>1.0</b>
52	1.8	0.1	3.4	<b>1.6</b>	*	*	*	0.3	<b>0.3</b>
53	1.0	*	1.9	<b>0.9</b>	*	*	-	*	*
54	0.5	*	0.8	<b>0.4</b>	*	*	-	*	*
55	0.2	*	0.3	<b>0.2</b>	*	*	-	*	*
56	*	-	*	*	-	-	-	*	*
57	*	-	*	*	-	-	-	-	-
58	*	-	-	*	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>46</b>	<b>44</b>	<b>46</b>	<b>45</b>	<b>38</b>	<b>37</b>	<b>45</b>	<b>45</b>	<b>45</b>
<b>Fiber Strength 1/</b>									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	*	-	-	*	-	-	-	-	-
20	*	*	-	*	-	*	-	*	*
21	*	*	-	*	*	*	-	*	*
22	*	*	*	*	*	*	-	*	*
23	0.1	0.1	*	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	*	*	*
24	0.7	0.4	0.2	<b>0.6</b>	<b>0.7</b>	<b>0.4</b>	*	0.1	<b>0.1</b>
25	3.4	1.9	1.3	<b>2.9</b>	<b>2.5</b>	<b>1.6</b>	0.3	0.7	<b>0.7</b>
26	9.7	6.9	4.6	<b>8.7</b>	<b>6.9</b>	<b>5.0</b>	1.1	2.7	<b>2.7</b>
27	19.2	17.8	12.2	<b>18.3</b>	<b>13.9</b>	<b>12.3</b>	8.1	8.7	<b>8.7</b>
28	24.3	25.8	20.0	<b>24.2</b>	<b>21.8</b>	<b>21.9</b>	25.5	20.3	<b>20.4</b>
29	20.0	21.7	22.3	<b>20.6</b>	<b>23.4</b>	<b>25.7</b>	36.4	28.5	<b>28.6</b>
30	12.5	13.7	17.6	<b>13.2</b>	<b>17.1</b>	<b>19.3</b>	18.2	21.5	<b>21.5</b>
31	6.2	6.9	12.2	<b>6.8</b>	<b>8.8</b>	<b>9.4</b>	6.2	10.7	<b>10.6</b>
32	2.7	3.2	6.1	<b>3.1</b>	<b>3.3</b>	<b>3.2</b>	2.8	4.5	<b>4.4</b>
33	1.0	1.2	2.5	<b>1.1</b>	<b>1.0</b>	<b>0.9</b>	0.9	1.7	<b>1.7</b>
34	0.2	0.3	0.8	<b>0.3</b>	<b>0.3</b>	<b>0.2</b>	0.4	0.6	<b>0.6</b>
35	*	*	0.2	*	<b>0.1</b>	*	*	0.1	<b>0.1</b>
36 & above	*	*	*	*	*	*	*	*	*
<b>Average Strength</b>	<b>28.3</b>	<b>28.5</b>	<b>29.1</b>	<b>28.4</b>	<b>28.7</b>	<b>28.8</b>	<b>29.0</b>	<b>29.2</b>	<b>29.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2005 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
<b>MIKE</b>										
24 & below	-	-	-	-	-	*	*	0.3	*	*
25	-	*	-	*	*	*	0.1	0.2	0.1	<b>0.1</b>
26	-	*	-	*	*	*	0.1	0.2	0.1	<b>0.1</b>
27	*	*	-	*	*	0.1	0.1	0.6	0.2	<b>0.1</b>
28	*	*	-	*	*	0.1	0.1	0.9	0.2	<b>0.2</b>
29	*	*	*	*	*	0.1	0.1	1.5	0.4	<b>0.3</b>
30	*	*	*	*	*	0.2	0.4	1.9	0.4	<b>0.3</b>
31	*	*	*	*	*	0.3	0.5	2.8	0.4	<b>0.5</b>
32	*	*	0.1	*	*	0.4	0.6	3.5	0.6	<b>0.7</b>
33	*	*	0.1	0.1	*	0.5	0.7	4.0	1.2	<b>0.8</b>
34	*	*	0.2	0.1	<b>0.1</b>	0.7	0.9	5.2	1.7	<b>1.0</b>
35	0.1	0.1	0.6	0.3	<b>0.1</b>	0.9	0.8	5.4	2.5	<b>1.2</b>
36	0.2	0.1	1.1	0.5	<b>0.3</b>	1.2	0.8	7.0	2.5	<b>1.6</b>
37	0.7	0.3	2.0	0.8	<b>0.7</b>	1.6	1.1	8.4	3.9	<b>2.1</b>
38	1.5	0.6	3.5	1.4	<b>1.4</b>	2.2	1.3	8.1	5.9	<b>2.6</b>
39	3.4	1.2	5.0	2.4	<b>2.6</b>	2.7	1.5	8.5	8.6	<b>3.1</b>
40	5.8	2.5	6.8	3.8	<b>4.4</b>	3.3	2.4	8.8	11.1	<b>3.7</b>
41	8.3	4.2	8.0	5.7	<b>6.5</b>	3.7	3.7	8.2	12.0	<b>4.2</b>
42	9.7	5.8	9.0	7.8	<b>8.1</b>	4.5	6.4	7.1	11.1	<b>5.0</b>
43	8.7	7.4	9.6	9.5	<b>8.7</b>	5.2	8.4	5.8	10.6	<b>5.7</b>
44	7.9	8.5	9.9	10.5	<b>8.9</b>	6.1	10.6	4.8	9.7	<b>6.6</b>
45	7.6	8.7	10.0	10.3	<b>8.8</b>	6.9	10.7	3.4	6.5	<b>7.1</b>
46	8.3	9.1	9.4	9.6	<b>9.0</b>	8.0	10.3	1.9	4.2	<b>7.8</b>
47	8.7	9.3	8.6	8.7	<b>8.9</b>	9.3	10.1	0.9	3.3	<b>8.7</b>
48	8.4	9.4	6.7	7.2	<b>8.2</b>	9.6	9.2	0.4	1.8	<b>8.7</b>
49	7.1	8.4	4.4	5.9	<b>6.9</b>	9.5	7.6	0.2	0.6	<b>8.4</b>
50	5.3	7.1	2.5	4.8	<b>5.4</b>	8.5	4.8	*	0.2	<b>7.3</b>
51	3.6	5.8	1.4	3.8	<b>4.1</b>	6.5	3.0	*	*	<b>5.5</b>
52	2.3	4.3	0.6	2.8	<b>2.9</b>	4.4	1.9	*	*	<b>3.7</b>
53	1.3	3.1	0.2	1.9	<b>1.8</b>	2.3	1.1	*	-	<b>2.0</b>
54	0.6	2.1	0.1	1.1	<b>1.1</b>	0.9	0.5	-	-	<b>0.8</b>
55	0.3	1.2	*	0.5	<b>0.6</b>	0.3	0.1	*	-	<b>0.2</b>
56	0.1	0.6	*	0.2	<b>0.3</b>	0.1	*	-	-	<b>0.1</b>
57	*	0.2	*	*	<b>0.1</b>	*	-	-	-	<b>*</b>
58	*	*	*	*	<b>*</b>	*	-	-	-	<b>*</b>
59	*	-	-	-	<b>*</b>	*	-	-	-	<b>*</b>
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>45</b>	<b>47</b>	<b>44</b>	<b>45</b>	<b>45</b>	<b>46</b>	<b>45</b>	<b>38</b>	<b>41</b>	<b>45</b>
<b>Fiber Strength 1/ 17 &amp; below</b>										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	*	-	-	*	-	-	-	-	-
19	*	-	*	*	*	-	-	-	-	-
20	*	*	*	*	*	*	*	*	-	<b>*</b>
21	*	*	*	*	*	*	*	*	*	<b>*</b>
22	*	*	*	*	*	0.1	*	*	0.1	<b>0.1</b>
23	*	*	0.1	*	*	0.2	0.1	0.2	0.5	<b>0.2</b>
24	0.1	0.1	0.3	0.1	<b>0.1</b>	0.6	0.3	0.7	2.3	<b>0.6</b>
25	0.4	0.3	1.5	0.6	<b>0.5</b>	1.8	1.0	2.5	7.7	<b>1.8</b>
26	2.1	1.7	5.7	2.7	<b>2.4</b>	4.4	3.0	6.8	16.1	<b>4.7</b>
27	8.3	6.8	12.8	9.5	<b>8.5</b>	9.0	8.0	13.5	24.3	<b>9.5</b>
28	22.4	18.1	21.2	21.9	<b>21.1</b>	14.6	15.8	20.3	23.6	<b>15.4</b>
29	31.5	28.7	22.6	28.9	<b>29.5</b>	20.7	23.4	22.2	14.2	<b>21.0</b>
30	21.1	24.8	16.6	21.1	<b>21.8</b>	21.7	23.6	18.1	6.6	<b>21.3</b>
31	8.8	12.1	9.6	9.6	<b>9.9</b>	15.6	15.2	9.3	2.9	<b>14.8</b>
32	3.5	5.1	5.0	3.5	<b>4.0</b>	7.7	6.5	4.0	1.2	<b>7.2</b>
33	1.4	1.6	2.8	1.4	<b>1.5</b>	2.7	2.3	1.6	0.4	<b>2.5</b>
34	0.4	0.5	1.2	0.5	<b>0.5</b>	0.7	0.6	0.5	*	<b>0.7</b>
35	0.1	0.1	0.4	0.1	<b>0.1</b>	0.2	0.1	0.1	*	<b>0.2</b>
36 & above	*	*	0.2	*	*	*	*	*	-	<b>*</b>
<b>Average Strength</b>	<b>29.1</b>	<b>29.4</b>	<b>29.0</b>	<b>29.1</b>	<b>29.1</b>	<b>29.3</b>	<b>29.4</b>	<b>28.8</b>	<b>27.5</b>	<b>29.3</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2005 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
<b>MIKE</b>						
24 & below	-	-	-	-	*	*
25	-	-	-	-	*	0.1
26	-	-	-	-	*	0.2
27	-	*	-	*	0.1	0.3
28	-	*	*	*	0.1	0.5
29	-	*	*	*	0.1	0.7
30	-	*	*	*	0.2	1.0
31	0.1	*	*	*	0.2	1.3
32	*	*	*	*	0.3	1.7
33	0.1	*	*	*	0.4	2.0
34	0.2	*	0.1	*	0.6	2.4
35	0.2	*	0.2	*	1.0	2.7
36	0.2	0.1	0.3	0.1	1.7	3.1
37	0.5	0.3	0.5	0.3	2.6	3.4
38	0.5	0.4	0.9	0.4	3.8	3.8
39	0.6	0.6	1.5	0.7	5.4	4.2
40	1.9	1.1	1.7	1.1	7.7	4.9
41	5.2	1.9	2.2	1.9	9.1	5.5
42	3.5	3.1	3.6	3.2	10.7	6.1
43	3.5	4.7	5.2	4.8	12.0	6.6
44	3.9	6.8	6.9	6.7	11.7	7.1
45	5.2	9.3	9.3	9.2	10.7	7.5
46	7.5	12.5	11.2	12.4	9.1	7.9
47	10.8	15.2	14.3	15.1	6.5	7.6
48	13.2	16.0	15.9	15.9	3.8	6.6
49	14.8	12.7	12.8	12.7	1.5	5.0
50	17.4	8.0	7.4	8.1	0.5	3.3
51	8.8	4.2	3.2	4.2	0.1	2.0
52	1.8	2.0	1.4	2.0	*	1.2
53	0.1	0.8	0.8	0.8	*	0.7
54	-	0.2	0.4	0.2	*	0.3
55	-	0.1	0.1	0.1	*	0.2
56	-	*	*	*	-	0.1
57	-	*	-	*	-	*
58	-	*	-	*	-	*
59	-	-	-	-	-	*
60 & above	-	-	-	-	-	*
<b>Average mike</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>47</b>	<b>43</b>	<b>42.6</b>
<b>Fiber Strength 1/</b>						
17 & below	-	-	-	-	-	-
18	-	-	-	-	-	*
19	-	-	-	-	-	*
20	-	-	-	-	-	*
21	-	-	-	-	-	*
22	-	-	-	-	-	*
23	*	*	*	*	*	0.1
24	0.4	0.3	0.1	0.3	*	0.3
25	3.1	1.7	0.8	1.7	*	1.4
26	3.7	6.4	3.7	6.2	*	4.5
27	10.1	16.5	11.6	16.1	0.3	11.4
28	20.1	26.4	23.1	26.1	1.1	20.5
29	35.3	23.4	25.6	23.6	1.9	23.9
30	21.9	13.7	18.6	14.1	3.0	17.9
31	4.6	6.8	9.5	7.0	5.7	9.6
32	0.8	3.1	4.2	3.1	10.5	4.6
33	*	1.2	1.8	1.2	12.5	2.2
34	*	0.4	0.7	0.4	17.7	1.3
35	*	0.1	0.2	0.1	21.8	1.1
36 & above	-	*	*	*	25.6	1.1
<b>Average Strength</b>	<b>28.7</b>	<b>28.6</b>	<b>29.0</b>	<b>28.6</b>	<b>33.9</b>	<b>29.2</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2005 crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
<b>MIKE</b>											
24 & below	0.1	0.1	*	*	*	-	*	*	-	-	-
25 - 26	0.4	0.4	0.2	<b>0.2</b>	-	-	-	-	-	-	-
27 - 29	2.0	1.3	1.6	<b>1.5</b>	-	-	-	<b>0.6</b>	-	-	-
30 - 32	6.9	2.7	6.5	<b>5.9</b>	0.3	0.1	<b>0.2</b>	<b>4.5</b>	-	-	-
33 - 34	9.8	4.1	8.9	<b>8.2</b>	1.0	0.5	<b>0.9</b>	<b>6.7</b>	0.1	0.1	<b>0.1</b>
35 - 36	15.5	6.8	13.2	<b>12.2</b>	2.9	1.0	<b>2.8</b>	<b>9.0</b>	0.6	0.3	<b>0.4</b>
37 - 42	30.2	44.6	43.4	<b>43.0</b>	30.0	14.3	<b>28.9</b>	<b>32.3</b>	18.3	15.5	<b>16.3</b>
43 - 49	22.8	36.5	22.7	<b>25.0</b>	60.9	81.9	<b>62.5</b>	<b>33.9</b>	61.8	74.3	<b>70.7</b>
50 - 52	6.2	2.4	2.8	<b>2.9</b>	4.6	2.2	<b>4.5</b>	<b>8.2</b>	17.7	9.2	<b>11.6</b>
53 & above	6.2	0.9	0.6	<b>0.9</b>	0.1	-	<b>0.1</b>	<b>4.7</b>	1.4	0.6	<b>0.8</b>
<b>Average mike</b>	<b>40</b>	<b>41</b>	<b>39</b>	<b>40</b>	<b>44</b>	<b>45</b>	<b>44</b>	<b>42</b>	<b>46</b>	<b>46</b>	<b>46</b>
<b>Mike 35 - 49</b>	<b>68.4</b>	<b>88.0</b>	<b>79.3</b>	<b>80.2</b>	<b>93.8</b>	<b>97.2</b>	<b>94.1</b>	<b>75.2</b>	<b>80.7</b>	<b>90.1</b>	<b>87.4</b>
<b>Uniformity 1/</b>											
72 & below	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	-	*	*	*	-	-	-	-	-	-	-
75	*	*	0.1	<b>0.1</b>	-	-	-	*	-	-	-
76	*	0.1	0.5	<b>0.4</b>	-	-	-	*	-	*	*
77	0.3	0.5	2.8	<b>2.3</b>	0.3	0.5	<b>0.4</b>	<b>0.3</b>	*	*	*
78	2.7	2.6	10.0	<b>8.5</b>	3.2	5.2	<b>3.4</b>	<b>2.4</b>	1.2	2.3	<b>2.0</b>
79	14.9	10.7	22.9	<b>20.5</b>	11.4	20.5	<b>12.1</b>	<b>9.7</b>	8.3	13.1	<b>11.7</b>
80	30.7	27.3	30.2	<b>29.7</b>	23.4	36.0	<b>24.4</b>	<b>24.6</b>	23.3	28.5	<b>27.0</b>
81	31.3	34.4	22.8	<b>25.1</b>	31.1	27.1	<b>30.8</b>	<b>34.9</b>	32.6	30.1	<b>30.8</b>
82	17.6	19.4	9.0	<b>11.1</b>	22.5	9.1	<b>21.4</b>	<b>21.5</b>	26.2	20.0	<b>21.8</b>
83	2.4	4.7	1.6	<b>2.1</b>	7.0	1.4	<b>6.6</b>	<b>5.9</b>	7.5	5.5	<b>6.1</b>
84	0.1	0.4	0.1	<b>0.2</b>	1.0	0.1	<b>0.9</b>	<b>0.6</b>	0.8	0.5	<b>0.6</b>
85	*	*	*	*	*	*	*	*	0.1	*	*
86	-	-	-	-	-	-	-	*	-	-	-
87	-	-	-	-	-	-	-	*	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.5</b>	<b>80.7</b>	<b>79.9</b>	<b>80.1</b>	<b>80.8</b>	<b>80.2</b>	<b>80.8</b>	<b>80.8</b>	<b>81.0</b>	<b>80.7</b>	<b>80.8</b>
<b>Trash 2/</b>											
00	-	*	*	*	-	-	-	*	-	-	-
01	0.4	21.4	18.9	<b>18.5</b>	0.6	1.5	<b>0.6</b>	<b>1.3</b>	0.3	0.9	<b>0.7</b>
02	5.4	37.7	36.6	<b>35.4</b>	8.9	18.1	<b>9.6</b>	<b>12.8</b>	4.8	9.4	<b>8.1</b>
03	14.7	22.4	23.3	<b>22.7</b>	22.7	35.6	<b>23.6</b>	<b>25.2</b>	16.5	21.1	<b>19.8</b>
04	15.0	8.6	9.7	<b>9.8</b>	21.8	23.5	<b>21.9</b>	<b>19.6</b>	21.0	21.4	<b>21.3</b>
05	15.5	4.8	5.5	<b>5.8</b>	19.1	13.0	<b>18.6</b>	<b>15.0</b>	19.3	17.9	<b>18.3</b>
06	12.8	2.3	2.7	<b>3.1</b>	12.5	5.2	<b>12.0</b>	<b>9.5</b>	15.2	13.3	<b>13.8</b>
07	11.1	1.3	1.5	<b>1.9</b>	7.2	1.9	<b>6.8</b>	<b>6.1</b>	10.2	7.9	<b>8.6</b>
08	7.7	0.6	0.7	<b>1.0</b>	3.5	0.7	<b>3.3</b>	<b>3.5</b>	6.3	4.3	<b>4.9</b>
09	6.1	0.4	0.4	<b>0.7</b>	1.9	0.3	<b>1.8</b>	<b>2.6</b>	3.8	2.3	<b>2.8</b>
10	4.1	0.2	0.2	<b>0.4</b>	0.8	0.1	<b>0.8</b>	<b>1.5</b>	1.3	0.8	<b>1.0</b>
11	2.5	0.1	0.1	<b>0.2</b>	0.5	*	<b>0.4</b>	<b>1.0</b>	0.8	0.5	<b>0.5</b>
12	1.7	0.1	0.1	<b>0.1</b>	0.3	*	<b>0.2</b>	<b>0.7</b>	0.3	0.2	<b>0.2</b>
13	1.1	*	*	<b>0.1</b>	0.1	-	<b>0.1</b>	<b>0.4</b>	0.1	*	*
14	0.8	*	*	<b>0.1</b>	0.1	-	<b>0.1</b>	<b>0.3</b>	0.1	*	*
15	0.4	*	*	*	0.1	-	*	<b>0.2</b>	*	*	*
16	0.3	*	*	*	*	-	*	<b>0.1</b>	*	*	*
17	0.2	*	*	*	*	-	*	<b>0.1</b>	*	*	*
18 & above	0.3	*	*	*	*	-	*	<b>0.1</b>	*	*	*
<b>Average trash</b>	<b>0.60</b>	<b>0.26</b>	<b>0.27</b>	<b>0.28</b>	<b>0.46</b>	<b>0.36</b>	<b>0.45</b>	<b>0.46</b>	<b>0.52</b>	<b>0.46</b>	<b>0.48</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2005 crop

Mike Groupings, Uniformity and Trash	FLORENCE				LAMESA	LUBBOCK	MACON		Classing Office Total
	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	
24 & below	*	-	*	*	*	0.3	-	*	*
25 - 26	-	-	-	-	0.2	1.1	-	-	-
27 - 29	-	-	-	-	2.5	5.8	-	-	-
30 - 32	-	0.1	-	-	9.5	13.5	0.1	0.1	0.1
33 - 34	-	0.3	-	0.1	11.5	13.3	0.4	0.3	0.3
35 - 36	0.3	0.9	0.3	0.4	14.7	15.4	0.5	0.9	0.9
37 - 42	16.6	21.5	17.2	17.6	49.9	38.8	13.0	13.6	13.6
43 - 49	72.2	75.5	64.1	72.2	11.6	11.4	83.2	80.5	80.5
50 - 52	9.2	1.6	15.3	8.2	-	0.4	2.7	4.5	4.4
53 & above	1.6	-	3.0	1.4	-	-	-	-	-
<b>Average mike</b>	<b>46</b>	<b>44</b>	<b>46</b>	<b>45</b>	<b>38</b>	<b>37</b>	<b>45</b>	<b>45</b>	<b>45</b>
<b>Mike 35 - 49</b>	<b>89.1</b>	<b>97.8</b>	<b>81.6</b>	<b>90.2</b>	<b>76.2</b>	<b>65.7</b>	<b>96.7</b>	<b>95.0</b>	<b>95.0</b>
Uniformity 1/ 72 & below	-	-	-	-	-	*	-	-	-
73	-	-	-	-	-	*	-	-	-
74	-	-	-	-	*	*	-	-	-
75	*	*	-	*	0.3	*	-	*	*
76	*	*	-	*	1.8	0.2	-	*	*
77	*	0.1	*	*	6.9	1.6	*	0.2	0.2
78	0.6	1.8	*	0.8	19.5	6.5	0.8	5.1	5.0
79	3.8	11.6	0.5	5.1	33.6	18.0	9.2	20.3	20.1
80	13.9	30.6	3.6	16.4	28.0	30.6	45.1	36.9	37.0
81	31.3	31.5	17.6	30.1	8.8	27.5	34.7	25.0	25.2
82	34.4	17.8	39.7	31.5	1.1	12.6	8.4	9.9	9.9
83	14.0	5.9	30.3	13.8	0.1	2.6	1.8	2.3	2.3
84	2.0	0.8	8.0	2.3	*	0.2	0.1	0.2	0.2
85	0.1	*	0.3	0.1	-	*	*	*	*
86	*	-	-	*	-	*	-	*	*
87	*	-	-	*	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.5</b>	<b>80.7</b>	<b>82.2</b>	<b>81.4</b>	<b>80.1</b>	<b>80.2</b>	<b>80.5</b>	<b>80.2</b>	<b>80.2</b>
Trash 2/ 00	-	*	-	*	*	*	-	*	*
01	*	0.1	*	*	23.7	17.1	0.6	0.7	0.7
02	1.0	3.8	1.4	1.6	38.0	39.8	13.8	11.6	11.7
03	8.3	18.1	10.3	10.4	20.9	23.7	34.3	29.5	29.6
04	17.1	23.1	19.4	18.5	9.6	10.4	25.5	24.9	24.9
05	22.6	22.0	24.5	22.6	3.9	4.7	15.5	17.0	17.0
06	19.8	15.0	19.9	18.8	2.0	2.2	6.7	8.9	8.8
07	13.9	8.9	12.7	12.8	0.9	1.0	2.5	4.2	4.1
08	7.7	4.3	6.1	6.9	0.5	0.5	0.7	1.8	1.7
09	4.7	2.4	3.3	4.1	0.3	0.3	0.3	0.9	0.9
10	2.1	1.0	1.2	1.8	0.1	0.1	0.1	0.3	0.3
11	1.2	0.6	0.6	1.0	0.1	0.1	*	0.1	0.1
12	0.7	0.3	0.3	0.6	*	*	*	0.1	0.1
13	0.3	0.1	0.1	0.3	*	*	*	*	*
14	0.2	0.1	*	0.2	*	*	*	*	*
15	0.1	0.1	*	0.1	*	*	*	*	*
16	0.1	*	*	0.1	*	*	-	*	*
17	0.1	*	*	*	*	*	-	*	*
18 & above	0.1	*	*	0.1	*	*	-	*	*
<b>Average trash</b>	<b>0.58</b>	<b>0.50</b>	<b>0.55</b>	<b>0.56</b>	<b>0.25</b>	<b>0.26</b>	<b>0.38</b>	<b>0.41</b>	<b>0.41</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 34. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2005 crop

Mike Groupings, Uniformity and Trash	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
24 & below	-	-	-	-	-	*	*	0.3	*	*
25 - 26	-	-	-	-	-	-	0.2	0.4	0.3	0.1
27 - 29	-	-	-	-	-	0.3	0.3	3.1	0.8	0.5
30 - 32	-	-	0.1	-	-	0.9	1.5	8.2	1.4	1.5
33 - 34	-	-	0.4	0.2	0.1	1.1	1.6	9.2	2.9	1.8
35 - 36	0.3	0.2	1.6	0.8	0.5	2.0	1.6	12.4	5.0	2.8
37 - 42	29.3	14.7	34.3	22.0	23.7	17.9	16.5	48.9	52.7	20.6
43 - 49	56.8	60.8	58.6	61.8	59.4	54.6	66.9	17.4	36.7	53.1
50 - 52	11.2	17.2	4.5	11.4	12.4	19.4	9.7	-	0.2	16.5
53 & above	2.3	7.1	0.4	3.8	3.9	3.7	1.7	-	-	3.1
<b>Average mike</b>	<b>45</b>	<b>47</b>	<b>44</b>	<b>45</b>	<b>45</b>	<b>46</b>	<b>45</b>	<b>38</b>	<b>41</b>	<b>45</b>
<b>Mike 35 - 49</b>	<b>86.4</b>	<b>75.7</b>	<b>94.6</b>	<b>84.5</b>	<b>83.6</b>	<b>74.4</b>	<b>85.0</b>	<b>78.7</b>	<b>94.4</b>	<b>76.4</b>
Uniformity 1/ 72 & below	*	*	-	-	*	-	-	-	-	-
73	*	*	-	-	*	-	-	-	-	-
74	*	*	*	*	*	*	*	*	*	*
75	*	*	*	*	*	*	*	*	*	*
76	*	*	*	*	*	0.1	0.1	0.2	0.3	0.1
77	*	*	0.3	0.1	*	0.8	1.3	1.4	1.5	0.9
78	0.4	0.2	2.8	0.6	0.5	3.3	6.2	5.6	8.1	3.9
79	2.4	1.3	11.1	3.7	3.0	11.3	21.2	18.4	22.3	13.2
80	11.2	7.8	23.0	14.7	12.1	28.2	39.9	30.9	33.3	29.9
81	31.9	25.3	31.6	32.7	#VALUE!	34.6	26.2	27.5	24.1	32.8
82	42.0	41.8	23.9	33.9	#VALUE!	17.5	4.9	12.2	9.1	15.4
83	11.1	21.2	6.8	12.9	13.9	3.8	0.3	3.1	1.4	3.3
84	0.9	2.3	0.6	1.5	1.4	0.4	*	0.5	0.1	0.3
85	*	0.1	*	*	*	*	-	*	-	*
86	*	*	*	*	*	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.5</b>	<b>81.8</b>	<b>80.8</b>	<b>81.4</b>	<b>#VALUE!</b>	<b>80.6</b>	<b>80.0</b>	<b>80.3</b>	<b>80.0</b>	<b>80.5</b>
Trash 2/ 00	*	*	*	*	*	*	*	*	*	*
01	0.3	0.8	0.6	0.9	0.6	47.6	50.2	49.2	41.6	47.9
02	5.0	10.0	6.3	9.4	7.7	33.5	33.3	35.1	38.8	33.7
03	17.5	24.5	17.6	21.9	20.6	9.2	8.1	10.1	13.6	9.2
04	24.1	26.2	22.9	24.6	24.7	3.5	3.5	3.2	3.3	3.5
05	21.8	19.0	20.0	19.2	20.2	2.2	2.5	1.3	1.5	2.2
06	15.5	11.1	14.1	12.1	13.3	1.3	1.3	0.5	0.7	1.3
07	8.7	5.0	8.5	6.4	7.1	1.0	0.6	0.2	0.3	0.9
08	4.3	2.1	4.8	3.1	3.4	0.6	0.2	0.1	0.1	0.5
09	2.0	0.8	2.7	1.5	1.6	0.4	0.1	0.1	*	0.3
10	0.5	0.2	1.1	0.4	0.4	0.2	*	*	-	0.2
11	0.2	0.1	0.6	0.2	0.2	0.1	*	*	-	0.1
12	0.1	*	0.4	0.1	0.1	0.1	*	*	-	0.1
13	*	*	0.2	*	*	0.1	*	*	-	*
14	*	*	0.1	*	*	*	*	*	-	*
15	*	*	0.1	*	*	*	*	-	-	*
16	*	*	0.1	*	*	*	-	*	-	*
17	*	*	*	*	*	*	-	-	-	*
18 & above	*	*	*	*	*	*	-	*	-	*
<b>Average trash</b>	<b>0.48</b>	<b>0.42</b>	<b>0.49</b>	<b>0.45</b>	<b>0.46</b>	<b>0.20</b>	<b>0.18</b>	<b>0.18</b>	<b>0.19</b>	<b>0.19</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 35. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2005 crop

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	-	-	-	*	*
25 - 26	-	-	-	-	-	*
27 - 29	-	-	-	-	0.3	1.5
30 - 32	0.1	-	-	-	0.7	4.0
33 - 34	0.4	-	0.1	-	1.0	4.4
35 - 36	0.4	0.1	0.5	0.1	2.8	5.8
37 - 42	12.1	7.3	10.3	7.6	39.3	27.9
43 - 49	59.0	77.1	75.7	76.9	55.2	48.3
50 - 52	28.0	14.3	12.0	14.3	0.6	6.5
53 & above	0.1	1.1	1.4	1.1	-	5.8
<b>Average mike</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>47</b>	<b>43</b>	<b>42.6</b>
<b>Mike 35 - 49</b>	<b>71.5</b>	<b>84.6</b>	<b>86.5</b>	<b>84.6</b>	<b>97.3</b>	<b>82.0</b>
Uniformity 1/ 72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	-	-	-	-	*
75	-	-	-	-	*	*
76	-	*	-	*	*	0.1
77	0.1	0.5	0.2	0.5	*	0.7
78	0.5	5.5	2.7	5.3	0.1	3.9
79	6.7	24.0	13.6	23.3	0.8	13.1
80	33.3	32.5	28.9	32.3	2.8	25.2
81	40.4	22.5	30.4	23.1	11.2	27.9
82	18.1	11.9	18.6	12.4	36.4	20.5
83	0.9	2.9	5.2	3.0	35.8	7.3
84	*	0.2	0.4	0.2	9.0	1.0
85	-	*	*	*	2.9	0.1
86	-	-	*	*	0.9	*
87	-	-	-	-	0.1	*
88	-	-	-	-	*	*
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
<b>Average uniformity</b>	<b>80.7</b>	<b>80.2</b>	<b>80.7</b>	<b>80.2</b>	<b>82.5</b>	<b>80.7</b>
Trash 2/ 00	-	*	-	*	*	*
01	1.1	4.8	0.8	4.5	24.0	9.4
02	7.1	25.4	10.5	24.3	45.0	21.5
03	14.3	31.3	25.1	30.8	19.3	21.7
04	18.3	18.9	24.7	19.2	6.9	16.8
05	18.6	10.4	18.6	11.0	2.7	12.6
06	15.2	5.1	11.2	5.6	1.1	8.2
07	11.2	2.4	5.5	2.7	0.5	4.7
08	6.9	1.0	2.3	1.2	0.2	2.4
09	4.1	0.4	0.9	0.5	0.1	1.4
10	1.5	0.1	0.2	0.2	*	0.5
11	0.8	0.1	0.1	0.1	*	0.3
12	0.5	*	*	*	*	0.2
13	0.1	*	*	*	*	0.1
14	*	*	*	*	*	*
15	0.1	*	*	*	*	*
16	*	*	*	*	*	*
17	-	*	-	*	*	*
18 & above	-	*	*	*	*	*
<b>Average trash</b>	<b>0.52</b>	<b>0.34</b>	<b>0.43</b>	<b>0.35</b>	<b>0.23</b>	<b>0.38</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 36. -- Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2005 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	115	1.7	34,850	6.5	163	0.8	134	0.3	35,262	5.8
	2	477	7.1	25,929	4.8	464	2.3	266	0.6	27,136	4.5
	3	-	-	163	*	5	*	-	-	168	*
	4	-	-	2	*	-	-	-	-	2	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total -----		<b>592</b>	<b>8.8</b>	<b>60,944</b>	<b>11.3</b>	<b>632</b>	<b>3.0</b>	<b>400</b>	<b>0.9</b>	<b>62,568</b>	<b>10.3</b>
02	1	120	1.8	36,175	6.7	539	2.6	1,720	4.1	38,554	6.4
	2	4,820	72.0	294,621	54.9	13,742	66.7	35,457	83.7	348,640	57.5
	3	786	11.7	73,158	13.6	4,072	19.8	2,572	6.1	80,588	13.3
	4	20	0.3	3,649	0.7	463	2.2	10	*	4,142	0.7
	5	-	-	86	*	61	0.3	2	*	149	*
	6	-	-	1	*	6	*	-	-	7	*
	7	-	-	-	-	-	-	-	-	-	-
Total -----		<b>5,746</b>	<b>85.9</b>	<b>407,690</b>	<b>75.9</b>	<b>18,883</b>	<b>91.6</b>	<b>39,761</b>	<b>93.9</b>	<b>472,080</b>	<b>77.8</b>
03	1	-	-	112	*	3	*	76	0.2	191	*
	2	70	1.0	15,034	2.8	86	0.4	1,323	3.1	16,513	2.7
	3	141	2.1	30,438	5.7	269	1.3	649	1.5	31,497	5.2
	4	61	0.9	11,781	2.2	382	1.9	31	0.1	12,255	2.0
	5	20	0.3	1,490	0.3	166	0.8	3	*	1,679	0.3
	6	-	-	29	*	30	0.1	-	-	59	*
	7	-	-	-	-	-	-	-	-	-	-
Total -----		<b>292</b>	<b>4.4</b>	<b>58,884</b>	<b>10.9</b>	<b>936</b>	<b>4.5</b>	<b>2,082</b>	<b>4.9</b>	<b>62,194</b>	<b>10.2</b>
04	1	-	-	5	*	-	-	-	-	5	*
	2	3	*	575	0.1	3	*	6	*	587	0.1
	3	8	0.1	2,450	0.5	7	*	27	0.1	2,492	0.4
	4	10	0.1	3,499	0.7	90	0.4	15	*	3,614	0.6
	5	29	0.4	1,099	0.2	25	0.1	1	*	1,154	0.2
	6	5	0.1	124	*	2	*	-	-	131	*
	7	-	-	4	*	-	-	-	-	4	*
Total -----		<b>55</b>	<b>0.8</b>	<b>7,756</b>	<b>1.4</b>	<b>127</b>	<b>0.6</b>	<b>49</b>	<b>0.1</b>	<b>7,987</b>	<b>1.3</b>
05	1	-	-	8	*	-	-	-	-	8	*
	2	-	-	138	*	1	*	-	-	139	*
	3	4	0.1	386	0.1	2	*	-	-	392	0.1
	4	1	*	512	0.1	1	*	-	-	514	0.1
	5	1	*	234	*	18	0.1	14	*	267	*
	6	-	-	55	*	4	*	2	*	61	*
	7	-	-	4	*	-	-	-	-	4	*
Total -----		<b>6</b>	<b>0.1</b>	<b>1,337</b>	<b>0.2</b>	<b>26</b>	<b>0.1</b>	<b>16</b>	<b>0.0</b>	<b>1,385</b>	<b>0.1</b>
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	21	*	-	-	-	-	21	*
	3	-	-	126	*	-	-	-	-	126	*
	4	-	-	102	*	-	-	-	-	102	*
	5	-	-	43	*	-	-	-	-	43	*
	6	-	-	9	*	1	*	-	-	10	*
	7	-	-	4	*	-	-	-	-	4	*
Total -----		<b>0</b>	<b>0.0</b>	<b>305</b>	<b>0.0</b>	<b>1</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>306</b>	<b>0.0</b>
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	14	*	-	-	-	-	14	*
	4	-	-	3	*	-	-	-	-	3	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	3	*	-	-	-	-	3	*
Total -----		<b>0</b>	<b>0.0</b>	<b>20</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>20</b>	<b>0.0</b>
STAPLE											
40 & shorter	-	-	4	*	-	-	-	-	-	4	*
42	-	-	63	*	12	0.1	137	0.3	212	*	
44	681	10.2	7,042	1.3	1,479	7.2	8,189	19.3	17,391	2.9	
46	2,382	35.6	101,905	19.0	11,027	53.5	25,196	59.5	140,510	23.2	
48 & longer	3,629	54.2	427,926	79.7	8,091	39.3	8,816	20.8	448,462	73.9	
<b>Average</b>		<b>47.0</b>		<b>47.9</b>		<b>46.6</b>		<b>46.0</b>		<b>47.7</b>	
UNIFORMITY											
72 & below	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-
78	-	-	-	-	-	-	-	-	-	-	-
79	-	-	2	*	-	-	-	-	-	2	*
80	-	-	252	*	1	*	14	*	267	*	
81	7	0.1	1,887	0.4	63	0.3	66	0.2	2,023	0.3	
82	66	1.0	8,258	1.5	386	1.9	511	1.2	9,221	1.5	
83	424	6.3	24,733	4.6	2,014	9.8	3,359	7.9	30,530	5.0	
84	1,373	20.5	62,269	11.6	5,683	27.6	11,679	27.6	81,004	13.4	
85	2,122	31.7	165,420	30.8	7,547	36.6	15,858	37.5	190,947	31.5	
86	1,643	24.6	201,677	37.6	3,978	19.3	8,843	20.9	216,141	35.6	
87	854	12.8	62,896	11.7	860	4.2	1,840	4.3	66,450	11.0	
88	192	2.9	9,004	1.7	77	0.4	137	0.3	9,410	1.6	
89	11	0.2	541	0.1	-	-	1	*	553	0.1	
90 & above	-	-	1	*	-	-	-	-	1	*	
<b>Average</b>		<b>85.2</b>		<b>85.4</b>		<b>84.7</b>		<b>84.8</b>		<b>85.3</b>	
<b>BALES CLASSED</b>		<b>6,692</b>		<b>536,940</b>		<b>20,609</b>		<b>42,338</b>		<b>606,579</b>	



Table 37. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2005 crop.

Grade, Staple and Mike	State								United States	
	Arizona		California		New Mexico		Texas			
<b>Mike groups</b>										
24 & below	-	-	70	*	-	-	-	-	70	*
25 - 26	-	-	1,640	0.3	33	0.2	-	-	1,673	0.3
27 - 29	29	0.4	13,535	2.5	236	1.1	97	0.2	13,897	2.3
30 - 32	30	0.4	20,610	3.8	763	3.7	1,153	2.7	22,556	3.7
33 - 34	75	1.1	13,215	2.5	1,058	5.1	1,263	3.0	15,611	2.6
35 - 36	188	2.8	24,815	4.6	2,146	10.4	2,057	4.9	29,206	4.8
37 - 42	4994	74.6	377,890	70.4	12,046	58.5	25,470	60.2	420,400	69.3
43 - 49	1376	20.6	85,165	15.9	4,327	21.0	12,298	29.0	103,166	17.0
50 - 52	-	-	-	-	-	-	-	-	-	-
53 & above	-	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>41</b>		<b>40</b>		<b>39</b>		<b>41</b>		<b>40</b>	
<b>Mike readings</b>										
24 & below	-	-	70	*	-	-	-	-	-	-
25	-	-	446	0.1	11	0.1	-	-	457	0.1
26	-	-	1,194	0.2	22	0.1	-	-	1,216	0.2
27	1	*	2,640	0.5	48	0.2	3	*	2,692	0.4
28	11	0.2	4,483	0.8	80	0.4	19	*	4,593	0.8
29	17	0.3	6,412	1.2	108	0.5	75	0.2	6,612	1.1
30	6	0.1	7,067	1.3	146	0.7	210	0.5	7,429	1.2
31	11	0.2	7,014	1.3	275	1.3	365	0.9	7,665	1.3
32	13	0.2	6,529	1.2	342	1.7	578	1.4	7,462	1.2
33	27	0.4	6,143	1.1	425	2.1	651	1.5	7,246	1.2
34	48	0.7	7,072	1.3	633	3.1	612	1.4	8,365	1.4
35	71	1.1	9,416	1.8	907	4.4	813	1.9	11,207	1.8
36	117	1.7	15,399	2.9	1,239	6.0	1,244	2.9	17,999	3.0
37	260	3.9	27,066	5.0	1,705	8.3	1,973	4.7	31,004	5.1
38	472	7.1	46,085	8.6	1,935	9.4	3,188	7.5	51,680	8.5
39	945	14.1	68,957	12.8	1,926	9.3	4,126	9.7	75,954	12.5
40	1,158	17.3	82,028	15.3	2,130	10.3	5,443	12.9	90,759	15.0
41	1,023	15.3	81,111	15.1	2,247	10.9	5,778	13.6	90,159	14.9
42	1,136	17.0	72,643	13.5	2,103	10.2	4,932	11.6	80,814	13.3
43	864	12.9	49,972	9.3	1,684	8.2	3,897	9.2	56,417	9.3
44	393	5.9	24,314	4.5	1,155	5.6	2,974	7.0	28,836	4.8
45	101	1.5	8,545	1.6	797	3.9	2,349	5.5	11,792	1.9
46	13	0.2	1,872	0.3	438	2.1	1,740	4.1	4,063	0.7
47	4	0.1	379	0.1	183	0.9	899	2.1	1,465	0.2
48	1	*	57	*	57	0.3	350	0.8	465	0.1
49	-	-	26	*	13	0.1	89	0.2	128	*
50	-	-	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average mike</b>	<b>41</b>		<b>40</b>		<b>39</b>		<b>41</b>		<b>40</b>	
<b>Strength</b>										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-
28	-	-	1	*	-	-	-	-	1	*
29	-	-	31	*	-	-	-	-	31	*
30	-	-	221	*	3	*	-	-	224	*
31	4	0.1	612	0.1	112	0.5	31	0.1	759	0.1
32	4	0.1	1,288	0.2	393	1.9	118	0.3	1,803	0.3
33	132	2.0	2,800	0.5	565	2.7	276	0.7	3,773	0.6
34	165	2.5	5,482	1.0	733	3.6	571	1.3	6,951	1.1
35	186	2.8	10,034	1.9	948	4.6	1,261	3.0	12,443	2.1
36	327	4.9	15,504	2.9	1,410	6.8	3,081	7.3	20,338	3.4
37	524	7.8	21,243	4.0	2,154	10.5	5,833	13.8	29,754	4.9
38	865	12.9	33,754	6.3	3,267	15.9	7,579	17.9	45,465	7.5
39	1,083	16.2	57,507	10.7	3,419	16.6	7,980	18.8	69,989	11.5
40	1,205	18.0	89,267	16.6	3,005	14.6	6,612	15.6	100,089	16.5
41	1,004	15.0	105,000	19.6	2,102	10.2	4,331	10.2	112,437	18.5
42	686	10.3	87,774	16.3	1,260	6.1	2,500	5.9	92,220	15.2
43	334	5.0	56,764	10.6	715	3.5	1,271	3.0	59,084	9.7
44	118	1.8	29,860	5.6	331	1.6	590	1.4	30,899	5.1
45 & above	55	0.8	19,798	3.7	192	0.9	274	0.6	20,319	3.3
<b>Average Strength</b>	<b>39.30</b>		<b>40.60</b>		<b>38.50</b>		<b>38.80</b>		<b>40.40</b>	
<b>Extraneous matter</b>										
Bark	136	2.0	2,560	0.5	329	1.6	202	0.5	3,227	0.5
Grass	4	0.1	716	0.1	98	0.5	208	0.5	1,026	0.2
Spindle twist	6	0.1	1,566	0.3	26	0.1	16	*	1,614	0.3
Preparation	0	-	5,866	1.1	0	-	2	*	5,868	1.0

\* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.