

COTTON QUALITY CROP OF 2007



***U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee***

Vol. 81, No. 8 – Annual Report
Bales Classed 07/01/07 - 05/08/08

June 2008
mp_cn831

COTTON QUALITY - UNITED STATES

2007 Crop

Color. The predominant color of Upland cotton classed from the 2007 crop was color 41, accounting for 27 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 31 was the predominant color grade in 2006 and made up 40 percent of classings. Color grades 11 and 21 combined made up 36 percent of the 2007 classings, up from 19 percent in 2006. In the white color grades, color 41 and better made up 83 percent of classings, down from 93 percent in 2006. All white color grades accounted for 87 percent of the 2007 crop, down from 95 percent in 2006. Light Spotted color grades comprised 11 percent of classings, up from 5 percent in 2006. Spotted color grades made up almost 2 percent of classings this season, up from less than 1 percent a year earlier. Tinged, Yellow Stained and Below grades accounted for less than 1 percent of classings this season, about the same as last year.

Leaf. The predominant leaf grade of Upland cotton classed from the 2007 crop was leaf grade 3, accounting for 39 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 55 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2007 crop at 28 percent against 32 percent a year ago. Leaf grades 1-2 made up 24 percent of classings of the 2007 crop, compared with 8 percent in 2006. Leaf grades 5-7 made up about 9 percent of classings, compared to 3 percent last year.

Staple. The average staple length of Upland cotton classed from the 2007 crop was 35.3 thirty-seconds of an inch, up slightly from 35.2 a year ago. The predominant staple length was 35, just over 24 percent of classings. Staple 35 was the predominant length last year and accounted for 26 percent of classings. Staples 31 and shorter comprised about 1 percent of classings this season, the same as last year. Staples 32 and 33, at 12 percent, were the same as last year. Staple 34 made up 18 percent of the crop, unchanged from last year. Staples 36 and longer accounted for 45 percent of classings, up from 43 percent the previous year.

Mike. The average mike of Upland cotton classed from the 2007 crop was 4.3, down slightly from 4.4 last year. Cotton with mike 3.4 and lower made up just over 5 percent of classings, down from 8 percent in 2006. Cotton miking 3.5 through 4.9 comprised 87 percent of the classings this season, up from 79 percent a year ago. Cotton with mike 5.0 and higher made up 7 percent of the classings, down from 13 percent in 2006.

Strength. The average fiber strength of Upland cotton classed from the 2007 crop was 29.2 grams per tex, the same as in 2006. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as the last five years. Strengths in the 23 to 25 range accounted for 3 percent, the same as last year. Cotton with strengths of 26 to 29 grams per tex accounted for 52 percent of classings, down from 55 percent in 2006. Strengths in the 30 and higher range comprised 44 percent of classings, up from 42 percent a year ago.

American Pima. Color grades 1 and 2 made up 95 percent of classings from the 2007 crop, up from 85 percent in 2006. Color grade 2 was the predominant color grade in 2007, accounting for 53 percent of the classings. Color grades 3 and lower comprised 5 percent of 2007 classings. Leaf grades 1 and 2 accounted respectively for 39 percent and 54 percent of the 2007 classings. The average staple length was 46.8 thirty-seconds of an inch, as compared to 47.8 last year. Staple 46 was the predominant length, comprising 49 percent of classings this season. Staple 48 was the predominant staple length in 2006. Average mike was 4.1 and was up from 4.0 last year. Average fiber strength was 40.6 grams per tex, up from 40.1 last year.

Ginnings of 2007-crop cotton in the United States totaled 18,713,150 running bales, according to the Cotton Ginnings 2007 Summary report released on May 9, 2007 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 17,889,900 bales of Upland and 823,250 bales of American Pima cotton. The number of active cotton gins for crop year 2007 was 806 compared with 835 in 2006. Classings at AMS, Cotton Program Offices totaled 17,925,150 Upland samples and 822,722 American Pima samples through May 8, 2008.

June 4, 2008

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2007 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	3	73	560	4,830	25,306	112,407	356,563	499,742
	3	-	3	135	864	4,922	20,625	76,658	212,107	315,314
	4	-	-	24	152	689	2,395	6,969	16,520	26,749
	5	-	-	-	-	30	140	281	661	1,112
	6	-	-	-	-	1	2	7	13	23
	7	-	-	-	-	-	1	-	1	2
	TOTAL----		6	232	1,576	10,472	48,469	196,322	585,865	842,942
	31	1-2	-	-	13	146	1,359	6,102	18,570	44,067
3		-	13	308	2,575	19,579	85,562	279,161	531,566	918,764
4		-	4	230	1,385	7,410	28,970	96,094	213,150	347,243
5		-	1	39	183	929	2,926	7,838	16,718	28,634
6		-	2	7	26	108	341	669	1,386	2,539
7		-	-	-	1	10	23	62	87	183
TOTAL----			20	597	4,316	29,395	123,924	402,394	806,974	1,367,620
41		1-2	-	-	2	26	281	1,588	4,210	6,341
	3	-	-	114	1,463	15,924	78,727	263,562	445,702	805,492
	4	-	-	171	1,262	10,399	59,665	267,639	681,433	1,020,569
	5	-	2	102	507	2,249	7,722	31,649	100,236	142,467
	6	-	-	13	98	536	1,404	4,026	11,747	17,824
	7	-	-	-	16	103	282	684	1,679	2,764
	TOTAL----		2	402	3,372	29,492	149,388	571,770	1,247,138	2,001,564
	51	1-2	-	-	1	4	23	246	420	330
3		-	-	11	192	1,694	7,612	17,406	23,479	50,394
4		-	-	10	230	1,943	9,755	31,121	63,447	106,506
5		-	-	8	116	744	2,312	7,797	22,911	33,888
6		-	-	4	23	151	499	1,403	5,148	7,228
7		-	-	-	3	39	141	372	1,170	1,725
TOTAL----			34	568	4,594	20,565	58,519	116,485	200,765	
61		1-2	-	-	-	-	-	1	-	2
	3	-	-	-	7	34	30	31	33	135
	4	-	-	-	4	23	34	126	202	389
	5	-	-	-	1	3	43	127	209	383
	6	-	-	-	-	2	54	70	128	254
	7	-	-	-	1	-	5	13	18	37
	TOTAL----		13	62	167	367	592	1,201		
	71	1-2	-	-	-	-	-	-	-	-
3		-	-	-	-	1	-	-	3	4
4		-	-	-	-	1	-	-	1	2
5		-	-	-	-	-	-	2	7	9
6		-	-	-	-	-	-	-	1	1
7		-	-	-	-	-	-	-	-	-
TOTAL----			1	1	2	12	16			
12 & 22		1-2	-	1	4	49	273	910	3,401	9,112
	3	-	11	29	119	714	2,365	6,695	15,589	25,522
	4	-	-	5	30	139	638	1,452	3,000	5,264
	5	-	-	-	5	11	36	86	373	511
	6	-	-	-	-	2	3	8	29	42
	7	-	-	-	-	-	-	-	1	1
	TOTAL----		12	38	203	1,139	3,952	11,642	28,104	45,090
	32	1-2	-	6	4	26	181	481	807	1,186
3		-	29	87	463	3,225	14,628	23,601	24,917	66,950
4		-	-	74	388	1,865	7,796	15,220	21,668	47,011
5		-	-	6	68	229	885	1,989	3,256	6,433
6		-	-	-	5	22	133	315	487	962
7		-	-	-	-	5	25	55	95	180
TOTAL----			35	171	950	5,527	23,948	41,987	51,609	124,227
42		1-2	-	-	1	13	238	1,073	1,407	1,024
	3	-	-	35	458	7,868	44,578	75,624	90,309	218,872
	4	-	-	76	630	5,303	32,831	85,943	163,448	288,231
	5	-	-	49	257	862	4,745	15,907	42,414	64,234
	6	-	-	8	38	144	660	1,824	4,838	7,512
	7	-	-	1	10	33	127	236	569	976
	TOTAL----		170	1,406	14,448	84,014	180,941	302,602	583,581	
	52	1-2	-	-	1	12	98	207	242	177
3		-	-	16	199	2,722	8,536	13,348	17,030	41,851
4		-	-	30	269	2,798	10,300	23,397	47,154	83,948
5		-	-	16	107	825	2,773	7,745	21,090	32,556
6		-	-	1	22	229	670	1,674	4,073	6,669
7		-	-	-	2	61	188	354	804	1,409
TOTAL----			64	611	6,733	22,674	46,760	90,328	167,170	

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2007 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	-	-	2	2
	3	-	-	-	1	36	76	98	134	345
	4	-	-	-	1	40	154	434	737	1,366
	5	-	-	-	-	20	63	278	623	984
	6	-	-	-	-	21	20	59	96	196
	7	-	-	-	2	6	25	34	38	105
	TOTAL----		-	-	-	4	123	338	903	1,630
13 & 23	1-2	-	-	-	1	5	44	317	1,016	1,383
	3	-	-	-	8	73	283	600	1,480	2,444
	4	-	-	-	1	8	30	111	207	357
	5	-	-	-	-	-	1	7	24	32
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	10	86	358	1,036	2,727
33	1-2	-	-	-	-	19	91	136	312	558
	3	-	-	2	48	488	2,154	2,497	2,600	7,789
	4	-	-	6	27	183	866	1,346	1,407	3,835
	5	-	-	1	6	26	116	194	294	637
	6	-	-	-	-	5	17	29	40	91
	7	-	-	-	-	2	2	3	7	14
	TOTAL----		-	-	9	81	723	3,246	4,205	4,660
43	1-2	-	-	-	18	244	494	385	239	1,380
	3	-	-	4	232	4,769	20,648	20,912	12,366	58,931
	4	-	-	13	180	2,506	13,152	19,670	17,147	52,668
	5	-	-	3	34	220	1,394	2,680	3,190	7,521
	6	-	-	1	33	68	217	381	415	1,115
	7	-	-	4	48	67	71	96	139	425
	TOTAL----		-	-	25	545	7,874	35,976	44,124	33,496
53	1-2	-	-	-	3	66	91	94	85	339
	3	-	-	-	54	884	2,444	2,723	3,218	9,323
	4	-	-	1	63	804	3,046	5,561	8,822	18,297
	5	-	-	-	23	236	798	2,067	3,434	6,558
	6	-	-	-	4	29	109	387	604	1,133
	7	-	-	-	-	9	58	89	123	279
	TOTAL----		-	-	1	147	2,028	6,546	10,921	16,286
63	1-2	-	-	-	-	1	3	-	14	18
	3	-	-	-	-	9	10	39	79	137
	4	-	-	1	6	35	37	166	829	1,074
	5	-	-	-	8	9	27	94	640	778
	6	-	-	-	4	1	7	24	49	85
	7	-	-	-	-	-	3	8	7	18
	TOTAL----		-	-	1	18	55	87	331	1,618
24-54	1-7	-	-	-	8	185	589	1,147	1,949	3,878
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	15	38	68	122	419	662
All Colors	8 2/	-	-	2	20	38	153	347	582	1,142
TOTAL, ALL----		-	75	1,746	13,863	113,013	524,463	1,573,840	3,293,076	5,520,076

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2007 Crop

QUALITY	LEAF	STAPLE							TOTAL	
		35	36	37	38	39	40 &+	35 to 40+		
11 & 21	1-2	Bales 781,650	Bales 1,056,207	Bales 1,048,195	Bales 291,110	Bales 81,908	Bales 11,778	Bales 3,270,848	Bales 3,770,590	
	3	434,860	627,576	740,591	259,851	73,192	7,633	2,143,703	2,459,017	
	4	29,824	34,259	33,457	11,987	3,482	429	113,438	140,187	
	5	1,452	1,632	1,312	379	89	19	4,883	5,995	
	6	45	68	46	8	4	-	171	194	
	7	5	3	-	1	-	-	9	11	
	TOTAL----		1,247,836	1,719,745	1,823,601	563,336	158,675	19,859	5,533,052	6,375,994
	31	1-2	79,076	82,302	76,459	30,838	25,220	8,073	301,968	372,225
3		571,368	416,974	305,417	97,845	32,284	8,247	1,432,135	2,350,899	
4		268,014	185,313	115,646	37,676	10,046	1,468	618,163	965,406	
5		25,822	22,832	13,724	3,642	1,080	167	67,267	95,901	
6		2,368	2,585	1,510	227	83	7	6,780	9,319	
7		196	194	113	18	8	1	530	713	
TOTAL----			946,844	710,200	512,869	170,246	68,721	17,963	2,426,843	3,794,463
41		1-2	6,207	4,132	3,111	979	795	207	15,431	27,879
	3	366,893	168,940	82,994	20,540	4,039	742	644,148	1,449,640	
	4	816,439	435,882	258,627	78,122	12,453	840	1,602,363	2,622,932	
	5	182,337	140,943	82,354	22,340	4,442	405	432,821	575,288	
	6	26,602	30,592	17,815	2,246	353	56	77,664	95,488	
	7	4,086	5,450	3,855	450	52	15	13,908	16,672	
	TOTAL----		1,402,564	785,939	448,756	124,677	22,134	2,265	2,786,335	4,787,899
	51	1-2	162	79	29	5	3	-	278	1,302
3		17,294	6,233	2,862	772	59	3	27,223	77,617	
4		69,701	39,383	43,863	14,322	102	507	167,878	274,384	
5		42,937	40,771	38,049	10,560	1,190	42	133,549	167,437	
6		13,305	19,226	13,135	1,706	165	16	47,553	54,781	
7		3,274	5,659	5,023	465	35	4	14,460	16,185	
TOTAL----			146,673	111,351	102,961	27,830	2,637	101	391,553	592,318
61		1-2	2	2	1	-	-	-	5	8
	3	24	11	4	1	-	-	40	175	
	4	179	100	137	23	-	-	439	828	
	5	294	374	543	96	1	-	1,308	1,691	
	6	107	168	288	61	3	-	627	881	
	7	15	24	44	16	-	-	99	136	
	TOTAL----		621	679	1,017	197	4	-	2,518	3,719
	71	1-2	1	-	-	-	-	-	1	1
3		1	3	1	-	-	-	5	9	
4		1	-	4	3	-	-	8	10	
5		-	1	5	1	-	-	7	16	
6		2	2	3	-	-	-	7	8	
7		1	2	1	-	1	-	5	5	
TOTAL----			6	8	14	4	1	-	33	49
12 & 22		1-2	16,494	17,713	13,509	2,834	1,053	301	51,904	65,654
	3	25,345	26,069	21,742	5,123	931	112	79,322	104,844	
	4	4,384	3,086	2,023	505	132	11	10,141	15,405	
	5	495	311	182	37	2	1	1,028	1,539	
	6	36	16	16	8	-	-	76	118	
	7	1	2	-	-	-	-	3	4	
	TOTAL----		46,755	47,197	37,472	8,507	2,118	425	142,474	187,564
	32	1-2	1,532	1,473	1,839	946	1,105	292	7,187	9,878
3		21,507	14,473	8,865	3,395	1,696	751	50,687	117,637	
4		22,916	13,382	5,854	1,695	493	176	44,516	91,527	
5		4,306	3,324	1,644	300	81	26	9,681	16,114	
6		616	624	288	19	8	-	1,555	2,517	
7		144	177	35	4	-	-	360	540	
TOTAL----			51,021	33,453	18,525	6,359	3,383	1,245	113,986	238,213
42		1-2	424	213	251	175	230	30	1,323	5,079
	3	74,843	25,324	5,538	1,570	746	255	108,276	327,148	
	4	199,270	90,297	33,576	6,600	1,305	278	331,326	619,557	
	5	69,469	44,220	17,668	4,358	1,026	146	136,887	201,121	
	6	8,528	7,438	3,215	395	67	4	19,647	27,159	
	7	1,009	979	522	67	10	-	2,587	3,563	
	TOTAL----		353,543	168,471	60,770	13,165	3,384	713	600,046	1,183,627
	52	1-2	101	22	17	7	7	-	154	891
3		11,017	3,693	1,204	167	49	14	16,144	57,995	
4		57,134	31,428	24,021	3,702	310	17	116,612	200,560	
5		39,336	30,341	23,728	5,490	860	64	99,819	132,375	
6		9,048	8,552	4,529	750	106	5	22,990	29,659	
7		1,736	1,939	1,478	170	11	-	5,334	6,743	
TOTAL----			118,372	75,975	54,977	10,286	1,343	100	261,053	428,223

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2007 Crop

QUALITY	LEAF	STAPLE								TOTAL
		35	36	37	38	39	40 &+	35 to 40+	Bales	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	2	1	-	-	-	3	5	
	3	115	60	28	3	-	-	206	551	
	4	656	709	612	68	5	-	2,050	3,416	
	5	830	1,121	990	135	12	-	3,088	4,072	
	6	202	279	482	67	7	-	1,037	1,233	
	7	39	27	102	17	2	1	188	293	
	TOTAL----		1,842	2,198	2,215	290	26	1	6,572	9,570
13 & 23	1-2	1,861	2,220	1,710	238	21	1	6,051	7,434	
	3	3,093	3,277	2,889	585	102	8	9,954	12,398	
	4	306	274	233	91	8	-	912	1,269	
	5	24	26	21	10	3	-	84	116	
	6	3	4	7	1	-	-	15	16	
	7	-	-	-	-	-	-	-	-	
	TOTAL----		5,287	5,801	4,860	925	134	9	17,016	21,233
33	1-2	623	812	526	77	16	11	2,065	2,623	
	3	3,347	4,038	3,671	899	193	28	12,176	19,965	
	4	1,601	1,522	1,160	422	89	13	4,807	8,642	
	5	378	336	239	63	20	12	1,048	1,685	
	6	64	62	32	1	1	-	160	251	
	7	19	12	5	-	-	-	36	50	
	TOTAL----		6,032	6,782	5,633	1,462	319	64	20,292	33,216
43	1-2	146	79	53	12	11	3	304	1,684	
	3	6,261	2,238	810	195	68	11	9,583	68,514	
	4	11,911	5,440	2,572	920	216	35	21,094	73,762	
	5	3,060	2,005	939	397	150	16	6,567	14,088	
	6	424	304	146	37	9	-	920	2,035	
	7	140	88	24	8	1	-	261	686	
	TOTAL----		21,942	10,154	4,544	1,569	455	65	38,729	160,769
53	1-2	58	15	6	4	1	-	84	423	
	3	2,052	717	310	57	12	3	3,151	12,474	
	4	10,601	6,946	4,704	972	120	25	23,368	41,665	
	5	6,598	5,674	4,206	942	157	15	17,592	24,150	
	6	871	774	422	128	42	8	2,245	3,378	
	7	159	151	105	17	13	7	452	731	
	TOTAL----		20,339	14,277	9,753	2,120	345	58	46,892	82,821
63	1-2	1	2	6	-	-	-	9	27	
	3	85	49	22	-	1	-	157	294	
	4	839	950	591	65	4	-	2,449	3,523	
	5	1,188	1,473	1,380	193	13	1	4,248	5,026	
	6	171	237	244	51	8	-	711	796	
	7	24	32	13	6	1	-	76	94	
	TOTAL----		2,308	2,743	2,256	315	27	1	7,650	9,760
24-54	1-7	2,293	1,714	1,303	317	82	9	5,718	9,596	
25-35	1-7	-	-	-	-	-	-	-	-	
81-85 1/	1-7	534	597	473	76	29	71	1,780	2,442	
All Colors	8 2/	776	1,001	562	141	47	5	2,532	3,674	
TOTAL, ALL-----		4,375,588	3,698,285	3,092,561	931,822	263,864	42,954	12,405,074	17,925,150	
EXTRANEOUS MATTER									Average Staple -----	35.3
									Percent Tenderable -----	70.7
Bark - Level 1		654,419								
Bark - Level 2		302								
Grass - Level 1		26,772								
Grass - Level 2		261								
Prep - Level 1		11,905								
Prep - Level 2		204								
Other - Level 1		17,879								
Other - Level 2		100								

17,925,150 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2006 Crop

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	3	14	382	2,855	10,042	28,403	60,996	117,859	220,554
	3	-	42	568	3,871	14,242	46,160	117,678	252,450	435,011
	4	-	26	175	605	1,436	3,391	8,282	17,632	31,547
	5	-	2	8	41	141	205	498	692	1,587
	6	-	-	-	1	6	15	8	32	62
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		3	84	1,133	7,373	25,867	78,174	187,462	388,665
31	1-2	7	9	53	551	4,596	21,486	50,329	70,917	147,948
	3	1	45	393	3,822	32,952	193,169	628,300	1,248,526	2,107,208
	4	-	45	264	1,579	7,850	36,138	120,919	313,637	480,432
	5	-	20	86	161	1,175	4,947	13,541	18,696	38,626
	6	-	-	3	7	37	404	1,397	1,498	3,346
	7	-	-	-	2	-	15	62	50	129
	TOTAL----		8	119	799	6,122	46,610	256,159	814,548	1,653,324
41	1-2	1	1	7	78	797	3,204	6,664	7,837	18,589
	3	-	9	97	1,455	13,837	91,272	341,941	741,768	1,190,379
	4	-	26	208	1,760	8,913	51,131	205,074	586,682	853,794
	5	-	33	102	641	2,563	11,776	32,407	70,779	118,301
	6	-	15	36	171	574	2,056	4,206	6,688	13,746
	7	-	-	8	18	96	279	520	625	1,546
	TOTAL----		1	84	458	4,123	26,780	159,718	590,812	1,414,379
51	1-2	-	-	-	11	66	153	300	364	894
	3	-	-	6	70	867	4,308	12,862	25,257	43,370
	4	-	-	8	138	1,116	4,850	14,717	35,017	55,846
	5	-	-	11	67	400	1,999	5,235	9,992	17,704
	6	-	-	3	12	127	512	976	1,747	3,377
	7	-	-	2	7	55	149	108	191	512
	TOTAL----		-	-	30	305	2,631	11,971	34,198	72,568
61	1-2	-	-	-	-	1	1	5	4	11
	3	-	-	-	6	16	81	133	213	449
	4	-	-	1	8	51	83	177	284	604
	5	-	-	-	11	31	37	59	135	273
	6	-	-	-	9	28	13	22	43	115
	7	-	-	-	-	1	1	3	3	8
	TOTAL----		-	-	1	34	128	216	399	682
71	1-2	-	-	-	-	2	-	-	1	3
	3	-	-	-	-	-	3	2	6	11
	4	-	-	1	-	1	2	2	4	10
	5	-	-	-	-	1	-	1	2	4
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
	TOTAL----		-	-	1	-	4	5	6	13
12 & 22	1-2	-	21	394	1,520	3,193	4,378	4,072	4,460	18,038
	3	2	185	1,048	2,586	5,687	8,295	9,820	12,711	40,334
	4	1	62	311	575	1,205	1,714	2,247	2,975	9,090
	5	-	14	51	86	223	456	374	310	1,514
	6	-	1	-	8	15	61	24	20	129
	7	-	-	-	-	-	5	-	-	5
	TOTAL----		3	283	1,804	4,775	10,323	14,909	16,537	20,476
32	1-2	-	2	21	158	501	1,055	1,053	964	3,754
	3	6	95	381	1,468	6,493	16,514	25,177	31,925	82,059
	4	2	74	357	751	2,974	8,533	15,467	22,426	50,584
	5	-	41	164	323	582	1,247	1,800	2,511	6,668
	6	-	13	46	87	108	266	378	272	1,170
	7	-	7	5	17	35	57	56	25	202
	TOTAL----		8	232	974	2,804	10,693	27,672	43,931	58,123
42	1-2	-	2	7	26	121	288	296	248	988
	3	-	9	85	530	3,033	9,591	17,530	25,232	56,010
	4	-	21	152	834	3,623	13,837	28,629	48,892	95,988
	5	-	23	109	376	1,137	3,528	6,773	12,590	24,536
	6	-	12	52	130	255	585	916	1,192	3,142
	7	-	2	14	54	101	212	248	153	784
	TOTAL----		-	69	419	1,950	8,270	28,041	54,392	88,307
52	1-2	-	-	1	-	8	6	16	12	43
	3	-	-	7	23	78	345	747	1,202	2,402
	4	-	3	17	58	218	1,016	2,227	3,784	7,323
	5	1	19	35	54	132	488	1,358	2,217	4,304
	6	3	35	21	25	54	127	246	419	930
	7	3	38	5	16	37	66	74	89	328
	TOTAL----		7	95	86	176	527	2,048	4,668	7,723

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2006 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	1	2	1	1	5
	3	-	-	-	-	2	7	17	29	55
	4	-	-	-	-	2	10	25	75	112
	5	-	-	1	-	1	1	13	58	74
	6	-	3	1	-	-	1	8	13	26
	7	3	3	2	-	7	5	1	2	23
	TOTAL----		3	6	4	-	13	26	65	178
13 & 23	1-2	-	3	20	77	153	225	252	409	1,139
	3	1	17	71	165	456	698	851	1,220	3,479
	4	-	8	17	56	149	182	184	213	809
	5	-	1	2	16	48	72	49	26	214
	6	-	-	1	2	28	12	8	5	56
	7	-	-	-	-	-	5	-	-	5
	TOTAL----		1	29	111	316	834	1,194	1,344	1,873
33	1-2	-	2	10	29	84	126	222	302	775
	3	2	55	107	253	725	1,466	2,617	4,519	9,744
	4	-	48	128	147	398	766	1,197	1,919	4,603
	5	1	25	110	86	103	220	302	323	1,170
	6	1	13	53	43	31	56	69	53	319
	7	-	1	5	13	19	13	10	5	66
	TOTAL----		4	144	413	571	1,360	2,647	4,417	7,121
43	1-2	-	-	7	6	21	37	82	131	284
	3	-	9	21	56	385	1,529	3,751	7,140	12,891
	4	-	3	28	112	528	1,215	2,644	5,760	10,290
	5	-	36	70	70	154	324	572	816	2,042
	6	-	37	79	79	70	166	142	151	724
	7	-	13	31	44	22	47	45	39	241
	TOTAL----		-	98	236	367	1,180	3,318	7,236	14,037
53	1-2	-	-	-	-	3	2	1	5	11
	3	-	-	1	4	43	121	319	616	1,104
	4	-	-	2	6	59	217	488	1,180	1,952
	5	-	1	1	11	39	68	210	410	740
	6	-	1	1	2	11	27	62	107	211
	7	-	1	2	7	5	21	25	13	74
	TOTAL----		-	3	7	30	160	456	1,105	2,331
63	1-2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	-	3	7	7	17
	4	-	-	-	-	1	3	10	45	59
	5	-	-	-	-	-	-	5	16	21
	6	-	1	-	-	1	3	3	9	17
	7	-	-	-	-	-	2	-	2	4
	TOTAL----		-	1	-	-	2	11	25	80
24-54	1-7	-	8	47	138	454	1,088	2,262	4,080	8,077
25-35	1-7	-	-	-	-	2	1	-	4	7
81-85 1/	1-7	1	11	4	9	36	113	274	526	974
All Colors	8 2/	3	16	16	29	195	352	486	340	1,437
TOTAL, ALL----		42	1,282	6,543	29,122	136,069	588,119	1,764,167	3,734,830	6,260,174

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2006 Crop

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	210,625	297,686	280,894	76,416	30,806	10,203	906,630	1,127,184
	3	442,904	613,011	682,791	195,136	52,440	13,895	2,000,177	2,435,188
	4	37,375	56,687	62,605	20,000	6,057	981	183,705	215,252
	5	1,274	1,849	1,882	467	82	11	5,565	7,152
	6	35	56	50	6	1	-	148	210
	7	1	-	1	-	-	-	2	2
	TOTAL----		692,214	969,289	1,028,223	292,025	89,386	25,090	3,096,227
31	1-2	77,676	79,975	69,760	28,430	22,683	10,077	288,601	436,549
	3	1,374,652	984,331	651,922	188,125	78,316	35,313	3,312,659	5,419,867
	4	571,327	572,177	375,043	91,442	25,855	6,389	1,642,233	2,122,665
	5	29,593	38,344	36,131	9,944	2,530	502	117,044	155,670
	6	1,485	2,029	1,926	532	81	11	6,064	9,410
	7	51	77	83	13	3	-	227	356
	TOTAL----		2,054,784	1,676,933	1,134,865	318,486	129,468	52,292	5,366,828
41	1-2	6,088	3,791	1,415	456	265	142	12,157	30,746
	3	842,018	489,661	165,185	16,359	5,591	2,461	1,521,275	2,711,654
	4	1,082,342	1,003,041	491,875	63,823	8,946	1,392	2,651,419	3,505,213
	5	130,362	152,695	110,276	22,985	3,866	674	420,858	539,159
	6	9,923	12,036	11,233	2,892	623	48	36,755	50,501
	7	859	1,012	1,046	275	159	13	3,364	4,910
	TOTAL----		2,071,592	1,662,236	781,030	106,790	19,450	4,730	4,645,828
51	1-2	272	190	41	3	-	-	506	1,400
	3	28,658	18,974	6,008	505	26	8	54,179	97,549
	4	62,987	62,567	31,898	3,893	102	641	162,088	217,934
	5	16,558	17,674	12,099	2,290	211	20	48,852	66,556
	6	2,892	3,073	2,044	395	54	9	8,467	11,844
	7	394	744	559	42	15	7	1,761	2,273
	TOTAL----		111,761	103,222	52,649	7,128	574	59	275,393
61	1-2	5	2	2	-	-	-	9	20
	3	303	212	51	6	4	1	577	1,026
	4	394	465	441	35	4	-	1,339	1,943
	5	153	120	165	15	1	-	454	727
	6	31	33	12	2	1	-	79	194
	7	6	4	5	-	1	-	16	24
	TOTAL----		892	836	676	58	11	1	2,474
71	1-2	-	1	1	-	-	-	2	5
	3	7	7	2	-	-	-	16	27
	4	4	22	16	2	-	-	44	54
	5	1	6	29	2	-	-	38	42
	6	-	-	3	-	-	-	3	3
	7	-	-	-	-	-	-	-	1
	TOTAL----		12	36	51	4	-	-	103
12 & 22	1-2	5,699	5,396	2,813	459	89	31	14,487	32,525
	3	18,127	17,149	10,701	1,927	381	138	48,423	88,757
	4	4,657	4,871	2,845	616	77	7	13,073	22,163
	5	479	392	290	37	5	1	1,204	2,718
	6	24	14	4	-	-	-	42	171
	7	-	-	-	-	-	-	-	5
	TOTAL----		28,986	27,822	16,653	3,039	552	177	77,229
32	1-2	989	738	898	377	215	90	3,307	7,061
	3	30,849	22,058	13,321	3,211	1,673	1,038	72,150	154,209
	4	27,407	20,996	12,102	2,600	809	383	64,297	114,881
	5	3,881	3,497	2,318	424	143	84	10,347	17,015
	6	382	363	272	51	3	2	1,073	2,243
	7	29	13	15	2	3	-	62	264
	TOTAL----		63,537	47,665	28,926	6,665	2,846	1,597	151,236
42	1-2	168	121	101	64	46	17	517	1,505
	3	25,889	17,529	6,377	833	544	227	51,399	107,409
	4	62,371	52,757	25,721	2,898	666	248	144,661	240,649
	5	15,839	14,736	9,450	1,527	324	108	41,984	66,520
	6	1,689	1,569	1,297	230	32	14	4,831	7,973
	7	237	199	168	35	1	2	642	1,426
	TOTAL----		106,193	86,911	43,114	5,587	1,613	616	244,034
52	1-2	10	5	8	-	1	1	25	68
	3	1,755	1,520	642	61	8	1	3,987	6,389
	4	5,943	6,480	4,223	449	22	3	17,120	24,443
	5	3,003	3,236	2,473	471	54	9	9,246	13,550
	6	597	608	467	77	15	3	1,767	2,697
	7	164	197	187	17	3	-	568	896
	TOTAL----		11,472	12,046	8,000	1,075	103	17	32,713

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2006 Crop

QUALITY	LEAF	STAPLE								TOTAL
		35	36	37	38	39	40 &+	35 to 40+	Bales	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	-	1	-	-	-	-	2	7
	3	30	20	15	2	2	-	-	69	124
	4	258	496	503	82	3	-	-	1,342	1,454
	5	111	245	205	33	-	-	-	594	668
	6	21	15	4	-	-	-	-	40	66
	7	26	4	2	1	-	-	-	33	56
	TOTAL----		447	780	730	118	5	-	2,080	2,375
13 & 23	1-2	540	552	455	56	4	-	-	1,607	2,746
	3	1,701	1,795	1,165	202	22	1	-	4,886	8,365
	4	317	301	143	55	10	-	-	826	1,635
	5	42	26	16	2	-	-	-	86	300
	6	2	1	-	-	-	-	-	3	59
	7	-	-	-	-	-	-	-	-	5
	TOTAL----		2,602	2,675	1,779	315	36	1	7,408	13,110
33	1-2	330	382	393	66	16	25	-	1,212	1,987
	3	6,358	6,418	4,976	965	238	82	-	19,037	28,781
	4	3,059	3,340	2,432	530	148	29	-	9,538	14,141
	5	488	411	308	60	12	2	-	1,281	2,451
	6	60	45	35	11	2	-	-	153	472
	7	3	-	5	-	-	-	-	8	74
	TOTAL----		10,298	10,596	8,149	1,632	416	138	31,229	47,906
43	1-2	117	68	42	5	3	4	-	239	523
	3	7,601	5,687	2,882	448	142	48	-	16,808	29,699
	4	8,624	9,146	5,858	924	187	98	-	24,837	35,127
	5	1,145	1,358	941	171	33	59	-	3,707	5,749
	6	176	218	128	26	3	17	-	568	1,292
	7	45	40	12	1	-	4	-	102	343
	TOTAL----		17,708	16,517	9,863	1,575	368	230	46,261	72,733
53	1-2	7	1	8	-	-	-	-	16	27
	3	731	617	265	23	5	2	-	1,643	2,747
	4	1,946	1,985	1,116	173	27	1	-	5,248	7,200
	5	503	728	538	92	12	-	-	1,873	2,613
	6	106	113	102	3	3	1	-	328	539
	7	11	33	26	3	-	-	-	73	147
	TOTAL----		3,304	3,477	2,055	294	47	4	9,181	13,273
63	1-2	1	2	2	-	-	-	-	5	6
	3	14	21	9	1	1	1	-	47	64
	4	96	131	203	52	-	-	-	482	541
	5	36	59	112	11	-	-	-	218	239
	6	10	2	9	1	-	-	-	22	39
	7	1	1	9	-	-	-	-	11	15
	TOTAL----		158	216	344	65	1	1	785	904
24-54	1-7	4,405	3,809	2,388	440	70	47	-	11,159	19,236
25-35	1-7	19	21	1	1	-	-	-	42	49
81-85 1/	1-7	592	379	225	46	2	1	-	1,245	2,219
All Colors	8 2/	224	247	210	50	1	-	-	732	2,169
TOTAL, ALL-----		5,181,200	4,625,713	3,119,931	745,393	244,949	85,001	14,002,187	20,262,361	
EXTRANEOUS MATTER									Average Staple -----	35.2
									Percent Tenderable -----	70.4
Bark - Level 1		1,182,307								
Bark - Level 2		127								
Grass - Level 1		98,345								
Grass - Level 2		1,187								
Prep - Level 1		25,908								
Prep - Level 2		247								
Other - Level 1		8,709								
Other - Level 2		33								

20,262,361 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE															TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	*	*	*	*	0.1	0.6	2.0	4.4	5.9	5.8	1.6	0.5	0.1	21.0	
	3	-	*	*	*	*	0.1	0.4	1.2	2.4	3.5	4.1	1.4	0.4	*	13.7	
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	0.1	0.3	1.1	3.3	7.0	9.6	10.2	3.1	0.9	0.1	35.6
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.2	0.1	*	2.1	
	3	-	*	*	*	0.1	0.5	1.6	3.0	3.2	2.3	1.7	0.5	0.2	*	13.1	
	4	-	*	*	*	0.2	0.2	0.5	1.2	1.5	1.0	0.6	0.2	0.1	*	5.4	
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	0.2	0.7	2.2	4.5	5.3	4.0	2.9	0.9	0.4	0.1	21.2
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	3	-	-	*	*	0.1	0.4	1.5	2.5	2.0	0.9	0.5	0.1	*	*	8.1	
	4	-	-	*	*	0.1	0.3	1.5	3.8	4.6	2.4	1.4	0.4	0.1	*	14.6	
	5	-	*	*	*	*	*	0.2	0.6	1.0	0.8	0.5	0.1	*	*	3.2	
	6	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	*	*	*	0.2	0.8	3.2	7.0	7.8	4.4	2.5	0.7	0.1	*	26.7
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	4	-	-	*	*	*	*	0.2	0.4	0.4	0.2	0.2	0.1	*	*	1.5	
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9	
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	-	*	*	*	0.1	0.3	0.6	0.8	0.6	0.6	0.2	*	*	3.3
61	1-2	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	-	-	*	-	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.0
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.7	
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.3
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	0.2	0.4	0.5	0.4	0.1	*	*	*	*	1.8	
	4	-	-	*	*	*	0.2	0.5	0.9	1.1	0.5	0.2	*	*	*	3.5	
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	1.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.5	1.0	1.7	2.0	0.9	0.3	0.1	*	*	6.6
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3	
	4	-	-	*	*	*	0.1	0.1	0.3	0.3	0.2	0.1	*	*	*	1.1	
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.3	0.5	0.7	0.4	0.3	0.1	*	*	*	2.4

* Less than 0.05 percent.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*	
	3	-	-	-	*	*	-	*	*	-	*	*	*	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4	
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	*	*	*	0.2	0.2	0.2	0.1	0.1	*	*	*	*	0.9
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		-	*	*	0.1	0.6	2.9	8.8	18.4	24.4	20.6	17.3	5.2	1.5	0.2	100.0	
EXTRANEIOUS MATTER																Average Staple	35.3
																Percent Tenderable	70.7
Bark - Level 1	3.7																
Bark - Level 2	*																
Grass - Level 1	0.1																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	*																
Other - Level 1	0.1																
Other - Level 1	*																

17,925,150 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	-	0.3	
	3	-	-	*	*	0.1	0.5	0.9	0.8	0.5	0.1	*	*	*	-	2.9	
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	*	*	0.2	0.6	1.2	1.0	0.6	0.2	0.1	*	*	-	3.9
31	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3	
	3	-	-	*	0.1	0.7	3.1	6.5	6.8	4.1	1.3	0.3	*	*	-	23.1	
	4	-	-	*	0.1	0.7	2.3	4.6	5.2	3.6	1.5	0.5	*	*	*	18.5	
	5	-	-	*	*	*	0.2	0.4	0.6	0.4	0.2	0.1	*	-	-	2.0	
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	TOTAL----		-	-	*	0.2	1.5	5.8	11.7	12.7	8.2	3.1	0.9	0.1	*	*	44.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	*	*	0.4	1.6	3.1	3.3	1.8	0.6	0.2	*	*	-	11.0	
	4	-	-	*	*	0.5	2.3	4.9	6.3	4.5	1.7	0.5	*	*	*	20.9	
	5	-	-	*	*	*	0.3	0.7	1.0	0.8	0.4	0.2	*	*	-	3.4	
	6	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	TOTAL----		-	-	*	0.1	1.0	4.2	8.9	10.8	7.3	2.9	1.0	0.1	*	*	36.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	-	0.7	
	4	-	-	*	*	*	0.2	0.4	0.5	0.3	0.1	*	*	*	*	1.6	
	5	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.5	
	6	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	TOTAL----		-	-	*	*	0.1	0.4	0.7	0.9	0.5	0.3	0.1	*	-	-	3.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	-	*	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3	
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	TOTAL----		-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	*	*	0.1	0.2	0.4	0.3	0.2	*	*	*	-	-	1.3	
	4	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	-	2.5	
	5	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	0.6	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	TOTAL----		-	-	*	*	0.2	0.7	1.3	1.2	0.8	0.3	0.1	*	*	-	4.6
42	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*	
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6	
	4	-	-	*	*	0.2	0.4	0.7	0.8	0.5	0.2	0.1	*	*	-	3.0	
	5	-	-	*	*	*	0.1	0.3	0.3	0.3	0.2	0.1	*	*	-	1.3	
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.3	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	TOTAL----		-	-	*	0.1	0.2	0.7	1.2	1.4	1.0	0.5	0.2	*	*	-	5.3
52	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.6	
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	TOTAL----		-	-	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	-	-	-	1.0

* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	*	-	*	*	-	*	-	-	-	-		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2	
33	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	*	*	*	-	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	TOTAL----		-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3	
43	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	TOTAL----		-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	*	-	0.6	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-		
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	TOTAL----		-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	*	-	-	*	-	-	-	-	-		
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	6	-	-	-	-	-	*	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
TOTAL, ALL----		-	-	*	0.5	3.3	12.8	25.9	28.7	18.7	7.5	2.4	0.2	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple	33.8
																Percent Tenderable	50.9
Bark - Level 1	1.3																
Bark - Level 2	*																
Grass - Level 1	0.3																
Grass - Level 2	*																
Prep - Level 1	0.3																
Prep - Level 2	*																
Other - Level 1	*																
Other - Level 1	-																

397,388 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE															TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	-	*	0.1	0.9	5.7	16.0	15.5	7.9	0.9	0.1	*	47.0		
	3	-	-	-	-	*	*	0.1	0.7	2.5	3.5	3.3	0.8	0.2	*	11.2		
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	*	0.1	1.0	6.4	18.6	19.2	11.3	1.7	0.3	*	58.7	
31	1-2	-	-	-	-	*	*	0.2	1.0	2.9	3.5	2.3	0.3	*	*	10.3		
	3	-	-	-	*	*	*	0.2	0.9	3.1	4.6	4.0	1.2	0.3	*	14.3		
	4	-	-	-	*	*	*	0.1	0.2	0.6	0.8	0.6	0.3	0.1	*	2.7		
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	*	*	0.1	0.4	2.1	6.7	9.0	7.0	1.9	0.5	0.1	27.9	
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6		
	3	-	-	-	-	*	*	*	0.2	1.0	1.3	0.8	0.2	*	*	3.7		
	4	-	-	-	*	*	*	0.1	0.3	0.5	0.6	0.4	0.1	*	*	2.1		
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7		
	6	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	-	-	*	*	0.2	0.8	2.1	2.4	1.5	0.4	0.1	*	7.5		
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2		
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	TOTAL----		-	-	-	-	*	*	0.2	0.2	0.1	0.1	*	*	*	0.6		
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12 & 22	1-2	-	-	-	-	*	*	*	0.2	0.6	0.4	0.1	*	*	-	1.4		
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	0.7		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	*	*	0.3	0.8	0.8	0.2	*	*	-	2.2		
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5		
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	*	*	1.2		
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1		
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4		
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.3		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	1.0	
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	TOTAL----		-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2		

* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1		
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	0.2	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	*	-	*	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	-	*	*	*	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		-	-	-	*	*	0.2	2.0	10.5	29.3	32.3	20.5	4.1	1.0	0.2	100.0	
EXTRANEIOUS MATTER																Average Staple	35.7
																Percent Tenderable	78.6
Bark - Level 1	4.1																
Bark - Level 2	*																
Grass - Level 1	0.3																
Grass - Level 2	*																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	0.3																
Other - Level 1	*																

480,188 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	0.2	0.1	*	*	*	-
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	0.1	0.7	1.6	2.2	1.0	0.2	*	*	-	5.8
	4	-	-	-	-	*	*	0.2	1.0	2.1	1.1	0.2	*	*	*	4.5
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL----		-	-	-	*	*	0.1	0.9	2.7	4.4	2.2	0.5	*	*	*
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	0.8	2.9	4.8	2.2	0.4	*	*	*	*	11.2
	4	-	-	-	-	*	0.1	1.2	6.8	14.0	6.8	1.4	0.1	*	*	30.3
	5	-	-	-	-	*	*	0.1	1.1	3.3	2.7	1.0	0.1	*	*	8.3
	6	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	*	1.0
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	*	*	0.1	2.1	10.9	22.4	12.0	3.1	0.3	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	*	0.6
	4	-	-	-	-	*	*	0.1	0.6	1.3	0.6	0.1	*	*	*	2.7
	5	-	-	-	-	*	*	*	0.3	0.9	0.8	0.3	*	*	*	2.3
	6	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.8
	7	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.1
	TOTAL----		-	-	-	*	*	0.1	1.1	2.7	1.9	0.6	0.1	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	*	-
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.6	1.8	2.3	0.8	0.1	*	*	*	5.6
	4	-	-	-	*	*	0.1	0.7	3.1	5.2	2.1	0.2	*	*	*	11.4
	5	-	-	-	*	*	*	0.1	0.6	1.5	0.9	0.2	*	*	*	3.4
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	0.2	1.4	5.6	9.1	4.0	0.6	*	*	*
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	*	0.8
	4	-	-	-	*	*	*	0.2	1.0	1.5	0.5	0.1	*	*	*	3.3
	5	-	-	-	*	*	*	0.1	0.4	1.0	0.5	0.1	*	*	*	2.2
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	*	*	0.4	1.8	3.1	1.4	0.3	*	*	*	*

* Less than 0.05 percent.

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*		
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	0.2	0.2	*	*	*	*	0.4		
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	0.5		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL----		-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	*	1.1		
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2		
	4	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	0.5		
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
TOTAL----		-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.8		
63	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	3	-	-	0.1	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*		
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		-	-	-	*	*	0.5	5.3	23.1	43.3	22.1	5.1	0.5	*	100.0		
EXTRANEIOUS MATTER																Average Staple	35.0
																Percent Tenderable	60.6
Bark - Level 1		0.1															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

1,807,084 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	-	-	-	-	*	*	0.1	0.9	3.5	7.3	14.8	7.9	5.2	1.4	41.0	
	4	-	-	-	-	-	*	*	0.1	0.5	1.9	2.8	1.5	0.9	0.3	7.9	
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.1	0.9	4.1	9.2	17.6	9.3	6.1	1.6	49.1
	31	1-2	-	-	-	-	*	*	0.1	0.7	1.6	2.5	5.7	3.7	3.7	1.2	19.3
3		-	-	-	-	-	*	*	0.3	1.4	3.9	5.8	4.0	2.6	1.1	19.0	
4		-	-	-	-	-	*	*	0.2	0.6	0.7	0.7	0.3	0.2	0.1	2.0	
5		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2	
6		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	*	*	0.1	1.0	3.2	7.1	12.2	8.0	6.5	2.4	40.5
41		1-2	-	-	-	-	-	*	*	0.2	0.3	0.3	0.3	0.1	0.1	*	1.3
	3	-	-	-	-	*	*	0.2	0.6	0.9	1.1	0.7	0.4	0.1	0.1	3.9	
	4	-	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	0.1	*	1.1	
	5	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	*	*	0.5	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	TOTAL----		-	-	-	-	*	*	0.1	0.4	1.2	1.8	1.7	0.9	0.6	0.2	6.9
	51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
3		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
4		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
5		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
6		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL----			-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
61		1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22		1-2	-	-	-	-	-	*	*	0.1	0.1	0.3	0.2	0.1	*	0.8	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.4	0.2	0.1	0.1	1.0	
	32	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	0.5	
3		-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.7		
4		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
5		-	-	-	-	-	-	-	-	*	*	*	*	*	*		
6		-	-	-	-	-	-	-	-	*	*	*	*	*	*		
7		-	-	-	-	-	-	-	-	*	*	*	*	*	*		
TOTAL----			-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	1.3	
42		1-2	-	-	-	-	-	*	*	*	*	*	0.1	0.2	*	0.1	
	3	-	-	-	-	-	*	*	*	*	*	0.1	0.2	0.1	0.4		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	0.2	0.2	0.2	0.1	0.7	
	52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
3		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
4		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
5		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
6		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
7		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
TOTAL----			-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	

* Less than 0.05 percent.

Table 7. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	3	-	-	*	-	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL, ALL----		-	-	-	-	*	*	0.4	2.4	8.6	18.4	32.5	19.0	14.0	4.6	100.0	
EXTRANEOUS MATTER																Average Staple	37.2
																Percent Tenderable	94.0
Bark - Level 1		0.9															
Bark - Level 2		-															
Grass - Level 1		0.4															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		0.2															
Other - Level 1		-															

647,840 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8
	4	-	-	-	-	*	-	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	-	-
31	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.7	2.9	5.6	5.6	3.3	0.7	*	*	-	18.9
	4	-	-	-	-	*	0.2	1.0	2.1	2.9	2.8	1.2	*	*	-	10.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----		-	-	*	*	0.1	1.0	3.9	7.8	8.5	6.1	2.0	0.1	*	-
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	0.1	1.3	5.2	8.0	4.5	1.0	0.1	*	*	*	20.3
	4	-	-	*	*	0.1	1.4	6.0	13.3	11.6	4.0	0.9	*	-	-	37.4
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.4	0.2	*	-	-	1.7
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	*	*	0.2	2.7	11.4	21.7	16.6	5.6	1.3	0.1	*	*
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	*	0.2	1.0	1.5	0.7	0.1	*	*	-	-	3.5
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	0.3	1.3	1.9	0.8	0.2	0.1	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	-	-	-	-	-	*	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	4	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	0.2	0.4	0.3	0.2	0.1	*	*	*	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	0.2	0.3	0.5	0.4	0.2	*	-	-	-	1.6
	5	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	*	0.2	0.5	0.7	0.6	0.4	0.2	*	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	-

* Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	*	0.4	4.6	18.0	32.9	27.3	12.9	3.7	0.2	*	*	100.0
EXTRANEIOUS MATTER																Average Staple 34.4
Bark - Level 1	0.7															Percent Tenderable 61.4
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

102,252 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.5	0.2	*	*	*	*	1.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	*	*	0.1	0.4	0.6	0.3	*	*	*	*
31	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	*	*	0.1	0.9	4.0	9.7	9.9	3.5	0.5	*	*	*	28.8
	4	-	-	*	*	0.1	0.1	0.5	1.7	3.1	2.2	0.7	*	*	*	8.3
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	TOTAL----		-	-	*	*	0.2	1.0	4.6	11.6	13.1	5.8	1.3	0.1	*	*
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	0.2	1.7	6.7	10.9	6.4	1.4	0.2	*	*	*	27.5
	4	-	-	*	*	0.1	0.8	3.7	8.6	8.7	3.7	1.0	0.1	*	*	26.6
	5	-	-	-	*	*	*	0.2	0.3	0.5	0.5	0.3	*	*	*	1.9
	6	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	0.3	2.5	10.6	19.8	15.6	5.6	1.5	0.1	*	*
51	1-2	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	4	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	-	*	1.5
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	0.2	0.6	0.8	0.6	0.3	0.1	*	*	*	2.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----		-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-
42	1-2	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----		-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-
52	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	-

* Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	*	-	-	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	*	-	-	-	*	-	-	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	*	-	*	*	-	*	-	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-		
25-35	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-		
All Colors	8 2/	-	-	*	0.1	0.6	3.9	16.3	33.1	30.4	12.3	3.1	0.2	*	*	
TOTAL, ALL----		-	-	*	0.1	0.6	3.9	16.3	33.1	30.4	12.3	3.1	0.2	*	*	
EXTRANEIOUS MATTER																
Bark - Level 1	0.4															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,620,608 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	*	-	*	*	0.1	0.2	0.5	1.0	0.9	0.6	0.1	*	-	3.5
	3	-	-	*	0.2	0.6	1.1	1.9	2.4	3.1	2.3	2.5	0.2	*	-	14.3
	4	-	-	-	*	0.1	0.3	0.9	1.0	1.1	0.7	1.1	0.1	-	-	5.3
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	*	*	0.2	0.7	1.5	3.0	3.9	5.2	4.0	4.2	0.5	*	-
31	1-2	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	1.0
	3	-	-	*	0.2	0.5	1.1	1.2	2.3	3.6	5.3	4.3	1.0	0.3	*	19.9
	4	-	-	-	*	0.2	1.2	2.4	3.7	4.5	4.0	4.3	0.5	*	-	20.9
	5	-	-	-	*	*	0.3	0.7	1.0	1.9	1.5	1.4	0.1	*	-	6.9
	6	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	TOTAL----		-	-	*	0.2	0.8	2.7	4.4	7.3	10.6	11.4	10.3	1.6	0.3	*
41	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.3	0.2	0.5	0.2	*	-	-	-	1.8
	4	-	-	-	*	*	0.2	0.5	1.0	1.4	1.3	0.9	0.1	*	-	5.4
	5	-	-	-	-	-	0.1	0.4	1.5	1.8	1.4	0.7	0.2	*	-	6.2
	6	-	-	-	-	-	*	0.1	0.7	1.4	0.9	0.3	*	-	-	3.5
	7	-	-	-	-	-	-	*	0.2	0.3	0.6	0.2	-	-	-	1.3
	TOTAL----		-	-	*	*	0.3	1.3	3.7	5.4	4.7	2.4	0.3	*	-	18.2
51	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	0.1	0.2	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	0.1	0.2	*	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	0.2	0.3	0.1	*	*	-	-	0.6
	7	-	-	-	-	-	-	-	*	0.3	0.2	*	*	-	-	0.6
	TOTAL----		-	-	-	-	*	0.1	0.4	1.0	0.4	0.1	*	-	-	2.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.3
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.2	0.4	0.1	*	-	-	0.9
	4	-	-	-	-	-	*	*	0.1	0.4	0.2	0.2	*	-	-	1.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----		-	-	-	-	*	*	0.1	0.7	0.8	0.5	0.1	-	-	2.3
42	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	-	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	0.6
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.1
	TOTAL----		-	-	-	-	*	0.1	0.2	0.4	0.6	0.2	*	*	-	1.5
52	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2

* Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.3	
	4	-	-	-	-	-	-	*	*	0.1	*	0.1	*	-	-	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	-	-	-	0.6	
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1	
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	0.3	
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3	
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2	
	7	-	-	-	-	-	-	-	*	*	*	-	*	-	-	0.1	
TOTAL----		-	-	-	-	-	*	*	0.2	0.2	0.4	0.2	*	-	-	1.0	
53	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	-	-	-	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2	
63	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.2	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	*	0.1	0.2	*	-	-	-	0.3	
TOTAL, ALL----		-	*	*	0.4	1.6	4.6	9.1	16.1	24.0	22.9	18.4	2.7	0.4	*	100.0	
EXTRANEOUS MATTER																Average Staple	35.1
																Percent Tenderable	57.9
Bark - Level 1	16.6																
Bark - Level 2	*																
Grass - Level 1	*																
Grass - Level 2	-																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	0.1																
Other - Level 1	-																

50,959 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
31	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.3	2.5	5.6	3.6	2.5	1.0	*	-	-	-	15.6
	4	-	-	-	-	*	*	0.6	2.3	2.3	1.6	1.0	*	*	*	*	7.9
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	0.4	3.1	8.0	6.1	4.2	2.1	0.1	*	*	*
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.4	3.1	6.1	3.8	2.8	0.9	*	*	*	*	17.2
	4	-	-	-	-	*	0.4	4.4	13.3	11.5	7.8	4.4	0.4	*	*	*	42.2
	5	-	-	-	-	-	*	0.1	0.9	1.8	1.7	1.2	0.2	*	*	*	5.9
	6	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	*	0.9
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	0.8	7.7	20.4	17.4	12.7	6.8	0.6	*	*	*
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	0.2	0.4	0.2	0.1	0.1	*	*	*	*	0.9
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	-	*	*	0.3	0.5	0.4	0.3	0.3	0.1	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	-	-
42	1-2	-	-	-	-	-	*	*	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.7	1.1	0.7	0.3	*	*	-	-	2.9
	5	-	-	-	-	*	*	*	0.1	0.4	0.5	0.2	*	*	-	-	1.2
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	0.2	0.9	1.7	1.4	0.5	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	*	-	0.7
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	-	*	*	0.2	0.4	0.4	0.3	0.1	*	*	-	-

* Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	-	*	-	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	-	*	*	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	-	*	-	-	*	
	TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
TOTAL, ALL----		-	-	-	-	*	1.2	11.5	30.7	26.5	19.1	9.9	0.9	*	100.0	
EXTRANEIOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	*															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

695,794 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	-	*	*	*	0.1	*	*	*	*	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	*	*	0.1	*	*	*	*	*	-	-
31	1-2	-	-	*	*	*	*	0.1	*	*	*	*	*	-	-	-
	3	-	-	*	*	0.1	0.8	3.0	4.4	3.1	1.3	0.4	*	*	*	
	4	-	-	*	*	*	0.3	1.5	3.2	2.9	1.3	0.5	*	*	*	
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	TOTAL----		-	-	*	*	0.1	1.1	4.6	7.8	6.1	2.6	0.9	0.1	*	*
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-
	3	-	-	-	*	0.1	0.6	2.0	3.2	2.5	1.1	0.4	*	*	*	
	4	-	-	*	*	0.1	0.8	4.5	11.8	12.3	5.4	2.1	0.2	*	*	
	5	-	-	*	*	*	0.1	0.7	2.2	3.1	1.7	0.9	0.2	*	*	
	6	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	1.5	7.2	17.3	18.1	8.4	3.5	0.4	*	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	4	-	-	*	*	*	*	0.2	0.4	0.5	0.3	0.2	*	*	*	
	5	-	-	-	*	*	*	0.1	0.4	0.7	0.5	0.4	*	*	*	
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	0.1	0.4	1.0	1.4	1.0	0.7	0.1	*	*	4.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	7	-	-	-	*	-	-	*	*	*	*	*	*	-	-	
	TOTAL----		-	-	-	*	-	*	*	*	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-
12 & 22	1-2	-	*	-	-	-	*	-	*	*	-	-	-	-	-	
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	
	4	-	-	-	*	-	*	*	*	*	*	*	*	-	-	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	-	-
32	1-2	-	*	*	*	*	*	*	*	*	-	-	-	-	-	
	3	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	
	4	-	-	*	*	*	*	0.1	0.3	0.4	0.2	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	
	TOTAL----		-	*	*	*	*	0.1	0.2	0.6	0.7	0.3	0.1	*	*	2.0
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	
	3	-	-	*	*	*	*	0.2	0.3	0.3	0.1	*	*	-	-	
	4	-	-	*	*	*	0.1	0.7	1.9	2.3	1.0	0.2	*	*		
	5	-	-	*	*	*	*	0.2	0.9	1.3	0.6	0.2	*	*		
	6	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*		
	TOTAL----		-	-	*	*	*	0.2	1.1	3.2	4.1	1.8	0.4	*	*	10.9
52	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	
	4	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	*		
	5	-	-	*	-	*	0.1	0.2	0.3	0.2	0.1	*	*	*		
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	*	*	*	0.1	0.4	0.6	0.3	0.1	*	*	*	1.6

* Less than 0.05 percent.

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	-	-	-	-	-	-	-		
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
25-35	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
TOTAL, ALL----		-	*	*	*	0.3	3.0	13.7	30.5	31.2	14.6	5.9	0.7	0.1	*	100.0	
EXTRANEIOUS MATTER																Average Staple	34.6
																Percent Tenderable	71.0
Bark - Level 1	0.2																
Bark - Level 2	-																
Grass - Level 1	0.2																
Grass - Level 2	*																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

1,270,285 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	*	-	-	-	1.4	
	3	-	-	-	*	*	0.1	0.4	1.3	1.1	0.5	0.1	-	-	-	-	3.5	
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	-	0.7	
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----		-	-	-	*	*	0.1	0.9	2.0	1.7	0.8	0.1	*	-	-	-	5.7
31	1-2	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	-	0.5	
	3	-	-	-	*	*	0.3	1.2	2.9	3.1	1.4	0.2	*	-	-	-	9.1	
	4	-	-	-	*	*	0.1	0.4	1.8	3.4	1.7	0.3	*	-	-	-	7.7	
	5	-	-	-	-	*	*	*	0.2	0.7	0.5	0.1	*	-	-	-	1.6	
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	TOTAL----		-	-	-	*	*	0.5	1.8	5.1	7.3	3.7	0.7	*	-	-	-	19.1
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3	
	3	-	-	-	*	*	0.2	1.1	2.8	3.8	1.5	0.3	*	-	-	-	9.7	
	4	-	-	-	-	*	0.1	0.8	3.1	6.2	3.7	0.9	*	-	-	-	14.9	
	5	-	-	-	-	*	*	0.2	0.9	3.1	2.8	0.9	*	-	-	-	7.9	
	6	-	-	-	*	*	*	*	0.2	1.0	1.5	0.8	*	-	-	-	3.7	
	7	-	-	-	*	*	*	*	0.2	0.3	0.3	0.3	*	-	-	-	0.8	
	TOTAL----		-	-	-	*	*	0.4	2.2	7.3	14.4	9.8	3.2	0.1	-	-	-	37.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5	
	4	-	-	-	-	*	*	0.1	0.3	0.6	0.4	0.1	*	-	-	-	1.4	
	5	-	-	-	-	*	*	*	0.1	0.6	0.8	0.3	*	-	-	-	2.0	
	6	-	-	-	-	*	*	*	0.1	0.4	1.0	0.7	*	-	-	-	2.3	
	7	-	-	-	-	*	*	*	0.1	0.4	0.4	0.4	*	*	*	*	1.1	
	TOTAL----		-	-	-	*	*	0.2	0.7	2.0	2.7	1.6	0.1	*	*	*	7.2	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1	
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	-	-	-	-	0.6	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.3	
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	-	-	1.0
32	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1	
	3	-	-	*	*	*	0.2	0.3	0.4	0.2	0.1	*	*	-	-	-	1.2	
	4	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	-	0.8	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	*	*	*	-	-	-	*	
	TOTAL----		-	-	*	*	*	0.2	0.6	0.7	0.5	0.2	0.1	*	-	-	-	2.3
42	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.2	
	3	-	-	-	*	*	0.5	1.4	2.4	2.0	0.4	*	*	-	-	-	6.8	
	4	-	-	-	*	*	0.3	1.2	2.9	3.6	1.1	0.1	*	-	-	-	9.3	
	5	-	-	-	*	*	*	0.2	0.6	1.1	0.6	0.1	*	-	-	-	2.8	
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	TOTAL----		-	-	-	*	*	0.1	0.9	3.0	6.1	6.9	2.4	0.4	*	-	-	19.8
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	-	-	-	-	1.0	
	4	-	-	-	*	*	0.1	0.2	0.6	0.7	0.2	*	*	-	-	-	1.8	
	5	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	-	-	-	1.4	
	6	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.8	
	7	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.2	
	TOTAL----		-	-	-	*	*	0.2	0.6	1.4	1.8	1.0	0.3	*	-	-	-	5.2

* Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	*		
	3	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5		
	4	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	-	0.5		
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.2	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2		
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3		
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.7	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	0.1	-	-	-	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
TOTAL, ALL----		-	-	*	*	0.3	2.5	9.7	24.4	35.7	20.9	6.4	0.2	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple	34.8
																Percent Tenderable	57.3
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

785,508 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	*	0.2	1.3	4.9	13.1	26.7	11.2	3.2	0.5	61.1	
	3	-	-	-	-	-	-	*	0.1	0.9	4.0	8.8	5.3	2.8	0.8	22.9	
	4	-	-	-	-	-	-	-	*	0.2	0.5	0.5	0.2	0.1	1.5		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	0.3	1.4	5.8	17.4	36.0	17.1	6.2	1.4	85.6
31	1-2	-	-	-	-	-	-	*	0.2	0.4	0.6	1.2	0.4	0.1	*	2.9	
	3	-	-	-	-	-	-	*	0.1	0.6	1.5	2.5	0.9	0.4	0.1	6.1	
	4	-	-	-	-	-	-	-	*	0.1	0.3	0.5	0.4	0.2	0.1	1.4	
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	0.3	
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	*	0.3	1.1	2.5	4.2	1.9	0.7	0.2	10.7	
41	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.2	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*	
	TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	0.1	0.3	0.2	0.1	*	-	-	0.8	
	3	-	-	-	-	-	-	*	0.1	0.3	0.2	0.3	0.1	-	-	0.9	
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	0.2	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.2	0.6	0.5	0.6	0.1	*	*	2.0	
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1	
	3	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	0.3	
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	-	-	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.2	0.2	*	*	0.7	
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1	
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	

* Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	0.1	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	0.1	0.2	*	*	*	-	0.4
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	-	*	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----		-	-	-	-	-	*	0.3	1.7	7.4	20.9	41.2	19.9	7.0	1.6	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	-															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

50,235 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	-	-	-	0.9
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-
31	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	*	0.1	0.7	2.1	3.9	4.7	2.7	0.7	0.1	*	*	*	15.1
	4	-	-	*	*	0.2	0.5	1.2	1.8	1.3	0.6	0.2	*	*	*	5.9
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	0.2	0.9	2.7	5.2	6.7	4.1	1.3	0.4	*	*	*
41	1-2	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	0.1	0.9	2.5	4.5	5.3	3.1	0.8	0.1	*	*	*	17.3
	4	-	-	*	0.1	0.4	1.7	4.4	7.1	5.6	2.1	0.5	0.1	*	*	22.0
	5	-	-	*	*	0.1	0.2	0.7	1.4	1.7	0.8	0.3	0.1	*	*	5.4
	6	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	*	0.2	1.5	4.5	9.7	14.1	10.6	3.8	1.0	0.1	*	*
51	1-2	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.4	0.9	1.3	0.7	0.1	*	*	-	-	3.6
	4	-	-	*	*	0.1	0.5	1.5	2.7	2.3	0.8	0.2	*	*	*	8.2
	5	-	-	*	*	0.1	0.1	0.3	0.6	0.8	0.4	0.2	*	*	*	2.5
	6	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	*	*	0.3	1.1	2.8	4.7	3.9	1.4	0.4	0.1	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	-
32	1-2	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	-	0.8
	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	0.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	-
42	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.2	0.5	0.8	0.6	0.2	0.1	*	*	-	-	2.4
	4	-	-	*	*	0.2	0.5	1.0	1.2	0.7	0.3	*	*	*	*	3.9
	5	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	0.4	1.1	2.0	2.1	1.3	0.5	0.1	*	*	*
52	1-2	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.4	0.6	0.5	0.2	*	*	*	-	-	1.9
	4	-	-	*	*	0.1	0.5	0.8	1.1	0.7	0.2	*	*	*	-	3.5
	5	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	1.2
	6	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	*	0.3	1.0	1.7	2.0	1.3	0.4	0.1	*	*	-

* Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-		
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-		
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-		
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-		
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	0.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-		
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
TOTAL, ALL----		-	-	0.1	0.5	3.8	11.1	22.3	30.4	21.7	7.6	2.1	0.3	*	*	100.0	
EXTRANEIOUS MATTER																Average Staple	33.9
																Percent Tenderable	53.0
Bark - Level 1		0.2															
Bark - Level 2		-															
Grass - Level 1		0.5															
Grass - Level 2		-															
Prep - Level 1		0.2															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

763,708 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
11 & 21	1-2	-	-	*	*	0.1	0.2	1.2	5.9	10.5	8.4	5.6	1.6	0.3	*	33.7	
	3	-	-	-	*	*	0.2	0.9	3.8	7.7	7.0	4.6	1.5	0.3	*	26.1	
	4	-	-	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	2.6	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	0.1	0.5	2.2	10.1	19.0	16.1	10.7	3.2	0.6	*	62.6
31	1-2	-	-	-	*	*	*	0.2	0.5	0.9	0.7	0.4	0.1	*	*	2.8	
	3	-	-	*	*	0.1	0.2	0.7	2.0	3.0	2.6	1.9	0.5	0.1	*	11.1	
	4	-	-	*	*	0.1	0.1	0.3	1.0	1.5	1.3	1.1	0.4	0.1	*	5.9	
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.3	0.1	*	-	1.5	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	*	*	0.2	0.5	1.2	3.7	5.9	5.1	3.7	1.0	0.2	*	21.5
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	*	0.1	0.2	0.6	0.8	0.6	0.3	*	*	*	2.6	
	4	-	-	-	*	*	0.2	0.4	0.7	0.9	0.7	0.5	0.1	*	*	3.5	
	5	-	-	-	*	*	0.1	0.2	0.5	0.6	0.3	0.2	0.1	*	*	2.0	
	6	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7	
	7	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	TOTAL----		-	-	*	*	0.1	0.3	0.9	2.1	2.6	1.9	1.1	0.3	*	*	9.3
51	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5	
	3	-	-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	-	1.4	
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	*	*	*	0.1	0.2	0.6	0.8	0.4	0.1	*	*	-	2.3
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7	
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	-	1.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-		
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2		
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	0.2	0.2	0.1	0.1	*	*	-	0.7
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1		
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2		
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1		
TOTAL, ALL----		-	-	*	0.1	0.5	1.5	5.1	17.5	29.5	24.3	16.1	4.6	0.8	*	100.0	
EXTRANEIOUS MATTER																Average Staple	35.4
																Percent Tenderable	80.4
Bark - Level 1	6.3																
Bark - Level 2	*																
Grass - Level 1	*																
Grass - Level 2	*																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	*																

282,567 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	0.1	0.2	0.3	0.3	0.4	0.2	*	*	*	-	-	1.6
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	0.1	0.3	0.4	0.4	0.4	0.2	*	*	*	-	-
31	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	*	0.3	2.0	3.7	6.1	7.4	3.9	1.0	0.2	*	*	-	24.6
	4	-	-	*	0.1	0.6	1.1	1.8	2.4	1.8	0.8	0.4	0.1	*	-	9.2
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	0.4	2.6	5.0	8.1	9.9	5.8	1.9	0.6	0.1	*	-
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	0.1	1.4	3.2	5.2	5.8	2.7	0.6	0.1	*	-	-	19.2
	4	-	-	*	0.1	0.9	2.2	4.4	6.2	4.3	1.9	0.8	0.1	*	-	21.0
	5	-	-	*	*	0.2	0.4	0.7	1.1	1.1	0.7	0.5	0.1	*	-	4.8
	6	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8
	7	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.1
	TOTAL----		-	-	*	0.3	2.5	5.8	10.5	13.4	8.3	3.4	1.5	0.2	*	-
51	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	-	0.8
	4	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	*	*	1.4
	5	-	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	*	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----		-	-	*	0.1	0.3	0.6	0.7	0.6	0.5	0.3	0.1	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	-
32	1-2	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.2	0.4	0.4	0.3	0.2	*	*	*	*	-	1.7
	4	-	-	*	*	0.2	0.4	0.5	0.4	0.2	0.1	*	*	-	-	2.0
	5	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----		-	-	*	0.1	0.5	0.9	1.0	0.9	0.4	0.2	*	*	*	-
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	0.2	0.5	0.5	0.4	0.2	0.1	*	*	-	-	1.9
	4	-	-	*	0.1	0.3	0.6	0.9	1.0	0.6	0.3	0.1	*	-	-	3.8
	5	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	*	*	-	-	1.5
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	TOTAL----		-	-	*	0.1	0.6	1.3	1.8	1.9	1.1	0.5	0.2	*	-	-
52	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	-	0.6
	4	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	-	-	0.9
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	*	*	0.3	0.5	0.4	0.4	0.3	0.1	*	*	-	-

* Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-		
	5	-	-	-	-	*	*	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	-	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-		
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	TOTAL----		-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	-	*	*	*	*	-	-	-	-		
	4	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	-	*	*	*	-	-	-	-		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	-		
TOTAL, ALL----		-	-	0.1	1.1	7.2	14.7	23.0	27.8	16.8	6.4	2.6	0.3	*	-	100.0	
EXTRANEIOUS MATTER																Average Staple	33.6
																Percent Tenderable	55.2
Bark - Level 1	0.1																
Bark - Level 2	-																
Grass - Level 1	0.3																
Grass - Level 2	-																
Prep - Level 1	*																
Prep - Level 2	-																
Other - Level 1	*																
Other - Level 1	-																

148,603 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	-	-	-
31	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	0.1	0.3	0.6	0.8	0.5	0.1	*	*	-	-	2.4
	4	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.2	*	*	-	-	2.2
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----		-	-	*	*	0.2	0.5	1.1	1.6	1.0	0.4	0.1	*	-	-
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	0.3	1.0	1.3	0.8	0.2	*	*	-	-	3.7
	4	-	-	*	*	*	0.2	1.0	1.9	1.6	0.7	0.2	*	-	-	5.6
	5	-	-	-	*	*	*	0.2	0.5	0.5	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	TOTAL----		-	-	*	*	0.1	0.6	2.2	3.8	2.9	1.3	0.3	*	-	-
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	*	1.0
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	-	*	*	0.2	0.6	0.7	0.4	0.1	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	-	-
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.3	1.5	1.8	1.0	0.3	*	*	-	-	-	4.9
	4	-	-	*	*	0.1	0.6	0.9	0.6	0.2	*	*	*	-	-	2.5
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----		-	-	*	*	0.4	2.1	2.8	1.7	0.5	0.1	*	*	-	-
42	1-2	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	3	-	-	*	*	0.9	5.5	7.1	4.2	1.2	0.2	*	*	-	-	19.1
	4	-	-	*	*	0.4	3.3	6.4	5.6	2.6	0.8	0.1	*	-	-	19.1
	5	-	-	-	*	*	0.4	0.9	1.1	0.7	0.3	0.1	*	-	-	3.5
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----		-	-	*	0.1	1.3	9.3	14.6	11.0	4.6	1.4	0.3	*	-	-
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	0.2	0.7	0.6	0.3	0.1	*	*	-	-	-	2.0
	4	-	-	-	*	0.2	0.7	1.1	0.9	0.4	0.1	*	-	-	-	3.5
	5	-	-	-	*	*	0.2	0.3	0.4	0.3	0.2	*	*	-	-	1.5
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	TOTAL----		-	-	-	*	0.5	1.7	2.2	1.7	0.9	0.5	0.1	*	-	-

* Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	-	-	*	-	*	
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	-	-	*	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	-	-	0.8	
	4	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	*	0.1	0.4	0.4	0.2	0.1	*	*	-	-	1.2	
43	1-2	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2	
	3	-	-	-	*	0.8	3.4	3.1	1.2	0.2	*	*	-	-	8.7	
	4	-	-	*	*	0.4	2.1	2.8	1.6	0.5	0.1	*	*	-	7.5	
	5	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	*	-	1.0	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
TOTAL----		-	-	*	0.1	1.2	5.8	6.3	3.1	0.9	0.2	*	*	-	17.5	
53	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	*	0.1	0.4	0.3	0.1	*	*	*	-	-	1.0	
	4	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	-	-	1.7	
	5	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
TOTAL----		-	-	-	*	0.3	0.9	1.1	0.7	0.3	0.1	*	*	-	3.5	
63	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	0.1	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
TOTAL----		-	-	*	*	*	*	*	*	*	-	-	-	*		
24-54	1-7	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL, ALL----		-	-	*	0.3	4.2	22.0	31.8	24.8	11.9	4.1	0.8	*	-	100.0	
EXTRANEIOUS MATTER															Average Staple	33.3
Bark - Level 1		*													Percent Tenderable	17.1
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

586,576 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2007 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	*	0.3	1.2	3.7	7.9	11.1	10.9	2.8	0.6	*	38.5
	3	-	*	*	*	*	0.2	0.7	2.1	4.6	6.9	8.4	2.9	0.8	0.1	26.8
	4	-	-	*	*	*	*	*	0.1	0.3	0.3	0.4	0.1	*	*	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----		-	*	*	*	0.1	0.5	2.0	6.0	12.8	18.4	19.7	5.9	1.4	0.1
31	1-2	-	-	*	*	*	*	0.1	0.3	0.6	0.6	0.3	0.1	*	*	2.1
	3	-	*	*	*	*	0.2	0.7	1.5	2.3	2.7	2.6	0.8	0.2	*	11.0
	4	-	*	*	*	*	0.1	0.2	0.5	0.7	0.7	0.8	0.4	0.1	*	3.5
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	*	*	*	0.1	0.3	1.1	2.5	3.8	4.2	3.8	1.2	0.3	*
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.6	0.2	*	*	2.0
	4	-	-	*	*	*	*	0.2	0.4	0.5	0.7	1.7	0.8	0.1	*	4.4
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.2	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	*	*	*	0.1	0.4	0.8	1.1	1.4	2.6	1.2	0.2	*	7.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.4	0.2	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	0.1	0.3	0.1	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	0.1	0.1	0.1	0.2	0.8	0.3	*	*	1.7
61	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-
12 & 22	1-2	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	3	-	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	1.7
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	0.7
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	0.8
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.3	*	*	*	0.7
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.1	*	*	1.4

* Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-		
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
TOTAL, ALL----		-	*	*	*	0.2	1.0	3.9	10.1	19.2	25.9	28.6	9.0	2.0	0.1	100.0	
EXTRANEOUS MATTER																Average Staple	36.0
																Percent Tenderable	77.2
Bark - Level 1	7.2																
Bark - Level 2	*																
Grass - Level 1	0.1																
Grass - Level 2	*																
Prep - Level 1	0.1																
Prep - Level 2	*																
Other - Level 1	0.2																
Other - Level 1	*																

8,139,665 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	1.1
31	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	
	3	-	-	-	*	0.3	2.7	7.0	8.7	4.8	1.7	0.4	*	-	-	
	4	-	-	-	*	0.1	0.6	1.8	3.4	2.8	1.4	0.4	*	*	-	
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	
	6	-	-	-	-	-	*	-	-	*	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.4	3.3	9.0	12.3	7.7	3.2	0.8	*	*	36.7
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	
	3	-	-	*	*	0.2	2.0	5.5	5.0	2.4	0.8	0.3	-	-	-	
	4	-	-	-	*	0.1	1.3	4.8	6.0	4.7	1.8	0.5	*	*	-	
	5	-	-	-	*	*	0.1	0.3	0.5	0.7	0.5	0.2	*	*	-	
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	TOTAL----		-	-	*	*	0.4	3.4	10.6	11.5	7.9	3.2	1.1	*	*	38.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	*	0.4	1.4	1.4	0.8	0.3	*	*	-	-	
	4	-	-	-	-	*	0.1	0.8	1.7	2.0	1.2	0.6	0.1	-	*	
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	-	-	-	
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	0.5	2.1	3.2	2.9	1.6	0.7	0.1	-	-	11.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	
	5	-	-	-	-	-	*	-	*	*	*	*	-	-	-	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	0.3	0.5	0.5	0.2	0.1	*	*	-	1.6
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	3	-	-	-	*	*	0.2	0.6	0.5	0.3	*	*	-	-	-	
	4	-	-	-	-	*	0.3	0.9	0.7	0.4	0.1	*	-	-	-	
	5	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	TOTAL----		-	-	-	*	0.1	0.5	1.5	1.3	0.7	0.2	*	-	-	4.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	*	*	0.1	0.8	1.1	0.5	0.1	*	-	-	-	
	4	-	-	-	-	*	0.1	0.5	1.3	1.0	0.3	*	*	-	-	
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	*	*	0.2	1.3	2.4	1.7	0.5	0.1	*	-	6.2

* Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
2007 Crop

QUALITY	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-		
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1		
	5	-	-	-	-	-	*	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	*	
33	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
43	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1		
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
TOTAL, ALL----		-	-	*	*	1.0	8.4	25.4	31.7	21.5	9.0	2.8	0.1	*	-	100.0	
EXTRANEIOUS MATTER																Average Staple	34.0
Bark - Level 1		0.2														Percent Tenderable	46.9
Bark - Level 2		-															
Grass - Level 1		1.4															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

95,890 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2007 crop.

State	Extraneous matter														Total	
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		level 1	level 2
	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2	level 1	level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	1,087	1	5,042	8	1,347	19	3	0	1	0	0	0	1	0	7,481	28
Arizona	1	0	19,854	3	1,212	13	1,171	4	8	0	0	0	202	0	22,448	20
Arkansas	643	7	1,226	0	999	0	176	0	15	1	5	0	2	0	3,066	8
California	44	0	5,921	0	2,591	2	1,127	0	0	0	68	0	379	0	10,130	2
Florida	17	0	696	0	194	0	0	0	0	0	0	0	0	0	907	0
Georgia	618	2	6,160	0	1,416	0	18	0	1	0	1	0	4	0	8,218	2
Kansas	2	0	8,444	15	5	0	58	0	0	0	0	0	0	0	8,509	15
Louisiana	562	0	1,774	4	1,323	0	122	0	2	0	97	0	7	0	3,887	4
Mississippi	358	0	2,797	0	2,489	1	194	0	4	0	15	0	8	0	5,865	1
Missouri	532	1	80	0	28	0	27	0	3	0	2	0	4	0	676	1
New Mexico	0	0	174	0	70	0	27	0	2	0	0	0	1	0	274	0
North Carolina	1,356	0	1,174	0	3,789	0	0	0	0	0	0	0	6	0	6,325	0
Oklahoma	61	0	17,935	59	132	18	29	18	2	0	0	0	2	0	18,161	95
South Carolina	43	0	120	0	397	0	0	0	1	0	0	0	1	0	562	0
Tennessee	626	2	182	0	62	0	13	0	2	1	0	0	1	0	886	3
Texas	5,938	191	582,691	213	9,415	208	13,609	74	116	0	58	1	283	1	612,110	688
Virginia	17	0	149	0	1,303	0	0	0	0	0	0	0	1	0	1,470	0
United States	25,908	247	1,182,298	127	98,345	1,188	7,435	7	136	1	485	24	676	1	1,315,283	1,595

Table 22. -- Tenderability of upland cotton classed, by states, 2007 crop

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	202,427	50.9	194,961	49.1
Arizona	377,422	78.6	102,766	21.4
Arkansas	1,095,145	60.6	711,939	39.4
California	608,832	94.0	39,008	6.0
Florida	62,735	61.4	39,517	38.6
Georgia	1,211,269	74.7	409,339	25.3
Kansas	29,530	57.9	21,429	42.1
Louisiana	548,715	78.9	147,079	21.1
Mississippi	901,288	71.0	368,997	29.0
Missouri	450,123	57.3	335,385	42.7
New Mexico	45,539	90.7	4,696	9.3
North Carolina	404,607	53.0	359,101	47.0
Oklahoma	22,756	8.1	259,811	91.9
South Carolina	82,051	55.2	66,552	44.8
Tennessee	100,596	17.1	485,980	82.9
Texas	6,281,011	77.2	1,858,654	22.8
Virginia	44,929	46.9	50,961	53.1
United States	12,468,975	69.6	5,456,175	30.4

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1988-2007 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2007 crop.

Color	Leaf	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
		Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
11 & 21	1-2	3.5	33.7	30.5	30.2	0.3	*	0.2	*	*	*	*
	3	14.3	26.1	22.8	23.1	2.9	1.0	2.6	0.2	0.1	0.2	0.2
	4	5.3	2.6	1.9	2.0	0.7	0.2	0.7	0.1	*	*	*
	5	0.3	0.2	0.1	0.1	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	*	*
	Total	----	23.3	62.6	55.3	55.5	3.9	1.3	3.5	0.2	0.2	0.3
31	1-2	1.0	2.8	2.8	2.7	0.3	0.1	0.2	0.4	0.3	0.2	0.2
	3	19.9	11.1	18.6	17.7	23.1	20.9	22.8	5.3	10.9	13.5	12.6
	4	20.9	5.9	7.0	7.2	18.5	12.6	17.7	4.9	7.8	9.9	9.2
	5	6.9	1.5	1.5	1.6	2.0	0.2	1.7	0.2	0.2	0.2	0.2
	6	0.8	0.1	0.1	0.2	0.3	*	0.3	*	*	*	*
	7	0.1	*	*	*	*	*	*	-	-	*	*
	Total	----	49.6	21.5	30.0	29.4	44.2	33.8	42.7	10.9	19.2	23.8
41	1-2	*	0.1	0.2	0.2	*	*	*	0.3	*	*	*
	3	1.8	2.6	3.5	3.3	11.0	14.8	11.5	8.8	11.0	10.1	10.4
	4	5.4	3.5	4.1	4.1	20.9	36.3	23.0	29.3	44.6	37.5	39.9
	5	6.2	2.0	1.8	2.0	3.4	2.0	3.2	5.2	12.0	8.7	9.8
	6	3.5	0.7	0.5	0.6	0.7	0.3	0.6	0.1	0.4	0.5	0.5
	7	1.3	0.2	0.1	0.2	0.1	*	0.1	*	*	*	*
	Total	----	18.2	9.3	10.3	10.3	36.2	53.5	38.5	43.8	68.0	56.8
51	1-2	*	*	*	*	*	-	*	0.1	-	*	*
	3	0.1	*	*	*	0.7	0.3	0.6	1.0	0.1	0.1	0.1
	4	0.4	0.1	*	0.1	1.6	2.8	1.8	8.3	1.8	1.5	1.6
	5	0.5	0.1	0.1	0.1	0.5	0.4	0.5	4.9	2.5	2.2	2.3
	6	0.6	0.1	*	*	0.2	0.1	0.1	0.4	0.4	0.6	0.6
	7	0.6	0.1	*	*	*	*	*	*	*	0.1	0.1
	Total	----	2.1	0.5	0.2	0.2	3.0	3.5	3.1	14.8	4.8	4.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	-	*	*
	4	-	-	*	*	*	-	*	*	-	*	*
	5	-	-	-	-	*	-	*	0.1	-	*	*
	6	-	-	-	-	*	-	*	0.1	-	*	*
	7	-	-	-	-	*	-	*	*	-	*	*
	Total	----	-	-	*	*	*	-	*	0.2	-	*
71	1-2	-	-	-	-	-	-	-	*	-	-	-
	3	-	-	-	-	*	-	*	*	-	-	-
	4	-	-	-	-	*	*	*	*	-	-	-
	5	-	-	-	-	*	-	*	*	-	-	-
	6	-	-	-	-	*	-	-	*	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-
	Total	----	-	-	-	-	*	*	*	*	-	-
12 & 22	1-2	*	0.5	0.5	0.5	*	-	*	*	-	-	*
	3	0.2	1.4	0.9	0.9	0.3	0.1	0.3	*	*	*	*
	4	0.1	0.4	0.1	0.2	0.2	*	0.2	*	*	*	*
	5	*	0.1	*	*	*	*	*	-	*	*	*
	6	-	*	*	*	*	-	*	-	-	*	-
	7	-	-	*	*	*	-	*	-	-	-	-
	Total	----	0.3	2.3	1.6	1.6	0.6	0.1	0.5	*	*	*
32	1-2	*	0.1	0.1	0.1	*	-	*	*	*	*	*
	3	0.9	0.7	0.6	0.7	1.3	0.9	1.2	0.3	0.3	0.6	0.5
	4	1.0	0.6	0.4	0.5	2.5	1.0	2.3	0.4	0.3	1.2	0.9
	5	0.4	0.2	0.2	0.2	0.6	0.1	0.6	0.1	*	0.1	0.1
	6	0.1	0.1	*	*	0.2	*	0.2	*	*	*	*
	7	*	*	*	*	0.1	-	0.1	*	-	*	*
	Total	----	2.3	1.7	1.3	1.4	4.6	2.0	4.2	0.8	0.6	1.9
42	1-2	*	*	*	*	*	-	*	*	*	*	*
	3	0.2	0.1	0.1	0.1	0.6	0.6	0.6	1.2	0.6	0.8	0.8
	4	0.6	0.2	0.2	0.2	3.0	2.3	2.9	6.6	3.3	6.1	5.1
	5	0.4	0.1	0.2	0.2	1.3	0.8	1.2	2.2	1.9	3.4	2.9
	6	0.2	*	0.1	0.1	0.3	0.2	0.3	0.1	0.1	0.3	0.2
	7	0.1	*	*	*	0.1	*	0.1	*	*	*	*
	Total	----	1.5	0.5	0.5	0.5	5.3	3.8	5.1	10.1	5.9	10.6
52	1-2	*	-	*	*	*	-	*	*	-	*	*
	3	*	*	*	*	0.1	0.1	0.1	0.5	*	*	*
	4	*	*	*	*	0.6	0.8	0.6	6.4	0.3	0.4	0.4
	5	0.1	*	*	*	0.3	0.3	0.3	5.1	0.5	0.8	0.7
	6	*	*	*	*	0.1	*	*	0.3	0.1	0.2	0.2
	7	*	*	*	*	*	*	*	*	*	*	*
	Total	----	0.2	*	*	*	1.0	1.2	1.0	12.3	1.0	1.5

Table 24. -- Continued.

Color	Leaf	ABILENE			Classing Office Total	BIRMINGHAM			Classing Office Total	CORPUS CHRISTI		DUMAS		Classing Office Total
		Kansas	Oklahoma	Texas		Alabama	Florida	Texas		Arkansas	Mississippi			
62	1-2	*	-	*	*	-	-	-	*	-	-	-	-	
	3	-	-	*	*	*	-	*	*	-	-	-	-	
	4	-	-	*	*	*	*	*	0.3	-	*	*	*	
	5	-	*	*	*	*	*	*	0.4	*	*	*	*	
	6	-	*	*	*	*	*	*	0.1	-	*	*	*	
	7	-	-	-	-	-	*	*	*	-	*	*	*	
	Total	----	*	*	*	*	*	*	*	0.8	*	*	*	*
13 & 23	1-2	*	*	0.1	0.1	*	-	*	-	-	-	-	-	
	3	*	0.1	0.1	0.1	0.1	*	0.1	*	-	-	-	-	
	4	*	*	*	*	*	-	*	*	-	-	-	-	
	5	-	*	*	*	*	*	*	*	-	-	-	-	
	6	-	*	*	*	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	----	*	0.1	0.2	0.2	0.2	*	0.1	*	-	-	-	-
33	1-2	*	*	*	*	*	-	*	*	-	*	*	*	
	3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	*	*	*	*	*	
	4	0.2	0.2	0.1	0.1	0.2	0.1	0.2	*	*	*	*	*	
	5	0.1	0.1	*	*	0.1	*	*	*	-	*	*	*	
	6	*	*	*	*	*	-	*	*	-	-	-	-	
	7	*	*	*	*	*	-	*	*	-	-	-	-	
	Total	----	0.6	0.7	0.4	0.4	0.3	0.2	0.3	*	*	*	*	
43	1-2	*	*	*	*	*	-	*	*	*	*	*	*	
	3	0.1	0.1	*	*	0.1	0.1	0.1	0.1	*	0.1	*	*	
	4	0.3	0.2	0.1	0.1	0.3	0.2	0.3	0.6	0.1	0.3	0.2	0.2	
	5	0.3	0.1	*	*	0.1	*	0.1	0.2	*	0.1	0.1	0.1	
	6	0.2	*	*	*	*	*	*	*	*	*	*	*	
	7	0.1	*	*	*	*	-	*	*	*	*	*	*	
	Total	----	1.0	0.4	0.1	0.2	0.6	0.3	0.5	0.9	0.2	0.4	0.3	
53	1-2	*	*	*	*	-	-	-	*	-	*	*	*	
	3	*	*	*	*	*	*	*	0.2	*	*	*	*	
	4	*	*	*	*	0.1	0.1	0.1	1.9	*	*	*	*	
	5	*	*	*	*	0.1	*	0.1	1.5	*	*	*	*	
	6	*	*	*	*	*	-	*	0.1	*	*	*	*	
	7	*	*	*	*	*	-	*	*	*	*	*	*	
	Total	----	0.2	*	*	*	0.2	0.2	0.2	3.7	0.1	0.1	0.1	
63	1-2	*	-	*	*	*	-	-	*	-	-	-	-	
	3	*	*	*	*	*	-	*	*	*	*	*	*	
	4	*	-	*	*	*	*	*	0.4	-	*	*	*	
	5	*	-	*	*	*	-	*	0.5	-	*	*	*	
	6	-	-	*	*	*	*	*	0.1	-	-	-	-	
	7	-	-	-	-	-	*	*	*	-	-	-	-	
	Total	----	*	*	*	*	*	*	*	1.0	*	*	*	
24 - 54	1-7	0.2	0.1	*	0.1	0.1	*	0.1	0.1	*	*	*	*	
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	*	*	0.2	-	*	*	*	
All Colors	8 2/	0.3	0.1	*	0.1	*	-	*	*	-	*	*	*	
STAPLE														
28 & shorter		*	-	*	*	-	-	-	-	-	-	-	-	
29		*	*	*	*	*	*	*	-	-	*	*	*	
30		0.4	0.1	*	*	0.5	0.1	0.4	-	*	*	*	*	
31		1.6	0.5	0.2	0.2	3.3	0.5	2.9	*	*	0.2	0.2	0.2	
32		4.6	1.5	1.3	1.4	12.8	5.0	11.7	0.5	0.5	2.8	2.0	2.0	
33		9.1	5.1	5.8	5.8	25.9	17.1	24.7	2.4	7.5	13.8	11.6	11.6	
34		16.1	17.5	14.4	14.9	28.7	31.5	29.1	5.7	25.9	30.9	29.2	29.2	
35		24.0	29.5	22.9	23.8	18.7	27.9	19.9	11.5	39.9	30.9	34.0	34.0	
36		22.9	24.3	25.5	25.3	7.5	13.8	8.4	19.3	19.7	14.5	16.3	16.3	
37		18.4	16.1	22.7	21.7	2.4	4.1	2.6	39.6	5.5	6.1	5.9	5.9	
38 & longer		3.1	5.5	7.3	7.0	0.2	0.2	0.2	21.0	0.9	0.8	0.9	0.9	
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average staple		35.1	35.4	35.6	35.6	33.8	34.4	33.9	36.5	34.9	34.6	34.7	34.7	
Total Classed		50,959	282,567	1,846,928	2,180,454	397,388	62,537	459,925	904,624	583,220	1,121,640	1,704,860	1,704,860	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2007 crop.

Color	Leaf	FLORENCE			Classing Office Total	LAMESA		LUBBOCK		MACON		Classing Office Total
		North Carolina	South Carolina	Virginia		Texas	Texas	Florida 1/	Georgia			
11 & 21	1-2	0.1	0.1	*	0.1	45.2	48.7	-	0.1	0.1	0.1	
	3	0.9	1.6	1.0	1.0	30.7	33.5	-	1.2	1.2	1.2	
	4	0.1	0.1	0.1	0.1	1.3	1.5	-	0.1	0.1	0.1	
	5	*	*	-	*	0.1	*	-	*	*	*	
	6	-	-	-	-	*	*	-	-	-	-	
	7	-	-	-	-	*	*	-	-	-	-	
	Total	----	1.1	1.8	1.1	1.2	77.2	83.7	-	1.4	1.4	1.4
31	1-2	0.2	0.3	0.2	0.2	3.2	1.7	-	0.3	0.3	0.3	
	3	15.1	24.6	25.7	17.5	11.2	8.6	-	28.8	28.5	28.5	
	4	5.9	9.2	10.5	6.8	1.7	2.3	-	8.3	8.3	8.3	
	5	0.4	0.3	0.3	0.3	0.2	0.3	-	0.2	0.2	0.2	
	6	*	*	*	*	*	*	-	*	*	*	
	7	*	-	-	*	*	*	-	*	*	*	
	Total	----	21.5	34.4	36.7	24.9	16.4	13.0	-	37.7	37.4	37.4
41	1-2	0.1	0.1	*	0.1	0.1	*	-	0.1	0.1	0.1	
	3	17.3	19.2	16.3	17.5	0.8	0.3	-	27.5	27.6	27.6	
	4	22.0	21.0	19.3	21.6	0.4	0.3	-	26.6	26.9	26.9	
	5	5.4	4.8	2.4	5.0	0.1	0.1	-	1.9	1.9	1.9	
	6	0.7	0.8	0.3	0.7	*	*	-	0.2	0.2	0.2	
	7	0.1	0.1	*	0.1	*	*	-	*	*	*	
	Total	----	45.5	46.0	38.2	44.9	1.5	0.7	-	56.4	56.7	56.7
51	1-2	*	*	-	*	*	*	-	*	*	*	
	3	3.6	0.8	4.3	3.3	*	*	-	0.7	0.7	0.7	
	4	8.2	1.4	6.4	7.0	*	*	-	1.5	1.6	1.6	
	5	2.5	0.7	0.5	2.0	*	*	-	0.3	0.3	0.3	
	6	0.4	0.2	*	0.4	*	*	-	0.1	0.1	0.1	
	7	0.1	0.1	-	0.1	*	*	-	*	*	*	
	Total	----	14.8	3.1	11.2	12.8	*	*	-	2.6	2.7	2.7
61	1-2	*	-	-	*	-	*	-	-	-	-	
	3	*	*	*	*	*	-	-	*	*	*	
	4	*	*	0.1	*	*	-	-	*	*	*	
	5	*	*	*	*	*	-	-	*	*	*	
	6	*	*	*	*	*	-	-	*	*	*	
	7	*	-	-	*	*	-	-	*	*	*	
	Total	----	0.1	*	0.1	0.1	*	*	-	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	
	Total	----	-	-	-	-	-	-	-	*	*	*
12 & 22	1-2	*	*	*	*	1.1	0.6	-	*	*	*	
	3	0.1	0.2	0.1	0.1	1.8	1.0	-	*	*	*	
	4	*	*	*	*	0.2	0.1	-	*	*	*	
	5	*	*	*	*	*	*	-	-	-	-	
	6	-	-	-	-	*	*	-	-	-	-	
	7	-	-	-	-	*	*	-	-	-	-	
	Total	----	0.1	0.3	0.1	0.1	3.0	1.7	-	*	*	*
32	1-2	*	*	*	*	0.1	*	-	*	*	*	
	3	0.8	1.7	0.9	1.0	0.5	0.2	-	0.1	0.1	0.1	
	4	0.7	2.0	0.5	0.8	0.2	0.1	-	0.1	0.1	0.1	
	5	0.1	0.3	0.1	0.1	*	*	-	*	*	*	
	6	*	*	*	*	*	*	-	*	*	*	
	7	*	*	*	*	*	*	-	*	*	*	
	Total	----	1.6	4.0	1.6	1.9	0.8	0.4	-	0.3	0.2	0.2
42	1-2	*	-	*	*	*	*	-	*	*	*	
	3	2.4	1.9	1.7	2.3	*	*	-	0.2	0.2	0.2	
	4	3.9	3.8	2.3	3.7	*	*	-	0.6	0.6	0.6	
	5	1.1	1.5	0.2	1.1	*	*	-	0.2	0.2	0.2	
	6	0.2	0.3	*	0.2	*	*	-	*	*	*	
	7	*	0.1	*	*	*	*	-	*	*	*	
	Total	----	7.6	7.6	4.3	7.3	*	*	-	1.1	1.1	1.1
52	1-2	*	*	-	*	*	*	-	*	*	*	
	3	1.9	0.6	2.7	1.8	*	*	-	*	*	*	
	4	3.5	0.9	3.3	3.1	*	*	-	0.2	0.2	0.2	
	5	1.2	0.4	0.2	1.0	*	*	-	0.1	0.1	0.1	
	6	0.3	0.1	*	0.2	*	*	-	*	*	*	
	7	*	*	-	*	*	*	-	*	*	*	
	Total	----	6.9	2.1	6.2	6.1	*	*	-	0.3	0.3	0.3

1/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 25. -- Continued.

		FLORENCE			LAMESA	LUBBOCK	MACON			
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida 3/	Georgia	Classing Office Total
62	1-2	-	-	-	-	*	*	-	-	-
	3	*	*	*	*	*	*	-	*	*
	4	*	*	0.1	*	-	-	-	*	*
	5	*	*	*	*	-	-	-	*	*
	6	*	-	-	*	-	-	-	*	*
	7	*	-	-	*	-	-	-	*	*
	Total	----	0.1	*	0.1	0.1	*	*	-	*
13 & 23	1-2	-	-	-	-	0.2	0.1	-	-	-
	3	*	*	-	*	0.3	0.1	-	*	*
	4	*	*	*	*	*	*	-	*	*
	5	*	-	-	*	*	*	-	-	-
	6	*	-	-	*	*	*	-	-	-
	7	-	-	-	-	-	-	-	-	-
	Total	----	*	*	*	*	0.5	0.2	-	*
33	1-2	*	-	*	*	0.1	0.1	-	*	*
	3	*	0.1	*	*	0.3	0.1	-	*	*
	4	*	*	0.1	*	0.1	*	-	*	*
	5	*	*	*	*	*	*	-	*	*
	6	*	-	-	*	*	*	-	*	*
	7	*	*	-	*	*	*	-	-	-
	Total	----	0.1	0.1	0.1	0.1	0.4	0.1	-	*
43	1-2	*	-	*	*	*	*	-	*	*
	3	0.1	0.1	0.1	0.1	*	*	-	*	*
	4	0.1	0.2	0.1	0.2	*	*	-	0.1	0.1
	5	*	*	*	*	*	*	-	*	*
	6	*	*	*	*	*	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
	Total	----	0.4	0.4	0.2	0.4	*	*	-	0.1
53	1-2	-	-	-	-	*	*	-	-	-
	3	*	*	*	*	*	*	-	*	*
	4	0.1	*	*	0.1	*	*	-	*	*
	5	*	*	*	*	*	*	-	*	*
	6	*	*	-	*	*	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
	Total	----	0.2	0.1	0.1	0.1	*	*	-	0.1
63	1-2	-	-	-	-	*	*	-	-	-
	3	*	*	*	*	*	*	-	*	*
	4	*	-	*	*	-	-	-	*	*
	5	*	-	-	*	-	*	-	*	*
	6	*	-	-	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	*	*
	Total	----	*	*	*	*	*	*	-	*
24 - 54	1-7	*	*	*	*	0.1	*	-	*	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	-	-	*	*	*	-	*	*
All Colors	8 2/	0.1	0.1	*	0.1	*	*	-	*	*
STAPLE										
28 & shorter		-	-	-	-	-	*	-	-	-
29		0.1	0.1	*	0.1	*	*	-	*	*
30		0.5	1.1	*	0.6	*	0.1	-	0.1	0.1
31		3.8	7.2	1.0	4.0	*	0.3	-	0.6	0.6
32		11.1	14.7	8.4	11.4	0.5	1.2	-	3.9	3.9
33		22.3	23.0	25.4	22.7	2.7	3.8	-	16.3	16.4
34		30.4	27.8	31.7	30.2	8.8	9.6	-	33.1	33.1
35		21.7	16.8	21.5	21.0	21.5	18.2	-	30.4	30.3
36		7.6	6.4	9.0	7.5	30.7	25.6	-	12.3	12.2
37		2.1	2.6	2.8	2.2	27.8	29.3	-	3.1	3.1
38 & longer		0.3	0.4	0.2	0.3	8.0	11.9	-	0.3	0.3
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	-	100.0	100.0
Average staple		33.9	33.6	34.0	33.8	35.9	36.0	-	34.4	34.4
Total Classed		763,708	148,603	95,890	1,008,201	1,564,630	3,808,721	-	1,620,608	1,660,323

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.
 3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2007 crop.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas 1/	Classing Office Total
11 & 21	1-2	0.1	1.4	*	0.1	0.5	47.0	9.3	61.1	66.9	43.4
	3	0.3	3.5	0.1	0.6	1.3	11.2	5.5	22.9	16.8	11.4
	4	0.1	0.7	*	0.2	0.3	0.5	*	1.5	0.3	0.5
	5	*	*	*	*	*	*	-	0.1	*	*
	6	-	*	-	*	*	*	-	*	-	*
	7	-	*	-	-	*	*	-	-	-	-
	Total	-----	0.5	5.7	0.2	0.8	2.1	58.7	14.8	85.6	84.0
31	1-2	*	0.5	0.1	*	0.2	10.3	25.0	2.9	10.4	11.7
	3	3.3	9.1	9.0	2.4	5.0	14.3	35.1	6.1	4.0	16.3
	4	3.0	7.7	9.1	2.2	4.4	2.7	0.9	1.4	0.2	2.3
	5	0.3	1.6	0.7	0.3	0.7	0.5	*	0.3	*	0.4
	6	*	0.2	*	*	0.1	0.1	*	*	-	*
	7	*	*	-	*	*	*	-	*	-	*
	Total	-----	6.6	19.1	18.9	4.9	10.4	27.9	61.0	10.7	14.6
41	1-2	*	0.3	*	*	0.1	0.6	5.8	*	0.1	1.3
	3	11.4	9.7	7.3	3.7	9.1	3.7	13.3	0.1	0.3	4.6
	4	23.5	14.9	29.0	5.6	17.3	2.1	2.8	0.2	0.2	2.0
	5	6.4	7.9	13.3	1.5	6.0	0.7	0.8	0.1	0.1	0.7
	6	1.3	3.7	1.9	0.4	1.8	0.3	0.1	*	*	0.3
	7	0.1	0.8	0.2	0.1	0.3	0.1	*	*	-	0.1
	Total	-----	42.8	37.3	51.8	11.2	34.7	7.5	22.8	0.4	0.7
51	1-2	*	*	*	*	*	*	0.3	-	-	*
	3	0.8	0.5	0.4	0.6	0.7	0.1	0.4	-	-	0.1
	4	3.1	1.4	2.8	1.0	2.1	0.2	0.3	-	-	0.2
	5	2.2	2.0	3.2	0.3	1.8	0.1	0.1	-	-	0.1
	6	1.0	2.3	1.2	0.1	1.2	0.2	0.1	*	-	0.2
	7	0.2	1.1	0.2	*	0.4	0.1	*	-	-	0.1
	Total	-----	7.3	7.2	7.7	2.1	6.2	0.6	1.1	*	-
61	1-2	-	-	-	-	-	*	*	-	-	*
	3	*	*	-	-	*	*	*	-	-	*
	4	*	*	*	*	*	*	*	-	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	*
	Total	-----	*	*	*	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	*	-	*	-	-	-	-	-
	6	-	-	*	-	*	-	-	-	-	-
	7	-	-	*	-	*	-	-	-	-	-
	Total	-----	-	-	*	-	*	-	-	-	-
12 & 22	1-2	*	0.1	*	0.1	*	1.4	*	0.8	0.1	1.1
	3	0.3	0.6	0.1	0.5	0.4	0.7	*	0.9	0.1	0.6
	4	0.1	0.3	*	0.1	0.1	0.1	-	0.2	-	0.1
	5	*	*	*	*	*	*	-	*	-	*
	6	-	*	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.4	1.0	0.1	0.7	0.6	2.2	*	2.0	0.2
32	1-2	*	0.1	*	0.1	*	0.1	*	0.1	0.1	0.1
	3	0.8	1.2	1.1	4.9	1.8	0.5	*	0.3	0.3	0.4
	4	0.6	0.8	1.3	2.5	1.1	0.4	*	0.1	-	0.4
	5	0.1	0.2	0.1	0.2	0.1	0.1	-	0.1	-	0.1
	6	*	*	*	*	*	*	-	*	-	*
	7	*	*	*	*	*	*	-	*	-	*
	Total	-----	1.4	2.3	2.6	7.7	3.1	1.2	0.1	0.7	0.4
42	1-2	*	0.2	*	0.3	0.1	*	*	*	-	*
	3	8.1	6.8	1.5	19.1	9.8	0.1	*	0.1	*	0.1
	4	15.3	9.3	8.0	19.1	14.1	0.4	*	*	-	0.3
	5	4.1	2.8	4.6	3.5	3.6	0.3	*	-	-	0.2
	6	0.6	0.6	0.8	0.4	0.6	0.1	*	-	-	0.1
	7	*	0.1	0.1	*	0.1	*	-	-	-	*
	Total	-----	28.1	19.8	15.1	42.5	28.3	1.0	0.1	0.1	*
52	1-2	*	*	-	*	*	*	*	-	-	*
	3	1.1	1.0	0.1	2.0	1.2	*	*	-	-	*
	4	4.7	1.8	1.1	3.5	3.5	*	*	-	-	*
	5	3.0	1.4	1.3	1.5	2.1	0.1	*	-	-	*
	6	0.9	0.8	0.4	0.4	0.7	0.1	*	-	-	*
	7	0.2	0.2	0.1	0.1	0.2	0.1	*	-	-	*
	Total	-----	10.0	5.2	3.0	7.6	7.8	0.2	*	-	-

1/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 26. -- Continued.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas 3/	Classing Office Total
62	1-2	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	*	*	-	-	-	-	-
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	*
	Total	----	*	*	*	*	*	*	-	-	-
13 & 23	1-2	*	*	-	*	*	*	*	0.1	0.1	*
	3	*	*	*	*	*	*	-	0.2	*	*
	4	*	*	*	*	*	*	-	*	-	*
	5	-	*	-	*	*	*	-	-	-	*
	6	-	*	-	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	*	*	*	0.1	*	0.4	0.1
33	1-2	*	*	*	*	*	*	-	*	*	*
	3	*	*	*	0.8	0.2	0.1	*	0.1	*	0.1
	4	*	*	*	0.3	0.1	*	-	*	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	----	*	0.1	0.1	1.2	0.3	0.1	*	0.2	*
43	1-2	*	*	-	0.2	0.1	*	*	*	-	*
	3	0.6	0.5	*	8.7	2.3	0.1	*	*	*	*
	4	0.7	0.5	0.2	7.5	2.1	0.1	-	*	-	0.1
	5	0.1	0.1	*	1.0	0.3	*	-	-	-	*
	6	*	*	*	0.1	*	*	-	*	-	*
	7	*	*	-	*	*	*	-	-	-	*
	Total	----	1.5	1.2	0.3	17.5	4.8	0.2	*	*	*
53	1-2	*	*	-	*	*	*	*	-	-	*
	3	0.2	0.2	*	1.0	0.4	*	*	-	-	*
	4	0.7	0.3	0.1	1.7	0.8	*	-	-	-	*
	5	0.2	0.2	0.1	0.7	0.3	*	-	-	-	*
	6	0.1	0.1	*	0.1	0.1	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	*
	Total	----	1.2	0.7	0.1	3.5	1.5	*	*	-	-
63	1-2	-	-	-	*	*	-	-	-	-	-
	3	*	*	-	*	*	*	-	-	-	*
	4	*	*	*	*	*	-	-	-	-	-
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	*
	Total	----	*	*	*	*	*	*	-	-	-
24 - 54	1-7	0.1	0.1	*	0.2	0.1	*	*	*	-	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	-	*	*	*	-	-	-	*
All Colors	8 2/	*	0.1	*	*	*	0.1	-	-	-	0.1
STAPLE											
28 & shorter		-	-	*	-	*	-	-	-	-	-
29		-	*	0.1	*	*	-	-	-	-	-
30		*	*	0.2	0.3	0.1	*	-	-	-	*
31		*	0.3	1.0	4.2	1.1	*	*	-	-	*
32		0.5	2.5	5.1	22.0	5.9	0.2	0.3	*	0.1	0.2
33		4.2	9.7	14.8	31.8	12.2	2.0	1.3	0.3	0.9	1.7
34		21.9	24.4	29.0	24.8	23.5	10.5	8.2	1.7	6.3	9.4
35		45.0	35.7	31.8	11.9	34.6	29.3	21.7	7.4	24.1	26.4
36		23.3	20.9	13.6	4.1	18.1	32.3	38.1	20.9	42.8	32.4
37		4.9	6.4	3.8	0.8	4.4	20.5	29.2	41.2	23.9	23.4
38 & longer		0.2	0.2	0.6	*	0.2	5.2	1.1	28.5	1.9	6.4
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		35.0	34.8	34.4	33.3	34.6	35.7	35.9	36.9	35.9	35.9
Total Classed		1,217,831	785,508	104,633	586,576	2,694,548	480,188	86,964	50,235	14,762	632,149

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.
 3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 27. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2007 crop.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas /1	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	-	*	-	*	45.9	21.0
	3	-	0.1	*	0.1	8.3	13.7
	4	-	*	*	*	0.2	0.8
	5	-	*	-	*	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	Total	-----	-	0.1	*	0.1	54.4
31	1-2	-	0.2	*	0.2	18.4	2.1
	3	-	15.6	12.0	15.3	16.5	13.1
	4	-	7.9	7.8	7.9	2.2	5.4
	5	-	0.3	*	0.3	0.2	0.5
	6	-	*	-	*	*	*
	7	-	-	-	-	-	*
	Total	-----	-	24.0	19.9	23.6	37.3
41	1-2	-	*	-	*	0.7	0.2
	3	-	17.2	10.7	16.7	2.4	8.1
	4	-	42.2	49.7	42.5	0.8	14.6
	5	-	5.9	4.6	6.0	0.5	3.2
	6	-	0.9	0.2	0.9	0.1	0.5
	7	-	0.1	-	0.1	*	0.1
	Total	-----	-	66.4	65.2	66.2	4.4
51	1-2	-	*	-	*	*	*
	3	-	0.1	-	0.1	0.1	0.4
	4	-	0.9	1.7	1.0	*	1.5
	5	-	0.6	1.2	0.7	*	0.9
	6	-	0.2	0.1	0.2	*	0.3
	7	-	0.1	*	0.1	*	0.1
	Total	-----	-	1.9	3.1	2.0	0.2
61	1-2	-	-	-	-	*	*
	3	-	-	-	-	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	-	*
	Total	-----	-	*	-	*	*
71	1-2	-	-	-	-	-	*
	3	-	-	-	-	-	*
	4	-	-	-	-	-	*
	5	-	-	-	-	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	Total	-----	-	-	-	-	-
12 & 22	1-2	-	-	-	-	1.0	0.4
	3	-	-	-	-	0.1	0.6
	4	-	-	-	-	*	0.1
	5	-	-	-	-	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	Total	-----	-	-	-	-	1.1
32	1-2	-	-	-	-	0.6	0.1
	3	-	0.1	0.5	0.2	0.8	0.7
	4	-	0.4	1.0	0.5	0.1	0.5
	5	-	0.1	*	0.1	*	0.1
	6	-	*	-	*	*	*
	7	-	*	-	*	-	*
	Total	-----	-	0.6	1.5	0.7	1.5
42	1-2	-	*	-	*	0.1	*
	3	-	0.5	0.9	0.5	0.5	1.8
	4	-	2.9	6.2	3.1	0.1	3.5
	5	-	1.2	1.1	1.3	*	1.1
	6	-	0.2	*	0.3	*	0.2
	7	-	*	-	*	*	*
	Total	-----	-	4.9	8.2	5.2	0.8
52	1-2	-	-	-	-	*	*
	3	-	*	*	*	0.1	0.3
	4	-	0.7	0.7	0.7	*	1.1
	5	-	0.6	0.6	0.6	*	0.7
	6	-	0.1	0.1	0.1	*	0.2
	7	-	*	*	*	*	*
	Total	-----	-	1.4	1.4	1.4	0.1

/1 Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 27. -- Continued.

		RAYVILLE				VISALIA	
Color	Leaf	Arkansas /3	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
62	1-2	-	-	-	-	-	*
	3	-	-	-	-	*	*
	4	-	*	*	*	*	*
	5	-	*	*	*	*	*
	6	-	*	*	*	*	*
	7	-	*	-	*	-	*
	Total	----	-	*	*	*	*
13 & 23	1-2	-	-	-	-	*	*
	3	-	-	-	-	*	0.1
	4	-	-	-	-	-	*
	5	-	-	-	-	-	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	-
	Total	----	-	-	-	-	*
33	1-2	-	*	-	*	*	*
	3	-	*	-	*	*	0.1
	4	-	*	*	*	*	*
	5	-	*	-	*	*	*
	6	-	-	-	-	-	*
	7	-	-	-	-	-	*
	Total	----	-	*	*	*	0.1
43	1-2	-	-	-	-	*	*
	3	-	*	0.1	*	*	0.4
	4	-	0.2	0.2	0.2	*	0.4
	5	-	0.1	*	0.1	*	0.1
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	Total	----	-	0.3	0.3	0.3	*
53	1-2	-	-	-	-	*	*
	3	-	*	*	*	*	0.1
	4	-	0.2	0.1	0.2	*	0.2
	5	-	0.1	*	0.1	*	0.1
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	Total	----	-	0.4	0.2	0.4	*
63	1-2	-	-	-	-	*	*
	3	-	-	-	-	*	*
	4	-	*	*	*	*	*
	5	-	*	*	*	*	*
	6	-	*	-	*	*	*
	7	-	*	-	*	-	*
	Total	----	-	*	*	*	*
24 - 54	1-7	-	*	*	*	*	*
25 - 35	1-7	-	-	-	-	-	-
81 - 85 1/	1-7	-	*	-	*	*	*
All Colors	8 2/	-	*	-	*	*	*
STAPLE							
28 & shorter		-	-	-	-	-	-
29		-	-	-	-	-	*
30		-	-	-	-	-	0.1
31		-	*	*	*	*	0.6
32		-	1.2	1.4	1.2	*	2.9
33		-	11.5	8.8	11.3	0.2	8.8
34		-	30.7	25.8	30.3	1.5	18.4
35		-	26.5	37.5	27.2	6.6	24.4
36		-	19.1	20.9	19.3	15.4	20.6
37		-	9.9	5.2	9.7	33.0	17.3
38 & longer		-	0.9	0.2	0.9	43.2	6.7
All Staples		-	100.0	100.0	100.0	100.0	99.8
Average staple		-	34.8	34.8	34.8	37.1	35.3
Total Classed		-	695,794	44,012	745,839	560,876	17,925,150

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.
 /3 Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2007 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	
MIKE												
24 & below	-	*	*	*	*	-	*	-	-	-	-	
25	*	*	*	*	*	-	*	-	-	*	*	
26	0.1	0.1	*	0.1	0.1	-	0.1	-	-	*	*	
27	0.4	0.1	0.1	0.1	0.3	*	0.3	*	-	*	*	
28	0.7	0.2	0.1	0.2	0.6	*	0.5	*	-	*	*	
29	1.3	0.2	0.2	0.3	1.1	*	0.9	*	*	*	*	
30	1.6	0.4	0.5	0.5	1.5	*	1.3	*	*	0.1	*	
31	1.7	0.6	0.7	0.7	2.0	*	1.7	*	*	0.1	0.1	
32	2.2	0.9	1.1	1.1	2.4	*	2.0	0.1	*	0.3	0.2	
33	3.6	1.3	1.8	1.8	2.7	0.1	2.3	0.2	*	0.5	0.3	
34	4.8	1.7	2.7	2.6	2.8	0.1	2.4	0.4	*	0.8	0.5	
35	5.9	2.3	3.7	3.6	2.8	0.2	2.5	0.6	*	1.1	0.7	
36	6.0	3.1	4.8	4.6	3.0	0.4	2.6	1.0	0.1	1.4	0.9	
37	6.1	4.1	5.7	5.5	3.1	0.7	2.8	1.8	0.2	1.8	1.2	
38	5.7	5.0	6.7	6.5	3.2	1.0	2.9	2.6	0.5	2.4	1.7	
39	7.3	5.5	7.6	7.4	3.4	1.4	3.1	3.8	0.8	3.1	2.3	
40	7.0	6.4	8.5	8.2	3.5	1.9	3.3	5.6	1.5	3.9	3.1	
41	7.7	7.7	9.4	9.1	3.8	2.5	3.6	7.5	2.3	4.9	4.0	
42	7.9	8.4	9.7	9.5	4.2	3.4	4.1	9.6	3.9	6.1	5.3	
43	9.2	8.6	9.2	9.1	4.7	4.6	4.7	11.2	5.7	7.5	6.9	
44	7.2	8.4	8.0	8.0	5.1	5.7	5.2	11.3	7.8	8.8	8.5	
45	5.1	7.9	6.5	6.6	5.8	6.4	5.9	11.0	10.2	9.9	10.0	
46	3.5	7.1	4.7	5.0	6.8	8.0	6.9	9.7	12.2	10.7	11.2	
47	1.9	6.5	3.2	3.6	7.4	10.1	7.7	7.9	13.7	10.7	11.7	
48	1.6	5.5	2.1	2.6	7.4	12.6	8.1	6.5	13.2	9.4	10.7	
49	0.7	3.8	1.3	1.6	6.8	13.0	7.7	4.7	11.6	7.0	8.6	
50	0.5	2.4	0.7	0.9	5.9	10.9	6.6	2.6	8.1	4.7	5.9	
51	0.2	1.1	0.4	0.5	4.4	7.3	4.7	1.2	4.5	2.7	3.3	
52	*	0.4	0.2	0.2	2.8	4.7	3.0	0.5	2.2	1.3	1.6	
53	-	0.2	0.1	0.1	1.4	3.0	1.6	0.1	0.9	0.6	0.7	
54	*	0.2	*	0.1	0.6	1.2	0.7	*	0.3	0.2	0.2	
55	-	*	*	*	0.3	0.5	0.3	*	0.1	*	*	
56	-	*	*	*	0.1	0.2	0.1	*	*	*	*	
57	-	*	*	*	*	*	*	*	*	*	*	
58	-	*	*	*	*	*	*	-	*	*	*	
59	-	-	*	*	-	-	-	-	-	-	-	
60 & above	-	-	-	-	-	-	-	-	-	-	-	
Average mike	39	42	41	41	43	47	44	44	47	45	45	
Fiber Strength 1/												
17 & below	-	-	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	*	-	-	-	
19	-	-	-	-	*	-	*	*	-	-	-	
20	-	*	*	*	*	*	*	*	*	*	*	
21	-	*	*	*	0.1	*	0.1	*	*	*	*	
22	-	*	*	*	0.5	0.1	0.4	0.1	*	*	*	
23	*	*	*	*	2.0	0.4	1.8	0.3	*	0.1	0.1	
24	0.1	0.1	0.2	0.2	4.7	1.2	4.2	1.0	0.1	0.7	0.5	
25	0.7	0.3	1.1	1.0	8.2	4.0	7.6	2.9	0.7	2.7	2.1	
26	2.6	1.7	3.8	3.5	12.4	9.1	11.9	6.6	3.4	7.4	6.1	
27	10.4	6.1	9.6	9.1	16.1	14.6	15.9	11.0	9.2	14.9	12.9	
28	22.8	13.4	16.9	16.5	16.7	17.9	16.8	14.9	19.2	21.5	20.7	
29	20.8	20.6	21.6	21.5	15.3	19.1	15.8	15.7	25.6	22.3	23.4	
30	15.4	22.7	20.4	20.6	11.5	16.5	12.2	14.5	22.0	16.3	18.2	
31	11.2	18.1	14.4	14.8	6.9	10.3	7.4	13.6	12.8	8.9	10.2	
32	9.6	10.6	7.6	8.0	3.3	4.6	3.5	10.8	5.0	3.9	4.3	
33	5.1	4.4	3.0	3.2	1.4	1.6	1.4	5.7	1.2	0.8	1.0	
34	1.1	1.5	0.9	1.0	0.6	0.5	0.6	2.1	0.4	0.3	0.4	
35	0.3	0.4	0.2	0.3	0.1	*	0.1	0.6	0.2	0.1	0.1	
36 & above	*	0.1	0.1	0.1	0.1	*	0.1	0.2	*	*	*	
Average Strength	29.4	29.9	29.4	29.4	27.9	28.6	28.0	29.4	29.2	28.6	28.8	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2007 crop.

Mike and Fiber Strength	FLORENCE			Classing Office Total	LAMESA		LUBBOCK		MACON	
	North Carolina	South Carolina	Virginia		Texas	Texas	Florida 2/	Georgia	Classing Office Total	
MIKE										
24 & below	*	*	-	*	0.1	0.1	-	-	-	
25	*	*	-	*	0.1	0.1	-	*	*	
26	*	*	-	*	0.1	0.2	-	*	*	
27	*	*	-	*	0.2	0.3	-	*	*	
28	*	*	-	*	0.3	0.5	-	*	*	
29	*	0.1	-	*	0.4	0.7	-	*	*	
30	*	0.1	-	*	0.5	1.1	-	*	*	
31	*	0.2	*	0.1	0.8	1.5	-	*	*	
32	0.1	0.4	*	0.1	1.1	2.0	-	*	*	
33	0.1	0.5	*	0.2	1.5	2.6	-	0.1	0.1	
34	0.2	0.6	*	0.2	2.0	3.4	-	0.1	0.1	
35	0.3	1.0	*	0.4	2.7	4.1	-	0.2	0.2	
36	0.5	1.6	0.1	0.6	3.5	4.9	-	0.3	0.3	
37	0.8	2.2	0.1	0.9	4.2	5.6	-	0.4	0.4	
38	1.2	3.0	0.2	1.4	5.1	6.3	-	0.6	0.6	
39	1.8	3.5	0.5	1.9	6.0	6.9	-	1.0	1.0	
40	2.6	4.0	0.8	2.6	6.8	7.3	-	1.5	1.5	
41	3.5	4.7	1.5	3.5	7.9	7.5	-	2.3	2.2	
42	4.5	5.8	2.2	4.5	8.7	7.4	-	3.3	3.3	
43	5.8	6.4	3.1	5.6	9.0	7.1	-	4.8	4.7	
44	7.1	7.1	4.3	6.8	9.1	6.6	-	6.6	6.6	
45	8.2	8.1	5.6	8.0	8.5	6.1	-	8.6	8.5	
46	9.1	9.2	7.0	8.9	7.1	5.2	-	11.2	11.1	
47	9.6	9.6	9.5	9.6	5.6	4.3	-	13.2	13.2	
48	9.8	9.2	10.8	9.8	4.1	3.3	-	14.1	14.1	
49	9.7	7.7	10.5	9.5	2.6	2.2	-	12.4	12.5	
50	8.6	5.6	10.1	8.3	1.3	1.3	-	9.0	9.1	
51	6.6	3.9	10.1	6.5	0.6	0.7	-	5.5	5.6	
52	4.5	2.7	8.5	4.6	0.3	0.3	-	2.8	2.9	
53	2.8	1.5	6.4	2.9	0.1	0.2	-	1.3	1.3	
54	1.5	0.9	4.5	1.7	0.1	0.1	-	0.4	0.4	
55	0.6	0.4	2.4	0.8	*	*	-	0.1	0.1	
56	0.2	0.1	1.2	0.3	*	*	-	*	*	
57	0.1	*	0.4	0.1	*	*	-	*	*	
58	*	*	*	*	*	*	-	*	*	
59	-	-	-	-	-	-	-	*	*	
60 & above	-	-	-	-	-	-	-	*	*	
Average mike	47	45	49	47	42	41	-	47	47	
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	-	-	-	-	-	
20	*	*	-	*	*	*	-	-	-	
21	*	0.1	-	*	*	*	-	*	*	
22	0.1	0.6	*	0.2	*	*	-	*	*	
23	0.4	1.6	0.1	0.5	*	*	-	0.2	0.2	
24	1.0	3.3	0.3	1.3	0.3	0.2	-	0.9	0.9	
25	2.4	6.4	1.0	2.9	1.2	1.0	-	2.7	2.7	
26	5.3	10.0	3.4	5.8	3.7	3.7	-	6.7	6.7	
27	10.6	14.5	9.3	11.0	8.7	8.9	-	13.7	13.8	
28	17.4	18.2	18.4	17.6	13.9	15.5	-	21.9	21.9	
29	21.5	17.8	23.2	21.1	18.4	19.9	-	24.9	24.9	
30	19.5	13.6	19.5	18.6	20.5	20.2	-	17.7	17.6	
31	12.7	8.0	13.6	12.1	17.5	16.3	-	8.3	8.3	
32	6.1	3.9	6.9	5.9	10.0	9.3	-	2.6	2.6	
33	2.3	1.5	3.1	2.3	4.2	3.7	-	0.3	0.3	
34	0.6	0.5	1.0	0.6	1.3	1.1	-	0.1	0.1	
35	0.1	0.1	0.2	0.1	0.2	0.2	-	0.1	0.1	
36 & above	*	*	*	*	*	*	-	*	*	
Average Strength	29.0	28.2	29.3	28.9	29.6	29.5	-	28.6	28.6	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 30. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2007 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas 2/	Classing Office Total
MIKE										
24 & below	-	*	*	*	*	*	*	0.1	-	*
25	-	*	*	*	*	0.1	*	0.1	-	0.1
26	-	*	0.1	*	*	0.1	0.1	*	-	0.1
27	-	*	0.1	*	*	0.1	0.1	0.1	-	0.1
28	*	*	0.3	*	*	0.1	0.1	0.1	-	0.1
29	*	*	0.4	0.1	0.1	0.1	0.1	0.2	-	0.1
30	*	0.1	0.5	0.3	0.1	0.1	0.1	0.3	*	0.1
31	0.1	0.2	0.7	0.6	0.3	0.2	0.3	0.7	*	0.2
32	0.1	0.4	1.0	1.2	0.5	0.2	0.3	1.3	0.1	0.3
33	0.3	0.7	1.5	2.1	0.9	0.3	0.5	1.8	0.1	0.5
34	0.6	1.2	2.1	3.3	1.4	0.4	0.5	2.6	0.2	0.6
35	1.3	2.1	3.1	5.1	2.4	0.6	0.6	2.9	0.4	0.7
36	2.2	3.0	3.9	6.8	3.5	0.8	0.6	3.8	0.6	1.0
37	3.5	4.0	4.6	8.2	4.7	1.2	0.6	4.7	0.7	1.4
38	5.1	5.3	5.3	8.9	6.0	1.7	0.7	6.0	0.9	1.9
39	6.7	6.8	6.0	9.2	7.2	2.7	1.0	6.6	1.4	2.7
40	8.0	8.0	7.1	9.1	8.2	3.7	1.5	9.1	1.7	3.8
41	9.1	9.0	7.6	8.5	8.8	5.0	3.3	10.2	3.4	5.2
42	9.7	9.5	8.2	7.8	9.2	6.5	5.2	12.1	7.2	6.8
43	10.5	9.6	8.6	6.7	9.3	7.0	8.0	10.0	12.4	7.5
44	10.0	9.0	8.5	5.7	8.7	7.7	10.6	8.3	17.2	8.4
45	9.3	8.2	8.5	4.4	7.9	8.6	12.2	7.4	20.3	9.3
46	8.0	7.0	7.0	3.5	6.7	9.3	14.6	5.4	16.0	9.9
47	6.1	5.3	5.2	2.7	5.1	10.0	12.7	3.5	9.3	9.8
48	4.3	3.9	3.9	2.0	3.7	9.9	10.1	1.6	4.3	9.2
49	2.7	2.9	2.7	1.4	2.5	9.1	7.1	0.7	2.0	8.0
50	1.3	1.9	1.7	1.0	1.4	6.8	4.3	0.2	0.8	5.8
51	0.6	1.1	0.6	0.6	0.7	4.1	2.2	0.1	0.4	3.4
52	0.3	0.5	0.3	0.4	0.4	2.1	1.1	*	0.4	1.8
53	0.1	0.2	0.2	0.1	0.1	1.0	0.8	*	0.2	0.9
54	*	0.1	0.1	*	*	0.4	0.4	-	-	0.3
55	*	*	0.1	*	*	0.1	0.2	-	-	0.1
56	*	*	*	*	*	*	*	-	-	*
57	*	-	*	*	*	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-
59	*	-	-	-	*	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	43	42	42	40	42	45	45	41	44	45
Fiber Strength 1/										
17 & below	-	-	*	-	*	-	-	-	-	-
18	-	-	*	*	*	-	-	-	-	-
19	*	*	*	*	*	-	-	-	-	-
20	*	*	*	*	*	*	*	*	-	*
21	*	*	0.1	0.2	0.1	*	*	*	*	*
22	*	0.1	0.3	1.0	0.3	*	*	*	*	*
23	0.2	0.4	0.9	3.7	1.0	0.1	*	0.1	0.1	0.1
24	0.7	1.1	2.1	8.6	2.6	0.3	0.1	0.4	0.3	0.3
25	2.0	2.2	4.3	13.1	4.6	1.0	0.3	1.7	0.9	1.0
26	4.7	4.2	8.5	15.9	7.1	3.2	1.3	4.7	2.6	3.0
27	9.5	8.0	14.3	16.6	10.8	7.2	3.7	9.7	6.5	6.9
28	16.4	13.6	19.4	15.3	15.5	14.7	8.0	14.5	11.7	13.7
29	24.3	19.0	20.5	12.2	20.0	22.4	18.1	18.1	16.6	21.4
30	23.9	21.4	15.6	7.7	19.4	22.9	27.7	16.7	21.8	23.0
31	12.3	16.4	8.7	3.7	11.5	15.9	23.9	13.8	19.7	16.9
32	4.2	8.9	3.5	1.4	5.0	7.7	12.3	9.6	12.4	8.6
33	1.2	3.5	1.2	0.4	1.7	3.2	4.1	5.9	5.3	3.6
34	0.3	1.0	0.3	0.1	0.5	1.1	0.6	3.0	1.7	1.2
35	0.1	0.2	0.1	*	0.1	0.3	0.1	1.4	0.4	0.4
36 & above	*	*	*	*	*	0.1	*	0.3	*	0.1
Average Strength	29.1	29.4	28.4	27.0	28.7	29.5	30.1	29.7	29.9	29.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 31. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2007 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA	
	Arkansas /2	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below	-	*	-	*	*	*
25	-	-	-	-	*	*
26	-	-	-	-	*	0.1
27	-	*	-	*	*	0.1
28	-	*	-	*	*	0.2
29	-	*	-	*	0.1	0.3
30	-	*	*	*	0.1	0.4
31	-	*	*	*	0.1	0.6
32	-	*	*	*	0.2	0.8
33	-	*	*	*	0.3	1.2
34	-	*	0.1	*	0.6	1.6
35	-	*	0.2	*	1.0	2.2
36	-	*	0.2	0.1	1.7	2.8
37	-	0.1	0.2	0.1	2.5	3.4
38	-	0.2	0.6	0.2	3.8	4.2
39	-	0.4	1.1	0.4	5.1	4.9
40	-	0.8	1.4	0.8	6.5	5.7
41	-	1.2	2.8	1.3	8.6	6.5
42	-	2.3	3.9	2.4	10.6	7.2
43	-	4.3	5.2	4.4	11.9	7.7
44	-	7.2	7.6	7.2	12.6	8.0
45	-	10.9	12.7	11.0	11.8	8.1
46	-	15.4	15.8	15.3	10.0	7.9
47	-	17.9	14.9	17.7	6.1	7.4
48	-	16.7	13.1	16.4	3.4	6.4
49	-	12.0	9.1	11.9	1.8	5.0
50	-	6.2	5.7	6.3	0.8	3.4
51	-	2.9	3.0	3.0	0.2	2.0
52	-	1.0	1.4	1.1	0.1	1.1
53	-	0.2	0.7	0.3	*	0.5
54	-	0.1	0.1	0.1	-	0.2
55	-	*	*	*	-	0.1
56	-	*	*	*	-	*
57	-	*	-	*	-	*
58	-	*	-	*	-	*
59	-	-	-	-	-	*
60 & above	-	-	-	-	-	*
Average mike	-	47	46	47	43	43.1
Fiber Strength 1/						
17 & below	-	-	-	-	-	*
18	-	*	-	*	-	*
19	-	*	-	*	-	*
20	-	-	-	-	-	*
21	-	*	-	*	-	*
22	-	*	*	*	*	0.1
23	-	0.2	0.2	0.2	-	0.3
24	-	1.0	1.0	1.0	*	0.9
25	-	3.8	3.2	3.8	*	2.3
26	-	11.6	7.3	11.3	0.1	5.3
27	-	20.8	15.5	20.4	0.5	10.6
28	-	22.3	21.9	22.1	1.3	16.4
29	-	18.8	23.9	19.0	2.1	20.0
30	-	12.1	17.4	12.5	2.7	18.4
31	-	6.2	7.1	6.5	4.5	12.8
32	-	2.3	1.9	2.4	9.0	6.9
33	-	0.6	0.4	0.7	22.6	3.2
34	-	0.2	*	0.2	32.1	1.8
35	-	*	*	0.1	18.5	0.8
36 & above	-	*	-	*	6.6	0.2
Average Strength	-	28.2	28.5	28.2	33.4	29.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2007 crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI		DUMAS		Classing Office Total
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi		
MIKE												
24 & below	-	*	*	*	*	-	*	-	-	-	-	-
25 - 26	0.1	0.1	-	0.1	*	-	*	-	-	-	-	-
27 - 29	2.4	0.5	0.4	0.5	0.1	-	0.1	-	-	-	-	-
30 - 32	5.5	1.9	2.3	2.3	5.8	-	5.1	0.1	-	0.5	0.3	-
33 - 34	8.4	2.9	4.5	4.4	5.4	0.2	4.7	0.6	-	1.3	0.9	-
35 - 36	11.8	5.4	8.5	8.2	5.8	0.6	5.1	1.6	0.1	2.5	1.7	-
37 - 42	41.8	37.1	47.6	46.1	21.2	10.9	19.8	30.9	9.2	22.1	17.7	-
43 - 49	29.3	47.7	35.0	36.5	44.0	60.4	46.2	62.3	74.4	64.0	67.6	-
50 - 52	0.7	3.9	1.3	1.6	13.1	22.9	14.4	4.3	14.9	8.7	10.8	-
53 & above	-	0.4	0.1	0.2	2.4	4.8	2.7	0.1	1.3	0.8	0.9	-
Average mike	39	42	41	41	43	47	44	44	47	45	45	-
Mike 35 - 49	82.9	90.2	91.2	90.8	71.0	71.9	71.1	94.7	83.7	88.6	87.0	-
Uniformity 1/												
72 & below	-	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-
74	-	*	-	*	-	-	-	*	-	-	-	-
75	*	*	0.1	*	*	*	*	*	*	*	*	*
76	*	0.1	0.4	0.3	0.4	0.1	0.4	0.1	*	*	*	*
77	0.1	0.4	1.6	1.4	2.7	1.0	2.5	0.6	0.1	0.7	0.5	-
78	1.6	2.4	5.4	4.9	9.7	6.0	9.2	2.4	1.0	3.6	2.7	-
79	9.8	8.6	14.2	13.4	22.9	19.8	22.5	7.0	7.4	12.4	10.7	-
80	26.1	21.7	26.1	25.6	29.9	32.6	30.3	14.0	18.7	24.9	22.8	-
81	34.3	34.3	28.6	29.5	22.1	26.5	22.7	22.1	33.5	30.4	31.4	-
82	24.0	24.7	17.3	18.4	9.8	10.7	9.9	27.1	31.0	21.6	24.8	-
83	3.9	6.9	5.6	5.7	2.2	2.7	2.2	19.7	7.7	6.0	6.6	-
84	0.1	0.8	0.8	0.8	0.3	0.6	0.3	6.3	0.6	0.4	0.5	-
85	*	*	0.1	*	*	*	*	0.7	*	*	*	-
86	-	-	-	-	-	-	-	*	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	80.8	80.9	80.5	80.6	80.0	80.2	80.0	81.5	81.1	80.7	80.9	-
Trash 2/												
00	-	*	*	*	*	-	*	*	-	-	-	-
01	1.3	17.2	17.5	17.1	0.3	*	0.2	0.1	*	0.1	*	-
02	10.2	36.1	31.2	31.3	5.6	3.1	5.3	2.3	1.7	1.9	1.8	-
03	20.2	19.6	20.6	20.4	20.4	18.2	20.1	9.1	8.2	9.1	8.8	-
04	19.5	10.4	12.1	12.1	23.2	26.7	23.7	15.0	14.5	16.6	15.8	-
05	14.3	6.0	7.2	7.2	19.6	24.2	20.2	19.1	18.1	19.8	19.2	-
06	10.0	3.7	4.4	4.4	12.9	14.7	13.2	17.7	18.9	18.3	18.5	-
07	6.8	2.4	2.6	2.7	7.4	6.9	7.3	14.0	15.7	13.6	14.3	-
08	4.8	1.5	1.6	1.7	4.4	3.5	4.3	8.7	11.2	9.5	10.1	-
09	3.6	1.0	1.0	1.0	2.3	1.4	2.2	5.0	4.9	4.3	4.5	-
10	2.6	0.7	0.6	0.7	1.4	0.7	1.3	3.1	3.2	3.0	3.1	-
11	2.0	0.4	0.4	0.4	0.9	0.3	0.8	2.0	2.0	1.9	1.9	-
12	1.4	0.3	0.3	0.3	0.6	0.2	0.5	1.3	1.1	1.1	1.1	-
13	1.0	0.2	0.2	0.2	0.3	*	0.3	0.7	0.3	0.3	0.3	-
14	0.7	0.1	0.1	0.1	0.2	*	0.2	0.5	0.2	0.3	0.2	-
15	0.5	0.1	0.1	0.1	0.1	*	0.1	0.4	0.1	0.2	0.2	-
16	0.4	0.1	*	0.1	0.1	*	0.1	0.3	*	0.1	*	-
17	0.3	0.1	*	*	*	*	*	0.2	*	*	*	-
18 & above	0.5	0.1	0.1	0.1	0.1	*	0.1	0.4	*	*	*	-
Average trash	0.52	0.31	0.31	0.32	0.49	0.48	0.49	0.61	0.61	0.59	0.60	-

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2007 crop

Mike Groupings, Uniformity and Trash	FLORENCE			Classing Office Total	LAMESA	LUBBOCK	MACON		Classing Office Total
	North Carolina	South Carolina	Virginia		Texas	Texas	Florida 3/	Georgia	
24 & below	*	*	-	*	0.1	0.1	-	-	-
25 - 26	*	-	-	-	0.2	0.3	-	*	-
27 - 29	*	0.1	-	-	0.8	1.6	-	0.1	-
30 - 32	0.1	0.7	-	0.2	2.4	4.6	-	-	-
33 - 34	0.3	1.1	-	0.4	3.5	6.1	-	0.2	0.2
35 - 36	0.9	2.6	0.1	1.0	6.1	9.0	-	0.5	0.5
37 - 42	14.4	23.3	5.4	14.8	38.5	41.0	-	9.2	9.1
43 - 49	59.4	57.2	50.9	58.3	46.0	34.7	-	70.9	70.6
50 - 52	19.7	12.2	28.7	19.5	2.2	2.4	-	17.3	17.7
53 & above	5.2	2.8	14.8	5.7	0.2	0.2	-	1.8	1.8
Average mike	47	45	49	47	42	41	-	47	47
Mike 35 - 49	74.6	83.1	56.4	74.1	90.6	84.7	-	80.6	80.2
Uniformity 1/									
72 & below	-	-	-	-	*	-	-	-	-
73	-	-	-	-	*	-	-	*	*
74	-	-	-	-	*	*	-	*	*
75	-	-	-	-	*	*	-	*	*
76	0.1	0.2	-	0.1	0.1	0.1	-	0.1	0.1
77	0.4	1.4	*	0.5	0.5	0.7	-	1.7	1.7
78	2.4	8.9	0.4	3.2	2.2	3.7	-	7.3	7.2
79	8.7	24.1	2.7	10.4	8.7	12.2	-	20.7	20.7
80	19.9	29.3	11.1	20.5	25.2	26.3	-	34.6	34.5
81	30.4	22.4	28.8	29.1	36.8	32.1	-	23.9	24.0
82	26.4	10.5	34.7	24.8	21.3	19.1	-	8.9	8.9
83	10.3	2.8	18.5	10.0	4.9	5.1	-	2.7	2.7
84	1.4	0.3	3.6	1.5	0.4	0.6	-	0.2	0.2
85	*	*	0.2	0.1	-	*	-	*	*
86	-	-	-	-	-	*	-	*	*
87	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.0	80.1	81.7	81.0	80.8	80.7	-	80.1	80.1
Trash 2/									
00	*	-	*	*	*	*	-	-	-
01	0.2	0.3	0.2	0.2	32.6	31.6	-	0.5	0.5
02	4.7	6.4	5.3	5.0	39.0	41.1	-	11.1	10.9
03	15.9	22.0	21.3	17.3	17.0	16.7	-	28.7	28.4
04	21.0	24.5	26.4	22.0	6.6	6.2	-	27.3	27.4
05	19.6	18.2	21.6	19.6	2.7	2.5	-	17.0	17.2
06	15.0	11.9	13.2	14.4	1.1	1.1	-	8.5	8.6
07	9.7	6.9	6.6	9.0	0.5	0.5	-	3.7	3.8
08	5.9	4.1	3.0	5.4	0.2	0.2	-	1.7	1.7
09	3.3	2.3	1.3	3.0	0.1	0.1	-	0.7	0.7
10	1.9	1.3	0.6	1.7	0.1	0.1	-	0.4	0.4
11	1.2	0.9	0.3	1.0	*	*	-	0.2	0.2
12	0.7	0.5	0.2	0.6	*	*	-	0.1	0.1
13	0.3	0.3	0.1	0.3	*	*	-	0.1	0.1
14	0.2	0.2	*	0.2	*	*	-	*	*
15	0.1	0.1	*	0.1	*	*	-	*	*
16	0.1	0.1	*	0.1	*	*	-	*	*
17	*	*	*	*	*	*	-	*	*
18 & above	0.1	0.1	*	0.1	*	*	-	*	*
Average trash	0.53	0.48	0.46	0.51	0.22	0.21	-	0.41	0.41

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 34. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2007 crop

Mike Groupings, Uniformity and Trash	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas 3/	Classing Office Total
24 & below	-	*	*	*	*	*	*	0.1	-	*
25 - 26	-	-	0.1	-	-	0.1	0.1	0.1	-	0.1
27 - 29	-	-	0.8	0.1	0.1	0.3	0.3	0.4	-	0.3
30 - 32	0.2	0.7	2.2	2.2	0.9	0.5	0.6	2.2	-	0.7
33 - 34	0.9	1.9	3.6	5.5	2.3	0.8	1.0	4.4	-	1.1
35 - 36	3.5	5.1	7.1	11.9	6.0	1.3	1.2	6.8	-	1.7
37 - 42	42.1	42.6	38.8	51.6	44.2	20.8	12.3	48.7	-	21.7
43 - 49	50.9	45.9	44.4	26.4	43.9	61.7	75.4	37.1	-	62.1
50 - 52	2.2	3.6	2.6	1.9	2.6	13.0	7.6	0.3	-	11.0
53 & above	0.1	0.2	0.4	0.1	0.1	1.4	1.3	-	-	1.3
Average mike	43	42	42	40	42	45	45	41	-	45
Mike 35 - 49	96.5	93.6	90.3	90.0	94.0	83.8	88.9	92.6	-	85.5
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	*	*	-	-	-	-	-
75	*	*	*	*	*	*	*	-	-	*
76	*	*	0.2	0.4	0.1	0.1	*	*	-	0.1
77	0.1	0.2	1.2	2.3	0.7	0.5	0.3	0.4	-	0.4
78	1.0	1.3	4.2	8.3	2.8	2.8	2.1	1.6	-	2.6
79	4.4	5.9	10.5	20.1	8.5	12.4	11.8	8.2	-	11.9
80	15.5	18.0	21.0	30.8	19.8	27.7	44.1	25.0	-	29.7
81	36.3	32.2	29.9	24.6	32.3	33.2	37.6	34.1	-	33.9
82	35.1	30.6	24.3	10.7	28.1	18.6	4.0	22.0	-	16.9
83	7.0	10.6	8.0	2.5	7.1	4.3	0.1	7.8	-	4.0
84	0.5	1.1	0.7	0.3	0.6	0.4	*	0.9	-	0.4
85	*	*	*	*	*	*	-	*	-	*
86	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.2	81.2	80.8	80.1	81.0	80.7	80.3	80.9	-	80.6
Trash 2/ 00	-	-	-	-	-	*	*	*	-	*
01	0.1	0.9	*	0.1	0.3	43.4	28.7	46.7	-	42.0
02	1.5	5.9	1.0	4.0	3.3	31.8	45.4	36.2	-	34.1
03	9.3	13.0	6.8	16.2	11.8	12.3	16.4	11.7	-	12.7
04	19.2	18.4	15.2	24.5	20.0	5.4	4.4	3.7	-	5.0
05	22.0	17.5	19.8	21.6	20.5	2.5	1.8	1.0	-	2.2
06	18.7	13.5	19.3	15.4	16.5	1.3	1.1	0.3	-	1.2
07	11.8	8.8	14.3	8.4	10.3	0.9	0.8	0.2	-	0.8
08	7.3	6.4	9.9	4.6	6.6	0.6	0.5	0.1	-	0.5
09	4.0	4.6	5.7	2.3	3.9	0.4	0.3	*	-	0.4
10	2.5	3.5	3.6	1.2	2.6	0.3	0.2	*	-	0.3
11	1.6	2.6	2.0	0.8	1.7	0.2	0.1	-	-	0.2
12	0.9	1.9	1.1	0.4	1.1	0.2	0.1	-	-	0.2
13	0.5	1.2	0.6	0.2	0.6	0.2	*	-	-	0.1
14	0.3	0.8	0.3	0.1	0.4	0.1	*	-	-	0.1
15	0.1	0.5	0.2	0.1	0.2	0.1	*	*	-	0.1
16	*	0.2	0.1	*	0.1	0.1	*	-	-	0.1
17	*	0.1	*	*	*	0.1	*	-	-	*
18 & above	*	0.2	0.1	*	0.1	0.2	*	*	-	0.2
Average trash	0.57	0.58	0.62	0.50	0.56	0.22	0.22	0.18	-	0.21

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 35. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2007 crop

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas 3/	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	*	-	*	*	*
25 - 26	-	-	-	-	-	0.1
27 - 29	-	-	-	-	0.1	0.6
30 - 32	-	-	-	-	0.4	1.8
33 - 34	-	-	0.1	-	0.9	2.8
35 - 36	-	-	0.4	0.1	2.7	5.0
37 - 42	-	5.0	10.0	5.3	37.2	31.9
43 - 49	-	84.5	78.4	83.8	57.6	50.5
50 - 52	-	10.0	10.2	10.3	1.1	6.5
53 & above	-	0.3	0.8	0.4	-	0.8
Average mike	-	47	46	47	43	43.1
Mike 35 - 49	-	89.5	88.8	89.1	97.5	87.4
Uniformity 1/						
72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	*	-	*	-	*
75	-	*	-	*	-	*
76	-	*	*	*	*	0.1
77	-	0.6	0.7	0.6	*	0.8
78	-	4.8	3.3	4.7	0.1	3.7
79	-	19.7	11.6	19.1	0.8	11.9
80	-	30.1	25.3	29.6	3.2	24.2
81	-	24.2	26.3	24.3	19.5	29.8
82	-	14.6	24.7	15.4	37.1	21.0
83	-	5.2	7.6	5.6	20.2	6.8
84	-	0.7	0.5	0.8	15.1	1.3
85	-	*	*	*	3.7	0.2
86	-	-	-	-	0.3	*
87	-	-	-	-	*	*
88	-	-	-	-	-	-
89	-	-	-	-	-	-
90 & above	-	-	-	-	-	-
Average uniformity	-	80.4	80.8	80.4	82.3	80.8
Trash 2/						
00	-	-	-	-	*	*
01	-	*	*	*	30.7	14.2
02	-	2.7	0.6	2.5	41.9	20.8
03	-	13.9	8.0	13.4	17.3	16.2
04	-	23.6	21.4	23.4	6.1	14.3
05	-	23.0	26.3	23.1	2.2	11.8
06	-	16.3	21.1	16.6	1.0	8.7
07	-	9.7	12.6	9.9	0.4	5.6
08	-	5.4	6.4	5.5	0.2	3.5
09	-	2.3	1.9	2.3	0.1	1.8
10	-	1.4	1.0	1.4	*	1.2
11	-	0.8	0.4	0.8	*	0.7
12	-	0.5	0.2	0.5	*	0.5
13	-	0.2	*	0.2	*	0.2
14	-	0.1	*	0.1	*	0.2
15	-	*	*	*	*	0.1
16	-	*	*	*	*	*
17	-	*	*	*	*	*
18 & above	-	*	-	*	*	0.1
Average trash	-	0.52	0.54	0.52	0.21	0.39

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total

Table 36. -- Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2007 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	739	16.6	214,167	28.0	1,176	11.4	10,263	24.3	226,345	27.5
	2	906	20.4	112,650	14.7	1,667	16.1	3,813	9.0	119,036	14.5
	3	9	0.2	1,116	0.1	23	0.2	-	-	1,148	0.1
	4	-	-	4	*	-	-	-	-	4	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total -----		1,654	37.2	327,937	42.8	2,866	27.7	14,076	33.4	346,533	42.1
02	1	143	3.2	80,833	10.6	571	5.5	8,802	20.9	90,349	11.0
	2	2,310	52.0	281,835	36.8	5,087	49.2	17,423	41.3	306,655	37.3
	3	171	3.8	36,969	4.8	1,246	12.1	802	1.9	39,188	4.8
	4	2	*	1,305	0.2	77	0.7	11	*	1,395	0.2
	5	-	-	21	*	1	*	-	-	22	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total -----		2,626	59.1	400,963	52.4	6,982	67.5	27,038	64.1	437,609	53.2
03	1	-	*	1,138	0.1	1	*	27	0.1	1,167	0.1
	2	103	2.3	15,189	2.0	83	0.8	743	1.8	16,118	2.0
	3	21	0.5	8,995	1.2	269	2.6	250	0.6	9,535	1.2
	4	-	-	1,886	0.2	104	1.0	30	0.1	2,020	0.2
	5	-	-	133	*	15	0.1	-	-	148	*
	6	-	-	2	*	-	-	-	-	2	*
	7	-	-	-	-	-	-	-	-	-	-
Total -----		125	2.8	27,343	3.6	472	4.6	1,050	2.5	28,990	3.5
04	1	-	-	108	*	-	-	-	-	108	*
	2	4	0.1	3,076	0.4	-	-	13	*	3,093	0.4
	3	1	*	2,795	0.4	2	*	6	*	2,804	0.3
	4	-	-	1,026	0.1	1	*	1	*	1,028	0.1
	5	-	-	184	*	4	*	3	*	191	*
	6	-	-	23	*	1	*	1	*	25	*
	7	-	-	15	*	-	-	-	-	15	*
Total -----		5	0.1	7,227	0.9	8	0.0	24	0.0	7,264	0.8
05	1	-	-	8	*	-	-	-	-	8	*
	2	-	-	557	0.1	-	-	-	-	557	0.1
	3	-	-	630	0.1	-	-	-	-	630	0.1
	4	-	-	370	*	-	-	-	-	370	*
	5	-	-	228	*	1	*	-	-	229	*
	6	14	0.3	16	*	1	*	-	-	31	*
	7	1	*	21	*	2	*	-	-	24	*
Total -----		15	0.3	1,830	0.2	4	0.0	0	0.0	1,849	0.1
06	1	-	-	6	*	-	-	-	-	6.0	*
	2	-	-	92	*	-	-	-	-	92	*
	3	-	-	133	*	-	-	-	-	133	*
	4	-	-	29	*	-	-	-	-	29	*
	5	-	-	13	*	-	-	-	-	13	*
	6	1	*	1	*	-	-	-	-	2	*
	7	17	0.4	3	*	-	-	-	-	20	*
Total -----		18	0.4	277	*	0	0.0	0	0.0	295	0.0
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	1	*	-	-	-	-	1.0	*
	3	-	-	1	*	-	-	-	-	1	*
	4	-	-	2	*	-	-	-	-	2	*
	5	-	-	4	*	-	-	-	-	4.0	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total -----		0	0.0	8	*	0	0.0	0	0.0	8	0.0
STAPLE											
40 & shorter	-	-	1	*	-	-	-	-	-	1	*
42	-	-	376	*	5	*	1	*	-	386	*
44	261	5.9	48,180	6.3	892	8.6	2,407	5.7	51,785	6.3	
46	2,221	50.0	368,929	48.2	5,037	48.7	24,386	57.8	400,653	48.7	
48 & longer	1,961	44.1	348,103	45.5	4,401	42.6	15,415	36.5	369,897	45.0	
Average		46.8		46.8		46.7		46.6		46.8	
UNIFORMITY											
72 & below	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-
78	-	-	-	-	-	-	-	-	-	-	-
79	-	-	6	*	-	-	-	-	-	6	*
80	-	-	49	*	-	-	-	-	-	49	*
81	-	-	738	0.1	4	*	-	-	-	742	0.1
82	14	0.3	6,763	0.9	17	0.2	10	*	-	6,790	0.8
83	101	2.3	33,208	4.3	107	1.0	62	0.1	-	33,377	4.1
84	567	12.8	165,488	21.6	1,054	10.2	1,416	3.4	-	167,958	20.4
85	1,923	43.3	367,852	48.0	3,580	34.6	11,149	26.4	-	382,583	46.5
86	1,518	34.2	158,718	20.7	4,151	40.2	27,398	64.9	-	190,268	23.1
87	288	6.5	30,209	3.9	1,263	12.2	2,093	5.0	-	33,565	4.1
88	32	0.7	2,524	0.3	154	1.5	53	0.1	-	2,731	0.3
89	-	-	34	*	2	*	7	*	-	43	*
90 & above	-	-	-	-	-	-	-	-	-	-	-
Average		85.3		85.0		85.6		85.7		85.0	
BALES CLASSED		4,443		765,589		10,335		42,188		822,722	

Table 37. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2007 crop.

Grade, Staple and Mike	State								United States	
	Arizona		California		New Mexico		Texas			
Mike groups										
24 & below	-	-	26	*	-	-	-	-	26	*
25 - 26	-	-	39	*	-	-	-	-	39	*
27 - 29	-	-	2,613	0.3	4	*	14	*	2,631	0.3
30 - 32	-	-	10,613	1.4	65	0.6	87	0.2	10,765	1.3
33 - 34	14	0.3	9,455	1.2	167	1.6	543	1.3	10,179	1.2
35 - 36	350	7.9	27,415	3.6	181	1.8	1,709	4.0	29,657	3.6
37 - 42	3,310	74.5	564,805	73.8	4,890	47.3	14,415	34.2	587,560	71.4
43 - 49	769	17.3	150,619	19.7	5,027	48.6	25,421	60.2	181,840	22.1
50 - 52	-	-	4	*	1	*	20	*	25	*
53 & above	-	-	-	-	-	-	-	-	-	-
Average mike	40		40		42		43		41	
Mike readings										
24 & below	-	-	26	*	-	-	-	-	26	*
25	-	-	0	-	-	-	-	-	-	-
26	-	-	5	*	-	-	-	-	5	*
27	-	-	34	*	1	*	-	-	35	*
28	-	-	222	*	0	-	2	*	224	*
29	-	-	676	0.1	3	*	0	-	679	0.1
30	-	-	1,715	0.2	4	*	0	-	1,719	0.2
31	-	-	2,624	0.3	19	0.2	34	0.1	2,677	0.3
32	-	-	3,767	0.5	42	0.4	45	0.1	3,854	0.5
33	-	-	4,222	0.6	40	0.4	188	0.4	4,450	0.5
34	14	-	4,298	0.6	126	1.2	355	0.8	4,793	0.6
35	78	-	5,157	0.7	85	0.8	720	1.7	6,040	0.7
36	272	-	9,109	1.2	95	0.9	988	2.3	10,464	1.3
37	368	*	18,306	2.4	219	2.1	1,022	2.4	19,915	2.4
38	482	-	34,379	4.5	411	4.0	1,140	2.7	36,412	4.4
39	490	*	62,487	8.2	656	6.3	1,789	4.2	65,422	8.0
40	583	-	105,027	13.7	1,041	10.1	2,954	7.0	109,605	13.3
41	640	-	133,825	17.5	1,144	11.1	3,489	8.3	139,098	16.9
42	747	-	128,106	16.7	1,418	13.7	4,021	9.5	134,292	16.3
43	538	*	100,981	13.2	1,718	16.6	5,189	12.3	108,426	13.2
44	201	-	70,222	9.2	1,278	12.4	4,463	10.6	76,164	9.3
45	28	-	45,080	5.9	946	9.2	5,699	13.5	51,753	6.3
46	2	-	24,505	3.2	699	6.8	5,737	13.6	30,943	3.8
47	-	-	8,580	1.1	285	2.8	3,474	8.2	12,339	1.5
48	-	-	1,798	0.2	90	0.9	803	1.9	2,691	0.3
49	-	-	416	0.1	11	0.1	56	0.1	483	0.1
50	-	-	18	*	1	*	20	*	39	*
51	-	-	4	*	-	-	-	-	4	*
52	-	-	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	40		40		42		43		41	
Strength										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-
29	-	-	17	*	-	-	-	-	17	*
30	-	-	12	*	-	-	-	-	12	*
31	-	-	29	*	-	-	-	-	29	*
32	-	-	88	*	-	-	-	-	88	*
33	3	0.1	553	0.1	1	*	1	*	558	0.1
34	15	0.3	1,886	0.2	8	0.1	8	*	1,917	0.2
35	118	2.7	5,287	0.7	14	0.1	25	0.1	5,445	0.7
36	309	7.0	11,779	1.5	70	0.7	194	0.5	12,362	1.5
37	579	13.0	26,405	3.4	241	2.3	298	0.7	27,527	3.3
38	884	19.9	64,317	8.4	676	6.5	966	2.3	66,845	8.1
39	1,017	22.9	112,675	14.7	1,252	12.1	3,505	8.3	118,465	14.4
40	730	16.4	142,100	18.6	1,800	17.4	7,587	18.0	152,246	18.5
41	432	9.7	145,972	19.1	2,025	19.6	10,787	25.6	159,246	19.4
42	198	4.5	119,822	15.7	2,111	20.4	7,577	18.0	129,730	15.8
43	103	2.3	76,139	9.9	1,236	12.0	6,320	15.0	83,826	10.2
44	41	0.9	37,177	4.9	592	5.7	3,854	9.1	41,668	5.1
45 & above	14	0.3	21,331	2.8	309	3.0	1,087	2.6	22,741	2.8
Average Strength	38.90		40.60		41.00		41.40		40.60	
Extraneous matter										
Bark	34	0.8	556	0.1	90	0.9	155	0.4	850	0.1
Grass	63	1.4	1,423	0.2	38	0.4	101	0.2	1,625	0.2
Spindle twist	9	0.2	174	*	0	-	7	*	190	*
Preparation	0	-	1,327	0.2	0	-	3	*	1,330	0.2

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.