

USDA, AMS Cotton and Tobacco Program

Cotton Market News Division
3275 Appling Road
Memphis, TN 38133
901-384-3016

mp_cn831

Annual Quality

COTTON QUALITY - UNITED STATES 2015 Crop

Color

The predominant color grade of Upland cotton classed from the 2015 crop was color grade 31, accounting for 34.6 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton and Tobacco Programs. Color grades 11 & 21 accounted for 14.9 percent of classings; color grade 41, 20.9 percent; grades 51, 61, and 71, 3.9 percent. For the 2014 Upland crop, color 31 was the predominant color grade, accounting for 39.4 percent of classings; color grade 41 accounted for 25.0 percent; color grades 11 & 21, 26.3 percent; color grades 51, 61, and 71, 0.9 percent. In the white color grades, color 41 and better made up 70.4 percent of classings, down from 90.6 percent in 2014. All white color grades accounted for 74.3 percent of the 2015 crop, down from 91.5 percent in 2014. Light Spotted color grades comprised 22.4 percent of classings, up from 7.3 percent in 2014. Spotted, Tinged, Yellow Stained and Below Grades accounted for about 3.4 percent of classings this season, up from 1.2 in 2014.

Leaf

The predominant leaf grade of Upland cotton classed from the 2015 crop was leaf grade 3, accounting for 41.8 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 43.1 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2015 crop at 30.6 percent against 27.2 percent a year ago. Leaf grades 1 and 2 made up 15.8 percent of classings of the 2015 crop, compared with 21.1 percent in 2014. Leaf grade 5 made up 9.4 percent of classings of the 2015 crop, up from 7.2 percent in 2014. Leaf grades 6, 7, and 8 made up 2.4 percent of classings, up from 1.4 percent last year.

Staple

The average staple length of Upland cotton classed from the 2015 crop was 35.9 thirty-seconds of an inch, up slightly from 35.7 a year ago. The predominant staple length was 37, accounting for 24.6 percent of classings. Staples 32 and shorter comprised 1.6 percent of classings; staple 33, 5 percent; staple 34, 12.1 percent; staple 35, 20.2 percent; staple 36, 23.8 percent; staple 38, 8.8 percent; staple 39 and longer, 4.0 percent. For the 2014 crop, staple 36 was the predominate staple length, accounting for 28.2 percent of classings; staples 32 and shorter comprised 2.1 percent of classings; staple 33, 4.9 percent; staple 34, 12.2 percent; staple 35, 24.1 percent; staple 37, 21.9 percent; staple 38, 5.1 percent; staple 39 and longer, 1.6 percent.

Mike

The average mike of Upland cotton classed from the 2015 crop was 4.4, down from the average of 4.5 last year. Cotton with mike 2.9 and lower made up 0.4 percent of classings; 3.0 to 3.2, 1.5 percent; 3.3 to 3.4, 2.3 percent; 3.5 to 3.6, 4.0 percent; 3.7 to 4.2, 26.3 percent; 4.3 to 4.9, 51.2 percent; 5.0 to 5.2, 11.8 percent; 5.3 and higher, 2.5 percent. For the 2014 crop, cotton with mike 2.9 and lower made up 1 percent of classing; 3.0 to 3.2, 1.4 percent; 3.3 to 3.4, 1.5 percent; 3.5 to 3.6, 2.4 percent; 3.7 to 4.2, 18.7 percent; 4.3 to 4.9, 62.0 percent; 5.0 to 5.2, 11.5 percent; 5.3 and higher, 1.4 percent.

Strength

The average fiber strength of Upland cotton classed from the 2015 crop was 30.3 grams per tex (gpt), up slightly from 30.1 a year ago. Strengths in the 25 gpt and lower range accounted for 2.6 percent of classings; strengths in the 26 to 27 gpt, 12.4 percent; strengths of 28 to 29 gpt, 28.7 percent; strengths of 30 to 31 gpt, 31.8 percent; strengths in the 32 to 33 gpt, 18.6 percent; strengths in the 34 and higher range comprised 5.9 percent of classings. For the 2014 crop, strengths in the 25 gpt and lower range accounted for 1.4 percent of classings; strengths in the 26 to 27 gpt, 13.3 percent; strengths of 28 to 29 gpt, 33.8 percent; strengths of 30 to 31 gpt, 34.2 percent; strengths in the 32 to 33 gpt, 14.8 percent; strengths in the 34 and higher range comprised 2.6 percent of classings.

American Pima

Color grades 1 and 2 made up 76.3 percent of classings from the 2015 crop, down from 95.1 percent last year. Color grade 2 was the predominant color grade in 2015, accounting for 43.7 percent of the classings. Color grade 1 accounted for 32.6 percent; color grade 3, 18.4 percent; color grade 4, 4.2 percent; color grades 5 and lower, 1.2 percent of the 2015 classings. Leaf grade 2 was the predominant leaf grade in 2015, accounting for 53.5 percent of classings. Leaf grade 1 accounted for 20.4 percent, leaf grade 3, 22.0 percent; leaf grade 4, 3.4 percent; leaf grades 5 and lower, 0.7 percent. The average staple length was 47.9 thirty-seconds of an inch, the same as last year. Staple 48 comprised 71.4 percent of classings this season. Average mike was 3.9, down slightly from 4.0 last year. Average fiber strength was 43.6 grams per tex, up from 42.7 last year.

Cotton Ginnings

Ginnings of 2015-crop cotton in the United States totaled 12,528,950 running bales, according to the Cotton Ginnings 2015 Summary report released on May 10, 2016 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 12,112,750 bales of Upland and 416,200 bales of American Pima cotton. The number of active cotton gins for crop year 2015 was 560, down from 601 in 2014. Classings at AMS, Cotton and Tobacco Program, Classing Offices totaled 12,103,561 Upland samples and 415,983 American Pima samples through May 13, 2016.

Color	2014	2015
11 & 21	26.3%	14.9%
31	39.4%	34.6%
41	25.0%	20.9%
51, 61, 71	0.9%	3.9%
LT SP	7.3%	22.4%
SP, TG, YS, BG	1.2%	3.4%

Leaf Group	2014	2015
1 & 2	21.1%	15.8%
3	43.1%	41.8%
4	27.2%	30.6%
5	7.2%	9.4%
6, 7, 8	1.4%	2.4%

Staple	2014	2015
32 & shorter	2.1%	1.6%
33	4.9%	5.0%
34	12.2%	12.1%
35	24.1%	20.2%
36	28.2%	23.8%
37	21.9%	24.6%
38	5.1%	8.8%
39 & longer	1.6%	4.0%

Mike	2014	2015
29 & Lower	1.0%	0.4%
30-32	1.4%	1.5%
33-34	1.5%	2.3%
35-36	2.4%	4.0%
37-42	18.7%	26.3%
43-49	62.0%	51.2%
50-52	11.5%	11.8%
53 & higher	1.4%	2.5%

Strength	2014	2015
25 & lower	1.4%	2.6%
26 to 27	13.3%	12.4%
28 to 29	33.8%	28.7%
30 to 31	34.2%	31.8%
32 to 33	14.8%	18.6%
34 and higher	2.6%	5.9%

	2014	2015
Cotton Ginnings		
Upland	15,330,750	12,112,750
Pima	544,900	416,200
Total	15,875,650	12,528,950
Number of Gins	601	560

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	12	408	4,610	16,941	47,683	101,845	171,499
	3	-	-	5	169	1,982	7,226	19,749	52,025	81,156
	4	-	-	-	10	226	1,108	2,516	6,368	10,228
	5	-	-	-	1	22	65	150	454	692
	6	-	-	-	-	-	-	17	17	34
	7	-	-	-	-	-	-	1	1	2
	TOTAL----		-	-	17	588	6,840	25,340	70,116	160,710
31	1-2	-	-	6	50	1,126	9,378	39,852	95,313	145,725
	3	-	-	6	61	1,320	12,716	69,535	216,640	300,278
	4	-	-	1	19	381	3,819	21,287	81,660	107,167
	5	-	-	-	6	88	599	2,483	10,262	13,438
	6	-	-	-	-	6	70	175	681	932
	7	-	-	-	-	-	5	13	45	63
	TOTAL----		-	-	13	136	2,921	26,587	133,345	404,601
41	1-2	-	-	-	23	594	3,890	12,568	24,985	42,060
	3	-	-	1	32	999	8,694	40,604	115,207	165,537
	4	-	-	-	14	450	4,886	26,308	83,436	115,094
	5	-	-	-	4	150	1,500	9,151	30,096	40,901
	6	-	-	1	1	40	358	1,905	6,488	8,793
	7	-	-	-	1	14	76	343	1,202	1,636
	TOTAL----		-	-	2	75	2,247	19,404	90,879	261,414
51	1-2	-	-	-	-	53	851	2,768	5,245	8,917
	3	-	-	-	4	92	1,432	8,536	29,794	39,858
	4	-	-	-	1	77	435	3,275	14,138	17,926
	5	-	-	-	-	14	124	754	2,752	3,644
	6	-	-	-	-	3	43	248	909	1,203
	7	-	-	-	-	-	11	99	434	544
	TOTAL----		-	-	-	5	239	2,896	15,680	53,272
61	1-2	-	-	-	-	3	44	160	149	356
	3	-	-	-	-	1	103	606	1,194	1,904
	4	-	-	-	-	-	32	286	717	1,035
	5	-	-	-	-	-	4	25	99	128
	6	-	-	-	-	-	1	-	14	15
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	4	184	1,077	2,173
71	1-2	-	-	-	-	-	7	8	3	18
	3	-	-	-	-	5	38	44	73	160
	4	-	-	-	-	1	34	88	146	269
	5	-	-	-	1	3	2	15	43	64
	6	-	-	-	-	-	-	1	9	10
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	1	9	81	156	274
12 & 22	1-2	-	-	7	629	2601	12601	29,396	33,281	78,515
	3	-	1	7	193	1315	5,484	14,876	25,254	47,130
	4	-	-	-	66	532	1128	2904	5,027	9,657
	5	-	-	-	2	84	114	243	542	985
	6	-	-	-	-	7	2	9	34	52
	7	-	-	-	-	-	-	-	1	1
	TOTAL----		-	1	14	890	4,539	19,329	47,428	64,139
32	1-2	-	-	4	143	1263	6679	17912	24757	50,758
	3	-	-	7	164	1653	9,992	35,396	69,689	116,901
	4	-	-	-	30	600	3,322	13,577	34,735	52,264
	5	-	-	-	14	124	604	2021	6,880	9,643
	6	-	-	-	4	15	98	203	962	1282
	7	-	-	-	1	2	18	23	132	176
	TOTAL----		-	-	11	356	3,657	20,713	69,132	137,155
42	1-2	-	-	-	19	498	2093	5137	7931	15,678
	3	-	-	3	85	1246	7,585	25,877	53,977	88,773
	4	-	-	-	25	595	4,486	18,675	45,381	69,162
	5	-	-	-	18	210	1426	5,517	14,111	21,282
	6	-	-	-	4	37	269	1206	3,439	4,955
	7	-	-	-	1	8	29	242	694	974
	TOTAL----		-	-	3	152	2,594	15,888	56,654	125,533
52	1-2	-	-	-	4	164	1105	2913	4926	9,112
	3	-	-	-	11	390	4,995	24,497	60,172	90,065
	4	-	-	-	1	95	2,169	17,192	56,931	76,388
	5	-	-	-	1	15	282	2,441	10,262	13,001
	6	-	-	-	3	9	54	340	932	1,338
	7	-	-	-	3	16	24	123	258	424
	TOTAL----		-	-	-	23	689	8,629	47,506	133,481

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	4	14	2	52	439	949	952	2,412
	3	-	5	25	38	260	2,672	8,418	12,638	24,056
	4	-	-	2	5	138	1,836	8,222	16,456	26,659
	5	-	-	-	-	24	311	1,669	4,230	6,234
	6	-	-	-	-	3	16	134	416	569
	7	-	-	-	-	-	1	16	28	45
	TOTAL----		-	9	41	45	477	5,275	19,408	34,720
13 & 23	1-2	-	-	-	20	311	1,208	2,681	2,503	6,723
	3	-	-	-	6	81	528	1,521	2,580	4,716
	4	-	-	-	2	20	55	264	464	805
	5	-	-	-	-	4	4	25	26	59
	6	-	-	-	-	-	-	6	1	7
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	28	416	1,795	4,497	5,574
33	1-2	-	-	-	47	353	1,233	2,248	2,488	6,369
	3	-	1	1	21	334	1,831	4,866	7,574	14,628
	4	-	-	-	5	64	361	1,700	3,720	5,850
	5	-	-	-	-	5	62	230	763	1,060
	6	-	-	-	-	1	18	25	105	149
	7	-	-	-	-	1	1	-	11	13
	TOTAL----		-	1	1	73	758	3,506	9,069	14,661
43	1-2	-	-	-	28	113	240	537	741	1,659
	3	-	-	-	34	312	1,205	3,644	6,092	11,287
	4	-	-	-	10	106	784	3,122	6,556	10,578
	5	-	-	-	1	26	198	862	2,316	3,403
	6	-	-	-	-	9	35	161	510	715
	7	-	-	-	-	-	5	25	126	156
	TOTAL----		-	-	-	73	566	2,467	8,351	16,341
53	1-2	-	-	-	2	21	110	190	255	578
	3	-	-	-	10	191	967	3,519	7,151	11,838
	4	-	-	-	3	101	869	4,609	12,310	17,892
	5	-	-	-	-	24	237	1,424	4,459	6,144
	6	-	-	-	-	5	30	207	461	703
	7	-	-	-	-	-	2	22	69	93
	TOTAL----		-	-	-	15	342	2,215	9,971	24,705
63	1-2	-	-	-	-	13	71	93	116	293
	3	-	-	2	15	148	910	2,377	3,512	6,964
	4	-	-	-	14	121	1,062	3,736	6,922	11,855
	5	-	-	-	4	41	361	1,403	3,050	4,859
	6	-	-	-	-	7	79	270	561	917
	7	-	-	-	-	-	9	13	38	60
	TOTAL----		-	-	2	33	330	2,492	7,892	14,199
24-54	1-7	-	-	1	13	137	848	2,897	4,616	8,512
25-35	1-7	-	-	-	-	-	1	-	4	5
81-85 1/	1-7	-	-	-	23	363	2,342	4,724	5,122	12,574
All Colors	8 2/	-	-	-	-	1	15	168	370	554
TOTAL, ALL----		-	11	105	2,529	27,129	160,007	598,950	1,463,064	2,251,795

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	159,956	192,316	229,886	84,257	44,577	20,380	731,372	902,871
	3	106,839	165,244	244,847	95,438	45,089	16,882	674,339	755,495
	4	14,562	25,942	45,172	21,098	9,753	4,095	120,622	130,850
	5	980	1,576	2,754	1,281	653	316	7,560	8,252
	6	40	58	97	74	19	8	296	330
	7	1	-	3	1	-	-	5	7
	TOTAL----		282,378	385,136	522,759	202,149	100,091	41,681	1,534,194
31	1-2	141,505	137,472	105,725	25,517	9,060	4,051	423,330	569,055
	3	413,265	503,174	544,096	170,460	52,416	13,308	1,696,719	1,996,997
	4	201,087	296,415	416,313	197,812	65,550	15,316	1,192,493	1,299,660
	5	34,205	63,890	94,938	56,121	24,051	6,540	279,745	293,183
	6	2,962	5,983	9,360	5,215	2,488	845	26,853	27,785
	7	183	436	602	374	159	34	1,788	1,851
	TOTAL----		793,207	1,007,370	1,171,034	455,499	153,724	40,094	3,620,928
41	1-2	33,901	31,788	18,486	2,432	752	431	87,790	129,850
	3	211,238	272,024	224,393	47,363	9,268	2,399	766,685	932,222
	4	163,306	223,997	252,423	98,661	27,930	5,552	771,869	886,963
	5	67,210	92,836	112,693	68,463	31,842	5,934	378,978	419,879
	6	17,521	29,561	39,158	20,963	11,872	2,518	121,593	130,386
	7	3,479	6,988	10,628	4,903	1,790	387	28,175	29,811
	TOTAL----		496,655	657,194	657,781	242,785	83,454	17,221	2,155,090
51	1-2	5,428	3,861	2,093	149	19	11	11,561	20,478
	3	50,158	49,050	39,528	6,928	948	128	146,740	186,598
	4	32,945	44,826	55,824	19,784	4,546	682	158,607	176,533
	5	6,051	10,177	17,842	11,202	4,516	1,019	50,807	54,451
	6	1,708	1,941	2,829	2,576	1,501	279	10,834	12,037
	7	1,149	1,150	1,030	466	164	12	3,971	4,515
	TOTAL----		97,439	111,005	119,146	41,105	11,694	2,131	382,520
61	1-2	117	87	73	3	3	-	283	639
	3	1,210	1,167	881	45	6	-	3,309	5,213
	4	1,271	1,588	926	96	5	1	3,887	4,922
	5	423	622	436	73	10	-	1,564	1,692
	6	55	76	92	52	3	-	278	293
	7	3	13	5	29	-	-	50	50
	TOTAL----		3,079	3,553	2,413	298	27	1	9,371
71	1-2	2	1	1	-	-	1	5	23
	3	44	19	11	1	-	-	75	235
	4	143	68	37	1	-	-	249	518
	5	78	36	22	1	-	-	137	201
	6	5	4	2	-	-	-	11	21
	7	2	-	1	-	-	-	3	3
	TOTAL----		274	128	74	3	-	1	480
12 & 22	1-2	25,214	12,447	5,381	1,655	1,325	901	46,923	125,438
	3	28,649	19,804	11,296	2,499	1,102	814	64,164	111,294
	4	7,194	6,050	4,795	1,332	562	207	20,140	29,797
	5	849	873	662	219	136	56	2,795	3,780
	6	83	48	68	39	10	1	249	301
	7	10	2	1	-	-	-	13	14
	TOTAL----		61,999	39,224	22,203	5,744	3,135	1,979	134,284
32	1-2	19,733	9,583	3,311	717	512	341	34,197	84,955
	3	78,546	53,571	25,929	4,289	1,420	879	164,634	281,535
	4	50,548	45,093	26,981	5,577	1,592	534	130,325	182,589
	5	13,250	15,076	11,466	2,717	879	270	43,658	53,301
	6	2,955	2,834	2,370	819	224	91	9,293	10,575
	7	601	336	284	139	27	10	1,397	1,573
	TOTAL----		165,633	126,493	70,341	14,258	4,654	2,125	383,504
42	1-2	7,898	6,103	3,044	375	111	133	17,664	33,342
	3	85,756	95,668	67,949	12,562	2,257	992	265,184	353,957
	4	79,165	106,840	102,615	27,988	5,326	1,004	322,938	392,100
	5	22,600	27,779	28,642	10,287	2,932	510	92,750	114,032
	6	5,991	6,481	5,608	1,579	517	158	20,334	25,289
	7	1,728	2,000	1,862	536	124	28	6,278	7,252
	TOTAL----		203,138	244,871	209,720	53,327	11,267	2,825	725,148
52	1-2	4,482	2,242	981	94	30	9	7,838	16,950
	3	80,215	62,843	33,841	5,215	549	226	182,889	272,954
	4	99,318	102,256	73,917	18,939	3,151	501	298,082	374,470
	5	22,726	28,464	25,707	9,417	2,205	364	88,883	101,884
	6	2,280	2,949	3,095	1,257	418	74	10,073	11,411
	7	483	520	412	144	50	13	1,622	2,046
	TOTAL----		209,504	199,274	137,953	35,066	6,403	1,187	589,387

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE						TOTAL		
		35	36	37	38	39	40 &+		35 to 40+	
62	1-2	Bales 502	Bales 165	Bales 88	Bales 26	Bales 4	Bales -	Bales 785	Bales 3,197	
	3	8,917	3,928	1,280	98	12	-	14,235	38,291	
	4	14,446	8,172	3,275	343	54	7	26,297	52,956	
	5	4,760	3,460	1,856	277	38	4	10,395	16,629	
	6	570	547	385	63	17	3	1,585	2,154	
	7	38	57	48	4	3	-	150	195	
	TOTAL----		29,233	16,329	6,932	811	128	14	53,447	113,422
	13 & 23	1-2	1,671	779	350	74	21	5	2,900	9,623
3		2,286	1,352	763	193	58	10	4,662	9,378	
4		542	475	332	68	27	10	1,454	2,259	
5		58	67	66	15	14	3	223	282	
6		7	13	4	2	-	-	26	33	
7		-	1	1	-	-	-	2	2	
TOTAL----			4,564	2,687	1,516	352	120	28	9,267	21,577
33		1-2	1,923	845	410	56	6	4	3,244	9,613
	3	7,587	4,855	2,838	478	107	75	15,940	30,568	
	4	5,233	4,338	2,694	733	225	74	13,297	19,147	
	5	1,381	1,562	1,172	363	121	37	4,636	5,696	
	6	290	326	321	119	28	15	1,099	1,248	
	7	75	35	30	40	9	2	191	204	
	TOTAL----		16,489	11,961	7,465	1,789	496	207	38,407	66,476
	43	1-2	705	477	220	28	2	2	1,434	3,093
3		7,354	6,883	5,004	767	181	40	20,229	31,516	
4		9,667	10,500	8,681	2,191	507	82	31,628	42,206	
5		4,141	4,433	3,842	1,476	427	82	14,401	17,804	
6		1,097	1,244	972	327	126	19	3,785	4,500	
7		283	338	276	78	43	2	1,020	1,176	
TOTAL----			23,247	23,875	18,995	4,867	1,286	227	72,497	100,295
53		1-2	303	190	91	2	-	-	586	1,164
	3	8,940	6,290	2,293	241	63	11	17,838	29,676	
	4	20,083	18,220	9,205	1,401	283	80	49,272	67,164	
	5	8,420	8,798	5,736	1,304	334	99	24,691	30,835	
	6	957	1,221	835	267	65	8	3,353	4,056	
	7	171	179	110	37	7	-	504	597	
	TOTAL----		38,874	34,898	18,270	3,252	752	198	96,244	133,492
	63	1-2	64	25	7	-	-	-	96	389
3		2,595	889	253	13	-	-	3,750	10,714	
4		6,605	3,211	872	44	4	-	10,736	22,591	
5		3,600	2,222	691	38	2	1	6,554	11,413	
6		557	461	202	23	3	-	1,246	2,163	
7		26	31	41	3	-	-	101	161	
TOTAL----			13,447	6,839	2,066	121	9	1	22,483	47,431
24-54		1-7	5,035	4,713	2,946	467	96	8	13,265	21,777
25-35	1-7	10	8	2	2	-	-	22	27	
81-85 1/	1-7	3,457	1,508	457	47	6	-	5,475	18,049	
All Colors	8 2/	1,230	1,600	1,875	853	207	45	5,810	6,364	
TOTAL, ALL----		2,448,892	2,878,666	2,973,948	1,062,795	377,549	109,973	9,851,823	12,103,561	
EXTRANEIOUS MATTER		Average Staple -----						35.9		
Bark - Level 1		Percent Tenderable -----						57.3		
Bark - Level 2		1,195,654								
Grass - Level 1		12								
Grass - Level 2		7,319								
Prep - Level 1		7								
Prep - Level 2		154,923								
Other - Level 1		37								
Other - Level 2		140,284								
		10								

12,103,561 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2014 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	6	226	2,164	12,815	45,711	133,030	279,477	473,429
	3	-	1	186	1,149	6,197	25,463	83,492	199,671	316,159
	4	-	-	27	178	615	2,460	9,177	24,189	36,646
	5	-	-	1	9	25	81	498	1,160	1,774
	6	-	-	-	1	-	-	7	44	52
	7	-	-	-	-	-	-	1	1	2
	TOTAL----		-	7	440	3,501	19,652	73,715	226,205	504,542
31	1-2	-	9	90	864	5,263	19,220	57,769	155,864	239,079
	3	-	17	288	2,133	11,260	44,137	140,344	375,361	573,540
	4	-	22	199	998	5,704	19,154	57,972	156,489	240,538
	5	-	4	42	211	1,146	3,417	9,153	24,035	38,008
	6	-	-	7	23	119	279	732	2,050	3,210
	7	-	-	-	2	10	12	24	158	206
	TOTAL----		-	52	626	4,231	23,502	86,219	265,994	713,957
41	1-2	-	-	15	156	702	3,164	9,996	29,222	43,255
	3	-	5	73	724	3,869	15,102	51,102	165,348	236,223
	4	-	8	76	652	3,896	13,585	43,040	142,734	203,991
	5	-	1	54	482	2,232	6,711	17,134	42,907	69,521
	6	-	2	39	254	836	2,404	4,957	8,782	17,274
	7	-	2	29	77	326	823	1,397	2,013	4,667
	TOTAL----		-	18	286	2,345	11,861	41,789	127,626	391,006
51	1-2	-	-	-	2	24	141	419	679	1,265
	3	-	-	1	54	308	900	2,342	5,256	8,861
	4	-	-	4	73	500	1,394	3,083	8,433	13,487
	5	-	2	9	24	231	838	2,174	4,889	8,167
	6	-	-	12	21	114	455	1,080	1,753	3,435
	7	-	1	5	15	63	258	519	683	1,544
	TOTAL----		-	3	31	189	1,240	3,986	9,617	21,693
61	1-2	-	-	-	-	-	1	-	6	7
	3	-	-	-	-	-	4	47	82	133
	4	-	-	-	-	-	4	79	85	168
	5	-	-	-	-	2	13	58	79	152
	6	-	-	-	1	-	4	32	48	85
	7	-	-	-	-	1	1	19	34	55
	TOTAL----		-	-	-	1	3	27	235	334
71	1-2	-	-	-	-	-	-	-	2	2
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	1	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	3
12 & 22	1-2	-	7	30	215	1,179	4,545	9,854	15,998	31,828
	3	-	2	26	205	991	4,725	13,838	25,450	45,237
	4	-	-	3	26	210	1,006	3,677	6,281	11,203
	5	-	-	1	13	10	79	426	483	1,012
	6	-	-	-	1	-	1	19	20	41
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	9	60	460	2,390	10,356	27,814	48,232
32	1-2	-	-	29	94	332	1,482	4,160	8,264	14,361
	3	-	2	17	187	927	4,567	15,993	34,123	55,816
	4	-	1	11	74	635	2,674	9,779	20,520	33,694
	5	-	-	2	23	179	896	2,767	4,784	8,651
	6	-	-	-	17	28	140	460	696	1,341
	7	-	-	8	10	2	10	26	57	113
	TOTAL----		-	3	67	405	2,103	9,769	33,185	68,444
42	1-2	-	2	5	15	160	645	1,612	3,255	5,694
	3	-	1	6	125	886	3,716	12,363	30,396	47,493
	4	-	1	11	155	902	3,879	13,483	34,526	52,957
	5	-	-	10	112	711	1,984	5,797	12,163	20,777
	6	-	-	3	38	209	699	1,695	2,905	5,549
	7	-	-	1	22	56	207	355	876	1,517
	TOTAL----		-	4	36	467	2,924	11,130	35,305	84,121
52	1-2	-	-	-	2	21	86	71	101	281
	3	-	-	-	20	157	479	902	1,792	3,350
	4	-	-	5	52	282	718	1,914	4,295	7,266
	5	-	1	6	44	134	477	1,531	3,356	5,549
	6	-	2	17	14	72	280	846	1,541	2,772
	7	-	1	24	7	21	147	407	607	1,214
	TOTAL----		-	4	52	139	687	2,187	5,671	11,692

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2014 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	-	4	4
	3	-	-	-	-	2	3	22	56	83
	4	-	-	-	-	7	13	58	86	164
	5	-	-	-	2	4	23	45	52	126
	6	-	-	-	1	3	15	36	41	96
	7	-	-	-	-	-	15	39	37	91
	TOTAL----		-	-	-	3	16	69	200	276
13 & 23	1-2	-	1	2	12	85	273	651	1,130	2,154
	3	-	-	1	18	55	290	1,009	2,746	4,119
	4	-	-	-	2	26	74	266	927	1,295
	5	-	-	-	1	2	5	31	64	103
	6	-	-	-	-	-	-	3	3	6
	7	-	-	-	-	-	-	-	1	1
	TOTAL----		-	1	3	33	168	642	1,960	4,871
33	1-2	-	-	6	7	31	136	323	684	1,187
	3	-	-	5	21	126	454	1,478	3,884	5,968
	4	-	-	4	34	99	346	1,096	3,419	4,998
	5	-	-	-	6	26	142	282	1,029	1,485
	6	-	-	-	-	6	18	41	206	271
	7	-	-	-	-	-	-	4	24	28
	TOTAL----		-	-	15	68	288	1,096	3,224	9,246
43	1-2	-	-	-	-	11	22	105	217	355
	3	-	-	2	9	118	382	998	2,633	4,142
	4	-	-	-	14	89	413	1,462	3,701	5,679
	5	-	-	2	15	78	270	802	1,924	3,091
	6	-	-	-	6	43	113	283	556	1,001
	7	-	-	-	1	3	28	59	235	326
	TOTAL----		-	-	4	45	342	1,228	3,709	9,266
53	1-2	-	-	-	-	7	14	5	18	44
	3	-	-	-	-	21	82	88	231	422
	4	-	-	-	-	28	101	285	774	1,188
	5	-	-	-	1	5	56	243	633	938
	6	-	-	-	-	10	54	132	309	505
	7	-	-	-	1	7	29	89	185	311
	TOTAL----		-	-	-	2	78	336	842	2,150
63	1-2	-	-	-	1	-	1	4	7	13
	3	-	-	-	-	-	3	4	10	17
	4	-	-	-	-	6	2	6	14	28
	5	-	-	-	-	4	-	5	10	19
	6	-	-	-	-	-	1	3	3	7
	7	-	-	-	-	-	-	5	6	11
	TOTAL----		-	-	-	1	10	7	27	50
24-54	1-7	-	-	1	9	75	213	979	2,936	4,213
25-35	1-7	-	-	-	-	-	-	3	5	8
81-85 1/	1-7	-	-	-	-	7	31	91	241	370
All Colors	8 2/	-	9	46	94	181	462	753	1,299	2,844
TOTAL, ALL----		-	110	1,667	11,993	65,527	243,262	743,440	1,874,364	2,940,363

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2014 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	435,329	473,225	425,441	128,352	43,900	18,802	1,525,049	1,998,478
	3	366,325	438,474	416,732	147,543	42,340	10,049	1,421,463	1,737,622
	4	53,363	76,925	75,196	27,177	8,211	1,455	242,327	278,973
	5	2,657	4,454	4,673	1,788	592	78	14,242	16,016
	6	80	138	172	61	12	2	465	517
	7	1	3	5	4	2	-	15	17
TOTAL----		857,755	993,219	922,219	304,925	95,057	30,386	3,203,561	4,031,623
31	1-2	304,994	271,870	116,823	16,036	4,600	3,040	717,363	956,442
	3	792,917	916,932	629,772	121,905	21,269	4,389	2,487,184	3,060,724
	4	359,803	508,485	455,750	103,286	22,883	3,250	1,453,457	1,693,995
	5	55,806	90,039	88,838	21,894	5,840	905	263,322	301,330
	6	4,662	7,280	7,468	2,034	672	102	22,218	25,428
	7	347	695	582	155	32	3	1,814	2,020
TOTAL----		1,518,529	1,795,301	1,299,233	265,310	55,296	11,689	4,945,358	6,039,939
41	1-2	51,571	35,337	10,800	976	248	70	99,002	142,257
	3	361,350	392,725	244,250	40,995	6,301	1,151	1,046,772	1,282,995
	4	369,690	548,531	467,311	92,086	17,105	1,754	1,496,477	1,700,468
	5	113,317	186,611	172,764	37,123	8,993	866	519,674	589,195
	6	18,494	29,810	24,843	5,594	1,817	362	80,920	98,194
	7	2,913	3,914	2,980	747	255	78	10,887	15,554
TOTAL----		917,335	1,196,928	922,948	177,521	34,719	4,281	3,253,732	3,828,663
51	1-2	842	688	219	14	2	-	1,765	3,030
	3	7,660	6,440	3,778	581	89	7	18,555	27,416
	4	14,123	13,374	9,441	1,930	319	14	39,201	52,688
	5	8,086	8,385	7,014	1,848	407	21	25,761	33,928
	6	2,385	2,560	2,367	653	177	17	8,159	11,594
	7	698	529	418	87	20	1	1,753	3,297
TOTAL----		33,794	31,976	23,237	5,113	1,014	60	95,194	131,953
61	1-2	22	15	3	1	-	-	41	48
	3	94	96	33	5	1	-	229	362
	4	103	144	75	12	-	-	334	502
	5	79	74	62	3	-	-	218	370
	6	66	30	12	1	-	-	109	194
	7	27	21	7	3	-	-	58	113
TOTAL----		391	380	192	25	1	-	989	1,589
71	1-2	2	2	-	-	-	-	4	6
	3	1	-	-	-	-	-	1	1
	4	-	1	-	-	-	-	1	1
	5	-	-	1	-	-	-	1	2
	6	-	-	-	-	-	-	-	-
	7	-	-	1	-	-	-	1	1
TOTAL----		3	3	2	-	-	-	8	11
12 & 22	1-2	19,302	13,887	7,149	1,719	983	509	43,549	75,377
	3	35,994	28,908	16,146	3,107	850	399	85,404	130,641
	4	10,813	10,457	6,708	1,366	320	71	29,735	40,938
	5	1,043	1,221	759	193	51	4	3,271	4,283
	6	42	48	51	21	3	-	165	206
	7	1	-	3	-	-	-	4	4
TOTAL----		67,195	54,521	30,816	6,406	2,207	983	162,128	251,449
32	1-2	9,589	5,739	1,997	278	257	318	18,178	32,539
	3	46,192	35,258	18,125	2,186	450	422	102,633	158,449
	4	31,205	28,316	18,137	3,048	591	202	81,499	115,193
	5	8,206	8,969	6,851	1,678	416	46	26,166	34,817
	6	1,239	1,651	1,527	463	134	15	5,029	6,370
	7	151	208	251	74	12	1	697	810
TOTAL----		96,582	80,141	46,888	7,727	1,860	1,004	234,202	348,178
42	1-2	3,645	2,379	529	44	39	11	6,647	12,341
	3	45,152	36,325	15,987	1,338	222	44	99,068	146,561
	4	56,655	54,235	34,066	4,178	576	50	149,760	202,717
	5	18,867	19,492	14,992	2,740	633	64	56,788	77,565
	6	3,705	3,728	3,116	707	211	47	11,514	17,063
	7	1,203	1,089	734	145	35	6	3,212	4,729
TOTAL----		129,227	117,248	69,424	9,152	1,716	222	326,989	460,976
52	1-2	153	116	33	6	2	-	310	591
	3	2,294	1,605	601	104	15	4	4,623	7,973
	4	6,341	4,652	1,887	273	43	10	13,206	20,472
	5	4,891	3,661	1,699	359	73	13	10,696	16,245
	6	1,815	1,155	621	140	52	9	3,792	6,564
	7	715	406	176	40	31	8	1,376	2,590
TOTAL----		16,209	11,595	5,017	922	216	44	34,003	54,435

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2014 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL Bales	
		35 Bales	36 Bales	37 Bales	38 Bales	39 Bales	40 &+ Bales	35 to 40+ Bales		
62	1-2	4	4	7	2	1	-	18	22	
	3	40	11	11	3	-	-	65	148	
	4	75	48	23	4	-	-	150	314	
	5	47	31	22	2	3	-	105	231	
	6	44	8	10	2	1	-	65	161	
	7	23	8	1	1	-	-	33	124	
	TOTAL----		233	110	74	14	5	-	436	1,000
13 & 23	1-2	1,776	1,374	938	190	49	4	4,331	6,485	
	3	4,855	4,177	3,023	560	89	8	12,712	16,831	
	4	1,916	1,804	1,013	180	52	5	4,970	6,265	
	5	215	252	120	16	4	1	608	711	
	6	18	27	7	3	1	-	56	62	
	7	-	1	-	-	-	-	1	2	
	TOTAL----		8,780	7,635	5,101	949	195	18	22,678	30,356
33	1-2	1,086	901	711	58	14	4	2,774	3,961	
	3	7,038	6,894	4,643	633	128	23	19,359	25,327	
	4	7,272	6,829	4,762	801	201	25	19,890	24,888	
	5	2,622	2,794	1,792	372	91	11	7,682	9,167	
	6	588	751	479	124	47	3	1,992	2,263	
	7	87	224	120	16	8	-	455	483	
	TOTAL----		18,693	18,393	12,507	2,004	489	66	52,152	66,089
43	1-2	254	221	97	13	10	-	595	950	
	3	3,462	2,710	1,485	195	28	7	7,887	12,029	
	4	5,959	5,373	3,258	489	82	11	15,172	20,851	
	5	3,275	2,799	2,298	463	102	8	8,945	12,036	
	6	1,014	803	803	199	42	6	2,867	3,868	
	7	374	286	264	59	13	-	996	1,322	
	TOTAL----		14,338	12,192	8,205	1,418	277	32	36,462	51,056
53	1-2	8	20	9	-	-	-	37	81	
	3	268	237	196	24	2	-	727	1,149	
	4	1,063	793	439	69	10	2	2,376	3,564	
	5	971	821	573	93	16	1	2,475	3,413	
	6	515	363	275	44	26	2	1,225	1,730	
	7	356	104	79	17	15	1	572	883	
	TOTAL----		3,181	2,338	1,571	247	69	6	7,412	10,820
63	1-2	6	3	3	2	-	-	14	27	
	3	2	4	1	-	-	-	7	24	
	4	13	15	5	2	-	-	35	63	
	5	17	15	3	1	1	-	37	56	
	6	6	14	3	1	-	-	24	31	
	7	4	4	1	1	-	-	10	21	
	TOTAL----		48	55	16	7	1	-	127	222
24-54	1-7	5,455	6,230	3,807	557	97	8	16,154	20,367	
25-35	1-7	18	27	15	-	-	-	60	68	
81-85 1/	1-7	331	324	300	69	4	1	1,029	1,399	
All Colors	8 2/	1,803	2,017	1,186	228	83	16	5,333	8,177	
TOTAL, ALL----		3,689,900	4,330,633	3,352,758	782,594	193,306	48,816	12,398,007	15,338,164	
EXTRANEOUS MATTER		Average Staple -----							35.7	
Bark - Level 1		1,538,758							Percent Tenderable -----	70.1
Bark - Level 2		84								
Grass - Level 1		14,499								
Grass - Level 2		51								
Prep - Level 1		3,838								
Prep - Level 2		12								
Other - Level 1		25,568								
Other - Level 2		9								

15,338,164 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.4	0.8	1.3	1.6	1.9	0.7	0.4	0.2	7.5
	3	-	-	*	*	*	0.1	0.2	0.4	0.9	1.4	2.0	0.8	0.4	0.1	6.2
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.4	0.2	0.1	*	1.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	0.2	0.6	1.3	2.3	3.2	4.3	1.7	0.9	0.3
31	1-2	-	-	*	*	*	0.1	0.3	0.8	1.2	1.1	0.9	0.2	0.1	*	4.7
	3	-	-	*	*	*	0.1	0.6	1.8	3.4	4.2	4.5	1.4	0.4	0.1	16.5
	4	-	-	*	*	*	*	0.2	0.7	1.7	2.4	3.4	1.6	0.5	0.1	10.7
	5	-	-	-	*	*	*	*	0.1	0.3	0.5	0.8	0.5	0.2	0.1	2.4
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	0.2	1.1	3.4	6.6	8.2	9.7	3.7	1.2	0.3
41	1-2	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.1
	3	-	-	*	*	*	0.1	0.3	1.0	1.7	2.2	1.9	0.4	0.1	*	7.7
	4	-	-	-	*	*	*	0.2	0.7	1.3	1.9	2.1	0.8	0.2	*	7.3
	5	-	-	-	*	*	*	0.1	0.2	0.6	0.8	0.9	0.6	0.3	*	3.5
	6	-	-	*	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	1.1
	7	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	TOTAL----		-	-	*	*	*	0.1	0.7	2.2	4.0	5.5	5.5	2.0	0.7	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.5
	4	-	-	-	*	*	*	*	0.1	0.3	0.4	0.5	0.2	*	*	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	*	0.1	0.3	0.7	0.9	0.9	0.4	*	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	3	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	*	*	*	0.1	0.3	0.5	0.5	0.3	0.1	*	*	*	*
32	1-2	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	3	-	-	*	*	*	0.1	0.3	0.6	0.6	0.4	0.2	*	*	*	2.3
	4	-	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	*	*	*	1.5
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	0.2	0.5	1.2	1.3	1.0	0.5	*	*	*
42	1-2	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	0.1	0.2	0.4	0.7	0.8	0.6	0.1	*	*	2.9
	4	-	-	-	*	*	*	0.2	0.4	0.7	0.9	0.8	0.2	*	*	3.2
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	6	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	*	*	*	0.1	0.4	1.0	1.7	2.1	1.6	0.4	*	*
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.2	0.5	0.7	0.5	0.3	*	*	*	2.3
	4	-	-	-	*	*	*	0.1	0.5	0.8	0.8	0.6	0.2	*	*	3.1
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	*	0.3	1.1	1.7	1.5	1.1	0.3	*	*

* Less than 0.05 percent.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL		
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*			
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-			
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*			
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	TOTAL----		-	*	*	*	*	*	0.2	0.2	0.2	0.1	*	*	*	*		
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	*			
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	0.2		
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	3	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*			
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	TOTAL----		-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.6		
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*			
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*			
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	TOTAL----		-	-	-	*	*	*	0.2	0.2	0.2	0.1	*	*	*	0.7		
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*			
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*			
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*			
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
	TOTAL----		-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	*	*	1.1		
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*			
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*			
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
	TOTAL----		-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.4		
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*			
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*			
TOTAL, ALL----		-	*	*	*	0.2	1.3	4.9	12.1	20.2	23.8	24.6	8.8	3.1	0.9	100.0		
EXTRANEOUS MATTER																Average Staple	35.9	
																Percent Tenderable	57.3	
Bark - Level 1		9.9																
Bark - Level 2		*																
Grass - Level 1		0.1																
Grass - Level 2		*																
Prep - Level 1		1.3																
Prep - Level 2		*																
Other - Level 1		1.2																
Other - Level 2		*																

12,103,561 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Alabama: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct		
11 & 21	1-2	-	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4	
	3	-	-	-	-	-	*	*	0.2	0.4	0.6	0.2	0.1	*	*	1.6	
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2	
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.1	0.5	0.9	1.1	0.4	0.1	*	*	3.2
31	1-2	-	-	-	-	*	*	0.1	0.2	0.5	1.5	1.7	0.8	0.1	*	*	4.9
	3	-	-	-	-	*	*	0.3	0.8	3.0	4.9	5.0	1.5	0.3	0.1	16.0	
	4	-	-	-	-	-	*	0.1	0.2	0.7	1.4	2.6	1.4	0.4	0.1	6.8	
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	0.7	
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	Total	--	-	-	-	-	*	0.1	0.6	1.5	5.2	8.1	8.6	3.2	0.8	0.2	28.4
41	1-2	-	-	-	-	*	*	0.1	0.4	1.1	1.1	0.6	*	*	*	3.3	
	3	-	-	-	-	*	*	0.2	1.2	3.5	5.2	4.7	0.8	0.1	*	15.7	
	4	-	-	-	-	-	*	0.1	0.4	1.2	2.5	3.6	1.2	0.4	0.1	9.5	
	5	-	-	-	-	-	*	*	0.1	0.1	0.3	0.7	0.5	0.2	*	1.9	
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	Total	--	-	-	-	-	*	0.4	2.1	5.9	9.1	9.7	2.6	0.7	0.1	30.6	
51	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
	3	-	-	-	-	*	*	0.1	0.3	0.8	1.1	1.0	0.1	*	*	3.5	
	4	-	-	-	-	-	*	*	0.1	0.2	0.5	0.8	0.2	0.1	*	2.1	
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	0.5	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	*	0.1	0.5	1.2	1.9	2.1	0.4	0.2	*	6.8	
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.5	
	3	-	-	-	-	*	*	0.1	0.4	0.6	0.6	0.3	0.1	*	*	2.0	
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9	
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	0.1	0.6	1.0	0.9	0.6	0.2	*	*	3.5	
42	1-2	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	0.9	
	3	-	-	-	-	*	*	0.3	0.9	1.8	1.9	1.4	0.3	0.1	*	6.6	
	4	-	-	-	-	*	*	0.1	0.3	0.9	1.3	1.8	0.4	0.1	*	4.9	
	5	-	-	-	-	*	*	*	0.1	0.1	0.3	0.5	0.2	0.1	*	1.2	
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	*	0.5	1.5	3.1	3.7	3.9	0.9	0.3	*	*	13.7	
52	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4	
	3	-	-	-	*	*	0.1	0.3	0.7	1.3	1.0	0.5	*	*	*	3.9	
	4	-	-	-	-	*	*	0.2	0.5	0.9	0.8	0.5	0.1	*	*	3.1	
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	*	0.1	0.5	1.4	2.5	2.1	1.1	0.1	*	*	8.1	

* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	TOTAL----		-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	*	
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.2	0.4	*	*	*	1.3
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.2	0.6	0.7	0.5	0.1	*	*	*	2.2
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	*	*	*	0.4
24-54	1-7	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2	
25-35	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3	
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL, ALL----		-	-	-	*	0.1	0.5	3.1	8.9	20.8	27.8	28.1	8.0	2.1	0.5	100.0	
EXTRANEIOUS MATTER																Average Staple	36.0
Bark - Level 1		2.0														Percent Tenderable	52.8
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		2.7															
Prep - Level 2		*															
Other - Level 1		2.6															
Other - Level 1		-															

531,587 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	*	*	0.4	3.2	12.2	19.5	17.1	4.4	1.0	0.3	58.0	
	3	-	-	-	-	-	*	0.1	0.5	2.3	3.9	3.9	1.0	0.4	0.1	12.3	
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	*	*	0.5	3.7	14.6	23.5	21.1	5.4	1.4	0.4	70.6
31	1-2	-	-	-	-	*	*	0.1	0.5	1.7	2.7	3.4	1.0	0.3	0.1	9.5	
	3	-	-	-	-	*	*	0.1	0.5	2.1	2.9	3.3	1.3	0.5	0.1	10.8	
	4	-	-	-	-	*	*	*	0.2	0.6	0.8	0.6	0.1	0.1	*	2.5	
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	0.5	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----		-	-	-	-	*	*	0.2	1.2	4.6	6.6	7.4	2.4	0.9	0.2	23.4
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3	
	4	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	-	-	-	*	*	0.3	0.6	0.6	0.3	*	*	*	2.1	
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	0.5	
	3	-	-	-	-	-	-	*	0.1	0.3	0.2	0.1	*	*	*	0.7	
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	-	*	0.2	
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	*	0.2	0.6	0.3	0.1	*	*	*	1.4	
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2	
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4	
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	*	*	0.2	0.4	0.1	*	*	*	*	0.8	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3	
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3	
	7	-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2	
	TOTAL----		-	-	-	-	*	*	0.4	0.3	0.1	*	*	*	*	1.0	
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	

* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	0.6	
TOTAL, ALL----		-	-	-	-	*	*	0.4	3.5	15.6	29.7	35.1	10.5	4.0	1.2	100.0	
EXTRANEOUS MATTER																Average Staple	36.5
Bark - Level 1	4.4															Percent Tenderable	72.4
Bark - Level 2	-																
Grass - Level 1	0.1																
Grass - Level 2	-																
Prep - Level 1	-																
Prep - Level 2	-																
Other - Level 1	0.5																
Other - Level 1	-																

254,344 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent Distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
COLOR		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	-	-	*	0.3	1.3	1.9	0.3	*	*	3.9
	3	-	-	-	-	-	-	*	*	0.3	1.6	4.5	1.4	0.2	*	8.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.5	0.3	0.1	*	1.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.6	3.0	6.9	2.0	0.3	*	*
31	1-2	-	-	-	-	-	-	-	*	0.1	0.6	0.9	0.1	*	*	1.8
	3	-	-	-	-	-	-	*	0.2	1.0	4.2	12.9	4.9	0.9	0.1	24.2
	4	-	-	-	-	-	-	*	0.1	0.7	3.2	12.9	8.9	2.4	0.2	28.6
	5	-	-	-	-	-	-	*	*	0.1	0.6	2.1	2.1	0.9	0.1	6.1
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	Total	--	-	-	-	-	-	*	0.3	1.9	8.6	28.9	16.1	4.2	0.4	*
41	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.8	0.5	0.1	*	*	1.5
	4	-	-	-	-	-	-	*	*	0.1	0.4	2.3	2.3	0.7	0.1	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.3	1.6	2.5	1.6	0.2	6.3
	6	-	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.5	0.1	1.6
	7	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	Total	--	-	-	-	-	-	*	*	0.2	0.9	5.1	5.8	2.9	0.4	*
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.5	0.2	*	*	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.6	0.5	0.1	*	1.3
	5	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.1	0.1	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	0.1	0.1	1.3	0.9	0.2	0.1	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	*
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.3	0.4	*	*	*	0.8
	4	-	-	-	-	-	-	*	*	*	0.6	1.2	0.1	*	*	1.9
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	1.0	1.8	0.2	*	*	*
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.5	0.3	*	*	*	0.8
	4	-	-	-	-	-	-	*	*	*	0.2	0.8	0.9	0.1	*	1.9
	5	-	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	0.3	1.5	1.5	0.2	*	*

* Less than 0.05 percent.

Table 6. -- Arkansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total		
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+			
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct		
62	1-2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*		
	3	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL, ALL	---	-	-	-	-	-	-	*	*	0.5	3.0	13.4	45.2	28.6	8.2	1.0	100.0	
EXTRANEIOUS MATTER																Average Staple	37.3	
Bark - Level 1		1.2															Percent Tenderable	60.6
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

481,300 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- California: Percent Distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	*	*	0.3	3.7	11.2	22.8	7.8	6.5	5.9	58.2
	3	-	-	-	-	-	-	-	*	0.2	1.3	6.8	1.6	1.4	1.0	12.3
	4	-	-	-	-	-	-	-	-	*	*	0.2	*	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	*	*	0.3	3.9	12.5	29.8	9.4	7.9	6.9
31	1-2	-	-	-	-	-	*	0.1	0.4	1.8	2.9	1.7	0.6	0.7	0.8	9.0
	3	-	-	-	-	-	*	*	0.1	0.5	1.7	1.8	0.9	0.8	0.8	6.6
	4	-	-	-	-	-	*	*	*	*	0.1	0.4	0.2	*	*	0.8
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	*	0.1	0.5	2.3	4.7	3.9	1.7	1.5	1.6
41	1-2	-	-	-	-	-	-	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	1.4
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.8	0.5	0.3	2.1
	4	-	-	-	-	-	*	-	*	0.1	*	*	0.2	0.1	0.1	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	Total	--	--	--	--	--	--	*	0.1	0.2	0.3	0.3	0.4	1.2	0.8	0.6
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	--	--	--	--	--	*	*	*	*	*	0.1	0.1	*	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	--	--	--	*	--	--	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
12 & 22	1-2	-	-	-	-	-	-	-	-	*	0.1	0.3	0.6	0.7	0.5	2.1
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.3	0.3	0.9
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	*	*	0.1	0.4	0.7	1.0	0.8	3.0
32	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.1	0.8
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.4	0.3	1.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	*	*	0.1	0.2	0.2	0.3	0.7	0.4	2.2
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.2
	3	-	-	-	-	-	*	*	*	*	*	0.1	0.4	0.4	0.3	1.2
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.1	0.1	0.1	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	Total	--	--	--	--	--	--	*	0.1	0.1	0.1	0.1	0.5	0.5	0.5	2.2
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	-	*	0.1	0.1	0.1	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	Total	--	--	--	--	--	--	--	*	*	*	*	0.1	0.1	0.1	0.3

* Less than 0.05 percent

Table 7. -- California: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total	
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+		
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	3	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	-	-	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*	
	3	-	-	-	-	-	*	-	-	*	-	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	-	-	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	-	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	-	*	*		
TOTAL, ALL	---	-	-	-	-	-	*	0.3	1.5	7.0	18.1	35.1	14.1	12.9	11.1	100.0	
EXTRANEOUS MATTER																Average Staple	37.4
Bark - Level 1		1.0														Percent Tenderable	92.2
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		0.2															
Other - Level 1		-															

169,543 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	*	*	0.2	0.7	1.6	2.1	0.4	*	*	5.1
	3	-	-	-	-	-	*	*	0.1	0.4	1.2	1.9	1.0	0.2	*	4.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	*	*	0.3	1.1	2.9	4.2	1.5	0.2	*
31	1-2	-	-	-	-	*	0.1	0.3	1.3	4.6	7.5	4.8	0.3	*	*	18.9
	3	-	-	-	-	*	*	0.2	1.8	7.5	13.1	12.6	2.7	0.5	0.1	38.5
	4	-	-	-	-	*	0.1	0.3	1.2	2.1	2.8	1.4	0.5	0.1	8.5	
	5	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7	
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	Total	--	-	-	-	-	*	0.1	0.6	3.4	13.4	22.9	20.5	4.5	1.0	0.2
41	1-2	-	-	-	-	*	0.1	0.1	0.2	0.5	0.5	0.2	*	-	-	1.6
	3	-	-	-	-	*	*	0.1	0.5	2.0	3.5	2.3	0.3	*	*	8.7
	4	-	-	-	-	*	*	0.1	0.3	0.8	1.7	2.4	1.0	0.2	*	6.5
	5	-	-	-	-	*	*	*	0.1	0.1	0.3	0.5	0.3	0.1	*	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	Total	--	-	-	-	-	*	0.1	0.3	1.1	3.4	6.0	5.4	1.6	0.3	*
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	*	*	*
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.3	0.1	*	-	*	0.7
	4	-	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	*	1.3
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	*	*	0.2	0.7	0.9	0.3	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	-	-

* Less than 0.05 percent.

Table 8. -- Florida: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total	
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+		
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-		
	4	-	-	-	-	-	*	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	*	-	*	-		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	-	*	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1		
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	-	-	*	*	-	*	*	*		
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.5	
43	1-2	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-		
	3	-	-	-	-	-	-	*	0.2	0.5	0.4	0.4	0.2	*	*		
	4	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	*	*	0.8		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	0.3	0.7	0.6	0.6	0.3	*	2.8	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	3	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	-	0.9		
	4	-	-	-	-	-	-	*	0.1	0.3	0.4	0.3	*	*	1.1		
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.1		
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	0.2	0.6	0.7	0.5	*	*	2.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.1		
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.1	
24-54	1-7	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	-	*	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL	---	-	-	-	-	-	*	0.2	1.5	7.6	19.2	31.7	31.0	7.0	1.6	0.2	100.0
EXTRANEIOUS MATTER																Average Staple	36.1
																Percent Tenderable	45.3
Bark - Level 1		1.0															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		1.9															
Prep - Level 2		-															
Other - Level 1		2.6															
Other - Level 1		-															

110,888 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Georgia: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	0.2	0.2	*	*	*
31	1-2	-	-	-	-	*	*	0.1	0.2	0.6	0.9	0.6	*	*	*	2.4
	3	-	-	-	-	*	*	0.1	0.6	2.0	3.7	3.2	0.5	0.1	*	10.2
	4	-	-	-	-	-	*	*	0.1	0.3	0.7	1.0	0.3	0.1	*	2.5
	5	-	-	-	-	-	*	*	-	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.2	0.9	2.9	5.3	4.9	0.8	0.2	*
41	1-2	-	-	-	*	*	*	0.1	0.3	0.5	0.6	0.3	*	*	*	1.7
	3	-	-	-	-	*	*	0.3	1.6	4.5	6.9	4.9	0.7	0.1	*	19.0
	4	-	-	-	-	*	*	0.1	0.5	1.9	3.9	4.4	1.3	0.3	0.1	12.5
	5	-	-	-	-	*	*	*	*	0.1	0.3	0.7	0.4	0.1	*	1.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	*	*	0.5	2.4	7.0	11.7	10.3	2.4	0.5	0.1	*
51	1-2	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.1	0.5	1.0	1.1	0.7	0.1	*	*	3.5
	4	-	-	-	-	*	*	*	0.3	0.7	0.9	1.1	0.3	0.1	*	3.4
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	0.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	0.1	0.8	1.9	2.3	2.1	0.6	0.1	*	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.2	0.3	0.4	0.3	*	*	*	1.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	*	*	0.2	0.4	0.5	0.5	*	*	*
42	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	3	-	-	-	*	*	*	0.2	0.7	1.9	2.7	1.8	0.2	*	*	7.5
	4	-	-	-	-	*	*	0.1	0.5	1.6	3.0	2.9	0.6	0.1	*	8.9
	5	-	-	-	-	-	*	*	0.1	0.2	0.5	0.6	0.2	0.1	*	1.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	0.3	1.4	3.8	6.3	5.4	1.0	0.2	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.2	0.7	1.4	1.4	0.7	0.1	*	*	4.4
	4	-	-	-	-	*	*	0.1	0.8	2.0	2.5	1.9	0.3	0.1	*	7.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.7	0.7	0.2	*	*	2.2
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	0.3	1.7	3.8	4.6	3.4	0.6	0.1	*

* Less than 0.05 percent.

Table 9. -- Georgia: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	-	*	*	*	0.2	0.1	*	*	*	*	*	0.4	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
	3	-	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.5	
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8	
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	-	*	*	*	*	0.2	0.3	0.6	0.4	*	*	*	1.5	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5	
	4	-	-	-	*	*	*	0.1	0.2	0.5	0.5	0.3	*	*	*	*	1.6	
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	0.8	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	*	*	*	0.1	0.4	0.9	0.8	0.6	*	*	*	3.0	
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3	
24-54	1-7	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3		
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1		
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
TOTAL, ALL	---	-	-	-	*	*	*	0.2	1.9	8.5	21.6	32.6	27.9	5.9	1.2	0.2	100.0	
EXTRANEOUS MATTER																Average Staple	35.6	
																Percent Tenderable	71.6	
Bark - Level 1		2.5																
Bark - Level 2		*																
Grass - Level 1		*																
Grass - Level 2		*																
Prep - Level 1		6.1																
Prep - Level 2		*																
Other - Level 1		5.4																
Other - Level 1		*																

2,223,611 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Kansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	-	-	0.1	1.5	0.9	0.4	*	-	-	2.9
	3	-	-	-	-	-	-	*	1.0	3.8	2.5	1.2	0.1	0.1	*	8.8
	4	-	-	-	-	-	-	-	0.2	0.9	1.4	1.3	*	0.1	-	4.0
	5	-	-	-	-	-	-	-	-	*	0.1	0.2	*	*	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	1.3	6.2	4.9	3.1	0.1	0.2	*
31	1-2	-	-	-	-	-	-	-	*	0.3	0.3	*	-	-	-	0.7
	3	-	-	-	-	-	-	0.1	0.6	2.2	2.9	0.5	*	-	-	6.3
	4	-	-	-	-	-	-	0.1	0.8	3.7	5.8	2.8	0.2	*	*	13.5
	5	-	-	-	-	-	-	*	0.4	2.1	4.7	2.2	0.1	*	*	9.6
	6	-	-	-	-	-	-	*	*	0.6	1.2	0.7	*	*	-	2.5
	7	-	-	-	-	-	-	-	*	0.1	0.2	0.1	-	-	-	0.3
	Total	--	-	-	-	-	-	-	0.2	1.8	9.0	15.1	6.3	0.3	*	*
41	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	1.0	0.5	0.1	*	-	-	1.7
	4	-	-	-	-	-	-	*	1.1	3.9	3.0	1.5	0.2	*	-	9.8
	5	-	-	-	-	-	-	*	0.9	4.3	3.7	1.6	0.2	*	-	10.8
	6	-	-	-	-	-	-	*	0.4	2.1	4.7	1.4	*	*	-	8.6
	7	-	-	-	-	-	-	-	*	0.5	2.4	0.8	*	-	-	3.7
	Total	--	-	-	-	-	-	-	*	2.5	11.8	14.3	5.4	0.4	*	-
51	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	0.2	0.2	0.1	-	-	-	0.6
	5	-	-	-	-	-	-	*	0.2	0.5	0.5	0.2	*	-	-	1.4
	6	-	-	-	-	-	-	*	0.2	0.3	0.2	0.1	*	-	-	0.7
	7	-	-	-	-	-	-	-	*	0.2	0.1	0.1	*	-	-	0.5
	Total	--	-	-	-	-	-	-	*	0.4	1.2	1.0	0.5	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	0.1	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.2	0.1	0.2	*	-	-	0.4
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	-	0.3
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.3	0.2	0.5	*	*	-	0.9
32	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	0.4
	4	-	-	-	-	-	-	-	0.2	0.4	0.4	0.2	*	*	-	1.2
	5	-	-	-	-	-	-	-	0.1	0.4	0.6	0.4	*	*	-	1.5
	6	-	-	-	-	-	-	-	*	0.2	0.2	0.2	*	-	-	0.7
	7	-	-	-	-	-	-	-	*	0.2	0.1	*	-	-	-	0.3
	Total	--	-	-	-	-	-	-	0.4	1.4	1.4	0.8	*	*	-	4.1
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	0.1	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	0.2	0.2	0.1	-	-	-	0.7
	6	-	-	-	-	-	-	-	*	0.2	0.4	0.1	*	-	-	0.7
	7	-	-	-	-	-	-	-	*	0.5	0.3	0.2	-	-	-	1.0
	Total	--	-	-	-	-	-	-	*	0.3	1.0	1.0	0.4	*	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	*	*	*	-	-	-	-

* Less than 0.05 percent.

Table 10. -- Kansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total		
		26&-	28	29	30	31	32	33	34	35	36	37	38	39	40&+			
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	*	0.1	-	-	-	0.1		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	0.1	-	-	-	-	0.1	
33	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	3	-	-	-	-	-	-	-	*	0.1	*	0.1	-	-	-	0.2		
	4	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	0.4		
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.1	-	-	-	0.4		
	6	-	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	0.2		
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	Total	--	-	-	-	-	-	-	0.1	0.3	0.4	0.4	-	-	-	-	1.2	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1		
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	-	-	0.4		
	6	-	-	-	-	-	-	-	-	0.2	0.1	0.2	-	-	-	0.5		
	7	-	-	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	0.3		
	Total	--	-	-	-	-	-	-	*	*	0.4	0.5	0.4	-	-	-	1.3	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	Total	--	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	*	0.1	0.1	0.1	-	-	-	-	0.3		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	*	0.1	0.5	1.0	0.7	-	-	-	2.4		
TOTAL, ALL	---	-	-	-	-	-	-	0.3	7.1	32.1	39.3	19.2	1.7	0.3	*	100.0		
EXTRANEOUS MATTER																Average Staple	35.8	
																Percent Tenderable	44.1	
Bark - Level 1		39.3																
Bark - Level 2		-																
Grass - Level 1		-																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

37,306 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Louisiana: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	*	0.2	0.8	1.5	1.9	2.0	0.4	*	*	6.8
	3	-	-	-	-	-	*	0.2	0.7	1.0	1.2	1.8	0.6	0.1	*	5.6
	4	-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	0.4	1.5	2.5	3.2	4.0	1.0	0.1	*	*
31	1-2	-	-	-	-	-	*	0.2	0.7	1.6	1.9	1.3	0.2	*	*	5.9
	3	-	-	-	-	*	0.1	1.0	3.2	5.7	7.3	7.8	1.5	0.3	*	26.9
	4	-	-	-	-	-	*	0.3	1.2	2.6	3.0	4.0	1.1	0.3	*	12.6
	5	-	-	-	-	-	-	*	0.1	0.2	0.4	0.5	0.2	*	*	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	0.1	1.5	5.2	10.1	12.6	13.6	3.0	0.6	*	*
41	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	0.4
	3	-	-	-	-	-	*	0.3	0.9	2.0	3.1	1.7	0.1	*	*	8.2
	4	-	-	-	-	-	-	0.3	1.6	3.7	4.9	3.2	0.4	0.1	*	14.1
	5	-	-	-	-	-	*	0.1	0.6	1.7	1.9	1.1	0.3	0.1	*	5.7
	6	-	-	-	-	-	-	*	0.1	0.2	0.3	0.6	0.1	*	-	1.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	0.7	3.3	7.8	10.4	6.6	0.9	0.2	*	*
51	1-2	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	0.2
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.6	0.1	*	*	1.0
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	Total	--	-	-	-	-	*	*	*	0.2	0.3	0.8	0.1	*	-	-
61	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-
32	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.1	0.3	0.5	0.3	0.1	*	*	*	1.3
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	*	*	0.7
	5	-	-	-	-	-	-	-	-	*	0.1	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.1	0.5	0.9	0.6	0.2	*	*	*	*
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.2
	4	-	-	-	-	-	*	0.1	0.3	0.7	0.4	0.2	0.1	*	*	1.6
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	0.2	0.7	1.4	0.9	0.3	0.1	*	*	*
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.3	0.3	0.3	*	*	-	1.0
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	0.3	0.4	0.5	0.2	*	*	*

* Less than 0.05 percent.

Table 11. -- Louisiana: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	-	*	*	0.1	*	*	*	
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	-	*	*	0.2	*	*	*	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL	---	-	-	-	-	*	0.2	3.0	11.4	23.8	28.6	26.5	5.4	1.1	0.1	100.0	
EXTRANEOUS MATTER																Average Staple	35.1
Bark - Level 1		0.8														Percent Tenderable	50.3
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 2		-															

192,858 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Mississippi: Percent Distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	
11 & 21	1-2	-	-	-	-	-	*	0.1	0.4	1.4	2.1	2.6	0.5	0.1	0.1	7.2
	3	-	-	-	-	*	*	*	0.3	1.2	3.3	6.6	1.4	0.3	0.1	13.3
	4	-	-	-	-	-	-	*	*	0.1	0.3	1.0	0.4	0.1	*	1.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.1	0.7	2.7	5.7	10.2	2.3	0.5	0.2
31	1-2	-	-	-	-	*	*	0.2	0.5	1.3	1.7	1.5	0.2	*	*	5.4
	3	-	-	-	-	*	*	0.3	1.2	4.1	8.1	9.8	1.4	0.2	*	25.0
	4	-	-	-	-	-	*	0.1	0.5	2.1	5.3	8.3	2.0	0.3	0.1	18.6
	5	-	-	-	-	-	-	*	*	0.2	0.7	1.4	0.5	0.1	*	3.1
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	Total	--	-	-	-	-	*	*	0.6	2.2	7.7	15.8	21.1	4.1	0.6	0.1
41	1-2	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	0.1	0.3	0.5	0.9	1.0	0.2	*	*	3.0
	4	-	-	-	-	*	*	*	0.3	0.7	1.5	2.0	0.6	0.1	*	5.3
	5	-	-	-	-	-	*	*	0.1	0.3	0.9	1.4	0.4	0.1	*	3.2
	6	-	-	-	-	-	-	*	*	*	0.2	0.4	0.1	*	*	0.7
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	Total	--	-	-	-	-	*	*	0.1	0.7	1.6	3.7	4.9	1.3	0.2	*
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.1	*	*	0.9
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.3	0.1	*	1.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	0.2	0.7	1.4	0.6	0.2	*
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	*	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7
	4	-	-	-	-	*	*	*	*	0.2	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.1	0.1	0.4	0.5	0.4	0.1	*	*
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.8
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.6	0.4	0.1	*	1.4
	5	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	0.2	0.5	1.1	0.6	0.1	*
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.6	0.1	*	*	1.1
	4	-	-	-	-	-	*	*	*	*	0.2	1.0	0.6	0.1	*	1.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	0.1	0.5	1.8	0.9	0.1	*

* Less than 0.05 percent.

Table 12. -- Mississippi: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL, ALL	---	-	-	-	-	*	0.2	1.1	3.9	13.1	27.8	41.4	10.1	1.9	0.5	100.0	
EXTRANEIOUS MATTER																Average Staple	36.4
Bark - Level 1		1.4														Percent Tenderable	44.8
Bark - Level 2																	
Grass - Level 1		0.1															
Grass - Level 2																	
Prep - Level 1		0.4															
Prep - Level 2																	
Other - Level 1		*															
Other - Level 1																	

613,348 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- Missouri: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	-	-	*	0.2	0.5	1.7	0.4	*	*	2.8
	3	-	-	-	-	-	-	-	*	0.3	1.3	4.5	2.4	0.3	*	8.9
	4	-	-	-	-	-	-	-	*	*	0.2	0.7	0.6	0.1	*	1.6
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.5	2.0	6.9	3.4	0.4	*	*
31	1-2	-	-	-	-	-	-	*	*	0.2	0.4	1.0	0.2	*	*	1.8
	3	-	-	-	-	-	-	*	0.1	1.1	3.7	11.9	6.4	1.0	*	24.2
	4	-	-	-	-	-	-	*	0.1	0.6	1.8	9.7	9.4	2.9	0.3	24.6
	5	-	-	-	-	-	-	-	*	*	0.2	1.4	2.6	1.4	0.3	5.9
	6	-	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	*	0.2	1.9	6.1	24.0	18.7	5.4	0.6	*
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.2	1.7	1.5	0.2	*	3.6
	4	-	-	-	-	-	-	*	0.1	0.4	2.7	5.0	1.5	0.2	0.2	9.9
	5	-	-	-	-	-	-	*	*	0.2	1.3	4.0	2.7	0.5	0.5	8.7
	6	-	-	-	-	-	-	-	*	*	0.3	1.2	1.2	0.2	0.2	2.9
	7	-	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	0.3
	Total	--	-	-	-	-	-	*	*	0.2	0.8	6.0	11.8	5.7	0.9	*
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.3
	3	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	*	1.0
	4	-	-	-	-	-	-	*	*	*	0.3	0.5	0.2	*	*	1.1
	5	-	-	-	-	-	-	-	*	*	0.2	0.5	0.3	0.1	*	0.5
	6	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	0.8	1.3	0.7	0.1	*	2.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	-	*	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*
42	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	0.3
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	Total	--	-	-	-	-	-	-	-	*	*	0.2	0.6	0.2	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*

* Less than 0.05 percent.

Table 13. -- Missouri: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*		
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
TOTAL, ALL	---	-	-	-	-	-	-	*	0.2	2.6	8.9	38.0	36.0	12.5	1.7	100.0		
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	37.5 85.6	
Bark - Level 1		2.2																
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 2		-																

403,708 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- New Mexico: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	-	-	0.2	1.1	1.6	5.9	1.2	0.2	*	10.2
	3	-	-	-	-	-	-	*	0.1	0.3	2.3	2.3	0.2	*	5.3	
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.2	*	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	0.2	1.2	1.9	8.3	3.7	0.4	*	15.9
31	1-2	-	-	-	-	-	-	0.1	1.6	2.9	3.3	4.4	1.3	1.6	0.2	15.3
	3	-	-	-	-	-	*	0.1	1.0	3.5	3.2	8.0	2.5	2.0	1.1	21.5
	4	-	-	-	-	-	-	*	0.3	0.7	0.5	1.6	0.9	0.4	0.4	4.7
	5	-	-	-	-	-	-	*	0.1	0.1	0.2	0.2	*	*	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	0.2	2.9	7.2	7.1	14.2	4.9	4.0	1.7	42.0
41	1-2	-	-	-	-	-	-	*	0.2	1.2	1.7	1.4	0.5	0.1	-	5.0
	3	-	-	-	-	-	*	0.1	0.8	2.7	4.7	4.9	0.7	0.9	0.8	15.5
	4	-	-	-	-	-	-	0.1	0.6	1.6	1.9	4.1	0.6	0.7	1.9	11.6
	5	-	-	-	-	-	-	*	0.3	0.7	0.4	1.1	0.5	*	0.1	3.0
	6	-	-	-	-	-	-	*	0.1	0.2	*	0.2	*	-	-	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	Total	--	-	-	-	-	*	0.2	2.0	6.4	8.7	11.7	2.3	1.7	2.8	35.7
51	1-2	-	-	-	-	-	-	-	0.1	0.1	0.2	-	-	-	-	0.4
	3	-	-	-	-	-	-	-	0.1	0.4	0.1	-	*	-	-	0.5
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	Total	--	-	-	-	-	-	*	0.2	0.6	0.3	*	0.1	*	1.3	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	0.6	*	*	-	-	0.7
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	0.7	0.1	*	*	*	0.9
32	1-2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	-	0.2	0.3	0.3	0.1	0.2	0.3	1.4
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	*	0.1	0.3	0.7
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.2	0.4	0.5	0.2	0.3	0.6	2.3
42	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.2	*	*	*	0.1	0.2	0.6
	4	-	-	-	-	-	-	*	*	0.2	0.2	-	-	0.1	0.2	0.7
	5	-	-	-	-	-	-	*	*	0.1	*	0.1	-	*	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	0.1	0.4	0.3	*	0.2	0.4	1.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 14. -- New Mexico: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total	
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+		
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
TOTAL, ALL	---	-	-	---	---	-	*	0.4	5.3	15.4	19.1	36.1	11.4	6.7	5.6	100.0	
EXTRANEIOUS MATTER																Average Staple	36.8
																Percent Tenderable	85.9
Bark - Level 1		0.9															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

18,630 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- North Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct	
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	-	-
31	1-2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.9
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.1	0.4	0.3	0.3	0.2	*	*	-
41	1-2	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	-	0.7
	3	-	-	-	-	*	*	0.1	0.5	0.8	0.9	0.6	0.1	*	*	3.1
	4	-	-	-	-	-	*	*	0.2	0.4	0.6	0.6	0.1	*	*	2.0
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.2	1.0	1.5	1.7	1.3	0.2	*	*
51	1-2	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	-	1.2
	3	-	-	-	-	*	*	0.1	0.7	1.7	2.4	1.5	0.8	0.1	*	7.4
	4	-	-	-	-	*	*	0.2	0.8	1.6	1.6	1.0	0.2	*	*	5.5
	5	-	-	-	-	-	*	*	0.1	0.4	0.4	0.3	0.1	*	*	1.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.2	1.2	3.0	4.7	3.6	2.1	0.4	*
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	Total	--	-	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	*	*	-
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	-
32	1-2	-	-	-	*	*	0.1	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.1	*	0.1	0.1	*	*	*	*	-
42	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	-	-	*	*	0.2	0.5	0.7	0.7	0.3	*	*	*	2.5
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.6	0.1	*	*	2.1
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.3	0.9	1.4	1.5	1.1	0.1	*	*	-
52	1-2	-	-	-	*	*	0.2	0.3	0.5	0.3	0.1	*	*	*	-	1.4
	3	-	-	-	*	0.1	0.6	2.7	5.2	4.5	2.2	0.8	0.1	*	*	16.1
	4	-	-	-	-	*	0.2	1.9	5.0	5.5	3.9	1.7	0.2	*	*	18.4
	5	-	-	-	-	*	0.2	0.9	1.6	1.4	0.9	0.1	*	*	*	5.1
	6	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	0.1	1.0	5.1	11.6	12.0	7.8	3.6	0.4	*	*

* Less than 0.05 percent.

Table 15. -- North Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total		
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+			
62	1-2	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct		
	3	-	-	-	*	*	0.4	1.0	1.4	1.0	0.4	0.1	*	*	-	4.3		
	4	-	-	-	*	*	0.2	1.0	2.0	1.8	1.0	0.4	*	*	*	6.3		
	5	-	-	-	-	-	*	0.2	0.6	0.7	0.5	0.2	*	*	*	2.3		
	6	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.3		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	*	*	0.7	2.3	4.2	3.6	2.0	0.7	*	*	*	13.6	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.4	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	0.1		
	4	-	-	-	*	*	*	0.3	0.7	0.9	0.5	0.2	*	*	*	2.7		
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	1.0		
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	*	*	0.1	0.7	1.4	1.6	1.0	0.4	*	*	*	5.5	
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	1.2		
	4	-	-	-	*	*	0.1	0.4	0.8	0.7	0.3	0.1	*	*	*	2.4		
	5	-	-	-	*	*	*	0.2	0.3	0.4	0.2	0.1	*	*	*	1.2		
	6	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2		
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	*	*	0.2	0.9	1.6	1.5	0.6	0.2	*	*	*	5.0	
24-54	1-7	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.2		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	*	*	0.3	0.6	0.6	0.4	0.2	*	*	*	*	2.2		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
TOTAL, ALL	---	-	-	-	*	*	0.3	3.0	12.0	25.1	28.0	19.6	10.4	1.5	0.2	*	100.0	
EXTRANEIOUS MATTER																Average Staple	34.9	
Bark - Level 1		2.3															Percent Tenderable	14.3
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 2		-																
Other - Level 3		-																

521,571 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- Oklahoma: Percent Distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct	
11 & 21	1-2	-	-	*	*	*	0.1	0.6	1.4	2.8	4.9	6.1	1.5	0.4	0.1	17.9
	3	-	-	-	-	*	*	0.1	0.3	0.6	1.6	3.1	1.0	0.2	*	6.9
	4	-	-	-	-	-	*	*	*	*	0.1	0.3	0.1	*	*	0.6
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	*	*	*	0.1	0.7	1.7	3.4	6.6	9.5	2.6	0.6	0.1
31	1-2	-	-	*	*	*	0.2	0.4	0.8	1.0	1.6	1.1	0.2	0.1	*	5.4
	3	-	-	*	*	*	0.2	0.6	1.2	2.1	5.0	6.7	2.1	0.5	*	18.5
	4	-	-	-	-	*	*	0.1	0.3	0.7	1.7	3.7	2.4	0.6	*	9.6
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.2	*	1.6
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.4	1.1	2.3	3.9	8.6	12.1	5.1	1.4	*
41	1-2	-	-	-	*	*	0.1	0.1	0.1	0.1	0.2	*	*	*	-	0.7
	3	-	-	-	*	*	0.1	0.4	0.9	1.2	1.8	1.1	0.3	*	*	5.9
	4	-	-	-	*	*	0.1	0.3	0.8	1.3	2.0	1.9	0.6	0.2	*	7.2
	5	-	-	-	-	*	*	0.1	0.3	0.7	1.1	1.1	0.6	0.2	*	3.9
	6	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	1.1
	7	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	Total	--	-	-	-	*	*	0.3	0.9	2.1	3.4	5.5	4.6	1.8	0.4	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	-	-	*	*	0.2	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.3	0.3	0.3	0.3	0.2	*	*	*	1.6
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.5	0.1	*	*	1.6
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	*	*	*	0.1	0.4	0.5	0.6	0.9	0.8	0.1	*	*
32	1-2	-	-	-	*	*	0.1	0.3	0.2	0.1	0.1	0.1	*	*	*	0.9
	3	-	-	*	*	*	0.2	0.6	0.7	0.5	0.6	0.6	0.1	*	*	3.3
	4	-	-	-	*	*	*	0.1	0.3	0.4	0.5	0.5	0.1	*	*	2.0
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.3	1.0	1.2	1.1	1.3	1.3	0.3	*	*
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	0.9
	4	-	-	-	-	*	*	0.2	0.3	0.3	0.3	0.1	*	*	*	1.3
	5	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	Total	--	-	-	*	*	*	0.1	0.5	0.6	0.8	0.7	0.4	*	*	*
52	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	-	-	-

* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	*	*	0.1	*	*	*	*	*	*	*	0.2	
	3	-	-	-	-	*	*	*	0.1	*	0.1	*	*	*	-	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.1	0.1	*	0.1	*	*	*	0.4	
33	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.2	
	3	-	-	-	-	*	*	0.2	0.3	0.2	0.1	0.1	*	*	-	1.0	
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.7	
	5	-	-	-	-	-	-	-	-	0.1	0.1	*	*	*	*	0.2	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	-	*	*	0.1	0.4	0.5	0.5	0.4	0.2	*	*	2.1	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4	
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8	
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5	
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	Total	--	-	-	-	*	*	0.2	0.4	0.5	0.4	0.2	*	*	*	1.9	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	Total	--	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
24-54	1-7	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	-	1.0	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1	
TOTAL, ALL	---	-	-	*	*	0.2	1.8	5.7	10.2	14.7	24.9	29.2	10.5	2.6	0.3	100.0	
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	36.0 72.3
Bark - Level 1		13.3															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 2		-															

345,026 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- South Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	-	-
31	1-2	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	3	-	-	-	-	*	*	0.2	0.6	0.2	0.1	0.1	*	-	-	1.3
	4	-	-	-	-	*	*	*	0.2	0.1	*	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	*	0.1	0.4	0.9	0.3	0.1	0.2	*	*	-
41	1-2	-	-	-	-	*	*	0.1	0.4	0.3	0.2	0.1	*	*	-	1.1
	3	-	-	-	-	*	*	0.3	1.4	1.4	1.0	1.1	0.2	*	*	5.5
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.8	0.2	0.1	*	2.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	*	0.5	2.1	2.2	2.0	2.2	0.5	0.2	*	*
51	1-2	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	0.9
	3	-	-	-	-	*	0.1	0.6	1.1	0.9	0.8	0.7	0.1	*	-	4.4
	4	-	-	-	-	*	*	0.2	0.4	0.5	0.6	0.6	0.2	*	*	2.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	*	0.2	1.1	1.8	1.7	1.7	1.5	0.4	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	-	*	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	-
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	Total	--	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-
42	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	-	-	0.6
	3	-	-	-	-	*	0.1	0.4	1.1	1.4	1.2	0.9	0.2	*	-	5.3
	4	-	-	-	-	*	*	0.1	0.5	0.8	1.1	0.8	0.2	*	-	3.6
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	Total	--	-	-	-	*	*	0.1	0.6	1.7	2.4	2.5	1.9	0.5	*	-
52	1-2	-	-	-	-	*	0.1	0.3	0.3	0.3	0.2	0.1	*	-	-	1.4
	3	-	-	-	-	*	0.4	1.9	4.0	4.1	3.3	1.7	0.1	*	*	15.6
	4	-	-	-	-	*	0.2	1.0	2.8	4.0	4.1	2.5	0.3	0.1	-	15.0
	5	-	-	-	-	*	*	0.1	0.3	0.7	0.9	0.6	0.1	*	*	2.8
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	Total	--	-	-	-	*	*	0.7	3.3	7.4	9.2	8.6	5.0	0.5	0.1	*

* Less than 0.05 percent.

Table 17. -- South Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total		
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+			
62	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4		
	3	-	-	-	*	*	0.4	1.3	1.6	1.0	0.7	0.3	*	-	-	5.5		
	4	-	-	-	*	*	0.4	1.3	2.1	1.5	1.0	0.5	*	*	-	6.8		
	5	-	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	-	1.3		
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	Total	--	-	-	-	*	*	1.0	2.9	4.1	2.8	2.0	0.9	*	*	-	14.1	
	13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Total		--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33		1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
3		-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6		
4		-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6		
5		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1		
6		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
7		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
Total		--	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	-	1.3	
53		1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.7	0.5	0.2	*	*	2.6		
	4	-	-	-	*	*	*	0.3	0.9	1.3	1.1	0.6	0.1	*	*	4.3		
	5	-	-	-	-	-	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	1.5		
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1		
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	Total	--	-	-	-	*	*	0.1	0.8	1.8	2.4	2.0	1.1	0.2	*	*	8.6	
	63	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
3		-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	0.1	*	*	-	1.8		
4		-	-	-	*	*	0.2	0.6	0.9	1.0	0.6	0.2	*	*	-	3.5		
5		-	-	-	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	-	1.4		
6		-	-	-	-	*	*	*	0.1	*	*	*	-	*	-	0.2		
7		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
Total		--	-	-	-	*	*	0.4	1.1	1.9	1.9	1.1	0.4	*	*	-	7.0	
24-54		1-7	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7	-	-	-	*	*	0.3	0.5	0.5	0.3	0.2	0.1	-	-	1.8			
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	*			
TOTAL, ALL	---	-	-	-	*	*	0.3	3.3	11.6	23.0	24.4	20.9	13.9	2.2	0.5	*	100.0	
EXTRANEOUS MATTER																Average Staple	35.0	
																Percent Tenderable	13.0	
Bark - Level 1		1.7																
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 2		-																

139,248 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Tennessee: Percent Distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct		
11 & 21	1-2	-	-	-	-	-	-	-	*	0.2	1.0	2.3	0.3	0.1	*	*	3.9
	3	-	-	-	-	-	-	-	*	0.3	1.0	3.4	0.8	0.3	*	*	5.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.5	0.2	*	*	*	0.9
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.5	2.1	6.2	1.3	0.4	*	*	10.5
31	1-2	-	-	-	-	-	-	*	*	0.2	0.8	1.1	0.1	*	*	*	2.2
	3	-	-	-	-	-	-	*	0.2	1.5	4.7	10.3	2.5	0.4	*	*	19.5
	4	-	-	-	-	-	-	*	0.1	0.7	2.7	9.3	4.8	1.0	0.1	*	18.6
	5	-	-	-	-	-	-	-	*	0.1	0.4	1.7	1.6	0.6	0.1	*	4.5
	6	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	0.3	2.5	8.6	22.5	9.1	2.1	0.2	45.1
41	1-2	-	-	-	-	-	-	*	*	*	0.2	0.5	*	*	-	-	0.8
	3	-	-	-	-	-	-	*	0.1	0.4	2.1	5.1	0.9	0.1	*	*	8.8
	4	-	-	-	-	-	-	*	0.1	0.3	1.8	6.0	2.5	0.5	*	*	11.2
	5	-	-	-	-	-	-	*	*	0.1	0.6	2.5	2.0	0.6	0.1	*	6.0
	6	-	-	-	-	-	-	-	*	*	0.1	0.5	0.6	0.3	*	*	1.6
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	-	-	-	-	*	0.2	0.8	4.8	14.6	6.0	1.5	0.1	28.5
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.4	1.0	0.2	*	*	*	1.7
	4	-	-	-	-	-	-	-	*	0.1	0.5	2.1	1.0	0.2	*	*	4.0
	5	-	-	-	-	-	-	-	*	*	0.2	0.8	0.7	0.2	*	*	1.9
	6	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	0.2	1.1	4.0	2.0	0.5	*	*	8.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	0.2	*	*	-	0.4
42	1-2	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.4	1.2	0.4	0.1	*	*	2.1
	4	-	-	-	-	-	-	*	*	*	0.3	1.0	0.5	0.2	*	*	2.0
	5	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	0.7	2.5	1.1	0.4	*	4.8
52	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.1	0.5	0.4	0.1	*	*	1.1
	5	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	0.2	1.0	0.8	0.2	*	2.3

* Less than 0.05 percent.

Table 18. -- Tennessee: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
TOTAL, ALL	---	-	-	-	-	-	-	*	0.5	4.0	17.9	50.9	20.9	5.2	0.5	100.0		
EXTRANEIOUS MATTER																Average Staple Percent Tenderable	37.1 69.9	
Bark - Level 1		1.0																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

300,737 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Texas: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	*	*	0.1	0.3	0.8	1.6	2.2	2.0	1.9	0.9	0.5	0.1	10.4
	3	-	-	*	*	*	0.1	0.3	0.8	1.5	1.9	2.1	1.0	0.6	0.2	8.7
	4	-	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.2	0.1	0.1	1.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	*	*	0.1	0.4	1.1	2.5	3.9	4.3	4.5	2.1	1.2	0.4
31	1-2	-	-	*	*	*	0.1	0.6	1.4	1.6	1.1	0.8	0.3	0.1	*	6.0
	3	-	-	*	*	*	0.2	1.0	3.1	5.0	4.3	3.2	1.2	0.6	0.2	18.7
	4	-	-	*	*	*	0.1	0.3	1.2	2.8	3.4	3.0	1.1	0.5	0.2	12.7
	5	-	-	-	*	*	*	*	0.2	0.5	0.9	1.0	0.4	0.2	0.1	3.3
	6	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.4	1.9	5.9	9.9	9.8	8.1	3.1	1.4	0.5
41	1-2	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	0.8
	3	-	-	*	*	*	0.1	0.5	1.0	1.1	0.7	0.5	0.2	*	*	4.2
	4	-	-	-	*	*	0.1	0.4	1.0	1.6	1.3	0.9	0.2	0.1	*	5.6
	5	-	-	-	*	*	*	0.1	0.5	0.9	1.1	0.9	0.3	0.1	*	4.0
	6	-	-	*	*	*	*	*	0.1	0.3	0.4	0.5	0.2	0.1	*	1.5
	7	-	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.4
	Total	--	-	-	*	*	*	0.3	1.2	2.8	4.2	3.7	3.1	1.0	0.3	*
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	Total	--	-	-	-	-	-	*	-	*	-	*	*	*	-	*
12 & 22	1-2	-	-	*	*	*	0.2	0.5	0.6	0.4	0.2	0.1	*	*	*	2.0
	3	-	*	*	*	*	0.1	0.3	0.4	0.5	0.3	0.1	*	*	*	1.8
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	*	*	*	0.3	0.9	1.1	1.0	0.6	0.3	*	*	*	*
32	1-2	-	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	1.2
	3	-	-	*	*	*	0.2	0.5	1.1	1.1	0.6	0.2	*	*	*	3.8
	4	-	-	-	*	*	0.1	0.2	0.6	0.8	0.6	0.3	*	*	*	2.6
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.4	1.0	2.2	2.4	1.5	0.7	*	*	*
42	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	-	-	*	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	1.6
	4	-	-	-	*	*	0.1	0.3	0.5	0.5	0.4	0.2	*	*	*	1.9
	5	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	1.0
	6	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	*	*	*	0.2	0.8	1.4	1.3	0.9	0.5	*	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 19. -- Texas: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	*	*	-	-	*	*	*	*	*	*	*	-	-	*		
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*		
	4	-	-	*	*	-	*	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	Total	--	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.3	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4		
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	0.9		
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-		
	3	-	-	-	*	*	*	*	0.1	*	*	*	*	*	*	0.2		
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1		
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	*	*	*	*	0.2	0.1	*	*	*	*	0.7		
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	Total	--	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2		
25-35	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*			
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*			
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*			
TOTAL, ALL	---	-	*	*	*	0.4	2.2	7.5	16.5	23.7	21.6	17.5	6.4	3.1	1.1	100.0		
EXTRANEIOUS MATTER																Average Staple	35.5	
Bark - Level 1		17.9															Percent Tenderable	64.0
Bark - Level 2		*																
Grass - Level 1		0.1																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		*																
Other - Level 1		*																

5,627,811 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Virginia: Percent Distribution of color, leaf and staple for upland cotton classed: 2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct		
11 & 21	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	*	*	*	*	*	*	*	*
31	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	-	*	0.1	0.3	*	*	*	-	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	0.1	0.2	0.4	*	*	*	*	0.8
41	1-2	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	-	-	0.5
	3	-	-	-	-	-	-	*	0.3	1.1	1.2	1.3	0.1	*	*	-	4.1
	4	-	-	-	-	-	-	*	0.1	0.4	1.2	1.9	0.3	*	*	*	3.8
	5	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	*	0.5	1.7	2.6	3.6	0.5	*	*	*
51	1-2	-	-	-	-	-	-	*	0.1	0.5	0.4	0.1	0.1	*	*	-	1.3
	3	-	-	-	-	-	-	*	0.4	3.1	4.5	3.5	1.6	0.1	*	*	13.3
	4	-	-	-	-	-	-	*	0.1	1.0	3.0	3.8	3.2	0.3	*	*	11.5
	5	-	-	-	-	-	-	-	*	*	0.3	0.6	1.0	0.1	*	-	2.0
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	*	0.6	4.6	8.2	8.0	6.0	0.5	*	*
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	*	0.2	0.4	0.4	0.2	*	*	*	1.2
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	-	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	*	*	*	*	-	-	-	-
42	1-2	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	-	-	-	*	0.2	0.7	0.6	0.3	*	*	-	1.9
	4	-	-	-	-	-	-	-	*	0.1	0.3	0.7	0.7	0.1	*	-	2.0
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	0.4
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	--	--	--	--	*	0.3	1.1	1.4	1.2	0.2	*	*
52	1-2	-	-	-	-	-	-	-	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	3	-	-	-	-	*	-	*	0.9	5.1	7.4	3.4	0.8	*	*	-	17.7
	4	-	-	-	-	*	-	*	0.6	4.1	8.6	6.9	2.4	0.2	*	*	22.7
	5	-	-	-	-	-	*	-	0.1	0.4	1.4	1.6	0.9	0.1	*	-	4.4
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	--	--	--	*	*	*	1.7	9.9	17.8	12.1	4.2	0.3	*	*	45.9

* Less than 0.05 percent.

Table 20. -- Virginia: Percent Distribution of color, leaf and staple for upland cotton classed:
2015 Crop

QUALITY COLOR	LEAF	STAPLE														Total		
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+			
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct		
62	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	*	0.3	1.0	0.8	0.2	*	*	-	-	-	2.3	
	4	-	-	-	-	-	*	0.3	1.0	1.1	0.4	0.1	*	-	-	-	2.9	
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	*	0.6	2.1	2.1	0.7	0.1	*	-	-	-	5.8
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	0.3	0.4	0.3	*	*	-	-	-	1.1	
	4	-	-	-	-	-	*	0.1	0.4	0.6	0.5	0.2	*	*	-	-	1.8	
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	0.1	0.8	1.2	1.0	0.3	*	*	-	-	3.7
63	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.2	
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	*	0.2	0.1	0.1	*	*	-	-	-	0.6
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL	---	-	-	-	-	*	0.1	3.3	19.0	33.0	27.0	15.7	1.7	0.2	*	-	100.0	
EXTRANEIOUS MATTER																Average Staple	35.4	
Bark - Level 1		1.6															Percent Tenderable	28.4
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

132,045 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2015 crop.

State	Extraneous matter															
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	14,211	1	10,804	5	518	3	13,566	0	0	0	20	0	3	0	39,122	0
Arizona	0	0	11,109	0	151	0	1,151	0	0	0	0	0	47	0	12,458	0
Arkansas	49	0	5,735	0	178	0	66	0	7	0	0	0	4	0	6,039	0
California	1	0	1,709	0	213	0	285	0	0	0	1	0	1	0	2,210	0
Florida	2,140	0	1,087	0	31	0	2,841	0	0	0	8	0	0	0	6,107	0
Georgia	135,273	33	56,470	4	1,071	1	119,243	0	0	0	300	1	2	0	312,359	0
Kansas	1	0	14,651	0	0	0	0	0	0	0	0	0	0	0	14,652	0
Louisiana	2	0	1,487	0	175	0	12	0	0	0	0	0	3	0	1,679	0
Mississippi	2,365	0	8,383	0	356	0	59	0	0	0	4	0	2	0	11,169	0
Missouri	52	0	8,818	0	99	0	116	0	0	0	0	0	15	0	9,100	0
New Mexico	0	0	171	0	21	0	0	0	0	0	0	0	0	0	192	0
North Carolina	183	0	11,745	0	162	0	20	0	0	0	0	0	0	0	12,110	0
Oklahoma	95	0	45,941	0	29	0	21	0	0	0	0	0	0	0	46,086	0
South Carolina	78	0	2,378	0	64	0	113	0	0	0	0	0	0	0	2,633	0
Tennessee	60	0	3,014	0	154	0	42	0	0	0	0	0	0	0	3,270	0
Texas	413	3	1,010,051	3	4,071	3	2,184	9	5	0	15	0	127	0	1,016,866	0
Virginia	0	0	2,101	0	26	0	1	0	0	0	0	0	0	0	2,128	0
United States	154,923	37	1,195,654	12	7,319	7	139,720	9	12	0	348	1	204	0	1,498,180	0

Table 22. -- Tenderability of upland cotton classed, by states, 2015 crop

State	Tenderable 1/		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	280,873	52.8	250,714	47.2
Arizona	184,029	72.4	70,315	27.6
Arkansas	291,833	60.6	189,467	39.4
California	156,283	92.2	13,260	7.8
Florida	50,254	45.3	60,634	54.7
Georgia	1,052,889	47.4	1,170,722	52.6
Kansas	16,442	44.1	20,864	55.9
Louisiana	70,455	36.5	122,403	63.5
Mississippi	274,663	44.8	338,685	55.2
Missouri	345,588	85.6	58,120	14.4
New Mexico	16,009	85.9	2,621	14.1
North Carolina	74,538	14.3	447,033	85.7
Oklahoma	249,385	72.3	95,641	27.7
South Carolina	18,156	13.0	121,092	87.0
Tennessee	210,342	69.9	90,395	30.1
Texas	3,602,820	64.0	2,024,991	36.0
Virginia	37,532	28.4	94,513	71.6
United States	6,932,091	57.3	5,171,470	42.7

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1996-2015 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2015 crop.

Color	Leaf	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
11 & 21	1-2	2.9	17.9	9.4	12.0	16.9	5.3	7.7	7.2	0.1	0.1	*	0.1	
	3	8.8	6.9	4.0	5.1	11.2	10.9	15.2	14.3	0.1	0.1	*	0.1	
	4	4.0	0.6	0.6	0.7	1.5	1.6	2.2	2.0	*	*	-	*	
	5	0.3	*	*	*	0.1	*	*	*	-	-	-	-	
	6	-	-	*	*	*	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	16.0	25.4	14.0	17.8	29.7	17.8	25.1	23.5	0.2	0.2	*	0.2
	31	1-2	0.7	5.4	5.5	5.3	4.9	1.3	5.1	4.3	0.2	0.5	*	0.2
3	6.3	18.5	12.9	14.5	14.0	24.7	24.7	24.7	24.7	0.9	1.3	0.3	0.9	
4	13.5	9.6	6.4	7.7	4.9	34.8	19.9	23.0	23.0	0.5	0.4	0.4	0.5	
5	9.6	1.6	1.5	1.8	0.7	9.2	3.4	4.6	4.6	0.1	*	0.1	0.1	
6	2.5	0.1	0.2	0.3	0.1	0.4	0.2	0.3	0.3	*	*	-	*	
7	0.3	*	*	*	*	*	*	*	*	-	-	-	-	
Total	--	32.9	35.2	26.5	29.6	24.6	70.4	53.3	56.9	1.7	2.2	0.8	1.7	
41	1-2	*	0.7	1.6	1.2	1.1	*	0.3	0.3	0.7	1.1	0.5	0.8	
	3	1.7	5.9	7.0	6.4	7.1	0.3	2.3	1.9	3.1	5.5	4.1	3.7	
	4	9.8	7.2	6.8	7.0	4.8	2.5	4.0	3.7	2.0	2.6	3.8	2.4	
	5	10.8	3.9	3.1	3.6	1.2	3.9	2.6	2.9	0.4	0.4	0.6	0.5	
	6	8.6	1.1	0.9	1.2	0.2	1.2	0.6	0.8	*	*	*	*	
	7	3.7	0.3	0.2	0.4	*	0.2	0.1	0.1	-	-	-	-	
	Total	--	34.6	19.1	19.6	19.8	14.4	8.1	9.9	9.7	6.2	9.6	9.0	7.4
	51	1-2	-	*	*	*	0.2	*	0.1	0.1	1.2	0.9	1.3	1.2
3	*	0.1	0.1	0.1	0.1	0.7	0.1	0.9	0.7	7.4	4.4	13.3	7.8	
4	0.6	0.1	0.2	0.2	0.2	0.7	1.2	1.1	1.1	5.5	2.7	11.5	6.0	
5	1.4	0.2	0.2	0.2	0.2	0.4	0.2	0.5	0.4	1.3	0.6	2.0	1.3	
6	0.7	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	0.1	0.1	0.1	
7	0.5	0.1	0.1	0.1	0.1	*	-	*	*	*	*	-	*	
Total	--	3.2	0.6	0.7	0.7	2.1	1.0	2.8	2.4	15.5	8.7	28.2	16.4	
61	1-2	-	-	-	-	*	-	*	*	0.1	0.1	*	0.1	
	3	-	-	-	-	*	*	*	*	0.6	0.1	0.6	0.5	
	4	-	-	-	-	*	*	*	*	0.6	*	0.5	0.5	
	5	-	-	*	*	*	0.1	*	*	0.2	*	0.1	0.2	
	6	-	*	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	-	*	*	-	-	*	
	Total	--	-	*	*	*	*	0.1	*	*	1.5	0.2	1.2	1.3
	71	1-2	-	-	-	-	*	-	-	-	*	*	-	*
3	-	-	-	-	-	-	*	*	*	*	*	-	*	
4	-	-	-	-	-	-	-	-	-	0.1	*	*	0.1	
5	-	-	-	-	-	*	-	-	-	*	-	-	*	
6	-	-	-	-	-	-	-	-	-	*	-	-	*	
7	-	-	-	-	-	*	-	-	-	*	-	-	*	
Total	--	-	-	-	-	*	-	*	*	0.1	*	*	0.1	
12 & 22	1-2	0.1	1.6	4.6	3.4	2.4	*	0.1	0.1	*	*	-	*	
	3	0.4	1.6	2.3	2.0	3.0	*	0.2	0.2	*	*	-	*	
	4	0.3	0.2	0.4	0.3	0.9	*	0.1	0.1	0.1	-	-	-	
	5	0.1	*	*	*	0.1	*	*	*	-	-	-	-	
	6	-	*	*	*	*	*	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	0.9	3.4	7.3	5.7	6.4	*	0.4	0.4	*	*	-	*
	32	1-2	*	0.9	3.4	2.5	0.7	*	0.1	0.1	0.1	0.1	-	0.1
3	0.4	3.3	6.8	5.4	3.9	0.1	0.5	0.4	0.4	0.3	0.4	*	0.2	
4	1.2	2.0	2.9	2.5	2.8	0.2	0.7	0.6	0.6	0.2	0.1	*	0.1	
5	1.5	0.5	0.6	0.6	0.4	0.1	0.2	0.2	0.2	*	*	*	*	
6	0.7	*	0.1	0.1	0.1	*	*	*	*	*	*	-	*	
7	0.3	*	*	*	*	*	*	*	*	-	*	-	*	
Total	--	4.1	6.7	13.8	11.1	7.9	0.4	1.5	1.3	0.6	0.6	*	0.4	
42	1-2	-	0.1	1.0	0.6	0.6	-	0.1	*	0.3	0.6	0.2	0.3	
	3	*	0.9	4.2	3.0	4.7	0.1	0.8	0.7	2.5	5.3	1.9	2.9	
	4	0.3	1.3	4.0	3.0	5.4	0.2	1.4	1.1	2.1	3.6	2.0	2.4	
	5	0.7	0.8	1.7	1.4	1.4	0.1	0.5	0.4	0.5	0.5	0.4	0.5	
	6	0.7	0.3	0.5	0.4	0.3	*	*	*	*	*	*	*	
	7	1.0	0.1	0.1	0.1	0.1	*	*	*	-	*	-	*	
	Total	--	2.7	3.5	11.5	8.5	12.5	0.4	2.8	2.2	5.4	10.0	4.5	6.1
	52	1-2	-	*	*	*	*	*	*	*	1.4	1.4	0.8	1.3
3	*	*	0.1	0.1	0.5	0.1	1.0	0.9	0.9	16.1	15.6	17.7	16.3	
4	-	*	0.1	0.1	0.9	0.9	2.1	1.8	1.8	18.4	15.0	22.7	18.5	
5	*	*	0.1	0.1	0.3	0.3	0.5	0.5	0.5	5.1	2.8	4.4	4.6	
6	*	0.1	0.1	0.1	0.1	*	*	*	*	0.6	0.2	0.3	0.4	
7	*	*	*	*	*	*	*	*	*	*	*	-	*	
Total	--	*	0.1	0.4	0.4	1.8	1.3	3.6	3.2	41.6	35.0	45.9	41.1	

Table 24. --- Continued.

Color	Leaf	ABILENE				CORPUS CHRISTI				FLORENCE				
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
62	1-2	-	-	*	*	*	*	-	*	0.4	0.4	0.1	0.3	
	3	-	-	*	*	*	*	*	*	4.3	5.5	2.3	4.2	
	4	-	-	-	-	*	0.2	*	0.1	6.3	6.8	2.9	5.8	
	5	-	-	*	*	*	0.2	*	*	2.3	1.3	0.5	1.8	
	6	-	-	-	-	*	*	*	*	0.3	0.1	*	0.2	
	7	-	-	-	-	*	-	-	-	*	*	-	*	
	Total	--	-	-	*	*	*	0.4	*	0.1	13.6	14.1	5.8	12.3
	13 & 23	1-2	*	0.2	0.6	0.4	*	-	*	*	-	-	-	-
	3	0.1	0.2	0.3	0.3	0.1	-	*	*	-	-	-	-	
	4	*	*	*	*	*	-	*	*	-	-	-	-	
	5	*	*	*	*	*	-	-	-	-	-	-	-	
	6	-	-	*	*	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
Total	--	0.1	0.4	0.9	0.7	0.1	-	*	*	-	-	-	-	
33	1-2	*	0.2	0.5	0.4	*	-	*	*	*	*	-	*	
	3	0.2	1.0	1.0	1.0	0.1	*	*	*	*	*	*	*	
	4	0.4	0.7	0.4	0.5	0.1	*	*	*	*	*	*	*	
	5	0.4	0.2	0.1	0.1	*	*	*	*	*	*	*	*	
	6	0.2	*	*	*	*	*	-	-	-	*	-	*	
	7	*	*	*	*	*	-	-	-	-	-	-	-	
	Total	--	1.2	2.1	2.0	2.0	0.2	*	*	*	*	*	*	*
	43	1-2	-	*	0.1	0.1	*	-	*	*	*	*	*	*
3		*	0.4	0.7	0.6	0.1	*	*	*	0.1	0.6	0.1	0.2	
4		0.1	0.8	0.9	0.8	0.1	*	0.1	0.1	0.2	0.6	0.1	0.2	
5		0.4	0.5	0.4	0.4	0.1	*	*	*	0.1	0.1	*	0.1	
6		0.5	0.2	0.1	0.1	0.1	*	*	*	*	*	-	*	
7		0.3	*	*	*	*	*	*	*	*	*	-	*	
Total		--	1.3	1.9	2.2	2.0	0.3	*	0.1	0.1	0.4	1.3	0.2	0.5
53		1-2	-	*	*	*	*	-	*	*	*	0.1	0.1	0.1
	3	-	*	*	*	*	*	*	*	1.6	2.6	1.1	1.7	
	4	-	*	0.1	*	*	*	0.1	0.1	2.7	4.3	1.8	2.8	
	5	-	0.1	0.1	0.1	0.1	*	0.1	*	1.0	1.5	0.7	1.0	
	6	*	0.1	*	*	*	*	*	*	0.1	0.1	*	0.1	
	7	*	*	*	*	*	*	*	*	*	*	-	*	
	Total	--	*	0.2	0.2	0.1	*	*	0.2	0.1	5.5	8.6	3.7	5.7
	63	1-2	-	-	*	*	*	-	-	-	*	0.1	*	*
3		-	-	*	*	*	*	*	*	1.2	1.8	0.2	1.1	
4		-	*	-	*	*	*	*	*	2.4	3.5	0.3	2.3	
5		-	*	*	*	*	*	*	*	1.2	1.4	0.1	1.0	
6		-	*	*	*	*	*	*	*	0.2	0.2	*	0.2	
7		-	*	-	*	*	*	-	-	*	*	-	*	
Total		--	-	*	*	*	*	*	*	5.0	7.0	0.6	4.6	
24 - 54		1-7	0.3	1.0	0.5	0.7	0.1	-	*	*	0.2	0.4	*	0.7
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	*	0.1	*	*	*	-	*	*	2.2	1.8	*	1.7	
All Colors	8 2/	2.4	0.1	0.1	0.2	*	*	*	*	*	*	-	*	
STAPLE														
28 & shorter		-	-	*	*	*	-	-	-	-	-	-	-	
29		-	*	*	*	*	-	-	-	-	-	-	-	
30		-	*	*	*	0.1	-	-	-	*	*	-	*	
31		-	0.2	0.7	0.5	1.3	-	*	*	0.3	0.3	*	0.3	
32		-	1.8	4.2	3.3	4.3	*	0.1	*	3.0	3.3	0.1	2.5	
33		0.3	5.7	14.3	11.0	8.8	*	0.8	0.6	12.0	11.6	3.3	10.5	
34		7.1	10.2	23.1	18.2	14.6	1.4	3.7	3.2	25.1	23.0	19.0	23.7	
35		32.1	14.7	22.4	20.1	20.9	7.3	12.9	11.8	28.0	24.4	33.0	28.2	
36		39.3	24.9	17.6	20.8	23.3	27.7	28.6	28.4	19.6	20.9	27.0	21.1	
37		19.2	29.2	12.8	18.5	20.5	48.7	42.3	43.6	10.4	13.9	15.7	11.9	
38 & longer		2.0	13.3	4.9	7.6	6.3	14.8	11.6	12.3	1.7	2.6	1.9	1.9	
All Staples		100	100	100	100	100	100	100	100	100	100	100	100	
Average Staple		35.8	36.0	34.9	35.3	35.3	36.7	36.4	36.5	34.9	35.0	35.4	35.0	
Total Classed		37,306	345,026	650,621	1,032,953	761,670	125,542	477,573	603,115	521,571	139,248	132,045	792,864	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2015 crop.

Color	Leaf	LAMESA		LUBBOCK		MACON				MEMPHIS				
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	
11 & 21	1-2	10.3	8.8	1.5	2.7	0.2	0.5	1.3	3.4	2.8	5.5	3.9	3.3	
	3	6.0	10.9	1.5	1.8	0.2	0.4	2.0	7.1	8.9	7.1	5.7	6.8	
	4	0.6	2.8	0.2	0.1	*	*	0.3	0.9	1.6	0.7	0.9	1.0	
	5	*	0.3	*	-	*	*	*	*	*	*	*	*	
	6	*	*	-	-	-	-	-	-	-	-	-	-	
	7	*	*	-	-	-	-	-	-	-	-	-	-	
	Total	--	16.9	22.8	3.2	4.6	0.4	0.9	3.6	11.4	13.3	13.3	10.5	11.1
31	1-2	8.9	4.6	5.3	6.8	2.4	3.0	3.9	2.0	1.8	4.9	2.2	2.5	
	3	20.8	20.3	15.3	12.4	10.2	11.0	17.7	24.0	24.2	25.1	19.5	22.4	
	4	10.1	18.4	4.7	2.1	2.5	2.8	11.9	26.3	24.6	14.7	18.6	21.3	
	5	1.9	5.5	0.4	0.1	0.1	0.2	1.5	5.0	5.9	2.3	4.5	4.5	
	6	0.1	0.7	*	*	*	*	*	0.2	0.4	0.1	0.3	0.2	
	7	*	*	*	-	*	*	-	*	*	*	-	*	
	Total	--	41.8	49.5	25.7	21.4	15.2	17.0	35.0	57.5	56.9	47.1	45.1	50.9
41	1-2	1.2	0.3	3.0	3.2	1.7	1.9	4.0	*	0.1	0.2	0.8	0.7	
	3	4.7	2.2	15.9	13.9	19.0	18.4	15.4	1.9	3.6	4.4	8.8	5.8	
	4	6.1	5.3	8.3	7.5	12.5	11.7	12.2	7.2	9.9	10.5	11.2	9.8	
	5	4.0	5.1	1.2	0.8	1.8	1.7	3.7	7.2	8.7	6.0	6.0	6.8	
	6	1.4	2.2	0.1	*	0.1	0.1	0.5	1.7	2.9	1.3	1.6	1.8	
	7	0.3	0.6	*	*	*	*	*	0.2	0.3	0.2	0.1	0.2	
	Total	--	17.7	15.7	28.5	25.4	35.1	33.8	35.8	18.2	25.5	22.6	28.5	25.1
51	1-2	*	*	0.4	0.1	0.2	0.2	1.1	*	*	0.1	0.1	0.2	
	3	*	*	2.2	1.0	3.5	3.3	6.7	1.0	0.3	1.3	1.7	1.6	
	4	*	*	1.1	0.9	3.4	3.0	4.3	1.5	1.0	2.9	4.0	2.3	
	5	0.1	*	0.2	0.3	0.8	0.7	1.1	0.8	1.1	1.1	1.9	1.2	
	6	0.1	*	*	*	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.3	
	7	0.1	*	*	-	*	*	*	*	*	*	*	*	
	Total	--	0.3	*	3.9	2.3	8.0	7.3	13.3	3.4	2.9	5.5	8.0	5.6
61	1-2	-	*	*	-	*	*	*	-	-	-	-	*	
	3	-	-	*	-	*	*	*	*	-	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	-	*	*	*	*	*	
	6	-	*	-	-	*	*	-	*	*	*	*	*	
	7	-	*	-	-	*	*	-	-	-	-	*	*	
	Total	--	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	*	*	-	*	*	-	-	-	-	-	-	
	3	*	-	*	-	*	*	-	-	-	-	-	-	
	4	-	*	*	-	*	*	-	-	-	-	-	-	
	5	-	-	*	-	*	*	-	-	-	-	-	-	
	6	-	-	*	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	*	*	*	-	*	*	-	-	-	-	-	-
12 & 22	1-2	2.5	0.9	0.1	0.2	*	*	*	*	*	0.3	*	*	
	3	1.7	1.3	0.1	0.2	*	*	*	*	*	0.2	*	*	
	4	0.2	0.6	*	*	*	*	*	*	*	*	*	*	
	5	*	0.1	*	-	*	*	-	-	-	*	*	*	
	6	*	*	-	-	-	-	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	-	-	
	Total	--	4.4	2.9	0.2	0.4	*	*	*	*	*	0.5	*	*
32	1-2	1.7	0.5	0.6	1.4	0.2	0.3	0.1	*	*	0.2	*	*	
	3	5.1	2.1	2.7	3.9	1.3	1.6	0.5	0.2	0.1	0.8	0.2	0.2	
	4	3.1	2.2	1.1	1.2	0.5	0.6	0.4	0.2	*	1.2	0.2	0.3	
	5	0.7	1.0	0.2	0.2	0.1	0.1	*	0.1	*	0.3	*	0.1	
	6	0.1	0.3	*	*	*	*	*	*	*	*	*	*	
	7	*	0.1	-	-	-	-	-	-	-	-	*	*	
	Total	--	10.7	6.2	4.6	6.7	2.1	2.6	1.0	0.5	0.1	2.5	0.4	0.6
42	1-2	0.2	*	1.1	2.4	0.3	0.5	0.3	*	*	*	0.1	0.1	
	3	1.0	0.3	8.0	15.0	7.5	7.9	3.3	1.1	0.3	0.7	2.1	1.3	
	4	1.6	0.5	5.9	6.3	8.9	8.3	2.7	2.6	0.5	1.7	2.0	1.8	
	5	1.1	0.5	1.6	0.6	1.6	1.6	0.4	0.5	0.2	0.9	0.5	0.4	
	6	0.5	0.3	0.2	*	0.1	0.1	*	*	*	0.1	0.1	*	
	7	0.1	0.1	*	-	*	*	*	*	*	*	*	*	
	Total	--	4.5	1.7	16.8	24.3	18.4	18.4	6.7	4.2	1.0	3.4	4.8	3.6
52	1-2	*	*	0.5	0.2	0.1	0.2	0.2	*	*	0.1	*	*	
	3	*	*	4.7	4.8	4.4	4.5	1.8	1.1	*	1.4	0.6	0.8	
	4	*	*	4.0	3.8	7.8	7.1	1.0	2.3	0.1	1.6	1.1	1.1	
	5	*	*	0.8	0.3	2.2	1.9	0.3	0.7	*	1.0	0.5	0.4	
	6	*	*	0.1	*	0.2	0.2	0.1	0.1	*	0.2	0.1	0.1	
	7	*	*	*	-	*	*	*	*	*	*	*	*	
	Total	--	*	*	10.1	9.1	14.7	13.9	3.4	4.2	0.1	4.3	2.3	2.4

* Less than 0.05 percent.

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 25. -- Continued.

		LAMESA		LUBBOCK		MACON				MEMPHIS				
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	
62	1-2	-	*	*	-	*	*	*	-	-	*	-	*	
	3	-	*	0.4	*	0.1	0.2	0.1	*	-	*	-	*	
	4	-	*	0.3	*	0.2	0.2	*	*	-	*	*	*	
	5	-	*	0.1	*	0.1	0.1	*	*	*	*	*	*	
	6	*	*	*	-	*	*	-	*	-	*	*	*	
	7	*	-	*	-	*	*	*	-	-	*	*	*	
	Total	--	*	*	0.8	*	0.4	0.5	0.1	*	*	*	*	*
13 & 23	1-2	0.2	*	*	*	*	*	-	-	-	*	-	*	
	3	0.2	0.1	*	*	*	*	*	*	*	*	-	*	
	4	*	*	*	*	*	*	-	*	-	*	*	*	
	5	*	*	-	-	-	-	-	-	-	-	-	-	
	6	*	*	-	-	-	-	-	-	-	-	-	-	
	7	-	*	-	-	-	-	-	-	-	-	-	-	
	Total	--	0.4	0.1	*	*	*	*	*	*	*	*	*	*
33	1-2	0.2	*	*	0.1	*	*	*	*	*	*	*	*	
	3	0.8	0.1	0.2	0.3	0.1	0.1	*	*	*	0.1	*	*	
	4	0.5	0.2	0.1	0.1	*	*	*	*	*	0.1	*	*	
	5	0.1	0.1	*	*	*	*	*	*	*	*	*	*	
	6	*	*	*	*	*	*	-	*	-	*	*	*	
	7	*	*	-	-	-	-	-	-	-	-	-	-	
	Total	--	1.6	0.4	0.3	0.5	0.1	0.1	*	*	*	0.2	*	*
43	1-2	*	*	0.1	0.2	*	*	*	*	-	*	*	*	
	3	0.3	*	0.7	1.7	0.5	0.6	0.2	0.1	*	*	*	*	
	4	0.4	0.1	0.6	0.8	0.8	0.8	0.3	0.1	*	0.1	*	0.1	
	5	0.2	0.1	0.2	0.1	0.2	0.2	0.1	*	*	0.1	*	*	
	6	0.1	*	*	*	*	*	*	*	*	*	*	*	
	7	*	*	*	-	*	*	*	-	-	-	*	*	
	Total	--	1.0	0.2	1.6	2.8	1.5	1.6	0.6	0.2	*	0.2	*	0.1
53	1-2	*	*	*	*	*	*	-	*	-	-	-	*	
	3	*	*	0.9	0.9	0.5	0.6	0.1	*	-	*	*	*	
	4	*	*	1.7	1.1	1.6	1.6	0.1	0.1	*	*	*	0.1	
	5	*	*	0.6	0.1	0.8	0.8	*	*	*	*	*	*	
	6	*	*	0.1	*	0.1	0.1	-	*	-	-	*	*	
	7	*	*	*	-	*	*	-	*	-	-	*	*	
	Total	--	*	*	3.3	2.1	3.0	3.1	0.2	0.1	*	*	*	0.1
63	1-2	-	*	*	*	*	*	-	-	-	-	-	*	
	3	*	*	0.1	*	*	0.1	*	*	-	-	-	*	
	4	*	*	0.2	0.1	0.2	0.2	*	*	-	-	*	*	
	5	-	*	0.1	*	0.1	0.1	*	*	-	-	*	*	
	6	*	*	*	*	*	*	-	-	-	*	-	*	
	7	-	-	*	-	*	*	*	-	-	-	-	*	
	Total	--	*	*	0.4	0.1	0.3	0.4	*	*	-	*	*	*
24 - 54	1-7	0.2	0.1	0.2	0.2	0.3	0.2	*	*	*	*	*	*	
25 - 35	1-7	-	*	*	-	*	*	-	-	-	-	-	*	
81 - 85 1/	1-7	*	*	0.4	*	0.1	0.1	*	*	-	-	-	*	
All Colors	8 2/	*	0.1	*	-	*	*	*	*	*	*	*	*	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		*	*	*	-	*	*	-	-	-	-	-	*	
30		0.1	*	*	-	*	*	-	-	-	-	-	*	
31		0.3	0.2	0.1	*	*	*	-	-	-	-	-	*	
32		2.0	1.2	0.7	0.2	0.2	0.3	0.1	*	-	*	-	*	
33		7.7	5.3	3.9	1.5	1.9	2.1	1.4	*	-	0.6	*	0.2	
34		18.8	14.0	10.9	7.6	8.5	8.8	4.2	0.2	0.2	2.9	0.5	1.0	
35		27.4	22.5	24.3	19.2	21.6	21.9	12.5	1.5	2.6	12.5	4.0	4.7	
36		22.2	21.7	29.8	31.7	32.6	32.1	23.0	8.3	8.9	25.8	17.9	13.9	
37		14.3	19.7	23.9	31.0	27.9	27.5	38.3	44.0	38.0	41.3	50.9	42.8	
38 & longer		7.3	15.3	6.6	8.7	7.4	7.3	20.6	45.9	50.2	16.9	26.6	37.3	
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
Average Staple		35.3	35.9	35.8	36.1	36.0	36.0	36.6	37.5	37.5	36.6	37.1	37.2	
Total Classed		1,642,416	2,559,799	375,166	110,888	2,223,611	2,709,665	156,421	355,758	403,708	120,651	300,737	1,337,275	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.
 3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2015 crop.

RAYVILLE						VISALIA					UNITED STATES
Color	Leaf	Arkansas 1/	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas 1/	Classing Office Total	
11 & 21	1-2	-	6.8	-	6.8	15.7	58.2	10.9	3.3	31.0	7.5
	3	-	5.6	-	5.4	6.2	12.3	4.8	0.2	8.3	6.2
	4	-	0.4	-	0.3	0.8	0.3	0.2	*	0.6	1.1
	5	-	*	-	*	*	*	-	-	*	0.1
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	12.8	-	12.5	22.7	70.8	15.9	3.5	39.9
31	1-2	-	5.9	-	6.9	14.3	9.0	14.1	18.7	12.4	4.7
	3	-	26.9	-	27.2	19.8	6.6	20.0	15.7	14.7	16.5
	4	-	12.6	-	12.0	5.2	0.8	4.3	2.8	3.4	10.7
	5	-	1.3	-	1.3	0.8	*	0.3	*	0.5	2.4
	6	-	0.1	-	0.1	0.1	-	-	-	*	0.2
	7	-	*	-	*	*	-	-	-	*	*
	Total	--	-	46.8	-	47.5	40.2	16.4	38.7	37.2	31.0
41	1-2	-	0.4	-	0.7	3.3	1.4	5.4	3.4	2.6	1.1
	3	-	8.2	-	8.6	13.8	2.1	16.8	28.8	10.0	7.7
	4	-	14.1	-	13.4	7.7	0.6	12.5	14.7	5.4	7.3
	5	-	5.7	-	5.3	3.0	0.1	3.1	0.6	1.9	3.5
	6	-	1.3	-	1.2	0.9	*	0.6	*	0.5	1.1
	7	-	*	-	*	0.3	*	0.1	-	0.2	0.2
	Total	--	-	29.7	-	29.2	29.0	4.2	38.5	47.5	20.6
51	1-2	-	0.2	-	0.2	*	*	0.4	0.8	0.1	0.2
	3	-	1.0	-	1.0	0.2	0.2	0.6	2.9	0.3	1.5
	4	-	0.3	-	0.3	0.4	0.1	0.2	1.7	0.3	1.5
	5	-	0.1	-	0.1	0.4	*	0.1	0.1	0.2	0.4
	6	-	*	-	*	0.3	*	0.1	*	0.2	0.1
	7	-	*	-	*	0.3	*	*	*	0.2	*
	Total	--	-	1.6	-	1.6	1.6	0.3	1.4	5.5	1.3
61	1-2	-	*	-	*	-	-	-	-	-	*
	3	-	0.1	-	*	-	-	-	-	-	*
	4	-	*	-	*	-	*	-	-	*	*
	5	-	*	-	*	*	-	-	-	*	*
	6	-	-	-	-	*	-	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	0.1	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	0.1	-	0.1	0.8	2.1	0.7	-	1.3	1.0
	3	-	0.2	-	0.3	0.6	0.9	0.2	*	0.7	0.9
	4	-	*	-	*	0.2	*	*	*	0.1	0.2
	5	-	*	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	0.3	-	0.4	1.6	3.0	0.9	*	2.1
32	1-2	-	0.3	-	0.5	*	0.8	0.2	0.7	0.3	0.7
	3	-	1.3	-	1.5	0.6	1.2	1.5	1.2	0.9	2.3
	4	-	0.7	-	0.7	0.6	0.2	0.8	0.3	0.4	1.5
	5	-	0.1	-	0.1	0.2	*	*	0.1	0.1	0.4
	6	-	*	-	*	*	*	-	-	*	0.1
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	2.4	-	2.8	1.4	2.2	2.5	2.3	1.7
42	1-2	-	0.1	-	0.2	*	0.2	*	0.1	0.1	0.3
	3	-	1.2	-	1.2	0.2	1.2	0.7	2.7	0.6	2.9
	4	-	1.6	-	1.5	0.4	0.7	0.8	0.9	0.5	3.2
	5	-	0.8	-	0.7	0.5	0.1	0.3	0.1	0.4	0.9
	6	-	0.1	-	0.1	0.3	*	*	-	0.2	0.2
	7	-	-	-	-	0.1	*	-	-	0.1	0.1
	Total	--	-	3.8	-	3.7	1.5	2.2	1.8	3.8	1.9
52	1-2	-	0.1	-	0.1	*	0.2	-	-	*	0.1
	3	-	1.0	-	0.9	*	0.2	-	*	0.1	2.3
	4	-	0.4	-	0.4	0.1	0.1	*	*	0.1	3.1
	5	-	0.2	-	0.2	0.3	*	*	-	0.2	0.8
	6	-	*	-	*	0.3	*	*	-	0.2	0.1
	7	-	-	-	-	0.2	*	-	-	0.1	*
	Total	--	-	1.7	-	1.6	0.9	0.3	*	*	0.7

* Less than 0.05 percent.

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 26. --- Continued.

RAYVILLE						VISALIA					
Color	Leaf	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas 3/	Classing Office Total	UNITED STATES
62	1-2	-	*	-	*	-	-	-	-	-	*
	3	-	*	-	*	-	-	-	-	-	0.3
	4	-	*	-	*	-	*	-	-	*	0.4
	5	-	*	-	*	*	*	-	-	*	0.1
	6	-	-	-	-	*	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	*	-	*	*	-	-	*	*
13 & 23	1-2	-	*	-	*	*	*	*	-	*	0.1
	3	-	*	-	*	*	*	*	-	*	0.1
	4	-	*	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	*	-	*	*	*	-	*	*
33	1-2	-	*	-	*	*	*	-	-	*	0.1
	3	-	0.1	-	0.1	*	*	*	*	*	0.3
	4	-	*	-	*	*	*	*	*	*	0.2
	5	-	*	-	*	*	*	*	-	*	*
	6	-	-	-	-	*	-	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	0.1	-	0.1	*	*	*	*	*
43	1-2	-	*	-	*	-	*	-	-	*	*
	3	-	0.1	-	0.1	*	*	-	*	*	0.3
	4	-	0.1	-	0.1	*	*	*	-	*	0.3
	5	-	*	-	*	*	*	*	-	*	0.1
	6	-	*	-	*	*	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	0.2	-	0.2	*	*	*	*	*
53	1-2	-	*	-	*	-	*	-	-	*	*
	3	-	0.1	-	0.1	-	*	-	-	*	0.2
	4	-	0.1	-	0.1	*	*	-	-	*	0.6
	5	-	*	-	*	*	*	-	-	*	0.3
	6	-	*	-	*	*	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	0.2	-	0.2	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	*	-	-	-	*	0.2
	5	-	-	-	-	*	*	-	-	*	0.1
	6	-	-	-	-	*	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	-	-	-	*	*	-	-	*
24 - 54	1-7	-	*	-	*	*	*	-	-	*	0.2
25 - 35	1-7	-	-	-	-	-	-	-	-	-	*
81 - 85 1/	1-7	-	*	-	*	*	*	-	-	*	0.1
All Colors	8 2/	-	-	-	-	0.6	*	*	-	0.4	0.1
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	-	*
31		-	*	-	*	*	-	-	-	*	0.2
32		-	0.2	-	0.6	*	*	*	-	*	1.3
33		-	3.0	-	3.8	0.4	0.3	0.5	*	0.3	4.9
34		-	11.4	-	11.9	3.5	1.5	4.0	1.4	2.7	12.1
35		-	23.8	-	23.8	15.6	7.0	13.9	12.5	12.2	20.2
36		-	28.6	-	28.0	29.7	18.1	20.7	26.2	24.9	23.8
37		-	26.5	-	25.5	35.1	35.1	36.2	25.7	34.9	24.6
38 & longer		-	6.7	-	6.4	15.7	38.1	24.7	34.2	24.9	12.8
All Staples		-	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Staple		-	35.9	-	35.8	36.5	37.4	36.8	37.4	36.9	35.9
Total Classed		-	192,858	-	207,982	254,344	169,543	16,926	13,305	454,118	12,103,561

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2015 crop.

Mike and Fiber Strength	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
MIKE													
24 & below	0.1	*	-	*	*	-	*	*	-	-	-	-	
25	0.6	*	*	*	*	-	*	*	-	*	-	*	
26	0.5	*	*	*	*	-	*	*	-	*	-	*	
27	1.2	0.1	*	0.1	*	-	*	*	-	*	-	*	
28	1.2	0.1	*	0.1	*	-	*	*	-	*	-	*	
29	0.9	0.1	0.1	0.1	*	-	*	*	-	*	-	*	
30	1.3	0.3	0.2	0.2	*	*	*	*	*	*	-	*	
31	2.1	0.5	0.3	0.4	0.1	*	*	*	*	0.1	-	*	
32	2.7	0.7	0.4	0.6	0.1	*	*	*	*	0.1	-	*	
33	2.2	1.3	0.6	0.9	0.3	*	*	*	*	0.2	*	*	
34	2.5	2.2	0.9	1.4	0.5	*	*	*	*	0.3	*	0.1	
35	4.1	3.3	1.3	2.0	1.0	*	0.1	0.1	*	0.5	*	0.1	
36	5.3	4.3	1.9	2.8	1.7	*	0.1	0.1	*	0.6	0.1	0.1	
37	6.7	5.3	2.6	3.7	2.6	*	0.2	0.2	0.1	0.7	0.3	0.2	
38	7.6	6.4	3.5	4.6	3.6	0.1	0.4	0.3	0.1	1.0	0.3	0.3	
39	9.7	7.7	4.4	5.7	4.6	0.1	0.5	0.4	0.2	1.5	0.5	0.5	
40	11.1	8.5	5.0	6.4	5.9	0.2	0.6	0.5	0.3	2.0	0.8	0.7	
41	10.4	8.6	6.1	7.1	6.7	0.5	0.9	0.8	0.6	2.4	1.3	1.0	
42	8.8	8.0	7.1	7.5	7.7	0.9	1.2	1.1	0.9	3.4	1.7	1.5	
43	8.3	7.8	8.1	8.0	8.2	1.5	1.6	1.5	1.5	4.1	2.9	2.2	
44	5.6	7.6	9.4	8.7	8.8	2.4	2.7	2.6	2.6	5.1	4.9	3.4	
45	4.2	7.2	10.3	9.0	9.2	3.7	4.5	4.4	4.4	6.2	7.0	5.2	
46	1.8	6.7	10.4	8.9	8.9	6.1	6.1	6.1	6.3	7.8	9.5	7.1	
47	0.8	4.8	9.7	7.7	8.3	7.2	8.1	7.9	8.7	9.6	11.3	9.3	
48	0.5	3.4	7.8	6.1	7.6	8.4	10.3	9.9	11.3	10.5	13.2	11.5	
49	*	2.3	5.3	4.1	6.0	9.4	13.3	12.5	13.9	11.6	13.6	13.4	
50	-	1.6	2.8	2.3	4.1	10.5	13.9	13.2	14.3	11.2	12.4	13.4	
51	-	0.7	1.2	1.0	2.3	11.7	12.6	12.4	12.9	8.9	9.7	11.7	
52	-	0.3	0.4	0.4	1.2	11.9	10.2	10.5	10.3	6.3	6.3	8.9	
53	-	0.1	0.1	0.1	0.4	10.4	7.4	8.0	6.8	3.3	2.8	5.5	
54	-	*	*	*	0.1	8.8	3.6	4.7	3.4	1.7	1.0	2.7	
55	-	*	*	*	*	5.0	1.5	2.2	1.1	0.7	0.2	0.9	
56	-	*	-	*	*	1.2	0.2	0.4	0.3	0.2	*	0.2	
57	-	*	-	*	*	*	*	*	*	*	*	*	
58	-	-	-	-	*	-	*	*	*	-	-	*	
59	-	-	-	-	-	-	-	-	*	*	-	*	
60 & above	-	-	-	-	-	-	-	-	*	-	-	*	
Average mike	39	42	44	43	44	50	49	49	49	47	48	49	
Fiber Strength 1/													
17 & below	-	-	-	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	-	-	-	-	-	-	-	-	
20	-	-	*	*	*	-	-	-	-	*	-	*	
21	-	-	*	*	*	-	-	-	*	*	-	*	
22	-	*	*	*	0.1	-	-	-	*	0.1	-	*	
23	-	*	0.1	*	0.1	-	-	-	0.2	0.7	*	0.3	
24	*	*	0.3	0.2	0.3	-	*	*	1.4	3.5	0.2	1.6	
25	*	0.1	0.7	0.5	1.0	*	*	*	5.5	10.1	2.2	5.8	
26	0.8	0.2	1.7	1.2	2.1	*	*	*	12.8	18.4	6.7	12.8	
27	4.5	1.0	4.3	3.2	4.3	0.1	0.2	0.2	20.0	20.5	15.3	19.3	
28	14.4	3.1	10.7	8.3	8.2	0.7	1.2	1.1	22.5	17.2	24.8	21.9	
29	25.5	7.5	19.1	15.4	13.2	3.7	3.7	3.7	18.2	13.2	24.1	18.3	
30	25.9	15.5	21.5	19.7	17.9	10.0	9.0	9.2	11.0	8.3	15.9	11.4	
31	17.5	26.6	18.6	21.2	18.1	10.8	14.5	13.7	5.4	4.4	7.4	5.6	
32	8.3	24.5	12.9	16.6	14.9	12.5	20.7	19.0	2.0	2.2	2.4	2.1	
33	2.7	14.8	6.8	9.3	10.2	16.9	22.8	21.6	0.7	0.9	0.8	0.8	
34	0.4	5.2	2.4	3.3	5.9	20.7	18.4	18.9	0.2	0.4	0.2	0.2	
35	*	1.4	0.6	0.9	2.6	15.7	7.7	9.3	0.1	0.1	*	0.1	
36 & above	-	0.2	0.1	0.2	1.0	8.9	1.8	3.3	*	*	*	*	
Average Strength	29.7	31.3	30.1	30.5	30.6	33.0	32.4	32.5	28.0	27.5	28.6	28.0	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2015 crop.

Mike and Fiber Strength	LAMESA		LUBBOCK		MACON			MEMPHIS					Classing Office Total
	Texas	Texas	Alabama	Florida	Georgia	Alabama	Arkansas	Missouri	Mississippi	Tennessee			
MIKE													
24 & below	*	*	*	*	-	*	-	-	-	-	-	-	
25	*	*	*	*	*	*	-	-	-	-	-	-	
26	*	0.1	*	*	*	*	-	-	-	-	-	-	
27	*	0.2	*	*	*	*	-	-	-	-	-	*	
28	0.1	0.4	*	*	*	*	*	-	*	-	-	*	
29	0.2	0.8	*	*	*	*	*	-	*	-	*	*	
30	0.3	1.2	*	*	*	*	*	-	*	-	*	*	
31	0.4	1.8	*	*	*	*	*	*	0.2	*	*	0.1	
32	0.6	2.5	*	*	0.1	*	0.1	*	0.4	*	*	0.1	
33	0.8	3.3	0.1	*	0.1	0.1	0.1	*	0.9	0.1	0.1	0.3	
34	1.2	4.2	0.1	*	0.1	0.1	0.1	0.1	1.3	0.1	0.1	0.5	
35	1.6	5.3	0.2	*	0.2	0.2	0.2	0.3	0.2	2.0	0.1	0.3	
36	2.2	6.3	0.3	0.1	0.4	0.3	0.5	0.3	2.7	0.3	0.6	1.1	
37	2.8	7.4	0.5	0.2	0.5	0.5	0.6	0.5	4.0	0.6	1.0	1.7	
38	3.6	8.4	0.7	0.3	0.8	0.7	1.3	0.7	4.8	0.7	1.6	2.2	
39	4.7	9.1	1.0	0.4	1.2	1.1	2.4	1.2	6.4	1.1	2.5	3.2	
40	5.5	9.5	1.4	0.6	1.7	1.6	3.0	2.3	7.6	1.2	3.5	4.2	
41	6.8	9.2	2.1	1.1	2.5	2.4	4.0	3.2	8.1	1.9	4.6	5.0	
42	8.5	8.4	3.1	1.7	3.6	3.5	5.6	5.0	8.7	2.9	6.3	6.3	
43	10.0	7.0	4.5	3.1	5.3	5.1	7.2	6.9	8.5	3.7	7.1	7.2	
44	11.1	5.3	5.8	4.7	7.6	7.2	7.7	7.9	8.4	4.5	8.2	7.8	
45	11.1	3.7	7.5	8.6	9.9	9.5	7.9	9.9	8.1	6.0	9.0	8.6	
46	9.9	2.5	9.3	12.2	12.0	11.7	8.8	10.1	7.3	6.6	9.0	8.5	
47	7.6	1.6	11.1	14.6	13.3	13.0	8.8	10.9	6.6	7.8	9.1	8.7	
48	5.3	0.9	12.4	15.1	12.9	12.9	8.8	10.8	5.0	8.9	8.6	8.1	
49	3.0	0.5	12.5	13.1	11.1	11.4	8.5	9.1	3.7	9.1	7.7	7.1	
50	1.6	0.2	11.1	10.7	8.1	8.6	7.3	7.6	2.3	10.6	6.7	6.0	
51	0.7	0.1	8.3	7.4	4.8	5.4	5.8	5.5	1.3	11.3	5.6	4.8	
52	0.2	*	4.7	3.8	2.4	2.8	4.6	3.8	0.8	10.0	4.0	3.6	
53	0.1	*	2.2	1.5	0.9	1.1	3.2	2.0	0.4	7.0	2.7	2.3	
54	*	*	0.7	0.4	0.3	0.3	2.1	1.2	0.1	3.6	1.2	1.2	
55	*	*	0.2	0.1	0.1	0.1	0.9	0.6	0.1	1.5	0.5	0.5	
56	*	*	*	*	*	*	0.3	0.3	*	0.2	0.1	0.2	
57	-	-	*	*	*	*	0.1	*	*	*	*	*	
58	-	*	*	-	*	*	*	-	-	*	*	*	
59	-	-	-	-	-	-	-	-	-	-	-	-	
60 & above	-	-	-	-	-	-	-	-	-	-	-	-	
Average mike	43	39	47	47	46	47	46	46	43	48	46	45	
Fiber Strength 1/													
17 & below	-	-	-	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	-	-	-	-	-	-	-	-	
20	*	*	-	-	*	*	-	-	-	-	-	-	
21	*	*	*	-	*	*	-	-	-	-	-	-	
22	*	*	*	-	*	*	*	-	-	-	-	*	
23	*	*	0.1	*	0.1	0.1	*	-	-	-	-	*	
24	0.1	0.1	0.4	0.1	0.5	0.5	*	-	-	-	-	*	
25	0.3	0.5	1.1	0.6	2.4	2.2	0.2	*	*	*	*	*	
26	1.0	1.2	3.5	2.5	6.9	6.3	0.9	*	*	*	*	0.1	
27	3.0	2.9	9.5	8.3	14.5	13.5	3.6	0.1	*	0.4	0.3	0.6	
28	7.8	6.7	19.5	21.0	21.7	21.4	10.0	0.4	0.3	2.3	1.9	2.0	
29	15.7	12.6	25.2	27.4	22.4	23.0	17.5	2.1	2.9	7.8	7.9	6.0	
30	23.4	17.9	19.1	20.7	15.5	16.2	24.3	7.7	13.3	16.6	18.3	14.5	
31	21.9	19.3	10.6	11.4	8.7	9.1	23.1	15.6	21.9	23.2	23.8	20.9	
32	14.6	16.6	6.2	5.1	4.6	4.8	13.6	20.2	20.8	21.0	21.9	20.1	
33	7.9	11.4	3.3	2.0	1.9	2.1	4.8	24.2	20.2	15.4	15.1	17.9	
34	3.2	6.4	1.1	0.6	0.6	0.7	1.4	20.1	14.0	8.8	7.7	12.3	
35	0.9	2.9	0.3	0.1	0.1	0.2	0.3	7.7	5.2	3.4	2.4	4.5	
36 & above	0.3	1.5	0.1	*	*	*	0.1	1.9	1.4	1.1	0.6	1.2	
Average Strength	30.5	30.9	29.2	29.2	28.7	28.8	30.2	32.6	32.1	31.6	31.5	31.8	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2015 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA				Classing Office Total	UNITED STATES
	Arkansas 2/	Louisiana	Mississippi	Classing Office Total	Arizona	California	New Mexico	Texas		
MIKE										
24 & below	-	-	-	-	*	-	*	-	*	*
25	-	-	-	-	*	*	0.1	-	*	*
26	-	-	-	-	*	-	-	-	*	*
27	-	-	-	-	*	*	*	-	*	0.1
28	-	-	-	-	0.1	0.1	0.1	-	0.1	0.1
29	-	*	-	*	0.1	0.1	0.5	*	0.1	0.2
30	-	-	-	*	0.1	0.2	0.4	-	0.2	0.3
31	-	*	-	*	0.2	0.2	0.4	0.1	0.2	0.5
32	-	*	-	*	0.2	0.2	1.0	*	0.3	0.7
33	-	*	-	*	0.3	0.2	1.4	*	0.3	1.0
34	-	*	-	*	0.4	0.3	2.7	0.1	0.4	1.3
35	-	*	-	*	0.6	0.5	3.4	*	0.6	1.7
36	-	*	-	*	0.8	1.0	3.6	0.1	0.9	2.2
37	-	*	-	*	1.0	1.6	4.8	0.2	1.3	2.8
38	-	*	-	*	1.4	2.8	5.3	1.0	2.0	3.4
39	-	0.1	-	0.1	2.1	3.6	7.4	2.3	2.9	4.1
40	-	0.1	-	0.2	3.0	5.1	7.2	3.1	4.0	4.7
41	-	0.5	-	0.5	4.0	7.3	8.7	5.7	5.4	5.3
42	-	0.5	-	0.6	4.8	9.3	8.1	8.9	6.7	6.0
43	-	1.1	-	1.1	6.0	11.5	8.9	15.5	8.4	6.5
44	-	2.1	-	2.1	7.2	13.0	8.1	15.6	9.6	7.2
45	-	2.9	-	2.9	8.2	11.5	7.0	11.6	9.5	7.7
46	-	4.2	-	4.3	9.1	11.0	6.4	8.3	9.7	7.9
47	-	6.3	-	6.6	9.9	8.8	5.2	14.2	9.5	7.9
48	-	9.4	-	9.6	11.0	6.1	5.8	6.7	8.8	7.4
49	-	13.4	-	13.3	9.9	2.7	1.6	5.1	6.7	6.6
50	-	16.0	-	15.6	8.6	1.6	1.0	1.1	5.5	5.3
51	-	15.8	-	15.4	6.2	0.8	0.4	0.3	3.8	3.9
52	-	14.0	-	13.7	3.5	0.3	0.3	-	2.1	2.6
53	-	9.3	-	9.4	1.1	0.1	0.1	-	0.7	1.5
54	-	3.6	-	3.7	0.2	*	*	-	0.1	0.7
55	-	0.6	-	0.7	*	*	-	-	*	0.3
56	-	*	-	0.1	*	*	-	-	*	0.1
57	-	*	-	*	*	-	-	-	*	*
58	-	-	-	-	*	-	-	-	*	*
59	-	-	-	-	*	*	-	-	*	*
60 & above	-	-	-	-	*	-	-	-	*	*
Average mike	-	50	-	50	46	44	42	44	45	44
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	*
20	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	*
23	-	-	-	-	-	-	-	-	-	0.1
24	-	*	-	*	*	*	-	-	*	0.3
25	-	*	-	0.1	0.1	*	*	-	0.1	1.1
26	-	0.4	-	0.5	0.5	*	1.3	-	0.4	2.9
27	-	1.3	-	1.6	1.9	0.1	0.7	-	1.1	6.0
28	-	3.3	-	3.8	5.3	0.6	5.1	0.6	3.4	10.4
29	-	6.8	-	7.4	12.8	1.7	14.4	6.7	8.5	14.6
30	-	10.2	-	10.8	19.8	3.0	26.3	17.5	13.7	16.9
31	-	12.6	-	13.0	20.9	5.7	25.9	25.6	15.5	16.2
32	-	18.3	-	18.0	18.3	8.3	13.5	21.7	14.5	13.1
33	-	23.8	-	22.7	11.5	11.9	4.3	10.5	11.3	9.3
34	-	15.0	-	14.2	6.1	18.7	2.6	6.7	10.7	5.5
35	-	6.3	-	5.9	2.0	21.5	3.8	5.8	9.5	2.4
36 & above	-	2.0	-	1.9	0.8	28.6	2.1	5.0	11.4	1.2
Average Strength	-	30.7	-	30.6	30.3	33.4	29.9	29.6	31.6	30.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2015 crop.

Mike Groupings, Uniformity and Trash	ABILENE				CORPUS CHRISTI			DUMAS		FLORENCE			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
MIKE													
24 & below	0.1	*	-	*	*	-	*	*	-	-	-	-	
25-26	1.1	0.1	*	0.1	*	-	*	*	-	*	-	*	
27-29	3.2	0.3	0.1	0.3	*	-	*	*	-	*	-	*	
30-32	6.1	1.5	0.8	1.2	0.2	*	*	*	*	0.3	-	0.1	
33-34	4.7	3.5	1.5	2.3	0.8	*	*	*	*	0.5	*	0.1	
35-36	9.4	7.6	3.1	4.8	2.6	*	0.2	0.1	*	1.1	0.1	0.2	
37-42	54.3	44.5	28.8	35.0	31.2	1.8	3.7	3.3	2.2	10.9	4.9	4.2	
43-49	21.2	39.7	61.1	52.5	57.0	38.7	46.6	45.0	48.7	55.0	62.5	52.1	
50-52	-	2.6	4.5	3.7	7.6	34.1	36.7	36.2	37.5	26.4	28.4	34.0	
53 & above	-	0.2	0.1	0.1	0.5	25.4	12.7	15.4	11.5	5.9	4.1	9.3	
Average mike	39	42	44	43	44	50	49	49	49	47	48	49	
Mike 35 - 49	84.9	91.8	93.0	92.3	90.8	40.5	50.5	48.4	50.9	67.0	67.5	56.5	
Uniformity 1/ 72 & below	-	-	-	-	*	-	-	-	-	-	*	*	
73	-	-	-	-	*	-	-	-	-	*	-	*	
74	*	*	*	*	*	-	-	-	*	*	*	*	
75	*	*	0.1	*	*	-	-	-	*	*	*	*	
76	0.1	0.1	0.3	0.2	0.2	-	-	-	0.1	0.3	*	0.1	
77	1.1	0.3	1.5	1.1	0.8	*	*	*	1.2	1.5	0.1	1.1	
78	4.5	1.1	6.3	4.5	2.5	*	0.1	0.1	4.6	6.3	0.5	4.2	
79	18.1	5.1	18.9	14.3	7.3	0.4	0.5	0.5	13.9	16.3	3.3	12.5	
80	35.4	16.5	31.0	26.3	17.0	3.6	3.9	3.8	29.6	27.2	17.2	27.1	
81	23.9	29.4	26.9	27.7	30.2	17.0	18.7	18.3	31.9	29.2	39.0	32.6	
82	11.3	32.9	12.2	19.1	29.4	37.9	46.2	44.5	15.2	15.3	30.0	17.7	
83	5.5	12.8	2.5	6.1	10.8	30.3	27.8	28.4	3.2	3.5	8.4	4.1	
84	0.1	1.6	0.3	0.7	1.6	9.5	2.6	4.1	0.3	0.4	1.4	0.5	
85	*	0.1	*	*	0.1	1.2	0.1	0.4	*	*	0.1	*	
86	-	*	*	*	*	*	*	*	*	-	*	*	
87	-	*	*	*	-	*	-	*	-	-	-	-	
88	-	-	-	-	-	-	-	-	-	-	-	-	
89	-	-	-	-	-	-	-	-	-	-	-	-	
90 & above	-	-	-	-	-	-	-	-	-	-	-	-	
Average uniformity	80.3	81.3	80.2	80.5	81.1	82.2	82.0	82.0	80.4	80.3	81.2	80.5	
Trash 2/ 00	-	*	*	*	*	-	-	-	-	-	-	-	
01	0.3	10.5	9.1	9.2	7.5	1.0	2.4	2.1	0.4	0.4	0.1	0.3	
02	4.1	17.3	20.6	18.9	21.7	9.4	15.3	14.1	6.4	7.2	3.9	6.1	
03	8.3	19.5	21.2	20.2	24.0	18.3	24.2	23.0	18.5	21.1	16.1	18.6	
04	11.6	17.0	17.0	16.8	19.4	21.3	22.0	21.8	24.4	27.4	26.1	25.2	
05	13.4	12.6	11.9	12.2	12.6	19.1	15.7	16.4	20.7	22.1	24.1	21.5	
06	13.6	8.4	7.7	8.2	7.1	13.8	9.8	10.6	13.9	12.6	15.7	14.0	
07	11.8	5.4	4.9	5.3	3.7	8.4	5.4	6.1	8.0	5.7	8.0	7.6	
08	9.5	3.4	3.1	3.4	1.9	4.5	2.8	3.1	4.1	2.3	3.6	3.7	
09	7.7	2.1	1.9	2.2	0.9	2.2	1.3	1.5	2.0	0.8	1.5	1.7	
10	5.7	1.4	1.1	1.4	0.5	1.1	0.6	0.7	0.9	0.3	0.6	0.7	
11	4.4	0.9	0.7	0.9	0.3	0.5	0.3	0.3	0.4	0.1	0.2	0.3	
12	3.1	0.6	0.4	0.5	0.2	0.3	0.1	0.2	0.1	*	0.1	0.1	
13	2.0	0.4	0.2	0.3	0.1	0.1	*	0.1	*	*	*	*	
14	1.3	0.2	0.1	0.2	0.1	0.1	*	*	*	*	*	*	
15	0.7	0.2	0.1	0.1	*	*	*	*	*	*	*	*	
16	0.4	0.1	0.1	0.1	*	*	*	*	*	*	*	*	
17	0.3	0.1	*	0.1	*	*	*	*	*	-	*	*	
18 & above	0.3	*	*	*	*	*	*	*	*	*	-	*	
Average trash	0.71	0.41	0.39	0.41	0.37	0.47	0.41	0.43	0.48	0.44	0.48	0.47	

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2015 crop.

Mike Groupings, Uniformity and Trash	LAMESA		LUBBOCK		MACON			MEMPHIS				
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
MIKE												
24 & below	*	*	*	*	-	*	-	-	-	-	-	*
25-26	*	0.1	*	*	*	*	-	-	-	-	-	*
27-29	0.3	1.4	*	*	*	*	*	*	*	*	*	*
30-32	1.2	5.4	0.1	*	0.1	0.1	0.1	*	0.6	*	0.1	0.1
33-34	2.0	7.5	0.2	*	0.2	0.2	0.2	0.1	2.3	0.1	0.2	0.2
35-36	3.8	11.6	0.4	0.2	0.6	0.5	0.7	0.5	4.7	0.4	0.9	0.4
37-42	32.1	52.1	8.7	4.3	10.3	9.8	17.0	12.9	39.6	8.5	19.4	8.7
43-49	58.0	21.5	63.3	71.4	72.3	71.0	57.6	65.5	47.7	46.7	58.7	63.3
50-52	2.5	0.4	24.2	21.9	15.3	16.8	17.7	16.9	4.5	31.9	16.3	24.2
53 & above	0.1	*	3.1	2.1	1.2	1.5	6.6	4.1	0.7	12.4	4.5	3.1
Average mike	43	39	47	47	46	47	46	46	43	48	46	47
Mike 35 - 49	93.9	85.2	72.4	75.9	83.1	81.3	75.3	78.9	92.0	55.6	78.9	80.3
Uniformity 1/												
72 & below	*	-	-	-	-	-	-	-	-	-	-	-
73	*	-	-	-	-	-	-	-	-	-	-	-
74	*	*	*	-	*	*	*	*	*	*	*	*
75	*	0.1	*	*	*	*	*	*	*	-	*	*
76	0.2	0.4	*	*	*	*	*	*	*	*	*	*
77	1.2	1.8	0.2	*	0.1	0.1	*	*	*	*	*	*
78	4.9	6.2	0.7	0.2	0.5	0.5	0.3	*	*	*	*	0.1
79	14.6	16.3	3.2	1.1	2.8	2.8	1.9	0.2	0.2	0.3	0.3	0.4
80	30.1	28.0	11.8	5.7	11.2	11.0	8.2	1.7	1.8	2.0	1.8	2.5
81	32.2	27.6	29.1	21.2	29.1	28.8	25.4	9.7	11.2	9.3	9.8	12.0
82	13.7	14.6	36.0	42.0	36.5	36.6	37.9	25.7	30.5	29.3	33.8	30.7
83	2.7	4.2	15.9	25.2	16.9	17.1	20.6	44.6	39.2	43.0	40.0	39.0
84	0.2	0.7	2.9	4.4	2.8	2.9	5.1	17.1	15.7	14.7	12.8	14.1
85	*	0.1	0.2	0.2	0.2	0.2	0.4	0.9	1.4	1.3	1.3	1.1
86	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*
87	*	*	-	-	*	*	-	*	*	*	*	*
88	-	*	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	80.3	80.3	81.5	81.9	81.6	81.6	81.8	82.6	82.5	82.6	82.5	81.5
Trash 2/												
00	*	*	-	-	-	-	-	-	-	-	-	-
01	6.4	3.5	1.2	1.8	0.3	0.5	1.5	0.5	0.4	1.2	0.9	0.7
02	19.9	14.0	15.5	19.2	7.7	9.3	12.3	7.6	5.9	12.0	7.7	8.0
03	21.8	19.8	28.4	29.7	22.7	23.8	24.7	17.3	17.1	20.0	17.4	18.4
04	17.6	19.0	24.0	24.3	26.6	26.1	24.4	22.4	21.5	19.8	21.5	21.9
05	12.4	15.2	15.3	14.2	20.2	19.3	17.0	19.6	18.5	16.9	18.8	18.6
06	8.2	10.8	8.4	6.7	11.9	11.2	9.8	13.7	13.5	12.2	13.7	13.1
07	5.2	7.1	4.1	2.7	6.0	5.6	5.3	8.5	9.1	8.2	8.8	8.4
08	3.3	4.4	1.9	1.0	2.7	2.5	2.8	5.0	5.8	4.8	5.2	5.0
09	2.0	2.6	0.8	0.3	1.1	1.0	1.3	2.8	3.6	2.4	2.9	2.9
10	1.3	1.6	0.3	0.1	0.4	0.4	0.6	1.4	2.2	1.3	1.6	1.6
11	0.8	0.9	0.1	*	0.2	0.2	0.3	0.8	1.3	0.7	0.8	0.9
12	0.5	0.5	0.1	*	0.1	0.1	0.1	0.3	0.6	0.3	0.3	0.4
13	0.3	0.3	*	*	*	*	*	0.1	0.3	0.1	0.1	0.1
14	0.2	0.2	*	*	*	*	*	0.1	0.2	0.1	0.1	0.1
15	0.1	0.1	*	*	*	*	*	*	0.1	*	*	*
16	*	*	*	-	*	*	*	*	*	*	*	*
17	*	*	*	-	*	*	*	*	*	*	*	*
18 & above	*	*	*	-	*	*	*	*	*	*	*	*
Average trash	0.41	0.46	0.40	0.37	0.44	0.43	0.42	0.49	0.52	0.47	0.49	0.49

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2015 crop.

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA				Classing Office Total	UNITED STATES
	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas		
MIKE										
24 & below	-	-	-	-	*	-	*	-	*	*
25-26	-	-	-	-	*	*	0.1	-	*	*
27-29	-	*	-	*	0.2	0.2	0.6	*	0.2	0.4
30-32	-	*	-	*	0.6	0.6	1.9	0.1	0.6	1.5
33-34	-	*	-	*	0.7	0.5	4.0	0.1	0.7	2.3
35-36	-	*	-	*	1.4	1.5	7.0	0.2	1.6	4.0
37-42	-	1.2	-	1.4	16.3	29.7	41.5	21.2	22.4	26.3
43-49	-	39.5	-	39.8	61.2	64.5	43.2	77.0	62.3	51.2
50-52	-	45.8	-	44.8	18.3	2.7	1.7	1.4	11.3	11.8
53 & above	-	13.6	-	13.8	1.4	0.2	0.1	-	0.8	2.5
Average mike	-	50	-	50	46	44	42	44	45	44
Mike 35 - 49	-	40.6	-	41.3	78.9	95.7	91.6	98.3	86.2	81.5
Uniformity 1/										
72 & below	-	-	-	-	-	-	-	-	-	*
73	-	-	-	-	*	-	-	-	*	*
74	-	-	-	-	*	-	-	-	*	*
75	-	-	-	-	*	*	*	-	*	*
76	-	*	-	*	0.1	*	-	-	*	0.2
77	-	*	-	*	0.5	0.1	0.1	*	0.3	0.8
78	-	0.1	-	0.2	2.5	0.7	0.9	0.1	1.7	3.0
79	-	0.7	-	1.0	10.0	3.4	6.6	0.8	7.1	8.9
80	-	4.2	-	4.9	29.3	10.2	29.8	14.5	21.7	18.9
81	-	17.0	-	17.6	39.7	21.6	44.9	51.9	33.5	26.8
82	-	32.3	-	32.3	16.4	38.4	16.2	14.7	24.6	24.9
83	-	36.9	-	35.6	1.3	20.5	1.5	10.2	8.8	13.2
84	-	8.3	-	7.9	0.1	4.9	*	6.4	2.1	3.0
85	-	0.6	-	0.6	*	0.3	*	1.2	0.2	0.2
86	-	*	-	*	-	*	-	0.1	*	*
87	-	-	-	-	-	-	-	-	-	*
88	-	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	-	82.2	-	82.2	80.5	81.7	80.7	81.4	81.0	81.1
Trash 2/										
00	-	-	-	-	-	*	-	-	*	*
01	-	2.8	-	3.1	11.4	34.0	8.0	5.0	19.5	4.0
02	-	15.4	-	17.1	31.9	44.9	27.9	24.8	36.4	14.4
03	-	23.5	-	24.2	25.0	14.2	26.1	27.3	21.1	21.3
04	-	22.9	-	22.4	14.1	4.4	17.9	22.4	10.9	20.9
05	-	16.2	-	15.4	7.0	1.5	10.1	12.8	5.2	15.8
06	-	9.5	-	8.9	3.7	0.6	5.1	5.4	2.6	10.2
07	-	5.1	-	4.7	2.3	0.2	2.4	1.7	1.5	6.0
08	-	2.4	-	2.3	1.4	0.1	1.1	0.3	0.9	3.4
09	-	1.2	-	1.1	1.0	*	0.7	0.1	0.6	1.9
10	-	0.6	-	0.6	0.7	*	0.3	*	0.4	1.0
11	-	0.3	-	0.2	0.4	*	0.2	*	0.3	0.6
12	-	0.1	-	0.1	0.3	*	0.1	*	0.2	0.3
13	-	*	-	*	0.2	*	0.1	*	0.1	0.2
14	-	*	-	*	0.2	*	*	-	0.1	0.1
15	-	*	-	*	0.1	*	*	-	0.1	0.1
16	-	*	-	*	0.1	-	*	-	*	*
17	-	*	-	*	0.1	-	-	-	*	*
18 & above	-	*	-	*	*	-	*	-	*	*
Average trash	-	0.41	-	0.40	0.33	0.20	0.33	0.34	0.28	0.43

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total.

Table 33. -- Percentage distribution of color, staple and uniformity American Pima cotton classed, by states and United States, 2014 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	1,430	4.8	63,721	18.4	-	-	88	0.3	65,389	15.7
	2	4,100	13.7	61,959	17.9	-	-	302	1.2	67,150	16.1
	3	249	0.8	2,393	0.7	-	-	29	0.1	2,857	0.7
	4	-	-	6	*	-	-	-	-	9	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		5,779	19.3	128,079	37.0	-	-	419	1.6	135,405	32.5
02	1	436	1.5	17,120	4.9	-	-	713	2.8	18,626	4.5
	2	11,244	37.5	99,668	28.8	-	-	5,737	22.5	121,208	29.1
	3	3,991	13.3	30,619	8.8	-	-	2,105	8.3	40,125	9.6
	4	75	0.3	1,312	0.4	-	-	91	0.4	1,905	0.5
	5	-	-	11	*	-	-	-	-	22	*
	6	-	-	1	*	-	-	-	-	2	*
	7	-	-	-	-	-	-	-	-	-	-
Total		15,746	52.6	148,731	42.9	-	-	8,646	34.0	181,888	43.7
03	1	17	0.1	625	0.2	-	-	161	0.6	829	0.2
	2	3,409	11.4	19,858	5.7	-	-	6,724	26.4	31,072	7.5
	3	3,400	11.3	27,274	7.9	-	-	4,898	19.2	37,314	9.0
	4	232	0.8	4,304	1.2	-	-	1,628	6.4	6,941	1.7
	5	3	*	212	0.1	-	-	110	0.4	370	0.1
	6	3	*	22	*	-	-	4	*	30	*
	7	2	*	-	-	-	-	-	-	2	*
Total		7,066	23.6	52,295	15.1	-	-	13,525	53.0	76,558	18.5
04	1	-	-	32	*	-	-	1	*	33	*
	2	385	1.3	2,067	0.6	-	-	596	2.3	3,068	0.7
	3	591	2.0	7,542	2.2	-	-	1,406	5.5	9,599	2.3
	4	47	0.2	3,008	0.9	-	-	553	2.2	3,669	0.9
	5	2	*	560	0.2	-	-	99	0.4	678	0.2
	6	-	-	158	*	-	-	20	0.1	203	*
	7	11	*	21	*	-	-	1	*	38	*
Total		1,036	3.5	13,388	3.9	-	-	2,676	10.5	17,288	4.1
05	1	-	-	4	*	-	-	-	-	4	*
	2	14	*	202	0.1	-	-	19	0.1	235	0.1
	3	70	0.2	1,174	0.3	-	-	109	0.4	1,355	0.3
	4	17	0.1	1,280	0.4	-	-	43	0.2	1,342	0.3
	5	9	*	457	0.1	-	-	15	0.1	496	0.1
	6	20	0.1	162	*	-	-	2	*	225	0.1
	7	24	0.1	40	*	-	-	-	-	199	*
Total		154	0.5	3,319	0.9	-	-	188	0.8	3,856	0.9
06	1	-	-	1	*	-	-	-	-	1	*
	2	-	-	4	*	-	-	-	-	4	*
	3	-	-	78	*	-	-	4	*	82	*
	4	-	-	220	0.1	-	-	2	*	222	0.1
	5	6	*	112	*	-	-	-	-	124	*
	6	23	0.1	50	*	-	-	1	*	92	*
	7	103	0.3	39	*	-	-	-	-	305	0.1
Total		132	0.4	504	0.1	-	-	7	*	830	0.2
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	9	*	-	-	-	-	9	*
	4	-	-	15	*	-	-	-	-	15	*
	5	-	-	3	*	-	-	-	-	3	*
	6	2	*	5	*	-	-	-	-	8	*
	7	44	0.1	7	*	-	-	-	-	123	*
Total		46	0.1	39	*	-	-	-	-	158	*
STAPLE											
40 & shorter			1	-	-	-	1	-	2	*	
42			28	*	-	-	49	0.2	82	*	
44			2,137	0.6	-	-	1,099	4.3	4,067	1.0	
46			43,995	12.7	-	-	9,789	38.4	64,450	15.5	
48 & longer			300,194	86.7	-	-	14,523	57.0	347,382	83.5	
Average		47.4	48.0	-	-	47.1	47.9				
UNIFORMITY											
72 & below			-	-	-	-	-	-	-	-	-
73			-	-	-	-	-	-	-	-	-
74			-	-	-	-	-	-	-	-	-
75			-	-	-	-	-	-	-	-	-
76			-	-	-	-	-	-	-	-	-
77			-	-	-	-	-	-	-	-	-
78			-	-	-	-	-	-	-	-	-
79			-	-	-	-	-	-	-	-	-
80			-	-	-	-	-	-	-	-	-
81			6	*	-	-	-	-	8	*	
82			215	0.1	-	-	86	0.3	317	0.1	
83			1,580	0.5	-	-	190	0.7	1,975	0.5	
84			15,961	4.6	-	-	856	3.4	18,341	4.4	
85			79,604	23.0	-	-	5,100	20.0	96,857	23.3	
86			16,623	55.5	182,900	52.8	16,862	66.2	225,211	54.1	
87			1,320	4.4	62,097	17.9	2,285	9.0	69,102	16.6	
88			45	0.2	3,901	1.1	75	0.3	4,073	1.0	
89			1	*	91	*	7	*	99	*	
90 & above			-	-	-	-	-	-	-	-	-
Average		85.5	85.8	-	-	85.8	85.8				
BALES CLASSED		29,959		346,355		-		25,461		415,983	

* Less than 0.05 percent.

Table 34. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2015 crop.

Grade, Staple and Mike	State				United States
	Arizona	California	New Mexico	Texas	
Mike groups					
24 & below	-	-	-	-	-
25 - 26	-	43	*	-	58
27 - 29	42	1,858	0.5	33	2,070
30 - 32	693	5,482	1.6	529	6,990
33 - 34	2,027	8,840	2.6	1,541	13,344
35 - 36	7,323	26,954	7.8	2,898	38,754
37 - 42	19,538	275,926	79.7	15,264	319,685
43 - 49	336	27,248	7.9	5,196	35,067
50 - 52	-	4	*	-	11
53 & above	-	-	-	-	4
Average mike	38	39	-	40	39
Mike readings					
24 & below	-	-	-	-	-
25	-	4	*	-	5
26	-	39	*	-	53
27	-	233	0.1	-	241
28	-	601	0.2	-	677
29	42	1,024	0.3	33	1,152
30	170	1,392	0.4	78	1,649
31	145	1,691	0.5	154	2,066
32	378	2,399	0.7	297	3,275
33	661	3,441	1.0	654	5,035
34	1,366	5,399	1.6	887	8,309
35	2,692	10,037	2.9	1,106	14,451
36	4,631	16,917	4.9	1,792	24,303
37	4,524	28,535	8.2	1,897	36,378
38	3,807	40,782	11.8	2,087	48,322
39	3,189	53,601	15.5	2,636	61,559
40	3,195	66,145	19.1	2,905	73,677
41	3,005	53,395	15.4	2,731	60,415
42	1,818	33,468	9.7	3,008	39,334
43	280	16,403	4.7	2,525	20,370
44	50	6,884	2.0	1,504	9,228
45	4	2,333	0.7	715	3,308
46	2	1,134	0.3	349	1,531
47	-	407	0.1	101	537
48	-	86	*	2	88
49	-	1	*	-	5
50	-	4	*	-	6
51	-	-	-	-	2
52	-	-	-	-	3
53	-	-	-	-	3
54	-	-	-	-	1
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average mike	38	39	-	40	39
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	3	3
32	-	-	-	4	4
33	-	3	*	-	3
34	1	14	*	13	29
35	1	49	*	12	67
36	16	1,544	0.4	45	1,618
37	51	5,026	1.5	68	5,172
38	189	9,951	2.9	412	10,655
39	683	9,635	2.8	1,227	11,904
40	2,163	7,666	2.2	3,335	14,172
41	3,971	12,619	3.6	5,311	23,984
42	6,721	26,180	7.6	6,288	42,779
43	8,249	45,326	13.1	3,875	60,198
44	5,008	69,743	20.1	1,786	78,839
45 & above	2,906	158,599	45.8	3,082	166,556
Average Strength	42.5	43.9	-	42.0	43.6
Extraneous matter					
Bark	331	36	*	146	513
Grass	9	15	*	-	24
Spindle twist	2	1,430	0.4	-	1,432
Preparation	-	3	*	-	3

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.