
USDA, AMS Cotton and Tobacco Program

Cotton Market News Division
3275 Appling Road
Memphis, TN 38133
901-384-3016

mp_cn831

Annual Quality

COTTON QUALITY - UNITED STATES 2016 Crop

Color

The predominant color grade of Upland cotton classed from the 2016 crop was color grade 31, accounting for 43.0 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton and Tobacco Program. Color grades 11 & 21 accounted for 26.9 percent of classings; color grade 41, 20.0 percent; grades 51, 61 and 71, 1.3 percent. For the 2015 Upland crop, color 31 was the predominant color grade, accounting for 34.6 percent of classings; color grade 41 accounted for 20.9 percent of classings; color grades 11 & 21, 14.9 percent; color grades 51, 61 and 71, 3.9 percent. In the white color grades, color 41 and better made up 89.9 percent of classings, up from 70.4 percent in 2015. All white color grades accounted for 91.2 percent of the 2016 crop, up from 74.3 percent in 2015. Light Spotted color grades comprised 7.6 percent of classings, down from 22.4 percent in 2015. Spotted, Tinged, Yellow Stained and Below Grades accounted for about 1.2 percent of classings this season, down from 3.4 in 2015.

Leaf

The predominant leaf grade of Upland cotton classed from the 2016 crop was leaf grade 3, accounting for 42.0 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 41.8 percent of classings. Leaf grade 1 and 2 comprised the next highest percentage from the 2016 crop at 31.5 percent against 15.8 percent a year ago. Leaf grades 4 made up 20.2 percent of classings of the 2016 crop, compared with 30.6 percent in 2015. Leaf grade 5 made up 5.2 percent of classings of the 2016 crop, down from 9.4 percent in 2015. Leaf grades 6, 7 and 8 made up 1.1 percent of classings, down from 2.4 percent last year.

Staple

The average staple length of Upland cotton classed from the 2016 crop was 36.3 thirty-seconds of an inch, up from 35.9 a year ago. The predominant staple length was 37, accounting for 30.0 percent of classings. Staples 32 and shorter comprised .6 percent of classings; staple 33, 2.3 percent; staple 34, 7.3 percent; staple 35, 16.7 percent; staple 36, 27.1 percent; staple 38, 10.2 percent; staple 39 and longer, 5.8 percent. For the 2015 crop, staple 37 was the predominate staple length, accounting for 24.6 percent of classings; staples 32 and shorter comprised 1.6 percent of classings; staple 33, 5.0 percent; staple 34, 12.1 percent; staple 35, 20.2 percent; staple 36, 23.8 percent; staple 38, 8.8 percent; staple 39 and longer, 4.0 percent.

Mike

The average mike of Upland cotton classed from the 2016 crop was 4.4, the same as the average for last year. Cotton with mike 2.9 and lower made up 1.0 percent of classing; 3.0 to 3.2, 1.8 percent, 3.3 to 3.4, 2.2 percent, 3.5 to 3.6, 3.3 percent, 3.7 to 4.2, 22.9 percent, 4.3 to 4.9, 55.4 percent; 5.0 to 5.2, 11.6 percent; 5.3 and higher, 1.8 percent. For the 2015 crop, cotton with mike 2.9 and lower made up .4 percent of classing; 3.0 to 3.2, 1.5 percent, 3.3 to 3.4, 2.3 percent, 3.5 to 3.6, 4.0 percent, 3.7 to 4.2, 26.3 percent, 4.3 to 4.9, 51.2 percent; 5.0 to 5.0, 11.8 percent; 5.3 and higher, 2.5 percent.

Strength

The average fiber strength of Upland cotton classed from the 2016 crop was 30.3 grams per tex (gpt), the same as a year ago. Strengths in the 25 gpt and lower range accounted for 1.0 percent of classings; strengths in the 26 to 27 gpt, 9.8 percent; strengths of 28 to 29 gpt, 31.8 percent; strengths of 30 to 31 gpt, 37.8 percent; strengths in the 32 to 33 gpt, 15.8 percent; strengths in the 34 and higher range comprised 3.7 percent of classings. For the 2015 crop, strengths in the 25 gpt and lower range accounted for 2.6 percent of classings; strengths in the 26 to 27 gpt, 12.4 percent; strengths of 28 to 29 gpt, 28.7 percent; strengths of 30 to 31 gpt, 31.8 percent; strengths in the 32 to 33 gpt, 18.6 percent; strengths in the 34 and higher range comprised 5.9 percent of classings.

American Pima

Color grades 1 and 2 made up 87.5 percent of classings from the 2016 crop, up slightly from 87.3 percent last year. Color grade 2 was the predominant color grade in 2016, accounting for 49.1 percent of the classings. Color grade 1 accounted for 38.4 percent; color grade 3, 9.2 percent; color grade 4, 2.2 percent; color grades 5 and lower, 1.1 percent of the 2016 classings. Leaf grade 2 was the predominant leaf grade in 2016, accounting for 52.2 percent of classings. Leaf grade 1 accounted for 33.5 percent, leaf grade 3, 11.9 percent; leaf grade 4, 2.0 percent; leaf grades 5 and lower, .4 percent. The average staple length was 48.9 thirty-seconds of an inch, up from 47.9 last year. Staple 50 was the predominate staple length, accounting for 45.4 percent of classings. Average mike was 3.9, down slightly from 4.0 last year. Average fiber strength was 43.6 grams per tex, up from 42.7 last year.

Cotton Ginnings

Ginnings of 2016-crop cotton in the United States totaled 16,710,000 running bales, according to the Cotton Ginnings 2016 Summary report released on May 10, 2017 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 16,160,450 bales of Upland and 549,550 bales of American Pima cotton. The number of active cotton gins for crop year 2016 was 556, down from 560 in 2015. Classings at AMS, Cotton and Tobacco Program, Classing Offices totaled 16,157,380 Upland samples and 542,614 American Pima samples through May 18, 2017.

Color	2015	2016
11 & 21	14.9%	26.9%
31	34.6%	43.0%
41	20.9%	20.0%
51, 61, 71	3.9%	1.3%
LT SP	22.4%	7.6%
SP, TG, YS, BG	3.4%	1.2%

Leaf Group	2015	2016
1 & 2	15.8%	31.5%
3	41.8%	42.0%
4	30.6%	20.2%
5	9.4%	5.2%
6, 7, 8	2.4%	1.1%

Staple	2015	2016
32 & shorter	1.6%	0.6%
33	5.0%	2.3%
34	12.1%	7.3%
35	20.2%	16.7%
36	23.8%	27.1%
37	24.6%	30.0%
38	8.8%	10.2%
39 & longer	4.0%	5.8%

Mike	2015	2016
29 & lower	0.4%	1.0%
30-32	1.5%	1.8%
33-34	2.3%	2.2%
35-36	4.0%	3.3%
37-42	26.3%	22.9%
43-49	51.2%	55.4%
50-52	11.8%	11.6%
53 & higher	2.5%	1.8%

Strength	2015	2016
25 & lower	2.6%	1.0%
26-27	12.4%	9.8%
28-29	28.7%	31.8%
30 to 31	31.8%	37.8%
32-33	18.6%	15.8%
34 and higher	5.9%	3.7%

	2015	2016
Cotton Ginnings		
Upland	12,112,750	16,160,450
Pima	416,200	549,550
Total	12,528,950	16,710,000
Number of Gins	560	556

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	3	39	838	9,580	55,583	204,976	271,019
	3	-	-	2	6	162	1,770	11,991	51,988	65,919
	4	-	-	-	1	-	93	640	2,635	3,369
	5	-	-	-	-	-	2	22	94	118
	6	-	-	-	-	-	-	-	3	3
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	5	46	1,000	11,445	68,236	259,696
31	1-2	-	-	13	98	1,104	11,158	59,554	194,356	266,283
	3	-	-	6	87	1,307	9,047	54,875	217,300	282,622
	4	-	-	4	51	504	2,473	9,437	36,118	48,587
	5	-	-	-	3	91	456	1,429	2,907	4,886
	6	-	-	-	-	3	48	143	225	419
	7	-	-	-	-	-	3	9	17	29
	TOTAL----		-	-	23	239	3,009	23,185	125,447	450,923
41	1-2	-	-	1	8	303	2,393	13,212	35,460	51,377
	3	-	-	5	119	740	5,329	35,477	115,928	157,598
	4	-	-	7	96	631	3,333	16,499	64,421	84,987
	5	-	1	-	30	318	1,665	5,866	18,545	26,425
	6	-	-	1	3	80	604	2,157	4,297	7,142
	7	-	-	2	2	23	149	630	916	1,720
	TOTAL----		-	1	14	258	2,095	13,473	73,841	239,567
51	1-2	-	-	-	1	90	411	1,508	2,445	4,455
	3	-	-	-	21	271	1,563	6,558	13,512	21,925
	4	-	-	1	2	124	1,064	3,776	10,485	15,452
	5	-	-	-	-	29	352	1,154	3,648	5,183
	6	-	-	-	1	20	116	534	1,626	2,297
	7	-	-	-	-	6	118	424	929	1,477
	TOTAL----		-	-	1	25	540	3,624	13,954	32,645
61	1-2	-	-	-	-	-	7	57	81	145
	3	-	-	-	-	8	67	282	468	825
	4	-	-	-	-	12	38	122	285	457
	5	-	-	-	-	3	9	33	121	166
	6	-	-	-	-	1	8	13	36	58
	7	-	-	-	1	-	9	4	12	26
	TOTAL----		-	-	-	1	24	138	511	1,003
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	3	-	3
	5	-	-	-	-	-	-	1	-	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	4	-
12 & 22	1-2	-	-	-	13	142	873	3,814	11,340	16,182
	3	-	-	-	1	44	516	2,767	8,943	12,271
	4	-	-	-	-	13	129	510	1,336	1,988
	5	-	-	-	-	-	5	16	105	126
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	14	199	1,523	7,107	21,725
32	1-2	-	-	12	48	259	1,620	4,225	9,119	15,283
	3	-	-	-	50	449	2,300	7,976	20,676	31,451
	4	-	-	-	10	133	856	2,562	7,066	10,627
	5	-	-	-	2	18	203	508	1,621	2,352
	6	-	-	-	-	-	23	106	363	492
	7	-	-	-	-	1	1	19	71	92
	TOTAL----		-	-	12	110	860	5,003	15,396	38,916
42	1-2	-	-	3	14	119	573	1,507	2,638	4,854
	3	-	-	1	52	524	2,727	10,850	23,288	37,442
	4	-	-	-	58	631	2,674	7,796	21,627	32,786
	5	-	-	2	19	319	1,259	2,801	6,758	11,158
	6	-	-	1	13	74	366	935	1,735	3,124
	7	-	-	-	1	24	92	244	457	818
	TOTAL----		-	-	7	157	1,691	7,691	24,133	56,503
52	1-2	-	-	3	37	50	147	450	622	1,309
	3	-	-	6	98	575	2,838	8,582	11,923	24,022
	4	-	-	4	114	819	3,721	9,512	20,206	34,376
	5	-	-	1	47	400	1,728	3,254	7,135	12,565
	6	-	-	1	13	146	588	1,094	1,750	3,592
	7	-	-	-	1	43	200	439	564	1,247
	TOTAL----		-	-	15	310	2,033	9,222	23,331	42,200

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	2	10	7	65	44	128
	3	-	-	1	61	418	746	1,167	921	3,314
	4	-	-	-	31	303	903	1,472	1,783	4,492
	5	-	-	1	10	106	175	446	725	1,463
	6	-	-	-	1	22	33	78	147	281
	7	-	-	-	-	1	8	23	35	67
	TOTAL----		-	-	2	105	860	1,872	3,251	3,655
13 & 23	1-2	-	-	1	3	7	49	252	1,005	1,317
	3	-	-	-	2	6	39	150	623	820
	4	-	-	-	-	-	13	30	98	141
	5	-	-	-	-	-	-	-	5	5
	6	-	-	-	-	-	-	-	2	2
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	1	5	13	101	432	1,733
33	1-2	-	-	-	7	9	56	292	1,071	1,435
	3	-	-	-	6	15	115	651	2,276	3,063
	4	-	-	-	1	11	96	303	947	1,358
	5	-	-	-	-	3	34	80	270	387
	6	-	-	-	-	-	1	3	55	59
	7	-	-	-	-	-	-	2	6	8
	TOTAL----		-	-	-	14	38	302	1,331	4,625
43	1-2	-	-	-	-	3	44	104	153	304
	3	-	-	1	2	35	248	954	1,825	3,065
	4	-	-	-	4	54	238	874	2,175	3,345
	5	-	-	-	2	45	155	346	853	1,401
	6	-	-	-	-	15	51	96	384	546
	7	-	-	-	-	-	9	30	134	173
	TOTAL----		-	-	1	8	152	745	2,404	5,524
53	1-2	-	-	4	1	19	53	43	55	175
	3	-	-	2	34	254	746	1,344	1,670	4,050
	4	-	-	7	251	676	1,078	2,665	4,953	9,630
	5	-	-	2	65	367	1,115	1,671	2,159	5,379
	6	-	-	1	4	68	400	672	691	1,836
	7	-	-	-	4	8	74	163	270	519
	TOTAL----		-	-	16	359	1,392	3,466	6,558	9,798
63	1-2	-	-	-	4	16	27	40	15	102
	3	-	-	1	38	165	362	488	290	1,344
	4	-	-	8	48	280	720	921	834	2,811
	5	-	-	3	30	187	410	536	526	1,692
	6	-	-	-	4	29	133	200	196	562
	7	-	-	-	-	2	21	37	46	106
	TOTAL----		-	-	12	124	679	1,673	2,222	1,907
24-54	1-7	-	-	-	2	22	133	520	1,262	1,939
25-35	1-7	-	-	-	-	-	-	1	1	2
81-85 1/	1-7	-	-	2	56	176	269	375	404	1,282
All Colors	8 2/	-	-	-	6	53	211	665	865	1,800
TOTAL, ALL---		-	1	111	1,839	14,836	84,076	369,719	1,172,952	1,643,534

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
11 & 21	1-2	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
	3	477,748	726,882	782,833	334,895	196,848	78,369	2,597,575	2,868,594
	4	175,675	377,067	451,284	164,093	84,421	30,888	1,283,428	1,349,347
	5	11,273	32,637	45,981	14,052	5,303	2,028	111,274	114,643
	6	338	956	1,383	535	216	49	3,477	3,595
	7	9	18	23	12	5	-	67	70
	7	-	-	-	-	-	-	-	-
TOTAL----		665,043	1,137,560	1,281,504	513,587	286,793	111,334	3,995,821	4,336,249
31	1-2	386,486	488,595	421,589	149,445	71,240	22,174	1,539,529	1,805,812
	3	582,865	1,057,008	1,171,008	357,557	160,562	48,131	3,377,131	3,659,753
	4	135,914	353,239	528,995	174,179	62,194	19,188	1,273,709	1,322,296
	5	10,277	32,690	61,603	27,111	7,638	2,168	141,487	146,373
	6	548	1,454	2,764	1,273	376	116	6,531	6,950
	7	22	72	131	44	5	3	277	306
	7	-	-	-	-	-	-	-	-
TOTAL----		1,116,112	1,933,058	2,186,090	709,609	302,015	91,780	6,338,664	6,941,490
41	1-2	52,550	54,936	42,216	10,770	3,486	916	164,874	216,251
	3	229,242	330,074	314,377	82,982	27,402	6,842	990,919	1,148,517
	4	176,705	329,978	476,800	157,141	39,118	8,503	1,188,245	1,273,232
	5	50,833	101,477	195,698	96,065	21,253	3,400	468,726	495,151
	6	9,770	17,889	29,559	16,522	4,237	752	78,729	85,871
	7	1,837	3,396	4,311	1,992	592	82	12,210	13,930
	7	-	-	-	-	-	-	-	-
TOTAL----		520,937	837,750	1,062,961	365,472	96,088	20,495	2,903,703	3,232,952
51	1-2	2,564	1,900	815	101	25	14	5,419	9,874
	3	18,177	17,049	11,083	2,798	844	214	50,165	72,090
	4	20,948	21,527	16,163	4,352	1,431	275	64,696	80,148
	5	8,913	10,486	8,595	2,147	571	97	30,809	35,992
	6	3,048	3,688	2,939	763	184	17	10,639	12,936
	7	1,506	1,692	1,287	285	89	24	4,883	6,360
	7	-	-	-	-	-	-	-	-
TOTAL----		55,156	56,342	40,882	10,446	3,144	641	166,611	217,400
61	1-2	47	51	21	6	-	-	125	270
	3	487	440	296	63	4	-	1,290	2,115
	4	408	415	299	38	12	-	1,172	1,629
	5	169	165	126	11	5	-	476	642
	6	44	33	20	11	9	3	120	178
	7	20	7	7	4	6	2	46	72
	7	-	-	-	-	-	-	-	-
TOTAL----		1,175	1,111	769	133	36	5	3,229	4,906
71	1-2	-	-	-	-	-	-	-	-
	3	1	1	3	-	-	-	5	5
	4	-	5	1	-	-	-	6	9
	5	-	1	1	-	-	-	2	3
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
TOTAL----		1	7	5	-	-	-	13	17
12 & 22	1-2	25,184	31,019	19,372	3,482	1,420	996	81,473	97,655
	3	26,241	47,992	32,556	5,535	1,716	659	114,699	126,970
	4	5,334	11,300	10,654	1,378	254	78	28,998	30,986
	5	569	635	704	67	17	3	1,995	2,121
	6	20	18	16	1	-	-	55	56
	7	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
TOTAL----		57,348	90,964	63,302	10,463	3,407	1,736	227,220	257,788
32	1-2	15,306	14,875	8,400	1,692	1,025	706	42,004	57,287
	3	44,549	57,141	38,351	7,871	3,137	1,439	152,488	183,939
	4	21,104	37,987	30,329	6,365	1,716	518	98,019	108,646
	5	3,993	7,756	7,837	1,653	425	110	21,774	24,126
	6	634	956	1,061	227	55	26	2,959	3,451
	7	53	53	91	28	4	-	229	321
	7	-	-	-	-	-	-	-	-
TOTAL----		85,639	118,768	86,069	17,836	6,362	2,799	317,473	377,770
42	1-2	2,883	2,184	1,258	230	86	19	6,660	11,514
	3	32,668	28,778	17,092	3,353	965	242	83,098	120,540
	4	42,744	50,792	33,021	6,260	1,468	315	134,600	167,386
	5	14,267	20,288	15,352	3,363	633	137	54,040	65,198
	6	3,537	4,732	3,804	969	182	68	13,292	16,416
	7	846	1,041	923	250	60	16	3,136	3,954
	7	-	-	-	-	-	-	-	-
TOTAL----		96,945	107,815	71,450	14,425	3,394	797	294,826	385,008
52	1-2	384	252	147	6	1	-	790	2,099
	3	12,049	7,386	3,374	318	67	10	23,204	47,226
	4	27,589	19,336	8,876	808	158	29	56,796	91,172
	5	10,331	8,213	4,462	571	71	45	23,693	36,258
	6	2,579	1,939	946	164	16	16	5,660	9,252
	7	832	732	280	35	8	8	1,895	3,142
	7	-	-	-	-	-	-	-	-
TOTAL----		53,764	37,858	18,085	1,902	321	108	112,038	189,149

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2016 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL	
		35	36	37	38	39	40 &+	35 to 40+		
62	1-2	Bales 19	Bales 3	Bales 3	Bales 3	Bales -	Bales -	Bales 28	Bales 156	
	3	529	311	89	4	1	-	934	4,248	
	4	1,021	578	341	29	3	-	1,972	6,464	
	5	487	169	99	8	-	-	763	2,226	
	6	118	37	19	-	-	-	174	455	
	7	29	14	10	1	-	4	58	125	
	TOTAL----		2,203	1,112	561	45	4	4	3,929	13,674
13 & 23	1-2	2,693	3,668	2,148	411	139	41	9,100	10,417	
	3	2,235	3,936	3,326	732	227	82	10,538	11,358	
	4	327	752	866	210	40	11	2,206	2,347	
	5	21	61	82	22	2	1	189	194	
	6	3	3	10	3	-	-	19	21	
	7	-	-	-	-	-	-	-	-	
	TOTAL----		5,279	8,420	6,432	1,378	408	135	22,052	24,337
33	1-2	2,698	3,446	1,995	275	116	45	8,575	10,010	
	3	7,480	11,538	8,920	1,839	689	209	30,675	33,738	
	4	3,513	6,232	6,763	1,517	452	122	18,599	19,957	
	5	631	1,222	1,815	414	127	24	4,233	4,620	
	6	72	124	243	54	35	18	546	605	
	7	4	14	16	-	4	2	40	48	
	TOTAL----		14,398	22,576	19,752	4,099	1,423	420	62,668	68,978
43	1-2	238	207	113	15	8	-	581	885	
	3	2,484	2,576	1,509	357	160	37	7,123	10,188	
	4	4,161	5,157	3,490	802	252	58	13,920	17,265	
	5	2,094	2,815	2,342	525	173	41	7,990	9,391	
	6	612	746	848	247	71	16	2,540	3,086	
	7	200	219	208	72	34	4	737	910	
	TOTAL----		9,789	11,720	8,510	2,018	698	156	32,891	41,725
53	1-2	23	25	6	1	-	-	55	230	
	3	1,194	417	181	16	10	5	1,823	5,873	
	4	4,136	2,190	779	87	19	5	7,216	16,846	
	5	2,172	1,335	638	75	12	2	4,234	9,613	
	6	571	404	182	30	4	1	1,192	3,028	
	7	216	140	72	21	4	-	453	972	
	TOTAL----		8,312	4,511	1,858	230	49	13	14,973	36,562
63	1-2	6	6	1	-	-	-	13	115	
	3	160	39	11	-	-	-	210	1,554	
	4	510	197	44	2	2	-	755	3,566	
	5	311	117	24	3	-	1	456	2,148	
	6	85	52	31	5	-	1	174	736	
	7	12	6	6	1	-	-	25	131	
	TOTAL----		1,084	417	117	11	2	2	1,633	8,250
24-54	1-7	0	4,395	3,378	614	240	68	11,541	13,480	
25-35	1-7	0	43	12	-	-	-	81	83	
81-85 1/	1-7	0	198	132	17	5	3	576	1,858	
All Colors	8 2/	0	1,074	1,023	283	150	36	3,942	5,742	
TOTAL, ALL-----		0	4,375,699	4,852,892	1,652,568	704,539	230,532	14,513,884	16,157,380	
EXTRANEIOUS MATTER									Average Staple -----	36.3
Bark - Level 1		1,084,173							Percent Tenderable -----	72.0
Bark - Level 2		12								
Grass - Level 1		16,305								
Grass - Level 2		4								
Prep - Level 1		1,842								
Prep - Level 2		4								
Other - Level 1		15,607								
Other - Level 2		7								

16,157,380 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
11 & 21	1-2	-	-	24	816	9,220	33,882	95,366	203,690	342,998
	3	-	-	10	338	3,964	14,452	39,498	104,050	162,312
	4	-	-	-	20	452	2,216	5,032	12,736	20,456
	5	-	-	-	2	44	130	300	908	1,384
	6	-	-	-	-	-	-	34	34	68
	7	-	-	-	-	-	-	2	2	4
	TOTAL----		-	-	34	1,176	13,680	50,680	140,232	321,420
31	1-2	-	-	12	100	2,252	18,756	79,704	190,626	291,450
	3	-	-	12	122	2,640	25,432	139,070	433,280	600,556
	4	-	-	2	38	762	7,638	42,574	166,872	214,334
	5	-	-	-	12	176	1,198	4,966	20,524	26,876
	6	-	-	-	-	12	140	350	1,362	1,864
	7	-	-	-	-	-	10	26	90	126
	TOTAL----		-	-	26	272	5,842	53,174	266,690	809,202
41	1-2	-	-	-	46	1,188	7,780	25,136	49,970	84,120
	3	-	-	2	64	1,998	17,388	81,208	230,414	331,074
	4	-	-	-	28	900	9,772	52,616	166,872	230,188
	5	-	-	-	8	300	3,000	18,302	60,192	81,802
	6	-	-	2	2	80	716	3,810	12,976	17,586
	7	-	-	-	2	28	152	686	2,404	3,272
	TOTAL----		-	-	4	150	4,494	38,808	181,758	522,828
51	1-2	-	-	-	-	106	1,702	5,536	10,490	17,834
	3	-	-	-	8	184	2,864	17,072	59,588	79,716
	4	-	-	-	2	154	870	6,550	28,276	35,852
	5	-	-	-	-	28	248	1,508	5,504	7,288
	6	-	-	-	-	6	86	496	1,818	2,406
	7	-	-	-	-	-	22	198	868	1,088
	TOTAL----		-	-	-	10	478	5,792	31,360	106,544
61	1-2	-	-	-	-	6	88	320	298	712
	3	-	-	-	-	2	206	1,212	2,388	3,808
	4	-	-	-	-	-	64	572	1,434	2,070
	5	-	-	-	-	-	8	50	198	256
	6	-	-	-	-	-	2	-	28	30
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	8	368	2,154	4,346
71	1-2	-	-	-	-	-	14	16	6	36
	3	-	-	-	-	10	76	88	146	320
	4	-	-	-	-	2	68	176	292	538
	5	-	-	-	2	6	4	30	86	128
	6	-	-	-	-	-	-	2	18	20
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	2	18	162	312	548
12 & 22	1-2	-	-	14	1,258	5,202	25,202	58,792	66,562	157,030
	3	-	2	14	386	2,630	10,968	29,752	50,508	94,260
	4	-	-	-	132	1,064	2,256	5,808	10,054	19,314
	5	-	-	-	4	168	228	486	1,084	1,970
	6	-	-	-	-	14	4	18	68	104
	7	-	-	-	-	-	-	-	2	2
	TOTAL----		-	2	28	1,780	9,078	38,658	94,856	128,278
32	1-2	-	-	8	286	2,526	13,358	35,824	49,514	101,516
	3	-	-	14	328	3,306	19,984	70,792	139,378	233,802
	4	-	-	-	60	1,200	6,644	27,154	69,470	104,528
	5	-	-	-	28	248	1,208	4,042	13,760	19,286
	6	-	-	-	8	30	196	406	1,924	2,564
	7	-	-	-	2	4	36	46	264	352
	TOTAL----		-	-	22	712	7,314	41,426	138,264	274,310
42	1-2	-	-	-	38	996	4,186	10,274	15,862	31,356
	3	-	-	6	170	2,492	15,170	51,754	107,954	177,546
	4	-	-	-	50	1,190	8,972	37,350	90,762	138,324
	5	-	-	-	36	420	2,852	11,034	28,222	42,564
	6	-	-	-	8	74	538	2,412	6,878	9,910
	7	-	-	-	2	16	58	484	1,388	1,948
	TOTAL----		-	-	6	304	5,188	31,776	113,308	251,066
52	1-2	-	-	-	8	328	2,210	5,826	9,852	18,224
	3	-	-	-	22	780	48,994	48,994	120,344	180,130
	4	-	-	-	2	190	4,338	34,384	113,862	152,776
	5	-	-	-	2	30	564	4,882	20,524	26,002
	6	-	-	-	6	18	108	680	1,864	2,676
	7	-	-	-	6	32	48	246	516	848
	TOTAL----		-	-	-	46	1,378	17,258	95,012	266,962

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	8	28	4	104	878	1,898	1,904	4,824
	3	-	10	50	76	520	5,344	16,836	25,276	48,112
	4	-	-	4	10	276	3,672	16,444	32,912	53,318
	5	-	-	-	-	48	622	3,338	8,460	12,468
	6	-	-	-	-	6	32	268	832	1,138
	7	-	-	-	-	-	2	32	56	90
	TOTAL----		-	18	82	90	954	10,550	38,816	69,440
13 & 23	1-2	-	-	-	40	622	2,416	5,362	5,006	13,446
	3	-	-	-	12	162	1,056	3,042	5,160	9,432
	4	-	-	-	4	40	110	528	928	1,610
	5	-	-	-	-	8	8	50	52	118
	6	-	-	-	-	-	-	12	2	14
	7	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	56	832	3,590	8,994	11,148
33	1-2	-	-	-	94	706	2,466	4,496	4,976	12,738
	3	-	2	2	42	668	3,662	9,732	15,148	29,256
	4	-	-	-	10	128	722	3,400	7,440	11,700
	5	-	-	-	-	10	124	460	1,526	2,120
	6	-	-	-	-	2	36	50	210	298
	7	-	-	-	-	2	2	-	22	26
	TOTAL----		-	2	2	146	1,516	7,012	18,138	29,322
43	1-2	-	-	-	56	226	480	1,074	1,482	3,318
	3	-	-	-	68	624	2,410	7,288	12,184	22,574
	4	-	-	-	20	212	1,568	6,244	13,112	21,156
	5	-	-	-	2	52	396	1,724	4,632	6,806
	6	-	-	-	-	18	70	322	1,020	1,430
	7	-	-	-	-	-	10	50	252	312
	TOTAL----		-	-	-	146	1,132	4,934	16,702	32,682
53	1-2	-	-	-	4	42	220	380	510	1,156
	3	-	-	-	20	382	1,934	7,038	14,302	23,676
	4	-	-	-	6	202	1,738	9,218	24,620	35,784
	5	-	-	-	-	48	474	2,848	8,918	12,288
	6	-	-	-	-	10	60	414	922	1,406
	7	-	-	-	-	-	4	44	138	186
	TOTAL----		-	-	-	30	684	4,430	19,942	49,410
63	1-2	-	-	-	-	26	142	186	232	586
	3	-	-	4	30	296	1,820	4,754	7,024	13,928
	4	-	-	-	28	242	2,124	7,472	13,844	23,710
	5	-	-	-	8	82	722	2,806	6,100	9,718
	6	-	-	-	-	14	158	540	1,122	1,834
	7	-	-	-	-	-	18	26	76	120
	TOTAL----		-	-	4	66	660	4,984	15,784	28,398
24-54	1-7	-	-	2	26	274	1,696	5,794	9,232	17,024
25-35	1-7	-	-	-	-	-	2	-	8	10
81-85 1/	1-7	-	-	-	46	726	4,684	9,448	10,244	25,148
All Colors	8 2/	-	-	-	-	2	30	336	740	1,108
TOTAL, ALL---		-	22	210	5,058	54,258	320,014	1,197,900	2,926,128	4,503,590

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	319,912	384,632	459,772	168,514	89,154	40,760	1,462,744	1,805,742
	3	213,678	330,488	489,694	190,876	90,178	33,764	1,348,678	1,510,990
	4	29,124	51,884	90,344	42,196	19,506	8,190	241,244	261,700
	5	1,960	3,152	5,508	2,562	1,306	632	15,120	16,504
	6	80	116	194	148	38	16	592	660
	7	2	-	6	2	-	-	10	14
	TOTAL----		564,756	770,272	1,045,518	404,298	200,182	83,362	3,068,388
31	1-2	283,010	274,944	211,450	51,034	18,120	8,102	846,660	1,138,110
	3	826,530	1,006,348	1,088,190	340,920	104,832	26,616	3,393,436	3,993,992
	4	402,174	592,830	832,626	395,624	131,100	30,632	2,384,986	2,599,320
	5	68,410	127,780	189,876	112,242	48,102	13,080	559,490	586,366
	6	5,924	11,966	18,720	10,430	4,976	1,690	53,706	55,570
	7	366	872	1,204	748	318	68	3,576	3,702
	TOTAL----		1,586,414	2,014,740	2,342,066	910,998	307,448	80,188	7,241,854
41	1-2	67,802	63,576	36,972	4,864	1,504	862	175,580	259,700
	3	422,476	544,048	448,786	94,726	18,536	4,798	1,533,370	1,864,444
	4	326,612	447,994	504,846	197,322	55,860	11,104	1,543,738	1,773,926
	5	134,420	185,672	225,386	136,926	63,684	11,868	757,956	839,758
	6	35,042	59,122	78,316	41,926	23,744	5,036	243,186	260,772
	7	6,958	13,976	21,256	9,806	3,580	774	56,350	59,622
	TOTAL----		993,310	1,314,388	1,315,562	485,570	166,908	34,442	4,310,180
51	1-2	10,856	7,722	4,186	298	38	22	23,122	40,956
	3	100,316	98,100	79,056	13,856	1,896	256	293,480	373,196
	4	65,890	89,652	111,648	39,568	9,092	1,364	317,214	353,066
	5	12,102	20,354	35,684	22,404	9,032	2,038	101,614	108,902
	6	3,416	3,882	5,658	5,152	3,002	558	21,668	24,074
	7	2,298	2,300	2,060	932	328	24	7,942	9,030
	TOTAL----		194,878	222,010	238,292	82,210	23,388	4,262	765,040
61	1-2	234	174	146	6	6	-	566	1,278
	3	2,420	2,334	1,762	90	12	-	6,618	10,426
	4	2,542	3,176	1,852	192	10	2	7,774	9,844
	5	846	1,244	872	146	20	-	3,128	3,384
	6	110	152	184	104	6	-	556	586
	7	6	26	10	58	-	-	100	100
	TOTAL----		6,158	7,106	4,826	596	54	2	18,742
71	1-2	4	2	2	-	-	2	10	46
	3	88	38	22	2	-	-	150	470
	4	286	136	74	2	-	-	498	1,036
	5	156	72	44	2	-	-	274	402
	6	10	8	4	-	-	-	22	42
	7	4	-	2	-	-	-	6	6
	TOTAL----		548	256	148	6	-	2	960
12 & 22	1-2	50,428	24,894	10,762	3,310	2,650	1,802	93,846	250,876
	3	57,298	39,608	22,592	4,998	2,204	1,628	128,328	222,588
	4	14,388	12,100	9,590	2,664	1,124	414	40,280	59,594
	5	1,698	1,746	1,324	438	272	112	5,590	7,560
	6	166	96	136	78	20	2	498	602
	7	20	4	2	-	-	-	26	28
	TOTAL----		123,998	78,448	44,406	11,488	6,270	3,958	268,568
32	1-2	39,466	19,166	6,622	1,434	1,024	682	68,394	169,910
	3	157,092	107,142	51,858	8,578	2,840	1,758	329,268	563,070
	4	101,096	90,186	53,962	11,154	3,184	1,068	260,650	365,178
	5	26,500	30,152	22,932	5,434	1,758	540	87,316	106,602
	6	5,910	5,668	4,740	1,638	448	182	18,586	21,150
	7	1,202	672	568	278	54	20	2,794	3,146
	TOTAL----		331,266	252,986	140,682	28,516	9,308	4,250	767,008
42	1-2	15,796	12,206	6,088	750	222	266	35,328	66,684
	3	171,512	191,336	135,898	25,124	4,514	1,984	530,368	707,914
	4	158,330	213,680	205,230	55,976	10,652	2,008	645,876	784,200
	5	45,200	55,558	57,284	20,574	5,864	1,020	185,500	228,064
	6	11,982	12,962	11,216	3,158	1,034	316	40,668	50,578
	7	3,456	4,000	3,724	1,072	248	56	12,556	14,504
	TOTAL----		406,276	489,742	419,440	106,654	22,534	5,650	1,450,296
52	1-2	8,964	4,484	1,962	188	60	18	15,676	33,900
	3	160,430	125,686	67,682	10,430	1,098	452	365,778	545,908
	4	198,636	204,512	147,834	37,878	6,302	1,002	596,164	748,940
	5	45,452	56,928	51,414	18,834	4,410	728	177,766	203,768
	6	4,560	5,898	6,190	2,514	836	148	20,146	22,822
	7	966	1,040	824	288	100	26	3,244	4,092
	TOTAL----		419,008	398,548	275,906	70,132	12,806	2,374	1,178,774

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through 2015 Crop

QUALITY COLOR	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
62	1-2	Bales 1,004	Bales 330	Bales 176	Bales 52	Bales 8	Bales -	Bales 1,570	Bales 6,394
	3	17,834	7,856	2,560	196	24	-	28,470	76,582
	4	28,892	16,344	6,550	686	108	14	52,594	105,912
	5	9,520	6,920	3,712	554	76	8	20,790	33,258
	6	1,140	1,094	770	126	34	6	3,170	4,308
	7	76	114	96	8	6	-	300	390
	TOTAL----		58,466	32,658	13,864	1,622	256	28	106,894
13 & 23	1-2	3,342	1,558	700	148	42	10	5,800	19,246
	3	4,572	2,704	1,526	386	116	20	9,324	18,756
	4	1,084	950	664	136	54	20	2,908	4,518
	5	116	134	132	30	28	6	446	564
	6	14	26	8	4	-	-	52	66
	7	-	2	2	-	-	-	4	4
	TOTAL----		9,128	5,374	3,032	704	240	56	18,534
33	1-2	3,846	1,690	820	112	12	8	6,488	19,226
	3	15,174	9,710	5,676	956	214	150	31,880	61,136
	4	10,466	8,676	5,388	1,466	450	148	26,594	38,294
	5	2,762	3,124	2,344	726	242	74	9,272	11,392
	6	580	652	642	238	56	30	2,198	2,496
	7	150	70	60	80	18	4	382	408
	TOTAL----		32,978	23,922	14,930	3,578	992	414	76,814
43	1-2	1,410	954	440	56	4	4	2,868	6,186
	3	14,708	13,766	10,008	1,534	362	80	40,458	63,032
	4	19,334	21,000	17,362	4,382	1,014	164	63,256	84,412
	5	8,282	8,866	7,684	2,952	854	164	28,802	35,608
	6	2,194	2,488	1,944	654	252	38	7,570	9,000
	7	566	676	552	156	86	4	2,040	2,352
	TOTAL----		46,494	47,750	37,990	9,734	2,572	454	144,994
53	1-2	606	380	182	4	-	-	1,172	2,328
	3	17,880	12,580	4,586	482	126	22	35,676	59,352
	4	40,166	36,440	18,410	2,802	566	160	98,544	134,328
	5	16,840	17,596	11,472	2,608	668	198	49,382	61,670
	6	1,914	2,442	1,670	534	130	16	6,706	8,112
	7	342	358	220	74	14	-	1,008	1,194
	TOTAL----		77,748	69,796	36,540	6,504	1,504	396	192,488
63	1-2	128	50	14	-	-	-	192	778
	3	5,190	1,778	506	26	-	-	7,500	21,428
	4	13,210	6,422	1,744	88	8	-	21,472	45,182
	5	7,200	4,444	1,382	76	4	2	13,108	22,826
	6	1,114	922	404	46	6	-	2,492	4,326
	7	52	62	82	6	-	-	202	322
	TOTAL----		26,894	13,678	4,132	242	18	2	44,966
24-54	1-7	10,070	9,426	5,892	934	192	16	26,530	43,554
25-35	1-7	20	16	4	4	-	-	44	54
81-85 1/	1-7	6,914	3,016	914	94	12	-	10,950	36,098
All Colors	8 2/	2,460	3,200	3,750	1,706	414	90	11,620	12,728
TOTAL, ALL-----		4,897,784	5,757,332	5,947,894	2,125,590	755,098	219,946	19,703,644	24,207,120
EXTRANEIOUS MATTER		Average Staple -----							35.9
Bark - Level 1		Percent Tenderable -----							57.3
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

24,207,120 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	*	*	*	0.1	0.3	1.3	3.0	4.5	4.8	2.1	1.2	0.5	0.5	17.8
	3	-	-	*	*	*	*	0.1	0.3	1.1	2.3	2.8	1.0	0.5	0.2	0.2	8.4
	4	-	-	-	*	-	*	*	*	0.1	0.2	0.3	0.1	*	*	*	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	*	*	*	0.1	0.4	1.6	4.2	7.0	7.9	3.2	1.7	0.7	26.9
31	1-2	-	-	*	*	*	0.1	0.4	1.2	2.4	3.0	2.6	0.9	0.4	0.1	0.1	11.2
	3	-	-	*	*	*	0.1	0.3	1.3	3.6	6.5	7.2	2.2	1.0	0.3	0.3	22.7
	4	-	-	*	*	*	*	0.1	0.2	0.8	2.2	3.3	1.1	0.4	0.1	0.1	8.2
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.4	0.2	*	*	*	0.9
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	0.2	0.8	2.7	6.9	11.9	13.5	4.4	1.8	0.5	43.0
41	1-2	-	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	*	1.3	
	3	-	-	*	*	*	0.2	0.7	1.4	2.0	1.9	0.5	0.2	*	*	7.1	
	4	-	-	*	*	*	0.1	0.4	1.1	2.0	3.0	1.0	0.2	0.1	0.1	7.9	
	5	-	*	-	*	*	*	0.1	0.3	0.6	1.2	0.6	0.1	*	*	3.1	
	6	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	TOTAL----		-	*	*	*	*	0.4	1.4	3.2	5.0	6.6	2.3	0.5	0.1	20.0	
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5	
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	0.2	0.3	0.3	0.3	*	*	*	*	1.3
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	3	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.8
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	*	*	*	*	0.2	0.4	0.6	0.4	*	*	*	*
32	1-2	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	-	-	*	*	*	*	0.1	0.3	0.4	0.2	*	*	*	*	1.1
	4	-	-	-	*	*	*	*	*	0.1	0.2	0.2	*	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.2	0.5	0.7	0.5	*	*	*	*	2.3
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	4	-	-	-	*	*	*	*	0.1	0.3	0.3	0.2	*	*	*	*	1.0
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.1	0.2	0.6	0.6	0.4	*	*	*	2.3
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.3
	4	-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	*	0.6
	5	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----		-	-	*	*	*	*	0.2	0.2	0.4	0.2	0.1	*	*	*	1.2

* Less than 0.05 percent.

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL Pct.		
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.4	
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.3	
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL----		-	*	*	*	0.1	0.5	2.3	7.3	16.7	27.1	30.0	10.2	4.4	1.4	100.0		
EXTRANEIOUS MATTER																Average Staple	36.3	
																Percent Tenderable	72.0	
Bark - Level 1		6.7																
Bark - Level 2		*																
Grass - Level 1		0.1																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.1																
Other - Level 2		*																

16,157,380 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Alabama: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	*	*	0.4	2.0	4.0	4.7	3.8	2.7	1.4	0.6	0.1	19.7
	3	-	-	-	-	*	*	0.2	0.9	1.8	2.4	3.0	1.2	0.6	0.2	10.3
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	*	*	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.4	2.2	4.9	6.6	6.3	6.0	2.7	1.2	0.3
31	1-2	-	-	-	*	*	0.4	1.8	3.7	4.1	2.6	1.3	0.4	0.1	*	14.5
	3	-	-	-	-	*	0.2	1.5	4.7	7.7	7.2	5.8	2.0	0.8	0.1	30.0
	4	-	-	-	-	*	*	0.1	0.7	1.9	2.7	3.5	1.2	0.3	0.1	10.6
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.5	0.3	*	*	1.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	Total	--	-	-	-	*	*	0.6	3.4	9.1	13.8	12.7	11.1	3.9	1.2	0.2
41	1-2	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	3	-	-	-	-	*	*	0.3	0.7	1.0	1.0	0.6	0.2	0.1	*	3.8
	4	-	-	-	-	*	*	0.1	0.3	0.7	0.9	0.8	0.2	0.1	*	3.1
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	Total	--	-	-	-	-	*	*	0.5	1.2	2.0	2.2	1.8	0.5	0.2	*
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	Total	--	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*
32	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	3	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.9
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.2	0.5	0.5	0.2	0.1	*	*	*
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	Total	--	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	*
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL Pct.		
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	-	*	*	-	-	-	*		
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
TOTAL, ALL----		-	-	-	*	0.1	1.2	6.6	16.4	23.5	22.1	19.5	7.5	2.8	0.5	100.0		
EXTRANEEOUS MATTER																Average Staple	35.6	
																Percent Tenderable	82.1	
Bark - Level 1		2.2																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.2																
Other - Level 1		-																

676,041 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	0.5	2.2	6.9	14.8	8.6	6.4	3.3	42.7
	3	-	-	-	-	-	-	*	*	0.3	1.4	4.0	2.4	1.6	0.8	10.6
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	0.5	2.5	8.3	18.9	11.1	8.1	4.1
31	1-2	-	-	-	-	-	*	*	0.2	1.3	3.2	4.5	2.0	1.0	0.3	12.6
	3	-	-	-	-	-	-	*	0.2	1.2	3.5	6.6	3.5	1.9	0.6	17.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.6	1.4	1.0	0.8	0.3	4.4
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	0.5	2.7	7.3	12.6	6.6	3.8	1.3
41	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	-	-	*	0.1	0.3	0.6	0.6	0.3	0.1	*	1.9
	4	-	-	-	-	-	-	*	*	0.1	0.5	0.9	0.5	0.2	0.1	2.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	0.1	1.2
	6	-	-	-	-	-	*	*	*	*	*	0.2	0.2	*	*	0.6
	7	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	0.2
	TOTAL----		-	-	-	-	-	*	*	0.1	0.5	1.4	2.2	1.4	0.5	0.2
51	1-2	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	0.7
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----		-	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	1.2
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----		-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	1.1
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	-	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														TOTAL Pct.		
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*		
	3	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	*	*		
33	1-2	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
43	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	0.2		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*		
	5	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.5		
TOTAL, ALL----		-	-	-	-	-	*	0.2	1.5	6.7	18.4	35.3	19.7	12.6	5.6	100.0		
EXTRANEOUS MATTER																Average Staple	37.3	
																Percent Tenderable	76.1	
Bark - Level 1		2.0																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 1		*																

354,855 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- Arkansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	-	*	*	0.1	0.3	0.3	*	0.1	*	0.8
	3	-	-	-	-	-	-	*	*	0.2	0.7	0.8	0.2	0.1	0.1	2.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	0.3	1.1	1.2	0.2	0.2	0.1
31	1-2	-	-	-	-	-	*	*	*	0.4	0.8	0.7	0.1	*	*	2.0
	3	-	-	-	-	-	*	*	0.1	2.0	9.0	12.4	1.6	0.4	0.1	25.7
	4	-	-	-	-	-	*	*	*	0.7	4.6	11.2	2.7	0.4	0.1	19.7
	5	-	-	-	-	-	-	*	*	*	0.4	1.5	0.7	0.1	*	2.7
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	0.1	3.1	14.8	25.8	5.1	0.9	0.2
41	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.7	2.2	3.4	0.4	*	*	6.9
	4	-	-	-	-	-	*	*	0.1	0.8	4.6	13.0	3.7	0.3	*	22.4
	5	-	-	-	-	-	-	*	*	0.2	1.5	7.6	4.2	0.5	*	14.0
	6	-	-	-	-	-	-	-	*	*	0.1	0.8	0.8	0.2	*	1.9
	7	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	Total	--	-	-	-	-	-	*	*	0.2	1.7	8.5	24.9	9.2	1.0	*
51	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	Total	--	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	Total	--	-	-	-	-	-	-	-	-	-	-	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	-
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	-
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*
52	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	-

* Less than 0.05 percent.

Table 6. -- Arkansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
	3	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*		
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	-	-	*	*	-	-	*			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	*			
TOTAL, ALL	---	-	-	-	-	-	*	*	0.5	5.2	24.6	52.5	14.7	2.1	0.4	100.0		
EXTRANEEOUS MATTER																Average Staple	36.8	
																Percent Tenderable	81.4	
Bark - Level 1		1.1																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

858,938 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- California: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	-	*	0.1	0.6	1.6	5.4	17.3	10.1	7.5	3.8	46.4
	3	-	-	-	-	-	-	-	*	*	0.5	4.0	1.9	1.8	0.7	8.9
	4	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	0.1	0.6	1.6	5.9	21.4	12.0	9.3	4.5
31	1-2	-	-	-	-	-	-	*	0.1	0.6	2.1	5.3	3.3	3.8	2.2	17.4
	3	-	-	-	-	-	-	-	*	0.1	0.5	3.8	2.7	2.4	1.6	11.2
	4	-	-	-	-	-	-	-	*	*	*	0.3	0.2	0.1	0.1	0.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.1	0.7	2.6	9.4	6.2	6.3	3.9
41	1-2	-	-	-	-	-	-	*	*	0.3	0.4	0.3	0.2	0.2	0.2	1.6
	3	-	-	-	-	-	-	*	*	0.3	0.8	1.1	0.6	0.6	0.5	3.9
	4	-	-	-	-	-	-	-	*	*	0.1	0.6	0.4	0.4	0.3	1.8
	5	-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	0.6	1.3	2.0	1.2	1.3	1.1
51	1-2	-	-	-	-	-	-	-	*	0.1	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	0.6
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	0.2	0.3	0.3	*	*	*
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.9
	3	-	-	-	-	-	-	-	*	*	*	0.2	0.1	0.2	0.1	0.6
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	0.3	0.3	0.4	0.3	1.5
32	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.2	0.8
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.2	0.3	0.5	0.3	1.5
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.1	0.2	0.3	0.6	0.8	0.6	2.6
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.5
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.2	*	0.5
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	0.1	0.1	0.2	0.3	0.3	0.3	0.1
52	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*

* Less than 0.05 percent

Table 7. -- California: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	3	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.2		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	0.4		
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2		
53	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*		
	4	-	-	-	-	-	-	*	-	*	-	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*		
TOTAL, ALL	---	-	-	-	-	-	*	0.2	0.9	3.7	10.6	34.1	21.1	18.7	10.8	100.0		
EXTRANEEOUS MATTER																Average Staple	37.7	
																Percent Tenderable	91.3	
Bark - Level 1		0.5																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

249,309 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Florida: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	*	0.1	0.3	1.7	3.8	4.0	2.0	0.8	0.4	*	13.0
	3	-	-	-	-	-	*	*	0.2	0.8	1.6	1.6	0.8	0.4	0.1	5.6
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	0.1	0.3	1.9	4.6	5.6	3.7	1.6	0.8	0.1
31	1-2	-	-	-	-	*	0.2	1.5	5.5	8.9	5.9	2.4	0.8	0.3	*	25.5
	3	-	-	-	-	*	*	0.7	3.5	8.0	10.0	6.7	3.2	1.4	0.2	33.8
	4	-	-	-	-	-	*	*	0.2	0.6	1.5	1.7	0.9	0.5	0.1	5.5
	5	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	-
	Total	--	-	-	-	-	*	0.2	2.2	9.2	17.5	17.5	11.0	5.0	2.2	0.3
41	1-2	-	-	-	-	*	*	0.1	0.4	0.5	0.2	0.1	*	*	-	1.3
	3	-	-	-	-	-	*	0.2	1.2	2.2	1.5	0.8	0.3	0.1	*	6.3
	4	-	-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.5	0.2	*	3.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.7
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.3	1.8	3.2	2.7	1.8	1.0	0.4	*
51	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	Total	--	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	3	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	-	0.9
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.1	0.5	0.5	0.1	*	*	-
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	*	-	0.1
	3	-	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	1.0
	4	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	0.1	0.2	*	*	-	-	0.3
	6	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	Total	--	-	-	-	-	*	0.1	0.2	0.6	0.6	0.2	*	*	-	-
52	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	-	-	-

* Less than 0.05 percent.

Table 8. -- Florida: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	*	*	-	*	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
TOTAL, ALL	---	-	-	-	-	*	0.3	3.0	13.4	26.9	27.4	17.2	7.8	3.5	0.5	100.0		
EXTRANEIOUS MATTER																Average Staple	35.8	
																Percent Tenderable	80.8	
Bark - Level 1		3.9																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.3																
Other - Level 1		-																

146,926 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Georgia: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	*	*	0.2	0.8	2.9	5.0	5.8	4.9	1.6	0.8	0.1	22.1
	3	-	-	-	-	*	*	0.1	0.4	0.9	1.4	1.8	0.9	0.6	0.1	6.3
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.2	0.9	3.3	5.9	7.2	6.8	2.5	1.4	0.2
31	1-2	-	-	-	*	*	0.2	1.0	3.0	4.3	4.5	2.9	0.7	0.3	*	16.9
	3	-	-	-	*	*	0.1	0.8	2.9	5.3	7.3	6.9	3.2	1.7	0.3	28.6
	4	-	-	-	-	*	*	0.1	0.2	0.5	1.0	1.5	1.0	0.6	0.2	5.2
	5	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.3	1.9	6.1	10.1	12.8	11.4	5.0	2.6	0.5
41	1-2	-	-	-	*	*	0.1	0.3	0.7	0.7	0.6	0.3	*	*	*	2.6
	3	-	-	-	*	*	0.1	0.5	1.3	1.9	2.0	1.4	0.6	0.2	*	7.9
	4	-	-	-	*	*	*	0.1	0.3	0.6	0.8	0.9	0.6	0.3	*	3.5
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	0.2	0.9	2.3	3.3	3.5	2.8	1.3	0.5	*
51	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	*	*	*	0.1	0.3	0.3	0.3	0.2	*	*	*	1.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	0.1	0.5	0.5	0.6	0.4	0.1	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*
32	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.1	*	*	*	0.9
	4	-	-	-	*	*	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	*	*	*	0.1	0.3	0.3	0.3	0.3	0.1	*	*	*
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.7
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	0.2	0.3	0.2	0.2	0.1	*	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 9. -- Georgia: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*		
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*		
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*		
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*		
TOTAL, ALL	---	-	-	*	*	0.1	0.9	4.3	13.0	20.6	24.8	21.7	9.0	4.7	0.9	100.0		
EXTRANEEOUS MATTER																Average Staple	35.9	
																Percent Tenderable	75.9	
Bark - Level 1		3.7																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		*																
Other - Level 1		0.4																
Other - Level 1		-																

2,157,605 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Kansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	*	0.2	1.4	3.9	1.5	0.3	*	-	7.2
	3	-	-	-	-	-	*	*	0.2	2.1	5.7	4.2	0.2	*	-	12.4
	4	-	-	-	-	-	-	*	0.2	1.1	0.7	0.6	*	*	-	2.7
	5	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.6	4.7	10.3	6.3	0.5	*	-
31	1-2	-	-	-	-	-	-	*	0.2	1.1	2.0	0.9	0.6	*	-	4.9
	3	-	-	-	-	-	*	*	0.6	5.8	11.3	7.0	0.7	0.3	*	25.6
	4	-	-	-	-	-	*	*	0.4	4.3	6.5	6.1	0.9	*	-	18.4
	5	-	-	-	-	-	*	*	0.1	1.2	1.4	1.4	0.2	*	-	4.3
	6	-	-	-	-	-	-	-	*	0.1	0.1	0.2	*	*	-	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	Total	--	-	-	-	-	-	*	*	1.3	12.5	21.3	15.6	2.4	0.3	*
41	1-2	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.6	0.8	0.4	*	0.1	*	2.0
	4	-	-	-	-	-	-	*	0.1	1.4	2.1	2.6	0.4	0.1	*	6.7
	5	-	-	-	-	-	-	*	0.1	1.2	1.7	3.6	0.7	*	-	7.3
	6	-	-	-	-	-	-	-	0.1	0.4	0.7	1.4	0.4	*	-	2.9
	7	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	-	-	0.6
	Total	--	-	-	-	-	-	*	*	0.4	3.7	5.4	8.2	1.6	0.2	*
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	0.1	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	0.1	*	-	*	*	-	-	0.1
	Total	--	-	-	-	-	-	-	-	0.1	0.1	*	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	0.1	0.1	-	-	-	0.3
	4	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-
32	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	0.2	0.2	*	*	-	-	0.5
	4	-	-	-	-	-	-	*	*	0.2	0.3	0.2	*	-	-	0.7
	5	-	-	-	-	-	-	*	0.1	0.1	0.2	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	Total	--	-	-	-	-	-	*	0.2	0.6	0.7	0.2	*	-	-	-
42	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.1
	Total	--	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	-	-	-

* Less than 0.05 percent.

Table 10. -- Kansas: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26&- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	-	-	-	0.2	
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	0.2	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	0.1	0.2	0.1	-	-	-	0.5	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	-	-	-	*	*	0.1	*	-	-	-	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	*	0.1	*	-	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	0.1	0.2	0.1	*	-	-	-	-	0.4	
TOTAL, ALL	---	-	-	-	-	-	*	0.1	3.0	22.6	38.4	30.7	4.6	0.6	*	100.0	
EXTRANEEOUS MATTER																Average Staple	36.1
																Percent Tenderable	52.8
Bark - Level 1	23.6																
Bark - Level 2	-																
Grass - Level 1	*																
Grass - Level 2	-																
Prep - Level 1	-																
Prep - Level 2	-																
Other - Level 1	-																
Other - Level 1	-																

72,156 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Louisiana: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.8	1.4	1.0	0.7	0.3	*	4.3
	3	-	-	-	-	-	*	*	0.1	0.8	1.5	1.6	1.4	0.4	0.1	5.9
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	0.2	1.6	3.0	2.7	2.2	0.7	0.1
31	1-2	-	-	-	-	-	*	*	0.2	0.9	1.8	1.1	0.4	0.2	*	4.6
	3	-	-	-	-	-	*	0.1	0.9	5.2	11.1	9.2	4.3	1.5	0.3	32.6
	4	-	-	-	-	-	-	*	0.2	2.2	5.2	5.5	2.5	0.6	0.1	16.4
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	0.1	1.3	8.4	18.4	16.3	7.4	2.3	0.4
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	-	*	0.1	0.6	1.9	3.0	1.3	0.3	0.1	*	7.3
	4	-	-	-	-	-	*	*	0.8	2.8	5.7	4.0	1.2	0.2	*	14.7
	5	-	-	-	-	-	-	*	0.3	1.0	1.9	2.2	0.6	0.1	*	6.1
	6	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	-	0.9
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	Total	--	-	-	-	-	-	*	0.1	1.7	5.9	11.0	7.8	2.2	0.4	*
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	0.5
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	-	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	Total	--	-	-	-	-	-	*	0.3	0.4	0.4	0.2	*	*	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	*	0.2	*	*	*	*
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-
	3	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	-	0.8
	4	-	-	-	-	-	*	0.1	0.3	0.2	0.3	0.1	*	*	*	1.0
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	Total	--	-	-	-	-	-	*	0.2	0.6	0.6	0.6	0.2	*	*	*
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	0.5
	5	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	Total	--	-	-	-	-	-	*	*	0.2	0.4	0.4	*	*	*	-

* Less than 0.05 percent.

Table 11. -- Louisiana: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-		
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	4	-	-	-	-	*	-	*	*	-	-	-	-	-	-	-		
	5	-	-	-	-	*	-	*	*	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-		
	Total	--	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
53	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	6	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	-	*	-	-	*	-	*		
	5	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	Total	--	-	-	-	-	-	*	*	-	*	-	-	*	-	*		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL	---	-	-	-	-	*	*	0.4	4.6	17.7	33.7	27.5	12.0	3.5	0.6	100.0		
EXTRANEEOUS MATTER																Average Staple	36.4	
																Percent Tenderable	61.2	
Bark - Level 1		1.1																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

266,098 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Mississippi: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	*	*	0.1	0.7	2.0	3.0	2.2	1.1	0.8	0.1	9.9
	3	-	-	-	-	*	*	0.1	0.4	2.2	4.9	3.7	1.2	1.3	0.2	14.0
	4	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	0.1	*	0.9
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.2	1.1	4.3	8.2	6.2	2.4	2.2	0.3
31	1-2	-	-	-	-	*	*	0.1	0.5	1.1	1.2	0.8	0.2	0.1	*	4.1
	3	-	-	-	-	*	*	0.3	1.6	6.5	12.0	8.0	1.8	1.4	0.4	31.9
	4	-	-	-	-	-	*	0.1	0.5	2.8	8.2	6.8	1.3	0.7	0.3	20.6
	5	-	-	-	-	-	*	*	*	0.2	0.8	1.0	0.3	0.1	*	2.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.5	2.6	10.6	22.2	16.6	3.6	2.3	0.7
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.2	0.5	0.8	0.6	0.1	0.1	*	2.3
	4	-	-	-	-	-	*	*	0.3	1.3	2.5	2.2	0.4	0.2	0.1	7.0
	5	-	-	-	-	-	*	*	0.1	0.6	1.4	1.6	0.3	0.1	*	4.1
	6	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	0.9
	7	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	Total	--	-	-	-	-	-	*	*	0.6	2.5	5.1	4.8	0.9	0.4	0.1
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	Total	--	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.7
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	*

* Less than 0.05 percent.

Table 12. -- Mississippi: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	Total	--	-	-	-	-	-	-	*	-	*	*	-	-	-	*		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
33	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*		
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*		
	Total	--	-	-	-	-	-	-	*	-	*	*	*	*	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*		
TOTAL, ALL	---	-	-	-	-	*	0.1	0.7	4.6	17.7	36.1	27.9	7.0	4.8	1.1	100.0		
EXTRANEEOUS MATTER																Average Staple	36.3	
																Percent Tenderable	74.2	
Bark - Level 1		0.7																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 1		-																

1,008,502 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- Missouri: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	-	*	0.1	0.3	0.4	*	*	-	0.9
	3	-	-	-	-	-	-	-	*	0.1	0.3	0.5	*	*	*	1.0
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	0.2	0.6	0.9	*	*	*
31	1-2	-	-	-	-	-	-	*	0.1	0.6	2.4	3.0	0.2	*	-	6.2
	3	-	-	-	-	-	-	*	0.2	2.0	10.5	20.3	2.7	0.2	*	35.9
	4	-	-	-	-	-	-	*	*	0.2	1.7	7.8	2.9	0.4	*	13.1
	5	-	-	-	-	-	-	-	*	*	*	0.4	0.4	0.1	*	0.8
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.3	2.8	14.6	31.5	6.2	0.7	*
41	1-2	-	-	-	-	-	-	-	*	0.1	0.2	0.3	*	*	-	0.6
	3	-	-	-	-	-	*	*	0.6	3.0	6.7	1.0	0.1	*	11.5	
	4	-	-	-	-	-	-	*	*	0.3	2.1	12.2	5.6	0.9	0.1	21.1
	5	-	-	-	-	-	-	-	*	*	0.2	3.2	3.4	0.9	0.1	7.7
	6	-	-	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	0.6
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	*	1.0	5.5	22.6	10.3	2.0	0.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	-	-
32	1-2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
42	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	*	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	*	-	*	*	*	*	-

* Less than 0.05 percent.

Table 13. -- Missouri: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL, ALL	---	-	-	-	-	-	*	*	0.4	4.0	21.0	55.1	16.6	2.7	0.3	-	100.0	
EXTRANEEOUS MATTER																Average Staple	36.9	
																Percent Tenderable	81.4	
Bark - Level 1	0.7																	
Bark - Level 2	-																	
Grass - Level 1	*																	
Grass - Level 2	-																	
Prep - Level 1	*																	
Prep - Level 2	-																	
Other - Level 1	*																	
Other - Level 1	-																	

565,630 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- New Mexico: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	-	*	0.2	2.1	6.9	14.4	11.1	14.8	7.1	56.5
	3	-	-	-	-	-	-	-	*	0.1	0.8	2.1	1.8	1.2	0.9	6.9
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.2	2.2	7.7	16.5	12.9	16.0	8.0
31	1-2	-	-	-	-	-	-	*	0.1	1.5	3.5	5.5	3.5	3.0	1.4	18.6
	3	-	-	-	-	-	-	-	*	0.4	0.9	4.6	4.0	2.0	0.8	12.5
	4	-	-	-	-	-	-	-	-	*	0.1	0.6	0.8	0.4	*	1.9
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	0.1	1.9	4.5	10.7	8.3	5.4	2.2
41	1-2	-	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	0.4
	3	-	-	-	-	-	-	-	-	0.1	0.1	0.5	0.1	*	*	0.9
	4	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	0.4
	5	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	0.1	0.3	1.0	0.4	*	*
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	*	0.1	*	0.2
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	0.1	*
32	1-2	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	*	0.6
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	-	-	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.2	*	0.9
42	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 14. -- New Mexico: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40 &+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*	*
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1	
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	*	
	3	-	-	-	-	-	-	-	-	*	-	-	*	-	*	*	*	
	4	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*	*	
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	-	-	*	-	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL	---	-	-	-	-	-	-	*	0.3	4.3	12.7	28.6	21.9	21.9	10.3	100.0		
EXTRANEEOUS MATTER																Average Staple	37.8	
																Percent Tenderable	74.3	
Bark - Level 1		*																
Bark - Level 2		-																
Grass - Level 1		-																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

32,998 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- North Carolina: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct			
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct				
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	0.2	0.1	*	*	*	*	-	0.9	
	3	-	-	-	-	*	*	0.2	0.7	0.8	0.8	0.7	0.1	*	*	*	-	3.4	
	4	-	-	-	-	-	*	*	0.1	0.4	0.5	0.5	0.1	*	*	*	-	1.6	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.3	1.1	1.4	1.5	1.3	0.2	*	*	-	6.0	
41	1-2	-	-	-	*	*	*	0.3	0.7	0.4	0.1	*	*	*	*	*	-	1.6	
	3	-	-	-	-	*	0.1	1.2	3.8	6.0	5.1	2.7	0.5	0.2	*	*	-	19.8	
	4	-	-	-	-	*	*	0.2	1.5	5.0	7.4	6.0	1.1	0.3	0.1	*	-	21.7	
	5	-	-	-	-	-	*	*	0.1	0.6	1.5	1.7	0.4	0.1	*	*	-	4.4	
	6	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	*	-	0.4	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	*	*	0.1	1.7	6.1	12.0	14.2	10.6	2.0	0.6	0.1	-	47.9	
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	0.3	0.7	0.9	0.5	0.2	0.1	*	*	*	-	2.7	
	4	-	-	-	-	*	*	0.2	1.0	2.5	2.2	1.2	0.2	0.1	*	*	-	7.4	
	5	-	-	-	-	-	*	*	0.3	1.1	1.2	0.7	0.1	*	*	*	-	3.5	
	6	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	0.5	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	-	*	*	0.5	2.0	4.6	4.1	2.2	0.4	0.1	*	-	14.2	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*	
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	*	*	-	0.3	
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	0.3	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.7	
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	-	*	*	0.4	0.8	1.4	1.1	0.4	*	*	*	*	-	4.3	
	4	-	-	-	-	-	*	0.2	0.8	2.4	2.6	1.4	0.2	*	*	*	-	7.7	
	5	-	-	-	-	-	*	*	0.1	0.5	0.6	0.4	0.1	*	*	*	-	1.7	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	Total	--	-	-	-	-	*	*	0.6	1.7	4.3	4.3	2.2	0.3	*	*	-	13.9	
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	0.1	0.3	0.6	0.8	0.5	0.2	*	*	*	*	-	2.5	
	4	-	-	-	-	*	0.1	0.5	1.7	2.8	2.1	0.9	0.1	*	*	*	-	8.2	
	5	-	-	-	-	*	*	0.2	0.6	1.2	0.9	0.5	0.1	*	*	*	-	3.4	
	6	-	-	-	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	*	-	0.4	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	Total	--	-	-	-	-	*	0.2	1.0	3.0	5.0	3.6	1.7	0.2	*	*	-	14.6	

* Less than 0.05 percent.

Table 15. -- North Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	Total	--	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.4	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	-	-	-	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2	
	4	-	-	-	*	-	*	*	0.1	0.2	0.1	0.1	*	*	-	-	0.5	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	*	-	*	*	0.2	0.3	0.1	0.1	*	*	*	0.9	
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5	
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	Total	--	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	-	1.0	
63	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
TOTAL, ALL	---	-	-	-	*	*	0.5	4.5	14.8	28.6	28.7	18.6	3.3	0.8	0.2	100.0		
EXTRANEEOUS MATTER																Average Staple	35.5	
																Percent Tenderable	49.5	
Bark - Level 1		1.6																
Bark - Level 2		-																
Grass - Level 1		0.1																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		0.2																
Other - Level 1		-																

353,864 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- Oklahoma: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	*	*	*	*	0.4	2.0	5.5	6.8	1.5	0.6	0.3	17.2
	3	-	-	-	-	-	*	*	0.2	0.8	2.1	4.1	1.2	0.2	0.1	8.6
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	*	*	*	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	*	*	0.6	2.8	7.7	11.1	2.7	0.8	0.4
31	1-2	-	-	-	*	*	*	0.2	1.0	2.9	3.3	0.9	0.4	0.1	12.7	
	3	-	-	*	-	*	*	0.1	1.0	3.2	6.2	8.6	1.9	0.7	0.2	21.9
	4	-	-	-	-	*	*	*	0.1	0.6	1.4	2.1	0.6	0.1	*	5.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	*	*	*	*	0.3	2.1	6.7	11.6	14.2	3.4	1.2	0.3
41	1-2	-	-	-	-	*	*	*	0.2	0.6	0.9	0.7	0.2	0.1	*	2.7
	3	-	-	-	-	*	*	0.1	0.7	2.2	3.6	3.1	0.6	0.3	*	10.6
	4	-	-	-	*	-	*	0.1	0.5	1.6	2.4	2.3	0.4	0.1	*	7.5
	5	-	*	-	-	*	*	*	0.2	0.6	0.9	0.6	0.2	*	*	2.6
	6	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	0.5
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	Total	--	-	*	-	*	*	*	0.2	1.7	5.1	8.0	6.8	1.4	0.5	*
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	*	0.2
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	Total	--	-	-	-	-	-	*	*	*	0.2	0.2	*	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	*	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	0.7
	3	-	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	*	0.8
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	0.4	0.6	0.4	*	*	*	1.6
32	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	3	-	-	-	-	*	*	*	0.1	0.4	0.6	0.3	*	*	-	1.5
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	-	1.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	Total	--	-	-	-	-	*	*	*	0.1	0.7	1.2	0.7	*	*	-
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	0.9
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	-	0.6
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	Total	--	-	-	-	*	*	*	0.2	0.4	0.7	0.6	*	*	*	2.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	Total	--	-	-	-	*	-	*	*	*	*	*	*	*	*	-

* Less than 0.05 percent.

Table 16. -- Oklahoma: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.3	
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	*	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5	
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4	
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	Total	--	-	-	-	-	*	*	*	*	0.2	0.3	0.2	*	*	-	1.1	
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	*	-	*	*	*	*	*	*	-	*	-	0.1	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2	
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	7	-	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*	
	Total	--	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	*	0.6	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*	
24-54	1-7	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3	
25-35	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
TOTAL, ALL	---	-	*	*	*	*	0.1	0.9	5.2	17.2	31.0	34.4	8.0	2.6	0.7	-	100.0	
EXTRANEEOUS MATTER																Average Staple	36.3	
																Percent Tenderable	76.9	
Bark - Level 1		9.3																
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

576,052 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- South Carolina: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.6
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*
31	1-2	-	-	-	-	*	0.1	0.5	1.2	1.5	1.4	1.2	0.3	0.1	*	6.2
	3	-	-	-	-	*	0.1	0.9	3.1	5.0	6.1	6.8	2.2	0.9	0.1	25.3
	4	-	-	-	-	-	*	0.1	0.4	0.9	1.6	2.1	1.3	0.7	0.1	7.2
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	Total	--	-	-	-	-	*	0.2	1.5	4.7	7.4	9.2	10.3	3.9	1.7	0.2
41	1-2	-	-	-	-	*	0.1	0.3	0.6	0.5	0.5	0.3	0.1	*	*	2.4
	3	-	-	-	-	*	0.2	1.6	4.3	5.0	5.6	4.2	1.5	0.4	*	22.8
	4	-	-	-	-	-	*	0.5	1.8	3.3	4.3	5.3	2.7	1.1	0.2	19.3
	5	-	-	-	-	*	*	*	0.3	0.8	1.0	1.3	0.7	0.3	0.1	4.4
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	-	-	*	0.3	2.4	7.0	9.7	11.5	11.3	5.1	1.8	0.3
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	0.1	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	0.2	0.3	0.3	0.3	*	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	*	0.1	*	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.2	0.3	0.2	0.2	0.2	*	*	-	1.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	0.3	0.4	0.3	0.3	0.3	0.3	*	*	-
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.1	0.4	0.6	0.5	0.4	0.2	*	*	*	2.1
	4	-	-	-	-	*	*	0.2	0.6	0.8	0.6	0.3	0.1	*	*	2.6
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	*	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	Total	--	-	-	-	*	*	0.1	0.6	1.3	1.6	1.2	0.6	0.1	*	*
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	*	*

* Less than 0.05 percent.

Table 17. -- South Carolina: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*		
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	-	-	-	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
43	1-2	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*		
	3	-	-	-	-	*	*	0.1	*	*	*	*	*	*	-	0.2		
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2		
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
	Total	--	-	-	-	-	*	*	0.1	*	*	0.1	*	*	*	*	0.5	
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1		
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*		
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*		
TOTAL, ALL	---	-	-	-	*	*	0.6	5.3	14.1	20.0	23.1	23.3	9.4	3.6	0.6	100.0		
EXTRANEEOUS MATTER																Average Staple	35.9	
																Percent Tenderable	84.8	
Bark - Level 1		1.5																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

218,392 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Tennessee: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct	
11 & 21	1-2	-	-	-	-	-	*	*	0.2	1.1	2.0	1.4	0.1	0.1	*	5.0
	3	-	-	-	-	-	*	*	0.1	0.4	1.4	1.9	0.3	0.1	0.1	4.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	*	0.3	1.5	3.5	3.5	0.4	0.2	0.1
31	1-2	-	-	-	-	*	*	*	0.4	1.8	3.4	2.1	0.1	*	*	7.9
	3	-	-	-	-	-	*	0.1	0.5	4.1	12.1	16.2	2.0	0.3	0.1	35.5
	4	-	-	-	-	-	*	*	0.1	0.9	3.8	10.4	3.2	0.5	0.1	19.1
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.9	0.7	0.2	*	2.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	*	*	0.1	1.0	6.9	19.5	29.6	6.0	1.0	0.2
41	1-2	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.6	2.4	2.5	0.3	*	*	5.9
	4	-	-	-	-	-	*	*	*	0.4	2.7	6.6	2.2	0.3	*	12.2
	5	-	-	-	-	-	-	*	*	0.1	0.5	2.5	1.8	0.4	*	5.3
	6	-	-	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	0.5
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	*	*	0.1	1.2	5.8	11.9	4.5	0.8	*
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
61	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1-2	-	-	-	-	-	*	-	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	Total	--	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	*
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	Total	--	-	-	-	-	-	*	*	*	0.2	0.2	*	*	*	0.4
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	-

* Less than 0.05 percent.

Table 18. -- Tennessee: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
43	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
53	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
TOTAL, ALL	---	-	-	-	-	*	*	0.2	1.5	9.9	29.3	45.5	11.2	2.1	0.4	100.0	
EXTRANEEOUS MATTER															Average Staple	36.6	
															Percent Tenderable	62.5	
Bark - Level 1		0.5															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

566,354 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Texas: Percent Distribution of color, leaf and staple for upland cotton classed: 2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total
		26 &-	28	29	30	31	32	33	34	35	36	37	38	39	40&+	
		Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct	Pct
11 & 21	1-2	-	-	*	*	*	*	0.3	1.2	3.5	5.6	6.0	2.6	1.4	0.6	21.3
	3	-	-	*	*	*	*	0.1	0.4	1.3	3.0	3.5	1.2	0.5	0.2	10.2
	4	-	-	-	*	-	*	*	*	0.1	0.3	0.4	0.1	*	*	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	*	*	*	*	0.4	1.6	4.9	8.9	9.9	3.9	1.9	0.8
31	1-2	-	-	*	*	*	*	0.2	1.0	2.4	3.3	3.1	1.3	0.6	0.2	12.1
	3	-	-	*	*	*	*	0.1	0.2	1.0	2.9	5.1	2.0	0.9	0.3	18.2
	4	-	-	*	*	*	*	0.1	0.2	0.7	1.5	2.0	0.7	0.3	0.1	5.6
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.1	0.5	2.2	6.1	10.1	11.0	4.1	1.8	0.6
41	1-2	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	1.4
	3	-	-	*	*	*	*	0.2	0.6	1.3	1.9	1.8	0.6	0.2	0.1	6.6
	4	-	-	*	*	*	*	0.1	0.5	1.1	1.7	1.8	0.5	0.2	*	6.0
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.6	0.6	0.2	0.1	*	2.2
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	*	*	*	0.5	1.5	3.2	4.7	4.7	1.4	0.5	0.1	16.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	Total	--	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	-	*	*	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.3	0.4	0.2	*	*	*	1.1
	3	-	-	-	*	*	*	*	0.1	0.3	0.6	0.4	0.1	*	*	1.5
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	*	*	0.2	0.7	1.1	0.7	0.1	*	*	*
32	1-2	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	3	-	-	-	*	*	*	*	0.2	0.4	0.6	0.4	0.1	*	*	1.7
	4	-	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.1	*	*	1.1
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	-	*	*	*	0.4	0.8	1.3	0.9	0.2	*	*	*
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.8
	4	-	-	-	*	*	*	0.1	0.1	0.3	0.4	0.2	*	*	*	1.2
	5	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.2	0.3	0.6	0.8	0.4	*	*	*	*
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	Total	--	-	-	*	*	*	0.2	0.4	0.4	0.3	0.1	*	*	*	*

* Less than 0.05 percent.

Table 19. -- Texas: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	Total	--	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	--	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	-	*	*	*	*	*	0.1	0.2	0.2	*	*	*	0.7
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.3
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.4
63	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	Total	--	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*	
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL	---	-	-	*	*	0.1	0.6	2.3	7.0	17.4	27.9	28.6	10.0	4.4	1.7	100.0	
EXTRANEEOUS MATTER																Average Staple	36.3
																Percent Tenderable	68.8
Bark - Level 1		10.9															
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

7,962,114 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Virginia: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct	
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct		
11 & 21	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
31	1-2	-	-	-	-	-	-	*	0.2	0.2	*	*	*	*	-	0.4	
	3	-	-	-	-	-	-	*	0.4	1.1	0.9	0.6	0.1	0.1	*	3.4	
	4	-	-	-	-	-	*	*	*	0.2	0.4	0.8	0.3	0.1	*	1.8	
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	0.6	1.5	1.3	1.5	0.5	0.2	*	5.7
41	1-2	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	*	-	0.8	
	3	-	-	-	-	-	*	0.3	3.2	8.1	7.6	4.4	0.7	0.2	*	24.6	
	4	-	-	-	-	-	*	0.1	1.3	6.3	10.8	8.8	1.4	0.5	*	29.2	
	5	-	-	-	-	-	-	*	*	0.4	1.0	1.3	0.3	0.1	-	3.2	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.5	4.9	15.1	19.5	14.5	2.4	0.8	*	57.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	*	*	0.1	0.4	0.6	0.2	0.1	*	*	*	1.5	
	4	-	-	-	-	-	*	0.1	0.5	1.3	0.8	0.3	0.1	*	*	3.1	
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	0.6	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	*	0.2	1.0	2.1	1.2	0.5	0.1	*	*	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2	
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.3	
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	-	-	*	0.2	1.0	2.2	2.1	0.9	0.1	*	-	6.6	
	4	-	-	-	-	-	*	0.1	0.9	3.0	4.0	2.5	0.2	*	-	10.7	
	5	-	-	-	-	-	-	*	0.1	0.3	0.5	0.5	*	*	*	1.4	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	0.3	2.0	5.5	6.6	3.9	0.3	*	*	18.8	
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	0.1	0.5	1.2	0.6	0.1	*	*	-	2.5	
	4	-	-	-	-	-	*	0.2	1.3	3.1	2.2	0.7	0.1	*	-	7.6	
	5	-	-	-	-	-	-	*	0.2	0.5	0.5	0.2	*	*	-	1.4	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	-	-	-	-	*	0.3	2.0	4.8	3.3	1.0	0.1	*	*	11.5	

* Less than 0.05 percent.

Table 20. -- Virginia: Percent Distribution of color, leaf and staple for upland cotton classed:
2016 Crop

QUALITY COLOR	LEAF	STAPLE														Total Pct		
		26 &- Pct	28 Pct	29 Pct	30 Pct	31 Pct	32 Pct	33 Pct	34 Pct	35 Pct	36 Pct	37 Pct	38 Pct	39 Pct	40&+ Pct			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-		
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-		
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.4	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	-	*	-	*	*	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL	---	-	-	-	-	*	0.1	1.5	10.7	29.4	32.2	21.4	3.5	1.0	0.1	100.0		
EXTRANEEOUS MATTER																Average Staple	35.8	
																Percent Tenderable	53.9	
Bark - Level 1		0.5																
Bark - Level 2		-																
Grass - Level 1		*																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																

91,546 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2016 crop

State	Extraneous matter														Total	
	Preparation		Bark		Grass		Seed		Oil		Spindle Twist		Other		Level 1	Level 2
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
	Bales		Bales		Bales		Bales		Bales		Bales		Bales		Bales	
Alabama	281	0	15,114	0	684	0	1,141	0	1	0	0	0	25	0	17,246	0
Arizona	1	0	7,007	0	260	0	512	4	0	0	1	0	10	0	7,791	4
Arkansas	17	0	9,669	0	797	0	355	0	1	0	0	0	40	0	10,879	0
California	7	0	1,172	0	298	0	16	0	0	0	76	0	5	0	1,574	0
Florida	56	0	5,729	0	231	0	385	0	0	0	0	0	11	0	6,412	0
Georgia	966	1	79,821	0	3,488	0	3,941	0	7	0	0	0	4,700	0	92,923	1
Kansas	0	0	17,053	0	11	0	0	0	0	0	0	0	0	0	17,064	0
Louisiana	2	0	2,814	0	256	0	99	0	0	0	0	0	1	0	3,172	0
Mississippi	92	0	6,944	0	936	0	577	0	0	0	1	0	5	0	8,555	0
Missouri	97	0	4,033	0	140	0	171	0	2	0	0	0	83	0	4,526	0
New Mexico	0	0	6	0	0	0	0	0	0	0	0	0	0	0	6	0
North Carolina	29	0	5,595	0	266	0	644	0	0	0	0	0	0	0	6,534	0
Oklahoma	4	0	53,558	0	62	0	10	0	2	0	0	0	0	0	53,636	0
South Carolina	3	0	3,192	0	460	0	85	0	0	0	0	0	1	0	3,741	0
Tennessee	4	0	2,677	0	96	0	14	0	4	0	0	0	2	0	2,797	0
Texas	283	3	869,334	12	8,298	4	2,363	2	24	0	0	0	283	1	880,585	22
Virginia	0	0	455	0	22	0	9	0	0	0	0	0	0	0	486	0
United States	1,842	4	1,084,173	12	16,305	4	10,322	6	41	0	78	0	5,166	1	1,117,927	27

Table 22. -- Tenderability of upland cotton classed, by states, 2016 crop

State	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
Alabama	554,747	82.1	121,294	17.9
Arizona	270,138	76.1	84,717	23.9
Arkansas	699,063	81.4	159,875	18.6
California	227,539	91.3	21,770	8.7
Florida	118,665	80.8	28,261	19.2
Georgia	1,637,783	75.9	519,822	24.1
Kansas	38,073	52.8	34,083	47.2
Louisiana	162,917	61.2	103,181	38.8
Mississippi	748,587	74.2	259,915	25.8
Missouri	460,642	81.4	104,988	18.6
New Mexico	24,517	74.3	8,481	25.7
North Carolina	175,012	49.5	178,852	50.5
Oklahoma	443,196	76.9	132,856	23.1
South Carolina	185,297	84.8	33,095	15.2
Tennessee	353,786	62.5	212,568	37.5
Texas	5,476,601	68.8	2,485,513	31.2
Virginia	49,298	53.9	42,248	46.1
United States	11,625,861	72.0	4,531,519	28.0

1/ Tenderable with respect to color, leaf, staple and mike in settlement of ICE Futures US No. 2 futures contracts.

Table 23. -- Tenderability of upland cotton classed, in the United States, 1997-2016 crops.

Year	Tenderable		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0

Table 24. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2016 crop.

Color	Leaf	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
11 & 21	1-2	7.2	17.2	8.8	11.6	12.0	1.3	10.9	9.1	*	0.6	*	0.2	
	3	12.4	8.6	4.3	6.1	12.0	5.2	15.0	13.1	*	0.5	*	0.2	
	4	2.7	0.4	0.4	0.5	1.8	0.9	1.0	1.0	*	*	-	*	
	5	0.1	*	*	*	0.1	*	*	*	*	*	-	*	
	6	-	-	-	-	*	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	22.4	26.2	13.5	18.2	25.9	7.4	26.9	23.2	*	1.1	*	0.4
	31	1-2	4.9	12.7	15.6	14.1	3.5	1.3	3.8	3.3	0.9	6.2	0.4	2.6
3		25.6	21.9	17.6	19.4	10.3	24.1	30.9	29.5	3.4	25.3	3.4	10.6	
4		18.4	5.0	3.9	4.9	5.7	29.7	21.4	23.0	1.6	7.2	1.8	3.5	
5		4.3	0.4	0.3	0.5	0.9	5.1	2.5	3.0	0.1	0.5	0.1	0.3	
6		0.4	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	
7		*	-	*	*	*	*	*	*	-	*	-	*	
Total		--	53.6	40.0	37.4	38.9	20.5	60.3	58.7	58.9	6.0	39.2	5.7	17.0
41		1-2	*	2.7	4.5	3.7	1.3	0.1	0.1	0.1	1.6	2.4	0.8	1.8
	3	2.0	10.6	15.4	13.2	7.9	2.7	1.8	2.0	19.8	22.8	24.6	21.5	
	4	6.7	7.5	10.5	9.3	6.8	15.7	6.7	8.5	21.7	19.3	29.2	21.9	
	5	7.3	2.6	3.0	3.1	2.0	11.5	3.9	5.4	4.4	4.4	3.2	4.2	
	6	2.9	0.5	0.5	0.6	0.4	1.3	0.6	0.7	0.4	0.6	0.1	0.4	
	7	0.6	0.1	0.1	0.1	0.1	*	*	*	*	0.1	-	*	
	Total	--	19.5	24.0	34.0	30.0	18.5	31.3	13.1	16.7	47.9	49.6	57.9	49.8
	51	1-2	-	*	*	*	0.1	*	*	*	0.1	0.1	0.1	0.1
3		-	*	0.3	0.2	1.6	*	*	*	2.7	0.6	1.5	1.8	
4		*	0.1	0.5	0.4	1.6	*	*	*	7.4	0.5	3.1	4.6	
5		0.1	0.2	0.5	0.4	0.6	0.1	0.1	0.1	3.5	0.2	0.6	2.0	
6		0.1	0.2	0.3	0.2	0.1	*	*	*	0.5	*	*	0.3	
7		0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	-	*	
Total		--	0.3	0.6	1.7	1.3	4.1	0.1	0.1	0.1	14.2	1.4	5.3	8.8
61		1-2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	*	*	*	-	-	-	*	*	-	*	
	4	-	*	*	*	*	-	-	-	*	*	-	*	
	5	-	-	*	*	*	-	*	*	*	*	-	*	
	6	-	-	*	*	*	-	*	*	*	-	-	*	
	7	-	-	*	*	*	-	-	-	*	*	-	*	
	Total	--	-	*	*	*	*	-	*	*	*	*	-	*
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	*	*	*	*	*	*	-	-	-	-	
4		-	-	*	*	*	-	-	-	-	-	-	-	
5		-	-	-	-	*	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		--	-	-	*	*	*	*	*	*	-	-	-	-
12 & 22		1-2	*	0.7	0.4	0.5	1.0	*	*	*	*	*	-	*
	3	0.3	0.8	0.6	0.6	3.5	*	*	*	-	*	-	*	
	4	0.2	0.1	0.1	0.1	1.2	*	*	*	-	*	-	*	
	5	*	*	*	*	0.1	-	-	-	-	-	-	-	
	6	*	*	-	*	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	0.5	1.6	1.1	1.2	5.8	*	*	*	*	*	-	*
	32	1-2	*	0.3	1.0	0.7	0.2	*	*	*	0.1	0.2	*	0.1
3		0.5	1.5	2.6	2.1	1.5	*	0.1	0.1	0.3	1.2	0.2	0.6	
4		0.7	1.0	1.2	1.1	1.7	0.1	0.2	0.2	0.3	0.4	0.1	0.3	
5		0.4	0.2	0.2	0.2	0.5	*	0.1	0.1	*	*	*	*	
6		0.2	*	*	*	0.1	-	*	*	*	-	-	*	
7		0.1	*	*	*	*	-	*	*	-	-	-	-	
Total		--	1.9	3.0	5.0	4.1	4.0	0.1	0.4	0.4	0.7	1.8	0.3	1.0
42		1-2	*	*	0.2	0.2	0.2	*	*	*	0.1	0.1	0.1	0.1
	3	0.1	0.4	1.4	1.0	2.7	0.1	0.1	0.1	4.3	2.1	6.6	3.9	
	4	0.1	0.9	1.8	1.4	3.7	0.5	0.3	0.3	7.7	2.6	10.7	6.4	
	5	0.1	0.6	0.9	0.8	1.4	0.2	0.3	0.3	1.7	0.7	1.4	1.3	
	6	0.1	0.2	0.2	0.2	0.4	*	0.1	0.1	0.1	0.1	*	0.1	
	7	0.1	*	*	*	0.1	-	*	*	*	*	-	*	
	Total	--	0.5	2.1	4.5	3.6	8.5	0.8	0.8	0.8	13.9	5.6	18.8	11.8
	52	1-2	-	-	*	*	0.1	-	*	*	*	*	*	*
3		-	*	0.1	0.1	2.4	*	*	*	2.5	0.2	2.5	1.7	
4		-	*	0.1	0.1	3.6	*	*	*	8.2	0.3	7.6	5.5	
5		*	*	0.1	0.1	1.4	*	*	*	3.4	0.1	1.4	2.0	
6		*	*	0.1	0.1	0.4	*	*	*	0.4	*	*	0.2	
7		*	*	*	*	0.1	-	*	*	0.1	-	-	*	
Total		--	*	*	0.4	0.4	8.0	*	*	*	14.6	0.6	11.5	9.4

Table 24. --- Continued.

Color	Leaf	ABILENE				CORPUS CHRISTI			DUMAS			FLORENCE		
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
62	1-2	-	-	-	-	*	-	-	-	*	*	-	*	
	3	-	*	*	*	0.3	-	-	-	0.1	*	*	*	
	4	-	-	*	*	0.4	-	-	-	0.2	*	*	0.1	
	5	-	-	*	*	0.1	*	*	*	0.1	*	*	*	
	6	-	-	*	*	*	-	*	*	*	-	-	*	
	7	-	-	*	*	*	-	*	*	*	-	-	*	
	Total	--	-	*	*	*	0.8	*	*	*	0.4	*	*	0.1
13 & 23	1-2	-	0.1	0.1	0.1	*	-	-	-	-	*	-	*	
	3	*	0.2	*	0.1	0.1	-	-	-	-	*	-	*	
	4	*	*	*	*	*	-	-	-	-	*	-	*	
	5	*	*	*	*	*	-	-	-	-	-	-	-	
	6	-	-	-	-	*	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	--	*	0.3	0.1	0.2	0.1	-	-	-	-	*	-	*
33	1-2	*	0.1	0.1	0.1	*	-	*	*	*	*	-	*	
	3	0.2	0.5	0.4	0.4	0.1	*	*	*	*	*	-	*	
	4	0.2	0.4	0.3	0.3	0.1	*	*	*	*	*	-	*	
	5	0.1	0.1	*	0.1	*	*	*	*	*	*	-	*	
	6	*	*	*	*	*	-	*	*	*	-	-	*	
	7	*	*	*	*	*	-	*	*	*	-	-	*	
	Total	--	0.5	1.1	0.8	0.9	0.2	*	*	*	*	*	-	*
43	1-2	-	*	*	*	*	-	-	-	*	*	-	*	
	3	0.1	0.1	0.2	0.1	0.1	*	*	*	0.2	0.2	0.1	0.2	
	4	0.1	0.2	0.3	0.3	0.3	*	*	*	0.5	0.2	0.1	0.3	
	5	*	0.2	0.2	0.2	0.1	*	*	*	0.2	0.1	*	0.1	
	6	*	0.1	0.1	0.1	0.1	*	-	*	*	*	*	*	
	7	*	*	*	*	*	-	*	*	*	*	-	*	
	Total	--	0.2	0.6	0.8	0.7	0.5	*	*	*	0.9	0.5	0.2	0.6
53	1-2	-	-	*	*	*	-	-	-	*	-	*	*	
	3	*	*	*	*	0.4	-	*	*	0.1	*	0.1	0.1	
	4	-	*	*	*	1.0	-	*	*	0.5	0.1	0.2	0.3	
	5	*	*	*	*	0.6	-	*	*	0.3	*	0.1	0.2	
	6	*	*	*	*	0.2	-	*	*	0.1	*	*	*	
	7	*	*	*	*	*	-	*	*	*	-	-	*	
	Total	--	*	*	*	*	2.2	-	*	*	1.0	0.1	0.4	0.6
63	1-2	-	*	-	*	*	-	-	-	*	-	-	*	
	3	-	-	*	*	0.1	-	-	-	*	*	*	*	
	4	-	*	*	*	0.2	-	-	-	*	*	*	*	
	5	-	*	*	*	0.1	*	-	*	*	*	-	*	
	6	-	*	*	*	*	-	-	-	*	-	-	*	
	7	-	-	*	*	*	-	*	*	*	-	-	*	
	Total	--	-	*	*	*	0.4	*	*	*	*	*	*	*
24 - 54	1-7	0.1	0.3	0.1	0.2	0.1	*	*	*	*	*	*	*	
25 - 35	1-7	-	*	*	*	-	-	-	-	*	-	-	*	
81 - 85 1/	1-7	*	*	*	*	0.1	-	*	*	*	*	*	*	
All Colors	8 2/	0.4	0.1	0.1	0.1	0.1	-	*	*	*	*	-	*	
STAPLE														
28 & shorter		-	*	-	*	-	-	-	-	-	-	-	-	
29		-	*	*	*	*	-	-	-	-	-	-	-	
30		-	*	*	*	0.1	-	-	-	*	*	*	*	
31		-	*	*	*	0.7	-	-	-	*	*	*	*	
32		*	0.1	0.4	0.3	2.3	*	0.1	*	0.5	0.6	0.1	0.5	
33		0.1	0.9	2.1	1.6	5.4	*	0.6	0.5	4.5	5.3	1.5	4.3	
34		3.0	5.2	8.0	6.8	9.3	0.7	4.5	3.7	14.8	14.1	10.7	14.0	
35		22.6	17.2	20.5	19.5	17.1	9.9	18.2	16.6	28.6	20.0	29.4	25.9	
36		38.4	31.0	30.8	31.2	28.9	40.2	37.9	38.4	28.7	23.1	32.2	27.3	
37		30.7	34.4	27.5	30.0	26.4	41.3	27.0	29.8	18.6	23.3	21.4	20.5	
38 & longer		5.2	11.2	10.5	10.5	9.8	8.0	11.7	11.0	4.3	13.6	4.5	7.4	
All Staples		100	100	100	100	100	100	100	100	100	100	100	100	
Average Staple		36.1	36.3	36.1	36.2	35.8	36.5	36.3	36.3	35.5	35.9	35.8	35.7	
Total Classed		72,156	576,052	1,022,296	1,670,504	1,368,628	194,751	797,250	992,001	353,864	218,392	91,546	663,802	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2016 crop.

Color	Leaf	LAMESA		LUBBOCK				MACON				MEMPHIS			
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total		
11 & 21	1-2	19.3	28.4	23.1	13.0	22.1	21.8	11.8	0.6	0.9	5.6	5.0	3.3		
	3	6.4	12.6	8.5	5.6	6.3	6.6	14.4	1.2	1.0	10.7	4.2	4.0		
	4	0.5	1.2	0.3	0.2	0.2	0.2	1.5	0.1	*	0.8	0.3	0.3		
	5	*	0.1	*	-	*	*	*	*	*	*	*	*		
	6	*	*	-	-	*	*	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	26.2	42.3	31.9	18.8	28.6	28.6	27.7	1.9	1.9	17.1	9.5	7.6	
31	1-2	13.2	13.8	18.0	25.5	16.9	17.5	6.6	2.3	6.2	4.1	7.9	5.3		
	3	20.9	20.0	29.2	33.8	28.6	29.0	31.9	26.1	35.9	35.3	35.5	32.4		
	4	5.7	6.0	6.1	5.5	5.2	5.4	20.7	16.8	13.1	18.9	19.1	17.0		
	5	0.6	0.8	0.3	0.4	0.3	0.3	2.9	2.0	0.8	2.1	2.1	1.8		
	6	*	0.1	*	*	*	*	0.1	*	*	0.1	*	0.1		
	7	*	*	-	-	-	-	*	*	-	*	*	*		
	Total	--	40.4	40.7	53.6	65.2	51.0	52.2	62.2	47.2	56.0	60.5	64.6	56.6	
41	1-2	1.4	0.6	1.0	1.3	2.6	2.3	0.2	0.2	0.6	0.1	0.4	0.4		
	3	7.4	3.5	4.5	6.3	7.9	7.3	2.0	8.1	11.5	3.6	5.9	7.4		
	4	7.4	3.9	2.9	3.1	3.5	3.4	3.4	24.3	21.1	8.6	12.2	17.0		
	5	3.1	1.6	0.6	0.7	0.6	0.6	1.5	14.7	7.7	5.1	5.3	8.4		
	6	0.9	0.4	0.1	0.1	0.1	0.1	0.3	2.1	0.6	2.0	0.5	1.1		
	7	0.2	0.1	*	*	*	*	*	0.1	*	0.8	*	0.1		
	Total	--	20.4	10.1	9.1	11.5	14.7	13.7	7.4	49.5	41.5	20.2	24.3	34.4	
51	1-2	*	*	0.1	*	0.3	0.2	-	*	-	-	*	*		
	3	*	*	0.5	0.4	1.4	1.2	*	*	*	*	*	*		
	4	*	*	0.3	0.2	0.7	0.6	*	0.1	*	*	0.1	0.1		
	5	0.1	*	*	*	0.1	0.1	*	0.2	0.1	*	0.1	0.1		
	6	0.1	*	*	*	*	*	*	0.1	*	*	*	*		
	7	0.1	*	*	*	*	*	*	*	*	0.1	*	*		
	Total	--	0.3	*	0.9	0.6	2.5	2.1	*	0.4	0.1	0.1	0.2	0.2	
61	1-2	-	*	*	*	*	*	-	*	-	-	*	*		
	3	-	*	0.1	*	*	0.1	-	-	-	-	*	*		
	4	*	-	*	*	*	*	-	-	-	-	*	*		
	5	*	*	*	*	*	*	-	*	*	*	*	*		
	6	*	*	*	-	*	*	-	*	-	-	*	*		
	7	-	*	-	-	*	*	-	*	-	-	-	*		
	Total	--	*	*	0.1	*	*	0.1	-	*	*	*	*	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	1.1	1.3	0.1	0.1	0.1	0.1	0.2	*	-	*	*	*		
	3	1.1	1.1	0.1	0.1	*	*	0.3	*	*	0.1	*	*		
	4	0.2	0.2	*	*	*	*	*	*	*	*	*	*		
	5	*	*	*	-	*	*	*	-	-	*	*	*		
	6	*	*	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-		
	Total	--	2.4	2.6	0.2	0.2	0.1	0.1	0.5	*	*	0.1	*	*	
32	1-2	0.8	0.4	0.4	0.2	0.3	0.3	0.1	*	*	0.1	0.1	*		
	3	2.7	1.1	0.9	0.9	0.9	0.9	0.9	0.1	*	0.5	0.3	0.2		
	4	1.5	0.6	0.3	0.2	0.2	0.3	0.5	0.1	*	0.3	0.2	0.2		
	5	0.3	0.1	*	*	*	*	*	*	*	0.1	*	*		
	6	*	*	*	-	*	*	*	*	*	*	*	*		
	7	*	*	-	-	-	-	-	-	-	-	*	*		
	Total	--	5.3	2.2	1.6	1.3	1.4	1.5	1.5	0.2	*	1.0	0.6	0.4	
42	1-2	0.1	*	0.1	0.1	0.1	0.1	*	*	*	*	*	*		
	3	0.6	0.2	0.7	1.0	0.7	0.7	0.1	0.1	0.1	0.1	0.1	0.1		
	4	0.9	0.2	0.6	0.5	0.5	0.5	0.4	0.4	0.1	0.2	0.2	0.2		
	5	0.5	0.2	0.1	0.3	0.1	0.1	0.1	0.1	0.2	*	0.1	0.1		
	6	0.2	0.1	*	*	*	*	*	*	*	*	*	*		
	7	0.1	*	*	*	*	*	*	*	*	*	*	*		
	Total	--	2.4	0.7	1.5	1.9	1.4	1.4	0.6	0.7	0.2	0.4	0.4	0.4	
52	1-2	*	*	*	*	*	*	-	*	-	*	*	*		
	3	*	*	*	0.1	*	*	*	*	*	*	*	*		
	4	*	*	0.1	*	*	0.1	*	*	*	*	*	*		
	5	*	*	*	*	*	*	*	*	*	*	*	*		
	6	*	*	*	*	*	*	-	*	-	*	*	*		
	7	*	*	*	*	*	*	*	*	-	*	*	*		
	Total	--	*	*	0.1	0.1	*	0.1	*	*	*	*	*	*	

* Less than 0.05 percent.

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 25. -- Continued.

		LAMESA	LUBBOCK	MACON				MEMPHIS					
Color	Leaf	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
62	1-2	-	*	*	-	*	*	-	-	-	-	-	-
	3	-	*	*	*	*	*	-	-	*	-	-	-
	4	-	*	*	*	*	*	-	-	-	-	-	-
	5	-	*	*	*	*	*	-	-	-	-	-	-
	6	-	*	*	-	*	*	-	-	-	-	-	-
	7	-	-	*	-	*	*	-	-	-	-	-	-
Total	--	-	*	*	*	*	*	-	-	*	-	-	*
13 & 23	1-2	0.2	0.2	*	-	*	*	*	-	-	-	*	*
	3	0.2	0.2	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	-	-	-	-	*	*
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	--	0.4	0.4	*	*	*	*	*	*	*	*	*	*
33	1-2	0.2	0.1	*	*	*	*	*	*	*	*	*	*
	3	0.7	0.3	0.1	*	*	*	*	*	*	*	*	*
	4	0.3	0.2	*	*	*	*	*	*	*	*	*	*
	5	0.1	0.1	*	-	*	*	*	*	-	-	*	*
	6	*	*	-	-	-	-	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
Total	--	1.3	0.7	0.1	*	*	*	*	*	*	*	*	*
43	1-2	*	*	*	*	*	*	*	-	*	-	*	*
	3	0.1	*	0.1	*	*	*	*	*	*	*	*	*
	4	0.1	0.1	0.1	*	*	*	*	*	*	*	*	*
	5	0.1	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	-	*	*	*	*	*
	7	*	*	-	*	*	*	-	*	-	-	-	*
Total	--	0.3	0.1	0.2	*	*	*	*	*	*	*	*	*
53	1-2	*	*	*	-	*	*	*	-	-	-	-	*
	3	*	*	*	*	*	*	-	-	*	-	*	*
	4	*	*	*	*	*	*	-	*	*	-	*	*
	5	*	*	*	*	*	*	-	*	*	-	*	*
	6	*	*	*	*	*	*	-	*	*	*	*	*
	7	*	*	*	*	*	*	-	*	-	-	-	*
Total	--	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	*	*	-	*	*	-	-	-	-	-	-
	3	-	*	*	-	*	*	-	-	-	-	-	-
	4	-	*	-	*	*	*	-	-	-	-	-	-
	5	-	*	-	*	*	*	-	-	-	-	-	-
	6	-	*	-	*	*	*	-	-	-	-	-	-
	7	-	*	*	-	*	*	-	-	-	-	-	-
Total	--	-	*	*	*	*	*	-	-	-	-	-	-
24 - 54	1-7	0.2	0.1	0.1	*	*	*	*	*	*	-	*	*
25 - 35	1-7	*	*	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	-	*	*	-	-	-	-	*	*
All Colors	8 2/	-	*	*	*	*	*	*	*	*	0.1	*	*
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	*	*	-	-	-	-	-	-
30		*	*	*	-	*	*	-	-	-	-	-	-
31		*	*	0.1	*	0.1	0.1	*	-	-	*	*	*
32		0.3	0.3	1.4	0.3	0.9	1.0	0.6	*	*	0.1	*	0.1
33		1.8	1.5	7.5	3.0	4.3	4.8	4.4	*	*	0.9	0.2	0.5
34		7.6	5.7	18.7	13.4	13.0	14.0	11.0	0.4	0.4	4.3	1.5	2.0
35		20.0	15.7	25.4	26.9	20.6	21.7	19.1	3.9	4.0	14.6	9.9	7.8
36		28.8	26.4	21.0	27.4	24.8	24.3	24.4	20.0	21.0	29.2	29.3	23.9
37		27.3	30.2	15.2	17.2	21.7	20.3	29.1	55.8	55.1	32.9	45.5	48.4
38 & longer		14.2	20.2	10.5	11.8	14.6	13.8	11.3	19.9	19.5	18.0	13.6	17.2
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Staple		36.2	36.5	35.5	35.8	35.9	35.9	36.0	36.9	36.9	36.6	36.6	36.7
Total Classed		1,619,722	3,933,114	470,009	146,926	2,157,605	2,774,540	206,032	664,187	565,630	191,061	566,354	2,193,264

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.
 3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 26. -- Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2016 crop.

Color	Leaf	RAYVILLE				VISALIA				Classing Office Total	UNITED STATES
		Arkansas 1/	Louisiana	Mississippi 1/	Classing Office Total	Arizona	California	New Mexico	Texas 1/		
11 & 21	1-2	-	4.3	-	4.7	42.7	46.4	56.5	60.4	45.3	17.8
	3	-	5.9	-	6.1	10.6	8.9	6.9	10.0	9.7	8.4
	4	-	0.2	-	0.2	0.3	0.1	0.1	0.2	0.2	0.7
	5	-	*	-	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	--	-	10.4	-	11.0	53.6	55.4	63.5	70.6	55.2
31	1-2	-	4.6	-	5.4	12.6	17.4	18.6	11.1	14.7	11.2
	3	-	32.6	-	33.3	17.4	11.2	12.5	12.8	14.7	22.7
	4	-	16.4	-	15.8	4.4	0.8	1.9	1.5	2.8	8.2
	5	-	1.3	-	1.2	0.5	*	0.1	*	0.3	0.9
	6	-	*	-	*	*	*	-	-	*	*
	7	-	*	-	*	-	-	-	-	-	*
	Total	--	-	54.9	-	55.7	34.9	29.4	33.1	25.4	32.5
41	1-2	-	0.3	-	0.3	0.3	1.6	0.4	1.1	0.8	1.3
	3	-	7.3	-	7.2	1.9	3.9	0.9	1.5	2.6	7.1
	4	-	14.7	-	14.0	2.2	1.8	0.4	0.2	1.9	7.9
	5	-	6.1	-	5.7	1.2	0.2	0.2	0.1	0.8	3.1
	6	-	0.9	-	0.8	0.6	*	*	-	0.3	0.5
	7	-	0.1	-	0.1	0.2	*	-	-	0.1	0.1
	Total	--	-	29.4	-	28.1	6.4	7.5	1.9	2.9	6.5
51	1-2	-	*	-	*	*	0.1	-	-	0.1	0.1
	3	-	0.1	-	0.1	0.1	0.6	*	*	0.3	0.4
	4	-	0.5	-	0.5	0.1	0.2	*	*	0.2	0.5
	5	-	0.4	-	0.4	0.1	0.1	*	*	0.1	0.2
	6	-	0.3	-	0.3	0.1	*	*	-	0.1	0.1
	7	-	0.1	-	*	0.1	*	-	-	*	*
	Total	--	-	1.4	-	1.3	0.5	1.0	*	*	0.8
61	1-2	-	-	-	*	-	*	-	-	*	*
	3	-	*	-	*	-	*	-	-	*	*
	4	-	*	-	*	*	*	-	-	*	*
	5	-	*	-	*	-	*	-	-	*	*
	6	-	-	-	-	*	*	-	-	*	*
	7	-	*	-	*	*	*	-	-	*	*
	Total	--	-	*	-	*	*	-	-	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	-	*	-	-	*
12 & 22	1-2	-	-	-	*	0.7	0.9	0.2	0.1	0.7	0.6
	3	-	-	-	*	0.4	0.6	0.1	0.4	0.5	0.8
	4	-	-	-	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	*	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	*	1.2	1.5	0.3	0.5	1.2
32	1-2	-	*	-	*	0.1	0.8	0.6	*	0.4	0.4
	3	-	0.1	-	0.2	0.4	1.5	0.2	0.3	0.8	1.1
	4	-	0.1	-	0.1	0.4	0.3	0.1	0.2	0.4	0.7
	5	-	*	-	*	0.2	*	*	*	0.1	0.1
	6	-	-	-	-	*	*	-	*	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	0.2	-	0.3	1.1	2.6	0.9	0.5	1.7
42	1-2	-	*	-	*	*	0.1	*	*	0.1	0.1
	3	-	0.8	-	0.8	0.1	0.5	0.1	*	0.2	0.7
	4	-	1.0	-	0.9	0.2	0.5	*	0.1	0.3	1.0
	5	-	0.5	-	0.4	0.4	0.1	*	*	0.3	0.4
	6	-	0.1	-	0.1	0.3	*	*	-	0.2	0.1
	7	-	*	-	*	0.1	*	-	-	0.1	*
	Total	--	-	2.4	-	2.2	1.1	1.2	0.1	0.1	1.2
52	1-2	-	*	-	*	-	*	-	-	*	*
	3	-	0.1	-	0.1	*	0.1	-	-	*	0.3
	4	-	0.5	-	0.5	*	0.1	-	*	*	0.6
	5	-	0.3	-	0.3	*	*	-	-	*	0.2
	6	-	0.1	-	0.1	*	*	-	-	*	0.1
	7	-	*	-	*	0.1	*	-	-	*	*
	Total	--	-	1.0	-	1.0	0.1	0.2	-	*	*

* Less than 0.05 percent.

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 26. --- Continued.

RAYVILLE						VISALIA					
Color	Leaf	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas 3/	Classing Office Total	UNITED STATES
62	1-2	-	*	-	*	-	*	-	-	*	*
	3	-	*	-	*	-	*	-	-	*	*
	4	-	*	-	*	-	*	-	-	*	*
	5	-	*	-	*	-	*	-	-	*	*
	6	-	*	-	*	-	*	-	-	*	*
	7	-	*	-	*	*	*	-	-	*	*
	Total	--	-	*	-	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	-	*	0.1
	3	-	-	-	-	*	*	*	-	*	0.1
	4	-	-	-	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	--	-	-	-	-	*	*	*	-	*
33	1-2	-	-	-	-	*	0.1	*	-	*	0.1
	3	-	*	-	*	*	0.2	0.1	*	0.1	0.2
	4	-	*	-	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	*
	Total	--	-	*	-	*	0.4	0.1	*	*	0.1
43	1-2	-	*	-	*	*	*	*	-	*	*
	3	-	*	-	*	*	0.1	*	-	*	0.1
	4	-	*	-	*	*	0.1	*	*	0.1	0.1
	5	-	*	-	*	0.1	*	*	*	0.1	0.1
	6	-	*	-	*	0.1	*	-	-	*	*
	7	-	-	-	-	*	-	-	-	*	*
	Total	--	-	*	-	*	0.2	0.2	*	*	0.2
53	1-2	-	-	-	-	-	*	-	-	*	*
	3	-	*	-	*	-	*	-	*	*	*
	4	-	*	-	*	*	*	-	*	*	0.1
	5	-	*	-	*	*	*	-	-	*	0.1
	6	-	*	-	*	*	*	-	-	*	*
	7	-	*	-	*	*	-	-	-	*	*
	Total	--	-	*	-	*	*	*	-	*	*
63	1-2	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	*	-	-	-	-	-	*
	5	-	*	-	*	-	*	-	-	*	*
	6	-	*	-	*	-	*	-	-	*	*
	7	-	*	-	*	-	-	-	-	-	*
	Total	--	-	*	-	*	-	*	-	-	*
24 - 54	1-7	-	-	-	-	*	*	*	-	*	0.1
25 - 35	1-7	-	-	-	-	-	-	-	-	-	*
81 - 85 1/	1-7	-	-	-	-	*	*	-	-	*	*
All Colors	8 2/	-	-	-	-	0.5	*	-	-	0.2	*
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	-	*
31		-	*	-	*	-	-	-	-	-	0.1
32		-	*	-	*	*	*	-	-	*	0.5
33		-	0.4	-	0.5	0.2	0.2	*	-	0.2	2.3
34		-	4.6	-	5.1	1.5	0.9	0.3	0.2	1.2	7.3
35		-	17.7	-	18.4	6.7	3.7	4.3	4.0	5.3	16.7
36		-	33.7	-	33.4	18.4	10.6	12.7	11.1	14.9	27.1
37		-	27.5	-	26.8	35.3	34.1	28.6	25.3	34.2	30.0
38 & longer		-	16.0	-	15.7	37.9	50.6	54.1	59.5	44.1	16.0
All Staples		-	100.0	-	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Staple		-	36.4	-	36.3	37.3	37.7	37.8	38.1	37.5	36.3
Total Classed		-	266,098	-	286,289	354,855	249,309	32,998	18,354	655,516	16,157,380

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2016 crop.

Mike and Fiber Strength	ABILENE				CORPUS CHRISTI		DUMAS			FLORENCE			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total	
MIKE													
24 & below	0.1	*	*	*	*	-	-	-	-	*	-	*	
25	1.1	*	*	0.1	*	-	*	*	-	-	-	-	
26	1.2	*	*	0.1	*	-	*	*	*	*	-	*	
27	1.1	*	*	0.1	*	-	*	*	*	*	-	*	
28	1.9	*	*	0.1	*	-	*	*	*	*	-	*	
29	2.2	0.1	0.1	0.2	*	-	*	*	*	*	-	*	
30	3.2	0.1	0.1	0.3	0.1	*	*	*	*	*	-	*	
31	4.5	0.2	0.3	0.5	0.1	*	*	*	*	*	-	*	
32	5.0	0.3	0.5	0.6	0.2	*	*	*	*	*	-	*	
33	6.6	0.5	0.9	1.0	0.3	*	0.1	0.1	*	*	-	*	
34	6.4	0.8	1.3	1.4	0.4	*	0.1	0.1	*	*	-	*	
35	7.3	1.1	1.9	1.9	0.9	0.1	0.2	0.2	*	0.1	*	0.1	
36	7.6	1.6	2.5	2.4	1.3	0.1	0.5	0.4	*	0.2	0.1	0.1	
37	8.2	2.5	3.3	3.2	2.1	0.2	0.6	0.5	0.1	0.5	*	0.2	
38	7.5	3.4	4.4	4.2	3.1	0.5	0.8	0.7	0.3	1.0	0.1	0.5	
39	7.1	4.3	5.6	5.2	4.2	0.8	1.3	1.2	0.4	1.4	0.3	0.7	
40	6.5	5.1	6.8	6.2	5.3	1.4	1.6	1.6	0.8	2.2	0.5	1.2	
41	5.9	6.1	8.0	7.2	6.4	2.3	2.3	2.3	1.4	3.9	0.7	2.1	
42	5.5	7.0	9.2	8.3	7.4	3.9	3.5	3.5	2.1	6.8	1.2	3.6	
43	4.6	8.3	9.8	9.0	8.6	5.8	5.0	5.2	3.7	9.1	3.1	5.4	
44	2.1	8.9	9.6	9.0	9.5	8.2	7.2	7.4	5.2	12.2	5.7	7.6	
45	1.4	9.1	9.3	8.9	9.8	10.5	8.7	9.0	7.5	13.9	9.8	9.9	
46	1.3	9.1	8.2	8.2	9.5	10.9	10.1	10.3	10.4	14.1	13.1	12.0	
47	0.6	8.3	6.6	6.9	8.8	10.7	11.2	11.1	12.3	12.6	14.9	12.7	
48	0.4	7.3	4.8	5.5	7.5	10.3	12.3	11.9	13.6	9.7	16.8	12.7	
49	0.4	6.1	3.2	4.1	5.7	10.3	11.2	11.0	13.5	6.5	14.5	11.3	
50	0.1	4.1	2.0	2.6	3.9	9.5	9.5	9.5	11.5	3.4	10.2	8.7	
51	-	2.7	0.9	1.5	2.5	6.9	6.6	6.7	8.4	1.4	5.6	5.7	
52	-	1.7	0.4	0.8	1.4	4.1	4.2	4.2	5.0	0.7	2.3	3.2	
53	-	0.9	0.1	0.4	0.6	2.2	2.1	2.1	2.5	0.2	1.0	1.6	
54	-	0.4	*	0.1	0.2	1.1	0.7	0.8	0.8	0.1	0.2	0.5	
55	*	0.1	*	*	*	0.3	0.1	0.2	0.2	*	*	0.1	
56	-	*	*	*	*	*	*	*	*	*	*	*	
57	-	*	*	*	*	*	*	*	*	-	-	*	
58	-	*	-	*	*	-	-	-	-	-	-	-	
59	-	*	-	*	-	-	-	-	-	-	-	-	
60 & above	-	-	-	-	-	-	-	-	-	-	-	-	
Average mike	37	44	43	43	44	47	47	47	48	45	47	47	
Fiber Strength 1/													
17 & below	-	-	-	-	-	-	-	-	-	-	-	-	
18	-	-	-	-	-	-	-	-	-	-	-	-	
19	-	-	-	-	*	-	-	-	-	-	-	-	
20	-	*	*	*	*	-	-	-	-	-	-	-	
21	-	*	*	*	*	-	-	-	-	-	-	-	
22	*	*	*	*	0.1	-	-	-	-	*	-	*	
23	0.2	*	*	*	0.2	-	-	-	*	*	*	*	
24	0.6	*	*	*	0.5	-	-	-	0.1	0.1	*	0.1	
25	2.2	*	0.1	0.2	1.1	*	*	*	0.4	0.8	0.1	0.5	
26	5.6	0.3	0.9	0.9	2.5	0.1	0.2	0.1	1.9	3.4	0.7	2.2	
27	16.3	2.2	4.4	4.2	4.8	0.6	0.8	0.7	5.8	11.0	3.1	7.1	
28	30.7	9.2	12.6	12.2	8.2	3.3	2.5	2.7	11.3	20.0	7.2	13.6	
29	23.4	19.4	22.3	21.4	13.5	10.6	7.0	7.7	15.8	23.2	13.4	17.9	
30	11.6	25.3	25.2	24.6	18.5	17.6	15.0	15.5	20.4	18.5	20.4	19.8	
31	7.3	22.5	19.8	20.2	19.7	20.5	25.5	24.6	20.1	11.2	23.5	17.6	
32	1.6	13.0	10.0	10.6	15.7	18.3	24.9	23.6	14.1	6.7	18.5	12.3	
33	0.4	5.7	3.5	4.1	9.3	14.1	16.4	15.9	6.9	3.4	9.3	6.1	
34	0.1	1.9	0.8	1.2	4.0	8.8	6.1	6.6	2.4	1.2	2.9	2.1	
35	*	0.4	0.2	0.3	1.3	4.6	1.3	1.9	0.7	0.3	0.8	0.6	
36 & above	*	0.2	0.1	0.1	0.6	1.5	0.3	0.5	0.2	0.1	0.2	0.1	
Average Strength	28.4	30.3	29.9	30.0	30.4	31.5	31.4	31.4	30.2	29.3	30.6	29.9	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2016 crop.

Mike and Fiber Strength	LAMESA LUBBOCK		MACON				MEMPHIS					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
MIKE												
24 & below	*	0.2	*	*	*	*	-	-	-	-	*	*
25	*	0.2	*	*	*	*	-	-	-	-	-	-
26	0.1	0.4	*	*	*	*	*	*	-	*	*	*
27	0.1	0.7	*	*	*	*	*	*	-	*	*	*
28	0.1	0.9	*	*	*	*	0.1	*	-	*	*	*
29	0.2	1.2	*	*	*	*	0.1	*	-	*	*	*
30	0.4	1.5	*	*	*	*	0.1	*	*	*	*	*
31	0.6	1.9	0.1	*	*	*	0.2	*	*	*	*	*
32	0.8	2.3	0.2	*	*	0.1	0.4	*	*	*	*	0.1
33	1.0	2.7	0.2	*	0.1	0.1	0.7	*	0.1	0.1	0.1	0.1
34	1.4	3.2	0.3	0.1	0.2	0.2	1.0	0.1	0.1	0.2	0.2	0.2
35	1.8	3.6	0.6	0.1	0.3	0.3	1.6	0.2	0.2	0.4	0.4	0.3
36	2.4	4.0	0.8	0.2	0.4	0.5	2.2	0.4	0.4	0.8	0.3	0.6
37	3.1	4.4	1.1	0.4	0.6	0.7	2.1	0.8	0.7	1.5	0.4	0.9
38	3.8	4.9	1.7	0.8	0.8	1.0	2.5	1.4	1.3	1.6	0.8	1.4
39	4.5	5.3	2.2	1.0	1.1	1.3	3.3	2.4	2.2	2.3	1.2	2.1
40	5.2	5.6	2.7	1.0	1.6	1.7	3.8	3.7	3.7	3.1	1.9	3.2
41	5.9	5.8	3.8	1.5	2.3	2.5	4.5	5.2	5.6	3.8	2.8	4.5
42	6.4	6.0	5.1	2.2	3.3	3.5	6.4	7.1	7.5	4.8	4.0	6.1
43	6.7	6.0	6.7	3.6	4.8	5.1	7.6	9.1	8.1	6.0	5.7	7.5
44	7.2	6.0	8.8	5.7	6.7	7.0	8.3	10.4	8.9	7.3	6.6	8.5
45	7.5	5.8	10.9	10.0	9.2	9.6	8.6	11.1	9.4	8.3	7.6	9.3
46	7.6	5.6	12.3	14.9	11.6	11.9	8.7	11.2	9.6	8.9	8.2	9.6
47	7.6	5.3	12.6	16.8	13.1	13.2	7.9	10.0	9.6	9.3	8.1	9.2
48	7.0	4.8	11.2	16.8	13.2	13.0	7.4	8.2	8.6	9.4	8.0	8.3
49	6.5	4.1	8.9	11.7	11.8	11.3	6.9	6.6	7.2	8.8	8.2	7.4
50	5.4	3.3	5.8	6.5	8.9	8.2	5.8	5.4	5.7	8.1	7.7	6.4
51	3.5	2.3	2.9	3.5	5.5	4.9	4.6	3.4	4.7	6.9	7.3	5.2
52	1.9	1.3	0.9	1.8	2.7	2.3	2.9	2.1	3.0	4.6	6.8	3.9
53	0.8	0.6	0.3	0.8	1.2	1.0	1.5	0.9	1.9	2.4	6.2	2.7
54	0.2	0.2	0.1	0.3	0.4	0.4	0.6	0.2	0.9	0.9	4.4	1.6
55	*	*	*	0.1	0.2	0.1	0.2	0.1	0.4	0.2	2.4	0.8
56	*	*	*	*	*	*	*	*	0.1	*	1.0	0.3
57	*	*	*	-	*	*	*	*	*	*	0.2	0.1
58	*	*	-	-	-	-	*	*	*	*	*	*
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average mike	44	41	45	47	47	46	45	45	46	46	48	46
Fiber Strength 1/												
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	*	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	*	*	-	-	-	-	-	-	-	-	-	-
22	*	*	*	-	*	*	*	-	-	-	-	*
23	*	*	*	*	*	*	*	-	-	-	-	*
24	*	0.1	0.1	0.1	*	*	*	-	-	-	-	*
25	0.2	0.6	0.5	0.7	0.3	0.3	0.1	*	*	*	*	*
26	1.0	2.4	3.0	3.5	1.6	2.0	0.9	*	*	0.1	*	0.1
27	3.6	6.7	9.9	10.4	6.8	7.5	3.7	0.2	0.1	0.5	0.3	0.6
28	10.9	12.9	18.3	18.7	16.7	17.0	9.7	1.5	0.8	2.2	1.6	2.2
29	20.1	18.4	19.1	19.0	21.8	21.2	18.7	7.1	6.9	6.2	7.3	8.1
30	24.1	20.6	17.4	18.1	18.8	18.5	26.4	21.1	25.5	12.5	20.5	21.8
31	21.0	18.1	15.0	14.8	13.6	13.9	23.4	24.6	30.8	21.4	29.8	27.1
32	12.5	11.9	10.9	8.8	10.4	10.4	12.1	18.3	19.4	24.3	22.5	19.6
33	4.6	5.5	4.2	4.1	6.3	5.8	3.9	12.8	8.9	20.7	11.7	11.4
34	1.4	2.0	1.1	1.4	2.6	2.3	0.8	9.4	4.7	9.1	4.3	6.0
35	0.4	0.6	0.3	0.3	0.8	0.7	0.2	4.3	2.3	2.4	1.4	2.5
36 & above	0.2	0.2	0.1	0.1	0.3	0.2	*	0.7	0.7	0.7	0.4	0.6
Average Strength	30.1	29.9	29.6	29.5	29.9	29.8	30.1	31.5	31.2	31.7	31.3	31.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2016 crop.

Mike and Fiber Strength	RAYVILLE				VISALIA				UNITED STATES	
	Arkansas 2/	Louisiana	Mississippi	Classing Office Total	Arizona	California	New Mexico	Texas		Classing Office Total
MIKE										
24 & below	-	-	-	-	*	*	*	-	*	*
25	-	-	-	-	*	*	0.6	-	0.1	0.1
26	-	-	-	-	0.1	*	1.1	*	0.1	0.1
27	-	-	-	-	0.2	*	2.2	*	0.2	0.2
28	-	-	-	-	0.2	*	3.0	*	0.3	0.3
29	-	-	-	-	0.2	*	3.9	0.1	0.3	0.3
30	-	*	-	*	0.3	0.1	3.2	0.2	0.3	0.5
31	-	*	-	*	0.3	0.1	2.2	0.1	0.3	0.6
32	-	0.1	-	0.1	0.4	0.2	2.0	0.2	0.4	0.8
33	-	0.1	-	0.1	0.6	0.2	3.2	0.3	0.6	1.0
34	-	0.1	-	0.1	0.9	0.4	2.4	0.9	0.8	1.2
35	-	0.1	-	0.1	1.0	0.7	3.9	3.0	1.1	1.5
36	-	0.1	-	0.2	1.5	1.2	3.9	4.1	1.6	1.8
37	-	0.3	-	0.4	1.7	1.6	4.2	5.5	1.9	2.3
38	-	0.5	-	0.6	1.9	2.0	4.6	4.1	2.2	2.8
39	-	0.6	-	0.8	2.6	3.0	5.0	3.8	2.9	3.4
40	-	1.0	-	1.1	3.3	3.9	7.8	6.4	3.9	4.0
41	-	1.4	-	1.6	4.1	5.4	5.8	8.4	4.8	4.8
42	-	2.1	-	2.3	5.0	8.4	5.8	8.1	6.4	5.7
43	-	3.1	-	3.5	5.7	11.0	6.7	9.1	7.9	6.6
44	-	4.4	-	4.6	7.0	12.0	5.8	11.1	9.0	7.5
45	-	6.2	-	6.2	8.1	12.1	5.8	7.6	9.5	8.3
46	-	8.4	-	8.3	9.1	10.7	4.6	9.2	9.5	8.8
47	-	10.2	-	10.0	9.8	9.6	4.2	6.2	9.3	8.8
48	-	12.8	-	12.6	9.7	7.7	3.9	4.9	8.5	8.2
49	-	13.1	-	12.8	9.2	4.5	2.6	2.8	6.9	7.2
50	-	13.3	-	12.9	7.4	2.9	1.4	1.9	5.2	5.6
51	-	10.9	-	10.7	5.4	1.4	0.2	1.7	3.5	3.8
52	-	6.7	-	6.6	3.0	0.4	*	0.3	1.8	2.2
53	-	3.4	-	3.3	1.1	0.2	*	*	0.7	1.1
54	-	0.9	-	0.9	0.2	0.1	*	*	0.1	0.5
55	-	0.2	-	0.2	*	*	*	-	*	0.2
56	-	0.1	-	0.1	*	*	-	-	*	0.1
57	-	*	-	*	-	-	-	-	-	*
58	-	-	-	-	-	-	-	-	-	*
59	-	-	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	-	48	-	48	45	44	39	43	44	44
Fiber Strength 1/										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	*
19	-	-	-	-	-	-	-	-	-	*
20	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	*
23	-	-	-	-	-	-	*	-	*	*
24	-	*	-	*	*	-	*	*	*	0.1
25	-	*	-	0.1	*	-	*	*	*	0.4
26	-	0.1	-	0.4	0.1	*	0.3	0.2	0.1	1.5
27	-	0.8	-	1.6	0.3	*	0.9	0.4	0.3	4.6
28	-	3.9	-	4.9	1.2	0.2	4.9	3.8	1.1	10.3
29	-	10.3	-	11.0	4.2	0.9	12.1	12.3	3.5	16.1
30	-	19.2	-	19.1	9.8	2.5	26.6	19.2	8.1	20.1
31	-	25.2	-	24.4	19.0	4.8	27.0	16.0	13.9	19.6
32	-	21.4	-	20.5	22.9	8.9	18.7	22.7	17.4	14.1
33	-	12.5	-	11.8	19.2	10.3	4.8	18.5	15.0	7.6
34	-	4.5	-	4.3	13.5	9.5	2.0	6.7	11.2	3.3
35	-	1.5	-	1.4	6.9	14.8	1.4	0.1	9.4	1.3
36 & above	-	0.6	-	0.6	2.8	48.1	1.0	*	19.8	1.1
Average Strength	-	30.7	-	30.6	30.3	33.4	29.9	29.6	31.6	30.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2016 crop.

Mike Groupings, Uniformity and Trash	ABILENE				CORPUS CHRISTI			DUMAS			FLORENCE			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total		
MIKE														
24 & below	0.1	*	*	*	*	-	-	-	-	*	-	*		
25-26	2.3	*	*	0.1	*	-	*	*	*	*	-	*		
27-29	5.2	0.1	0.2	0.4	*	-	*	*	*	*	-	*		
30-32	12.7	0.7	1.0	1.4	0.4	*	0.1	0.1	*	0.1	-	*		
33-34	13.0	1.3	2.2	2.3	0.7	*	0.2	0.2	*	0.1	-	*		
35-36	15.0	2.7	4.4	4.3	2.3	0.2	0.7	0.6	0.1	0.3	0.1	0.1		
37-42	40.8	28.3	37.2	34.3	28.6	9.2	10.0	9.9	5.1	15.7	2.8	8.3		
43-49	10.9	57.1	51.6	51.7	59.3	66.6	65.6	65.8	66.1	78.0	77.8	71.7		
50-52	0.1	8.4	3.3	4.9	7.9	20.4	20.4	20.4	25.0	5.5	18.1	17.6		
53 & above	*	1.4	0.1	0.6	0.9	3.6	3.0	3.1	3.6	0.4	1.2	2.2		
Average mike	37	44	43	43	44	47	47	47	48	45	47	47		
Mike 35 - 49	66.7	88.1	93.2	90.3	90.1	76.0	76.4	76.3	71.4	94.0	80.7	80.1		
Uniformity 1/														
72 & below	-	-	-	-	*	-	-	-	-	-	-	-		
73	*	-	*	*	*	-	-	-	-	-	-	-		
74	*	*	*	*	*	-	-	-	-	-	-	-		
75	0.2	*	*	*	0.1	-	-	-	-	-	-	-		
76	0.6	*	0.1	0.1	0.2	-	-	-	*	*	*	*		
77	1.6	0.2	0.9	0.7	0.8	-	-	-	*	*	*	*		
78	4.9	1.1	4.3	3.3	2.5	0.1	0.1	0.1	0.8	0.6	0.4	0.7		
79	15.8	5.1	15.9	12.2	7.1	1.3	0.9	1.0	5.1	3.7	3.1	4.4		
80	30.3	15.9	32.7	26.8	15.2	6.4	6.7	6.6	19.6	16.6	14.6	17.9		
81	30.9	31.4	30.8	31.0	27.2	24.5	27.8	27.1	37.9	35.6	36.5	37.0		
82	14.0	33.8	12.2	19.7	30.0	39.7	48.1	46.4	27.6	30.9	33.6	29.5		
83	1.6	11.6	2.5	5.6	14.2	21.4	14.9	16.2	7.7	10.5	10.1	8.9		
84	0.1	0.9	0.4	0.5	2.6	6.1	1.5	2.4	1.2	1.9	1.5	1.5		
85	*	*	*	*	0.2	0.5	0.1	0.2	0.1	0.2	0.2	0.1		
86	*	*	*	*	*	-	-	-	*	*	*	*		
87	*	*	*	*	-	-	-	-	-	*	-	*		
88	*	*	*	*	-	-	-	-	-	-	-	-		
89	-	-	*	*	-	-	-	-	-	-	-	-		
90 & above	-	-	-	-	-	-	-	-	-	-	-	-		
Average uniformity	80.2	81.2	80.3	80.6	81.2	81.9	81.7	81.7	81.1	81.3	81.3	81.2		
Trash 2/														
00	-	*	*	*	*	-	-	-	-	-	-	-		
01	1.6	7.2	8.0	7.5	4.1	0.3	2.9	2.4	0.2	0.9	0.1	0.4		
02	11.5	26.9	23.6	24.2	17.3	5.6	19.2	16.6	4.3	12.3	2.3	6.6		
03	20.0	25.9	23.7	24.3	22.5	16.8	27.1	25.1	14.9	27.0	13.7	18.7		
04	20.4	16.5	17.4	17.2	20.5	22.8	21.9	22.0	24.0	26.0	27.8	25.2		
05	15.6	9.6	11.1	10.8	14.8	21.9	13.9	15.5	23.7	16.9	27.6	22.0		
06	10.6	5.5	6.7	6.5	9.1	15.8	7.7	9.3	16.2	9.0	17.2	14.0		
07	7.4	3.3	4.0	3.9	5.2	9.3	4.0	5.0	9.0	4.4	7.6	7.3		
08	4.7	2.0	2.3	2.3	2.9	4.5	1.9	2.4	4.3	2.0	2.8	3.3		
09	3.1	1.2	1.3	1.3	1.6	1.9	0.9	1.1	1.9	0.9	0.8	1.4		
10	2.0	0.7	0.8	0.8	0.9	0.7	0.4	0.4	0.8	0.3	0.2	0.6		
11	1.3	0.4	0.4	0.5	0.5	0.3	0.2	0.2	0.3	0.2	0.1	0.2		
12	0.7	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.2	0.1	*	0.1		
13	0.5	0.2	0.2	0.2	0.2	*	*	*	0.1	*	*	0.1		
14	0.3	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*		
15	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*		
16	0.1	*	*	*	*	*	*	*	*	*	-	*		
17	*	*	*	*	*	*	*	*	*	*	-	*		
18 & above	*	*	*	*	*	-	-	*	*	-	-	*		
Average trash	0.49	0.36	0.37	0.37	0.42	0.49	0.38	0.40	0.50	0.41	0.48	0.47		

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface.

Trash particles include extraneous matter such as grass, bark, etc.

* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2016 crop.

Mike Groupings, Uniformity and Trash	LAMESA		LUBBOCK		MACON			MEMPHIS				
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total
MIKE												
24 & below	*	0.2	*	*	*	*	-	-	-	-	*	*
25-26	0.1	0.7	*	*	*	*	*	*	-	*	*	*
27-29	0.4	2.7	*	*	*	*	0.2	*	-	*	*	*
30-32	1.8	5.7	0.3	*	0.1	0.1	0.7	*	0.1	0.1	0.1	0.3
33-34	2.4	6.0	0.5	0.1	0.3	0.3	1.7	0.1	0.2	0.3	0.2	0.5
35-36	4.2	7.6	1.4	0.3	0.7	0.8	3.8	0.6	0.5	1.2	0.4	1.4
37-42	28.9	31.9	16.4	6.9	9.7	10.7	22.7	20.6	21.0	17.1	11.0	16.4
43-49	50.1	37.7	71.4	79.5	70.4	71.1	55.4	66.5	61.3	58.1	52.3	71.4
50-52	10.8	6.8	9.6	11.9	17.0	15.5	13.3	11.0	13.5	19.6	21.8	9.6
53 & above	1.1	0.8	0.4	1.2	1.8	1.5	2.2	1.2	3.4	3.6	14.2	0.4
Average mike	44	41	45	47	47	46	45	45	46	46	48	45
Mike 35 - 49	83.3	77.2	89.2	86.8	80.8	82.5	81.9	87.6	82.8	76.4	63.8	78.7
Uniformity 1/												
72 & below	-	-	-	-	-	-	-	-	-	-	-	-
73	*	*	-	-	-	-	-	-	-	-	-	-
74	*	*	-	-	-	-	*	*	*	*	*	*
75	*	*	-	-	-	-	*	*	*	*	*	*
76	0.1	0.2	*	*	*	*	*	*	*	*	*	*
77	0.7	1.0	0.1	*	*	*	0.1	*	*	*	*	*
78	3.2	3.6	0.8	0.4	0.2	0.3	0.7	*	*	0.1	0.1	0.1
79	11.1	10.4	4.6	2.8	1.2	1.9	4.4	0.2	0.1	0.8	0.5	0.7
80	27.6	22.5	15.8	11.4	6.2	8.1	17.8	1.9	1.0	4.2	3.1	3.7
81	35.8	31.2	31.3	28.0	20.7	22.9	35.8	14.4	8.8	18.8	13.9	15.2
82	17.4	22.2	30.3	32.3	38.4	36.7	31.1	42.0	37.4	39.9	39.9	39.1
83	3.7	7.5	13.5	18.5	25.6	23.1	9.0	35.8	41.2	29.4	35.7	34.1
84	0.5	1.3	3.2	5.7	6.8	6.2	1.0	5.5	10.6	6.2	6.3	6.7
85	*	0.1	0.4	0.8	0.9	0.8	0.1	0.1	0.8	0.4	0.4	0.4
86	*	*	*	*	*	*	*	*	*	*	*	*
87	*	*	-	-	*	*	-	*	*	-	*	*
88	-	*	-	-	*	*	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	80.8	81.4	81.7	82.0	81.9	81.2	82.2	82.5	82.1	82.2	81.4
Trash 2/												
00	*	*	*	*	*	*	*	-	-	-	-	*
01	13.3	16.4	12.8	10.3	13.8	13.4	6.0	0.2	0.5	0.6	1.9	1.3
02	27.4	33.1	37.6	37.9	33.9	34.8	20.1	5.5	10.2	12.8	14.9	11.1
03	23.2	23.0	27.1	28.5	26.5	26.7	28.7	17.6	23.9	26.1	23.1	22.5
04	15.0	13.0	13.2	13.2	14.4	14.1	22.1	22.9	24.4	24.0	22.4	23.2
05	8.9	6.9	5.6	5.4	6.6	6.3	12.5	20.3	18.3	15.6	16.7	17.7
06	5.1	3.6	2.2	2.4	2.8	2.7	6.1	14.9	11.4	8.8	10.6	11.5
07	2.9	1.9	0.8	1.1	1.2	1.1	2.7	9.3	6.2	4.9	5.6	6.6
08	1.7	1.0	0.3	0.6	0.5	0.5	1.1	5.1	3.0	2.9	2.7	3.4
09	1.0	0.5	0.1	0.3	0.2	0.2	0.5	2.5	1.3	1.7	1.2	1.6
10	0.6	0.3	0.1	0.1	0.1	0.1	0.2	1.1	0.5	1.0	0.5	0.7
11	0.4	0.1	*	0.1	*	*	0.1	0.4	0.1	0.5	0.1	0.2
12	0.2	0.1	*	*	*	*	*	0.2	0.1	0.4	0.1	0.1
13	0.1	*	*	*	*	*	*	0.1	*	0.3	*	0.1
14	0.1	*	*	*	*	*	*	*	*	0.2	*	*
15	*	*	*	*	*	*	*	*	*	0.1	*	*
16	*	*	*	*	*	*	*	*	*	0.1	*	*
17	*	*	-	*	*	*	*	*	*	*	*	*
18 & above	*	*	-	*	*	*	-	-	-	*	*	*
Average trash	0.33	0.29	0.27	0.28	0.28	0.28	0.35	0.49	0.44	0.43	0.42	0.44

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface.

Trash particles include extraneous matter such as grass, bark, etc.

* Less than 0.05 percent.

Table 32. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2016 crop.

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA				Classing Office Total	UNITED STATES
	Arkansas 3/	Louisiana	Mississippi 3/	Classing Office Total	Arizona	California	New Mexico	Texas		
MIKE										
24 & below	-	-	-	-	*	*	*	-	*	*
25-26	-	-	-	-	0.1	*	1.7	*	0.2	0.2
27-29	-	-	-	-	0.5	0.1	9.0	0.2	0.8	0.8
30-32	-	0.1	-	0.1	0.9	0.4	7.4	0.4	1.0	1.8
33-34	-	0.2	-	0.2	1.5	0.6	5.6	1.3	1.3	2.2
35-36	-	0.2	-	0.2	2.5	1.9	7.8	7.1	2.6	3.3
37-42	-	5.9	-	6.7	18.7	24.4	33.2	36.3	22.1	22.9
43-49	-	58.1	-	58.0	58.5	67.6	33.6	50.9	60.5	55.4
50-52	-	30.9	-	30.2	15.8	4.7	1.6	3.8	10.5	11.6
53 & above	-	4.6	-	4.6	1.4	0.4	*	0.1	0.9	1.8
Average mike	-	48	-	48	45	44	39	43	44	44
Mike 35 - 49	-	64.2	-	64.9	79.7	93.9	74.6	94.3	85.3	81.5
Uniformity 1/										
72 & below	-	-	-	-	-	-	-	-	-	*
73	-	-	-	-	-	-	-	-	-	*
74	-	-	-	-	-	-	-	-	-	*
75	-	*	-	*	-	-	-	-	-	*
76	-	*	-	*	*	-	-	-	*	0.1
77	-	*	-	*	0.1	*	0.1	*	*	0.5
78	-	0.1	-	0.3	0.5	0.1	0.5	0.2	0.3	1.9
79	-	1.3	-	2.1	3.0	1.2	5.0	1.9	2.4	6.3
80	-	9.6	-	10.7	12.7	6.0	23.7	11.0	10.6	15.9
81	-	33.0	-	32.9	33.0	16.7	37.3	58.8	27.7	27.6
82	-	38.1	-	36.9	38.2	29.5	28.4	26.2	34.0	29.4
83	-	15.4	-	14.7	11.3	30.9	4.6	1.8	18.2	14.9
84	-	2.4	-	2.2	1.1	14.1	0.3	*	6.0	3.1
85	-	0.2	-	0.2	0.1	1.3	*	*	0.6	0.3
86	-	-	-	-	*	0.2	*	-	0.1	*
87	-	-	-	-	*	*	-	-	*	*
88	-	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-	*
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	-	81.6	-	81.5	81.4	82.3	81.0	81.1	81.7	81.3
Trash 2/										
00	-	-	-	-	*	0.1	*	-	*	*
01	-	1.1	-	1.3	21.8	25.9	37.9	30.9	24.4	10.1
02	-	14.0	-	15.7	40.4	44.4	39.3	43.1	41.9	25.5
03	-	26.4	-	27.0	19.1	19.0	14.7	17.3	18.8	23.5
04	-	24.4	-	23.7	8.3	6.3	5.3	6.1	7.3	16.9
05	-	16.4	-	15.6	3.9	2.5	1.7	1.8	3.2	10.7
06	-	9.3	-	8.7	2.1	1.0	0.6	0.6	1.6	6.2
07	-	4.7	-	4.4	1.2	0.4	0.3	0.1	0.8	3.4
08	-	2.2	-	2.0	0.8	0.2	0.1	0.1	0.5	1.8
09	-	1.0	-	0.9	0.6	0.1	0.1	*	0.4	0.9
10	-	0.4	-	0.4	0.4	*	*	*	0.2	0.5
11	-	0.1	-	0.1	0.3	*	*	-	0.2	0.2
12	-	0.1	-	*	0.2	*	-	-	0.1	0.1
13	-	*	-	*	0.2	*	-	-	0.1	0.1
14	-	*	-	*	0.1	*	-	-	0.1	*
15	-	*	-	*	0.1	*	-	-	*	*
16	-	*	-	*	0.1	*	*	-	*	*
17	-	*	-	*	0.1	*	-	-	*	*
18 & above	-	*	-	*	*	*	-	-	*	*
Average trash	-	0.41	-	0.40	0.27	0.22	0.20	0.21	0.24	0.35

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface.

Trash particles include extraneous matter such as grass, bark, etc.

* Less than 0.05 percent.

3/ Data withheld to avoid disclosure of individual gin information. Data included in Classing office total.

Table 33. -- Percentage distribution of color, staple and uniformity American Pima cotton classed, by states and United States, 2016 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	2,726	13.6	106,252	22.3	3,697	24.5	1,827	6.0	114,502	21.1
	2	4,189	20.9	81,353	17.1	3,351	22.2	4,096	13.5	92,991	17.1
	3	121	0.6	1,236	0.3	85	0.6	130	0.4	1,572	0.3
	4	-	-	2	*	-	-	-	-	2	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		7,036	35.1	188,843	39.7	7,133	47.3	6,053	19.9	209,067	38.5
02	1	2,349	11.7	55,599	11.7	2,600	17.3	3,198	10.5	63,746	11.7
	2	7,522	37.5	144,453	30.3	4,483	29.7	14,060	46.3	170,527	31.4
	3	809	4.0	26,102	5.5	455	3.0	2,777	9.1	30,143	5.6
	4	13	0.1	724	0.2	13	0.1	57	0.2	807	0.1
	5	-	-	7	*	-	-	-	-	7	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		10,693	53.3	226,885	47.7	7,551	50.1	20,092	66.1	265,230	48.8
03	1	143	0.7	770	0.2	27	0.2	27	0.1	967	0.2
	2	1,143	5.7	15,472	3.2	182	1.2	1,574	5.2	18,371	3.4
	3	588	2.9	23,089	4.8	112	0.7	1,524	5.0	25,313	4.7
	4	18	0.1	4,417	0.9	12	0.1	160	0.5	4,607	0.8
	5	3	*	164	*	2	*	5	*	174	*
	6	2	*	21	*	1	*	-	-	24	*
	7	-	-	1	*	-	-	-	-	1	*
Total		1,897	9.4	43,934	9.1	336	2.2	3,290	10.8	49,457	9.1
04	1	6	*	71	*	-	-	-	-	77	*
	2	110	0.5	2,053	0.4	9	0.1	53	0.2	2,225	0.4
	3	124	0.6	5,594	1.2	12	0.1	300	1.0	6,030	1.1
	4	9	*	2,980	0.6	5	*	253	0.8	3,247	0.6
	5	2	*	454	0.1	2	*	34	0.1	492	0.1
	6	13	0.1	133	*	3	*	2	*	151	*
	7	25	0.1	17	*	6	*	-	-	48	*
Total		289	1.3	11,302	2.3	37	0.2	642	2.1	12,270	2.2
05	1	-	-	3	*	-	-	-	-	3	*
	2	14	0.1	307	0.1	-	-	-	-	321	0.1
	3	36	0.2	1,595	0.3	-	-	83	0.3	1,714	0.3
	4	29	0.1	1,675	0.4	-	-	130	0.4	1,834	0.3
	5	13	0.1	585	0.1	-	-	11	*	609	0.1
	6	14	0.1	335	0.1	2	*	5	*	356	0.1
	7	23	0.1	165	*	10	0.1	1	*	199	*
Total		129	0.7	4,665	1.0	12	0.1	230	0.7	5,036	0.9
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	48	*	-	-	-	-	48	*
	3	6	*	250	0.1	-	-	-	-	256	*
	4	5	*	345	0.1	-	-	3	*	353	0.1
	5	2	*	227	*	-	-	9	*	238	*
	6	1	*	199	*	-	-	12	*	212	*
	7	3	*	104	*	1	*	10	*	118	*
Total		17	*	1,173	0.2	1	*	34	*	1,225	0.1
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	3	*	-	-	-	-	3	*
	3	1	*	61	*	-	-	-	-	62	*
	4	6	*	76	*	-	-	-	-	82	*
	5	2	*	54	*	-	-	4	*	60	*
	6	2	*	52	*	-	-	8	*	62	*
	7	-	-	58	*	-	-	2	*	60	*
Total		11	*	304	*	-	-	14	*	329	*
STAPLE											
40 & shorter		-	-	-	-	-	-	-	-	-	-
42	12	-	27	*	1	-	1	-	41	*	
44	90	0.4	5,006	1.0	15	-	357	1.2	5,479	1.0	
46	2,005	10.0	40,518	8.5	474	3.1	1,802	5.9	44,799	8.3	
48 & longer	17,965	89.5	431,555	90.5	14,580	96.7	28,195	92.9	492,295	90.7	
<i>Average</i>			48.5		48.9		48.9		48.5		48.9
UNIFORMITY											
72 & below		-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-
78	-	-	-	-	-	-	-	-	-	-	-
79	-	-	7	*	-	-	-	-	7	*	
80	-	-	16	*	-	-	-	-	16	*	
81	1	*	91	*	-	-	2	*	94	*	
82	9	*	654	0.1	5	*	4	*	672	0.1	
83	43	0.2	3,245	0.7	29	0.2	64	0.2	3,381	0.6	
84	216	1.1	21,396	4.5	155	1.0	585	1.9	22,355	4.1	
85	3,687	18.4	78,612	16.5	1,357	9.0	3,407	11.2	87,068	16.0	
86	11,052	55.1	187,609	39.3	7,686	51.0	9,790	32.3	216,140	39.8	
87	4,867	24.2	158,281	33.2	5,416	35.9	14,950	49.3	183,514	33.8	
88	188	0.9	25,708	5.4	417	2.8	1,528	5.0	27,841	5.1	
89	9	*	1,483	0.3	5	*	25	0.1	1,522	0.3	
90 & above		-	-	4	*	-	-	-	4	*	
<i>Average</i>			86.0		86.1		86.2		86.4		86.1
BALES CLASSED			20,072		477,106		15,070		30,355		542,614

* Less than 0.05 percent.

Table 34. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2016 crop.

Grade, Staple and Mike	State									
	Arizona		California		New Mexico		Texas		United States	
Mike groups										
24 & below	-	-	25	*	-	-	-	-	25	*
25 - 26	1	*	323	0.1	19	0.1	-	-	343	0.1
27 - 29	21	0.1	3,461	0.7	106	0.7	49	0.2	3,637	0.7
30 - 32	662	3.3	6,448	1.4	743	4.9	642	2.1	8,495	1.6
33 - 34	1,325	6.6	7,842	1.6	950	6.3	980	3.2	11,097	2.0
35 - 36	4,350	21.7	22,704	4.8	1,298	8.6	1,551	5.1	29,903	5.5
37 - 42	13,234	65.9	321,704	67.4	10,202	67.7	18,587	61.2	363,738	67.0
43 - 49	478	2.4	114,562	24.0	1,733	11.5	8,545	28.2	125,318	23.1
50 - 52	1	*	32	*	5	*	1	*	39	*
53 & above	-	-	5	*	14	0.1	-	-	19	*
Average mike	38		40		39		41		40	
Mike readings										
24 & below	-	-	25	*	-	-	-	-	25	*
25	1	*	81	*	1	*	-	-	83	*
26	-	-	242	0.1	18	0.1	-	-	260	*
27	9	*	512	0.1	15	0.1	-	-	536	0.1
28	-	-	1,164	0.2	21	0.1	8	*	1,193	0.2
29	12	0.1	1,785	0.4	70	0.5	41	0.1	1,908	0.4
30	82	0.4	2,000	0.4	109	0.7	70	0.2	2,261	0.4
31	237	1.2	2,031	0.4	270	1.8	188	0.6	2,726	0.5
32	343	1.7	2,417	0.5	364	2.4	384	1.3	3,508	0.6
33	486	2.4	3,186	0.7	443	2.9	497	1.6	4,612	0.8
34	839	4.2	4,656	1.0	507	3.4	483	1.6	6,485	1.2
35	1,711	8.5	8,352	1.8	512	3.4	703	2.3	11,278	2.1
36	2,639	13.1	14,352	3.0	786	5.2	848	2.8	18,625	3.4
37	2,571	12.8	26,792	5.6	1,312	8.7	1,403	4.6	32,078	5.9
38	2,885	14.4	41,303	8.7	1,798	11.9	2,363	7.8	48,355	8.9
39	2,467	12.3	53,269	11.2	1,732	11.5	3,033	10.0	60,506	11.2
40	2,267	11.3	68,940	14.4	1,799	11.9	3,930	12.9	76,936	14.2
41	2,186	10.9	71,828	15.1	1,987	13.2	4,101	13.5	80,102	14.8
42	858	4.3	59,572	12.5	1,574	10.4	3,757	12.4	65,761	12.1
43	234	1.2	45,185	9.5	1,162	7.7	3,219	10.6	49,800	9.2
44	79	0.4	34,313	7.2	401	2.7	2,335	7.7	37,128	6.8
45	135	0.7	21,471	4.5	117	0.8	1,689	5.6	23,412	4.3
46	10	*	9,636	2.0	27	0.2	944	3.1	10,617	2.0
47	17	0.1	3,046	0.6	20	0.1	254	0.8	3,337	0.6
48	1	*	727	0.2	5	*	103	0.3	836	0.2
49	2	*	184	*	1	*	1	*	188	*
50	1	*	21	*	4	*	-	-	26	*
51	-	-	9	*	1	*	1	*	11	*
52	-	-	2	*	-	-	-	-	2	*
53	-	-	3	*	4	*	-	-	7	*
54	-	-	2	*	6	*	-	-	8	*
55	-	-	-	-	3	*	-	-	3	*
56	-	-	-	-	1	*	-	-	1	*
57	-	-	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	38		40		39		41		40	
Strength										
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-
31	-	-	1	*	-	-	-	-	1	*
32	-	-	3	*	-	-	-	-	3	*
33	1	*	19	*	3	*	-	-	23	*
34	19	0.1	117	*	4	*	10	*	150	*
35	13	0.1	395	0.1	12	0.1	36	0.1	456	0.1
36	52	0.3	1,269	0.3	54	0.4	147	0.5	1,522	0.3
37	69	0.3	5,119	1.1	199	1.3	538	1.8	5,925	1.1
38	194	1.0	12,725	2.7	549	3.6	904	3.0	14,372	2.6
39	715	3.6	19,223	4.0	726	4.8	2,098	6.9	22,762	4.2
40	1,568	7.8	17,521	3.7	1,791	11.9	4,422	14.6	25,302	4.7
41	2,307	11.5	18,407	3.9	2,291	15.2	7,446	24.5	30,451	5.6
42	3,737	18.6	30,638	6.4	2,702	17.9	6,095	20.1	43,172	8.0
43	5,093	25.4	55,621	11.7	2,712	18.0	4,664	15.4	68,091	12.5
44	3,940	19.6	84,794	17.8	2,451	16.3	2,815	9.3	94,001	17.3
45 & above	2,364	11.8	231,254	48.5	1,576	10.5	1,180	3.9	236,383	43.6
Average Strength	42.5		44.0		42.1		41.4		43.7	
Extraneous matter										
Bark	119	0.6	2	*	-	-	114	0.4	235	*
Grass	-	-	112	*	-	-	-	-	112	*
Spindle twist	-	-	2,671	0.6	-	-	5	*	2,676	0.5
Preparation	-	-	4	*	-	-	-	-	4	*

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.