

# COTTON VARIETIES PLANTED

1986 CROP



**UNITED STATES DEPARTMENT OF AGRICULTURE**  
*Agricultural Marketing Service Cotton Division*  
*Memphis, Tennessee*  
September 1986

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction . . . . .	1
Leading Varieties. . . . .	1
1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1985 . . . . .	2
2. Varieties by states and United States, crop of 1986. . . . .	3
Varieties planted by classing offices, crop of 1986:	
3. Abilene. . . . .	4
4. Altus. . . . .	4
5. Bakersfield. . . . .	5
6. Birmingham . . . . .	5
7. Corpus Christi . . . . .	6
8. El Centro. . . . .	6
9. El Paso. . . . .	7
10. Florence . . . . .	7
11. Fresno . . . . .	8
12. Greenwood. . . . .	8
13. Harlingen. . . . .	9
14. Hayti. . . . .	9
15. Lamesa . . . . .	10
16. Little Rock. . . . .	10
17. Lubbock. . . . .	11
18. Macon. . . . .	11
19. Memphis. . . . .	12
20. Phoenix. . . . .	12
21. Waco . . . . .	13
22. Winnsboro. . . . .	13
23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1986 . . . . .	14
24. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1986 . . . . .	14

Cotton Varieties Planted, United States  
1986 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1986-87 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Deltapine accounted for 27 percent of the U.S. acreage planted. Stoneville was the next most popular variety with 16 percent of the total acreage, followed by Paymaster with 11 percent. Acala, Lankart and Tamcot were the next most favored varieties planted, each accounting for 7 percent of the national acreage. Seventeen varieties accounted for one percent or more of the U.S. acreage.

Deltapine was the leading variety of cotton planted in the U.S. and made up 27 percent of the 1986 cotton acreage, up from 20 percent a year earlier. Deltapine was the leading variety planted in Alabama, Arizona, Georgia, Louisiana and Mississippi and was the second most popular variety planted in Arkansas, Missouri and Tennessee. Deltapine, Acala 90 and Deltapine 50 were the most popular strains, each accounting for 7 percent of the U.S. acreage.

Stoneville was the second leading variety planted in 1986 and accounted for 16 percent of the U.S. acreage, down from 17 percent last year. Stoneville was the most popular variety planted in Arkansas, Missouri and Tennessee and was the second leading variety planted in Alabama, Arizona, Louisiana and Mississippi. Stoneville 825 was the most popular Stoneville strain, accounting for 9 percent of the national acreage.

The third most favored variety was Paymaster which made up 11 percent of the U.S. acreage, the same percentage as last year. Paymaster was the leading variety planted in Texas and the second most popular variety planted in New Mexico and Oklahoma. Paymaster 145 was the predominant Paymaster strain which accounted for 8 percent of the U.S. acreage.

Acala, Lankart and Tamcot were the next most prevalent varieties planted in the U.S., each accounting for 7 percent of the national acreage. A year earlier, Acala accounted for 10 percent of total acreage while Lankart and Tamcot remained at the same percentage as the previous season. Acala was the leading variety planted in California and New Mexico. Acala SJ-2 was the most popular strain planted in California and accounted for 5 percent of the U.S. acreage. The leading strain in New Mexico was Acala 1517-75. Lankart was the favored variety planted in Oklahoma. The most popular strain in the U.S. was Lankart 611 which made up 4 percent of total acreage. Tamcot was the second leading variety planted in Texas. Tamcot CAMD-E and Tamcot SP21 were the most popular strains and each accounted for 2 percent of the U.S. acreage.

Pima S-6 was the leading strain of Amercian Pima cotton planted in the U.S. for the third consecutive year. Pima S-6 made up 98 percent of the total acreage, down from 99 percent a year earlier. Pima S-5, at 2 percent, accounted for the remainder of the American Pima acreage, up from 1 percent the previous season.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1986 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,  
United States, 1982-1986

Year	Acala	Delta- pine	Lankart	Pay- master	Stone- ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1982	14	16	8	5	21	10	26	100
1983	14	16	9	9	16	9	27	100
1984	12	17	7	10	17	7	30	100
1985	10	20	7	11	17	7	28	100
1986	7	27	7	11	16	7	25	100

Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1985 <sup>1/</sup>

Variety	Production areas	Lots tested	Staple length	Micronaire <sup>2/</sup>	Fiber strength HVI 1/8" gage 3/	Fiber length 4/	
						HVI UHM	M/UHM uniformity
	Number	Number	32nd inch	Reading	G/tex	Inch	Percent
GSA-71	2	4	31	35	23.6	0.96	79
Lankart LX-571	2	4	31	45	22.5	1.00	81
Lankart 611	2	4	31	41	22.6	0.98	80
Paymaster 145	4	8	31	36	24.2	0.98	79
Coker 500	1	2	32	34	26.7	1.02	78
Lankart 57	1	2	32	36	23.3	1.01	79
Paymaster 792	1	2	32	35	23.9	1.00	78
Tamcot CAMD-E	2	4	32	40	22.3	1.00	80
Tamcot SP 21	2	4	32	39	24.0	1.01	79
Cascot C-13	2	4	33	36	23.8	1.04	80
Cascot L-7	1	2	33	30	24.7	1.05	78
G & P GP 3774	4	8	33	38	22.5	1.04	80
Deltapine 102	1	2	34	42	24.0	1.08	81
Deltapine 50	1	2	34	52	22.7	1.08	82
Stoneville 302	1	2	34	44	22.5	1.04	79
Coker 315	2	3	35	43	24.1	1.13	81
Deltapine NSL	1	2	35	43	24.7	1.09	81
Deltapine 120	1	2	35	52	25.6	1.08	81
Deltapine 41	11	22	35	43	24.6	1.11	81
Deltapine 61	4	8	35	45	25.2	1.11	80
Deltapine Acala 90	6	12	35	44	27.6	1.10	81
DES 422	1	2	35	37	23.3	1.09	80
Stoneville 213	1	2	35	48	24.4	1.12	82
Stoneville 825	13	26	35	46	24.6	1.10	81
Acala SJ-2	7	14	36	44	28.8	1.13	82
Acala SJ-5	2	4	36	44	28.3	1.12	82
Acala SJC-1	2	4	36	40	29.8	1.13	82
Acala 1517-75	1	2	36	36	28.8	1.17	82
Coker 310	1	2	36	40	25.4	1.12	80
Germain's Acala GC-510	3	6	36	42	29.5	1.12	82
McNair 235	2	4	36	42	24.4	1.10	81
Stoneville 506	6	12	36	44	25.7	1.12	81

<sup>1/</sup> Compiled from "Summary of Cotton Fiber and Processing Test Results, Crop of 1985," USDA, AMS, Cotton Division, May 1986.

<sup>2/</sup> Micronaire reading is a measure of fiber fineness and maturity. This test measures the resistance of a plug of cotton to air flow.

<sup>3/</sup> Fiber strength as measured on a high volume instrument (HVI) system using a 1/8-inch gage spacer between the clamp jaws (1/8-inch gage).

<sup>4/</sup> HVI upper half mean length is the average length of the longest one-half of the fibers. Length uniformity is a measure of the degree of uniformity of fibers in a sample. It is expressed as an index of the mean/upper half mean length ratio.

Table 2. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1986

Variety	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	All other 1/	United States 2/
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Acala SJ-2	-	-	-	49	-	-	-	-	2	-	-	-	-	-	-	5
" SJ-5	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1
" SJC-1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	1
" 1517-BR2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	*
" 1517 E-1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	*
" 1517 E-2	-	*	-	-	-	-	-	-	6	-	-	-	-	-	-	*
" 1517-SR1	-	*	-	-	-	-	-	-	8	-	-	-	-	-	-	*
" 1517-75	-	1	-	-	-	-	-	-	33	-	-	-	-	-	-	*
" 1517-77	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	*
All-Tex E-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	1	*
" WM 571	-	-	-	-	-	-	-	-	1	-	*	-	-	1	-	*
Cascot B-2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	*
" C-13	-	*	-	-	-	-	-	-	-	-	4	-	-	3	-	1
" L-7	-	*	-	-	-	-	-	-	-	-	1	-	-	2	1	1
Cancot	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
Coker 208	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	*
" 304	-	*	-	-	3	-	-	-	-	6	-	6	-	*	-	*
" 310	*	*	-	-	5	-	-	1	-	9	-	5	-	*	-	*
" 312	-	*	-	-	-	-	-	-	-	*	-	-	-	2	-	1
" 315	2	-	-	-	13	-	-	-	-	26	-	58	-	-	-	1
" 500	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
" 3131	-	-	*	-	1	-	*	1	-	-	*	-	-	*	-	*
Deltapine Acala 90	20	55	*	3	28	21	1	-	2	1	3	7	-	3	9	7
" NSL	1	-	*	-	-	1	1	-	-	-	-	-	-	-	-	*
" SR-3B3	-	-	-	-	-	-	-	-	-	-	*	-	-	6	-	3
" 20	*	1	3	*	-	5	9	3	-	5	*	-	13	*	-	2
" 26	-	-	-	-	-	-	-	-	-	2	-	*	-	-	-	*
" 30	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
" 41	8	8	14	-	12	27	9	8	-	3	*	1	3	3	74	6
" 50	35	2	19	*	3	12	29	14	-	14	-	4	21	*	7	7
" 55	-	*	1	-	-	*	1	1	-	-	-	-	-	-	-	*
" 61	2	8	1	1	*	1	1	5	-	3	-	*	-	1	-	1
" 62	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
" 70	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	*
" 120	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1
" 775	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
DES 119	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	*
" 422	-	-	*	-	-	1	9	-	-	-	-	-	-	-	-	1
Dunn 118	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	*
" 119	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1
" 120	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
" 219	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1
Earlycot 32	-	-	-	-	-	-	-	-	1	-	-	-	-	*	-	*
G & P GP 1005	-	-	-	-	-	-	-	-	-	-	*	-	-	1	-	*
" GP 3755	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
" GP 3774	-	-	-	-	-	-	-	-	-	-	*	-	-	3	-	1
" GP 5479	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
Germain's Acala GC-510	-	*	-	39	-	-	-	-	2	-	-	-	-	-	-	4
Growers GSA 71	-	-	-	-	-	-	-	-	1	-	*	-	-	5	-	2
" GSA 75	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
" GSC 20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
" GSC 25	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Hurd's 700	-	-	-	-	-	-	-	-	*	-	2	-	-	*	-	*
Lankart LX-571	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	1
" PR-75	-	-	-	-	-	-	-	-	-	-	5	-	-	*	-	*
" 57	-	-	-	-	-	-	-	-	-	-	23	-	-	1	-	2
" 175	-	-	-	-	-	-	-	-	-	-	4	-	-	1	-	1
" 611	-	-	-	-	-	-	-	-	-	-	14	-	-	7	-	4
Lockett 77	-	-	-	-	-	-	-	-	-	-	*	-	-	1	-	*
McDonald 3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
McNair 220	*	*	-	-	14	-	*	-	3	5	-	1	1	*	-	1
" 235	1	1	1	-	6	*	2	-	6	26	-	18	7	*	*	1
" 308	-	-	-	-	-	-	*	-	-	-	*	-	-	1	-	*
Paymaster 145	-	-	-	-	-	-	-	-	11	-	14	-	-	15	-	8
" 266	-	-	-	-	-	-	-	-	1	-	-	-	-	*	-	*
" 303	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
" 404	-	-	-	-	-	-	-	-	3	-	1	-	-	3	-	1
" 792	-	-	-	-	-	-	-	-	*	-	*	-	-	1	9	1
PR 80	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
Qaspaw	-	-	-	-	-	-	-	-	*	-	-	-	-	1	-	1
Ranger 88 53	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Stoneville 112	-	*	3	*	*	3	2	5	-	-	2	-	1	*	-	1
" 213	-	*	1	*	-	*	4	3	-	-	2	-	1	*	-	1
" 302	-	-	-	-	-	-	-	-	-	-	1	-	-	*	-	*
" 506	4	2	35	-	1	8	7	40	-	-	2	-	14	1	*	5
" 603	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	*
" 825	26	1	21	-	9	20	23	19	-	*	2	-	30	4	*	9
Sunbelt 992	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
Sun Valley SV 13	-	1	-	*	-	-	-	-	-	-	-	-	-	*	-	*
" SV 93	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Tamcot CAB-CS	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1
" CAMD-E	-	-	-	-	-	-	-	-	-	-	6	-	-	3	-	2
" SP21	-	-	-	-	-	-	-	-	*	-	*	-	-	5	-	2
" SP215	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1
" SP37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	*
" SP37H	-	-	-	-	-	-	-	-	-	-	*	-	-	2	-	1
Westburn M	-	-	-	-	-	-	-	-	-	-	2	-	-	*	-	*
All other 3/	-	*	1	*	2	-	1	*	2	*	1	*	1	1	-	1
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

1/ Includes Florida and Kansas.

2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent.

3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 3. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Cascot		Delta-pine Acala 90	G & P GP 3774	Growers		Lankart		Paymaster 145	PR 80	Tancot				Other 1/	Total
	C-13	L-7			GSA 71	GSA 75	LX-571	611			SP21	SP21S	SP37	SP37H		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
Fisher	-	1	-	-	3	-	-	10	-	44	18	3	-	-	21	100
Haskell	4	-	-	2	-	-	18	63	4	-	-	-	-	3	6	100
Howard 2/	3	23	3	-	2	-	-	-	5	-	-	10	15	-	39	100
Jones	-	-	-	*	-	-	4	86	-	-	-	-	-	-	10	100
Knox	4	-	-	-	-	-	3	57	6	-	-	-	-	-	30	100
Martin 2/	-	-	-	-	-	-	-	-	21	-	15	49	-	-	15	100
Mitchell	-	5	-	-	13	8	-	10	1	1	7	13	19	13	10	100
Runnells	-	-	3	28	-	-	6	8	6	-	9	18	-	-	22	100
Scurry 3/	-	12	-	-	6	-	-	-	3	-	68	*	-	-	11	100
Tom Green	7	8	23	12	1	-	-	1	-	5	22	2	5	-	14	100
All other	3	*	29	5	*	6	6	12	3	2	14	1	-	2	17	100
Office total	2	3	9	4	2	2	5	24	5	4	13	8	3	2	14	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.  
 2/ A portion of this county is served by Lamesa Classing Office.  
 3/ A portion of this county is served by Lubbock Classing Office.  
 \* Less than 0.5 percent.

Table 4. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Cascot C-13	Delta-pine Acala 90	Lankart					Lockett 77	Paymaster		Sun-belt 992	Tancot		West-burn M	Other 1/	Total
			LX-571	PR-75	57	175	611		145	404		CAMD-E	SP21			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Oklahoma:</b>																
Beckham	-	-	3	4	26	-	37	-	12	-	-	-	-	-	18	100
Caddo	12	-	8	7	17	*	14	3	18	*	-	5	-	2	14	100
Greer	1	-	1	4	38	-	9	-	12	-	-	17	-	-	18	100
Harmon	-	-	-	-	*	*	1	-	37	-	-	5	-	-	57	100
Jackson	-	23	-	*	22	*	-	-	8	8	-	*	-	4	35	100
Kiowa	1	-	*	*	33	*	36	-	9	5	-	2	-	1	13	100
Lillman	8	-	10	7	31	12	6	-	4	*	-	10	-	1	11	100
Washita	1	-	4	8	23	*	23	-	21	-	-	8	-	6	6	100
All other	9	-	3	15	12	*	31	-	12	-	-	6	*	3	9	100
Total	4	3	4	5	23	4	14	*	14	1	-	6	*	2	20	100
<b>Texas:</b>																
Brisco	-	-	-	-	-	-	4	-	27	4	23	20	-	-	22	100
Collingsworth	-	-	1	3	6	-	10	2	19	-	-	5	26	1	27	100
Cottle	-	-	-	1	-	1	42	-	34	9	-	-	-	-	13	100
Hall	-	-	*	1	5	6	17	4	51	-	-	3	-	-	13	100
Motley	1	-	4	-	4	-	16	-	34	1	-	3	-	1	36	100
Wilbarger	-	-	2	2	9	7	13	-	4	3	-	2	-	11	47	100
All other	*	-	5	1	10	6	17	6	29	4	-	1	1	-	20	100
Total	*	-	2	1	5	4	18	3	31	3	2	4	3	1	23	100
Office total 2/	2	1	3	3	13	4	16	2	23	2	1	5	2	1	22	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.  
 2/ Includes small acreages in Kansas.  
 \* Less than 0.5 percent.

Table 5. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Acala			Germain's Acala GC-510	----	----	----	----	----	----	----	----	----	Other <sup>1/</sup>	Total
	SJ-2	SJ-5	SJC-1	Acala	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:															
Kern	65	3	10	22	-	-	-	-	-	-	-	-	-	*	100
Kings <sup>2/</sup>	90	-	2	8	-	-	-	-	-	-	-	-	-	*	100
Tulare <sup>2/</sup>	52	2	6	40	-	-	-	-	-	-	-	-	-	-	100
Office total	70	2	7	21	-	-	-	-	-	-	-	-	-	*	100

<sup>1/</sup> Includes all varieties less than 0.5 percent and all varieties not listed.

<sup>2/</sup> A portion of this county is served by Fresno Classing Office.

\* Less than 0.5 percent.

Table 6. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Coker			Acala 90	NSL	Deltapine				McNair		Stoneville		----	Other <sup>1/</sup>	Total
	208	310	315			Acala	NSL	20	41	50	61	220	235	506	825	Pct.
Alabama:																
Cherokee	-	1	28	-	-	-	-	7	4	-	6	1	53	-	-	100
Colbert	-	-	-	-	-	-	-	56	-	-	-	-	44	-	-	100
Dallas	-	-	-	71	-	-	26	-	2	-	-	-	1	-	-	100
Elmore	-	-	-	56	-	-	27	2	-	3	10	-	2	-	-	100
Lauderdale	-	-	-	-	-	-	-	41	-	-	-	3	56	-	-	100
Lawrence	-	-	-	4	6	-	1	78	-	-	-	4	7	-	-	100
Limestone	-	-	-	1	-	-	-	67	*	-	-	2	30	-	-	100
Madison	5	-	-	-	-	-	-	20	-	-	-	21	54	-	-	100
All other	1	2	4	46	-	*	17	10	5	-	*	1	14	-	-	100
Total	1	*	2	20	1	*	8	35	2	*	1	4	26	-	-	100
Office total <sup>2/</sup>	1	*	2	20	1	*	11	34	2	*	1	3	25	-	-	100

<sup>1/</sup> Includes all varieties less than 0.5 percent and all varieties not listed.

<sup>2/</sup> Includes small acreages in Florida.

\* Less than 0.5 percent.

Table 7. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Casco C-13	Coker 312	Deltapine		G & P GP 3774	PR 80	Stoneville		Sun Valley SV 13	Tancot					Other 1/	Total
			41	50			506	825		CAB-CS	CAMD-E	SP21S	SP37	SP37H		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
Nueces	19	-	3	-	21	4	-	3	-	17	10	3	4	11	5	100
San Patricio	33	6	-	-	19	1	-	2	-	13	*	-	-	20	6	100
All other	-	-	21	13	12	-	11	8	6	-	1	-	-	20	8	100
Office total	22	3	5	2	19	2	2	4	1	12	4	1	2	16	5	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.  
 \* Less than 0.5 percent.

Table 8. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Deltapine										Stoneville		Sun Valley SV 13	-----	Other 1/	Total
	Acala 90	20	30	41	50	61	62	70	120	775	112	213				
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>California:</b>																
Imperial	34	-	-	-	3	58	-	3	1	-	-	1	-	-	*	100
Riverside	93	*	*	-	2	3	-	-	-	1	1	*	*	-	-	100
Total	70	*	*	-	2	24	-	1	1	1	1	*	*	-	*	100
<b>Arizona:</b>																
Yuma	24	-	-	2	6	58	2	*	1	7	-	-	-	-	*	100
Total	24	-	-	2	6	58	2	*	1	7	-	-	-	-	*	100
Office total	56	*	*	1	3	34	1	1	1	3	*	*	*	-	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.  
 \* Less than 0.5 percent.



Table 9. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Acala					Casco C-13	Coker		Delta- pine Acala 90	Germain's Acala GC-510	McNair		Pay- master 404	Stone- ville 213	Other 1/	Total
	1517 E-1	1517 E-2	1517- SR1	1517- 75	1517- 77		304	312			220	235				
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
El Paso	-	-	*	9	-	-	-	-	91	-	-	-	-	-	-	100
All other	-	-	-	-	-	-	6	6	48	-	25	4	-	7	4	100
Total	-	-	*	3	-	-	3	4	62	-	17	3	-	5	3	100
<b>New Mexico:</b>																
Dona Ana	-	-	-	75	3	-	-	-	4	-	18	-	-	-	-	100
Eddy	8	8	17	-	29	-	-	-	4	-	2	2	2	-	28	100
Luna	-	3	-	97	-	-	-	-	-	-	-	-	-	-	-	100
All other	3	10	18	13	12	-	-	-	1	7	-	19	8	-	9	100
Total	3	6	10	41	12	-	-	-	2	2	4	7	4	-	9	100
<b>Arizona:</b>																
Cochise	-	2	2	29	-	10	4	1	33	10	1	-	-	-	8	100
All other	-	-	6	3	-	-	-	-	74	-	-	2	-	*	15	100
Total	-	2	4	17	-	5	2	*	52	6	*	1	-	*	11	100
Office total	2	3	6	24	5	1	2	1	32	2	7	4	2	2	7	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 10. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Coker			Acala 90	Deltapine					McNair		PD-1	SC-1	Stone- ville 825	Other 1/	Total
	304	310	315		20	26	41	50	61	220	235					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>North Carolina:</b>																
Cleveland	11	33	-	-	-	-	-	3	-	-	50	-	-	-	3	100
Halifax	5	5	30	-	-	10	10	5	5	5	25	-	-	-	-	100
Northampton	5	10	2	-	21	-	-	21	-	23	15	-	-	3	-	100
All other	6	9	31	2	3	-	1	16	3	2	27	-	-	-	*	100
Total	6	9	26	1	5	2	3	14	3	5	26	-	-	*	*	100
<b>South Carolina:</b>																
Calhoun	-	-	90	6	-	-	-	-	-	2	-	2	-	-	-	100
Lee	16	9	59	11	-	-	-	5	-	-	-	-	-	-	-	100
Marlboro	-	-	18	-	-	-	-	10	-	-	72	-	-	-	-	100
Orangeburg	13	3	53	27	-	1	3	-	-	-	-	-	-	-	-	100
Sumter	4	-	78	13	-	-	-	5	-	-	-	-	-	-	-	100
All other	2	10	65	1	-	-	1	2	*	1	17	-	1	-	-	100
Total	6	5	58	7	-	*	1	4	*	1	18	*	*	-	-	100
Office total	6	7	45	5	2	1	1	8	1	3	21	*	*	*	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 11. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Acala			Germain's Acala GC-510	----	----	----	----	----	----	----	----	----	Other 1/	Total
	SJ-2	SJ-5	SJC-1												
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>California:</b>															
Fresno	33	3	3	61	-	-	-	-	-	-	-	-	-	*	100
Kings 2/	51	1	2	46	-	-	-	-	-	-	-	-	-	-	100
Madera	41	2	2	55	-	-	-	-	-	-	-	-	-	-	100
Merced	14	3	2	81	-	-	-	-	-	-	-	-	-	-	100
Tulare 2/	32	31	*	37	-	-	-	-	-	-	-	-	-	-	100
Office total	33	5	3	59	-	-	-	-	-	-	-	-	-	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Bakersfield Classing Office.

\* Less than 0.5 percent.

Table 12. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Deltapine							DES		McNair 235	Stoneville				Other 1/	Total
	Acala 90	NSL	20	41	50	55	61	119	422		112	213	506	825		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<b>Mississippi:</b>																
Bolivar	*	-	9	*	76	-	-	-	8	-	-	2	-	5	*	100
Coahoma	-	-	2	-	17	-	-	-	29	-	-	8	3	41	-	100
Hinds	-	-	4	6	25	-	-	-	4	-	-	-	40	21	-	100
Holmes	*	5	5	2	12	14	1	-	14	-	-	2	4	40	1	100
Humphreys	-	-	11	27	29	-	-	-	-	-	6	8	-	19	-	100
Leflore	-	-	12	9	26	2	-	-	3	-	*	-	8	38	2	100
Madison	2	-	-	-	45	-	-	-	-	2	3	4	10	31	3	100
Panola 2/	-	-	23	1	25	-	-	-	*	-	-	-	29	18	4	100
Quitman	7	-	21	2	32	-	-	7	3	-	2	-	2	24	-	100
Sharkey	-	-	3	17	57	-	8	-	11	-	-	-	2	-	2	100
Sunflower	-	1	8	1	13	-	-	3	18	-	10	19	7	20	*	100
Tallahatchie	-	1	33	7	36	-	-	1	2	2	-	-	1	17	-	100
Tunica	-	2	15	9	15	-	-	13	35	-	-	-	-	11	-	100
Washington	-	-	-	9	36	-	-	-	14	-	12	-	5	24	-	100
Yazoo	-	-	2	6	26	-	6	-	3	-	2	12	3	40	-	100
All other	7	-	14	21	27	2	1	-	5	1	1	1	4	15	1	100
Office total	1	1	10	7	29	1	1	1	10	*	3	5	5	25	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Memphis Classing Office.

\* Less than 0.5 percent.

Table 13. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Coker 312	Deltapine				Dunn 120	G & P GP 3774	McNair 220	Pay-master 145	Stoneville				Tancot SP37H	Other 1/	Total
		Acala 90	41	50	55					112	213	506	825			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
Cameron	-	5	50	2	3	2	9	*	-	1	-	3	24	-	1	100
Hidalgo	2	*	9	*	3	-	14	7	2	1	2	5	54	1	*	100
Willacy	-	-	36	-	-	-	*	-	-	*	-	9	52	-	3	100
All other	-	-	-	-	-	-	-	16	-	-	-	-	80	4	-	100
Office total	1	2	32	1	2	1	7	2	*	1	1	6	43	*	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 14. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Coker			Deltapine						McNair 235	Stoneville				Other 1/	Total
	304	310	3131	Acala 90	20	41	50	55	61		112	213	506	825		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Missouri:</b>																
Dunklin	-	1	2	-	3	3	22	3	9	-	7	-	40	10	*	100
New Madrid	-	-	-	-	4	19	6	-	-	-	-	-	39	32	-	100
Pemiscot	-	-	-	-	-	5	2	-	-	-	2	16	50	23	2	100
All other	4	-	-	-	12	3	10	-	-	-	20	-	21	30	-	100
Total	*	1	1	-	3	8	14	1	5	-	5	3	40	19	*	100
<b>Arkansas:</b>																
Craighead	-	-	*	2	2	3	7	-	*	-	*	-	69	15	2	100
Mississippi	-	-	-	-	2	16	10	-	4	2	-	3	55	8	-	100
Poinsett	-	-	-	-	-	11	7	-	-	1	-	-	20	59	2	100
All other	-	-	-	-	5	2	13	-	-	-	3	-	42	34	1	100
Total	-	-	*	*	2	10	9	-	2	1	*	1	50	24	1	100
Office total	*	*	*	*	3	9	11	1	3	*	3	2	45	22	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 15. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Acala		Casco <sup>t</sup> C-13	Coker		Delta-pine SR-383	Dunn		Growers GSA 71	McDonald 3	Pay-master 145	Tancot			Other <sup>1/</sup>	Total
	1517-70	1517-77		312	500		120	219				CAMD-E	SP21	SP21S		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
Dawson	-	-	-	-	5	14	2	-	3	10	7	39	7	-	13	100
Gaines	6	5	2	18	5	9	2	2	2	3	9	3	11	2	21	100
Lynn <sup>2/</sup>	-	-	-	-	-	-	26	33	6	-	-	14	4	2	15	100
Martin <sup>3/</sup>	-	-	-	4	-	-	-	-	-	2	1	-	43	34	16	100
Terry <sup>2/</sup>	-	-	-	-	-	-	9	-	30	-	20	-	-	3	38	100
All other	-	-	10	1	*	*	1	1	1	1	15	3	4	28	35	100
Office total <sup>4/</sup>	2	2	3	6	3	5	5	5	5	3	10	11	9	10	21	100

- <sup>1/</sup> Includes all varieties less than 0.5 percent and all varieties not listed.  
<sup>2/</sup> A portion of this county is served by Lubbock Classing Office.  
<sup>3/</sup> A portion of this county is served by Abilene Classing Office.  
<sup>4/</sup> Includes small acreages in New Mexico.  
\* Less than 0.5 percent.

Table 16. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Acala		Deltapine					DES 422	McNair 235	Stoneville			-----	-----	Other <sup>1/</sup>	Total
	90	NSL	20	41	50	55	61			112	506	825				
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Arkansas:</b>																
Ashley	-	2	4	23	30	-	6	-	-	11	14	10	-	-	-	100
Chicot	-	-	-	15	11	1	-	2	-	6	56	9	-	-	-	100
Desha	-	-	1	10	9	-	1	-	-	11	49	19	-	-	-	100
Jefferson	2	-	2	29	25	4	2	-	-	-	14	22	-	-	-	100
Lee	-	-	20	3	33	-	-	-	-	-	34	10	-	-	-	100
Lincoln	1	-	-	-	34	-	-	-	-	-	39	26	-	-	-	100
Lonoke	-	-	2	3	34	-	-	-	-	-	2	59	-	-	-	100
Phillips	-	-	1	2	7	-	-	1	-	3	35	51	-	-	-	100
St. Francis	-	-	-	19	35	-	-	-	-	-	38	8	-	-	-	100
All other	1	1	20	7	31	6	*	-	2	1	21	10	-	-	-	100
Office total	1	*	5	14	23	2	1	*	*	4	29	21	-	-	-	100

- <sup>1/</sup> Includes all varieties less than 0.5 percent and all varieties not listed.  
\* Less than 0.5 percent.

Table 17. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Cascot L-7	Coker 500	Delta-pine SR-383	Dunn 219	Growers			Paymaster				Quapaw	Ranger BB 53	Tancot CAMD-E	Other 1/	Total
					GSA 71	GSC 20	GSC 25	145	303	404	792					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
Bailey	-	-	-	-	23	-	-	28	2	4	3	10	-	5	25	100
Castro	-	-	-	-	4	-	-	38	-	-	15	-	-	3	40	100
Cochran	-	-	-	-	-	-	-	40	-	5	-	15	-	2	38	100
Crosby	1	1	22	1	4	5	10	10	11	11	2	1	1	4	16	100
Dickens	-	-	-	-	41	-	-	15	5	-	-	2	-	-	37	100
Floyd	4	2	1	1	3	1	22	28	7	10	5	-	2	2	12	100
Hale	1	-	4	3	13	1	4	52	3	3	7	*	*	1	8	100
Hockley	1	1	12	4	18	2	2	23	5	4	1	*	1	2	24	100
Lamb	3	-	9	3	9	-	9	36	3	2	4	2	4	2	14	100
Lubbock	2	10	14	1	10	4	1	6	6	18	2	-	8	*	18	100
Lynn 2/	*	5	49	3	6	4	1	14	4	3	-	*	4	*	7	100
Parmer	-	-	3	-	21	-	*	40	*	4	7	5	1	8	11	100
Swisher	5	-	-	-	15	*	*	44	3	-	5	-	2	13	13	100
Terry 2/	*	2	16	2	13	*	*	24	2	2	*	7	*	2	30	100
Yoakum 2/	13	*	17	-	6	-	-	35	-	2	-	2	-	-	25	100
All other	-	-	14	-	-	9	5	15	9	14	4	-	10	-	20	100
Total	2	2	13	2	10	2	5	25	5	7	3	2	3	2	17	100
<b>New Mexico:</b>																
Total 3/	-	-	-	5	-	-	-	48	-	-	3	5	-	-	39	100
Office total	2	2	13	2	10	2	5	25	5	7	3	2	3	2	17	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Lamesa Classing Office.

3/ Includes Quay and Roosevelt counties.

\* Less than 0.5 percent.

Table 18. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Coker					Deltapine				McNair		Stoneville			Other 1/	Total
	208	304	310	315	3131	Acala 90	41	50	61	220	235	112	506	825		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Georgia:</b>																
Burke	1	6	7	14	-	38	12	7	-	5	1	-	-	5	4	100
Colquitt	9	8	6	9	-	25	11	6	-	15	9	-	-	-	2	100
Dooly	6	3	5	29	-	17	10	2	2	12	3	2	-	9	-	100
Jefferson	-	-	4	9	-	55	12	-	-	15	-	-	-	-	5	100
All other	1	2	5	11	1	29	13	2	-	14	7	-	1	12	2	100
Office total	3	3	5	13	1	28	12	3	*	14	6	*	1	9	2	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 19. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Coker 3131	Deltapine					DES 422	McNair		Stoneville				-----	Other 1/	Total
		20	41	50	55	61		220	235	112	213	506	825			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Tennessee:</b>																
Crockett	-	7	-	21	-	-	-	-	*	1	-	19	52	-	-	100
Fayette	-	14	-	26	-	-	-	-	2	-	-	16	42	-	-	100
Gibson	-	18	1	23	-	-	-	7	19	-	-	3	22	-	7	100
Hardeman	-	18	8	23	-	-	-	-	8	-	-	11	32	-	-	100
Haywood	-	20	2	16	-	-	-	-	8	4	-	10	40	-	-	100
Lauderdale	-	7	11	14	-	-	-	-	3	3	-	29	33	-	-	100
Madison	-	26	-	19	-	-	-	-	19	-	-	8	28	-	-	100
Shelby	-	25	15	36	-	-	-	-	-	-	-	5	19	-	-	100
Tipton	-	3	-	15	-	-	-	-	-	-	15	26	41	-	-	100
All other	-	6	4	24	-	-	-	*	19	1	-	10	36	-	-	100
Total	-	13	3	21	-	-	-	1	7	1	1	14	38	-	1	100
<b>Arkansas:</b>																
Crittenden	-	-	56	40	-	-	-	-	-	-	-	-	-	-	4	100
Total	-	-	56	40	-	-	-	-	-	-	-	-	-	-	4	100
<b>Mississippi:</b>																
Calhoun 2/	-	-	8	7	-	-	1	-	45	-	-	24	15	-	-	100
Marshall	-	9	14	12	-	-	-	-	4	-	-	53	1	-	7	100
Panola 2/	-	9	-	58	-	-	1	-	11	-	-	18	3	-	-	100
Tate	-	12	23	34	-	-	-	-	7	7	-	5	12	-	-	100
All other	1	4	17	27	3	2	2	2	10	1	2	15	14	-	*	100
Total	1	6	14	28	2	1	1	1	12	1	1	20	11	-	1	100
Office total	*	11	9	24	1	*	*	1	8	1	1	15	28	-	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ A portion of this county is served by Greenwood Classing Office.

\* Less than 0.5 percent.

Table 20. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Acala 90	Deltapine									McNair 235	Stoneville		Sun Valley SV 13	Other 1/	Total
		20	30	41	50	61	62	70	120	775		506	825			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Arizona:</b>																
Maricopa	57	1	*	5	1	9	4	2	17	1	*	1	1	1	*	100
Pima	4	21	-	11	5	-	-	-	-	-	15	21	18	-	5	100
Pinal	62	-	2	15	1	5	1	1	5	1	-	2	-	2	3	100
All other	58	-	-	*	-	3	-	*	35	1	-	-	3	-	-	100
Office total	57	1	1	8	1	7	2	2	14	1	1	2	1	1	1	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 21. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1986

State and County	Casco C-13	Coker 4360	Deltapine		G & P GP 3774	Growers GSA 71	Lankart				PR 80	Stoneville		Tancot SP37H	Other 1/	Total
			41	61			LX-571	PR-75	57	611		506	825			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Texas:</b>																
Brazos	-	-	19	-	-	-	-	-	-	-	-	-	79	-	2	100
Ellis	-	-	-	-	38	30	7	-	7	-	-	-	-	13	5	100
Fort Bend	-	-	-	41	-	-	-	-	-	-	-	16	35	-	8	100
Hill	-	-	-	-	74	-	7	7	-	-	-	-	-	-	12	100
Robertson	-	-	15	-	-	-	-	-	-	-	-	-	85	-	-	100
Williamson	9	16	-	-	12	-	4	-	2	6	13	-	-	4	34	100
Zavala	-	-	75	-	-	-	-	-	-	-	-	-	15	-	10	100
All other	6	-	7	2	22	*	4	3	8	7	2	*	7	13	19	100
Office total 2/	4	2	9	6	18	2	3	2	5	4	3	2	16	7	17	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

2/ Includes small acreages in Oklahoma.

\* Less than 0.5 percent.

- 13 -

Table 22. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1986

State and Parish	Acala 90	NSL	Deltapine					DES 422	McNair 235	Stoneville					Other 1/	Total
			20	41	50	55	61			112	213	506	603	825		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<b>Louisiana:</b>																
Caddo	6	-	11	8	29	-	5	31	-	-	-	-	-	9	1	100
Catahoula	1	9	-	12	1	-	-	-	1	-	-	-	8	68	-	100
East Carroll	30	3	13	-	29	-	2	-	-	-	-	-	-	23	-	100
Franklin	17	-	-	8	3	-	3	-	-	5	-	4	-	60	-	100
Morehouse	2	-	6	62	12	-	-	-	-	1	-	15	-	2	-	100
Rapides	8	-	14	47	20	3	-	-	-	-	-	7	-	1	-	100
Richland	51	-	2	3	6	-	1	-	-	10	-	17	-	10	-	100
Tensas	3	-	8	83	3	-	-	-	-	-	-	-	-	3	-	100
West Carroll	56	-	-	1	2	-	-	-	-	4	1	10	-	26	-	100
All other	8	1	7	43	25	1	1	1	-	*	-	6	-	7	-	100
Office total	21	1	5	27	12	*	1	1	*	3	*	8	1	20	*	100

1/ Includes all varieties less than 0.5 percent and all varieties not listed.

\* Less than 0.5 percent.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1986

State	Pima S-5	Pima S-6	Other	Total
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
Arizona	3	97	-	100
New Mexico	11	89	-	100
Texas	-	100	-	100
United States	2	98	-	100

Table 24. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1986

Classing Offices	Pima S-5	Pima S-6	Other	Total
	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
<u>El Paso</u>				
Arizona	-	100	-	100
New Mexico	11	89	-	100
Texas	-	100	-	100
Office total	1	99	-	100
<u>Phoenix</u>				
Arizona				
Office total <u>1/</u>	4	96	-	100

1/ Includes small acreages in El Centro Classing Office area.