

# COTTON VARIETIES PLANTED

1988 CROP



**UNITED STATES DEPARTMENT OF AGRICULTURE**

*Agricultural Marketing Service Cotton Division*

*Memphis, Tennessee*

**August 1988**

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction . . . . .	1
Leading Varieties. . . . .	1
1. Varieties by states and United States, crop of 1988. . . . .	2-3
Varieties planted by classing offices, crop of 1988:	
2. Abilene. . . . .	4
3. Altus. . . . .	4
4. Bakersfield. . . . .	5
5. Birmingham . . . . .	5
6. Corpus Christi . . . . .	6
7. El Centro. . . . .	6
8. El Paso. . . . .	7
9. Florence . . . . .	7
10. Fresno . . . . .	8
11. Greenwood. . . . .	8
12. Harlingen. . . . .	9
13. Hayti. . . . .	9
14. Lamesa . . . . .	10
15. Little Rock. . . . .	10
16. Lubbock. . . . .	11
17. Macon. . . . .	11
18. Memphis. . . . .	12
19. Phoenix. . . . .	12
20. Rayville . . . . .	13
21. Waco . . . . .	13
22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1988 . . . . .	14
23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1988 . . . . .	14

UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
COTTON DIVISION, MARKET NEWS BRANCH  
4841 SUMMER AVENUE - MEMPHIS, TN 38122  
Telephone 901-521-2931

Cotton Varieties Planted, United States  
1988 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1988-89 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Deltapine accounted for 30 percent of the U.S. acreage planted, up from 25 percent in 1987. Paymaster was the second most popular variety, accounting for 14 percent of the total acreage. Stoneville was the next most popular variety which accounted for 11 percent of the U.S. acreage. Acala was the fourth leading variety and made up 7 percent of the national acreage, followed by Tamcot at 6 percent and Germain's at 5 percent. Sixteen varieties accounted for 1 percent or more of the U.S. acreage.

Deltapine was the leading variety of upland cotton planted in the U.S. for the 1988-89 season. This variety accounted for 30 percent of the national acreage. Deltapine was the leading variety planted in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina and Tennessee. Deltapine 50 and Deltapine Acala 90 were the two most popular strains, accounting for 13 and 8 percent of the U.S. acreage, respectively.

Paymaster was the second leading variety planted in 1988 and accounted for 14 percent of the U.S. acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico and Oklahoma. The leading strain was Paymaster 145, which made up 12 percent of the U.S. acreage.

Stoneville was the next most popular variety which accounted for 11 percent of the U.S. acreage. Stoneville was the second most popular variety planted in Alabama, Arkansas, Louisiana, Mississippi, Missouri and Tennessee. Stoneville 825 was the predominant Stoneville strain, accounting for 6 percent of the national acreage.

The fourth most popular variety planted in 1988 was Acala. This variety accounted for 7 percent of the U.S. acreage and was the leading variety planted in California and New Mexico and the second most favored in Arizona. Acala SJ-2 was the leading Acala strain, making up 5 percent of the national acreage.

The fifth most popular variety was Tamcot, accounting for 6 percent of the U.S. acreage. Tamcot was the second most favored variety planted in Texas. Tamcot SP-21 was the predominant Tamcot strain which made up 2 percent of the 1988 acreage.

The sixth most prevalent variety planted was Germain's, which made up 5 percent of total U.S. acreage. This variety was the second most popular variety planted in California. Acala GC-510 was the leading Germain's strain and made up 5 percent of total acreage.

Pima S-6 remained the leading strain of American Pima cotton planted in the United States for the 1988 crop. This was the fifth consecutive year Pima S-6 has been predominant, accounting for 99.5 percent of the total acreage planted this season, up from about 95 percent in 1987. Pima S-5, at 0.5 percent, made up the remainder of the 1988 American Pima acreage, down from around 5 percent the previous season.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1988 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,  
United States, 1984-1988

Year	Acala	Delta- pine	Germain's	Pay- master	Stone- ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1984	12	17	-	10	17	7	30	100
1985	10	20	2	11	17	7	28	100
1986	7	27	4	11	16	7	25	100
1987	7	25	4	13	13	6	31	100
1988	6.9	30.0	4.6	13.8	10.7	6.0	28.0	100.0

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop yr. 1966

VARIETY		AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL OTHER	UNITED STATES	
																1/	2/	
ACALA	1517 E-1	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	*	
	1517 E-2	-	0.5	-	-	-	-	-	-	3.7	-	-	-	-	*	-	*	
	1517-75	-	1.2	-	-	-	-	-	-	29.4	-	-	-	-	*	-	*	
	1517-77BR	-	-	-	-	-	-	-	-	18.6	-	-	-	-	0.5	-	*	
	1517-88	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	*	
	1517-SR1	-	*	-	-	-	-	-	-	3.2	-	-	-	-	*	-	*	
	BR-110	-	1.7	-	-	-	-	-	-	-	-	*	-	-	*	-	*	
	SJ-2	-	-	-	48.4	-	-	-	-	-	-	-	-	-	-	-	-	5.4
	SJ-5	-	-	-	3.9	-	-	-	-	-	-	-	-	-	-	-	-	*
SJC-1	-	-	-	1.8	-	-	-	-	-	-	-	-	-	-	-	-	*	
ALL-TEX	E-2	-	-	-	-	-	-	-	-	3.7	-	0.5	-	-	*	-	*	
	QUICKIE	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.5	-	*	
	WM 571	-	-	-	-	-	-	-	-	0.5	-	1.4	-	-	0.6	-	*	
BRONCO	625	-	-	-	-	-	-	-	-	-	-	0.7	-	-	*	-	*	
CASCOT	C-13	-	0.8	-	-	-	-	-	-	-	-	5.2	-	-	2.6	-	1.4	
	L-7	-	0.8	-	-	-	-	-	-	-	-	0.7	-	-	1.1	-	0.5	
	2910	-	-	-	-	-	-	-	-	-	-	1.9	-	-	*	-	*	
COKER	304	*	*	-	-	1.6	-	-	-	-	5.9	-	3.0	-	*	-	*	
	310	2.0	-	-	-	1.0	-	-	-	-	5.4	-	0.8	-	*	-	*	
	312	-	-	-	-	-	-	-	-	*	-	-	-	-	0.7	-	*	
	315	1.4	-	-	-	10.2	-	-	-	-	15.8	-	50.2	-	*	-	1.1	
	500	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	0.5	
	3131	-	-	-	-	0.5	-	*	0.9	-	-	-	-	-	*	-	*	
5110	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	*		
DELTAPINE	ACALA 90	26.2	57.9	3.0	2.9	49.1	29.0	0.7	*	3.2	11.2	5.7	24.0	-	3.9	17.1	8.3	
	20	1.1	2.0	8.0	*	-	15.4	17.3	12.1	-	3.5	*	*	21.3	1.0	-	5.0	
	41	4.5	2.0	2.1	-	9.1	13.7	2.9	-	-	0.8	-	-	-	2.0	48.0	2.6	
	50	32.2	3.2	40.6	-	5.0	17.1	40.3	42.0	-	26.4	-	3.4	50.1	2.4	9.1	13.1	
	61	2.7	5.5	*	*	-	-	0.6	-	-	-	-	-	-	-	-	-	*
	77	-	16.5	-	*	-	-	-	-	-	-	-	-	-	-	-	-	0.5
	120	-	1.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	DES-119	2.9	1.1	1.6	0.9	*	1.5	13.0	-	-	-	-	-	-	*	*	3.7	2.0
DES-422	-	-	0.5	-	-	*	2.1	-	-	-	-	-	-	-	-	-	-	*
DUNN	120	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	0.8	
	325	-	-	-	-	-	-	-	-	1.3	-	-	-	-	*	-	*	
	400	-	-	-	-	-	-	-	-	6.1	-	-	-	-	-	-	*	
	1047	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	*	
G & P	GP 1005	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.7	-	*	
	GP 3755	-	-	-	-	-	-	-	-	-	-	0.7	-	-	*	-	*	
	GP 3774	-	-	-	-	-	-	-	-	-	-	0.6	-	-	3.1	-	1.4	
	GP 5479	-	-	-	-	-	-	-	-	-	-	0.6	-	-	*	-	*	
GERMAIN'S ACALA GROWERS	GC-510	-	*	-	40.7	-	-	-	-	-	-	-	-	-	-	-	-	4.6
	GSA 71	-	-	-	-	-	-	-	-	-	-	*	-	-	2.3	-	1.1	
	GSC 25	-	-	-	-	-	-	-	-	-	-	-	-	-	3.1	-	1.4	
HOLLAND	1379	-	-	-	-	-	-	-	-	-	-	2.4	-	-	*	5.2	*	
	4002	-	-	-	-	-	-	-	-	-	-	*	-	-	0.7	-	*	
HURDT'S	100	-	-	-	-	-	-	-	-	-	-	0.8	-	-	*	-	*	
	700	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	*	

Table 1. Continued

VARIETY		AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL OTHER 1/	UNITED STATES 2/
LANKART	LX-571	-	-	-	-	-	-	-	-	-	-	1.1	-	-	1.0	-	0.5
	PR-75	-	-	-	-	-	-	-	-	-	-	7.8	-	-	*	-	*
	57	-	-	-	-	-	-	-	-	-	-	9.9	-	-	0.7	-	0.7
	175	-	-	-	-	-	-	-	-	-	-	6.6	-	-	0.7	-	0.6
	511	-	-	-	-	-	-	-	-	-	-	2.1	-	-	*	-	*
	611	-	-	-	-	-	-	-	-	-	-	9.0	-	-	3.4	-	1.9
MCNAIR	220	*	-	-	-	8.0	-	-	-	4.6	8.7	-	*	-	*	-	*
	235	*	*	*	-	7.1	*	0.5	-	-	19.3	-	10.1	1.2	-	-	0.6
NORTHROP KING	KC 380	*	-	-	-	*	-	*	-	-	-	-	-	1.5	-	-	*
PAYMASTER	HS 26	-	-	-	-	-	-	-	-	1.3	-	*	-	-	2.8	-	1.3
	145	-	-	-	-	-	-	-	-	13.8	-	19.2	-	-	23.8	-	11.6
	266	-	-	-	-	-	-	-	-	2.7	-	-	-	-	*	-	*
	404	-	-	-	-	-	-	-	-	2.4	-	1.3	-	-	1.2	-	0.6
	792	-	-	-	-	-	-	-	-	-	-	*	-	-	*	3.5	*
PD-1		-	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-	*
PD-3		-	-	-	-	*	-	-	-	-	*	-	2.6	-	-	-	*
QUAPAW		-	-	-	-	-	-	-	-	0.5	-	-	-	-	*	-	*
RANGER	BB 53	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	*
ROSEBUD	PR 80	-	-	-	-	-	-	-	-	-	-	1.8	-	-	3.4	-	1.6
STONEVILLE	112	*	*	2.3	-	*	*	*	*	-	-	0.8	-	*	*	-	*
	213	0.5	-	-	-	-	-	-	-	-	-	1.1	-	-	*	-	*
	302	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	*
	453	-	-	-	-	-	-	0.6	-	-	-	-	-	-	*	-	*
	506	3.9	1.3	32.4	-	0.5	8.0	11.0	27.0	-	-	2.0	-	3.7	0.6	13.4	4.6
	825	20.9	-	8.3	-	4.3	13.4	9.5	15.7	-	1.4	0.6	-	21.7	3.0	-	5.6
STROMAN	254	-	-	-	-	-	-	-	-	0.5	-	-	-	-	*	-	*
SUMMIT	C-40	*	-	*	-	-	1.1	-	-	-	-	-	-	*	-	-	*
	DELTAPINE SR-383	-	-	-	-	-	-	-	-	-	-	*	-	-	6.3	-	2.9
SUN VALLEY	SV 13	-	0.6	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	SV 93	-	1.3	-	-	-	*	-	-	-	-	-	-	-	-	-	*
TAMCOT	CAB-CS	-	-	-	-	-	-	-	-	-	-	4.7	-	-	3.6	-	1.8
	CAMD-E	-	-	-	-	-	-	-	-	-	-	5.6	-	-	1.1	-	0.7
	CD3H	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.5	-	*
	SP21	-	-	-	-	-	-	-	-	-	-	-	-	-	4.8	-	2.2
	SP21S	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	0.6
	SP37H	-	-	-	-	-	-	-	-	-	-	*	-	-	0.6	-	*
TIFCOT	56	*	-	-	-	2.2	-	-	-	-	-	-	-	-	-	-	*
ALL OTHER 3/		1.7	1.8	1.2	1.4	1.4	0.8	1.5	2.3	2.0	1.6	2.2	2.5	0.5	11.4	*	12.5
Total		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent. 3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. \* Less than 0.5 percent.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTA-		G & P		GROWERS:HOLLAND		LANKART				TAMCOT				OTHER	TOTAL	
	CASCOT: C-13	PINE: ACALA	90	GP 1005:GP 3774	1379	4002	PR-75	57	175	511	611	PAY-MASTER	ROSEBUD: PR 80	CAB-CS			CAMD-E
Texas:	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Fisher	-	-	-	-	-	0.6	-	0.9	5.0	70.9	-	8.1	5.0	-	9.5	100.0	
Haskell	21.8	-	1.9	11.3	-	-	25.3	23.9	-	8.6	-	-	-	0.3	6.9	100.0	
Howard 1/	-	22.9	-	-	-	2.8	-	-	-	-	-	-	25.7	14.3	34.3	100.0	
Jones	4.6	-	18.9	0.6	-	0.3	3.9	33.1	-	-	5.7	5.2	-	3.9	23.8	100.0	
Knox	2.2	-	-	-	-	-	6.5	45.7	1.5	-	1.8	19.3	-	-	23.0	100.0	
Martin 1/	-	8.9	-	-	-	11.1	-	-	11.1	-	-	-	40.0	13.9	15.0	100.0	
Mitchell	-	-	-	3.8	30.0	15.0	-	7.5	3.8	3.8	-	-	11.2	-	24.9	100.0	
Runnells	-	2.3	1.7	24.4	0.6	-	1.2	3.0	0.6	38.7	-	-	18.1	-	9.4	100.0	
Scurry 2/	-	-	-	-	-	-	-	-	6.4	-	-	-	66.4	-	27.2	100.0	
Tom Green	0.9	11.6	5.4	50.2	-	4.2	-	-	-	4.5	-	-	7.1	-	16.1	100.0	
All other	3.2	31.9	1.5	10.0	-	1.2	2.2	7.9	3.1	1.9	3.9	2.7	9.9	1.4	19.1	100.0	
Office total	4.3	11.4	2.8	9.0	1.8	2.7	4.6	11.0	2.9	10.0	1.6	2.7	14.2	2.9	18.0	100.0	

1/ A portion of this county is served by Lamesa Classing Office. 2/ A portion of this county is served by Lubbock Classing Office. NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTA-		G & P		GROWERS:HOLLAND		LANKART				TAMCOT				OTHER	TOTAL
	CASCOT: C-13	PINE: ACALA	90	GP 1005:GP 5479	1379	175	PR-75	57	175	511	611	PAY-MASTER	ROSEBUD: PR 80	CAB-CS		
Oklahoma:	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Beckham	-	-	3.1	3.1	-	31.2	3.2	-	-	8.2	43.8	-	-	-	7.4	100.0
Caddo	7.0	-	1.5	2.0	-	5.0	2.0	7.0	-	1.5	38.0	15.0	-	2.0	19.0	100.0
Greer	0.3	-	3.0	3.0	-	7.2	31.5	-	-	3.7	18.0	2.0	-	-	31.3	100.0
Harmon	-	-	-	-	-	-	0.2	-	-	-	44.4	1.3	-	0.8	53.3	100.0
Jackson	-	43.8	-	-	-	-	11.5	-	-	-	12.5	2.0	-	-	30.2	100.0
Kiowa	2.2	-	1.7	1.3	0.1	-	16.9	-	-	35.2	14.6	2.1	6.5	3.4	16.0	100.0
Tillman	5.6	-	-	-	6.4	7.0	7.2	21.2	4.5	2.4	0.2	0.2	12.6	16.0	16.7	100.0
Washita	-	0.3	-	-	1.2	12.0	12.0	-	0.3	18.4	50.0	0.2	-	-	5.6	100.0
All other	25.9	-	-	0.2	3.0	14.8	10.7	-	6.3	9.9	10.5	2.1	2.2	2.6	12.0	100.0
Total	5.2	5.7	0.6	0.6	2.4	7.8	9.9	6.6	2.1	9.0	19.2	1.8	4.7	5.6	18.9	100.0
Texas:																
Brisco	-	-	-	-	-	4.7	-	-	-	0.8	80.7	-	0.4	2.0	11.4	100.0
Collingsworth	-	-	-	-	-	3.9	-	-	-	7.4	30.0	-	25.2	-	33.5	100.0
Cottle	-	-	-	-	-	0.4	0.3	0.4	0.4	54.8	38.0	-	0.4	-	5.3	100.0
Hall	-	-	-	-	-	2.4	-	-	-	3.0	78.8	2.4	1.5	-	11.9	100.0
Motley	2.8	-	-	-	-	-	1.6	-	-	8.8	32.0	-	-	-	54.8	100.0
Wilbarger	-	-	16.7	14.8	-	-	1.9	7.4	6.0	18.5	5.3	1.0	-	-	28.4	100.0
All other	-	-	0.7	*	2.3	4.0	10.1	13.3	11.3	13.0	18.8	3.6	7.0	1.0	14.9	100.0
Total	0.2	-	2.8	2.3	0.7	2.5	3.5	5.2	4.4	14.3	36.4	1.7	5.3	0.5	20.4	100.0
Office total 1/	2.7	2.8	1.7	1.4	1.6	5.1	6.7	5.9	3.2	11.7	27.9	1.7	5.0	3.0	19.7	100.0

1/ Includes small acreages in Kansas. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 4. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA					GERMAIN'S		---	---	---	---	---	---	---	OTHER	TOTAL
	C-32	M-5	SJ-2	SJ-5	SJC-1	ACALA : GC-356	ACALA : GC-510									
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
California:																
Kern	0.9	-	72.0	3.3	2.9	-	20.9	-	-	-	-	-	-	-	-	100.0
Kings 1/	-	0.1	78.8	-	0.3	0.2	20.5	-	-	-	-	-	-	-	-	100.0
Tulare 1/	-	-	50.7	2.9	3.6	0.9	41.9	-	-	-	-	-	-	-	-	100.0
Office total	0.5	*	69.9	2.2	2.2	0.2	24.9	-	-	-	-	-	-	-	-	100.0

1/ A portion of this county is served by Fresno Classing Office. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 5. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER		DELTAPINE					DES-119	MCNAIR	STONEVILLE			SUMMIT	TIFCOT	OTHER	TOTAL
	310	315	ACALA : 90	20	41	50	61			235	213	506				
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alabama:																
Cherokee	-	20.6	4.3	-	-	30.9	-	6.5	-	-	12.7	11.1	-	6.9	7.0	100.0
Colbert	-	-	-	-	-	46.7	-	0.3	-	-	-	51.7	-	-	1.3	100.0
Dallas	-	-	89.7	-	7.7	1.3	-	-	-	-	-	1.3	-	-	-	100.0
Elmore	-	-	50.0	-	47.0	-	-	-	-	-	-	-	-	-	3.0	100.0
Lauderdale	-	-	-	-	-	12.7	-	7.5	-	-	1.6	78.2	-	-	-	100.0
Lawrence	-	-	1.1	5.4	0.5	60.4	18.6	3.2	-	-	0.2	10.3	-	-	0.3	100.0
Limestone	-	-	-	1.0	-	78.0	-	3.8	-	0.1	7.7	8.9	-	-	0.5	100.0
Madison	-	-	-	-	-	23.2	-	6.4	-	4.8	15.2	50.4	-	-	-	100.0
All other	5.4	1.7	56.7	1.0	11.2	11.0	1.9	1.5	0.6	-	2.6	4.9	0.8	0.3	0.4	100.0
Office total 1/	1.9	1.4	25.9	1.1	6.0	31.6	2.6	2.9	0.2	0.5	4.2	20.3	0.3	0.4	0.8	100.0

1/ Includes small acreages in Florida. NOTE: Totals may not add due to rounding.

Table 6. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE						TAMCOT						OTHER	TOTAL		
	CASCOT C-13	COKER 312	ACALA 90	20	41	50	DES-119 1047	DUNN GP 3774	G & P 825	STONE- VILLE	CAB-CS CD3H	SP37			SP37H	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Nueces	6.7	2.1	7.4	-	1.9	11.4	0.3	0	11.0	-	42.8	7.1	2.5	3.4	3.4	100.0
San Patricio	6.4	5.0	8.1	-	-	12.0	-	1.7	2.4	-	54.3	4.0	1.0	1.9	3.1	100.0
All other	-	-	2.5	20.5	4.3	25.2	2.3	-	3.5	8.7	21.8	1.1	-	5.5	4.6	100.0
Office total	5.3	2.8	6.7	3.9	1.6	14.2	0.6	0.6	6.4	1.7	43.1	4.8	1.4	3.2	3.5	100.0

NOTE: Totals may not add due to rounding.

Table 7. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE						GERMAIN'S WHITE						OTHER	TOTAL		
	ACALA 90	20	50	61	70	77	DES-119	ACALA GC-510	S LIGHT- NING	---	---	---			---	---
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
California:																
Imperial	4.4	8.5	-	15.3	-	16.3	51.7	-	1.3	-	-	-	-	-	2.5	100.0
Riverside	84.9	4.0	-	3.6	0.7	1.6	5.2	-	-	-	-	-	-	-	-	100.0
Total	60.9	5.3	-	7.1	0.5	6.0	19.1	-	0.4	-	-	-	-	-	0.7	100.0
Arizona:																
Yuma	12.8	2.4	28.8	38.8	0.1	16.0	0.1	1.0	-	-	-	-	-	-	-	100.0
Total	12.8	2.4	28.8	38.8	0.1	16.0	0.1	1.0	-	-	-	-	-	-	-	100.0
Office total	44.3	4.3	9.9	18.0	0.4	9.4	12.5	0.3	0.2	-	-	-	-	-	0.5	100.0

NOTE: Totals may not add due to rounding.



Table 8. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA					CASCOT		DELTA-	PINE	DUNN	GERMAIN'S	MCNAIR		PAYMASTER	OTHER	TOTAL
	1517 E-2	1517- 75	1517- 77BR	1517- 88	1517- SR1	C-13	L-7	90	400	400	ACALA GC-510	220	308	266	404	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Total	-	2.9	-	-	0.3	-	-	85.0	-	-	-	3.8	-	-	7.9	100.0
New Mexico:																
Dona Ana	-	60.1	-	3.7	-	-	-	8.3	-	-	23.9	-	-	-	4.0	100.0
Eddy	10.5	5.6	58.8	-	0.8	-	-	8.0	-	-	1.4	0.8	12.7	-	1.4	100.0
All other	3.6	46.2	15.2	2.2	7.3	-	-	0.6	14.8	-	1.6	-	-	6.0	2.6	100.0
Total	4.8	37.9	24.0	1.9	4.1	-	-	4.1	7.8	-	6.0	0.2	3.5	3.2	2.5	100.0
Arizona:																
Cochise	10.5	18.2	-	-	1.1	16.3	18.1	22.4	-	5.4	-	-	-	-	8.0	100.0
All other	-	11.5	-	-	-	-	-	83.3	-	0.4	-	-	-	-	4.8	100.0
Total	6.5	15.7	-	-	0.7	10.1	11.3	45.5	-	3.5	-	-	-	-	6.8	100.0
Office total	4.5	25.9	13.3	1.1	2.5	2.8	3.1	29.1	4.4	1.0	3.3	0.8	1.9	1.8	4.6	100.0

NOTE: Totals may not add due to rounding.

Table 9. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER				DELTAPINE				MCNAIR		PD-1	PD-3	STONE-	---	OTHER	TOTAL
	139	304	310	315	ACALA 90	20	41	50	220	235			825			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
North Carolina:																
Cleveland	-	-	-	-	-	-	-	-	-	82.3	-	17.7	-	-	-	100.0
Halifax	-	3.8	2.6	2.6	7.6	5.0	1.3	30.9	21.4	21.8	-	-	-	-	3.0	100.0
Northampton	-	1.4	2.1	-	3.5	13.4	-	29.2	15.9	21.7	-	-	11.3	-	1.5	100.0
All other	0.2	7.5	7.0	22.9	14.0	1.3	0.9	25.5	4.0	16.2	-	-	-	-	0.5	100.0
Total	0.1	5.9	5.4	15.8	11.2	3.5	0.8	26.4	8.7	19.3	-	0.4	1.4	-	1.1	100.0
South Carolina:																
Lee	-	8.0	-	60.5	23.3	-	-	5.5	-	-	-	-	-	-	2.7	100.0
Marlboro	-	-	-	46.8	16.1	-	-	10.5	-	24.7	-	-	-	-	1.9	100.0
Sumpter	-	-	-	25.9	50.5	-	-	0.7	-	0.7	22.2	-	-	-	-	100.0
All other	-	2.2	1.7	51.9	20.9	0.9	-	0.6	0.8	12.3	1.8	5.4	-	-	1.5	100.0
Total	-	3.0	0.8	50.2	24.0	0.4	-	3.4	0.4	10.1	3.4	2.6	-	-	1.7	100.0
Office total	0.1	4.2	2.8	35.1	18.4	1.8	0.4	13.5	4.0	14.2	1.9	1.6	0.6	-	1.4	100.0

NOTE: Totals may not add due to rounding.

Table 10. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	ACALA				GERMAIN'S		C-32	SJ-2	SJ-5	SJC-1	GC-356	GC-510					OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.												
California:																		
Fresno	*	31.2	1.0	1.7	-	66.1	-	-	-	-	-	-	-	-	-	-	-	100.0
Kings 1/	0.3	39.4	0.3	2.3	0.6	57.1	-	-	-	-	-	-	-	-	-	-	-	100.0
Madera	-	40.4	0.7	2.5	-	56.4	-	-	-	-	-	-	-	-	-	-	-	100.0
Merced	-	20.7	5.8	0.3	-	73.3	-	-	-	-	-	-	-	-	-	-	-	100.0
Tulare 1/	-	40.0	45.5	0.7	-	13.8	-	-	-	-	-	-	-	-	-	-	-	100.0
Office total	0.1	32.7	6.0	1.6	0.1	59.6	-	-	-	-	-	-	-	-	-	-	-	100.0

1/ A portion of this county is served by Bakersfield Classing Office. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 11. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE						STONEVILLE			DES-119	DES-422	MCNAIR	235	112	453	506	825	OTHER	TOTAL
	ACALA	90	20	41	50	55	61	Pct.	Pct.										
Mississippi:																			
Bolivar	-	7.0	-	84.6	-	-	6.2	-	-	1.0	-	-	1.2	-	-	-	-	-	100.0
Coahoma	3.8	8.8	-	20.6	-	-	38.2	28.6	-	-	-	-	-	-	-	-	-	-	100.0
Hinds	1.0	1.0	-	98.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Holmes	-	48.3	-	35.0	-	-	3.3	-	-	-	-	-	13.4	-	-	-	-	-	100.0
Humphreys	0.9	13.0	-	53.8	-	-	18.0	1.9	-	0.9	-	2.9	8.6	-	-	-	-	-	100.0
Leflore	-	9.5	16.2	4.8	-	-	4.7	-	-	-	-	24.3	40.5	-	-	-	-	-	100.0
Madison	-	15.0	-	45.0	-	-	-	-	-	-	-	-	35.0	-	-	5.0	-	-	100.0
Panola 1/	-	-	-	50.0	-	-	50.0	-	-	-	-	-	-	-	-	-	-	-	100.0
Quitman	-	15.6	-	28.4	-	-	10.0	-	-	-	-	27.6	18.4	-	-	-	-	-	100.0
Sharkey	1.5	13.3	-	61.0	-	-	18.3	-	-	5.9	-	-	-	-	-	-	-	-	100.0
Sunflower	-	30.4	-	43.6	-	-	22.1	2.6	-	-	-	-	1.3	-	-	-	-	-	100.0
Tallahatchie	4.1	62.6	-	33.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
Tunica	-	-	7.4	-	7.6	-	85.0	-	-	-	-	-	-	-	-	-	-	-	100.0
Washington	-	29.4	-	42.4	-	-	-	-	-	-	12.9	15.3	-	-	-	-	-	-	100.0
Yazoo	-	4.9	8.3	49.0	-	8.3	5.9	-	-	0.9	-	16.8	5.9	-	-	-	-	-	100.0
All other	2.1	20.6	8.9	24.8	0.9	0.9	25.7	2.9	0.4	0.9	-	6.4	5.5	-	-	-	-	-	100.0
Office total	1.0	20.5	3.7	37.4	0.3	0.9	16.2	3.1	0.1	0.5	0.8	6.8	8.6	-	-	0.2	-	-	100.0

1/ A portion of this county is served by Memphis Classing Office. NOTE: Totals may not add due to rounding.

Table 12. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER		DELTAPINE				DES-119: G & P : MCNAIR:			STONEVILLE			SUMMIT:	TAMCOT:	OTHER:	TOTAL
	312	315	ACALA : 90	20	41	50	GP 3774:	220	112	506	825	C-30	CAB-CS:			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																
Cameron	-	-	13.8	0.2	38.8	7.5	1.7	5.7	0.3	1.1	0.6	28.2	-	0.2	2.0	100.0
Hidalgo	16.7	1.0	1.5	0.3	7.6	4.0	2.5	0.2	0.8	3.4	3.1	30.0	1.0	22.2	5.7	100.0
Willacy	-	-	4.7	1.8	20.8	28.1	0.2	0.2	-	3.6	9.0	26.6	-	0.1	4.8	100.0
All other	-	-	-	-	-	-	-	-	10.0	-	-	40.0	-	50.0	-	100.0
Office total	6.1	0.4	6.0	0.8	20.6	12.7	1.8	1.8	0.6	2.7	4.2	28.6	0.4	9.4	4.2	100.0

NOTE: Totals may not add due to rounding.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER	DELTAPINE				DES-119:	STONEVILLE			OTHER:			TOTAL		
	3131	ACALA : 90	20	41	50	112	506	825							
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Missouri:															
Dunklin	1.8	-	20.6	-	61.9	-	-	11.9	1.9	-	-	-	-	1.9	100.0
New Madrid	-	-	5.6	-	33.3	-	-	42.1	18.1	-	-	-	-	0.9	100.0
Pemiscot	-	-	-	-	2.9	-	-	47.3	46.2	-	-	-	-	3.6	100.0
All other	-	0.7	7.7	-	34.8	-	2.1	27.5	24.2	-	-	-	-	3.1	100.0
Total	0.9	0.1	12.1	-	42.0	-	0.2	27.0	15.7	-	-	-	-	2.1	100.0
Arkansas:															
Craighead	-	-	22.8	-	4.8	3.1	15.2	47.7	5.5	-	-	-	-	0.9	100.0
Mississippi	-	-	3.7	8.0	41.4	-	1.3	37.2	5.6	-	-	-	-	2.8	100.0
Poinsett	-	1.4	6.3	-	23.8	-	-	27.6	38.7	-	-	-	-	2.2	100.0
All other	-	-	23.7	-	28.3	-	-	35.1	11.9	-	-	-	-	1.0	100.0
Total	-	0.2	11.8	3.4	26.1	0.9	5.1	38.4	12.1	-	-	-	-	1.9	100.0
Office total	0.4	0.2	12.0	1.7	33.9	0.5	2.7	32.8	13.9	-	-	-	-	2.0	100.0

NOTE: Totals may not add due to rounding.

Table 14. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER		DELTAPINE		DUNN		PAYMASTER		SUMMIT		TAMCOT		OTHER		TOTAL				
	ACALA	1517-77BR	500	5110	ACALA	90	50	120	1047	MC-DONALD	3	HS 26	145	STROMAN	254	DELTA-PINE	SR-383	SP21	SP21S
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																			
Dawson	-	-	2.2	-	-	11.0	2.7	4.4	-	30.4	-	10.9	13.8	11.8	12.8	100.0			
Gaines	10.7	4.4	8.6	0.5	10.9	0.6	0.6	3.1	-	14.2	9.3	5.0	20.4	-	11.7	100.0			
Lynn 1/	-	13.0	-	-	-	20.0	5.0	-	13.0	2.0	-	14.0	1.0	-	32.0	100.0			
Martin 2/	4.1	-	-	-	-	-	-	-	9.4	11.5	-	17.6	-	8.2	49.2	100.0			
All other	-	-	0.7	11.6	0.2	2.2	-	-	-	42.6	-	0.9	5.2	4.4	32.1	100.0			
Office total 3/	3.1	2.6	3.1	3.1	3.0	6.3	1.5	2.1	2.1	25.3	2.5	7.4	11.1	5.1	21.6	100.0			

1/ A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office. 3/ Includes small acreages in New Mexico. NOTE: Totals may not add due to rounding.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE					DES-119:DES-422		HSC	MCNAIR	STONEVILLE			SUMMIT		OTHER		TOTAL
	ACALA	90	20	41	50	61	772	SISCO	235	112	506	825	C-30	C-40			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Arkansas:																	
Ashley	2.3	16.3	1.1	39.3	-	-	-	-	-	-	39.7	1.3	-	-	-	100.0	
Chicot	-	1.3	8.0	42.8	-	-	-	-	-	-	47.2	0.7	-	-	-	100.0	
Desha	-	-	1.9	48.2	1.8	-	-	-	-	3.5	43.1	-	-	-	1.5	100.0	
Jefferson	12.8	-	-	56.2	-	-	4.7	-	-	-	18.5	6.6	0.7	0.2	0.3	100.0	
Lee	-	19.7	-	33.4	-	5.1	-	-	-	-	38.7	3.1	-	-	-	100.0	
Lincoln	10.0	-	-	45.6	-	-	-	-	-	-	44.4	-	-	-	-	100.0	
Lonoke	-	2.5	-	74.0	-	-	1.2	-	-	-	19.8	2.5	-	-	-	100.0	
Phillips	-	1.0	-	46.7	-	3.6	-	1.2	-	-	17.3	30.2	-	-	0.5	100.0	
St. Francis	-	19.7	-	38.3	-	-	-	-	0.5	-	40.5	0.5	-	-	-	100.0	
All other	9.2	14.9	-	50.8	-	-	-	-	-	1.5	18.5	5.0	-	-	-	100.0	
Office total	4.1	6.2	1.4	48.1	0.2	0.7	0.8	0.2	*	0.7	30.9	6.3	0.1	*	0.3	100.0	

\* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

- 10 -

Table 16. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	CASCOT		COKER		DUNN		GROWERS			PAYMASTER		RANGER		ROSEBUD	DELTA	OTHER	TOTAL
	ALL-TEX	QUICKIE	C-13	L-7	500	120	1047	GSA 71	GSC 25	HS 26	145	404	BB 53	PR 80	PINE	SR-383	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:																	
Bailey	6.0	5.5	-	-	-	5.0	-	-	1.0	46.0	-	-	7.5	-	29.0	100.0	
Castro	-	-	-	-	-	-	-	10.2	-	73.7	-	7.4	-	-	8.7	100.0	
Cochran	-	50.0	-	-	-	-	-	-	-	25.0	-	10.0	-	-	15.0	100.0	
Crosby	0.3	-	-	-	-	-	-	7.9	1.8	34.7	12.9	-	-	31.5	10.9	100.0	
Dickens	-	-	-	-	-	-	-	-	-	-	-	-	80.0	-	20.0	100.0	
Floyd	0.5	1.3	-	-	-	-	2.3	11.0	6.2	54.4	4.3	0.9	-	0.5	18.6	100.0	
Hale	-	0.3	0.3	-	-	-	-	6.7	-	84.3	-	-	-	1.3	7.1	100.0	
Hockley	5.2	-	-	-	-	-	8.1	8.7	12.5	25.5	1.9	0.6	-	14.7	22.8	100.0	
Lamb	-	-	-	-	-	1.3	4.3	24.6	-	57.0	-	-	-	2.2	10.6	100.0	
Lubbock	-	-	-	7.0	-	0.3	1.8	1.0	22.9	38.7	5.7	2.4	-	11.5	8.7	100.0	
Lynn 1/	-	-	0.1	8.5	0.1	0.3	10.1	3.9	6.5	7.1	2.6	0.1	-	55.4	5.3	100.0	
Parmer	10.6	-	-	-	-	-	5.1	1.3	-	42.3	-	-	16.6	-	24.1	100.0	
Swisher	-	-	-	-	-	-	-	3.7	0.6	73.8	0.6	-	3.7	-	17.6	100.0	
Terry 1/	-	-	-	0.4	14.7	8.6	20.3	8.6	2.6	21.4	0.4	0.4	-	14.8	7.8	100.0	
Yoakum 1/	-	6.1	41.7	-	-	-	-	-	0.5	41.7	-	-	5.6	0.6	3.8	100.0	
All other	-	-	-	-	-	-	3.6	7.2	3.6	19.0	7.2	-	1.0	35.8	22.8	100.0	
Office total 2/	1.1	3.2	1.4	1.5	1.4	1.2	4.5	7.1	5.8	40.7	2.8	1.2	2.4	12.4	13.2	100.0	

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. NOTE: Totals may not add due to rounding.

Table 17. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	COKER				DELTAPINE			DES-119	MCNAIR		PD-3	STONEVILLE		TIFCOT	OTHER	TOTAL
	304	310	315	3131	ACALA 90	41	50	220	235		506	825	56			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:																
Burke	1.5	6.0	26.3	-	23.8	18.8	-	-	11.2	11.2	-	-	-	-	1.2	100.0
Colquitt	-	-	1.7	-	55.0	18.6	9.4	-	6.6	6.6	-	-	-	2.1	-	100.0
Dooly	-	-	30.5	-	30.2	8.7	3.1	1.2	9.6	7.1	-	2.1	1.0	4.1	2.4	100.0
All other	2.0	0.9	6.2	0.7	53.7	7.3	5.2	0.4	7.6	6.8	0.5	0.3	5.7	2.0	0.6	100.0
Office total	1.6	1.0	10.2	0.5	49.1	9.1	5.0	0.4	8.0	7.1	0.3	0.5	4.3	2.2	0.8	100.0

NOTE: Totals may not add due to rounding.

11

Table 18. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE								STONEVILLE				OTHER				TOTAL
	ACALA				DES-119:DES-422:MCNAIR:NORTHROP				KING : KC 380								
	90	20	41	50			235			112	506	825					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Tennessee:																	
Crockett	-	25.9	-	50.9	1.9	-	-	-	-	6.2	15.1	-	-	-	-	100.0	
Fayette	-	45.4	-	47.8	-	-	2.2	-	-	-	4.6	-	-	-	100.0		
Gibson	-	38.9	-	41.5	-	-	-	-	-	-	19.6	-	-	-	100.0		
Hardeman	-	16.1	-	28.8	-	-	2.5	30.4	-	-	22.2	-	-	-	100.0		
Haywood	-	9.9	-	37.1	-	-	-	-	-	10.1	42.9	-	-	-	100.0		
Lauderdale	-	1.9	-	58.7	-	-	-	-	1.1	7.5	30.8	-	-	-	100.0		
Madison	-	9.8	-	50.0	-	-	-	-	-	-	40.2	-	-	-	100.0		
Shelby	-	13.0	-	73.0	2.0	-	-	-	-	4.0	8.0	-	-	-	100.0		
Tipton	-	11.9	-	80.0	-	-	-	-	-	-	8.1	-	-	-	100.0		
All other	-	32.0	-	42.9	-	-	8.9	-	-	2.3	13.9	-	-	-	100.0		
Total	-	21.3	-	50.1	0.4	-	1.2	1.5	0.1	3.7	21.7	-	-	-	100.0		
Arkansas:																	
Crittenden	11.0	-	-	65.0	20.0	-	-	-	-	2.0	2.0	-	-	-	100.0		
Total	11.0	-	-	65.0	20.0	-	-	-	-	2.0	2.0	-	-	-	100.0		
Mississippi:																	
Calhoun 1/	-	5.0	-	44.0	3.0	-	-	-	-	39.0	9.0	-	-	-	100.0		
Marshall	-	4.7	-	47.3	19.9	-	-	2.0	-	15.4	10.7	-	-	-	100.0		
Panola 1/	-	15.0	-	63.0	12.0	-	-	-	-	6.0	3.0	-	-	1.0	100.0		
Tate	-	5.7	-	50.0	37.2	-	-	-	-	3.3	3.8	-	-	-	100.0		
All other	*	8.9	4.6	51.1	8.1	0.2	5.9	1.3	0.5	11.8	7.5	-	-	-	100.0		
Total	*	8.7	2.5	51.8	12.5	0.1	3.2	1.0	0.3	12.6	7.1	-	-	-	100.0		
Office total	0.4	16.9	0.7	51.2	4.6	*	1.7	1.3	0.1	6.1	16.8	-	-	-	100.0		

1/ A portion of this county is served by Greenwood Classing Office. \* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 19. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE										SUN VALLEY				OTHER	TOTAL
	ACALA		DES-119: STONE-								VILLE					
	BR-110	ACALA	90	20	41	50	55	61	70	77	120	506	SV 13	SV 93		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
Arizona:																
Maricopa	0.7	68.1	0.9	1.5	0.6	-	3.2	0.2	19.9	3.9	0.5	-	0.4	-	0.1	
Pima	-	38.7	14.4	2.4	-	-	-	-	-	-	17.7	26.8	-	-	-	
Pinal	4.5	63.4	1.6	4.4	-	0.1	0.4	-	17.4	0.4	0.3	-	1.3	4.5	1.6	
All other	-	64.8	5.0	-	-	-	0.6	2.9	21.9	-	-	-	-	-	4.8	
Office total	2.0	64.6	2.2	2.5	0.3	*	1.9	0.3	18.0	2.2	1.3	1.5	0.7	1.6	0.9	

\* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 20. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified parishes, by counties, crop of 1988

State and Parish	DELTAPINE					STONEVILLE			SUN VALLEY			OTHER	TOTAL		
	COKER 139	ACALA 90	20	41	50	DES-119	DES-422	MCNAIR 235	112	506	825			SUMMIT C-40	SV 13
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Louisiana:															
Caddo	-	1.8	8.7	-	65.7	10.8	3.0	-	-	8.7	1.3	-	-	-	100.0
Catahoula	-	15.5	42.3	7.0	31.5	-	-	-	-	-	3.8	-	-	-	100.0
East Carroll	-	62.9	8.0	-	21.4	-	-	-	-	3.9	3.8	-	-	-	100.0
Franklin	-	49.1	1.9	3.4	1.0	-	-	-	0.6	1.9	40.1	1.4	0.3	0.3	100.0
Morehouse	-	4.1	21.8	14.4	27.2	3.0	-	0.4	-	15.2	7.1	6.8	-	-	100.0
Rapides	-	12.2	36.8	16.4	19.5	0.9	-	-	1.6	7.3	5.3	-	-	-	100.0
Richland	-	45.6	2.6	6.0	4.2	1.5	-	-	-	27.1	13.0	-	-	-	100.0
Tensas	-	10.3	45.6	33.1	8.5	0.8	-	-	-	0.5	1.0	-	0.2	-	100.0
West Carroll	0.6	46.9	3.6	14.1	3.4	2.7	-	-	1.2	-	27.5	-	-	-	100.0
All other	-	7.8	22.4	32.2	30.9	1.0	0.6	-	0.1	2.4	2.3	0.3	-	-	100.0
Office total	*	29.0	15.4	13.7	17.1	1.5	0.2	*	0.3	8.0	13.4	1.1	0.1	0.1	100.0

\* Less than 0.5 percent. NOTE: Totals may not add due to rounding.

Table 21. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1988

State and County	DELTAPINE					LANKART			STONEVILLE			OTHER	TOTAL		
	ALL-TEX 857	CASCOT C-13	ACALA 90	20	41	50	G & P GP 3774	LX-571	57	611	ROSEBUD PR 80			506	825
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:															
Ellis	-	-	30.0	-	-	14.0	-	1.0	24.0	-	-	-	-	-	31.0
Fort Bend	-	-	4.0	54.0	-	14.0	-	-	-	-	3.0	23.0	-	-	2.0
Hill	5.0	-	5.0	-	-	2.0	46.0	-	-	-	-	-	-	-	42.0
Hunt	22.0	-	1.0	-	-	1.0	66.0	-	-	10.0	-	-	-	-	100.0
Navarro	5.0	-	5.0	5.0	-	-	3.0	50.0	-	-	1.0	-	-	22.0	9.0
Robertson	-	-	6.0	11.0	2.0	14.0	-	-	-	-	2.0	58.0	-	-	7.0
Williamson	5.0	12.0	16.0	2.0	-	-	5.0	-	3.0	4.0	21.0	-	-	-	32.0
All other	2.1	3.9	2.6	10.0	14.2	2.2	7.6	-	5.3	7.8	8.9	8.7	6.4	5.8	14.4
Office total	2.9	3.4	7.3	12.6	6.5	4.9	8.8	2.9	4.7	4.4	7.0	4.4	9.7	3.8	16.6

NOTE: Totals may not add due to rounding.

Table 22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1988

State	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Arizona	0.7	99.3	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
United States	0.5	99.5	-	100.0

NOTE: Totals may not add due to rounding.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1988

Classing Offices	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
<b>El Paso:</b>				
Arizona	-	100.0	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
Office total 1/	-	100.0	-	100.0
<b>Phoenix:</b>				
Arizona				
Office total 2/	0.8	99.2	-	100.0

1/ Includes small acreages in Waco Classing Office area.

2/ Includes small acreages in El Centro Classing Office area.

NOTE: Totals may not add due to rounding.