

COTTON VARIETIES PLANTED

1989 CROP



*UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee*

August 1989

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction	1
Leading Varieties.	1
1. Varieties by states and United States, crop of 1989.	2-3
Varieties planted by classing offices, crop of 1989:	
2. Abilene.	4
3. Altus.	4
4. Bakersfield.	5
5. Birmingham	5
6. Corpus Christi	6
7. El Centro.	6
8. El Paso.	7
9. Florence	7
10. Fresno	8
11. Greenwood.	8
12. Harlingen.	9
13. Hayti.	9
14. Laness	10
15. Little Rock.	10
16. Lubbock.	11
17. Macon.	11
18. Memphis.	12
19. Phoenix.	12
20. Rayville	13
21. Waco	13
22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1989	14
23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1989	14

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON DIVISION, MARKET NEWS BRANCH
4841 SUMMER AVENUE - MEMPHIS, TN 38122
Telephone 901-521-2931

Cotton Varieties Planted, United States
1989 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1988-89 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Deltapine accounted for 32.5 percent of the U.S. acreage planted, up from 30.0 percent in 1988. Paymaster was the second most popular variety, accounting for 12 percent of the total acreage. Stoneville was the next most popular variety and accounted for 10.1 percent of the U.S. acreage. Acala was the fourth leading variety and made up 7 percent of the national acreage, followed by Tamcot at 6.8 percent and Germain's at 4.4 percent. Twenty varieties accounted for 1 percent or more of the U.S. acreage, up from 16 in 1988.

Deltapine was the leading variety of upland cotton planted in the U.S. for the 1989-90 season. This variety accounted for 32.5 percent of the national acreage. Deltapine was the leading variety planted in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina and Tennessee. Deltapine 50 and Acala 90 were the most popular strains, accounting for 14.7 and 9.1 percent of the U.S. acreage, respectively.

Paymaster was the second leading variety planted in 1989 and accounted for 12 percent of the U.S. acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico. The leading strains were Paymaster 145 and HS 26, accounting for 6.7 and 4.9 percent of the U.S. acreage, respectively.

Stoneville was the next most popular variety and accounted for 10.1 percent of the U.S. acreage. Stoneville was the second most popular variety planted in Alabama, Arkansas, Louisiana, Mississippi, Missouri and Tennessee. Stoneville 825 and 506 were the predominant strains, accounting for 3.4 and 4.2 percent of the national acreage, respectively.

The fourth most popular variety planted in 1989 was Acala. This variety accounted for 7 percent of the U.S. acreage and was the leading variety planted in California and New Mexico and the second most favored in Arizona. Acala SJ-2 was the leading Acala strain, making up 4.1 percent of the national acreage.

The fifth most popular variety was Tamcot, accounting for 6.8 percent of the U.S. acreage. Tamcot was the second most favored variety planted in Texas. Tamcot SP-21 and CAB-CS were the most popular strains accounting for 2 percent of the 1988 acreage, each.

The sixth most prevalent variety planted was Germain's, which made up 4.4 percent of total U.S. acreage. This variety was the second most popular variety planted in California. Acala GC-510 was the leading Germain's strain and made up 3.7 percent of U. S. acreage.

Pima S-6 remained the leading strain of American Pima cotton planted in the United States for the 1989 crop. This was the sixth consecutive year Pima S-6 has been predominant and accounted for 98 percent of the total acreage planted this season. S-5, at 2 percent, made up the remainder of the 1988 American Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1989 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,
United States, 1985-1989

Year	Acala	Delta- pine	Germain's	Pay- master	Stone- ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1985	10.0	20.0	2.0	11.0	17.0	7.0	28.0	100.0
1986	7.0	27.0	4.0	11.0	16.0	7.0	25.0	100.0
1987	7.0	25.0	4.0	13.0	13.0	6.0	31.0	100.0
1988	6.9	30.0	4.6	13.8	10.7	6.0	28.0	100.0
1989	7.0	32.5	4.4	12.0	10.1	6.8	27.2	100.0

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1989

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL OTHER	UNITED STATES
	1/	2/														
ACALA																
1517 E-2	-	0.9	-	-	-	-	-	-	4.1	-	-	-	-	*	-	*
1517-75	-	0.9	-	-	-	-	-	-	16.8	-	-	-	-	-	-	*
1517-77	-	-	-	-	-	-	-	-	13.4	-	-	-	-	-	-	*
1517-77BR	-	*	-	-	-	-	-	-	6.6	-	-	-	-	*	-	*
1517-88	-	1.2	-	-	-	-	-	-	21.5	-	-	-	-	*	-	*
1517-SR1	-	-	-	-	-	-	-	-	4.2	-	-	-	-	-	-	*
1517-SR2	-	1.0	-	-	-	-	-	-	*	-	-	-	-	-	-	*
C-1	-	-	-	1.8	-	-	-	-	-	-	-	-	-	-	-	*
C-32	-	-	-	13.7	-	-	-	-	-	-	-	-	-	-	-	1.5
M-5	-	-	-	2.9	-	-	-	-	-	-	-	-	-	-	-	*
SJ-2	-	-	-	37.1	-	-	-	-	-	-	-	-	-	-	-	4.1
SJ-5	-	-	-	1.4	-	-	-	-	-	-	-	-	-	-	-	*
ALL-TEX																
E-2	-	-	-	-	-	-	-	-	3.0	-	-	-	-	-	-	*
QUICKIE	-	-	-	-	-	-	-	-	*	-	1.9	-	-	6.0	-	2.8
BRONCO																
625	-	-	-	-	-	-	-	-	-	-	2.6	-	-	*	-	*
CASCOT																
C-13	-	-	-	-	-	-	-	-	-	-	10.9	-	-	1.2	-	0.9
L-7	-	-	-	-	-	-	-	-	-	-	*	-	-	0.7	-	*
2910	-	-	-	-	-	-	-	-	-	-	4.1	-	-	*	-	*
COKER																
304	-	-	-	-	*	-	-	-	-	5.5	-	3.0	-	*	-	*
310	0.5	-	-	-	*	-	-	-	-	-	-	-	-	*	-	*
312	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	*
315	*	*	-	-	2.7	-	-	-	-	8.5	-	37.7	-	*	-	0.7
320	-	-	-	-	-	-	-	*	-	2.8	-	5.0	-	-	-	*
500	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	*
DEL CERRO																
	-	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	*
DELTAPINE																
ACALA 90	26.3	54.9	1.3	2.0	54.6	28.4	1.3	-	2.9	11.2	5.5	24.8	-	5.5	6.9	9.1
20	2.0	4.3	10.5	*	-	13.7	21.4	14.8	-	15.6	*	*	26.7	1.4	3.0	6.2
41	3.7	2.2	*	-	6.4	10.8	*	-	-	-	-	-	*	1.2	67.0	1.7
50	31.9	2.4	47.5	*	3.2	22.0	36.7	37.0	0.5	31.3	-	9.6	45.2	4.9	9.8	14.7
51	-	*	-	-	-	-	-	-	-	*	-	-	1.5	-	-	*
61	1.9	4.7	-	*	-	-	*	-	-	-	-	-	-	-	-	*
77	-	21.3	-	*	-	-	-	-	-	-	-	-	-	-	-	0.5
DES-																
119	5.7	2.0	0.9	-	3.2	4.1	14.7	1.5	-	1.6	-	-	0.9	0.6	-	2.5
DUNN																
120	-	*	-	-	-	-	-	-	-	-	-	-	-	1.0	-	0.5
400	-	-	-	-	-	-	-	-	5.2	-	-	-	-	*	-	*
G & P																
GP 1005	-	-	-	-	-	-	-	-	-	-	*	-	-	0.5	-	*
GP 3774	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	-	0.9
GP 5479	-	-	-	-	-	-	-	-	-	-	2.2	-	-	0.6	-	*
GERMAIN'S																
GC-356	-	-	-	6.6	-	-	-	-	-	-	-	-	-	-	-	0.7
GC-510	-	-	-	33.2	-	-	-	-	-	-	-	-	-	-	-	3.7
GROWERS																
GSC 25	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	1.1

Table 1. Continued

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	ALL OTHER 1/	UNITED STATES 2/	
HOLLAND	1379	-	-	-	-	-	-	-	-	-	1.7	-	-	*	0.8	*	
HUROT'S	100	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	*	
LANKART																	
LX-571		-	-	-	-	-	-	-	-	-	*	-	-	1.1	-	0.5	
PR-75		-	-	-	-	-	-	-	-	-	6.5	-	-	*	-	*	
57		-	-	-	-	-	-	-	-	-	3.4	-	-	*	-	*	
175		-	-	-	-	-	-	-	-	-	8.2	-	-	0.5	-	0.5	
511		-	-	-	-	-	-	-	-	-	2.6	-	-	*	-	*	
611		-	-	-	-	-	-	-	-	-	13.1	-	-	3.8	-	2.2	
MCNAIR																	
220		*	*	-	-	8.8	-	*	-	-	6.6	-	-	*	-	*	
235		1.9	-	-	-	7.1	*	0.7	-	-	13.7	-	6.8	1.8	*	0.7	
308		-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	*	
NORTHROP KING																	
KC311		-	0.6	-	-	-	-	-	-	-	-	-	-	*	-	*	
KC380		0.8	*	-	-	0.8	-	-	2.0	*	-	-	1.7	*	-	*	
PAYMASTER																	
HS 26		-	-	-	-	-	-	-	4.2	-	2.0	-	-	10.7	-	4.9	
145		-	-	-	-	-	-	-	8.3	-	8.5	-	-	14.2	-	6.7	
266		-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	*	
404		-	-	-	-	-	-	-	1.4	-	*	-	-	*	-	*	
792		-	-	-	-	-	-	-	-	-	*	-	-	0.5	0.8	*	
PD-	3	-	-	-	-	0.7	-	-	-	-	-	11.4	-	-	-	*	
RANGER																	
BB 53		-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	*	
TM 62		-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	*	
ROSEBUD	PR 80	-	-	-	-	-	-	-	-	-	2.3	-	-	2.6	-	1.2	
STONEVILLE																	
112		*	-	-	-	0.7	*	1.9	-	-	1.8	-	*	*	-	*	
453		1.3	-	7.9	-	1.5	4.7	8.3	2.7	-	1.6	-	3.2	*	2.0	2.0	
506		2.4	*	25.1	-	1.0	3.8	8.4	36.0	-	3.9	-	9.1	*	8.9	4.2	
825		18.2	*	3.9	-	7.6	8.9	4.4	3.3	-	*	-	9.1	2.0	-	3.4	
SUMMIT																	
C-40		-	-	1.0	-	-	2.3	2.1	-	-	-	-	-	*	-	*	
SR-383		-	-	-	-	-	-	-	1.1	-	-	-	-	6.1	-	2.7	
TAMCOT																	
CAB-CS		-	-	-	-	-	-	-	-	-	7.6	-	-	3.9	-	2.0	
CAMD-E		-	-	-	-	-	-	-	-	-	1.8	-	-	1.9	-	0.9	
CD3H		-	-	-	-	-	-	-	-	-	1.9	-	-	1.7	-	0.8	
SP21		-	-	-	-	-	-	-	-	-	-	-	-	4.4	-	2.0	
SP21S		-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	0.6	
SP37		-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	*	
SP37H		-	-	-	-	-	-	-	-	-	1.4	-	-	*	-	*	
TIFCOT	56	*	-	-	-	0.8	-	-	-	-	-	-	-	*	-	*	
ALL OTHER 3/		1.1	2.9	1.9	1.3	1.6	0.6	2.0	2.8	3.6	3.2	3.7	1.7	0.8	12.9	0.8	14.2
Total		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent. 3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	CASCOT C-13	CASCOT L-7	CROOKED ROW 1	DELTAPINE ACALA 90	G & P GP 3774	LANKART LX-571	LANKART 611	PAYMASTER 145	ROSEBUD PR 80	TAMCOT CAB-CS	TAMCOT CAMD-E	TAMCOT SP21	TAMCOT SP21S	TAMCOT SP37	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
FISHER	1.1	-	-	-	0.8	-	0.7	*	77.7	-	-	4.5	-	-	15.0	100.0
HASKELL	16.4	-	13.5	-	5.4	18.9	21.7	-	-	-	2.7	-	-	-	21.4	100.0
HOWARD 1/	-	9.1	-	13.2	-	-	-	-	-	13.6	-	18.2	-	27.3	18.6	100.0
JONES	-	-	-	-	3.9	-	76.2	-	-	-	-	-	-	-	19.9	100.0
KNOX	8.0	-	-	-	-	1.7	32.7	7.0	-	14.0	22.3	0.9	-	0.9	12.5	100.0
MARTIN 1/	-	4.7	-	22.0	-	-	-	9.0	-	-	-	24.4	16.4	-	23.5	100.0
MITCHELL	2.9	13.7	-	10.0	-	-	8.4	-	-	-	5.8	4.2	-	11.6	43.4	100.0
RUNNELS	0.6	-	-	14.2	27.7	*	2.2	-	17.8	-	-	11.7	7.1	-	18.5	100.0
SCURRY 2/	-	5.2	-	-	-	-	-	9.2	-	8.5	10.4	45.0	-	-	21.7	100.0
TOM GREEN	-	-	-	50.2	10.2	-	-	-	10.9	-	*	12.6	*	-	15.7	100.0
ALL OTHER	*	*	1.8	38.9	5.5	1.9	6.0	1.7	1.6	4.6	1.5	10.3	1.4	0.6	23.9	100.0
OFFICE TOTAL	3.0	2.2	2.3	17.5	4.8	3.2	14.4	1.9	8.0	3.2	2.6	10.1	2.1	2.9	21.8	100.0

1/ A portion of this county is served by Lamesa Classing office. 2/ A portion of this county is served by Lubbock Classing office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	CASCOT C-13	DELTAPINE ACALA 90	G & P GP 1005	G & P GP 5479	LANKART PR-75	LANKART 175	LANKART 511	LANKART 611	PAYMASTER HS 26	PAYMASTER 145	STONE-VILLE 506	TAMCOT CAB-CS	TAMCOT CAMD-E	TAMCOT CD3H	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
OKLAHOMA:																
BECKHAM	-	-	-	-	36.0	-	10.0	4.0	-	23.0	-	-	-	18.0	9.0	100.0
CADDO	17.0	-	3.9	2.4	4.8	3.9	-	-	-	28.3	-	-	5.2	-	34.5	100.0
GREER	-	-	4.0	-	31.9	-	-	2.1	14.3	1.0	-	4.0	-	-	42.7	100.0
HARMON	-	-	-	-	-	-	-	-	7.5	25.0	30.0	-	-	-	37.5	100.0
JACKSON	-	39.4	-	5.7	-	-	-	4.3	-	-	13.8	2.1	-	-	34.7	100.0
KIOWA	-	-	-	10.0	-	-	-	40.0	-	3.0	-	9.0	-	4.2	33.8	100.0
TILLMAN	31.8	-	-	-	5.1	26.4	2.3	-	-	-	-	14.7	4.3	-	15.4	100.0
WASHITA	-	-	-	-	0.5	1.8	*	57.2	1.8	25.0	-	-	-	-	13.4	100.0
ALL OTHER	6.0	-	*	-	11.9	-	11.9	3.6	7.2	6.4	-	16.3	2.2	3.0	31.2	100.0
TOTAL	10.9	5.5	*	2.2	6.5	8.2	2.5	13.1	2.0	8.5	3.8	7.6	1.8	1.9	24.9	100.0
TEXAS:																
BRISCOE	-	-	-	-	-	-	-	-	16.7	54.4	-	6.7	2.8	9.4	10.0	100.0
COLLINGSWORTH	-	-	-	-	-	-	-	7.5	-	15.0	6.0	14.0	-	44.0	13.5	100.0
HALL	-	-	-	-	4.3	1.0	0.7	0.7	-	55.7	-	5.7	13.0	13.0	5.9	100.0
MOTLEY	6.3	-	-	-	-	-	-	-	7.3	7.3	-	-	1.8	-	77.3	100.0
WILLBARGER	-	4.7	25.3	25.3	-	5.3	13.2	-	4.7	4.7	-	-	-	-	16.8	100.0
ALL OTHER	0.8	-	-	-	3.7	6.9	4.1	22.1	19.1	9.3	-	18.0	*	1.5	14.3	100.0
TOTAL	0.8	0.7	3.5	3.5	2.3	3.6	3.6	9.8	10.2	21.8	0.7	10.5	2.8	9.1	17.1	100.0
OFFICE TOTAL 1/	5.7	3.0	2.0	2.9	4.3	5.9	3.1	11.4	6.2	15.4	2.2	9.1	2.3	5.6	20.9	100.0

1/ Includes small acreages in Kansas. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 4. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ACALA C-1	ACALA C-32	ACALA C-37	ACALA M-5	ACALA SJ-2	ACALA SJ-5	GERMAIN'S ACALA GC-356	GERMAIN'S ACALA GC-510							OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:																
KERN	0.6	24.7	*	0.9	50.7	1.5	5.3	16.1							*	100.0
KINGS 1/	-	5.9	-	13.4	63.4	-	4.2	11.8							1.3	100.0
TULARE 1/	1.7	4.8	0.9	-	41.1	2.1	7.5	41.9							-	100.0
OFFICE TOTAL	0.6	15.2	*	4.6	52.9	1.1	5.4	19.6							0.4	100.0

1/ A portion of this county is served by Fresno Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 5. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	COKER 310	COKER 315	DELTA PINE ACALA 90	DELTA PINE 20	DELTA PINE 41	DELTA PINE 50	DELTA PINE 61	DES-119	MCNAIR 235	NORTHROP KING KC 380	STONE-VILLE 112	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ALABAMA:																
CHEROKEE	-	-	3.3	-	-	20.0	-	50.4	-	-	-	-	8.2	13.2	4.9	100.0
COLBERT	-	-	-	3.2	-	44.2	4.0	15.1	-	-	-	-	-	33.5	-	100.0
DALLAS	-	-	96.2	-	1.6	0.6	0.6	-	-	-	-	-	1.0	-	-	100.0
ELMORE	-	-	5.0	-	8.0	45.0	-	-	38.5	-	-	-	-	1.0	2.5	100.0
LAUDERDALE	2.3	-	7.1	-	-	15.1	-	-	-	2.1	-	-	-	72.5	0.9	100.0
LAWRENCE	-	-	13.7	6.5	0.7	55.3	-	6.9	-	3.9	-	2.3	0.5	8.6	1.6	100.0
LIMESTONE	-	-	7.4	0.7	12.9	67.2	0.5	*	-	0.1	-	-	2.9	8.0	-	100.0
MADISON	-	-	2.6	4.2	-	32.1	-	2.1	-	-	1.1	7.9	11.1	38.9	-	100.0
ALL OTHER	0.9	1.0	58.9	1.3	11.3	8.6	4.2	3.1	*	0.6	*	*	1.4	6.2	1.5	100.0
OFFICE TOTAL 1/	0.5	*	27.4	2.0	6.2	31.0	1.8	5.5	1.8	0.8	*	1.3	2.6	17.4	1.0	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 6. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ALL-TEX QUICKIE	CASCOT C-13	COKER 312	DELTAPINE ACALA 90	DELTAPINE 20	DELTAPINE 50	DES-119	DUNN 1047	G & P 3774	GROWERS GSC 27	TAMCOT CAB-CS	TAMCOT CAMD-E	TAMCOT CD3H	TAMCOT SP37H	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
NUECES	1.5	2.0	2.0	5.0	-	28.2	6.4	-	7.2	2.7	32.3	2.7	8.3	1.0	0.8	100.0
SAN PATRICIO	0.5	2.6	4.5	1.4	-	31.0	-	2.2	6.3	-	42.6	-	0.8	2.4	5.7	100.0
ALL OTHER	-	-	1.0	3.5	23.5	38.5	4.0	-	3.7	*	15.8	-	-	2.0	7.7	100.0
OFFICE TOTAL	0.8	1.8	2.7	3.3	5.0	31.4	3.4	0.8	6.1	1.1	32.8	1.1	3.6	1.8	4.2	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 7. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTAPINE ACALA 90	DELTAPINE 20	DELTAPINE 41	DELTAPINE 50	DELTAPINE 61	DELTAPINE 77	DES-119	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:									
IMPERIAL	4.3	2.9	-	14.4	46.7	28.6	-	3.1	100.0
RIVERSIDE	91.9	4.9	-	-	2.0	*	-	0.9	100.0
TOTAL	67.3	4.3	-	4.0	14.5	8.2	-	1.5	100.0
ARIZONA:									
YUMA	11.5	4.1	4.9	19.0	49.2	9.9	*	1.2	100.0
TOTAL	11.5	4.1	4.9	19.0	49.2	9.9	*	1.2	100.0
OFFICE TOTAL	50.2	4.2	1.5	8.6	25.2	8.8	*	1.4	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 8. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 1989

STATE AND COUNTY	ACALA 1517 E-2	ACALA 1517-75	ACALA 1517-77	ACALA 1517-77BR	ACALA 1517-88	ACALA 1517-SR1	ACALA 1517-SR2	COKER DEL 310	CERRO DELTA	DELTA ACALA 90	DES-119	DUNN 400	NORTHROP KING KC380	PAYMASTER 404	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
TOTAL	-	-	-	-	1.2	-	-	12.4	-	68.8	-	-	3.1	-	14.4	100.0
NEW MEXICO:																
DONA ANA	-	52.0	1.0	-	41.0	-	-	-	-	4.0	-	-	-	-	2.0	100.0
EDDY	13.0	-	-	32.0	28.0	-	-	-	-	11.0	-	-	10.0	-	6.0	100.0
ALL OTHER	3.3	18.5	30.3	-	20.3	9.5	0.8	-	-	-	-	11.9	-	3.2	2.2	100.0
TOTAL	5.1	20.7	16.5	8.1	26.6	5.1	*	-	-	3.6	-	6.4	2.5	1.7	3.1	100.0
ARIZONA:																
COCHISE	14.0	15.0	-	1.0	11.0	-	17.0	-	12.0	29.0	-	-	-	-	1.0	100.0
ALL OTHER	2.1	-	-	-	16.6	-	-	-	-	58.7	10.0	-	-	-	12.6	100.0
TOTAL	10.0	9.9	-	0.7	12.9	-	11.2	-	7.9	39.1	3.4	-	-	-	4.9	100.0
OFFICE TOTAL	5.9	15.3	10.0	5.1	19.8	3.1	3.5	1.4	2.3	21.0	1.0	3.9	1.9	1.1	4.9	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 9. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1989

STATE AND COUNTY	COKER 304	COKER 315	COKER 320	DELTA ACALA 90	DELTA 20	DELTA 50	DELTA 51	DES-119	MCAIR 220	MCAIR 235	NORTHROP KING KC-380	PD-3	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
NORTH CAROLINA:														
CLEVELAND	-	-	-	4.0	-	-	-	-	-	96.0	-	-	-	100.0
HALIFAX	4.1	0.9	-	25.7	15.7	25.7	-	-	11.4	16.5	-	-	-	100.0
NORTHAMPTON	3.3	1.7	1.7	3.3	23.3	33.3	-	-	11.7	16.7	-	-	5.0	100.0
ALL OTHER	6.4	12.1	3.8	8.9	14.6	33.4	*	2.4	4.6	10.1	0.5	-	2.9	100.0
TOTAL	5.5	8.5	2.8	11.2	15.6	31.3	*	1.6	6.6	13.7	*	-	2.6	100.0
SOUTH CAROLINA:														
LEE	6.6	44.3	19.5	20.4	-	2.3	-	-	-	2.3	-	4.6	-	100.0
MARLBORO	-	41.5	-	10.0	-	31.7	-	-	-	13.3	-	3.5	-	100.0
SUMPTER	-	5.2	1.3	40.7	-	3.9	-	-	-	-	-	48.9	-	100.0
ALL OTHER	3.3	40.6	0.6	30.0	*	4.5	-	-	-	7.9	-	9.3	3.6	100.0
TOTAL	3.0	37.7	5.0	24.8	*	9.6	-	-	-	6.8	-	11.4	1.6	100.0
OFFICE TOTAL	4.2	24.2	4.0	18.5	7.2	19.6	*	0.7	3.0	10.0	*	6.2	2.0	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 10. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ACALA C-1	ACALA C-32	ACALA C-37	ACALA M-5	ACALA SJ-2	ACALA SJ-5	GERMAIN'S ACALA GC-356	GERMAIN'S ACALA GC-510							OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:																
FRESNO	4.7	11.1	*	*	25.2	0.7	5.4	52.8							-	100.0
KINGS 1/	*	15.1	*	*	28.9	*	11.5	43.9							-	100.0
MADERA	0.9	15.4	0.8	-	28.1	2.0	12.0	40.7							-	100.0
MERCED	*	7.8	0.7	*	13.4	4.2	7.4	65.8							-	100.0
TULARE 1/	-	27.5	-	14.0	34.4	6.5	17.5	-							-	100.0
OFFICE TOTAL	2.9	13.2	*	1.5	25.4	1.7	8.1	47.0							-	100.0

1/ A portion of this county is served by Bakersfield Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 11. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTAPINE ACALA 90	DELTAPINE 20	DELTAPINE 50	DES-119	DES-422	MCNAIR 235	STONE-VILLE 112	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	SUMMIT C-40					OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSISSIPPI:																	
BOLIVAR	4.3	21.7	67.8	-	-	-	-	-	-	-	-	-	-	-	-	6.2	100.0
COAHOMA	1.2	14.1	14.1	32.4	-	-	-	16.2	-	-	22.0	-	-	-	-	-	100.0
HINDS	4.7	3.7	51.9	2.7	-	-	-	2.4	19.7	13.0	1.9	-	-	-	-	-	100.0
HOLMES	-	37.5	35.3	7.1	-	-	-	20.1	-	-	-	-	-	-	-	-	100.0
HUMPHREYS	-	22.6	30.2	15.1	-	-	3.8	13.2	15.1	-	-	-	-	-	-	-	100.0
LEFLORE	-	31.0	30.5	22.2	-	-	-	7.8	5.3	-	3.2	-	-	-	-	-	100.0
MADISON	-	20.0	20.0	-	-	-	-	10.0	10.0	40.0	-	-	-	-	-	-	100.0
PANOLA 1/	-	5.0	47.5	35.0	-	-	-	7.5	-	-	5.0	-	-	-	-	-	100.0
QUITMAN	16.4	0.8	36.9	18.1	-	-	-	5.6	3.5	3.1	-	-	-	-	15.6	-	100.0
SHARKEY	-	5.7	81.0	11.5	-	-	-	1.8	-	-	-	-	-	-	-	-	100.0
SUNFLOWER	-	10.3	42.2	22.8	0.5	-	-	7.2	17.0	-	-	-	-	-	-	-	100.0
TALLAHATCHIE	-	52.6	22.5	1.8	-	-	-	23.1	-	-	-	-	-	-	-	-	100.0
TUNICA	-	-	-	99.2	-	-	-	-	-	-	-	-	-	-	-	0.8	100.0
WASHINGTON	-	15.1	56.7	6.9	-	-	-	21.3	-	-	-	-	-	-	-	-	100.0
YAZOO	-	27.3	44.8	-	-	-	-	3.5	12.2	12.2	-	-	-	-	-	-	100.0
ALL OTHER	4.3	40.4	29.3	7.2	1.8	*	-	6.3	4.8	5.4	-	-	-	-	*	-	100.0
OFFICE TOTAL	1.6	23.8	35.5	16.0	*	*	*	9.5	5.8	3.7	2.6	-	-	-	-	1.0	100.0

1/ A portion of this county is served by Memphis Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 12. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	COKER 312	COKER DELTAPINE 315	ACALA 90	DELTAPINE 20	DELTAPINE 41	DELTAPINE 50	DES- 119	G & P GP 3774	STONE- VILLE 213	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	TAMCOT CAB-CS	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
CAMERON	-	-	17.1	1.1	34.7	18.3	1.4	2.5	-	0.5	1.7	*	20.3	*	1.8	100.0
HIDALGO	9.3	5.3	1.8	0.8	10.4	3.2	11.4	0.7	1.4	5.2	1.6	4.2	38.5	3.6	2.8	100.0
WILLACY	-	-	2.8	3.2	10.6	67.9	-	0.5	-	3.0	*	1.6	10.1	-	*	100.0
ALL OTHER	-	-	-	-	7.7	-	-	-	-	-	-	-	53.8	38.5	-	100.0
OFFICE TOTAL	2.8	1.6	7.1	1.7	18.4	30.4	3.9	1.2	0.4	2.8	1.1	1.8	23.0	2.1	1.5	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ARKOT 518	COKER DELTAPINE 320	DELTAPINE 20	DELTAPINE 41	DELTAPINE 50	DES- 119	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSOURI:												
DUNKLIN	-	-	25.6	-	40.7	-	1.4	2.9	23.0	2.7	-	3.7
NEW MADRID	-	0.1	3.5	-	31.1	5.0	5.0	3.3	50.8	1.2	-	100.0
PEMISCOT	-	-	3.2	-	29.5	-	-	0.8	59.1	3.2	-	4.2
ALL OTHER	0.9	-	10.0	-	46.2	3.0	0.5	3.9	22.9	11.1	-	1.4
TOTAL	*	-	14.8	-	37.0	1.5	1.9	2.7	36.0	3.3	-	2.7
ARKANSAS:												
CRAIGHEAD	-	-	37.1	1.5	20.0	-	-	3.7	32.5	2.5	-	2.7
MISSISSIPPI	1.9	-	1.3	-	48.9	-	-	0.5	45.8	-	-	1.6
POINSETT	-	-	14.6	-	51.4	0.6	-	26.3	3.0	4.1	-	100.0
ALL OTHER	-	-	1.2	-	41.7	-	-	9.9	42.7	2.3	-	2.2
TOTAL	0.8	-	14.4	*	40.0	*	-	7.0	33.9	1.7	-	1.7
OFFICE TOTAL	0.5	-	14.6	*	38.5	0.8	1.0	4.9	34.9	2.5	-	2.2

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 14. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ACALA 1517-BR2	COKER 500	COKER 5110	DELTAPINE ACALA 90	DELTAPINE 50	DUNN 120	DUNN 219	DUNN 224	PAYMASTER HS 26	PAYMASTER 145	SUMMIT SR-383	TAMCOT CAB CS	TAMCOT SP 21	TAMCOT SP 21S	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
DAWSON	-	0.7	1.1	2.2	-	10.0	-	1.9	16.1	12.3	19.2	-	13.2	2.2	21.1	100.0
GAINES	4.8	1.8	1.7	-	11.9	1.7	-	0.8	17.2	10.1	4.8	-	19.3	9.0	16.9	100.0
LYNN 1/	-	10.5	2.7	-	-	2.7	21.8	8.2	15.4	4.2	10.5	-	2.7	2.7	18.6	100.0
MARTIN 2/	-	-	-	6.9	-	-	-	-	3.1	3.1	4.6	-	26.9	6.2	49.2	100.0
ALL OTHER	-	-	2.0	13.6	-	1.2	1.2	-	4.3	25.9	2.8	6.4	9.4	4.1	29.1	100.0
OFFICE TOTAL 3/	1.6	1.9	1.6	4.2	4.1	3.8	2.5	1.6	13.1	13.8	8.7	1.6	13.8	5.2	22.5	100.0

1/ A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office.

3/ Includes small acreages in New Mexico.

NOTE: Totals may not add due to rounding.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTAPINE ACALA 90	DELTAPINE 20	DELTAPINE 41	DELTAPINE 50	DES-119	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	SUMMIT C-30	SUMMIT C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ARKANSAS:												
ASHLEY	1.2	23.2	-	44.1	3.8	10.6	14.4	1.5	-	-	1.2	100.0
CHICOT	1.3	2.2	-	38.6	-	7.5	49.0	-	-	1.3	-	100.0
DESHA	-	-	-	42.0	2.0	13.3	32.8	-	1.1	8.8	-	100.0
JEFFERSON	11.5	0.8	-	53.3	-	4.5	20.6	3.9	1.6	2.3	1.5	100.0
LEE	-	4.4	-	47.1	-	2.0	8.8	32.5	-	-	5.2	100.0
LINCOLN	2.0	-	-	93.1	-	-	3.3	1.2	-	-	*	100.0
LONKE	-	6.0	-	68.6	2.9	7.5	11.4	1.7	-	1.9	-	100.0
PHILLIPS	-	23.9	-	42.8	-	-	18.0	15.3	-	-	-	100.0
ST FRANCIS	-	8.4	2.4	16.9	-	68.1	-	3.6	-	-	0.6	100.0
ALL OTHER	0.6	4.9	-	62.2	3.5	5.7	18.4	4.3	-	-	*	100.0
OFFICE TOTAL	2.2	8.2	*	50.7	1.5	8.7	20.8	5.2	*	1.8	0.7	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 16. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	ALL-TEX Quickie	COKER 500	DUNN 120	GROWERS GSC 25	MCNAIR 308	PAYMASTER HS 26	PAYMASTER 145	RANGER BB 53	RANGER TM 62	ROSEBUD PR 80	SUMMIT SR-383	TAMCOT CAB-CS	TAMCOT CAMD-E	TAMCOT CD3H	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
BAILEY	16.9	-	-	-	-	-	68.7	-	-	-	-	3.8	-	-	10.6	100.0
CASTRO	4.0	-	-	-	-	18.0	72.0	-	-	4.0	-	-	2.0	-	-	100.0
COCHRAN	54.6	-	-	-	-	-	27.7	-	2.7	-	-	10.0	-	-	5.0	100.0
CROSBY	1.0	-	-	25.1	-	28.3	10.7	6.1	13.9	-	1.8	*	3.3	-	9.7	100.0
FLOYD	16.0	-	-	6.0	-	44.7	19.0	-	-	-	*	-	3.1	-	11.1	100.0
HALE	2.2	-	-	*	-	1.7	60.4	-	-	-	-	7.4	-	27.2	0.9	100.0
HOCKLEY	43.5	-	-	2.6	-	6.5	28.3	-	-	-	-	-	8.8	-	10.3	100.0
LAMB	7.4	-	-	27.7	-	5.7	52.5	1.5	-	-	3.4	-	-	0.8	1.0	100.0
LUBBOCK	11.8	2.1	-	-	-	53.5	14.2	-	-	-	13.2	-	1.5	-	3.7	100.0
LYNN 1/	0.5	8.6	*	-	-	15.1	6.7	3.0	-	-	57.1	-	-	6.5	2.3	100.0
PARMER	26.7	-	-	-	-	-	50.0	-	-	7.0	-	-	-	-	16.3	100.0
SWISHER	2.5	-	-	-	-	-	50.0	-	18.8	-	-	10.0	-	18.7	-	100.0
TERRY 1/	10.9	-	5.5	5.9	13.7	11.8	4.1	-	-	-	30.9	-	2.7	-	14.5	100.0
YOAKUM 1/	2.9	-	-	-	-	5.7	29.3	2.9	-	22.1	2.9	-	-	-	34.2	100.0
ALL OTHER	9.7	-	-	-	-	5.0	10.8	0.5	-	27.1	15.4	-	-	2.5	29.0	100.0
OFFICE TOTAL 2/	15.1	1.0	0.6	6.4	1.6	19.7	25.4	1.0	1.7	2.1	11.3	0.9	2.3	1.7	9.2	100.0

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 17. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	COKER 139	COKER DELTAPINE 315	DELTAPINE ACALA 90	DELTAPINE 41	DELTAPINE 50	DES-119	MCNAIR 220	MCNAIR 235	NORTHRUP KING KC 380	PD-3	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	TIFCOT 56	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
GEORGIA:																
BURKE	-	1.8	33.4	18.6	-	31.6	1.8	3.7	-	1.8	-	-	3.7	1.8	1.8	100.0
COLQUITT	-	-	77.8	0.8	5.6	5.7	1.5	7.1	-	-	-	-	-	1.5	-	100.0
DOOLY	-	10.8	26.9	6.4	-	1.8	13.9	10.0	-	-	8.4	4.4	15.6	1.8	-	100.0
ALL OTHER	*	1.5	58.0	6.5	3.7	2.0	9.0	6.7	1.0	0.9	0.5	0.6	7.1	0.5	1.6	100.0
OFFICE TOTAL	*	2.7	54.6	6.4	3.2	3.2	8.8	7.1	0.8	0.7	1.5	1.0	7.6	0.8	1.2	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 18. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTA PINE 20	DELTA PINE 41	DELTA PINE 50	DELTA PINE 51	DES- 119	MCNAIR 220	MCNAIR 235	NORTH RUP KING KC 380	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TENNESSEE:														
CROCKETT	29.5	-	54.1	-	2.6	-	-	-	-	1.8	9.7	2.3	-	100.0
FAYETTE	29.1	-	33.1	-	0.9	-	-	-	-	0.9	10.3	25.7	-	100.0
GIBSON	52.2	-	24.4	-	-	-	3.6	-	-	1.8	8.7	9.3	-	100.0
HARDEMAN	28.1	-	31.8	-	*	-	8.8	19.2	-	-	3.9	5.8	2.0	100.0
HAYWOOD	30.4	-	36.8	-	1.9	-	2.4	1.2	-	6.7	7.8	12.8	-	100.0
LAUDERDALE	12.0	-	57.0	-	-	-	-	-	-	-	31.0	-	-	100.0
MADISON	8.0	-	60.0	-	-	-	5.0	5.0	2.0	10.0	5.0	5.0	-	100.0
SHELBY	15.8	-	51.0	27.0	0.9	-	-	-	-	-	-	5.3	-	100.0
TIPTON	19.1	0.8	56.5	-	-	-	-	-	-	-	10.1	10.1	3.4	100.0
ALL OTHER	32.5	-	47.3	-	0.6	-	1.6	0.6	-	6.1	2.7	8.0	0.5	100.0
TOTAL	26.7	*	45.2	1.5	0.9	-	1.8	1.7	*	3.2	9.1	9.1	0.5	100.0
ARKANSAS:														
CRITTENDEN	9.6	-	66.9	-	-	-	-	-	-	4.7	9.6	4.5	4.7	100.0
TOTAL	9.6	-	66.9	-	-	-	-	-	-	4.7	9.6	4.5	4.7	100.0
MISSISSIPPI:														
CALHOUN 1/	5.1	-	43.9	-	4.6	-	-	-	-	17.6	11.4	17.4	-	100.0
MARSHALL	18.8	-	34.6	-	-	-	-	-	-	6.2	40.4	-	-	100.0
PANOLA 1/	12.8	-	58.6	-	7.2	-	2.2	-	-	-	10.7	8.5	-	100.0
TATE	12.5	-	54.0	-	7.0	-	-	-	-	-	-	14.0	12.5	100.0
ALL OTHER	5.7	1.6	37.9	-	12.5	1.1	6.7	-	1.6	0.5	23.6	7.8	1.2	100.0
TOTAL	9.4	0.8	42.7	-	8.9	0.6	4.0	-	0.9	2.0	21.2	7.7	1.7	100.0
OFFICE TOTAL	21.6	*	45.4	1.0	3.0	*	2.3	1.2	*	2.9	12.2	8.5	1.0	100.0

1/ A portion of this county is served by Greenwood Classing Office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 19. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	DELTA PINE ACALA 90	DELTA PINE 20	DELTA PINE 41	DELTA PINE 50	DELTA PINE 51	DELTA PINE 61	DELTA PINE 77	DES- 119	DUNN 120	NORTH RUP KING KC 311	NORTH RUP KING KC 380	STONE- VILLE BR110	STONE- VILLE 506	SUN VALLEY SV 46	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ARIZONA:																
MARICOPA	58.2	2.7	0.7	*	-	2.3	33.1	0.7	0.5	0.5	-	*	-	0.5	0.7	100.0
PIMA	4.4	32.5	3.8	-	-	-	-	33.6	-	-	12.2	-	2.1	-	11.4	100.0
PINAL	71.0	4.1	4.9	3.6	*	0.8	13.0	-	-	1.2	-	0.5	-	-	0.6	100.0
ALL OTHER	53.8	8.6	-	2.3	-	4.2	26.7	3.4	-	-	-	-	-	-	1.1	100.0
OFFICE TOTAL	60.0	4.8	2.2	1.4	*	1.8	24.4	2.0	*	0.6	0.5	*	*	*	1.2	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 20. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1989

STATE AND PARISH	DELTAPINE Acala 90	DELTAPINE 20	DELTAPINE 41	DELTAPINE 50	DELTAPINE 62	DES-119	MCNAIR 235	STONE-VILLE 112	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	SUMMIT C-30	SUMMIT C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
LOUISIANA:															
CADDO	3.1	4.0	-	58.3	2.0	19.9	-	-	8.6	4.1	-	-	-	-	100.0
CATAHOULA	9.0	20.8	2.3	40.7	-	-	3.6	-	4.2	3.1	15.8	-	-	0.5	100.0
EAST CARROLL	53.2	5.0	-	29.8	-	-	-	*	1.6	2.2	2.0	1.8	4.2	-	100.0
FRANKLIN	17.7	11.9	1.5	5.4	-	13.0	-	2.8	6.2	4.8	34.1	-	2.6	-	100.0
MOREHOUSE	10.9	31.6	4.1	24.3	-	1.3	-	-	4.0	10.6	1.6	-	11.6	-	100.0
RAPIDES	23.4	24.3	19.3	13.7	-	0.5	-	1.9	12.4	1.7	2.8	-	-	-	100.0
RICHLAND	66.4	2.7	3.5	15.6	-	-	-	-	5.8	5.0	1.0	-	-	-	100.0
TENSAS	1.7	16.5	44.1	32.4	-	-	-	-	1.7	-	3.3	-	-	*	100.0
WEST CARROLL	61.5	-	-	11.5	-	1.4	-	0.7	9.4	1.6	13.6	-	-	*	100.0
ALL OTHER	19.8	19.2	23.2	26.8	-	4.7	-	0.7	2.2	1.7	1.3	-	*	-	100.0
OFFICE TOTAL	28.4	13.7	10.8	22.0	*	4.1	*	0.7	4.7	3.8	8.9	*	2.3	*	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 21. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1989

STATE AND COUNTY	CASCOT C-13	DELTAPINE Acala 90	DELTAPINE 20	DELTAPINE 50	DES-119	G & P GP 3774	G & P GP 5479	LANKART LX-571	LANKART PR-75	LANKART 611	ROSEBUD PR 80	STONE-VILLE 506	STONE-VILLE 825	TAMCOT CAB-CS	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
BRAZOS	-	-	55.4	7.3	4.5	-	-	-	-	-	-	-	28.4	-	4.4	100.0
ELLIS	-	43.8	1.1	19.3	-	-	-	6.0	-	-	-	-	-	-	30.0	100.0
FT BEND	-	0.5	53.0	26.6	6.5	-	-	-	-	-	-	2.2	8.0	-	3.2	100.0
HILL	-	8.0	-	13.3	-	32.7	-	32.0	-	-	-	-	-	-	14.0	100.0
HUNT	-	3.8	-	2.6	-	63.8	-	-	-	12.3	-	-	-	-	17.7	100.0
NAVARRO	-	10.0	-	15.0	1.0	-	-	60.0	-	-	-	-	-	-	14.0	100.0
ROBERTSON	-	10.0	30.0	10.0	-	-	-	-	-	-	-	-	45.0	-	5.0	100.0
WILLIAMSON	15.5	16.5	1.5	20.6	-	3.7	-	-	12.4	4.0	8.2	-	-	13.9	3.7	100.0
ALL OTHER	6.0	8.6	14.0	5.4	3.3	7.6	5.4	-	3.0	9.0	3.6	8.5	3.7	0.6	21.3	100.0
OFFICE TOTAL	4.8	11.7	15.8	11.9	2.2	7.0	2.2	5.8	3.1	4.7	2.7	3.7	7.2	2.3	14.9	100.0

NOTE: Totals may not add due to rounding.

Table 22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1989

State	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Arizona	3.2	96.8	-	100.0
California	*	99.8	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
United States	2.0	98.0	-	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 23. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1989

Classing Offices	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Bakersfield:	-	100.0	-	100.0
Corpus Christi:	-	100.0	-	100.0
El Centro:	0.5	99.5	-	100.0
El Paso:				
Arizona	-	100.0	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
Office total 1/	-	100.0	-	100.0
Fresno:	-	100.0	-	100.0
Harlingen:	-	100.0	-	100.0
Phoenix:				
Arizona				
Office total 2/	3.7	96.3	-	100.0

1/ Includes small acreages in Waco Classing Office area.

2/ Includes small acreages in El Centro Classing Office area.

NOTE: Totals may not add due to rounding.