

**COTTON  
VARIETIES PLANTED  
1990 CROP**



***UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service Cotton Division  
Memphis, Tennessee  
August 1990***

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction . . . . .	1
Leading Varieties. . . . .	1
1. Varieties by states and United States, crop of 1990. . . . .	2-3
Varieties planted by classing offices, crop of 1990:	
2. Abilene. . . . .	4
3. Altus. . . . .	4
4. Bakersfield. . . . .	5
5. Birmingham . . . . .	5
6. Corpus Christi . . . . .	6
7. Dumas. . . . .	6
8. El Paso. . . . .	7
9. Florence . . . . .	7
10. Fresno . . . . .	8
11. Greenwood. . . . .	8
12. Harlingen. . . . .	9
13. Hayti. . . . .	9
14. Lamesa . . . . .	10
15. Lubbock. . . . .	10
16. Macon. . . . .	11
17. Memphis. . . . .	11
18. Phoenix. . . . .	12
19. Rayville . . . . .	12
20. Waco . . . . .	13
21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1990 . . . . .	14
22. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1990 . . . . .	14

UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
COTTON DIVISION, MARKET NEWS BRANCH  
4841 SUMMER AVENUE - MEMPHIS, TN 38122  
Telephone 901-521-2931

Cotton Varieties Planted, United States  
1990 Crop

Deltapine was the leading variety of upland cotton planted in the United States for the 1989-90 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Paymaster was the second most popular variety followed by Stoneville, Acala, Tamcot and Germain's.

Deltapine was the leading variety of upland cotton planted in the U.S. for the 1990-91 season. This variety accounted for 38.2 percent of the national acreage. Deltapine was the leading variety planted in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina and Tennessee. Deltapine 50 and Acala 90 were the most popular strains, accounting for 17.1 and 11.8 percent of the U.S. acreage, respectively.

Paymaster was the second leading variety planted in 1990 and accounted for 17.8 percent of the U.S. acreage. Paymaster was the most popular variety planted in Texas and the second most favored variety planted in New Mexico and Oklahoma. The leading strains were Paymaster HS 26 and 145, accounting for 9.7 and 7.4 percent of the U.S. acreage, respectively.

Stoneville was the next most popular variety and accounted for 7.0 percent of the U.S. acreage. Stoneville was the second most popular variety planted in Alabama, Arkansas, Georgia, Louisiana, Missouri and Tennessee. Stoneville 453 and 506 were the predominant strains, accounting for 2.7 and 2.3 percent of the national acreage, respectively.

The fourth most popular variety planted in 1990 was Acala. This variety accounted for 5.8 percent of the U.S. acreage and was the leading variety planted in California and New Mexico and the second most favored in Arizona. Acala SJ-2 was the leading Acala strain, making up 4.3 percent of the national acreage.

The fifth most popular variety was Tamcot, accounting for 3.7 percent of the U.S. acreage. Tamcot was the third most favored variety planted in Texas. Tamcot SP-21 and CAB-CS were the most popular strains accounting for 0.9 and 1.7 percent of the 1990 acreage, respectively.

The sixth most prevalent variety planted was Germain's, which made up 4.3 percent of total U.S. acreage. This variety was the second most popular variety planted in California. Acala GC-510 was the leading Germain's strain and made up 3.5 percent of U. S. acreage.

Pima S-6 remained the leading strain of American Pima cotton planted in the United States for the 1990 crop. This was the seventh consecutive year Pima S-6 has been predominant and accounted for 98.7 percent of the total acreage planted this season. S-5, at 1.3 percent, made up the remainder of the 1990 American Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1989 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to specified varieties,  
United States, 1986-1990

Year	Acala	Delta- pine	Germain's	Pay- master	Stone- ville	Tamcot	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1986	7.0	27.0	4.0	11.0	16.0	7.0	25.0	100.0
1987	7.0	25.0	4.0	13.0	13.0	6.0	31.0	100.0
1988	6.9	30.0	4.6	13.8	10.7	6.0	28.0	100.0
1989	7.0	32.5	4.4	12.0	10.1	6.8	27.2	100.0
1990	5.8	38.2	4.3	17.8	7.0	3.7	19.4	100.0

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1990

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	OTHER	UNITED STATES
ACALA				6.1												0.6
C-32				0.6												*
C-37				42.9												4.3
SJ-2				1.0												*
SJ-5				1.6												*
M-5									12.1							*
1517-75		0.6							20.3							*
1517-77									24.8							*
1517-88		0.8							0.6							*
1517 E-1									2.2							*
1517 E-2		0.5							2.3							*
1517-SR1		*							0.9							*
1517-SR2		0.7														0.9
ALL-TEX									1.6		0.6			1.9		*
QUICKIE E-2																*
BRONCO											1.3					*
CASCOT										10.6				0.9		0.7
L-7											4.7			0.9		*
2910																*
COXER			*				*					0.9				*
130												0.9				*
304					*											*
312												26.8		0.5		0.5
315	*				2.5	*				3.1						*
320					*				2.0	1.6						*
500														0.5		*
DELTA PINE	38.1	52.2	0.7	2.2	57.6	36.9	3.4		1.1	14.9	10.4	31.3		7.6	29.6	11.8
ACALA 90				0.6												*
ACALA 6166	*	4.0	18.7	*	14.6	17.9	15.5			14.7		*	22.1	1.4	9.9	6.3
20	4.1	1.0	*		6.9	8.0	*							0.8	19.7	1.3
41	33.0	6.1	47.9	*	4.8	19.4	46.7	45.4	*	26.2		5.6	53.5	6.6	29.6	17.1
50		2.1	0.5	0.5	0.7	1.2	3.0	0.9		4.4				*		0.8
51	*	4.6		0.5												*
61		20.7		*												0.6
77																*
DES-	7.7	1.5	3.3		4.8	4.3	15.4	2.7		9.0		*	2.1	1.1		3.3
DUNN																0.5
120																*
400									3.7					*		*
G & P											0.6				1.9	0.8
GP 3755																*
GP 3774									*							0.9
GERMAIN'S				8.6												3.5
GC-356		*		34.5												0.9
GC-510																*
GROWERS															2.0	0.9
GSC 25															0.5	*
GSC 27																*
HOLLAND											1.3				*	*
1379											0.8				*	*
4002																*
HURD'S											1.0					*
700																*

Table 1. Continued

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	WI	NC	OK	SC	TN	TX	ALL OTHER STATES	UNITED STATES	
															1/	2/	
HYPERFORMER																	
HS-46			*		1.1					*	1.8	*		*		*	
HS-47						0.6										*	
LANKART																	
LX-571																*	
PR-75											1.1			0.9		*	
57											9.9			*		0.5	
175											7.4			0.7		0.6	
511											6.4					*	
611											1.4					*	
											6.3			2.5		1.3	
MCNAIR																	
220	*				2.9				2.2	3.0						*	
235	*	*	*		3.6	*	0.5			14.2		*	1.3	*		*	
NORTHRUP KING																	
KC311		*		*	*				*	1.5		3.8		*		*	
KC380	*		2.1				*		*	2.1		*	*	*		*	
PAYMASTER																	
HS 26		0.6							14.1		6.2			21.0		9.7	
145									4.4		12.9			15.4	1.3	7.4	
266									0.6							*	
303														0.6		*	
404									4.8							*	
PD-														*		*	
3					0.6							15.4				*	
RANGER																*	
BB 53														1.4		0.6	
ROSEBUD																	
PR 80														2.5		1.2	
STONEVILLE																	
112		*	*		*	*	*	*			0.6			*		*	
213							0.7							*		*	
453	4.3	*	10.7		6.9	3.6	3.6	7.6		1.8	*	3.9	10.8	0.9	9.9	2.7	
506	0.8	*	10.0		0.6	4.3	3.3	25.4			2.3		6.4	*		2.3	
825	10.2	1.1	2.4		4.1	4.3	2.5	1.9					3.0	0.9		1.7	
SUMMIT																	
C-40		*	1.4			1.9	0.7							*		*	
SR-383									0.5					4.9		2.2	
SUN VALLEY							*									*	
SV 46		0.6														*	
SUREGROW																*	
1001	*	0.8														*	
TAMCOT																*	
CAB-CS																*	
CAMD-E										7.2				3.2		1.7	
CD3H										1.1				0.7		*	
SP21														0.6		*	
SP21S														2.1		0.9	
56														0.6		*	
TIFCOT					0.5											*	
ALL OTHER 3/	1.6	2.1	2.3	0.5	2.4	0.9	2.3	0.6	1.8	3.5	3.1	1.2	0.8	12.7		*	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	12.4

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent. 3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. \* Less than 0.5 percent.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	CASCO DELTAPINE C-13		ACALA 90		G & P 3774		GROWERS GSC		LX-571		LANKART 57		LANKART 611		PAYMASTER HS-26		PAYMASTER 145		ROSEBUD PR-80		TAMCOT CAB-CS		TAMCOT CAMD-E		TAMCOT SP-21		TAMCOT SP-37		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
FISHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HASKELL	16.7	1.2	5.5	16.9	21.0	7.7	2.8	11.0	12.9	0.8	19.4	23.0	20.6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
HOWARD 1/	-	36.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JONES	-	-	4.5	8.3	10.6	45.1	3.8	8.1	32.9	2.6	13.7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
KNOX	7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARTIN 1/	-	33.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MITCHELL	-	11.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUNNELS	-	12.8	28.6	0.9	11.7	15.0	4.7	15.0	15.0	3.9	30.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
SCURRY 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOM GREEN	-	63.6	9.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	*	36.0	4.2	6.9	3.3	3.4	3.7	7.3	0.8	3.1	3.2	0.8	14.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
OFFICE TOTAL	2.9	20.1	4.7	1.7	4.1	1.8	10.4	3.4	3.1	8.5	5.2	2.3	7.0	2.4	22.4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

1/ A portion of this county is served by Lamesa Classing office. 2/ A portion of this county is served by Lubbock Classing office. \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	CASCO C-13		DELTA PINE 2910		ACALA 90		LANKART PR-75		LANKART 57		LANKART 175		LANKART 311		LANKART 511		LANKART 611		PAYMASTER HS 26		PAYMASTER 145		RANGER BB 53		TAMCOT CAB-CS		TAMCOT CAMD-E		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
BECKHAM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	8.1	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GREER	-	-	10.0	43.5	11.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARMON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KIDWA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TILLMAN	33.4	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHITA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	-	29.6	4.7	10.4	9.9	7.4	6.4	4.0	9.9	10.2	5.3	7.2	1.8	11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
TOTAL	10.6	4.7	10.4	9.9	7.4	6.4	4.0	9.9	10.2	5.3	7.2	1.8	11.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
COLLINGSWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HALL	4.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTLEY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLBARGER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	1.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OFFICE TOTAL 1/	5.6	2.2	5.7	6.5	4.8	3.9	2.1	5.3	5.6	15.9	21.2	1.7	4.7	1.6	13.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

1/ Includes small acreages in Kansas. \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 4. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	ACALA C-37		ACALA M-5		ACALA PREMA (C-32)		ACALA SJ-2		ACALA SJ-5		ACALA DELTAPINE GERMAIN'S GERMAIN'S		ACALA DP-6166		ACALA 6C-510		ACALA 6C-356		OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
CALIFORNIA:																				
KERN	0.8	*	16.4	61.5	1.0	*	13.7	6.1											*	100.0
KINGS 1/	*	10.0	0.5	73.8	-	0.7	11.4	3.1											*	100.0
TULARE 1/	*	-	5.5	29.2	*	*	53.3	10.9											-	100.0
OFFICE TOTAL	0.5	3.4	9.2	59.6	0.5	*	20.2	6.0											*	100.0

1/ A portion of this county is served by Fresno Classing Office. \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 5. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	COKER DELTAPINE DELTAPINE DELTAPINE DELTAPINE		ACALA 90		DELTA 20.0		DELTAPINE 41.0		DELTAPINE 50.0		DELTAPINE 61.0		DES- 119.0		MCNAIR 220.0		MCNAIR 235.0		NORTHROP KING KC 380		STONE-VILLE 506.0		STONE-VILLE 825.0		OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
ALABAMA:																										
CHEROKEE	-	11.0	-	-	-	6.2	-	69.0	-	-	-	-	-	-	-	-	-	-	-	-	-	9.7	4.1	-	-	100.0
COLBERT	-	-	1.5	-	-	70.8	-	8.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
DALLAS	-	-	-	4.2	-	1.1	-	5.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
ELMORE	-	-	-	10.6	-	1.0	-	5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
LAWRENCE	-	14.8	-	-	-	71.0	-	3.9	-	-	-	-	-	-	-	-	-	-	-	-	-	5.7	-	-	-	100.0
LIMESTONE	-	8.9	-	-	-	69.2	-	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	5.3	-	-	-	100.0
MADISON	-	60.7	-	-	-	11.7	-	4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	100.0
ALL OTHER	*	50.1	1.1	10.1	14.4	0.5	5.6	4.0	*	*	*	*	4.0	*	*	*	1.7	6.0	12.9	15.6	*	9.7	4.1	*	*	100.0
OFFICE TOTAL 1/	*	37.7	0.6	4.8	32.8	*	7.4	*	*	*	*	*	4.5	0.8	9.7	*	4.5	0.8	9.7	*	*	4.5	0.8	9.7	*	100.0

1/ Includes small acreages in Florida. \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 6. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	ALL-TEX QUICKIE		CASCO C-13		DELTAPINE ACALA 90		DELTAPINE 20		DELTAPINE 41		DELTAPINE 50		DELTAPINE 51		DES-119		G & P 74+		G & P 3774		SOUTH WEST 222		STONE-VILLE 453		STONE-VILLE 506		TAMCOT CAB-CS		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																														
MUECES	6.0	4.3	-	1.1	-	37.7	5.3	4.1	2.1	3.2	2.9	*	-	-	22.6	10.2	100.0													
SAN PATRICIO	2.8	-	-	-	-	40.1	*	0.9	1.5	8.1	-	1.6	-	-	39.0	5.9	100.0													
ALL OTHER	0.8	-	3.7	23.2	3.6	22.2	4.6	4.8	*	2.1	-	16.3	9.1	6.4	2.8	100.0														
OFFICE TOTAL	3.3	1.5	1.2	7.9	1.2	33.5	3.4	3.3	1.3	4.5	1.0	5.9	2.9	22.8	6.4	100.0														

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 7. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	DELTAPINE ACALA 90		DELTAPINE 20		DELTAPINE 41		DELTAPINE 50		DELTAPINE 51		DES-119		STONE-VILLE 453		STONE-VILLE 506		STONE-VILLE 825		SUMMIT C-30		SUMMIT C-40		OTHER		TOTAL			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
ARKANSAS:																												
ASHLEY	-	55.8	-	19.6	-	1.2	11.9	11.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
CHICOT	-	5.0	-	56.6	-	-	32.2	6.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
DESHA	2.0	2.0	-	52.9	0.9	-	19.2	21.5	-	-	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
JEFFERSON	3.1	0.6	-	68.8	1.1	1.6	1.9	7.9	2.3	4.9	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
LINCOLN	1.9	3.2	1.0	59.5	1.0	4.2	13.1	12.7	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
LONOKE	-	20.3	-	72.4	-	-	6.5	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
ALL OTHER	1.9	47.5	-	15.9	0.8	9.6	10.9	1.6	-	-	8.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
OFFICE TOTAL	1.4	21.3	*	45.9	0.6	2.7	13.3	8.9	0.5	0.9	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.



Table 8. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1990

STATE AND COUNTY	ACALA 1517- SR-1		ACALA 1517- SR-2		ACALA 1517- 77		ACALA 1517- 88		COKER 320		DEL DELTAPINE CERRO		ACALA 90		DES-119		DUNN 400		MCNAIR 220		MCNAIR PAYMASTER HS-26		OTHER		TOTAL		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
TEXAS:																											
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NEW MEXICO:																											
DONA ANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EDDY	1.9	-	-	-	44.6	-	40.0	-	7.6	-	-	-	0.5	-	-	-	-	-	-	13.0	-	-	-	-	-	-	
ALL OTHER	5.4	7.1	2.9	14.4	28.9	26.8	0.5	-	-	-	-	-	3.4	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	3.0	3.0	1.2	16.3	27.3	33.3	2.6	-	-	-	-	-	1.5	-	-	-	-	-	-	6.0	-	-	-	-	-	-	
ARIZONA:																											
COCHISE	12.5	*	15.1	4.8	-	17.4	-	6.2	24.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ALL OTHER	-	-	-	13.1	-	-	-	-	71.3	11.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7.7	*	9.3	8.0	-	10.7	-	3.8	42.3	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
OFFICE TOTAL	3.9	1.8	3.3	11.6	15.7	22.4	1.5	1.1	24.3	1.2	2.9	2.6	1.1	2.4	1.1	2.4	1.1	2.4	1.1	2.4	1.1	2.4	1.1	2.4	1.1	2.4	

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 9. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1990

STATE AND COUNTY	COKER 304		COKER 315		COKER DELTAPINE ACALA 90		COKER DELTAPINE 320		DELTAPINE 51		DELTAPINE 50		DELTAPINE 20		DES-119		MCNAIR 220		MCNAIR 295		NORTHURP KING KC-311		NORTHURP KING KC-380		PD-3 STONE-VILLE 453		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NORTH CAROLINA:																											
CLEVELAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HALIFAX	-	-	1.3	1.3	13.1	3.1	25.3	33.0	2.3	4.7	6.0	13.0	1.7	2.7	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTHAMPTON	-	-	-	-	10.7	30.3	30.6	1.0	4.0	3.6	17.4	*	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	*	4.2	2.0	18.0	18.0	9.1	24.2	5.8	11.3	2.2	12.2	1.7	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	*	3.1	1.6	14.9	14.7	26.2	4.4	9.0	4.4	9.0	3.0	14.2	1.5	2.1	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA:																											
LEE	3.8	39.3	21.1	18.7	-	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARLBORO	-	21.6	9.1	36.4	-	25.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUMPTER	-	21.3	-	36.7	-	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	*	24.1	7.9	33.9	*	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	0.9	26.8	10.2	31.3	-	5.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OFFICE TOTAL	0.6	14.6	5.8	22.8	7.6	16.2	2.3	4.7	1.6	7.4	2.6	3.9	1.2	7.5	2.8	7.5	2.8	7.5	2.8	7.5	2.8	7.5	2.8	7.5	2.8	7.5	2.8

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 10. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	ACALA C-1	ACALA C-37	ACALA C-4226 (EXP.)	ACALA M-5	ACALA PREMA C-32	ACALA SJ-2	ACALA SJ-5	ACALA DP-6166	ACALA GC-356	ACALA GC-510	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:												
FRESNO	*	*	-	*	3.4	31.4	0.8	0.9	5.8	57.1	-	100.0
KINGS 1/	*	1.9	*	-	4.1	35.1	-	0.9	12.4	45.2	-	100.0
MADERA	0.5	1.8	-	-	3.6	25.4	2.1	0.5	21.8	44.3	-	100.0
MERCED	*	1.5	-	-	1.9	18.3	3.5	*	9.4	64.9	-	100.0
TULARE 1/	-	-	-	-	5.3	38.1	3.2	1.5	38.4	13.5	-	100.0
OFFICE TOTAL	*	0.7	*	*	3.5	30.3	1.4	0.8	11.8	51.2	-	100.0

1/ A portion of this county is served by Bakersfield Classing Office. \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 11. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	DELTA PINE ACALA	DELTA PINE 20	DELTA PINE 41	DELTA PINE 50	DELTA PINE 51	DES-119	DES-422	STONE-VILLE 112	STONE-VILLE 213	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	SUN VALLEY HS46	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSISSIPPI:															
BOLIVAR	2.5	11.3	-	34.0	47.7	-	-	-	-	-	-	-	-	4.5	100.0
COAHOMA	-	12.2	-	43.0	*	34.8	-	-	-	-	-	-	7.7	0.6	100.0
HINDS	13.3	1.4	-	56.9	-	8.7	-	-	1.1	14.0	-	-	4.6	-	100.0
HOLMES	-	23.1	-	59.0	-	3.1	1.4	0.7	0.5	0.5	-	11.3	2.0	1.0	100.0
HUMPHREYS	0.7	7.9	-	64.3	-	16.5	-	-	-	2.1	2.1	6.4	-	-	100.0
LEFLORE	0.6	37.4	-	30.7	-	18.9	-	-	-	5.2	4.0	-	1.6	1.6	100.0
MADISON	-	-	-	22.7	-	57.1	-	-	-	5.4	-	13.6	-	1.2	100.0
QUITMAN	40.4	2.2	-	42.9	-	9.8	-	-	2.2	-	-	-	2.5	-	100.0
SHARKEY	1.2	16.7	-	62.8	-	14.6	-	4.7	-	3.8	0.5	-	-	-	100.0
SUNFLOWER	-	19.4	0.8	51.0	2.1	22.4	-	-	-	5.5	-	-	-	-	100.0
TALLAHATCHIE	-	53.5	-	35.5	-	5.5	-	-	-	-	-	-	-	0.8	100.0
TUNICA	-	-	-	31.2	-	68.0	-	-	-	*	-	-	-	1.8	100.0
WASHINGTON	20.6	-	-	72.2	-	-	1.4	-	-	6.2	-	10.9	-	2.3	100.0
YAZOO	-	10.8	-	50.3	-	8.0	-	2.1	9.4	4.1	2.5	0.8	-	2.1	100.0
ALL OTHER	3.5	20.8	0.8	45.0	3.1	16.5	*	-	-	4.1	2.5	0.8	0.5	2.1	100.0
OFFICE TOTAL	3.9	17.7	*	46.7	3.5	17.4	*	*	0.8	2.8	1.4	2.6	0.8	0.5	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 12. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	312	20	41	50	51	90	DES-119	HYPER-FORMER HS-46	222	STONE-VILLE 112	453	825	SUMMIT C-30	TAMCOT CAB-CS	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
CAMERON	-	0.8	15.7	38.3	1.2	18.9	2.0	1.3	-	0.5	4.1	11.0	-	*	-	100.0
HIDALGO	9.4	*	4.1	10.7	*	1.5	21.0	0.8	4.2	2.1	8.7	21.5	2.7	7.9	4.8	100.0
WILLACY	-	1.7	8.9	68.4	2.2	2.3	-	1.3	-	2.6	3.8	4.5	-	*	4.1	100.0
ALL OTHER	-	-	23.9	26.3	-	-	-	-	-	-	6.4	20.6	-	22.9	-	100.0
OFFICE TOTAL	3.2	1.0	9.9	37.6	1.1	7.6	7.8	1.1	1.4	1.7	5.6	12.9	0.9	3.4	4.9	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	518	130	ACALA 90	20	40	41	50	51	DES-119	HYPER-FORMER HS-46	STONE-VILLE 112	453	506	STONE-VILLE 825	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSOURI:																
DUNKLIN	-	-	-	23.9	*	-	58.3	1.5	0.9	-	*	3.5	10.2	1.2	-	100.0
NEW MADRID	-	-	-	8.6	-	-	31.4	*	7.1	-	*	7.5	45.2	-	-	100.0
PEMISCOT	-	-	-	7.2	-	-	23.5	0.6	2.8	-	-	17.5	41.7	6.7	-	100.0
ALL OTHER	-	-	-	8.3	3.4	-	59.7	0.9	-	-	-	9.4	16.5	1.8	-	100.0
TOTAL	-	-	-	15.5	*	-	45.4	0.9	2.7	-	*	7.6	25.4	1.9	-	100.0
ARKANSAS:																
CRAIGHEAD	-	1.4	0.5	50.4	-	-	13.7	-	2.5	1.2	-	-	10.7	19.3	*	100.0
MISSISSIPPI	0.5	-	-	9.8	-	0.8	62.4	1.0	4.0	*	-	4.2	17.0	-	-	100.0
POINSETT	*	-	-	16.5	-	-	33.5	-	1.1	1.1	4.3	29.3	10.5	2.9	0.6	100.0
ALL OTHER	-	-	-	11.5	-	-	54.5	0.5	5.1	0.5	-	11.7	16.1	-	-	100.0
TOTAL	*	*	*	21.3	-	*	44.5	0.5	3.3	0.7	0.7	8.1	14.2	5.4	*	100.0
OFFICE TOTAL	*	*	*	18.5	*	*	44.9	0.7	3.0	*	0.5	7.8	19.6	3.7	*	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 14. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	ACALA 1517-75	ALL-TEX QUICKIE	COKER DELTAPINE 312	ACALA 90	DUNN 120	DUNN 224	HOLLAND 4002	PAYMASTER HS-26	PAYMASTER 145	RANGER BB-53	SUMMIT SR383	TAMCOT CAB-CS	TAMCOT SP-21	TAMCOT SP-21S	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
DAWSON	0.6	-	0.8	5.1	6.8	*	-	42.6	18.8	-	13.4	-	2.6	1.7	7.4	100.0
GAINES	2.9	-	1.7	-	2.2	0.9	-	46.3	8.3	11.6	4.9	-	6.9	1.5	12.8	100.0
LYNN 1/	-	-	-	-	32.4	15.0	-	27.3	-	-	-	2.7	7.6	-	17.7	100.0
MARTIN 2/	-	-	-	16.7	-	-	-	40.3	5.6	-	15.3	2.7	12.5	2.7	4.2	100.0
ALL OTHER	*	3.6	2.2	25.2	*	-	4.3	26.5	18.6	-	0.6	4.5	0.9	4.5	8.4	100.0
OFFICE TOTAL 3/	1.2	0.9	1.3	8.1	5.9	1.9	1.0	38.5	12.7	4.0	6.0	1.2	4.6	2.2	10.4	100.0

1/ A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office.  
 3/ Includes small acreages in New Mexico.

NOTE: Totals may not add due to rounding.

Table 15. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	ALL-TEX QUICKIE	CASCOT L-7	COKER 500	G & P 3774	GSA 71	GSC 25	PAYMASTER HS-26	PAYMASTER 18	PAYMASTER 145	PAYMASTER 303	PAYMASTER 404	RANGER BB-53	ROSEBUD PR80	SUMMIT SR-363	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
BAILLEY	2.7	-	-	-	10.9	2.7	4.6	-	55.5	-	2.7	-	-	-	20.9	100.0
CASTRO	1.4	-	-	-	-	-	1.8	-	71.3	-	-	0.5	12.4	-	12.6	100.0
COCHRAN	30.0	-	-	-	5.0	-	-	-	60.0	-	-	-	-	-	5.0	100.0
CROSBY	-	13.1	-	-	-	24.2	27.1	-	7.2	-	-	1.4	-	21.3	5.7	100.0
FLOYD	3.9	-	-	3.9	-	3.9	34.3	-	45.1	-	-	-	-	-	8.9	100.0
HALE	0.7	*	1.0	3.9	-	4.4	16.1	7.5	50.6	0.7	2.1	0.7	-	*	15.1	100.0
HOCKLEY	18.4	-	-	-	-	-	58.1	-	9.6	-	-	1.0	-	8.0	4.9	100.0
LAMB	-	-	-	-	-	25.0	23.1	-	44.2	-	-	-	-	-	7.7	100.0
LUBBOCK	2.3	-	-	-	-	-	70.2	-	5.9	7.9	2.3	1.4	-	7.3	2.7	100.0
LYNN 1/	-	-	13.8	-	2.0	-	30.9	-	6.1	4.6	-	4.6	-	32.3	5.7	100.0
PARMER	4.0	-	-	-	-	-	-	-	60.0	-	-	-	15.0	-	21.0	100.0
SMISHER	-	-	-	-	-	-	5.1	-	82.2	-	-	-	2.6	-	10.1	100.0
TERRY 1/	3.7	-	-	-	-	-	36.2	-	4.0	-	-	2.4	-	46.9	6.8	100.0
YOKUM 1/	5.0	5.0	-	-	-	-	72.5	-	5.0	-	-	5.0	-	-	7.5	100.0
ALL OTHER	0.8	-	-	13.2	2.5	2.1	17.5	-	12.5	2.2	2.1	1.5	22.5	10.8	12.4	100.0
OFFICE TOTAL 2/	4.0	1.5	1.3	1.0	0.9	5.5	32.7	0.8	28.2	1.7	0.9	1.1	2.1	9.8	8.5	100.0

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 16. Mason Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	315	ACALA	41	50	51	DES-119	HYPER-FORMER	MCNAIR	220	235	PD-3	STONE-VILLE	506	STONE-VILLE	825	TIFCOT	56	OTHER	TOTAL
GEORGIA:																			
BURKE	-	59.4	10.7	1.9	1.3	23.5	-	-	-	-	-	-	-	-	-	-	-	3.2	100.0
COLQUITT	-	85.7	0.5	4.5	-	2.2	1.6	1.6	2.2	2.2	-	1.6	-	-	-	-	-	-	100.0
DOOLY	6.8	18.6	11.7	7.7	-	2.0	-	6.2	6.5	6.5	*	30.5	-	5.7	-	-	-	4.0	100.0
ALL OTHER	2.2	59.6	7.0	4.5	0.9	4.7	1.3	2.7	3.5	3.5	0.7	4.0	0.8	4.8	0.7	-	-	2.5	100.0
OFFICE TOTAL	2.5	57.6	6.9	4.8	0.7	4.8	1.1	2.9	3.6	3.6	0.6	6.9	0.6	4.1	0.5	-	-	2.4	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 17. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	20	DELTA	50	119	DES-119	MCNAIR	235	NORTH	506	STONE-VILLE	825	STONE-VILLE	506	STONE-VILLE	825	OTHER	TOTAL	
TENNESSEE:																		
CROCKETT	11.9	73.0	-	-	7.6	5.8	1.7	-	-	-	-	-	-	-	-	-	100.0	
FAYETTE	26.1	42.2	15.4	-	14.6	1.3	*	-	-	-	-	-	-	-	-	-	100.0	
GIBSON	33.5	46.2	-	1.5	4.7	9.0	5.1	-	-	-	-	-	-	-	-	-	100.0	
HARDMAN	7.6	51.3	0.6	19.7	1.7	3.3	12.0	-	-	-	-	-	-	-	-	-	100.0	
HAYWOOD	30.4	37.1	1.3	1.3	-	6.9	1.8	-	-	-	-	-	-	-	-	3.8	100.0	
LAUDERDALE	16.1	61.2	1.5	-	21.2	8.8	1.2	-	-	-	-	-	-	-	-	-	100.0	
MADISON	8.6	70.7	1.7	-	11.2	6.9	3.5	-	-	-	-	-	-	-	-	-	100.0	
SHELBY	53.2	25.1	4.6	-	8.6	6.9	3.5	-	-	-	-	-	-	-	-	-	100.0	
TIPTON	19.5	53.7	-	-	17.1	-	-	-	-	-	-	-	-	-	-	-	100.0	
ALL OTHER	25.3	56.8	-	-	0.9	6.2	7.4	-	-	-	-	-	-	-	-	3.1	100.0	
TOTAL	22.1	53.5	2.1	1.3	10.8	6.4	3.0	*	10.8	6.4	3.0	-	-	-	-	0.5	100.0	
ARKANSAS:																		
CRITTENDEN	9.7	63.1	4.8	-	9.7	3.0	-	-	-	-	-	-	-	-	-	-	100.0	
LEE	22.8	55.4	-	-	11.8	3.9	3.9	-	-	-	-	-	-	-	-	-	100.0	
PHILLIPS	3.2	62.9	6.8	-	22.1	3.4	1.6	-	-	-	-	-	-	-	-	-	100.0	
ST. FRANCIS	5.1	42.0	4.4	1.2	3.7	26.3	11.3	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	5.5	100.0	
ALL OTHER	-	47.1	-	-	23.2	23.2	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	100.0
TOTAL	7.8	59.0	4.7	*	11.0	4.3	1.5	*	11.0	4.3	1.5	-	-	-	-	-	2.3	100.0
MISSISSIPPI:																		
MARSHALL	21.4	21.4	7.2	-	20.0	30.0	-	-	-	-	-	-	-	-	-	-	-	100.0
TATE	2.3	70.0	12.3	-	5.0	2.7	7.7	-	-	-	-	-	-	-	-	-	-	100.0
ALL OTHER	21.0	48.5	0.6	4.2	8.0	14.9	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	100.0
TOTAL	19.3	47.0	2.6	3.3	9.3	15.7	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	100.0
OFFICE TOTAL	19.0	53.1	2.7	1.5	10.2	8.0	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	100.0

1/ \* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 18. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	DELTA 20	DELTA 41	DELTA 50	DELTA 51	DELTA 61	DELTA 77	DELTA 120	DES- 119	STONE- BR110	STONE- VILLE 825	SUMMIT C40	SUN VALLEY HS46	SUREGROW S1001	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ARIZONA:															
MARICOPA	53.8	2.2	*	0.8	5.0	32.8	*	-	*	0.9	-	-	1.7	1.4	100.0
PIMA	20.6	47.6	-	-	-	1.3	-	23.4	-	-	-	-	-	7.2	100.0
PINAL	67.4	2.4	1.9	4.8	*	15.1	*	-	*	2.2	-	2.1	-	0.6	100.0
YUMA	5.4	0.9	54.6	3.4	25.0	6.0	-	2.3	-	-	0.6	-	-	1.8	100.0
ALL OTHER	62.2	6.8	-	7.8	2.0	16.4	-	2.5	-	-	1.5	-	-	0.9	100.0
TOTAL	52.9	4.2	1.1	6.4	2.2	22.3	*	1.3	*	1.1	*	0.7	0.8	1.4	100.0
CALIFORNIA:															
IMPERIAL	16.8	1.8	-	2.6	11.1	39.7	28.0	-	-	-	-	-	-	-	100.0
RIVERSIDE	67.7	13.2	-	*	14.0	3.8	0.8	-	-	-	-	-	-	*	100.0
TOTAL	55.4	10.5	-	0.8	13.3	12.4	7.4	-	-	-	-	-	-	*	100.0
OFFICE TOTAL	53.2	5.0	0.9	5.7	3.7	20.3	*	1.1	*	1.0	*	0.6	0.7	1.2	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 19. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1990

STATE AND PARISH	CHEMBRED CD-219	DELTA ACALA 90	DELTA 20	DELTA 41	DELTA 50	DELTA 51	DES- 119	HYPER- FORMER HS-47	MCAIR 235	STONE- VILLE 112	STONE- VILLE 453	STONE- VILLE 506	STONE- VILLE 825	SUMMIT C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
LOUISIANA:																
CADDO	-	2.0	9.2	-	44.6	1.6	21.0	7.8	-	-	10.6	3.2	-	-	-	100.0
CATAHOULA	-	6.0	18.7	4.0	47.7	1.3	1.3	-	1.3	-	6.7	3.6	7.3	-	2.1	100.0
EAST CARROLL	-	48.4	6.2	-	33.3	-	0.5	-	-	0.8	2.2	1.5	3.0	4.1	-	100.0
FRANKLIN	-	46.9	4.0	-	6.5	0.6	11.4	-	-	1.0	5.2	0.8	15.3	7.1	1.2	100.0
MOREHOUSE	0.6	41.5	25.6	-	17.4	0.6	4.6	-	-	-	1.9	1.9	2.2	3.7	-	100.0
RAPIDES	-	35.0	15.0	15.0	20.0	-	-	-	-	-	15.0	-	-	-	-	100.0
RICHLAND	-	67.1	5.7	1.9	5.6	1.9	-	-	-	-	-	17.8	-	-	-	100.0
TENSAS	-	10.1	14.7	40.9	30.1	-	-	-	-	-	1.8	2.4	-	-	-	100.0
WEST CARROLL	-	67.8	3.7	-	3.7	-	3.7	-	-	-	5.9	5.7	8.2	-	1.3	100.0
ALL OTHER	*	15.4	30.6	13.3	25.5	2.9	3.8	1.7	-	-	3.3	0.6	2.2	-	0.5	100.0
OFFICE TOTAL	*	36.9	14.6	8.0	19.4	1.2	4.3	0.6	*	*	3.6	4.3	4.3	1.9	0.5	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 20. Maco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1990

STATE AND COUNTY	ALL-TEX 857		CASCOT DELTAPINE		DELTAPINE 20		DELTAPINE 50		DELTAPINE 51		DES-119		G & P GP 3774		G & P GP 5479		LANKART LX-571		LANKART 57		LANKART 611		STONE-VILLE 453		TAMCOT CAB-CS		OTHER		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
TEXAS:																														
BRAZOS	-	-	-	-	65.0	10.0	20.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ELLIS	-	-	-	54.0	26.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
FT BEND	-	-	-	-	37.0	2.0	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HILL	-	-	-	10.0	10.0	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
HUNT	14.0	-	-	9.0	9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NAVARRO	-	-	-	5.0	50.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ROBERTSON	-	-	-	3.0	41.0	3.0	15.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WILLIAMSON	-	-	8.0	59.0	16.0	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ALL OTHER	4.1	0.8	21.2	11.2	31.9	1.6	2.2	3.3	1.1	3.0	4.8	4.3	1.1	3.0	2.6	1.8	4.3	4.2	1.8	2.6	2.2	2.8	4.3	1.1	3.0	2.6	1.8	4.3		
OFFICE TOTAL	2.0	1.6	23.7	13.0	29.4	1.8	3.2	4.2	4.3	1.8	2.6	2.8	1.3	6.3	100.0															

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1990

State	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Arizona	2.2	97.8	-	100.0
California	-	100.0	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
United States	1.3	98.7	-	100.0

\* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 22. Estimated percentage of American Pimacotton acreage planted to specified varieties, by classing offices, crop of 1990

Classing Offices	Pima S-5	Pima S-6	Other	Total
	Percent	Percent	Percent	Percent
Bakersfield:	-	100.0	-	100.0
Corpus Christi:	-	100.0	-	100.0
El Paso:				
Arizona	-	100.0	-	100.0
New Mexico	-	100.0	-	100.0
Texas	-	100.0	-	100.0
Office total 1/	-	100.0	-	100.0
Fresno:	-	100.0	-	100.0
Phoenix:				
Arizona				
Office total 2/	2.8	97.2	-	100.0

1/ Includes small acreages in Waco Classing Office area.

2/ Includes small acreages in El Centro Classing Office area.

NOTE: Totals may not add due to rounding.