

**COTTON
VARIETIES PLANTED
1992 CROP**



UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee

August 1992

CONTENTS

<u>Table</u>	<u>Page</u>
Introduction	1
Leading Varieties by growth areas (Table).	1
1. Varieties by states and United States, crop of 1992.	2-3
Varieties planted by classing offices, crop of 1992:	
2. Abilene.	4
3. Altus.	4
4. Birmingham	5
5. Corpus Christi	5
6. Dumas.	6
7. El Paso.	6
8. Florence	7
9. Greenwood.	7
10. Harlingen.	8
11. Hayti.	8
12. Lamesa	9
13. Lubbock.	9
14. Macon.	10
15. Memphis.	10
16. Phoenix.	11
17. Rayville	11
18. Visalia.	12
19. Waco	12
20. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1992	13
21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1992	13

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON DIVISION, MARKET NEWS BRANCH
4841 SUMMER AVENUE - MEMPHIS, TN 38122
Telephone 901-766-2931

Cotton Varieties Planted, United States
1992 Crop

Deltapine owned varieties were the most popular upland cotton planted in the United States for the 1992-93 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Cargill owned varieties were the second most popular followed by Stoneville, CPCSD, Germain's and Tamcot.

Deltapine owned varieties were the most popular planted in 1992, accounting for 53.6 percent of the United States acreage. These varieties lead in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee and Virginia. The most popular Deltapine variety was Deltapine 50 which accounted for over 15 percent of the United States acreage planted.

Cargill owned varieties were the second most popular planted in 1992, accounting for 16.7 percent of the United States acreage. These varieties were the most popular planted in Oklahoma and Texas and were the second most popular in New Mexico. Paymaster HS 26 was the most popular Cargill owned variety and accounted for about 10.1 percent of the U.S. acreage.

Stoneville owned varieties were the third most popular planted in 1992. These varieties accounted for 8.1 percent of the U.S. acreage. These varieties were the second most popular planted in Alabama, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina and Tennessee. The leading Stoneville variety was Stoneville 453, accounting for 4.1 percent of the U.S. acreage planted.

CPCSD (California Planting Cotton Seed Distributors) varieties were the next most popular and accounted for 6 percent of the acreage planted in 1992. CPCSD varieties were the most popular planted in California. SJ-2 was the most popular variety of CPCSD planted and accounted for about 2.4 percent of the U.S. acreage.

Germain's were the fifth most popular varieties planted and accounted for 3.4 percent of the 1992 acreage. Germain's Acala GC-510 was their most popular, at 3 percent of the total U.S. acreage.

Tamcot varieties were the sixth most popular group planted in 1992, accounting for 2.4 percent of the U.S. acreage. Tamcot was the second most popular variety group in Oklahoma. The most popular Tamcot variety was Tamcot CAB-CS which accounted for over one percent of the U.S. acreage.

Other variety groups accounting for one percent or more of United States 1992 cotton plantings included: All-Tex and Hyperperformer.

Pima S-6 was the most popular American Pima variety planted in 1992. This variety accounted for 93.5 percent of the United States acreage and accounted for virtually 100 percent of the American Pima acreage in California and about 98 percent of the acreage in New Mexico and Texas. Pima S-7 accounted for about 13 percent of the Arizona acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1992 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to leading specified varieties, by growth areas, 1992 crop

SOUTHEASTERN	:	DELTAPINE	DELTAPINE	DELTAPINE	DELTAPINE	DELTAPINE	DELTAPINE	HYPERFORMER
	:	ACALA 90	50	SURE-GROW	DP 5690	51	20	HS 46
	:			DES-119				
	:	26.2	9.6	8.6	6.5	5.9	4.8	4.3
SOUTH CENTRAL	:	DELTAPINE	DELTAPINE	DELTAPINE	DELTAPINE	STONEVILLE	DELTAPINE	DELTAPINE
	:	50	20	51	DP 5415	453	SUREGROW	ACALA 90
	:						DES-119	
	:	28.3	15.8	9.9	7.0	6.9	6.7	6.7
SOUTHWEST	:	CARGILL	CARGILL	DELTAPINE	DELTAPINE	CARGILL	DELTAPINE	DELTAPINE
	:	PAYMASTER	PAYMASTER	ACALA 90	50	PAYMASTER	DP 5415	51
	:	HS 26	HS 200			145		
	:	23.2	9.5	6.4	6.3	5.1	4.5	4.4
WEST	:	GERMAIN'S	CPCSD	CPCSD	DELTAPINE	CPCDS	DELTAPINE	GERMAIN'S
	:	ACALA	SJ-2	MAXXA	DP 5415	ROYALE	ACALA 90	ACALA
	:	GC-510						GC-356
	:	22.4	17.6	16.4	12.8	8.6	4.1	2.7

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1992

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	ALL OTHER 1/	UNITED STATES 2/
ACALA																	
1517 E-2	-	*	-	-	-	-	-	-	1.7	-	-	-	-	*	-	-	*
1517-75	-	*	-	-	-	-	-	-	8.6	-	-	-	-	-	-	-	*
1517-77	-	*	-	-	-	-	-	-	33.7	-	-	-	-	-	-	-	*
1517-88	-	0.8	-	-	-	-	-	-	10.2	-	-	-	-	*	-	-	*
1517-91	-	-	-	-	-	-	-	-	3.8	-	-	-	-	-	-	-	*
SJ-5	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	*
ALL-TEX																	
ATLAS	-	-	-	-	-	-	-	-	-	-	2.7	-	-	*	-	-	*
MAX-9	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	*
QUICKIE	-	-	-	-	-	-	-	-	*	-	0.8	-	-	2.7	-	-	0.9
CARGILL																	
LANKART																	
LX-571	-	-	-	-	-	-	-	-	-	-	1.4	-	-	0.6	-	-	*
PR-75	-	-	-	-	-	-	-	-	-	-	5.6	-	-	*	-	-	*
175	-	-	-	-	-	-	-	-	-	-	5.5	-	-	*	-	-	*
511	-	-	-	-	-	-	-	-	-	-	3.2	-	-	*	-	-	*
LANKART SELECTION																	
57	-	-	-	-	-	-	-	-	-	-	1.2	-	-	*	-	-	*
611	-	-	-	-	-	-	-	-	-	-	3.1	-	-	1.4	-	-	0.5
PAYMASTER																	
HS 26	-	*	-	-	-	-	-	-	23.8	-	21.9	-	-	28.7	-	-	10.1
HS 28	-	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	-	*
HS 200	-	*	-	-	-	-	-	-	1.1	-	8.7	-	-	9.6	-	0.9	3.4
145	-	-	-	-	-	-	-	-	-	-	6.1	-	-	5.1	-	-	1.8
CAROLINA																	
ES-300	-	-	-	-	-	-	-	-	-	-	-	8.5	-	-	-	-	*
CASCOT																	
C-13	-	-	-	-	-	-	-	-	-	-	2.8	-	-	*	-	-	*
2910	-	-	-	-	-	-	-	-	-	-	1.7	-	-	*	-	1.2	*
CHEMBRED																	
CB 333	-	*	*	-	-	-	-	0.7	-	-	-	-	-	*	-	-	*
CB 1135	0.6	0.5	0.5	-	0.6	-	1.0	*	-	1.1	-	*	0.8	*	-	-	*
CPCSD																	
MAXXA	-	-	-	22.0	-	-	-	-	-	-	-	-	-	-	-	-	2.2
PREMA	-	-	-	2.7	-	-	-	-	-	-	-	-	-	-	-	-	*
ROYALE	-	-	-	11.6	-	-	-	-	-	-	-	-	-	-	-	-	1.2
SJ-2	-	-	-	23.6	-	-	-	-	-	-	-	-	-	-	-	-	2.4
DELTAPINE																	
ACALA 90	17.5	15.7	0.8	*	53.8	15.3	2.7	-	1.9	7.1	5.0	33.5	-	7.8	35.1	6.0	8.1
DP 5415	9.0	49.8	9.6	1.7	7.1	11.2	9.6	5.0	-	6.7	3.5	3.1	2.9	4.9	-	6.0	7.6
DP 5461	-	1.9	-	*	-	-	*	-	-	-	-	-	-	-	-	9.6	*
DP 5690	12.0	1.2	*	*	11.0	11.4	0.8	-	0.5	4.1	2.2	4.9	-	1.9	13.7	21.3	2.8
DP 5816	-	4.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
DP 6166 ACALA	-	-	-	2.8	-	-	-	-	-	-	-	-	-	-	-	-	*
20	2.2	6.5	15.6	*	*	15.9	13.5	9.9	-	14.2	-	2.2	23.9	1.6	20.4	0.6	7.5
41	1.7	0.5	0.8	-	*	3.7	-	-	-	-	-	-	-	*	-	2.6	0.5
50	15.0	1.8	31.4	*	1.6	9.8	35.1	30.1	-	17.4	-	0.7	46.3	6.9	24.5	-	15.3
51	15.7	1.4	11.8	-	4.3	11.7	10.2	6.1	-	4.7	-	1.0	5.8	4.7	-	28.5	6.4
77	-	1.0	-	*	-	-	-	-	-	-	-	-	-	-	-	-	*

Table 1. Continued

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	ALL OTHER 1/	UNITED STATES 2/	
DELTAPINE																		
SUREGROW DES-119	9.6	0.5	6.6	-	5.6	2.7	18.4	4.3	-	11.9	-	5.9	2.9	*	2.6	8.1	4.8	
DUNN 400	-	-	-	-	-	-	-	-	10.8	-	-	-	-	*	-	-	*	
G & P GP 74+	-	-	-	-	-	-	-	-	-	-	*	-	-	0.9	-	-	*	
GERMAIN'S																		
ACALA GC-356	-	-	-	3.7	-	-	-	-	-	-	-	-	-	-	-	-	*	
ACALA GC-510	-	*	-	30.2	-	-	-	-	-	-	-	-	-	-	-	-	3.0	
HYPERFORMER																		
HS 23	-	-	-	-	-	*	-	-	-	1.5	-	-	-	*	-	-	*	
HS 46	6.3	2.3	2.9	-	3.5	6.2	0.6	*	-	10.7	-	-	*	1.0	3.7	1.5	2.1	
PD- 3	-	-	-	-	*	-	-	-	-	*	-	0.5	-	-	-	-	*	
RANGER BB 53	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	*	
ROSEBUD PR-80	-	-	-	-	-	-	-	-	-	-	0.5	-	-	1.7	-	-	0.6	
SEEDCO																		
DELTAPINE SR-383	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	*	
STONEVILLE																		
COKER 315	-	-	-	-	*	-	-	-	-	0.7	-	2.5	-	*	-	-	*	
320	-	-	-	-	*	-	-	-	-	3.5	-	9.6	-	-	-	-	*	
MCNAIR 220	-	-	-	-	-	-	-	-	*	1.7	-	-	-	-	-	-	*	
235	-	-	-	-	*	-	-	-	-	1.0	-	*	-	-	-	-	*	
STONEVILLE KC311	0.9	0.8	-	*	1.3	0.8	-	-	-	5.1	-	13.3	-	0.9	-	-	0.9	
324	-	-	-	*	-	-	-	-	-	*	-	0.5	-	*	-	-	*	
453	3.0	2.0	13.0	*	1.8	3.7	4.1	22.5	-	4.1	4.8	1.9	12.6	0.7	-	4.1	4.1	
506	0.5	*	3.8	-	0.7	1.8	1.4	16.7	-	*	2.5	-	2.7	*	-	1.9	1.4	
825	1.8	-	0.8	-	2.1	1.4	0.8	0.8	-	-	-	-	*	*	-	-	0.6	
907	0.6	-	0.7	-	1.4	0.6	*	1.5	-	1.3	-	0.5	*	*	-	0.6	0.5	
SURE-GROW 1001	3.4	3.2	*	*	2.4	1.0	*	*	-	1.2	-	2.0	*	0.9	-	1.5	0.8	
TAMCOT																		
CAB-CS	-	-	-	-	-	-	-	-	-	-	6.7	-	-	2.9	-	-	1.1	
CD3H	-	-	-	-	-	-	-	-	-	-	4.8	-	-	0.6	-	-	*	
HO-95	-	-	-	-	-	-	-	-	-	-	*	-	-	1.2	-	-	*	
SP21	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	*	
TERRA C-40	*	0.6	0.7	-	*	1.4	0.6	1.6	-	-	-	-	*	*	-	-	*	
ALL OTHER 3/	*	4.8	1.0	1.2	2.8	1.4	1.2	0.8	2.3	2.0	5.3	9.4	2.1	9.2	*	5.6	9.4	
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent.

3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. * Less than 0.5 percent.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	ALL-TEX ATLAS	ALL-TEX QUICKIE	BRONCO 414	CARGILL LANKART LX-571	CARGILL LANKART SELECTION 611	CARGILL PAY-MASTER HS 26	CARGILL PAY-MASTER HS 200	DELTA-PINE ACALA 90	G & P 74+	ROSEBUD PR 80	TAMCOT CAB-CS	TAMCOT CD-3H	TAMCOT HQ-95	TAMCOT SP-21	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
FISHER	-	-	-	-	-	30.0	4.7	-	-	53.3	1.6	-	-	2.2	8.2	100.0
HASKELL	-	1.0	1.3	8.4	10.7	18.1	21.1	1.5	1.9	0.3	6.6	1.5	12.3	-	15.3	100.0
HOWARD 1/	-	-	-	-	-	42.7	-	27.7	-	-	28.2	-	-	-	1.4	100.0
JONES	-	1.9	8.1	9.7	33.5	11.5	3.5	-	1.9	3.1	*	1.3	0.8	-	24.4	100.0
KNOX	-	-	-	-	3.3	30.0	-	-	-	-	9.2	36.3	18.3	-	2.9	100.0
MARTIN 1/	1.3	4.1	-	-	-	42.4	-	25.0	-	-	5.3	-	-	0.8	21.1	100.0
RUNNELS	1.0	0.8	-	-	-	33.1	15.1	10.4	7.8	15.7	6.7	-	*	0.5	8.6	100.0
SCURRY	-	1.9	-	-	*	40.8	3.8	4.1	-	*	16.2	-	13.7	2.7	16.4	100.0
TOM GREEN	-	5.1	-	-	-	17.6	16.9	40.4	-	0.5	-	-	1.2	1.2	17.1	100.0
ALL OTHER	3.0	6.7	-	1.9	1.3	22.8	4.6	33.4	*	1.2	3.6	-	0.7	4.6	16.0	100.0
OFFICE TOTAL	1.1	3.4	1.0	2.7	5.4	25.5	7.2	18.1	0.9	6.6	5.9	1.7	3.6	2.1	14.8	100.0

1/ A portion of this county is served by Lamesa Classing office. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	CARGILL LANKART PR-75	CARGILL LANKART 175	CARGILL LANKART 511	CARGILL PAY-MASTER HS 200	CARGILL PAY-MASTER HS 26	CARGILL PAY-MASTER 145	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	RANGER BB 53	ROSEBUD PR 80	STONE-VILLE 453	TAMCOT CAB-CS	TAMCOT CD3H	TAMCOT HQ-90	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
OKLAHOMA:																
BECKHAM	-	-	7.9	5.0	74.3	3.9	-	-	-	-	-	-	-	-	8.9	100.0
CADDO	-	-	-	-	41.4	14.4	-	-	-	-	-	-	-	-	44.2	100.0
GREER	41.0	-	-	-	16.0	4.5	-	-	-	-	-	-	-	-	38.5	100.0
HARMON	-	-	5.0	-	35.0	20.0	-	-	-	-	-	-	-	-	40.0	100.0
JACKSON	-	-	-	22.0	26.0	-	27.0	15.0	-	-	-	-	-	-	10.0	100.0
KIOWA	-	-	-	11.2	24.4	-	-	-	-	-	-	20.3	-	-	44.1	100.0
TILLMAN	-	17.9	2.9	3.6	1.4	1.4	2.1	3.6	-	-	15.7	12.1	15.7	-	23.6	100.0
WASHITA	11.1	-	11.1	11.1	30.7	19.4	-	-	-	-	-	4.4	-	-	12.2	100.0
ALL OTHER	25.9	-	3.3	12.8	24.8	11.7	0.6	-	-	5.7	-	-	-	0.9	14.2	100.0
TOTAL	5.6	5.5	3.2	8.7	21.9	6.1	5.0	3.5	-	0.5	4.8	6.7	4.8	*	23.7	100.0
TEXAS:																
COLLINGSWORTH	-	-	-	10.0	25.0	-	-	-	-	-	10.0	25.0	10.0	20.0	-	100.0
HALL	-	-	-	20.0	56.7	21.7	-	-	-	-	-	-	-	-	1.6	100.0
MOTLEY	-	-	-	-	55.0	-	-	-	40.0	-	-	-	-	-	5.0	100.0
WILLBARGER	-	-	2.0	6.1	46.1	11.7	6.1	-	-	-	-	-	-	-	28.0	100.0
ALL OTHER	-	1.7	4.1	20.4	47.3	10.2	0.0	-	-	4.0	-	2.9	-	-	9.5	100.0
TOTAL	-	0.8	2.1	15.4	46.8	10.7	0.9	-	3.0	1.8	1.3	4.5	1.3	2.5	9.0	100.0
OFFICE TOTAL 1/	2.2	2.7	2.6	12.7	36.7	8.8	2.5	1.4	1.8	1.3	2.7	5.3	2.7	1.5	15.1	100.0

1/ Includes small acreages in Kansas. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 4. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE SUREGROW DES-119	DELTA-PINE 20	DELTA-PINE 41	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS 46	STONE-VILLE KC 311	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	SUREGROW 1001	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ALABAMA:																
CHEROKEE	-	-	-	40.0	1.5	-	20.4	3.4	-	-	12.0	9.1	-	12.1	1.5	100.0
DALLAS	61.9	-	24.0	-	-	-	-	-	14.1	-	-	-	-	-	-	100.0
LAWRENCE	-	21.0	35.3	6.7	7.2	-	3.0	13.3	3.0	1.3	0.8	-	-	4.1	4.3	100.0
LIMESTONE	-	6.1	2.5	-	*	-	62.1	23.4	1.3	-	3.2	*	0.7	-	*	100.0
MADISON	-	-	-	36.5	-	14.9	1.1	39.2	1.0	-	4.1	-	-	-	3.2	100.0
ALL OTHER	27.1	10.8	12.4	6.1	2.4	*	6.6	12.2	9.4	1.4	2.5	-	3.2	4.4	1.1	100.0
OFFICE TOTAL 1/	16.6	9.3	12.6	9.6	2.1	1.8	14.2	16.9	6.0	0.8	3.0	0.6	1.7	3.2	1.5	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 5. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	ALL-TEX QUICKIE	DELTA-PINE DP 5415	DELTA-PINE SURE-GROW DES-119	DELTA-PINE 20	DELTA-PINE 41	DELTA-PINE 50	DELTA-PINE 51	G & P GP 74+	STONE-VILLE KC 311	STONE-VILLE 453	STONE-VILLE 907	SURE-GROW 1001	TAMCOT CAB-CS	TAMCOT HQ-95	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
NUECES	8.2	21.8	-	-	-	10.5	15.9	4.5	25.5	1.1	-	-	5.4	5.8	1.3	100.0
SAN PATRICIO	5.6	14.4	0.6	-	-	44.9	9.4	4.2	0.6	1.1	*	-	10.1	6.7	2.0	100.0
ALL OTHER	0.6	15.2	3.8	22.2	1.4	29.9	8.1	1.5	-	5.6	6.5	1.6	1.3	-	2.3	100.0
OFFICE TOTAL	3.7	16.3	2.0	10.7	0.7	30.9	10.0	3.0	5.2	3.3	3.2	0.8	4.9	3.3	2.0	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 6. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	DELTA-PINE ACALA 90	DELTA-PINE DP-5415	DELTA-PINE SUREGROW DES-119	DELTA-PINE 20	DELTA-PINE 41	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS-46	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	STONE-VILLE 907	TERRA C-30	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ARKANSAS:																
ASHLEY	1.3	0.8	3.8	39.7	3.8	23.7	9.8	1.8	14.2	10.2	0.7	3.9	-	1.3	0.5	115.5
DESHA	-	1.4	-	0.6	-	49.9	15.5	1.3	5.2	18.8	5.1	-	-	0.8	1.4	100.0
JEFFERSON	-	*	2.2	2.4	-	44.2	3.5	1.3	29.8	5.6	*	3.3	2.6	4.5	*	100.0
LINCOLN	3.2	-	-	-	-	34.9	60.0	1.3	-	0.6	-	-	-	-	-	100.0
LONOKE	1.2	3.4	13.4	3.9	-	31.7	23.4	9.1	6.6	1.6	1.6	1.1	1.0	0.8	1.2	100.0
ALL OTHER	1.2	13.8	15.0	16.4	2.6	16.1	14.3	8.6	9.8	0.9	-	*	-	0.6	0.5	100.0
OFFICE TOTAL	1.0	7.5	9.2	12.7	1.7	26.6	15.4	5.5	12.1	4.3	0.7	1.2	0.5	1.3	0.5	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 7. El Paso Classing Office; Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1992

STATE AND COUNTY	ACALA 1517 E-2	ACALA 1517-75	ACALA 1517-77	ACALA 1517-88	ACALA 1517-91	CARGILL PAY-MASTER HS 26	CARGILL PAY-MASTER HS-28	CHEMBRED CB 219	DEL CERRO	DELTA-PINE ACALA 90	DELTA-PINE DP 5690	DUNN 400	STONE-VILLE KC 311	STONE-VILLE 506	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
TOTAL	-	-	-	7.9	-	-	-	-	-	51.1	4.6	-	32.8	-	3.6	100.0
NEW MEXICO:																
EDDY	0.5	-	79.5	2.8	3.8	0.9	6.7	-	-	4.4	-	-	-	-	1.4	100.0
ALL OTHER	3.0	16.5	27.2	18.1	5.5	3.6	-	-	-	1.7	0.9	20.6	-	-	3.1	100.0
TOTAL	2.2	11.2	43.8	13.2	5.0	2.8	2.1	-	-	2.5	0.6	14.0	-	-	2.5	100.0
ARIZONA:																
COCHISE	9.8	13.7	3.9	14.9	-	7.8	-	14.5	7.3	19.0	-	-	-	-	9.2	100.0
ALL OTHER	-	-	-	13.3	-	-	-	-	-	61.0	-	-	17.0	5.5	3.3	100.0
TOTAL	5.3	7.5	2.1	14.1	-	4.3	-	7.9	4.0	38.0	-	-	7.7	2.5	6.5	100.0
OFFICE TOTAL	3.0	8.6	24.1	12.9	2.7	3.0	1.1	2.8	1.4	20.6	0.8	7.5	6.5	0.9	4.1	100.0

NOTE: Totals may not add due to rounding.

Table 8. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1992

STATE AND COUNTY	CAROLINA ES-300	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE SUREGROW DES-119	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS 46	STONE-VILLE COKER 315	STONE-VILLE COKER 320	STONE-VILLE KC311	STONE-VILLE 453	SUREGROW 1001	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
NORTH CAROLINA																
CLEVELAND	-	24.1	3.9	0.5	12.2	-	-	-	2.1	-	-	6.2	-	-	51.0	100.0
HALIFAX	-	*	5.3	-	22.1	30.0	16.3	-	13.8	-	-	-	-	-	12.1	100.0
NORTHAMPTON	-	5.5	4.0	5.0	16.0	13.0	18.3	11.5	3.0	-	3.8	3.8	2.8	-	13.3	100.0
ALL OTHER	-	8.0	7.1	4.5	10.2	12.5	17.6	4.7	11.1	0.8	3.9	5.9	4.8	1.5	7.4	100.0
TOTAL	-	7.1	6.7	4.1	11.9	14.2	17.4	4.7	10.7	0.7	3.5	5.1	4.1	1.2	8.5	100.0
SOUTH CAROLINA																
LEE	1.6	32.3	1.5	1.7	14.1	0.8	-	*	14.2	3.4	14.3	5.3	3.7	1.7	5.1	100.0
MARLBORO	-	28.4	4.6	4.6	1.9	-	-	-	-	-	22.7	25.2	3.7	5.9	3.0	100.0
SUMTER	-	42.3	-	19.2	15.4	-	-	-	3.9	3.8	3.9	-	-	7.7	3.8	100.0
ALL OTHER	13.6	34.0	3.6	4.1	3.1	3.4	1.1	1.6	7.0	2.7	5.8	14.7	1.2	0.5	3.6	100.0
TOTAL	8.5	33.5	3.1	4.9	5.9	2.2	0.7	1.0	7.1	2.5	9.6	13.3	1.9	2.0	3.8	100.0
VIRGINIA																
TOTAL	-	35.1	-	13.7	2.6	20.4	24.5	-	3.7	-	-	-	-	-	-	100.0
OFFICE TOTAL	2.7	16.7	5.3	4.7	9.6	10.6	12.3	3.4	9.3	1.2	5.3	7.6	3.3	1.4	6.7	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 9. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	CHEMBRED CB 1135	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE SUREGROW DES-119	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS 46	STONE-VILLE LA-887	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSISSIPPI:																
BOLIVAR	-	-	47.2	-	21.6	14.7	14.7	-	-	-	1.8	-	-	-	-	100.0
COAHOMA	-	-	1.1	0.6	59.3	-	16.6	-	-	-	16.6	-	0.6	5.2	-	100.0
HINDS	9.0	6.0	10.0	-	20.0	3.0	23.0	12.0	8.0	-	5.0	-	-	4.0	-	100.0
HOLMES	-	-	-	-	7.0	41.8	22.3	25.9	-	-	1.8	-	-	1.2	-	100.0
HUMPHREYS	-	-	-	-	3.8	11.5	58.5	22.4	-	-	3.8	-	-	-	-	100.0
LEFLORE	-	-	11.8	0.6	34.7	23.0	17.7	8.9	-	-	3.3	-	-	-	-	100.0
MADISON	-	20.1	8.7	16.2	24.3	-	14.0	7.9	-	-	3.5	0.9	-	-	4.4	100.0
QUITMAN	4.1	-	8.1	-	20.0	17.8	40.0	-	-	-	5.9	-	-	-	4.1	100.0
SHARKEY	0.8	1.0	15.6	-	11.0	12.0	44.1	14.5	-	-	-	1.0	-	-	-	100.0
SUNFLOWER	-	-	-	-	17.6	16.8	50.2	5.9	-	-	7.8	1.7	-	-	-	100.0
TALLAHATCHIE	-	35.1	23.2	-	-	15.4	26.3	-	-	-	-	-	-	-	-	100.0
TUNICA	-	-	31.3	-	25.3	-	31.3	-	-	12.1	-	-	-	-	-	100.0
WASHINGTON	-	16.1	8.3	-	7.3	-	46.9	21.4	-	-	-	-	-	-	-	100.0
YAZOO	0.6	0.6	10.0	-	1.9	20.6	40.6	15.9	1.1	-	1.1	-	6.8	0.8	-	100.0
ALL OTHER	0.6	2.6	7.5	1.6	14.9	17.5	37.6	8.2	2.5	0.5	1.9	2.4	-	0.5	1.7	100.0
OFFICE TOTAL	0.5	4.9	11.0	0.9	17.7	14.0	34.1	9.8	0.6	0.5	3.4	0.7	0.6	0.7	0.6	100.0

NOTE: Totals may not add due to rounding.

Table 10. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE SURE-GROW DES-119	DELTA-PINE 20	DELTA-PINE 41	DELTA-PINE 50	DELTA-PINE 51	G & P GP 74+	HYPER-FORMER HS 46	STONE-VILLE KC311	STONE-VILLE 453	SUREGROW 1001	TERRA C-30	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
CAMERON	10.1	12.8	29.0	-	1.3	-	5.3	19.0	2.4	3.3	4.7	1.4	7.2	-	3.6	100.0
HIDALGO	1.9	21.3	8.7	3.1	4.0	-	25.4	20.7	-	*	3.7	1.0	3.2	3.5	3.5	100.0
WILLACY	*	10.5	8.1	-	0.9	1.9	36.5	28.8	0.5	2.4	2.2	-	4.5	*	3.2	100.0
ALL OTHER	-	40.0	-	-	-	-	40.0	-	-	-	-	-	-	20.0	-	100.0
OFFICE TOTAL	3.9	14.8	14.9	0.9	1.9	0.7	23.4	22.8	1.0	2.0	3.4	0.7	4.9	1.4	3.4	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 11. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	CHEMBRED CB 1135	CHEMBRED CB 333	DELTA-PINE DP 5415	DELTA-PINE SUREGROW DES-119	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS 46	MD-51	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	STONE-VILLE 907	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
MISSOURI:																
DUNKLIN	*	*	5.9	1.9	18.6	45.4	6.8	-	-	11.6	6.7	-	*	2.0	*	100.0
NEW MADRID	-	*	2.8	10.4	*	16.4	7.4	-	-	22.8	34.9	-	3.8	1.0	-	100.0
PEMISCOT	1.2	2.1	5.0	3.2	2.0	11.4	3.2	-	-	42.2	20.8	4.0	1.7	2.0	1.2	100.0
ALL OTHER	*	*	7.2	0.5	13.5	35.9	5.7	*	-	32.1	3.3	-	*	0.8	-	100.0
TOTAL	*	0.7	5.0	4.3	9.9	30.1	6.1	*	-	22.5	16.7	0.8	1.5	1.6	*	100.0
ARKANSAS:																
CRAIGHEAD	0.5	-	7.9	5.7	42.1	12.7	20.7	*	-	7.7	1.9	-	-	-	0.5	100.0
MISSISSIPPI	1.3	*	4.5	4.5	12.4	53.9	7.4	1.0	0.5	8.2	4.7	-	0.8	*	*	100.0
POINSETT	-	-	13.1	1.8	26.3	13.5	12.9	3.1	-	27.8	1.1	-	-	*	-	100.0
ALL OTHER	0.5	-	0.6	12.4	7.8	60.5	0.6	-	-	7.4	9.6	0.6	-	-	-	100.0
TOTAL	0.8	*	6.2	5.2	20.9	38.7	10.6	1.1	*	11.1	4.0	*	*	*	*	100.0
OFFICE TOTAL	0.6	*	5.7	4.8	15.8	34.7	8.5	0.6	*	16.4	9.9	*	0.9	0.9	*	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 12. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	ACALA 1517 E-2	ALL-TEX QUICKIE	CARGILL PAY-MASTER HS 200	CARGILL PAY-MASTER HS 26	CARGILL PAY-MASTER 145	CASCOT C-13	DELTA-PINE ACALA 90	RANGER BB 53	RANGER BTO-72	SEEDCO DELTA-PINE SR-383	TAMCOT CAB-CS	TAMCOT CAMB-E	TAMCOT CD3H	TAMCOT SP21	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
DAWSON	-	-	*	79.7	1.3	-	0.5	-	-	2.1	0.6	-	-	13.0	2.5	100.0
GAINES 1/	-	4.7	17.2	65.4	4.8	-	-	1.6	-	4.9	-	-	-	-	1.4	100.0
LYNN 1/	-	-	-	87.3	3.9	-	-	-	-	-	-	-	3.8	-	5.0	100.0
MARTIN 2/	-	-	4.6	36.9	4.6	-	7.9	-	-	-	17.6	-	-	10.7	17.6	100.0
ALL OTHER	2.4	5.1	39.5	10.0	8.0	2.6	7.7	2.4	2.4	2.9	9.1	2.8	-	-	5.2	100.0
OFFICE TOTAL 3/	0.6	3.1	17.0	55.3	4.8	0.7	2.5	1.2	0.6	3.0	3.3	0.7	*	3.0	3.8	100.0

1/ A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office. 3/ Includes small acreages in New Mexico. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 13. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	ALL-TEX QUICKIE	ALL-TEX E-2	BROWN & GREEN	CARGILL PAY-MASTER HS 26	CARGILL PAY-MASTER HS200	CARGILL PAY-MASTER 145	CARGILL PAY-MASTER 892	DUNN 400	RANGER BB 53	RANGER TM 62	SEEDCO COKER 500	SEEDCO DELTA-PINE SR-383	SOUTH-WEST 222	TAMCOT CAMD-E	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
BAILEY	46.3	8.2	-	-	15.0	15.5	-	-	-	-	-	-	-	-	15.0	100.0
CASTRO	-	1.1	-	-	41.8	52.7	-	-	-	-	-	-	-	-	4.4	100.0
COCHRAN	100.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
CROSBY	-	-	-	29.2	3.0	49.2	-	-	-	14.8	-	1.0	-	1.0	1.8	100.0
FLOYD	-	-	-	35.0	48.6	9.6	-	-	-	-	-	-	-	-	6.8	100.0
HALE	2.5	-	-	25.3	33.9	25.3	7.2	-	-	-	-	-	-	-	5.8	100.0
HOCKLEY	4.0	-	-	76.7	3.6	7.9	-	-	-	-	-	1.6	-	3.4	2.8	100.0
LAMB	7.5	-	-	20.7	35.7	34.3	-	-	-	-	-	-	-	-	1.8	100.0
LUBBOCK	-	-	14.6	18.3	36.6	26.5	-	-	1.6	-	-	-	-	-	2.4	100.0
LYNN 1/	4.6	-	-	65.8	3.8	0.8	0.8	3.8	1.9	0.8	5.8	10.4	-	-	1.5	100.0
PARMER	*	*	-	46.7	52.7	-	-	-	-	-	-	-	-	-	-	100.0
SWISHER	-	-	-	-	12.8	71.1	7.6	-	-	-	-	-	-	-	8.5	100.0
TERRY 1/	3.3	-	-	70.3	17.1	2.8	-	-	-	-	-	-	4.3	-	2.2	100.0
YOAKUM 1/	-	-	-	50.0	15.0	25.0	-	-	-	-	-	-	-	-	10.0	100.0
ALL OTHER	3.8	1.9	-	38.1	30.2	12.4	*	-	6.1	2.2	-	-	-	-	4.9	100.0
OFFICE TOTAL 2/	5.2	*	1.2	48.1	18.3	15.5	0.7	0.5	1.2	1.5	0.8	1.7	0.9	0.5	3.6	100.0

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 14. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	CHEMBRED CB 1135	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE SURE-GROW DES-119	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS-46	STONE-VILLE KC 311	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	STONE-VILLE 907	SUREGROW 1001	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
GEORGIA:																
BURKE	-	41.8	12.7	12.7	6.4	-	6.4	18.2	-	-	-	-	-	-	1.8	100.0
COLQUITT	1.1	79.5	1.7	6.1	1.0	0.8	1.2	7.1	-	-	-	-	-	*	1.1	100.0
DOOLY	*	37.2	16.9	10.3	3.7	4.9	2.3	-	*	3.6	0.7	-	10.1	5.6	4.2	100.0
ALL OTHER	0.7	54.1	5.6	11.8	6.6	1.2	5.0	2.3	1.8	1.9	0.8	3.0	*	2.3	2.8	100.0
OFFICE TOTAL 1/	0.6	52.9	7.5	11.3	5.7	1.5	4.5	3.6	1.3	1.9	0.6	2.1	1.4	2.4	2.8	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 15. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	CHEMBRED CB 1135	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE SURE-GROW DES-119	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS 46	MD-51	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	STONE-VILLE 907	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TENNESSEE:																
CROCKETT	-	-	6.6	2.9	19.4	53.3	-	-	-	12.1	3.7	*	1.6	-	*	100.0
FAYETTE	-	-	-	6.7	19.3	53.6	-	-	-	16.3	-	4.1	-	-	-	100.0
GIBSON	3.9	-	-	-	37.6	24.9	18.4	-	-	14.9	-	*	-	-	-	100.0
HARDEMAN	7.4	-	-	-	30.9	37.7	17.0	-	-	1.7	-	3.9	-	-	1.4	100.0
HAYWOOD	-	-	7.4	1.1	30.9	47.9	-	-	-	8.4	4.3	-	-	-	-	100.0
LAUDERDALE	-	-	-	0.8	11.4	57.1	3.4	-	-	20.4	4.3	-	-	-	2.6	100.0
MADISON	-	-	-	7.9	13.8	47.5	16.7	-	-	11.3	2.8	-	-	-	-	100.0
SHELBY	-	-	11.1	-	21.3	51.8	-	-	-	-	12.6	-	-	3.2	-	100.0
TIPTON	-	-	-	4.4	22.4	56.1	0.6	0.9	-	11.1	0.7	-	-	-	3.8	100.0
ALL OTHER	0.9	-	2.0	4.4	27.0	36.0	8.5	1.4	-	16.8	1.7	-	-	0.6	0.7	100.0
TOTAL	0.8	-	2.9	2.9	23.9	46.3	5.8	*	-	12.6	2.7	*	*	*	0.9	100.0
ARKANSAS:																
CRITTENDEN	2.2	-	2.2	-	17.4	52.3	8.7	-	-	15.3	-	1.9	-	-	*	100.0
LEE	-	-	7.8	-	21.7	21.1	-	-	-	37.8	6.6	-	-	-	5.0	100.0
PHILLIPS	-	-	59.4	3.7	-	17.3	-	1.3	-	7.4	1.8	7.4	-	-	1.7	100.0
ST. FRANCIS	0.8	19.7	6.2	14.6	7.8	13.8	2.5	-	8.8	18.7	4.1	-	2.1	-	0.9	100.0
ALL OTHER	-	-	9.1	15.9	11.4	6.8	54.5	-	-	2.3	-	-	-	-	*	100.0
TOTAL	0.8	1.6	20.9	3.0	12.4	29.0	5.6	*	0.7	18.4	2.5	2.8	*	-	1.8	100.0
MISSISSIPPI:																
MARSHALL	-	-	-	-	29.7	23.8	-	-	-	24.4	18.1	-	4.0	-	-	100.0
TATE	-	-	-	18.0	-	48.0	24.0	-	-	-	4.0	6.0	-	-	-	100.0
ALL OTHER	4.7	2.9	2.4	12.1	9.4	42.8	12.5	-	-	7.1	3.4	1.6	0.6	*	*	100.0
TOTAL	4.0	2.5	2.0	11.3	10.8	41.3	12.0	-	-	8.3	4.8	1.7	0.9	*	*	100.0
OFFICE TOTAL	1.5	0.8	5.9	4.8	19.0	42.1	7.1	*	*	12.7	3.1	1.1	*	*	0.9	100.0

1/ * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 16. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	DELTA-PINE Acala 90	DELTA-PINE DP 5415	DELTA-PINE DP 5461	DELTA-PINE DP 5690	DELTA-PINE DP 5816	DELTA-PINE 20	DELTA-PINE 41	DELTA-PINE 50	DELTA-PINE 51	DELTA-PINE 77	HYPER-FORMER HS 46	STONE-VILLE 453	SURE-GROW 1001	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ARIZONA:																
MARICOPA	8.9	58.2	1.3	2.3	8.5	5.8	*	-	0.9	2.2	1.3	1.4	6.2	*	2.6	100.0
PINAL	25.1	50.5	2.9	*	1.2	6.4	0.8	*	0.9	*	4.1	2.6	0.5	-	4.5	100.0
YUMA	1.8	54.4	2.8	3.0	-	*	1.4	21.0	8.7	-	1.0	-	1.3	0.8	3.4	100.0
ALL OTHER	7.7	52.0	1.3	*	12.0	4.2	-	4.1	1.6	1.2	2.8	-	2.8	3.2	6.6	100.0
TOTAL	14.4	52.8	2.0	1.3	5.0	6.8	0.5	2.0	1.5	1.1	2.4	2.1	3.4	0.6	4.2	100.0
CALIFORNIA:																
TOTAL 1/	10.7	59.9	12.4	5.0	-	7.4	-	*	-	2.7	-	1.3	*	-	*	100.0
OFFICE TOTAL	14.1	53.4	2.9	1.6	4.5	6.9	0.5	1.8	1.4	1.2	2.2	2.0	3.1	0.6	3.9	100.0

1/ Includes Imperial and Riverside Counties. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 17. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1992

STATE AND PARISH	DELTA-PINE Acala 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE SURE-GROW DES-119	DELTA-PINE 20	DELTA-PINE 41	DELTA-PINE 50	DELTA-PINE 51	HYPER-FORMER HS 46	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	SURE-GROW 1001	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
LOUISIANA:																
CADDO	9.8	2.7	6.5	25.1	10.9	-	27.1	7.2	1.2	2.9	-	-	-	-	6.6	100.0
EAST CARROLL	24.1	6.6	16.4	-	8.0	-	27.2	7.5	1.2	4.5	1.0	-	-	-	3.5	100.0
FRANKLIN	15.3	12.9	11.0	1.2	16.2	-	3.9	13.2	2.7	7.3	-	6.4	4.8	2.4	2.7	100.0
MOREHOUSE	10.7	13.9	-	-	26.8	11.3	13.1	7.8	5.3	1.6	-	-	1.8	6.1	1.6	100.0
RAPIDES	5.0	10.3	4.0	-	42.8	6.6	5.9	14.4	-	2.9	6.6	-	-	-	1.5	100.0
RICHLAND	16.2	2.1	15.8	1.0	5.2	-	18.5	24.5	3.9	4.5	4.5	-	-	2.4	1.4	100.0
TENSAS	12.8	9.9	13.2	-	23.3	10.0	2.9	6.1	21.8	-	-	-	-	-	*	100.0
WEST CARROLL	47.3	-	29.6	-	-	-	7.2	-	-	7.2	1.4	1.4	-	-	5.9	100.0
ALL OTHER	9.8	19.5	9.3	4.8	16.8	4.3	4.1	12.8	8.4	2.7	3.0	1.1	-	-	3.4	100.0
OFFICE TOTAL 1/	15.2	11.3	11.3	2.7	16.0	3.6	9.8	11.8	6.2	3.7	1.8	1.4	1.0	1.3	2.7	100.0

1/ Includes some small acreage from Mississippi. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 18. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	ACALA SJ-5	CPCSD ACALA MAXXA	CPCSD ACALA PREMA	CPCSD ACALA ROYALE	CPCSD ACALA SJ-2	DELTA-PINE DP 6166 ACALA	GERMAIN'S ACALA GC-356	GERMAIN'S ACALA GC-510							OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
CALIFORNIA:																
FRESNO	-	24.2	0.7	10.5	20.7	3.4	1.5	39.0							*	100.0
KERN	1.0	21.5	9.3	20.6	31.9	1.9	2.6	10.4							0.8	100.0
KINGS	-	20.0	1.0	11.0	33.0	2.0	9.0	24.0							-	100.0
MADERA	0.5	24.7	2.5	12.9	18.8	2.2	5.4	33.1							-	100.0
MERCED	3.2	19.1	0.6	3.7	10.0	3.1	2.7	57.7							-	100.0
TULARE	*	26.2	2.3	8.9	19.3	4.6	2.5	35.9							-	100.0
OFFICE TOTAL	0.5	22.6	2.8	11.9	24.3	2.9	3.8	31.0							*	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 19. Waco Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1992

STATE AND COUNTY	ALL-TEX MAX-9	CARGILL LANKART SELECTION 611	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	G & P GP 74+	HYPER-FORMER HS 46	STONE-VILLE 112	STONE-VILLE 453	STONE-VILLE 825	SURE-GROW 1001	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
BRAZOS	-	-	5.0	20.0	-	-	20.0	30.0	-	-	10.0	5.0	10.0	-	-	100.0
ELLIS	10.0	-	50.0	10.0	5.0	-	-	-	-	-	-	-	-	25.0	-	100.0
FT BEND	-	-	-	5.0	-	17.7	22.3	27.3	-	15.0	-	12.7	-	-	-	100.0
HILL	2.1	-	27.7	3.4	1.0	1.4	22.3	9.4	14.1	-	-	-	-	-	18.6	100.0
NAVARRO	0.9	-	33.3	46.7	2.3	1.8	10.0	5.0	-	-	-	-	-	-	-	100.0
ROBERTSON	-	-	3.2	13.4	0.7	1.6	6.3	62.2	-	-	1.6	1.6	6.3	-	3.1	100.0
WILLIAMSON	7.5	-	48.9	30.5	12.4	-	-	-	-	*	-	-	-	*	*	100.0
ALL OTHER	16.3	3.3	18.3	9.4	3.0	3.6	16.0	7.9	1.3	13.0	-	*	1.5	0.7	5.3	100.0
OFFICE TOTAL	9.2	1.4	24.0	15.4	3.8	2.5	11.7	13.7	1.4	6.2	0.9	1.2	2.0	2.8	3.7	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 20. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1992

State	Pima S-5	Pima S-6	Pima S-7	GERMAIN'S 253	TOTAL
	Percent	Percent	Percent	Percent	Percent
Arizona	2.0	84.8	12.9	*	100.0
California	-	99.4	*	0.5	100.0
New Mexico	-	98.5	1.5	-	100.0
Texas	-	98.7	1.3	-	100.0
All Other 1/	-	100.0	-	-	100.0
United States	0.8	93.5	5.4	*	100.0

1/ Includes small acreages in Alabama and Mississippi.
* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1992

Classing Offices	Pima S-5	Pima S-6	Pima S-7	GERMAIN'S 253	TOTAL
	Percent	Percent	Percent	Percent	Percent
Corpus Christi:	-	100.0	-	-	100.0
El Paso:					
Arizona	-	97.9	2.1	-	100.0
New Mexico	-	98.5	1.5	-	100.0
Texas	-	98.5	1.5	-	100.0
Office total 1/	-	98.3	1.7	-	100.0
Phoenix:					
Arizona	2.7	80.3	16.5	*	100.0
California	-	17.0	3.0	80.0	100.0
Office total	2.7	79.8	16.4	1.1	100.0
Visalia	-	100.0	-	-	100.0

1/ Includes small acreages in Lamesa Classing Office area.
* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

