

**COTTON
VARIETIES PLANTED
1993 CROP**



***UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee***

September 1993

Cotton Varieties Planted, United States
1993 Crop

Deltapine owned varieties were the most popular upland cotton planted in the United States for the 1993-94 season, according to the Cotton Division, Agricultural Marketing Service, USDA. Cargill owned varieties were the second most popular followed by Stoneville, CPCSD, DES and Hyperformer.

Deltapine owned varieties were the most popular planted in 1993, accounting for 40.0 percent of the United States acreage. These varieties lead in Alabama, Arizona, Arkansas, Georgia, Louisiana, Mississippi, Missouri, North Carolina, South Carolina, Tennessee and Virginia. The most popular Deltapine variety was Deltapine 50 which accounted for slightly over 12 percent of the United States acreage planted.

Cargill owned varieties were the second most popular planted in 1993, accounting for 30.1 percent of the United States acreage. These varieties were the most popular planted in Texas and Oklahoma and were the second most popular in New Mexico. Paymaster HS 26 was the most popular Cargill owned variety and accounted for about 18.7 percent of the U.S. acreage.

Stoneville owned varieties were the third most popular planted in 1993. These varieties accounted for 7.5 percent of the U.S. acreage. These varieties were the second most popular planted in Alabama, Arkansas, Georgia, Louisiana, Missouri, North Carolina, Oklahoma, South Carolina, Tennessee and Virginia. The leading Stoneville variety was Stoneville 453, accounting for 3.5 percent of the U.S. acreage planted.

CPCSD (California Planting Cotton Seed Distributors) varieties were the next most popular and accounted for 6.3 percent of the acreage planted in 1993. CPCSD varieties were the most popular planted in California. Acala Maxxa was the most popular variety of CPCSD planted and accounted for about 4.8 percent of the U.S. acreage.

DES variety 119 was the fifth most popular group planted in 1993, accounting for 3.5 percent of the U.S. acreage. DES-119 was the second most popular variety planted in Mississippi and Virginia.

Hyperformer was the sixth most popular variety planted and accounted for 2.1 percent of the 1993 acreage. Hyperformer HS 46 was their most popular, at 2.0 percent of the total U.S. acreage.

Pima S-7 was the most popular American Pima variety planted in 1993. This variety accounted for 58.6 percent of the United States acreage and accounted for virtually 73 percent of the American Pima acreage in California and about 67 percent of the acreage in Arizona. Pima S-6 accounted for about 33 percent of the Arizona acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 1993 by counties, classing offices and states are presented in this report. The variety data are based primarily on estimates furnished by cotton ginners for the territories served by their gins.

Estimated percentage of upland cotton acreage planted to leading specified varieties, by growth areas, 1993 crop

SOUTHEASTERN	DELTA ACALA 90	DELTA DP 5415	DELTA DP 5690	DELTA 51	DELTA 50	HYPER HS 46	DES-119
	21.5	11.7	9.0	8.3	8.2	6.2	4.5
SOUTH CENTRAL	DELTA 50	DELTA 20	DELTA 51	STONE 453	DELTA DP 5415	DES-119	HYPER HS 46
	29.2	17.6	11.2	7.2	6.5	6.1	2.5
SOUTHWEST	CARGILL PAYMASTER HS 26	CARGILL PAYMASTER HS 200	CARGILL PAYMASTER 145	DELTA 50	DELTA DP 5415	DELTA ACALA 90	DELTA 51
	41.1	18.2	4.8	3.9	3.5	3.1	2.9
WEST	CPCSD MAXXA	DELTA DP 5415	GERMAIN'S GC-510	CPCSD ROYALE	CPCSD SJ-2	CPCSD M-5	DELTA ACALA 90
	44.1	14.7	8.7	6.9	6.9	2.6	2.3

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 1993

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	OTHER	ALL	UNITED STATES
ACALA																		
1517-75		†							8.8									†
1517-77									22.3					†				†
1517-88		†							8.5									†
1517-91									10.0									†
M-5				3.5														†
ALL-TEX																		
ATLAS															1.0			†
MAX-9															0.6			†
BUICKIE										7.7					1.8			0.9
CARGILL																		
LANKART																		
LX-571										1.3								†
PR-75										7.3								†
175										1.3								†
511										3.0								†
LANKART SELECTION																		
57										1.9								†
611										1.1					0.5			†
HS 26									23.8						41.9			18.7
HS 200									17.7						18.5			8.3
145									0.6						5.1			2.3
CAROLINA																		
ES-300												7.1						†
CHEMBRED																		
CB 333		†																†
CB 407		†																†
CB 1135			0.9							1.6		3.0		1.0				5.2
CPESD																		
ACALA MAXXA																		4.8
ACALA PREMA																		†
ACALA ROYALE																		0.8
ACALA SU-2																		0.7
DELTAPINE																		
ACALA 90	17.7	8.4	†		†	43.4	8.3	0.9		2.2	4.4	2.1	26.4		3.4	3.5	6.3	4.8
DP 5415	7.3	59.8	6.8		1.5	12.8	14.9	8.2	2.5		10.4		20.4	1.3	3.7	3.3	19.9	7.0
DP 5461		0.6			0.6													†
DP 5690	15.5	5.1			†	15.9	7.4	†		†	3.2		6.0		1.4		13.6	2.5
DP 5816		2.3																†
DP 6166 ACALA																		†
20	1.1	5.1	18.0		†	0.5	12.1	15.1	18.7		9.3		1.0	29.9	1.1	13.3		6.7
41		1.2			†	0.8												†
50	16.8	2.3	33.5	†	0.8	10.5	37.4	23.6			11.8		†	34.2	4.2	15.0		12.3
51	20.3	†	14.5		6.1	12.9	10.5	7.6			11.4		0.9	7.0	3.1	11.7	33.1	6.3
DES-	119	6.2	0.8	5.7		2.9	1.5	16.2	3.5		12.1		5.3	3.8	†	25.0	2.4	3.5

Table 1. Continued

VARIETY	AL	AZ	AR	CA	GA	LA	MS	MD	NM	NC	OK	SC	TN	TX	VA	ALL OTHER STATES	UNITED STATES
																1/	2/
DUNN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
S & P	-	-	-	-	-	-	-	-	5.8	-	-	-	-	0.5	-	-	-
GERMAIN'S																	
ACALA 5C-356	-	-	-	1.1	-	-	-	-	-	-	-	-	-	-	-	-	-
ACALA 5C-510	-	-	-	11.7	-	-	-	-	-	-	-	-	-	-	-	-	0.9
5C-610	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-
HOLLAND																	
850	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-
1919	-	-	-	-	-	-	-	-	-	-	0.9	-	-	0.5	-	-	2.2
HYPERFORMER																	
HS 23	-	-	-	-	-	-	-	-	-	2.5	-	-	0.9	-	-	-	-
HS 46	4.5	1.7	0.9	-	4.5	11.6	1.0	†	-	12.9	-	8.4	1.0	†	13.0	7.7	2.0
RANGER																	
BB 53	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-
ROSEBUD																	
PR-80	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	0.6
SEEDCO																	
SOUTHLAND M-1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-
STONEVILLE																	
COKER	-	-	-	-	†	-	-	-	-	1.5	-	1.9	-	-	-	-	-
220	-	-	-	-	-	-	-	-	0.6	†	-	-	-	-	-	-	-
MCNAIR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONEVILLE	1.2	2.0	-	-	2.2	0.8	-	-	-	5.3	-	14.6	-	0.5	-	4.4	0.8
LA-887	†	0.5	0.5	-	-	7.8	2.1	†	-	†	-	†	†	†	-	-	0.9
132	-	-	2.6	-	†	0.6	†	2.0	-	†	4.1	†	†	†	-	-	0.5
453	2.7	†	11.6	-	1.0	3.7	4.4	24.0	-	4.8	3.8	†	15.2	†	6.7	4.9	3.5
506	-	-	2.7	-	†	1.1	1.0	11.7	-	-	1.6	-	4.1	-	-	3.9	1.0
825	2.3	-	0.5	-	1.1	2.3	0.6	0.9	-	-	-	-	†	-	-	-	†
907	1.5	-	6.8	-	1.5	†	†	1.5	-	2.5	-	†	-	-	-	1.5	†
SURE-BROW																	
1001	1.8	1.0	-	-	4.4	†	0.6	-	-	0.9	-	2.6	-	†	-	-	0.5
TAMCOT																	
CAB-SS	-	-	-	-	-	-	-	-	-	-	10.0	-	-	1.9	-	-	1.1
CAMD-E	-	-	-	-	-	-	-	-	-	-	2.4	-	-	-	-	-	-
CD3H	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	-
HQ-95	-	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	-
TERRA																	
C-40	-	†	†	-	-	0.9	†	†	-	-	-	-	0.9	-	-	-	†
C-207	†	†	†	-	-	-	-	0.5	-	-	-	-	-	-	-	-	†
H	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-
WESTBURN																	
ALL OTHER 3/	1.1	7.4	1.9	1.3	2.9	2.8	2.0	1.9	1.7	3.6	4.4	3.7	0.7	7.0	3.3	†	8.6
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes Florida and Kansas. 2/ Totals may not add to overall percentages shown for varieties on page 1 because of rounding and acreages accounting for less than 0.5 percent.
 3/ Includes all varieties accounting for less than 0.5 percent and all varieties not listed. † Less than 0.5 percent.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	ALL-TEX ATLAS	ALL-TEX QUICKIE	CARGILL LANKART SELECTION 611	CARGILL LANKART MASTER HS 200	CARGILL PAY-MASTER HS 26	DELTA-PINE ACALA 90	G & P GP 74+	HOLLAND 1919	RANGER 64-2	RANGER BB 53	ROSEBUD PR 80	TAMCOT CAB-CS	TAMCOT SPZ1	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
HASKELL	1.0	3.9	-	28.5	28.2	-	-	12.9	3.5	2.9	2.4	8.3	-	8.4	100.0
HOWARD 1/	-	-	-	19.0	26.3	-	11.0	-	-	-	-	43.7	-	-	100.0
JONES	-	11.0	25.6	23.0	18.6	-	5.6	-	-	4.1	1.8	-	-	10.3	100.0
KNOX	-	-	1.4	17.9	57.2	-	-	-	-	-	-	1.4	-	22.1	100.0
MARTIN 1/	3.2	0.7	-	17.3	42.5	7.5	16.1	-	-	-	-	7.7	-	5.0	100.0
RUNNELS	17.9	10.7	-	30.3	20.7	-	-	-	-	-	10.0	-	-	10.4	100.0
TOM GREEN	1.5	5.2	-	24.7	37.5	-	20.4	-	-	-	-	-	-	10.7	100.0
ALL OTHER	4.8	3.7	†	20.1	23.7	0.9	17.2	†	0.6	0.9	9.0	6.1	4.9	7.1	100.0
OFFICE TOTAL	3.5	4.2	2.8	21.7	27.7	1.0	11.6	0.6	1.7	1.2	5.3	7.4	2.4	8.1	100.0

1/ A portion of this county is served by Laesa Classing office. † Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 3. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	ALL-TEX QUICKIE PR-75	CARGILL LANKART PR-75	CARGILL LANKART 175	CARGILL LANKART 511	CARGILL PAY-MASTER HS 200	CARGILL PAY-MASTER HS 26	CARGILL PAY-MASTER HS 145	CHENBERD CB 1135	HOLLAND 850	HOLLAND 1919	STONE-VILLE 132	STONE-VILLE 453	TAMCOT CAB-CS	TAMCOT CUSH	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
OKLAHOMA:																
BECKHAM	-	-	-	20.0	12.5	55.0	5.0	-	-	-	-	-	-	-	7.5	100.0
CADDO	-	-	-	-	-	58.4	8.3	-	-	-	-	-	-	-	33.3	100.0
GREER	-	7.3	-	-	25.9	45.5	2.7	-	-	-	-	-	-	10.9	7.7	100.0
HARRISON	-	-	-	-	6.0	49.0	4.0	-	-	-	6.0	8.0	-	-	27.0	100.0
JACKSON	-	-	-	-	8.0	37.0	-	18.0	-	-	9.0	-	-	-	22.0	100.0
KIOWA	-	-	-	16.7	19.4	8.9	-	-	-	-	-	-	34.4	-	20.6	100.0
TILLMAN	25.4	6.4	4.2	-	4.2	12.2	2.2	-	-	-	7.3	10.9	15.4	2.2	9.6	100.0
WASHITA	-	26.1	-	-	7.0	34.8	9.1	-	-	-	-	-	-	-	23.0	100.0
ALL OTHER	-	21.7	-	-	34.2	6.8	-	-	-	9.5	-	-	-	1.8	26.0	100.0
TOTAL	7.7	7.3	1.3	3.0	11.1	25.8	2.7	3.0	-	0.9	4.1	3.8	10.0	1.3	18.0	100.0
TEXAS:																
COLLINGSWORTH	-	-	-	-	15.4	36.4	26.4	-	-	-	-	-	10.0	-	5.0	100.0
HALL	-	-	-	-	26.4	50.7	3.6	-	17.9	-	-	-	-	-	1.4	100.0
MOTLEY	-	-	-	-	40.0	55.0	-	-	-	-	-	-	-	-	5.0	100.0
WILLBARGER	-	-	-	-	20.2	44.4	-	-	-	-	-	-	-	-	15.4	100.0
ALL OTHER	-	-	3.9	2.8	21.1	58.5	2.5	-	-	3.9	-	-	1.6	-	5.6	100.0
TOTAL	-	-	1.8	1.3	22.7	54.8	5.2	-	3.4	1.8	-	-	2.0	0.9	6.0	100.0
OFFICE TOTAL 1/	3.2	3.0	1.6	2.0	17.9	42.7	4.1	1.2	2.0	1.6	1.7	1.6	5.3	1.0	11.0	100.0

1/ Includes small acreages in Kansas. † Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 4. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE ACALA 90	DELTA-PINE DP 5415	DELTA-PINE DP 5690	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	DES-119	HYPER-FORMER HS 46	STONE-VILLE KC 311	STONE-VILLE 453	STONE-VILLE 825	STONE-VILLE 907	SUREGROW 1001	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ALABAMA:															
CHEROKEE	-	6.3	-	-	9.7	16.0	31.2	1.6	-	20.9	-	-	14.3	-	100.0
DALLAS	36.6	-	57.7	-	-	-	-	5.7	-	-	-	-	-	-	100.0
LAWRENCE	-	26.6	30.0	5.0	12.3	10.1	3.4	4.2	-	-	-	1.7	2.5	4.2	100.0
LIMESTONE	-	1.8	-	*	46.6	48.6	-	-	-	1.2	-	0.6	-	1.0	100.0
MADISON	-	3.5	3.5	-	29.5	17.5	29.5	3.5	-	5.9	-	5.9	-	1.2	100.0
ALL OTHER	28.2	6.6	17.4	0.9	9.7	17.0	2.8	6.0	2.1	1.6	3.9	1.2	1.5	1.1	100.0
OFFICE TOTAL 1/	16.3	8.3	15.0	1.0	15.5	21.8	6.0	4.7	1.6	3.0	2.1	1.6	1.6	1.6	100.0

1/ Includes small acreages in Florida. * Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 5. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	ALL-TEX QUICKIE	DELTA-PINE DP 5415	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	DES-119	G & P GP 3774	G & P GP 74+	HOLLAND 850	STONE-VILLE KC 311	STONE-VILLE LA-887	STONE-VILLE 453	TANCOT CAB-CS	TANCOT HQ-95	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
TEXAS:																
NUECES	4.5	34.4	-	7.8	6.3	*	1.1	5.4	7.3	14.3	-	1.7	3.2	9.8	3.9	100.0
SAN PATRICIO	1.5	8.0	-	49.0	6.2	0.9	5.2	3.8	3.6	4.8	0.7	1.8	11.9	0.9	1.8	100.0
ALL OTHER	0.6	30.7	19.1	24.5	7.2	1.3	1.2	0.6	-	1.1	2.2	2.5	3.6	-	5.5	100.0
OFFICE TOTAL	1.8	23.4	7.7	29.3	6.6	0.9	2.6	2.9	3.0	5.6	1.1	2.1	6.5	2.7	3.8	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 6. Dumas Classing Office; Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE 5415	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	DES-119	HYPER-FORMER HS-46	STONE-VILLE LA-887	STONE-VILLE 132	STONE-VILLE 453	STONE-VILLE 506	STONE-VILLE 825	STONE-VILLE 907	TERRA C-30	TERRA C-40	OTHER	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
ARKANSAS:																
ASHLEY	45.4	22.4	-	1.8	1.8	-	12.9	5.0	3.2	0.7	5.7	5.7	-	-	0.9	100.0
DESHA	11.5	5.5	32.9	17.4	5.4	-	20.2	3.7	0.6	0.5	2.3	2.3	-	-	-	100.0
JEFFERSON	2.6	5.4	70.9	2.7	1.1	0.9	2.9	6.0	-	†	-	-	3.1	2.7	1.1	100.0
LINCOLN	1.5	5.7	69.3	7.6	9.3	-	3.1	3.1	-	-	-	-	-	†	-	100.0
LONDKE	2.6	7.1	38.9	16.7	1.5	-	2.6	25.4	-	-	2.5	2.5	-	-	-	100.0
ALL OTHER	12.0	11.8	27.3	20.0	11.6	1.7	1.4	7.0	4.6	-	†	†	†	†	1.6	100.0
OFFICE TOTAL	7.3	13.9	38.5	12.7	6.6	1.1	1.0	5.8	7.0	2.4	†	1.5	0.7	0.6	0.9	100.0

† Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 7. El Paso Classing Office; Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1993

STATE AND COUNTY	ACALA 1517 SR3	ACALA 1517 E-2	ACALA 1517-75	ACALA 1517-77	ACALA 1517-88	ACALA 1517-91	CARGILL PAY-MASTER HS 26	DEL CERRO	DELTA-PINE ACALA DP 5415 90	DELTA-PINE 400	STONE-VILLE KC 311	STONE-VILLE 324	OTHER	TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
TEXAS:															
TOTAL	-	-	-	20.1	-	-	-	-	60.8	-	15.0	-	4.2	100.0	
NEW MEXICO:															
EDDY	-	-	76.0	10.1	5.9	-	-	-	4.0	-	-	-	4.0	100.0	
ALL OTHER	-	†	19.9	18.9	10.5	20.3	10.5	-	3.3	13.2	-	-	3.2	100.0	
TOTAL	-	†	14.1	35.7	10.4	16.0	7.4	-	3.5	9.3	-	-	3.4	100.0	
ARIZONA:															
TOTAL	4.5	2.3	2.3	-	4.7	11.4	-	3.5	55.3	2.1	5.4	6.0	0.8	100.0	
OFFICE TOTAL	1.8	1.0	8.1	18.4	9.1	12.7	3.8	1.4	29.1	0.8	4.8	3.5	2.3	2.5	100.0

† Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table B. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE ACALA 90		DELTA-PINE DP 5415		DELTA-PINE DP 5690		DELTA-PINE 20		DELTA-PINE 50		DELTA-PINE 51		DES-119		HYPER-FORMER HS 23		HYPER-FORMER HS 46		STONE-VILLE COKER KD 311		STONE-VILLE 453		STONE-VILLE 907		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
NORTH CAROLINA:																									
HALIFAX	-	8.7	1.8	1.4	21.7	11.5	18.0	18.2	-	5.9	0.7	-	0.7	3.1	8.3	100.0									
NORTHAMPTON	-	6.6	1.1	2.8	13.3	16.8	12.3	17.2	5.5	5.5	1.1	-	7.8	1.1	8.9	100.0									
ALL OTHER	-	3.7	12.3	3.5	7.4	11.4	10.5	10.8	2.5	14.5	1.6	6.5	5.0	2.6	7.7	100.0									
TOTAL	-	4.4	10.4	3.2	9.3	11.8	11.4	12.1	2.5	12.9	1.5	5.3	4.8	2.5	7.9	100.0									
SOUTH CAROLINA:																									
LEE	-	26.5	26.5	-	-	-	-	13.5	-	13.2	8.8	4.7	-	-	6.8	100.0									
HARLBORO	-	16.0	39.3	14.0	4.7	-	4.7	-	-	-	-	16.0	-	-	5.3	100.0									
SUMTER	-	47.5	20.0	-	-	-	1.9	-	6.3	-	3.7	-	-	-	20.6	100.0									
ALL OTHER	12.0	26.1	13.9	6.7	0.5	4.6	4.6	4.6	9.4	0.6	18.8	0.6	0.6	5.9	100.0										
TOTAL	7.1	26.4	20.4	6.0	1.0	0.9	5.3	8.4	1.9	14.6	1.9	14.6	1.9	14.6	7.2	100.0									
VIRGINIA:																									
TOTAL	-	3.5	3.3	-	13.3	15.0	11.7	25.0	-	13.0	-	-	6.7	-	8.5	100.0									
OFFICE TOTAL	2.2	11.3	13.2	4.0	6.9	8.3	8.2	10.5	1.6	11.5	1.6	8.0	3.4	1.8	7.7	100.0									

‡ Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 9. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE ACALA 90		DELTA-PINE DP 5415		DELTA-PINE DP 5690		DELTA-PINE 20		DELTA-PINE 50		DELTA-PINE 51		DES-119		HYPER-FORMER HS 46		HYPER-FORMER HS 23		STONE-VILLE 433		STONE-VILLE 506		STONE-VILLE 825		SURE-GROW TERRA C-40		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
MISSISSIPPI:																											
BOLIVAR	-	-	-	16.9	42.7	33.2	7.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
COAHOMA	-	-	-	-	7.8	62.4	6.9	8.4	-	22.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
HOLMES	-	1.6	-	8.4	64.5	6.9	8.4	-	5.0	5.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
HUMPHREYS	4.7	5.2	-	24.2	50.9	6.1	6.1	-	2.8	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
LEFLORE	-	7.4	-	21.5	31.6	16.1	20.1	-	0.8	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
MADISON	-	-	-	-	4.3	5.2	35.7	21.3	2.9	0.8	8.5	21.3	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
QUITMAN	13.4	-	-	-	66.7	-	16.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
SHARKEY	-	9.0	-	20.0	59.0	-	12.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
SUNFLOWER	-	0.6	-	19.9	34.8	7.7	24.7	-	5.4	6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
TALLAHATCHIE	-	31.3	-	28.6	27.0	1.9	7.9	-	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	100.0	
TUNICA	-	21.2	-	-	33.5	-	30.2	-	15.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
WASHINGTON	-	25.8	-	-	41.7	19.6	9.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
YAZOO	-	4.3	-	12.3	55.1	13.4	4.3	-	8.2	2.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
ALL OTHER	0.6	13.2	1.4	24.6	31.2	7.8	11.2	1.8	1.1	2.6	1.1	0.8	0.8	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	100.0	
OFFICE TOTAL 1/	1.1	9.3	15.1	36.7	9.9	17.4	1.1	2.5	3.8	0.6	0.5	0.7	1.6	1.0	0.5	100.0											

1/ Includes small acreages in Alabama. ‡ Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 10. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE ACALA DP 5415	DELTA-PINE DP 5690	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	DELTA-PINE 119	DES-6 & P 6P 74+	HYPER-FORMER HS 46	STONE-VILLE KC311	STONE-VILLE 132	STONE-VILLE 453	SUREBROW 1001	TERRA C-30	OTHER	TOTAL
TEXAS:															
CAMERON	3.7	31.5	12.9	11.2	19.8	1.9	2.6	2.5	1.4	2.9	5.7	5.7	-	3.3	100.0
HIDALGO	1.0	21.2	1.1	2.3	29.4	1.9	1.1	1.1	0.6	0.7	7.8	7.8	4.6	3.8	100.0
WILLACY	0.6	8.8	3.7	3.7	31.6	3.3	0.8	1.1	0.6	-	3.8	3.8	0.5	5.5	100.0
ALL OTHER	-	19.0	-	35.7	31.0	-	-	-	-	-	2.4	2.4	11.9	-	100.0
OFFICE TOTAL	1.7	19.7	5.7	24.7	29.0	0.6	1.1	1.3	0.8	1.1	5.6	5.6	1.8	4.2	100.0

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 11. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	CHEMBRED CB 1135	CHEMBRED CB 333	DELTA-PINE DP 5415	DELTA-PINE 20	DELTA-PINE 50	DELTA-PINE 51	DES-119	HYPER-FORMER HS 46	STONE-VILLE 132	STONE-VILLE 453	STONE-VILLE 825	STONE-VILLE 825	STONE-VILLE 907	TERRA C-207	OTHER	TOTAL
MISSOURI:																
DUNKLIN	1.9	0.7	3.5	26.9	28.8	8.3	3.9	-	1.5	11.1	12.0	1.1	0.7	1.5	100.0	
NEW MADRID	2.0	0.7	1.3	22.3	18.1	10.3	1.7	-	2.7	31.5	5.1	-	3.3	0.9	100.0	
PENISCO	2.3	0.7	3.0	5.0	22.2	3.0	2.9	0.6	1.7	30.1	23.1	2.1	0.6	2.9	100.0	
ALL OTHER	-	2.3	1.1	6.2	19.4	8.8	8.1	-	3.2	46.0	1.1	-	2.1	1.2	100.0	
TOTAL	0.7	0.9	2.5	18.7	23.6	7.6	3.5	1.1	2.0	24.0	11.7	0.9	1.5	0.5	100.0	
ARKANSAS:																
CRAIGHEAD	1.4	0.5	1.2	16.1	43.1	6.2	6.2	0.9	0.9	19.0	2.0	0.7	0.5	1.0	100.0	
MISSISSIPPI	0.6	-	5.4	23.1	25.0	6.4	2.7	-	-	32.1	-	-	-	-	100.0	
POINTSETT	0.9	-	1.1	12.5	57.6	0.5	7.5	-	0.5	15.2	3.1	-	2.0	1.1	100.0	
ALL OTHER	-	0.9	1.5	25.2	33.5	10.5	5.3	1.2	0.6	17.8	1.6	1.1	0.5	0.6	100.0	
OFFICE TOTAL	0.8	0.5	2.0	22.1	28.9	9.2	4.5	0.7	1.3	20.7	6.3	0.7	0.9	1.1	100.0	

* Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 12. Lamesa Classing Office. Estimated percentage of acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	ALL-TEX ATLAS		CARGILL PAY-MASTER HS 200		CARGILL PAY-MASTER HS 26		CARGILL PAY-MASTER DP 5690		DES-119		DUNN 120		HOLLAND 1919		HOLLAND 4002		SEEDCO COKER 312		SEEDCO DELTA-PINE SR-383		TAMCOT CAB-CS		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
DAWSON	-	‡	4.2	85.0	2.4	2.6	-	-	-	0.5	-	-	-	-	-	-	-	3.2	-	-	-	-	100.0
GAINES 1/	1.8	-	23.9	70.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
LYNN 1/	-	4.5	1.0	84.4	6.2	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	100.0
MARTIN 2/	-	-	14.9	45.1	-	22.3	-	-	-	-	-	-	-	5.1	-	-	-	-	-	-	-	-	100.0
ALL OTHER	-	‡	22.1	55.1	7.3	‡	3.9	2.6	-	-	3.9	-	-	-	-	-	2.0	-	-	-	0.6	-	100.0
OFFICE TOTAL 3/	‡	0.9	13.4	72.4	3.4	2.1	0.8	0.5	‡	0.8	‡	0.8	‡	‡	‡	‡	‡	1.0	‡	‡	‡	‡	100.0

1/ A portion of this county is served by Lubbock Classing Office. 2/ A portion of this county is served by Abilene Classing Office. 3/ Includes small acreages in New Mexico. ‡ Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 13. Lubbock Classing Office. Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	ALL-TEX QUICKIE		CARGILL PAY-MASTER HS 26		CARGILL PAY-MASTER HS 200		CARGILL PAY-MASTER 145		CARGILL PAY-MASTER 147		CARGILL PAY-MASTER 892		CASCOT C-13		BROADGRI BROWERS 65C 25		RANGER BB 53		RANGER TH 62		ROSEBUD PR 80		SEEDCO SOUTHLAND M-1		SEEDCO DELTA-PINE SR-383		TOTAL		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		Pct.	
BAILEY	7.8	-	19.4	37.3	22.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.6	100.0	
CASTRO	2.6	-	17.1	17.1	63.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
CROSBY	‡	-	64.1	25.2	1.4	-	-	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	-	-	-	4.4	100.0	
FLOYD	-	2.7	45.7	45.3	5.7	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	0.7	100.0	
GAINES	-	-	56.9	20.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	100.0	
HALE	3.2	-	16.8	57.8	17.9	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	-	-	-	-	-	-	0.9	100.0	
HOCKLEY	2.6	-	72.6	18.0	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	100.0	
LAMB	9.5	2.1	49.1	24.0	11.4	3.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	100.0	
LUBBOCK	‡	-	70.2	15.0	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.1	100.0	
LYNN 1/	0.6	-	74.4	12.4	6.8	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	1.7	100.0	
PARMER	0.9	-	-	75.8	21.9	-	-	-	-	-	-	-	-	-	2.3	-	-	-	-	-	-	-	-	-	-	-	-	100.0	
SNISHER	-	-	9.6	16.8	60.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	100.0	
TERRY 1/	4.1	-	85.6	5.1	4.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.8	100.0	
ALL OTHER	‡	2.6	57.1	21.7	4.2	‡	2.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	‡	100.0	
OFFICE TOTAL 2/	2.2	0.7	53.8	26.4	9.5	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	‡	2.1	100.0

1/ A portion of this county is served by Lamesa Classing Office. 2/ Includes small acreages in New Mexico. ‡ Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 14. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE ACALA		DELTA-PINE DP 5690		DELTA-PINE 50		DELTA-PINE 51		DES-FORMER HS-46		STONE-VILLE KC 311		STONE-VILLE 453		STONE-VILLE 825		STONE-VILLE 907		SUREBROW 1001		OTHER		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
GEORGIA:																							
BURKE	-	32.2	14.2	18.3	-	-	7.6	7.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	20.0	100.0
COLQUITT	‡	63.2	6.0	10.2	-	0.9	1.8	‡	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	9.9	2.0	100.0
DOOLY	‡	20.0	12.1	30.1	‡	‡	1.3	4.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	2.1	100.0
ALL OTHER	‡	44.8	13.6	14.6	0.6	0.9	7.1	2.7	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	100.0
OFFICE TOTAL 1/	‡	43.0	13.0	16.2	0.5	0.8	6.2	2.8	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	2.6	100.0

1/ Includes small acreages in Florida. ‡ Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 15. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	DELTA-PINE DP 5415		DELTA-PINE 20		DELTA-PINE 50		DELTA-PINE 51		DES-119		HYPER-FORMER HS 23		HYPER-FORMER HS 46		STONE-VILLE 453		STONE-VILLE 506		STONE-VILLE 825		STONE-VILLE 907		TERRA C-40		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
TENNESSEE:																										
CROCKETT	-	-	41.3	29.2	-	-	1.3	-	-	-	-	-	-	-	18.2	10.0	-	-	-	-	-	-	-	-	100.0	
FAYETTE	-	-	2.0	75.0	-	-	-	-	-	-	-	-	-	-	23.0	-	-	-	-	-	-	-	-	-	100.0	
GIBSON	3.4	-	45.3	18.2	21.4	-	-	-	-	0.6	-	-	-	-	10.2	-	-	-	-	-	-	-	-	0.6	100.0	
HARDEN	10.0	-	60.0	15.0	-	-	-	-	-	-	-	-	-	-	10.0	-	-	-	-	-	-	-	-	100.0		
HAYWOOD	‡	-	40.6	35.7	8.7	3.0	-	-	-	-	-	-	-	-	7.1	4.7	-	-	-	-	-	-	-	100.0		
LAUDERDALE	-	13.4	18.0	38.4	-	6.0	-	-	-	-	-	-	-	-	11.6	5.6	-	-	-	-	-	-	7.0	100.0		
TIPTON	-	-	16.4	39.0	1.4	9.3	-	0.7	-	-	-	-	-	-	23.9	9.3	-	-	-	-	-	-	-	100.0		
ALL OTHER	1.0	‡	25.9	28.5	13.2	5.1	4.0	4.0	-	-	-	-	-	-	15.6	-	-	-	-	-	-	-	1.0	100.0		
TOTAL	1.0	1.3	29.9	34.2	7.0	3.8	0.9	1.0	‡	‡	‡	‡	‡	‡	15.2	4.1	‡	‡	‡	‡	‡	‡	0.9	‡	100.0	
ARKANSAS:																										
LEE	-	-	50.0	-	40.0	-	-	-	-	-	-	-	-	-	10.0	-	-	-	-	-	-	-	-	-	100.0	
PHILLIPS	-	24.0	-	32.1	14.2	-	-	-	-	-	-	-	-	-	11.9	11.9	-	-	-	-	-	-	-	5.9	100.0	
ST. FRANCIS	-	-	20.0	50.0	20.0	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	100.0	
ALL OTHER	-	13.4	13.4	18.8	30.6	10.2	-	-	-	-	-	-	-	-	9.2	1.3	3.0	-	-	-	-	-	-	‡	100.0	
TOTAL	-	14.9	13.4	23.8	24.6	4.6	-	-	-	-	-	-	-	-	9.7	5.3	1.2	-	-	-	-	-	-	2.5	100.0	
MISSISSIPPI:																										
MARSHALL	-	-	25.0	20.0	-	10.0	-	-	-	-	-	-	-	-	25.0	15.0	-	-	-	-	-	-	-	-	5.0	100.0
TATE	-	-	-	40.5	9.0	37.0	-	-	-	-	-	-	-	-	-	13.5	-	-	-	-	-	-	-	-	100.0	
ALL OTHER	1.1	2.1	14.7	44.9	15.6	7.2	-	-	-	-	-	-	-	-	6.5	1.0	1.2	1.9	1.1	1.1	1.1	1.1	1.1	2.9	100.0	
TOTAL	0.9	1.8	14.9	41.9	13.5	9.2	-	-	-	-	-	-	-	-	8.1	3.2	1.0	1.6	0.9	0.9	0.9	0.9	0.9	2.9	100.0	
OFFICE TOTAL	0.8	4.3	23.5	33.5	12.0	5.1	0.5	0.6	‡	‡	‡	‡	‡	‡	12.7	4.2	0.6	‡	‡	‡	‡	‡	0.7	1.3	100.0	

‡ Less than 0.5 percent.

Totals may not add due to rounding.

Table 16. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1993

STATE AND COUNTY	CHEMBRED CB 1135		DELTA-PINE ACALA DP 5415		DELTA-PINE DP 5461		DELTA-PINE DP 5690		DELTA-PINE DP 5816		DELTA-PINE 20		DELTA-PINE 41		DELTA-PINE 50		DELTA-PINE 51		DES-119		HYPER-FORMER HS 46		STONE-VILLE KC 311		SURE-GROW 1001		TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
ARIZONA:																											
MARICOPA	2.4	1.5	75.7	0.6	2.0	2.8	7.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3	1.4	1.4	5.1	100.0
PINAL	-	9.4	59.4	0.8	10.5	†	2.2	3.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	2.6	1.0	5.2	100.0
ALL OTHER	-	0.8	51.4	0.5	2.9	6.6	8.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	0.8	8.5	100.0	
TOTAL	1.0	4.4	64.7	0.6	5.5	2.5	5.6	1.3	2.5	0.5	0.9	1.8	1.7	1.1	5.8	100.0											
CALIFORNIA:																											
TOTAL 1/	-	3.4	53.5	21.9	6.5	-	8.1	-	1.8	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.5	100.0
OFFICE TOTAL	0.9	4.3	63.6	2.6	5.6	2.3	5.8	1.2	2.4	0.6	0.8	1.7	1.6	1.0	5.6	100.0											

1/ Includes Imperial and Riverside Counties. † Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 17. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1993

STATE AND PARISH	DELTA-PINE ACALA DP 5415		DELTA-PINE DP 5690		DELTA-PINE 20		DELTA-PINE 41		DELTA-PINE 50		DELTA-PINE 51		DES-119		HYPER-FORMER HS 46		STONE-VILLE LA-887		STONE-VILLE 453		STONE-VILLE 506		TERRA C-40		TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		Pct.
LOUISIANA:																										
CADDO	-	9.4	-	1.5	-	40.4	11.3	9.4	14.6	13.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
EAST CARROLL	30.0	7.1	0.8	6.7	-	28.3	18.7	-	-	5.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	100.0
FRANKLIN	4.3	7.7	7.9	7.8	-	8.7	12.7	4.2	2.9	13.5	13.5	-	-	-	-	-	-	-	-	-	-	-	-	-	6.6	100.0
MOREHOUSE	3.9	14.9	1.9	13.8	-	-	8.9	-	46.7	1.7	1.7	2.2	-	-	-	-	-	-	-	-	-	-	-	-	4.3	100.0
RAPIDES	4.9	-	4.9	19.9	2.4	7.7	27.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.7	100.0
RICHLAND	12.7	14.9	8.0	0.9	-	18.7	22.1	1.7	2.2	6.0	5.1	7.3	-	-	-	-	-	-	-	-	-	-	-	-	0.9	100.0
TENSAS	-	28.9	14.4	17.9	1.7	-	9.8	-	25.3	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
WEST CARROLL	17.0	2.7	34.6	7.4	-	8.5	-	-	2.0	10.8	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0
ALL OTHER	6.7	20.5	2.9	19.7	1.8	8.1	11.3	1.2	8.7	9.0	2.4	0.6	2.3	1.1	3.6	2.3	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	3.6	100.0
OFFICE TOTAL 1/	8.3	14.9	7.4	12.1	0.8	10.5	13.0	1.5	11.6	7.7	3.7	1.1	2.3	0.9	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	100.0

1/ Includes some small acreage from Mississippi. † Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

Table 20. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 1993

State	GERMAIN'S 252	Oro Blanco	Pima S-7	Pima S-6	Misc.	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent
Arizona	-	-	66.8	32.6	0.5	100.0
California	3.8	7.2	72.7	15.3	1.0	100.0
New Mexico	-	-	16.0	81.1	2.9	100.0
Texas	-	-	19.3	80.7	-	100.0
All Other 1/	-	-	-	100.0	-	100.0
United States	1.8	3.5	58.6	35.3	0.8	100.0

1/ Includes small acreages in Alabama and Florida.

NOTE: Totals may not add due to rounding.

Table 21. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 1993

Classing Offices	GERMAIN'S 252	Oro Blanco	Pima S-7	Pima S-6	Misc.	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent
Corpus Christi:	-	-	51.5	48.5	-	100.0
El Paso:						
Arizona	-	-	9.5	88.9	1.6	100.0
New Mexico	-	-	16.0	81.1	2.9	100.0
Texas	-	-	16.0	84.0	-	100.0
Office total 1/	-	-	14.0	85.1	1.0	100.0
Phoenix:						
Arizona	-	-	95.4	4.6	-	100.0
California	-	-	75.0	-	25.0	100.0
Office total	-	-	95.3	4.5	†	100.0
Visalia	3.8	7.2	72.7	15.3	0.9	100.0

1/ Includes small acreages in Lamesa Classing Office area.

† Less than 0.5 percent.

NOTE: Totals may not add due to rounding.

