

## **Cotton Varieties Planted, United States 2003 Crop**

The Deltapine brand of upland cottonseed was the most popular planted in the United States for the 2003-2004 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Paymaster brand was the second most popular followed by Bayer CropScience Fibermax, Stoneville, Sure-Grow, All-Tex, Phytogen, and CPCSD.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 76 percent of the upland cotton planted in the United States in 2003. This was down about one percentage point from the 2002 crop and about two percentage points from the 2001 crop. Usage of transgenic varieties in 2003 varied from a high of 100 percent in Florida to a low of 42 percent in California. Texas producers planted transgenic varieties to 56 percent of their 5.8 million cotton acres.

Deltapine brand varieties were the most popular planted in 2003, accounting for 33.0 percent of the United States acreage. This brand accounted for 69.8 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 29.6 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 16.6 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 25.7 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 451 B/RR, DP 458 B/RR, DP 5415RR, and DP 436 RR, accounting respectively for 8.7, 6.5, 4.6, 3.0, and 1.9 percent of the U.S. cotton acreage.

Paymaster brand varieties were the second most popular planted in 2003, accounting for 21.3 percent of the United States acreage. These varieties accounted for 3.1 percent of the acreage planted in the southeastern states, 19.4 percent in the south central states, 35.1 percent in the southwestern states, and 0.2 percent in the western states. The most popular Paymaster varieties were PM 1218 BG/RR, PM 2326 RR, PM 2379 RR, and Paymaster HS 26, accounting respectively for 5.9, 4.3, 1.9, and 1.9 percent of the U.S. acreage.

Bayer CropScience Fibermax brand varieties were the third most popular planted in 2003, accounting for 15.6 percent of the United States acreage. They accounted for 7.8 percent of the acreage planted in the southeastern states, 5.2 percent of the acreage in the south central states, 28.0 percent in the southwestern states, and 1.3 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 958, FM 832, FM 989BR and FM 989RR, accounting respectively for 4.5, 3.1, 2.3, and 2.1 percent of the United States acreage planted to cotton.

Stoneville brand varieties were the fourth most popular planted in 2003. These varieties accounted for 13.6 percent of the acreage planted. They accounted for 8.8 percent of the acreage planted in the southeastern states, 33.8 percent of the acreage in the south central states, 5.0 percent in the southwestern states, and 5.1 percent in the western states. The most popular Stoneville varieties were ST 4892BR and ST 4793R, accounting respectively for 7.9 and 2.2 percent of the United States acreage planted to cotton.

Suregrow brand varieties were the next most popular and accounted for 5.4 percent of the U.S. acreage planted in 2003. All-Tex varieties, planted primarily in Texas, Oklahoma, and Kansas, were the sixth most popular and accounted for 3.1 percent of the 2003 cotton acreage.

Phytogen was the most popular brand of American Pima planted in 2003. Phytogen variety PHY 76 Pima accounted for 56.4 percent of the United States Pima acreage and was the most popular variety planted in California (67.5 percent of California Pima acreage). Deltapine's DP 744 Pima was the second most-planted American Pima variety and accounted for 15.4 percent of the U.S. crop. Deltapine's DP 340 Pima was the next most popular variety and accounted for 11.8 percent of the U.S. Pima acreage. The most popular Pima variety in Arizona was Deltapine DP HTO (90.1 percent).

Estimates of the percentage of the various varieties of cotton planted in the United States for 2003 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

**Estimated percentage of upland cotton planted to leading specified varieties, by growth area, 2003 crop**

Southeastern	DELTAPINE DP 555 BG/RR	DELTAPINE DP 458 B/RR	DELTAPINE DP 451 B/ RR	DELTAPINE DP 5415RR	STONEVILLE ST 4892BR	DELTAPINE DP 5690RR	DELTAPINE DP 436 RR
	22.89	13.66	12.59	6.47	4.75	4.52	3.78
South Central	STONEVILLE ST 4892BR	PAYMASTER PM 1218 BG/RR	DELTAPINE DP 451 B/RR	DELTAPINE DP 555 BG/RR	SURE-GROW SG 215 BG/RR	STONEVILLE ST 4793R	STONEVILLE ST 5599BR
	22.21	18.23	12.08	9.96	8.51	6.68	2.94
Southwest	PAYMASTER PM 2326 RR	BAYER CROP SCI-FIBERMAX FM 958	BAYER CROP SCI-FIBERMAX FM 832	PAYMASTER PM 2379 RR	PAYMASTER Paymaster HS 26	PAYMASTER PM 2280 BG/ RR	BAYER CROP SCI- FIBERMAX FM 989RR
	9.77	9.64	6.91	4.37	4.35	3.76	3.41
West	PHYTOGEN PHY 72 ACALA	CPCSD ACALA RIATA RR	CPCSD ACALA SIERRA RR	DELTAPINE DP 449 BG/RR	CPCSD Acala MAXXA	DELTAPINE DP 422 B/RR	DELTAPINE DP 555 BG/RR
	27.76	12.63	11.30	10.76	6.49	4.13	1.94
United States	DELTAPINE DP 555 BG/RR	STONEVILLE ST 4892BR	DELTAPINE DP 451 B/ RR	PAYMASTER PM 1218 BG/RR	DELTAPINE DP 458 B/RR	BAYER CROP SCI-FIBERMAX FM 958	PAYMASTER PM 2326 RR
	8.68	7.88	6.50	5.94	4.55	4.49	4.30

**Estimated percentage of upland cotton planted to leading specified brands, by growth areas, 2003 crop**

Southeastern	DELTAPINE	STONEVILLE	SURE-GROW	BAYER CROP SCI-FIBERMAX	PAYMASTER	PHYTOGEN	AGRIPRO
	69.79	8.78	8.31	7.84	3.12	0.74	0.28
South Central	STONEVILLE	DELTAPINE	PAYMASTER	SURE-GROW	BAYER CROP SCI-FIBERMAX	PHYTOGEN	
	33.80	29.60	19.41	11.53	5.19	0.41	
Southwestern	PAYMASTER	BAYER CROP SCI-FIBERMAX	DELTAPINE	ALL-TEX	STONEVILLE	ASSOCIATED FARMERS DELINTING	BELTWISE COTTON GENETICS
	35.07	28.01	16.62	6.99	4.99	1.60	1.58
West	CPCSD	PHYTOGEN	DELTAPINE	STONEVILLE	ACALA	BAYER CROP SCI-FIBERMAX	AZ COTTON GROWERS
	30.91	28.73	25.66	5.07	2.70	1.29	0.78
United States	DELTAPINE	PAYMASTER	BAYER CROP SCI-FIBERMAX	STONEVILLE	SURE-GROW	ALL-TEX	PHYTOGEN
	33.04	21.33	15.61	13.55	5.44	3.07	2.07

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2003

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Acala	1517-75	-	-	-	-	-	-	-	-	-	-	0.64	-	-	-	-	-	-	*
Acala	1517-77 BR	-	0.23	-	-	-	-	-	-	-	-	11.33	-	-	-	-	-	-	*
Acala	1517-95	-	-	-	-	-	-	-	-	-	-	9.79	-	-	-	-	-	-	0.06
Acala	1517-99	-	-	-	-	-	-	-	-	-	-	17.42	-	-	-	-	-	-	0.07
<b>Acala</b>	<b>Total</b>	<b>0.00</b>	<b>0.23</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>39.18</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.04</b>	<b>0.00</b>	<b>0.18</b>
AgriPro	AP 6101	-	0.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
AgriPro	AP 7115	-	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
AgriPro	HS 44	-	-	-	-	-	0.27	-	-	-	-	3.63	-	-	-	-	-	-	*
AgriPro	HS 46	0.10	-	-	-	-	0.37	-	-	-	-	-	-	-	-	-	-	-	*
<b>AgriPro</b>	<b>Total</b>	<b>0.10</b>	<b>0.17</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.64</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>3.63</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.08</b>
All-Tex	Atlas	-	-	-	-	-	-	0.22	-	-	-	-	-	0.62	-	-	3.18	-	1.33
All-Tex	Atlas RR	-	-	-	-	-	-	-	-	-	-	-	-	1.20	-	-	2.76	-	1.17
All-Tex	Excess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All-Tex	Excess RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.05
All-Tex	Quickie	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All-Tex	Top-Pick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*
All-Tex	Xpress	-	-	-	-	-	-	3.00	-	-	-	-	-	0.17	-	-	0.70	-	0.36
All-Tex	Xpress RR	-	-	-	-	-	-	-	-	-	-	-	-	2.64	-	-	0.27	-	0.11
<b>All-Tex</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>3.22</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>4.63</b>	<b>0.00</b>	<b>0.00</b>	<b>7.15</b>	<b>0.00</b>	<b>3.07</b>
Assoc. Farmers Delinting	Explorer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.46	-	0.19
Assoc. Farmers Delinting	Raider 202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	*
Assoc. Farmers Delinting	Raider 271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	-	0.13
Assoc. Farmers Delinting	Rocket	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	-	0.11
Assoc. Farmers Delinting	AFD 2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Assoc. Farmers Delinting	AFD 2051	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Assoc. Farmers Delinting	AFD 2424	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Assoc. Farmers Delinting	AFD 2485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	-	0.09
Assoc. Farmers Delinting	AFD 3511R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	-	0.09
<b>Assoc. Farmers Delinting</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>1.69</b>	<b>0.00</b>	<b>0.70</b>
<b>Arizona Cotton Growers</b>	<b>AG 3601</b>	<b>0.00</b>	<b>2.49</b>	<b>0.00</b>	<b>0.11</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>1.07</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.05</b>
Bayer CropScience-Fibermax	FM 819	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.35	-	0.14
Bayer CropScience-Fibermax	FM 819RR	-	-	-	-	-	-	-	-	-	-	2.83	0.11	-	-	-	0.15	-	0.08
Bayer CropScience-Fibermax	FM 832	-	-	-	-	-	-	-	1.47	-	-	-	-	-	-	-	7.30	-	3.10
Bayer CropScience-Fibermax	FM 832B	-	-	-	-	-	-	-	1.79	0.81	-	1.07	-	-	-	-	1.25	-	0.67
Bayer CropScience-Fibermax	FM 958	-	-	0.49	-	-	0.07	-	0.16	0.29	4.31	-	0.55	-	0.21	10.18	0.90	4.49	
Bayer CropScience-Fibermax	FM 958B	-	-	0.27	-	-	0.07	-	0.43	-	2.11	-	0.26	-	-	0.41	-	0.29	
Bayer CropScience-Fibermax	FM 960BR	0.27	-	0.84	-	-	0.15	-	0.62	1.39	0.10	1.33	0.59	0.10	0.83	*	0.10	0.99	0.34
Bayer CropScience-Fibermax	FM 966	-	-	0.94	-	-	0.70	-	0.05	0.25	-	-	0.65	-	-	0.15	1.23	0.27	
Bayer CropScience-Fibermax	FM 989	0.53	-	1.55	-	-	0.61	-	0.53	0.48	-	-	0.48	0.10	-	2.66	-	1.39	
Bayer CropScience-Fibermax	FM 989BR	0.79	1.53	2.06	-	-	1.88	-	0.27	1.67	-	-	5.19	*	3.96	1.02	2.99	4.11	2.25
Bayer CropScience-Fibermax	FM 989RR	0.79	1.30	0.46	-	0.07	2.23	-	0.11	0.07	0.29	1.07	2.99	0.50	1.65	0.06	3.58	1.61	2.05
Bayer CropScience-Fibermax	FM 991BR	-	-	-	-	-	0.71	-	0.45	-	-	-	0.72	-	1.70	*	0.06	-	0.19
Bayer CropScience-Fibermax	FM 991RR	1.16	*	-	-	-	0.24	-	0.05	-	-	1.97	0.75	-	2.96	*	0.26	-	0.29
Bayer CropScience-Fibermax	FM 5013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Bayer CropScience-Fibermax	FM 5017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 5024BXN	-	-	-	-	-	-	-	-	-	-	-	-	0.38	-	-	*	-	*
<b>Bayer CropScience-Fibermax</b>	<b>Total</b>	<b>3.56</b>	<b>2.85</b>	<b>6.60</b>	<b>0.00</b>	<b>0.07</b>	<b>6.68</b>	<b>0.00</b>	<b>5.93</b>	<b>4.95</b>	<b>6.85</b>	<b>8.27</b>	<b>12.32</b>	<b>1.12</b>	<b>11.10</b>	<b>1.34</b>	<b>29.55</b>	<b>8.84</b>	<b>15.61</b>
Beltwide Cotton Genetics	BCG-24R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.33	-	0.14
Beltwide Cotton Genetics	BCG-28R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.41	-	0.17
Beltwide Cotton Genetics	BCG-30R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.79	-	0.33
Beltwide Cotton Genetics	BCG-245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	-	*
Beltwide Cotton Genetics	BCG-295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
<b>Beltwide Cotton Genetics</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>1.67</b>	<b>0.00</b>	<b>0.70</b>
Bronco	Bronco 324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	Bronco 414	-	-	-	-	-	-	-	-	-	-	-	-	0.54	-	-	0.08	-	*
Bronco	Bronco 655M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	-	*
<b>Bronco</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.54</b>	<b>0.00</b>	<b>0.00</b>	<b>0.21</b>	<b>0.00</b>	<b>0.09</b>

Table 1. Continued

Variety	AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES	
Concho	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Concho	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.45	-	0.19	
<b>Concho</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.50</b>	<b>0.00</b>	<b>0.21</b>	
CPCSD	Acala MAXXA	-	-	-	9.62	-	-	-	-	-	-	-	-	-	-	-	-	0.39	
CPCSD	Acala Riata RR	-	-	-	18.72	-	-	-	-	-	-	-	-	-	-	-	-	0.77	
CPCSD	Acala Sierra RR	-	-	-	16.74	-	-	-	-	-	-	-	-	-	-	-	-	0.68	
CPCSD	Acala Ultima	-	-	-	0.73	-	-	-	-	-	-	-	-	-	-	-	-	*	
<b>CPCSD</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>45.81</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>1.87</b>	
Deltapine	DeltaPEARL	0.86	-	-	-	-	0.99	4.27	-	-	-	-	-	0.14	-	-	-	0.31	
Deltapine	DELTAPINE 50	-	0.21	-	-	-	0.09	-	-	-	-	-	-	-	-	-	-	*	
Deltapine	Deltapine Acala 90	-	-	-	-	-	-	-	-	-	2.67	-	-	-	-	1.83	-	0.77	
Deltapine	DP 20 B	-	0.29	-	-	-	-	0.60	-	-	-	-	-	-	0.07	0.18	-	0.11	
Deltapine	DP 388	-	1.59	-	1.23	-	-	-	-	0.19	8.00	-	-	-	-	-	-	0.11	
Deltapine	DP 420 RR	0.27	-	-	-	0.09	-	0.29	-	-	-	-	-	-	-	-	-	*	
Deltapine	DP 422 B/RR	0.27	15.70	-	0.12	0.18	-	0.26	0.32	*	-	0.09	-	-	-	0.12	-	0.38	
Deltapine	DP 424 BGII/RR	-	-	-	-	-	-	0.12	0.29	*	-	0.07	-	0.17	*	-	0.19	*	
Deltapine	DP 425 RR	0.45	-	0.16	-	-	0.33	-	-	-	-	-	-	-	-	-	-	0.08	
Deltapine	DP 436 RR	3.98	0.83	1.41	-	1.89	1.76	3.98	4.49	2.93	-	6.89	*	0.09	1.27	0.64	14.95	1.85	
Deltapine	DP 444 BG/RR	*	*	0.34	-	-	-	-	1.15	*	-	0.06	-	-	*	0.06	0.16	0.15	
Deltapine	DP 448 B	-	0.71	-	0.44	-	-	1.23	-	-	-	-	1.79	-	-	-	-	0.12	
Deltapine	DP 449 BG/RR	0.34	37.09	0.15	1.78	0.42	0.47	0.60	0.22	-	-	0.17	-	-	*	0.16	-	0.85	
Deltapine	DP 451 B/RR	13.59	1.63	15.51	0.44	10.30	4.74	10.12	8.97	6.13	-	24.82	1.41	3.16	18.68	0.67	34.11	6.50	
Deltapine	DP 458 B/RR	9.42	-	0.06	0.45	33.47	19.42	9.03	1.96	*	-	7.23	1.83	11.76	-	1.87	0.09	4.55	
Deltapine	DP 468 BGII/RR	-	0.07	0.08	-	0.49	1.44	0.45	*	-	-	0.06	-	0.09	-	*	-	0.18	
Deltapine	DP 491	0.89	-	-	-	-	0.37	0.41	-	-	-	0.21	-	0.24	-	0.55	-	0.34	
Deltapine	DP 493	-	-	-	-	-	*	1.22	-	-	-	0.13	-	0.11	-	*	-	0.07	
Deltapine	DP 555 BG/RR	11.10	4.26	3.86	1.25	34.42	33.52	30.79	13.06	*	-	11.55	8.39	35.15	0.78	1.06	1.84	8.68	
Deltapine	DP 565	-	0.25	-	0.14	-	-	-	-	-	-	-	-	-	-	-	-	*	
Deltapine	DP 655 B/RR	2.89	2.87	-	0.17	1.40	0.29	-	-	-	-	0.59	13.23	1.93	-	0.81	-	0.81	
Deltapine	DP 5111	-	-	-	-	-	-	-	-	-	2.00	-	-	-	-	-	-	*	
Deltapine	DP 5415	1.09	-	-	-	-	1.42	0.12	*	-	-	*	-	0.35	-	1.01	-	0.62	
Deltapine	DP 5415RR	8.86	0.05	0.26	1.15	6.09	6.00	2.34	0.13	-	3.33	5.73	-	8.52	-	3.23	0.09	3.04	
Deltapine	DP 5690	0.27	0.68	-	-	-	0.66	-	-	-	-	-	0.13	-	-	2.48	-	1.12	
Deltapine	DP 5690RR	6.31	1.74	-	-	9.35	5.95	-	-	-	2.00	1.64	0.51	2.44	-	1.49	-	1.72	
Deltapine	DP 6207 Acala	-	-	-	1.17	-	-	-	-	-	-	-	-	-	-	-	-	*	
Deltapine	DPLX 01X99R	-	0.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Deltapine	DPLX 03X177R	0.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Deltapine	NuCOTN 33 B	-	1.50	-	0.23	-	2.60	0.78	-	-	2.08	-	-	-	-	0.25	-	0.43	
Deltapine	NuCOTN 35 B	0.05	-	-	-	-	0.27	-	-	-	7.94	-	1.34	-	-	0.06	-	0.11	
<b>Deltapine</b>	<b>Total</b>	<b>60.90</b>	<b>69.60</b>	<b>21.86</b>	<b>8.64</b>	<b>97.83</b>	<b>80.62</b>	<b>0.00</b>	<b>64.56</b>	<b>30.59</b>	<b>9.33</b>	<b>28.02</b>	<b>59.30</b>	<b>28.67</b>	<b>64.15</b>	<b>20.88</b>	<b>16.58</b>	<b>51.43</b>	<b>33.04</b>
G & P	GP 74+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
G & P	GP 1005 A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	-	*	
<b>G &amp; P</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.11</b>	<b>0.00</b>	<b>0.05</b>	
<b>Germain's</b>	<b>Acala GC-535</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.53</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	
Paymaster	145 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	-	0.07	
Paymaster	DP 237 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Paymaster	DP 2379	-	-	-	-	-	-	-	-	1.28	-	-	-	-	-	0.23	-	0.13	
Paymaster	HS 200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.33	-	0.55	
Paymaster	Paymaster HS 26	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	4.60	-	1.92	
Paymaster	PM 280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.48	-	0.20	
Paymaster	PM 330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Paymaster	PM 1199 RR	0.21	-	0.69	-	-	-	*	-	2.23	-	1.59	-	0.18	3.72	0.22	3.76	0.50	
Paymaster	PM 1218 BG/RR	10.05	-	12.65	-	-	-	8.42	11.17	13.82	1.97	1.26	4.83	2.25	54.56	1.11	2.13	5.94	
Paymaster	PM 1560 BG	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
Paymaster	PM 1560 BG/RR	0.59	0.15	-	-	-	-	2.89	0.06	-	-	0.08	-	0.20	-	-	-	0.06	
Paymaster	PM 2145 RR	-	-	-	-	-	58.34	-	-	-	-	-	4.02	-	-	1.29	-	1.14	

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Paymaster	PM 2156 RR	-	-	-	-	-	-	0.67	-	-	-	-	-	0.20	-	-	0.13	-	0.06
Paymaster	PM 2167 RR	-	-	-	-	-	-	16.11	-	-	-	-	-	3.34	-	-	0.78	-	0.52
Paymaster	PM 2200 RR	-	-	-	-	-	-	6.44	-	-	-	-	-	8.47	-	-	1.40	-	0.76
Paymaster	PM 2266 RR	-	-	-	-	-	-	0.22	-	-	-	-	-	4.95	-	-	3.01	-	1.32
Paymaster	PM 2280 BG/RR	-	-	-	-	-	-	0.89	-	-	-	-	-	6.74	-	-	3.73	-	1.65
Paymaster	PM 2326 BG/RR	-	-	-	-	-	-	-	-	-	-	-	-	4.45	-	-	0.33	-	0.20
Paymaster	PM 2326 RR	-	-	-	-	-	-	5.78	-	-	-	-	-	8.34	-	-	9.91	-	4.30
Paymaster	PM 2344 BG/RR	-	-	-	-	-	-	-	-	-	-	-	-	2.26	-	-	-	-	-
Paymaster	PM 2379 RR	-	-	-	-	-	-	-	-	-	-	-	-	2.29	-	-	4.54	-	1.92
<b>Paymaster</b>	<b>Total</b>	<b>10.85</b>	<b>0.15</b>	<b>13.34</b>	<b>0.00</b>	<b>0.00</b>	<b>0.05</b>	<b>91.34</b>	<b>8.51</b>	<b>11.22</b>	<b>17.33</b>	<b>1.97</b>	<b>2.93</b>	<b>49.88</b>	<b>2.63</b>	<b>58.28</b>	<b>33.31</b>	<b>5.89</b>	<b>21.33</b>
Phytogen	GA 161	-	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-
Phytogen	HS 12	-	-	-	-	-	-	0.30	-	-	-	-	-	-	-	-	-	-	-
Phytogen	PHY 72 Acala	-	-	-	41.14	-	-	-	-	-	-	-	-	-	-	-	-	-	1.68
Phytogen	PHY 78 Acala	-	-	-	1.43	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06
Phytogen	PSC 355	1.27	-	0.30	-	-	-	0.13	-	-	1.02	-	-	-	0.74	-	0.08	1.27	0.28
Phytogen	PSC 413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Phytogen</b>	<b>Total</b>	<b>1.27</b>	<b>0.00</b>	<b>0.30</b>	<b>42.57</b>	<b>0.00</b>	<b>0.48</b>	<b>0.00</b>	<b>0.00</b>	<b>1.02</b>	<b>0.00</b>	<b>0.00</b>	<b>0.82</b>	<b>0.00</b>	<b>0.74</b>	<b>0.05</b>	<b>0.12</b>	<b>1.27</b>	<b>2.07</b>
<b>Seedco</b>	<b>9023</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.27</b>	<b>0.00</b>	<b>0.11</b>
Stoneville	AP 9257	-	0.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoneville	AP 7126	-	0.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoneville	BXN 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoneville	BXN 47	-	-	0.27	-	-	-	-	0.17	0.54	1.42	4.13	0.08	0.12	-	0.62	-	-	0.18
Stoneville	BXN 49B	-	1.38	1.43	-	-	-	-	0.18	0.32	0.80	4.19	0.06	-	-	-	0.19	-	0.28
Stoneville	GC-505	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	-	-	-
Stoneville	ST 457	-	2.78	-	0.07	-	-	-	-	-	0.08	-	-	-	-	-	-	-	-
Stoneville	ST 474	0.94	0.11	-	-	-	0.09	-	0.17	0.07	0.72	-	-	0.26	-	-	-	-	0.12
Stoneville	ST 2454R	-	-	-	-	-	-	5.44	-	-	-	-	-	0.82	-	-	2.11	-	0.94
Stoneville	ST 3539BR	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	-	0.14	-	0.06
Stoneville	ST 4563B2	-	-	-	-	-	-	-	-	0.23	-	-	-	-	-	-	-	-	-
Stoneville	ST 4691B	-	2.91	1.27	-	-	-	-	0.39	0.56	-	-	0.42	0.25	-	-	-	-	0.23
Stoneville	ST 4793R	2.74	0.08	10.97	-	0.07	0.90	-	0.38	5.43	15.09	-	2.13	0.83	0.57	2.05	0.10	0.63	2.18
Stoneville	ST 4892BR	6.22	2.84	29.56	0.09	1.54	2.88	-	4.97	27.12	34.47	1.60	6.43	11.59	2.47	8.08	1.53	16.61	7.88
Stoneville	ST 5303R	0.27	2.05	-	-	-	-	-	1.02	0.18	-	-	0.11	-	1.40	0.07	-	0.28	0.21
Stoneville	ST 5599BR	0.65	2.99	2.23	-	-	1.00	-	7.33	3.68	0.56	-	2.11	0.73	4.31	0.07	0.49	0.97	1.39
<b>Stoneville</b>	<b>Total</b>	<b>10.86</b>	<b>16.56</b>	<b>45.77</b>	<b>0.19</b>	<b>1.61</b>	<b>5.90</b>	<b>5.44</b>	<b>13.59</b>	<b>38.12</b>	<b>53.14</b>	<b>9.92</b>	<b>11.60</b>	<b>14.44</b>	<b>8.89</b>	<b>10.89</b>	<b>4.66</b>	<b>18.49</b>	<b>13.55</b>
Sure-Grow	SG 215 BG/RR	2.75	-	11.11	-	0.49	1.49	-	4.54	11.14	7.18	-	7.19	-	5.85	3.71	0.68	7.34	3.42
Sure-Grow	Sure-Grow 96	-	0.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sure-Grow	Sure-Grow 105	-	-	0.12	0.07	-	-	-	-	0.10	2.17	-	0.12	-	-	-	-	0.12	0.09
Sure-Grow	Sure-Grow 125	0.62	-	-	-	-	0.19	-	-	-	-	-	0.17	-	0.13	0.17	-	-	0.07
Sure-Grow	Sure-Grow 125BR	0.95	0.70	0.29	0.15	-	0.50	-	-	-	-	3.33	0.21	-	0.11	1.12	-	-	0.21
Sure-Grow	Sure-Grow 501B/R	1.46	-	-	-	-	0.68	-	2.17	1.22	1.03	-	2.80	-	3.55	2.94	0.10	2.96	0.78
Sure-Grow	Sure-Grow 521R	4.79	0.06	0.53	-	-	0.69	-	0.70	1.55	2.65	-	2.41	-	2.84	0.39	0.07	3.60	0.81
Sure-Grow	Sure-Grow 747	0.41	0.08	-	-	-	-	-	-	0.08	0.08	-	0.05	-	-	-	0.06	-	0.06
Sure-Grow	Sure-Grow 821	-	0.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Sure-Grow</b>	<b>Total</b>	<b>10.98</b>	<b>1.54</b>	<b>12.10</b>	<b>0.21</b>	<b>0.49</b>	<b>3.55</b>	<b>0.00</b>	<b>7.41</b>	<b>14.09</b>	<b>13.11</b>	<b>3.33</b>	<b>12.95</b>	<b>0.00</b>	<b>12.48</b>	<b>8.38</b>	<b>0.93</b>	<b>14.02</b>	<b>5.44</b>
Tamcot	CAB-CS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.22	-	0.09
Tamcot	Spinx	-	-	-	-	-	-	-	-	-	-	-	-	0.72	-	-	0.55	-	0.24
<b>Tamcot</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.72</b>	<b>0.00</b>	<b>0.00</b>	<b>0.77</b>	<b>0.00</b>	<b>0.33</b>
West Gaines	WG 4207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14	-	0.06
West Gaines	WG 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	-	0.06
<b>West Gaines</b>	<b>Total</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.29</b>	<b>0.00</b>	<b>0.12</b>
<b>Western</b>	<b>Western 180</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.10</b>	<b>0.00</b>	<b>0.04</b>
<b>Miscellaneous</b>	<b>Miscellaneous</b>	<b>1.48</b>	<b>6.41</b>	<b>0.02</b>	<b>2.47</b>	<b>0.00</b>	<b>2.08</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.23</b>	<b>4.08</b>	<b>0.08</b>	<b>0.00</b>	<b>0.01</b>	<b>0.18</b>	<b>2.06</b>	<b>0.05</b>	<b>1.36</b>
<b>Total</b>		<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>	<b>100.00</b>
<b>Total Transgenics</b>		<b>91.46</b>	<b>83.05</b>	<b>96.46</b>	<b>41.74</b>	<b>100.00</b>	<b>91.50</b>	<b>96.78</b>	<b>91.55</b>	<b>97.67</b>	<b>90.82</b>	<b>50.17</b>	<b>96.39</b>	<b>94.99</b>	<b>98.14</b>	<b>99.21</b>	<b>56.33</b>	<b>96.43</b>	<b>76.22</b>

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Deltapine DP 5415RR	Paymaster PM 2145 RR	Paymaster Paymaster HS 26	Stoneville ST 4892BR	Paymaster PM 2200 RR	Paymaster PM 2379 RR	Deltapine DP 458 B/RR	Paymaster PM 1218 BG/RR	Paymaster PM 2280 BG/RR	Deltapine DP 5690RR	Deltapine DP 5690	Paymaster PM 2326 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	0.00	58.34	0.00	0.00	6.44	0.00	0.00	0.00	0.89	0.00	0.00	5.78	28.55	100.00
Oklahoma	0.00	4.02	0.00	11.59	8.47	2.29	1.83	4.83	6.74	0.51	0.13	8.34	51.26	100.00
Texas	8.31	0.28	6.16	4.26	4.06	5.58	5.64	4.64	4.12	4.89	4.69	2.81	44.57	100.00
<b>OFFICE TOTAL</b>	<b>6.69</b>	<b>5.21</b>	<b>4.96</b>	<b>4.79</b>	<b>4.76</b>	<b>4.76</b>	<b>4.75</b>	<b>4.30</b>	<b>4.18</b>	<b>4.00</b>	<b>3.79</b>	<b>3.69</b>	<b>44.11</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Deltapine DP 555 BG/RR	Deltapine DP 451 B/RR	Deltapine DP 458 B/RR	Paymaster PM 1218 BG/RR	Deltapine DP 5415RR	Stoneville ST 4892BR	Deltapine DP 5690RR	Sure-Grow Sure-Grow 521R	Deltapine DP 436 RR	Deltapine DP 655 B/RR	Sure-Grow SG 215 BG/RR	Stoneville ST 4793R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Alabama	11.10	13.59	9.42	10.05	8.86	6.22	6.31	4.79	3.98	2.89	2.75	2.74	17.29	100.00
Florida	40.60	4.00	37.10	0.00	8.70	2.20	0.50	0.00	2.70	2.00	0.70	0.10	1.40	100.00
<b>OFFICE TOTAL</b>	<b>14.38</b>	<b>12.53</b>	<b>12.50</b>	<b>8.93</b>	<b>8.84</b>	<b>5.77</b>	<b>5.66</b>	<b>4.26</b>	<b>3.84</b>	<b>2.79</b>	<b>2.52</b>	<b>2.45</b>	<b>15.53</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	BCS Fibermax FM 832	BCS Fibermax FM 989	BCS Fibermax FM 832B	Deltapine DP 555 BG/RR	BCS Fibermax FM 989RR	Beltwide Cot Gen BCG-30R	Deltapine DP 491	BCS Fibermax FM 958	BCS Fibermax FM 989BR	Deltapine DP 436 RR	Deltapine DP 458 B/RR	Deltapine DP 451 B/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	42.97	7.27	6.42	4.42	4.15	4.14	3.47	3.20	2.61	2.14	1.85	1.67	15.70	100.00

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Stoneville ST 4892BR	Deltapine DP 451 B/RR	Deltapine DP 555 BG/RR	Sure-Grow SG 215 BG/RR	Paymaster PM 1218 BG/RR	Stoneville ST 4793R	Deltapine DP 436 RR	Stoneville ST 5599BR	BCS Fibermax FM 989BR	BCS Fibermax FM 960BR	Stoneville ST 4691B	Sure-Grow Sure-Grow 521R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	18.16	25.11	7.02	9.93	14.20	4.34	1.31	2.65	3.74	2.10	3.33	0.16	7.95	100.00
Mississippi	29.32	7.29	13.80	11.61	9.31	5.20	4.80	4.13	1.57	1.57	0.64	1.68	9.10	100.00
<b>OFFICE TOTAL</b>	<b>26.33</b>	<b>12.06</b>	<b>11.98</b>	<b>11.16</b>	<b>10.62</b>	<b>4.97</b>	<b>3.86</b>	<b>3.73</b>	<b>2.15</b>	<b>1.71</b>	<b>1.36</b>	<b>1.27</b>	<b>8.79</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Deltapine DP 451 B/RR	Deltapine DP 555 BG/RR	Deltapine DP 458 B/RR	Sure-Grow SG 215 BG/RR	Stoneville ST 4892BR	Deltapine DP 436 RR	Deltapine DP 5415RR	BCS Fibermax FM 989BR	Sure-Grow Sure-Grow 501B/R	BCS Fibermax FM 989RR	Sure-Grow Sure-Grow 521R	Stoneville ST 5599BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
North Carolina	24.82	11.55	7.23	7.19	6.43	6.89	5.73	5.19	2.80	2.99	2.41	2.11	14.66	100.00
South Carolina	3.16	35.15	11.76	5.85	2.47	0.09	8.52	3.96	3.55	1.65	2.84	4.31	16.69	100.00
Virginia	34.11	1.84	0.09	7.34	16.61	14.95	0.09	4.11	2.96	1.61	3.60	0.97	11.71	100.00
<b>OFFICE TOTAL</b>	<b>20.95</b>	<b>15.80</b>	<b>7.64</b>	<b>6.92</b>	<b>6.38</b>	<b>6.07</b>	<b>5.89</b>	<b>4.85</b>	<b>2.97</b>	<b>2.60</b>	<b>2.59</b>	<b>2.49</b>	<b>14.86</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	BCS Fibermax FM 958	Deltapine DP 5690	Paymaster Paymaster HS 26	Deltapine Deltapine Acala 90	Paymaster PM 2326 RR	All-Tex Atlas RR	Paymaster HS 200	All-Tex Atlas	BCS Fibermax FM 989BR	BCS Fibermax FM 989RR	BCS Fibermax FM 989	Paymaster PM 2266 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	10.53	8.56	8.24	8.08	6.58	6.24	6.09	5.55	3.67	3.40	3.25	2.15	27.67	100.00

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Paymaster PM 2326 RR	BCS Fibermax FM 958	Paymaster PM 2379 RR	Paymaster PM 2280 BG/RR	BCS Fibermax FM 989RR	Paymaster PM 2266 RR	Paymaster Paymaster HS 26	All-Tex Atlas RR	Stoneville ST 2454R	All-Tex Atlas	BCS Fibermax FM 989BR	Paymaster PM 2145 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	18.17	17.73	6.76	6.03	5.12	4.15	4.08	3.68	3.62	3.16	2.87	2.71	21.92	100.00

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Deltapine DP 555 BG/RR	Deltapine DP 458 B/RR	Deltapine DP 5690RR	Deltapine DP 5415RR	Deltapine DP 451 B/RR	Stoneville ST 4892BR	Deltapine NuCOTN 33 B	BCS Fibermax FM 989RR	BCS Fibermax FM 989BR	Deltapine DP 436 RR	Sure-Grow SG 215 BG/RR	Deltapine DP 468 BGII/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Florida	20.00	25.00	30.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
Georgia	33.52	19.42	5.95	6.00	4.74	2.88	2.60	2.23	1.88	1.76	1.49	1.44	16.09	100.00
<b>OFFICE TOTAL</b>	<b>33.22</b>	<b>19.55</b>	<b>6.49</b>	<b>5.86</b>	<b>5.20</b>	<b>2.82</b>	<b>2.54</b>	<b>2.18</b>	<b>1.84</b>	<b>1.72</b>	<b>1.46</b>	<b>1.41</b>	<b>15.73</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Paymaster PM 1218 BG/RR	Stoneville ST 4892BR	Deltapine DP 451 B/RR	Stoneville ST 4793R	Sure-Grow SG 215 BG/RR	Paymaster PM 1199 RR	Deltapine DP 436 RR	BCS Fibermax FM 958	Sure-Grow Sure-Grow 501B/R	Sure-Grow Sure-Grow 521R	BCS Fibermax FM 989BR	Stoneville ST 5599BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	12.41	38.13	9.14	15.79	10.85	1.18	1.38	0.84	0.06	0.66	1.09	1.73	6.75	100.00
Mississippi	29.89	12.80	23.53	8.79	8.06	0.00	1.55	2.97	0.52	0.52	2.93	0.00	8.43	100.00
Missouri	13.82	34.47	6.13	15.09	7.18	2.23	2.93	4.31	1.03	2.65	0.04	0.56	9.55	100.00
Tennessee	54.56	8.08	18.68	2.05	3.71	3.72	1.27	0.21	2.94	0.39	1.02	0.07	3.30	100.00
<b>OFFICE TOTAL</b>	<b>28.46</b>	<b>25.17</b>	<b>12.66</b>	<b>10.41</b>	<b>7.30</b>	<b>2.23</b>	<b>1.73</b>	<b>1.62</b>	<b>1.32</b>	<b>1.05</b>	<b>0.93</b>	<b>0.75</b>	<b>6.36</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Deltapine DP 449 BG/RR	Deltapine DP 422 B/RR	Deltapine DP 655 B/RR	Deltapine DP 555 BG/RR	Acala 1517-99	Deltapine NuCOTN 33 B	Deltapine NuCOTN 35 B	Deltapine DP 388	Stoneville ST 4892BR	Acala 1517-77 BR	AZ Cotton Growers AG 3601	Stoneville ST 5599BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arizona	37.09	15.70	2.87	4.26	0.00	1.50	0.00	1.59	2.84	0.23	2.49	2.99	28.44	100.00
California	39.46	2.73	3.87	2.73	0.00	5.21	0.98	0.00	1.99	0.00	2.34	0.00	40.68	100.00
New Mexico	0.00	0.00	0.00	0.00	17.42	2.08	7.94	8.00	1.60	11.33	1.07	0.00	50.56	100.00
Texas	0.00	0.00	20.00	0.00	0.00	20.00	20.00	0.00	0.00	0.00	0.00	0.00	40.00	100.00
<b>OFFICE TOTAL</b>	<b>28.67</b>	<b>11.00</b>	<b>3.33</b>	<b>3.15</b>	<b>3.13</b>	<b>2.87</b>	<b>2.55</b>	<b>2.53</b>	<b>2.40</b>	<b>2.20</b>	<b>2.09</b>	<b>2.05</b>	<b>34.02</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Deltapine DP 555 BG/RR	Deltapine DP 451 B/RR	Deltapine DP 458 B/RR	Paymaster PM 1218 BG/RR	Stoneville ST 5599BR	Sure-Grow SG 215 BG/RR	Stoneville ST 4892BR	Deltapine DeltaPEARL	Deltapine DP 5415RR	Deltapine DP 436 RR	Sure-Grow Sure-Grow 501B/R	BCS Fibermax FM 832B	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	25.01	17.66	0.00	0.00	6.00	28.34	10.00	0.00	0.00	3.00	0.00	0.00	9.99	100.00
Louisiana	30.79	10.12	9.03	8.42	7.33	4.54	4.97	4.27	2.34	1.91	2.17	1.79	12.32	100.00
Mississippi	33.40	11.54	25.62	3.05	2.18	6.23	2.97	0.00	0.00	5.18	0.54	0.00	9.28	100.00
<b>OFFICE TOTAL</b>	<b>30.58</b>	<b>10.59</b>	<b>9.22</b>	<b>7.74</b>	<b>7.04</b>	<b>5.91</b>	<b>5.16</b>	<b>3.86</b>	<b>2.12</b>	<b>2.11</b>	<b>1.98</b>	<b>1.62</b>	<b>12.07</b>	<b>100.00</b>

NOTE: Totals may not add due to rounding.

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2003

STATE	Phytogen PHY 72 Acala	CPCSD Acala Riata RR	CPCSD Acala Sierra RR	CPCSD Acala MAXXA	Phytogen PHY 78 Acala	Deltapine DP 388	Deltapine DP 6207 Acala	Deltapine DP 555 BG/RR	Deltapine DP 5415RR	CPCSD Acala Ultima	Sure-Grow Sure-Grow 105	Acala 1517-75	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
California	43.07	19.60	17.53	10.07	1.50	1.29	1.23	1.18	1.18	0.76	0.07	0.00	2.51	100.00

NOTE: Totals may not add due to rounding.



**Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2003**

State	Deltapine DP 340 Pima	Deltapine DP 744 Pima	Deltapine DP HTO Pima	Phytogen PHY 76 Pima	Public Pima S-6	Public Pima S-7	-	-	-	-	Misc.	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent					Percent	Percent
Arizona	9.90	0.00	90.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
California	10.76	17.28	3.17	67.45	0.00	1.34	0.00	0.00	0.00	0.00	0.00	100.00
New Mexico	42.00	30.00	12.00	2.00	7.00	7.00	0.00	0.00	0.00	0.00	0.00	100.00
Texas	10.70	0.00	12.43	0.00	64.16	12.71	0.00	0.00	0.00	0.00	0.00	100.00
<b>United States</b>	<b>11.78</b>	<b>15.44</b>	<b>6.38</b>	<b>56.41</b>	<b>7.25</b>	<b>2.74</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>100.00</b>

**Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2003**

Classing Office	Deltapine DP 340 Pima	Deltapine DP 744 Pima	Deltapine DP HTO Pima	Phytogen PHY 76 Pima	Public Pima S-6	Public Pima S-7	-	-	-	-	Misc.	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent			Percent	Percent
<b>PHOENIX:</b>												
AZ	9.90	0.00	90.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	100.00
NM	42.00	30.00	12.00	2.00	7.00	7.00	0.00	0.00	0.00	0.00	0.00	100.00
TX	10.70	0.00	12.43	0.00	64.16	12.71	0.00	0.00	0.00	0.00	0.00	100.00
<b>Office total</b>	<b>16.98</b>	<b>6.12</b>	<b>22.65</b>	<b>0.41</b>	<b>43.98</b>	<b>9.86</b>	0.00	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>100.00</b>
<b>VISALIA</b>	10.76	17.28	3.17	67.45	0.00	1.34	0.00	0.00	0.00	0.00	0.00	100.00
<b>United States</b>	<b>11.78</b>	<b>15.44</b>	<b>6.38</b>	<b>56.41</b>	<b>7.25</b>	<b>2.74</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>100.00</b>