

Cotton Varieties Planted, United States 2004 Crop

The Deltapine brand of Upland cottonseed was the most popular planted in the United States for the 2004-2005 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Bayer CropScience Fibermax brand was the second most popular followed by Stoneville, Paymaster, AFD Seed, Suregrow, All-Tex, CPCSD, and Phylogen.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 79.5 percent of the Upland cotton planted in the United States in 2004. Usage of transgenic varieties in 2004 varied from a high of 99.5 percent in Mississippi to a low of 52.2 percent in California. Texas producers planted transgenic varieties to 61.1 percent of their 5.9 million cotton acres. Other states planted from 92 - 99 percent transgenic except for New Mexico (70.2 percent) and Arizona (85.7 percent).

Deltapine brand varieties were the most popular planted in 2004, accounting for about 38.4 percent of the United States acreage. This brand accounted for 72.1 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 45.9 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 18.4 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 33.5 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 444 BG/RR, DP 451 B/RR, DP 5690, and DP 5415 RR, accounting respectively for 14.9, 6.5, 2.9, 1.9, and 1.8 percent of the U.S. Upland cotton acreage.

Bayer CropScience Fibermax brand varieties were the second most popular planted in 2004, accounting for about 24.3 percent of the United States acreage. These varieties accounted for 9.6 percent of the acreage planted in the southeastern states, 8.2 percent in the south central states, 43.4 percent in the southwestern states, and 2.5 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 958, FM 960 BR, FM 989 RR, FM 832, FM 989, and FM 989 BR, accounting respectively for about 5.3, 3.6, 3.1, 2.6, 1.9, and 1.9 percent of the United States acreage planted to Upland cotton.

Stoneville brand varieties were the third most popular planted in 2004. These varieties accounted for about 12.2 percent of the acreage planted. They accounted for 9.3 percent of the acreage planted in the southeastern states, 29.1 percent of the acreage in the south central states, 5.0 percent in the southwestern states, and 4.4 percent in the western states. The most popular Stoneville varieties were ST 5599 BR and ST 4892 BR, accounting respectively for about 5.1 and 4.2 percent of the United States acreage planted to Upland cotton.

Paymaster brand varieties were the fourth most popular planted in 2004, accounting for about 11.2 percent of the United States acreage. They accounted for 2.0 percent of the acreage planted in the southeastern states, 13.3 percent of the acreage in the south central states, 15.9 percent in the southwestern states, and 0.1 percent in the western states. The most popular Paymaster brand varieties were PM 1218 BG/RR, PM 2326 RR, and PM 2266 RR, accounting respectively for about 3.7, 1.4, and 1.0 percent of the United States acreage planted to Upland cotton.

AFD Seed brand varieties were the next most popular and accounted for about 3.3 percent of the U.S. acreage planted in 2004. Suregrow brand varieties were the next most popular and accounted for about 2.4 percent of the U.S. acreage planted in 2004. All-Tex varieties, planted primarily in Texas and Oklahoma, were the seventh most popular and accounted for about 2.0 percent of the 2004 cotton acreage.

Phylogen was the most popular brand of American Pima varieties planted in 2004. Phylogen variety PHY 800 Pima accounted for 40.4 percent of the United States Pima acreage and was the most popular variety planted in California (46.2 percent of California Pima acreage). Deltapine's DP 340 Pima was the second most planted American Pima variety and accounted for 26.7 percent of the U.S. crop. Deltapine's DP 744 Pima was the next most popular variety and accounted for 14.8 percent of the U.S. Pima acreage. The most popular American Pima variety planted in Arizona, Texas, and New Mexico was Deltapine DP 340, accounting respectively for 43.3, 70.0, and 91.7 percent of the United States acreage planted to American Pima cotton.

Estimates of the percentage of the various varieties of cotton planted in the United States for 2004 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

**Estimated percentage of Upland cotton planted to leading specified varieties, by growth area,
2004 crop**

SE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 451 B/RR	Stoneville ST 5599 BR	Deltapine DP 449 BG/RR	Deltapine DP 458 B/RR	Deltapine DP 5690 RR
	35.01	9.51	7.83	4.89	4.30	4.00	3.07
SC	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Paymaster PM 1218 BG/RR	Stoneville ST 4892 BR	Bayer CropSci Fibermax FM 960 BR	Deltapine DP 451 B/RR
	22.52	13.99	12.89	12.78	11.36	4.35	4.14
SW	Bayer CropSci Fibermax FM 958	Bayer CropSci Fibermax FM 989 RR	Bayer CropSci Fibermax FM 832	AFD Seed AFD 3511 RR	Deltapine DP 5690	Bayer CropSci Fibermax FM 960 BR	Bayer CropSci Fibermax FM 989
	11.23	6.26	5.73	4.85	3.91	3.88	3.66
W	Phylogen PHY 72 ACALA	CPCSD Acala Riata RR	CPCSD Acala Sierra RR	Deltapine DP 449 BG/RR	Deltapine DP 448 B	Phylogen PHY 78 Acala	Deltapine DP 555 BG/RR
	23.20	13.77	12.80	12.46	4.65	4.10	3.64
U.S.	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Bayer CropSci Fibermax FM 958	Stoneville ST 5599 BR	Stoneville ST 4892 BR	Paymaster PM 1218 BG/RR	Bayer CropSci Fibermax FM 960 BR
	14.89	6.50	5.27	5.11	4.21	3.72	3.60

**Estimated percentage of Upland cotton planted to leading specified brands, by growth areas,
2004 crop**

SE	Deltapine	Bayer CropSci Fibermax	Stoneville	Suregrow	Paymaster	Phylogen	Beltwide Cotton Genetics
	72.09	9.59	9.32	6.08	1.97	0.26	0.02
SC	Deltapine	Stoneville	Paymaster	Bayer CropSci Fibermax	Suregrow	Beltwide Cotton Genetics	Americot
	45.92	29.12	13.31	8.21	2.85	0.31	0.17
SW	Bayer CropSci Fibermax	Deltapine	Paymaster	AFD Seed	Stoneville	All-Tex	Beltwide Cotton Genetics
	43.40	18.44	15.9	7.27	5.03	4.46	1.40
W	Deltapine	CPCSD	Phylogen	Stoneville	Bayer CropSci Fibermax	Acala	Suregrow
	33.54	29.98	27.30	4.41	2.45	0.72	0.42
U.S.	Deltapine	Bayer CropSci Fibermax	Stoneville	Paymaster	AFD Seed	Suregrow	All-Tex
	38.37	24.26	12.19	11.16	3.33	2.38	2.04

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2004

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES	
Acala	1517-95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
Acala	1517-99	-	0.16	-	-	-	-	-	-	-	-	9.65	-	-	-	-	-	*		
Acala	Total	-	0.16	-	-	-	-	-	-	-	-	9.65	-	-	-	-	-	0.05		
AFD Seed	AFD 2050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
AFD Seed	AFD 2051	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
AFD Seed	AFD 2424	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
AFD Seed	AFD 2485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.66	0.29		
AFD Seed	AFD 3511 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.09	2.22		
AFD Seed	AFD 3602 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.62	0.27		
AFD Seed	EXPLORER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.44	0.19		
AFD Seed	RAIDER 202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	*		
AFD Seed	RAIDER 271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.44	0.19		
AFD Seed	ROCKET	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.23	0.10		
AFD Seed	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.65	-	3.33	
All-Tex	Atlas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.37	-	1.64	
All-Tex	Atlas RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	-	2.25	
All-Tex	Excess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	*	*	
All-Tex	Excess RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	
All-Tex	Top-Pick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.21	-	0.09	
All-Tex	Xpress	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	0.06	
All-Tex	Xpress RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.30	-	0.13	
All-Tex	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.65	-	4.58	
Americot	Americot 262R	-	-	-	-	-	-	-	-	-	-	0.53	-	-	-	-	-	*	-	0.05
Americot	Americot 427R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Americot	Americot 821R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Americot	Americot 1621	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Americot	Total	-	-	*	-	-	-	-	-	-	-	0.53	-	-	-	-	-	0.09	-	0.08
AZ CT GR	AG 3601	-	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Bayer Crop	FM 800 BR	-	-	-	-	-	-	-	-	1.37	0.45	-	-	-	-	-	-	0.86	-	0.46
Bayer Crop	FM 800 B2R	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	0.47	-	0.21
Bayer Crop	FM 800 RR	-	-	0.11	-	-	-	-	-	0.22	-	-	-	-	-	-	-	1.37	-	0.61
Bayer Crop	FM 819	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.40	-	0.17	
Bayer Crop	FM 819 RR	-	-	-	-	-	-	0.53	0.29	-	-	-	-	-	-	-	0.45	-	0.21	
Bayer Crop	FM 832	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.05	-	2.62	
Bayer Crop	FM 832 B	-	-	-	-	-	-	-	-	0.28	-	-	-	-	-	-	0.12	-	0.06	
Bayer Crop	FM 832 LL	-	-	-	-	-	-	-	-	0.17	-	-	-	-	-	-	0.77	-	0.34	
Bayer Crop	FM 958	-	-	0.25	-	-	*	-	0.16	0.24	1.78	-	0.41	-	-	-	0.17	11.86	-	5.27
Bayer Crop	FM 958 B	-	-	-	-	-	0.09	-	-	2.67	-	0.10	-	-	-	-	0.21	-	0.18	
Bayer Crop	FM 958 LL	-	-	-	-	-	*	-	0.63	0.93	-	0.55	0.37	0.23	*	0.47	0.54	0.33		
Bayer Crop	FM 960 BR	3.30	0.36	3.60	-	-	3.93	-	5.67	2.74	1.35	4.18	1.98	6.77	2.76	9.66	3.86	1.54	3.60	
Bayer Crop	FM 960 B2R	-	-	0.12	-	-	0.10	2.67	0.64	0.24	4.35	-	0.35	3.32	0.38	-	0.29	-	0.42	
Bayer Crop	FM 960 RR	0.08	-	0.11	0.30	-	0.57	-	0.24	0.09	-	-	0.40	-	0.07	*	2.66	-	1.27	
Bayer Crop	FM 966	-	-	-	-	-	*	-	*	-	-	-	0.41	-	0.17	-	0.18	-	0.11	
Bayer Crop	FM 966 LL	0.12	*	0.11	-	-	0.43	-	-	1.32	-	-	0.14	-	0.42	0.36	2.38	0.36		
Bayer Crop	FM 981 LL	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-		
Bayer Crop	FM 989	0.66	-	0.39	-	-	1.15	-	-	-	-	*	0.76	0.14	1.34	3.83	2.30	1.91		
Bayer Crop	FM 989 BR	0.59	1.79	0.18	-	-	0.67	-	0.54	0.13	-	10.65	5.05	0.41	1.22	1.97	2.90	4.85	1.87	
Bayer Crop	FM 989 B2R	-	-	-	-	-	0.08	-	0.05	-	-	-	-	-	-	0.84	-	0.37		
Bayer Crop	FM 989 RR	0.13	0.67	-	-	-	0.33	-	0.28	*	0.19	-	2.14	0.18	0.58	-	6.60	-	3.05	
Bayer Crop	FM 991 BR	*	0.94	0.30	-	-	1.26	-	-	-	-	2.35	0.29	-	1.54	0.28	0.10	-	0.27	
Bayer Crop	FM 991 B2R	*	-	-	-	-	-	-	-	-	-	*	*	*	-	0.06	-	*		
Bayer Crop	FM 991 RR	2.47	0.08	-	-	-	1.04	-	*	-	-	0.53	-	1.44	0.17	0.25	-	0.37		
Bayer Crop	FM 5013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*		
Bayer Crop	FM 5015	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*		
Bayer Crop	FM 5017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*		
Bayer Crop	FM 5035 LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	-	0.06		
Bayer Crop	FM 5044 RR	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*		
Bayer Crop	FM 5045 BR	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*		
Bayer Crop	Total	7.41	3.85	5.16	0.30	-	9.76	3.20	10.00	5.88	11.27	17.18	12.38	11.81	8.55	14.10	45.34	11.61	24.26	

Table 1. Continued

Variety	AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Beltwide C BCG 24 R	-	-	0.07	-	-	-	-	-	-	-	-	-	-	-	*	0.34	-	0.15
Beltwide C BCG 28 R	0.12	-	-	-	-	-	-	0.28	0.75	-	-	-	-	-	-	0.35	-	0.23
Beltwide C BCG 30 R	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	0.64	-	0.28
Beltwide C BCG 50 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
Beltwide C BCG 245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	-	*	*
Beltwide C BCG 295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Beltwide C Total	0.12	-	0.11	-	-	-	-	0.31	0.75	-	-	-	-	-	-	1.47	-	0.72
Bronco Bronco 141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.20	-	0.09
Bronco Bronco 263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Bronco Bronco 324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Bronco Bronco 414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Bronco Bronco 655M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Bronco Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.37	-	0.16
Concho 257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	0.05
Concho 287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	-	*
Concho Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.24	-	0.10
CPCSD Acala BXN Nova	-	-	-	1.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CPCSD Acala MAXXA	-	-	-	2.26	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07
CPCSD Acala Riata RR	-	-	-	20.90	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
CPCSD Acala Sierra RR	-	-	-	19.42	-	-	-	-	-	-	-	-	-	-	-	-	-	0.86
CPCSD Acala Ultima	-	-	-	1.15	-	-	-	-	-	-	-	-	-	-	-	-	-	0.80
CPCSD Total	-	-	-	45.50	-	-	-	-	-	-	-	-	-	-	-	-	-	1.87
Deltapine DeltaPEARL	0.22	-	-	-	-	0.23	-	0.74	*	-	-	*	-	*	-	*	-	0.06
Deltapine Deltapine Acala 90	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.80
Deltapine DP 20 B	-	0.19	-	-	-	-	-	0.10	-	-	-	-	-	-	-	0.15	-	0.07
Deltapine DP 388	-	3.69	-	0.79	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
Deltapine DP 422 B/RR	-	-	0.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11
Deltapine DP 424 BGII/RR	-	0.09	0.06	-	-	-	-	0.57	0.31	0.34	1.41	0.44	-	0.45	*	0.29	-	0.23
Deltapine DP 432 RR	0.06	1.60	0.33	-	-	0.17	-	0.44	0.52	-	-	0.25	-	0.22	-	0.11	0.46	0.20
Deltapine DP 434 RR	0.17	0.82	0.10	-	-	0.08	-	0.29	0.77	-	-	0.05	-	-	-	0.44	0.23	0.30
Deltapine DP 436 RR	2.95	0.83	1.31	0.24	4.54	2.04	-	0.45	3.10	3.48	-	3.98	0.10	1.18	0.66	0.53	7.70	1.38
Deltapine DP 444 BG/RR	16.36	2.79	18.45	1.68	-	4.16	-	7.90	15.25	7.14	-	14.77	2.46	8.95	14.26	1.44	17.07	6.50
Deltapine DP 448 B	*	10.43	-	0.54	-	-	-	0.23	-	-	20.82	-	0.46	-	-	-	-	0.31
Deltapine DP 449 BG/RR	6.58	33.60	-	3.57	9.64	3.86	-	2.14	0.10	0.30	14.35	3.87	-	1.56	1.27	0.38	0.54	2.04
Deltapine DP 451 B/RR	4.86	1.73	2.59	-	9.96	1.57	-	0.86	1.12	7.13	-	21.23	-	0.55	13.32	*	26.68	2.85
Deltapine DP 458 B/RR	5.15	1.00	-	-	12.23	4.28	-	0.95	0.14	-	8.71	2.40	0.08	2.32	-	1.22	-	1.52
Deltapine DP 468 BGII/RR	*	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Deltapine DP 488 BG/RR	-	0.56	-	-	-	0.18	-	0.09	1.03	-	-	*	-	0.10	-	*	-	0.13
Deltapine DP 491	1.18	-	-	-	-	0.69	-	0.10	-	-	*	-	-	-	0.34	-	0.27	
Deltapine DP 493	0.10	-	-	-	-	0.10	-	1.09	0.20	-	*	-	*	-	*	-	0.07	
Deltapine DP 494 RR	-	0.09	0.05	0.24	-	0.08	-	0.32	0.46	-	*	-	*	0.58	-	0.40	-	0.25
Deltapine DP 555 BG/RR	20.48	7.71	14.57	2.36	45.54	55.66	-	51.88	35.18	0.13	-	6.06	10.93	50.18	1.34	2.12	1.00	14.89
Deltapine DP 565	-	4.25	-	0.07	-	-	-	-	-	-	13.53	-	-	-	*	-	*	0.14
Deltapine DP 655 B/RR	0.52	3.74	-	-	*	-	-	0.26	-	-	3.24	0.09	4.97	0.20	-	0.27	-	0.31
Deltapine DP 5415	0.14	-	-	-	6.82	1.07	-	0.18	*	-	*	-	0.07	-	1.04	-	0.62	
Deltapine DP 5415 RR	4.43	1.75	0.20	0.77	-	2.56	-	1.96	0.34	0.12	-	2.40	*	3.96	*	2.31	-	1.80
Deltapine DP 5690	0.96	-	-	-	-	0.73	-	-	-	-	1.65	-	-	-	-	4.13	-	1.91
Deltapine DP 5690 RR	1.12	1.75	-	1.85	-	9.00	5.02	-	-	-	-	0.79	0.71	1.98	-	1.47	-	1.36
Deltapine DP 6207 Acala	-	1.16	-	*	-	-	-	-	-	-	-	-	-	-	*	-	*	0.08
Deltapine NuCOTN 33 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Deltapine NuCOTN 35 B	0.11	-	-	-	-	-	-	-	-	-	-	0.37	-	-	-	*	-	*
Deltapine Total	65.43	77.79	37.94	12.14	97.73	82.50	-	70.59	58.59	20.35	63.70	56.45	20.13	72.35	31.05	18.76	53.67	38.37
Douglas KI 211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Douglas KI 212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
Douglas K Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Paymaster	Paymaster	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.30	-	0.56	
Paymaster	PM 280	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.05		
Paymaster	PM 330	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*		
Paymaster	PM 1199 R	0.82	-	0.39	-	-	-	-	4.99	4.94	0.80	-	0.65	0.30	*	2.06	0.75	0.77	0.54
Paymaster	PM 1218 B	7.26	-	9.62	-	-	0.07	-	-	5.14	-	0.88	1.80	0.91	45.36	0.06	0.27	3.72	
Paymaster	PM 1560 B	-	0.47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Paymaster	PM 2145 R	-	-	-	-	-	-	73.13	-	-	-	-	-	0.51	-	-	0.45	-	0.85
Paymaster	PM 2167 R	-	-	-	-	-	-	8.00	-	-	-	-	-	3.05	-	-	0.96	-	0.53
Paymaster	PM 2200 R	-	-	-	-	-	-	0.53	-	-	-	-	-	2.11	-	-	0.94	-	0.45
Paymaster	PM 2266 R	-	-	-	-	-	-	0.53	-	-	-	-	-	2.50	-	-	2.30	-	1.04
Paymaster	PM 2280 B	-	-	-	-	-	-	1.07	-	-	-	-	-	18.33	-	-	1.11	-	0.77
Paymaster	PM 2326 B	-	-	-	-	-	-	9.87	-	-	-	-	-	2.53	-	-	0.62	-	0.39
Paymaster	PM 2326 R	-	-	-	-	-	-	-	-	-	-	-	-	3.39	-	-	2.98	-	1.35
Paymaster	PM 2344 B	-	-	-	-	-	-	-	-	-	-	-	-	1.83	-	-	*	-	*
Paymaster	PM 2379 R	-	-	-	-	-	-	-	-	-	-	-	-	7.74	-	-	1.65	-	0.84
Paymaster	Total	8.08	0.47	10.01	-	-	0.07	93.13	4.99	4.94	5.94	-	1.53	44.09	0.94	47.42	13.33	1.04	11.16
Phylogen	PHY 72 Ad	-	0.16	-	35.14	-	-	-	-	-	-	-	-	-	-	-	-	-	1.45
Phylogen	PHY 78 Ad	-	-	6.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26
Phylogen	PHY 410 R	-	-	*	-	-	-	0.22	0.21	-	-	-	0.16	-	0.09	-	*	-	0.05
Phylogen	PHY 510 R	-	-	-	-	-	0.11	-	-	-	-	-	-	-	*	-	*	-	*
Phylogen	PSC 355	-	-	*	-	-	0.06	-	-	-	-	-	0.39	-	0.38	-	-	-	*
Phylogen	Total	-	0.16	*	41.37	-	0.22	-	0.22	0.21	-	-	0.55	-	0.47	-	*	-	1.81
Seedco	9023	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*	
Stoneville	AP 7126	-	2.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	BXN 47	-	0.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07
Stoneville	BXN 49 B	-	2.73	-	0.16	-	-	-	-	-	-	0.12	-	*	-	-	-	-	0.09
Stoneville	ST 457	-	0.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 474	-	0.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 1553 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18	-	0.08	
Stoneville	ST 2448 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.16	-	0.07	
Stoneville	ST 2454 R	-	-	-	-	-	-	-	-	-	-	-	-	1.55	-	-	1.53	-	0.69
Stoneville	ST 3539 B	-	-	-	-	-	-	-	-	-	-	-	0.47	-	-	0.07	-	*	
Stoneville	ST 4563 B	-	0.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 4646 B	-	0.50	-	-	-	-	-	-	*	1.50	-	0.20	0.99	0.28	*	0.17	-	0.19
Stoneville	ST 4691 B	-	0.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 4793 R	1.56	-	6.38	0.18	-	0.14	-	0.50	2.53	12.07	-	2.21	0.25	0.11	0.50	0.09	-	1.29
Stoneville	ST 4892 B	2.41	0.53	19.96	-	-	0.96	-	0.73	4.33	35.42	2.24	6.23	9.17	0.70	3.05	1.08	18.34	4.21
Stoneville	ST 5242 B	-	1.44	0.27	-	-	0.12	-	-	*	0.09	-	0.21	0.10	1.49	-	*	0.81	0.10
Stoneville	ST 5303 R	0.15	0.32	-	-	-	0.37	-	-	0.46	-	-	0.28	*	0.68	-	0.15	-	0.18
Stoneville	ST 5599 B	1.88	5.69	16.97	0.07	1.37	3.09	-	11.02	19.16	2.65	1.41	8.46	6.09	11.12	2.82	1.15	10.38	5.11
Stoneville	Total	6.00	14.32	44.92	0.41	1.37	4.68	-	12.25	26.54	52.24	3.65	17.62	18.65	14.38	6.38	4.70	29.53	12.19
Suregrow	SG 96	-	0.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Suregrow	SG 215 BC	1.71	0.47	1.49	-	-	0.36	-	0.88	0.42	6.26	0.82	4.92	-	1.09	0.54	0.48	1.08	0.99
Suregrow	SG 105	0.28	-	-	-	-	-	-	-	-	-	0.15	-	0.44	-	-	*	*	
Suregrow	SG 125 BR	1.15	-	0.08	-	-	0.41	-	-	-	-	-	-	-	-	0.92	0.10		
Suregrow	SG 501 BR	2.63	-	*	-	-	0.36	-	-	0.10	2.54	-	2.08	-	0.53	-	0.07	0.92	0.38
Suregrow	SG 521 R	3.93	-	0.22	-	-	1.12	-	0.65	2.04	1.24	-	4.32	-	1.69	*	*	1.23	0.78
Suregrow	SG 747	1.05	0.10	-	-	-	-	-	0.10	-	0.16	-	-	-	-	0.07	-	0.08	
Suregrow	SG 821	-	0.22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Suregrow	Total	10.75	1.34	1.83	-	-	2.25	-	1.63	2.55	10.20	0.82	11.47	-	3.31	1.03	0.63	4.15	2.38
Tamcot	CAB-CS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.19	-	0.08
Tamcot	Sphinx	-	-	-	-	-	-	-	-	-	-	-	0.41	-	-	-	0.41	-	0.19
Tamcot	Total	-	-	-	-	-	-	-	-	-	-	-	0.41	-	-	0.60	-	0.27	
West Gain	WG 4207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	
West Gain	WG 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*	
West Gain	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10	-	*	
Western	Western 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Misc		2.22	1.78	-	0.27	0.91	0.52	3.67	-	-	-	5.00	-	0.54	-	-	2.02	-	1.13
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Total		100.00	100.00	99.96	100.00	99.98	99.92	100.00	99.93										
Total Transgenics		93.19	85.73	99.34	52.24	92.27	95.39	96.33	97.55	99.49	98.06	70.17	98.54	94.90	99.19	98.05	61.11	97.70	79.50

* Less than .05 percent Note: Totals may not add due to rounding.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 5690	Paymaster PM 2145 RR	Deltapine DP 5415 RR	Stoneville ST 4892 BR	Stoneville ST 2454 R	Deltapine DP 5690 RR	Deltapine DP 458 B/RR	Deltapine DP 555 BG/RR	Paymaster PM 2200 RR	BCS-Fibermax FM 989 BR	Paymaster PM 2280 BG/RR	Stoneville ST 5599 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	0.00	73.13	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.00	1.07	0.00	25.27	100.00
Oklahoma	0.00	0.51	0.05	9.17	1.55	0.71	0.08	10.93	2.11	0.41	18.33	6.09	50.06	100.00
Texas	11.24	0.45	6.74	3.83	5.01	4.49	4.39	2.49	3.77	4.01	0.89	2.73	49.98	100.00
OFFICE TOTAL	8.97	5.80	5.38	4.24	4.20	3.67	3.51	3.39	3.32	3.25	3.15	2.96	48.16	100.00

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 449 BG/RR	Paymaster PM 1218 BG/RR	Deltapine DP 458 B/RR	Deltapine DP 451 B/RR	Deltapine DP 5415 RR	Suregrow SG 521 R	Deltapine DP 436 RR	BCS-Fibermax FM 960 BR	Suregrow SG 501 BR	BCS-Fibermax FM 991 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Alabama	20.48	16.36	6.58	7.26	5.15	4.86	4.43	3.93	2.95	3.30	2.63	2.47	19.62	100.00
Florida	56.49	0.00	13.77	0.00	6.75	3.51	0.00	0.00	6.49	0.00	0.00	0.00	12.99	100.00
OFFICE TOTAL	24.72	14.43	7.43	6.40	5.34	4.70	3.91	3.47	3.37	2.91	2.32	2.18	18.82	100.00

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	BCS-Fibermax FM 832	Deltapine DP 555 BG/RR	BCS-Fibermax FM 800 BR	Deltapine DP 444 BG/RR	BCS-Fibermax FM 832 LL	BCS-Fibermax FM 989	BCS-Fibermax FM 989 RR	BCS-Fibermax FM 800 RR	BCS-Fibermax FM 800 B2R	BCS-Fibermax FM 960 BR	Stoneville ST 5599 BR	Deltapine DP 491	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	36.55	6.19	5.47	5.34	4.85	4.58	4.30	4.00	3.06	2.48	2.41	1.97	18.80	100.00

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 555 BG/RR	Stoneville ST 5599 BR	Deltapine DP 444 BG/RR	Paymaster PM 1218 BG/RR	Stoneville ST 4892 BR	BCS-Fibermax FM 960 BR	Deltapine DP 436 RR	Stoneville ST 4793 R	Deltapine DP 451 B/RR	Deltapine DP 488 BG/RR	Suregrow SG 521 R	Deltapine DP 434 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	33.12	29.26	22.34	3.92	1.85	3.01	0.98	0.92	3.27	0.00	0.00	0.26	1.07	100.00
Mississippi	37.48	21.10	16.73	4.07	4.26	2.06	2.51	1.99	0.23	1.18	1.08	0.88	6.44	100.00
OFFICE TOTAL	36.29	23.32	18.26	4.03	3.60	2.32	2.09	1.70	1.06	0.86	0.79	0.71	4.97	100.00

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 451 B/RR	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Stoneville ST 4892 BR	BCS-Fibermax FM 989 BR	Suregrow SG 215 BG/RR	Deltapine DP 436 RR	Suregrow SG 521 R	Deltapine DP 449 BG/RR	Deltapine DP 5415 RR	Deltapine DP 458 B/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
North Carolina	21.23	6.06	14.77	8.46	6.23	5.05	4.92	3.98	4.32	3.87	2.40	2.40	16.30	100.00
South Carolina	0.55	50.18	8.95	11.12	0.70	1.22	1.09	1.18	1.69	1.56	3.96	2.32	15.48	100.00
Virginia	26.68	1.00	17.07	10.38	18.34	4.85	1.08	7.70	1.23	0.54	0.00	0.00	11.14	100.00
OFFICE TOTAL	17.25	15.07	13.71	9.18	6.01	4.22	3.80	3.68	3.51	3.11	2.54	2.19	15.72	100.00

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	BCS-Fibermax FM 958	Deltapine DP 5690	Deltapine Deltapine Acala 90	BCS-Fibermax FM 960 BR	BCS-Fibermax FM 989	BCS-Fibermax FM 989 BR	BCS-Fibermax FM 989 RR	Deltapine DP 5690 RR	All-Tex Atlas	Deltapine DP 555 BG/RR	AFD Seed EXPLORER	All-Tex Xpress RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	21.47	9.97	9.77	7.10	5.15	4.44	2.94	2.68	2.67	2.60	1.77	1.63	27.81	100.00

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	BCS-Fibermax FM 958	BCS-Fibermax FM 989 RR	AFD Seed AFD 3511 RR	Paymaster PM 2326 RR	BCS-Fibermax FM 960 RR	BCS-Fibermax FM 960 BR	BCS-Fibermax FM 989	All-Tex Atlas RR	Paymaster PM 2266 RR	BCS-Fibermax FM 989 BR	Paymaster PM 2379 RR	Paymaster PM 2167 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	16.79	11.75	10.05	5.74	5.39	4.53	4.50	3.98	3.06	2.68	2.63	1.99	26.91	100.00

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 555 BG/RR	Deltapine DP 5690 RR	Deltapine DP 458 B/RR	Deltapine DP 444 BG/RR	BCS-Fibermax FM 960 BR	Deltapine DP 449 BG/RR	Stoneville ST 5599 BR	Deltapine DP 5415 RR	Deltapine DP 451 B/RR	Deltapine DP 436 RR	Deltapine DP 491 BR	BCS-Fibermax FM 989	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Florida	20.00	30.00	25.00	0.00	0.00	0.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	100.00
Georgia	55.66	5.02	4.28	4.16	3.93	3.86	3.09	2.56	1.57	2.04	1.26	1.15	11.43	100.00
OFFICE TOTAL	54.84	5.60	4.76	4.06	3.84	3.77	3.02	2.50	1.99	1.23	1.12	11.15	100.00	

NOTE: Totals may not add due to rounding.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Paymaster PM 1218 BG/RR	Stoneville ST 4892 BR	Deltapine DP 444 BG/RR	Deltapine DP 451 B/RR	Stoneville ST 4793 R	BCS-Fibermax FM 960 BR	Stoneville ST 5599 BR	Suregrow SG 215 BG/RR	Deltapine DP 436 RR	Deltapine DP 555 BG/RR	Paymaster PM 1199 RR	Suregrow SG 521 R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	13.89	32.91	16.06	1.81	9.82	4.19	9.04	2.21	1.61	0.35	0.67	0.37	7.06	100.00
Mississippi	14.05	5.50	3.27	9.45	8.62	9.26	3.93	0.72	8.92	8.62	0.00	11.34	16.31	100.00
Missouri	5.14	35.42	7.14	7.13	12.07	1.35	2.65	6.26	3.48	0.13	0.80	1.24	17.19	100.00
Tennessee	45.36	3.05	14.26	13.32	0.50	9.66	2.82	0.54	0.66	1.34	2.06	0.05	6.39	100.00
OFFICE TOTAL	22.78	21.37	12.45	7.62	7.03	5.72	4.97	2.53	2.19	1.15	1.15	1.15	9.88	100.00

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 449 BG/RR	Deltapine DP 448 B	Deltapine DP 555 BG/RR	Deltapine DP 565	Stoneville ST 5599 BR	Deltapine DP 655 B/RR	BCS-Fibermax FM 989 BR	Deltapine DP 458 B/RR	Deltapine DP 388	Deltapine DP 444 BG/RR	Stoneville BXN 49 B	Acala 1517-99	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arizona	33.60	10.43	7.71	4.25	5.69	3.74	1.79	1.00	3.69	2.79	2.73	0.16	22.41	100.00
California	59.09	8.99	12.94	1.22	1.23	0.00	0.00	0.00	0.00	2.63	2.65	0.00	11.25	100.00
New Mexico	14.35	20.82	0.00	13.53	1.41	3.24	10.65	8.71	0.00	0.00	0.00	9.65	17.65	100.00
Texas	0.00	0.00	0.00	0.00	0.00	30.00	0.00	30.00	0.00	0.00	0.00	0.00	40.00	100.00
OFFICE TOTAL	31.86	11.89	6.65	5.51	4.32	3.94	3.16	3.03	2.55	2.20	2.16	1.85	20.88	100.00

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Deltapine DP 555 BG/RR	Stoneville ST 5599 BR	Deltapine DP 444 BG/RR	BCS-Fibermax FM 960 BR	Paymaster PM 1218 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 5415 RR	Deltapine DP 451 B/RR	BCS-Fibermax FM 800 BR	Suregrow SG 215 BG/RR	Deltapine DP 458 B/RR	Deltapine DP 493	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	50.80	16.00	16.00	0.00	0.00	0.00	0.00	8.10	0.00	0.00	0.00	0.00	9.10	100.00
Louisiana	51.88	11.02	7.90	5.67	4.99	2.14	1.96	0.86	1.37	0.88	0.95	1.09	9.28	100.00
Mississippi	47.43	9.56	9.13	2.68	2.97	0.00	0.00	1.92	0.78	5.82	4.23	0.00	15.47	100.00
OFFICE TOTAL	51.52	11.22	8.45	5.15	4.57	1.88	1.72	1.35	1.25	1.14	1.10	0.96	9.68	100.00

NOTE: Totals may not add due to rounding.

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2004

STATE	Phylogen PHY 72 Acala	CPCSD Acala Riata RR	CPCSD Acala Sierra RR	Phylogen PHY 78 Acala	CPCSD Acala MAXXA	Deltapine DP 6207 Acala	CPCSD Acala BXN Nova	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 448 B/RR	CPCSD Acala Ultima	Deltapine DP 388	Deltapine DP 5415 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.	
California	37.40	22.24	20.67	6.63	2.41	1.97	1.89	1.68	1.62	1.22	0.84	0.65	0.78	100.00	

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2004

State	Buttonwillow BR007 Pima	Deltapine DP 340 Pima	Deltapine DP 744 Pima	Deltapine DP HTO Pima	Hazera Seed HA195 Pima	Phylogen PHY 76 Pima	Phylogen PHY 800 Pima	Public Pima S-6	Public Pima S-7	Misc.		TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent				Percent		Percent
Arizona	0.00	43.29	5.23	30.66	0.00	0.00	0.00	0.00	20.83	0.00		100.00
California	0.24	20.01	16.26	0.46	3.73	12.21	46.17	0.00	0.93	0.00		100.00
New Mexico	0.00	91.71	4.19	0.00	0.00	2.05	2.05	0.00	0.00	0.00		100.00
Texas	0.00	70.00	5.00	10.00	0.00	0.00	0.00	15.00	0.00	0.00		100.00
United States	0.21	26.73	14.81	1.60	3.26	10.72	40.37	1.25	1.06	0.00		100.00

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2004

Classing Office	Buttonwillow BR007 Pima	Deltapine DP 340 Pima	Deltapine DP 744 Pima	Deltapine DP HTO Pima	Hazera Seed HA195 Pima	Phylogen PHY 76 Pima	Phylogen PHY 800 Pima	Public Pima S-6	Public Pima S-7	Misc.		TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent			Percent		Percent
PHOENIX:												
AZ	0.00	43.29	5.23	30.66	0.00	0.00	0.00	0.00	20.83	0.00		100.00
NM	0.00	91.71	4.19	0.00	0.00	2.05	2.05	0.00	0.00	0.00		100.00
TX	0.00	70.00	5.00	10.00	0.00	0.00	0.00	15.00	0.00	0.00		100.00
Office total	0.00	72.92	4.82	9.44	0.00	0.51	0.51	9.84	1.95	0.00		100.00
VISALIA	0.24	20.01	16.26	0.46	3.73	12.21	46.17	0.00	0.93	0.00		100.00
United States	0.21	26.73	14.81	1.60	3.26	10.72	40.37	1.25	1.06	0.00		100.00