



Daily Spot Cotton Quotations

Volume 90, No. 57

CORRECTED

19-Oct-07

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 26.5 to 28.4 grams per tex and uniformity 80.5 to 81.4.

American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Usable sales provided to Cotton Program				
	N.Y. Futures	Staple 34	Staple 35	Today	Season			
	Points	Cents per pound		Bales	Bales			
Southeast	-250 Dec-07	62.90	64.15	2,228	24,665			
North Delta	-350 Dec-07	61.90	63.65	6,322	70,089			
South Delta	-350 Dec-07	61.90	63.65	1,712	8,444			
East TX-OK	-490 Dec-07	60.50	62.75	279	20,824			
West Texas	-590 Dec-07	59.50	62.50	1,098	175,088			
Desert SW	-825 Dec-07	57.15	64.40	0	0			
SJ Valley	-675 Dec-07	58.65	69.90	0	0			
Average	-504 Dec-07	60.36	64.43	Upland Total				
Previous day	-511 Dec-07	60.04	64.11	11,639	299,110			
American Pima	AMERICAN PIMA SPOT PRICE QUOTATIONS				AP Total	0		
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46					
	99.00	81.00	86.00					
NEW YORK FUTURES - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Oct 19 - Oct 25			
Month	Cents per pound					ADJ. WORLD PRICE		
	Today	Previous	Change			53.53		
Dec-07	65.40	65.15	0.25	Season high		CC ADJUSTMENT		
Mar-08	69.32	69.02	0.30	9/27/2007 60.59		0.00		
May-08	70.72	70.42	0.30			LOAN DEFICIENCY PMT.		
Jul-08	72.09	71.80	0.29			0.00		
Oct-08	74.15	73.55	0.60			Pima Competitiveness		
Dec-08	75.68	75.10	0.58	Season low		Payment		
Mar-09	77.50	77.30	0.20	8/16/2007 50.34		4.29		
May-09	78.40	77.90	0.50					
Jul-09	78.00	78.50	-0.50					
Oct-09	78.00	78.50	-0.50					
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
Staple 33 Leaf 1 & 2 3 4 5 Staple 34 Leaf 1 & 2 3 4 5 Staple 35 Leaf 1 & 2 3 4 5	Color							
	11	21	31	41	51	12	22	32
	-8	-8	-28	-140	-285	-80	-80	-170
	-13	-13	-38	-150	-298	-95	-95	-185
	-110	-110	-150	-220	-328	NOT TENDERABLE		
	-228	-228	-250	-295	-450	NOT TENDERABLE		
	215	215	160	65	-165	80	80	-18
	185	185	135	50	-193	65	65	-43
	125	125	75	0	-248	NOT TENDERABLE		
	-53	-53	-103	-193	-348	NOT TENDERABLE		
	400	400	335	158	-115	195	195	55
	345	345	310	133	-138	170	170	23
	233	233	190	93	-193	NOT TENDERABLE		
	135	135	90	-95	-303	NOT TENDERABLE		

1/ Settlement prices provided by New York Cotton Exchange.

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

Color	Leaf	Staple					Color	Leaf	Staple																													
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																									
11 & 21	1 & 2	-250	-150	50	125	175	43	1 & 2	-450	-350	-300	-275	-250																									
	3	-250	-150	50	125	175		3	-450	-350	-300	-275	-250																									
	4	-250	-150	50	75	175		4	-500	-400	-350	-300	-275																									
	5	-400	-250	-150	50	125		5	-600	-550	-500	-500	-500																									
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700																									
	7	-800	-650	-650	-600	-575		7	-925	-850	-800	-800	-800																									
31	1 & 2	-250	-150	50	125	150	53	1 & 2	-600	-500	-400	-400	-400																									
	3	-250	-150	50	125	125		3	-600	-500	-400	-400	-400																									
	4	-250	-175	0	50	100		4	-650	-550	-450	-450	-450																									
	5	-400	-250	-150	25	75		5	-675	-625	-525	-525	-525																									
	6	-500	-350	-325	-300	-275		6	-875	-825	-725	-725	-725																									
	7	-800	-650	-650	-650	-625		7	-975	-925	-825	-825	-825																									
41	1 & 2	-300	-150	50	100	125	63	1 & 2	-925	-825	-725	-725	-725																									
	3	-300	-150	50	75	100		3	-925	-825	-725	-725	-725																									
	4	-300	-175	62.90	50	100		4	-975	-875	-775	-775	-775																									
	5	-475	-250	-225	-25	0		5	-1025	-975	-875	-875	-875																									
	6	-575	-475	-475	-450	-425		6	-1250	-1200	-1100	-1100	-1100																									
	7	-850	-750	-750	-750	-725																																
51	1 & 2	-400	-175	-75	-75	-75	Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>25-26</td><td>-825</td></tr><tr><td>27-29</td><td>-425</td></tr><tr><td>30-32</td><td>-275</td></tr><tr><td>33-34</td><td>-150</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>0</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-175</td></tr><tr><td>53 & Above</td><td>-300</td></tr></table>						Range	Diff.	25-26	-825	27-29	-425	30-32	-275	33-34	-150	Base 35-36	0	37-42	0	Base 43-49	0	50-52	-175	53 & Above	-300						
	Range	Diff.																																				
	25-26	-825																																				
	27-29	-425																																				
	30-32	-275																																				
	33-34	-150																																				
Base 35-36	0																																					
37-42	0																																					
Base 43-49	0																																					
50-52	-175																																					
53 & Above	-300																																					
3	-475	-200	-150	-125	-100																																	
4	-500	-200	-175	-175	-175																																	
5	-600	-425	-350	-300	-275																																	
6	-675	-500	-500	-500	-475																																	
7	-925	-800	-800	-800	-775																																	
61	1 & 2	-575	-400	-350	-325	-325																																
	3	-625	-475	-450	-425	-400																																
	4	-675	-525	-500	-475	-450																																
	5	-725	-625	-550	-550	-550																																
	6	-900	-825	-775	-775	-775																																
	7	-1025	-900	-850	-850	-850																																
71	1 & 2	-875	-750	-700	-700	-700	Strength <table><tr><th colspan="2">(Grams per Tex)</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>20.5-21.4</td><td>-425</td></tr><tr><td>21.5-22.4</td><td>-350</td></tr><tr><td>22.5-23.4</td><td>-300</td></tr><tr><td>23.5-24.4</td><td>-250</td></tr><tr><td>24.5-25.4</td><td>-200</td></tr><tr><td>25.5-26.4</td><td>-50</td></tr><tr><td>Base 26.5-28.4</td><td>0</td></tr><tr><td>28.5-29.4</td><td>0</td></tr><tr><td>29.5-30.4</td><td>25</td></tr><tr><td>30.5-32.4</td><td>50</td></tr><tr><td>32.5 & Above</td><td>50</td></tr></table>						(Grams per Tex)		Range	Diff.	20.5-21.4	-425	21.5-22.4	-350	22.5-23.4	-300	23.5-24.4	-250	24.5-25.4	-200	25.5-26.4	-50	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50
	(Grams per Tex)																																					
	Range	Diff.																																				
	20.5-21.4	-425																																				
	21.5-22.4	-350																																				
	22.5-23.4	-300																																				
23.5-24.4	-250																																					
24.5-25.4	-200																																					
25.5-26.4	-50																																					
Base 26.5-28.4	0																																					
28.5-29.4	0																																					
29.5-30.4	25																																					
30.5-32.4	50																																					
32.5 & Above	50																																					
3	-875	-750	-700	-700	-700																																	
4	-875	-750	-700	-700	-700																																	
5	-925	-875	-850	-850	-850																																	
6	-1050	-975	-925	-925	-925																																	
7	-1050	-975	-925	-925	-925																																	
12 & 22	1 & 2	-275	-150	50	100	125																																
	3	-275	-150	50	100	125																																
	4	-375	-150	-50	0	50																																
	5	-425	-325	-250	-250	-175																																
	6	-550	-425	-425	-425	-425																																
	7	-825	-725	-725	-725	-700																																
32	1 & 2	-325	-175	-25	-25	25																																
	3	-350	-200	-50	-25	0																																
	4	-450	-200	-150	-125	-75																																
	5	-525	-350	-300	-300	-275																																
	6	-600	-450	-450	-450	-425																																
	7	-875	-750	-750	-750	-725																																
42	1 & 2	-350	-175	-75	-75	-50	Extraneous Matter <table><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-100</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-375</td></tr><tr><td>2</td><td>-800</td></tr></table>						Level	Diff.	Prep		1	-100	2	-800	Other		1	-375	2	-800												
	Level	Diff.																																				
	Prep																																					
	1	-100																																				
	2	-800																																				
	Other																																					
1	-375																																					
2	-800																																					
3	-425	-200	-100	-75	-50																																	
4	-500	-200	-150	-150	-125																																	
5	-600	-375	-350	-325	-300																																	
6	-675	-525	-500	-500	-475																																	
7	-925	-800	-800	-800	-775																																	
52	1 & 2	-450	-250	-175	-175	-175	Uniformity <table><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-125</td></tr><tr><td>77.5-78.4</td><td>-110</td></tr><tr><td>78.5-79.4</td><td>-100</td></tr><tr><td>79.5-80.4</td><td>-25</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>20</td></tr><tr><td>83.5-84.4</td><td>30</td></tr><tr><td>84.5-85.4</td><td>40</td></tr><tr><td>85.5 & Above</td><td>50</td></tr></table>						Unit	Points	77.4 & below	-125	77.5-78.4	-110	78.5-79.4	-100	79.5-80.4	-25	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	20	83.5-84.4	30	84.5-85.4	40	85.5 & Above	50				
	Unit	Points																																				
	77.4 & below	-125																																				
	77.5-78.4	-110																																				
	78.5-79.4	-100																																				
	79.5-80.4	-25																																				
Base 80.5-81.4	0																																					
81.5-82.4	0																																					
82.5-83.4	20																																					
83.5-84.4	30																																					
84.5-85.4	40																																					
85.5 & Above	50																																					
3	-475	-250	-200	-175	-175																																	
4	-500	-300	-275	-250	-250																																	
5	-600	-500	-425	-425	-425																																	
6	-775	-750	-700	-700	-700																																	
7	-925	-850	-800	-800	-800																																	
62	1 & 2	-575	-400	-350	-350	-350																																
	3	-625	-475	-450	-425	-400																																
	4	-675	-525	-450	-450	-450																																
	5	-775	-700	-650	-650	-650																																
	6	-1125	-1050	-1000	-1000	-1000																																

Color	Leaf	Staple					Color	Leaf	Staple																							
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																			
11 & 21	1 & 2	-250	-175	75	225	325	43	1 & 2	-775	-575	-400	-375	-375																			
	3	-250	-175	50	175	225		3	-775	-575	-400	-375	-375																			
	4	-275	-200	50	100	175		4	-800	-600	-425	-400	-400																			
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650																			
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750																			
	7	-600	-575	-450	-425	-425		7	-1100	-1000	-925	-900	-900																			
31	1 & 2	-250	-175	50	175	250	53	1 & 2	-875	-775	-700	-675	-675																			
	3	-250	-175	25	175	225		3	-875	-775	-700	-675	-675																			
	4	-275	-250	0	75	125		4	-900	-800	-725	-700	-700																			
	5	-450	-325	-50	75	100		5	-950	-900	-825	-800	-800																			
	6	-500	-475	-350	-325	-325		6	-1150	-1000	-925	-900	-900																			
	7	-600	-575	-450	-425	-425		7	-1175	-1125	-1025	-1000	-1000																			
41	1 & 2	-350	-250	25	75	75	63	1 & 2	-1050	-950	-875	-850	-850																			
	3	-350	-250	0	50	50		3	-1050	-950	-875	-850	-850																			
	4	-375	-275	61.90	25	25		4	-1075	-975	-900	-875	-875																			
	5	-525	-400	-225	-200	-175		5	-1125	-1075	-1000	-975	-975																			
	6	-575	-500	-400	-375	-375		6	-1175	-1125	-1000	-975	-975																			
	7	-700	-675	-550	-525	-525																										
51	1 & 2	-575	-325	-250	-150	-150	Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>25-26</td><td>-1000</td></tr><tr><td>27-29</td><td>-650</td></tr><tr><td>30-32</td><td>-325</td></tr><tr><td>33-34</td><td>-125</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>25</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-150</td></tr><tr><td>53 & Above</td><td>-275</td></tr></table>						Range	Diff.	25-26	-1000	27-29	-650	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275
	Range	Diff.																														
	25-26	-1000																														
	27-29	-650																														
	30-32	-325																														
	33-34	-125																														
Base 35-36	0																															
37-42	25																															
Base 43-49	0																															
50-52	-150																															
53 & Above	-275																															
3	-600	-350	-325	-225	-225																											
4	-625	-375	-350	-275	-275																											
5	-700	-600	-425	-375	-375																											
6	-800	-725	-600	-575	-575																											
7	-850	-850	-675	-625	-625																											
61	1 & 2	-675	-450	-350	-325	-325																										
	3	-675	-450	-375	-350	-350																										
	4	-700	-475	-400	-375	-375																										
	5	-750	-675	-650	-575	-575																										
	6	-875	-775	-775	-750	-750																										
	7	-1025	-925	-875	-850	-850																										
71	1 & 2	-1100	-1000	-850	-800	-800																										
	3	-1100	-1000	-850	-800	-800																										
	4	-1150	-1050	-900	-850	-850																										
	5	-1175	-1125	-975	-925	-925																										
	6	-1225	-1175	-1025	-975	-975																										
	7	-1275	-1225	-1075	-1025	-1025																										
12 & 22	1 & 2	-275	-125	50	100	150																										
	3	-275	-125	25	100	125																										
	4	-300	-225	-75	25	75																										
	5	-500	-375	-175	-150	-125																										
	6	-575	-500	-375	-375	-375																										
	7	-675	-650	-525	-500	-500																										
32	1 & 2	-375	-250	-100	-25	0																										
	3	-375	-250	-100	-50	0																										
	4	-400	-275	-200	-100	-75																										
	5	-525	-375	-250	-225	-200																										
	6	-625	-600	-475	-450	-425																										
	7	-725	-700	-575	-550	-550																										
42	1 & 2	-375	-300	-225	-125	-100																										
	3	-400	-325	-275	-150	-125																										
	4	-425	-350	-300	-200	-175																										
	5	-550	-400	-350	-300	-275																										
	6	-775	-675	-525	-475	-450																										
	7	-875	-775	-625	-600	-600																										
52	1 & 2	-625	-400	-325	-300	-300																										
	3	-625	-450	-400	-375	-375																										
	4	-650	-475	-425	-400	-400																										
	5	-675	-575	-550	-500	-500																										
	6	-825	-775	-700	-675	-675																										
	7	-900	-875	-800	-775	-775																										
62	1 & 2	-750	-650	-550	-525	-525																										
	3	-750	-650	-600	-575	-575																										
	4	-775	-675	-625	-600	-600																										
	5	-875	-825	-750	-725	-725																										
	6	-1025	-975	-850	-825	-825																										

Color	Leaf	Staple					Color	Leaf	Staple																																																																																				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																																																																																
11 & 21	1 & 2	-250	-150	75	225	325	43	1 & 2	-800	-500	-375	-350	-350																																																																																
	3	-250	-150	50	175	225		3	-800	-500	-375	-350	-350																																																																																
	4	-300	-200	50	75	175		4	-825	-525	-400	-375	-375																																																																																
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600																																																																																
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700																																																																																
	7	-575	-575	-450	-425	-425		7	-1050	-925	-875	-850	-850																																																																																
31	1 & 2	-250	-150	50	175	250	53	1 & 2	-875	-700	-650	-625	-625																																																																																
	3	-250	-150	25	175	225		3	-875	-700	-650	-625	-625																																																																																
	4	-300	-250	0	75	125		4	-900	-725	-675	-650	-650																																																																																
	5	-375	-325	-25	75	100		5	-975	-875	-775	-750	-750																																																																																
	6	-475	-475	-350	-325	-325		6	-1150	-975	-900	-875	-875																																																																																
	7	-575	-575	-450	-425	-425		7	-1175	-1050	-975	-950	-950																																																																																
41	1 & 2	-325	-250	25	50	75	63	1 & 2	-1000	-875	-825	-800	-800																																																																																
	3	-325	-250	0	25	50		3	-1000	-875	-825	-800	-800																																																																																
	4	-350	-275	61.90	0	25		4	-1025	-900	-850	-825	-825																																																																																
	5	-525	-400	-200	-150	-150		5	-1075	-1000	-950	-925	-925																																																																																
	6	-550	-500	-400	-375	-375		6	-1175	-1050	-950	-925	-925																																																																																
	7	-675	-625	-500	-475	-475		Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>25-26</td><td>-1100</td></tr><tr><td>27-29</td><td>-750</td></tr><tr><td>30-32</td><td>-325</td></tr><tr><td>33-34</td><td>-125</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>25</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-150</td></tr><tr><td>53 & Above</td><td>-275</td></tr></table> Strength <table><tr><th colspan="2">(Grams per Tex)</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>20.5-21.4</td><td>-275</td></tr><tr><td>21.5-22.4</td><td>-225</td></tr><tr><td>22.5-23.4</td><td>-175</td></tr><tr><td>23.5-24.4</td><td>-125</td></tr><tr><td>24.5-25.4</td><td>-100</td></tr><tr><td>25.5-26.4</td><td>-25</td></tr><tr><td>Base 26.5-28.4</td><td>0</td></tr><tr><td>28.5-29.4</td><td>0</td></tr><tr><td>29.5-30.4</td><td>25</td></tr><tr><td>30.5-32.4</td><td>50</td></tr><tr><td>32.5 & Above</td><td>50</td></tr></table> Extraneous Matter <table><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-50</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-375</td></tr><tr><td>2</td><td>-785</td></tr></table> Uniformity <table><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-90</td></tr><tr><td>77.5-78.4</td><td>-80</td></tr><tr><td>78.5-79.4</td><td>-70</td></tr><tr><td>79.5-80.4</td><td>0</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>30</td></tr><tr><td>83.5-84.4</td><td>40</td></tr><tr><td>84.5-85.4</td><td>50</td></tr><tr><td>85.5 & Above</td><td>60</td></tr></table>						Range	Diff.	25-26	-1100	27-29	-750	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	(Grams per Tex)		Range	Diff.	20.5-21.4	-275	21.5-22.4	-225	22.5-23.4	-175	23.5-24.4	-125	24.5-25.4	-100	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Level	Diff.	Prep		1	-50	2	-800	Other		1	-375	2	-785	Unit	Points	77.4 & below	-90	77.5-78.4	-80	78.5-79.4	-70	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50
Range	Diff.																																																																																												
25-26	-1100																																																																																												
27-29	-750																																																																																												
30-32	-325																																																																																												
33-34	-125																																																																																												
Base 35-36	0																																																																																												
37-42	25																																																																																												
Base 43-49	0																																																																																												
50-52	-150																																																																																												
53 & Above	-275																																																																																												
(Grams per Tex)																																																																																													
Range	Diff.																																																																																												
20.5-21.4	-275																																																																																												
21.5-22.4	-225																																																																																												
22.5-23.4	-175																																																																																												
23.5-24.4	-125																																																																																												
24.5-25.4	-100																																																																																												
25.5-26.4	-25																																																																																												
Base 26.5-28.4	0																																																																																												
28.5-29.4	0																																																																																												
29.5-30.4	25																																																																																												
30.5-32.4	50																																																																																												
32.5 & Above	50																																																																																												
Level	Diff.																																																																																												
Prep																																																																																													
1	-50																																																																																												
2	-800																																																																																												
Other																																																																																													
1	-375																																																																																												
2	-785																																																																																												
Unit	Points																																																																																												
77.4 & below	-90																																																																																												
77.5-78.4	-80																																																																																												
78.5-79.4	-70																																																																																												
79.5-80.4	0																																																																																												
Base 80.5-81.4	0																																																																																												
81.5-82.4	0																																																																																												
82.5-83.4	30																																																																																												
83.5-84.4	40																																																																																												
84.5-85.4	50																																																																																												
85.5 & Above	60																																																																																												
51	1 & 2	-575	-325	-250	-150	-150																																																																																							
	3	-625	-375	-300	-200	-200																																																																																							
	4	-650	-400	-325	-250	-250																																																																																							
	5	-725	-650	-450	-400	-400																																																																																							
	6	-850	-775	-600	-575	-575																																																																																							
	7	-900	-900	-725	-675	-675																																																																																							
61	1 & 2	-675	-450	-350	-325	-325																																																																																							
	3	-725	-500	-400	-375	-375																																																																																							
	4	-750	-525	-425	-400	-400																																																																																							
	5	-800	-675	-650	-575	-575																																																																																							
	6	-925	-825	-775	-750	-750																																																																																							
	7	-1025	-925	-875	-850	-850																																																																																							
71	1 & 2	-1100	-1000	-900	-850	-850																																																																																							
	3	-1100	-1000	-900	-850	-850																																																																																							
	4	-1150	-1050	-950	-900	-900																																																																																							
	5	-1175	-1125	-1025	-975	-975																																																																																							
	6	-1225	-1175	-1075	-1025	-1025																																																																																							
	7	-1275	-1225	-1125	-1075	-1075																																																																																							
12 & 22	1 & 2	-275	-125	50	150	175																																																																																							
	3	-275	-125	25	150	150																																																																																							
	4	-300	-175	0	50	100																																																																																							
	5	-500	-350	-100	-25	-25																																																																																							
	6	-575	-500	-325	-300	-300																																																																																							
	7	-625	-575	-425	-400	-400																																																																																							
32	1 & 2	-400	-250	-75	0	25																																																																																							
	3	-400	-250	-75	-25	25																																																																																							
	4	-425	-275	-175	-75	-50																																																																																							
	5	-600	-475	-200	-175	-125																																																																																							
	6	-700	-650	-475	-450	-425																																																																																							
	7	-800	-750	-575	-550	-550																																																																																							
42	1 & 2	-425	-300	-225	-125	-125																																																																																							
	3	-475	-350	-275	-175	-175																																																																																							
	4	-500	-375	-300	-225	-225																																																																																							
	5	-700	-550	-375	-350	-325																																																																																							
	6	-850	-750	-525	-450	-425																																																																																							
	7	-900	-800	-625	-600	-600																																																																																							
52	1 & 2	-625	-400	-325	-300	-300																																																																																							
	3	-625	-450	-375	-350	-350																																																																																							
	4	-650	-475	-400	-375	-375																																																																																							
	5	-725	-625	-550	-500	-500																																																																																							
	6	-875	-775	-650	-625	-625																																																																																							
	7	-900	-875	-750	-725	-725																																																																																							
62	1 & 2	-750	-625	-525	-500	-500																																																																																							
	3	-800	-675	-575	-550	-550																																																																																							
	4	-825	-700	-600	-575	-575																																																																																							
	5	-925	-825	-700	-675	-675																																																																																							
	6	-1075	-925	-800	-775	-775																																																																																							

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-250	-175	-125	-50	150	350	400	550	550
	3	-300	-200	-125	-100	125	275	275	400	400
	4	-375	-300	-200	-125	75	225	225	375	375
	5	-425	-350	-250	-225	-125	-25	150	275	275
	6	-600	-500	-400	-350	-300	-250	-250	-125	-125
	7	-675	-575	-475	-450	-400	-325	-325	-200	-200
31	1 & 2	-300	-225	-175	-100	125	225	300	425	425
	3	-350	-250	-200	-125	100	175	225	300	300
	4	-400	-350	-225	-200	25	150	200	275	275
	5	-475	-400	-275	-250	-150	-75	75	175	175
	6	-625	-525	-425	-375	-325	-275	-275	-175	-175
	7	-700	-600	-500	-475	-425	-350	-350	-250	-250
41	1 & 2	-350	-300	-200	-125	100	100	225	350	350
	3	-375	-325	-225	-150	75	100	175	300	300
	4	-450	-375	-250	-225	-75	60.50	125	275	275
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-300	-300	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-225	-125	-125	-75	-75
	3	-500	-450	-400	-325	-225	-125	-125	-75	-75
	4	-550	-500	-450	-350	-250	-200	-175	-125	-125
	5	-575	-550	-475	-375	-275	-225	-225	-225	-225
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	225	225
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-375	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-200	-25	50	125	125
	3	-425	-350	-350	-275	-225	-25	0	75	75
	4	-450	-400	-400	-300	-250	-50	-25	25	25
	5	-575	-550	-500	-425	-400	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-350	-300	-300	-300	-300
	3	-550	-475	-450	-375	-350	-300	-300	-300	-300
	4	-600	-550	-500	-400	-375	-325	-325	-325	-325
	5	-675	-625	-600	-500	-450	-375	-375	-375	-375
	6	-900	-850	-800	-700	-650	-525	-525	-525	-525
	7	-975	-925	-900	-800	-750	-625	-625	-625	-625
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-375	-375	-375	-375
	5	-750	-675	-650	-575	-550	-450	-450	-450	-450
	6	-925	-875	-825	-750	-725	-625	-625	-625	-625

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
53	1 & 2	-750	-650	-625	-525	-525	-400	-350	-325	-325
	3	-750	-650	-625	-550	-550	-425	-375	-350	-350
	4	-800	-700	-675	-625	-550	-475	-425	-400	-400
	5	-875	-800	-750	-700	-650	-550	-500	-475	-475
	6	-975	-900	-875	-800	-750	-650	-650	-625	-625
	7	-1050	-975	-950	-875	-850	-725	-725	-700	-700
63	1 & 2	-850	-750	-725	-625	-575	-450	-400	-375	-375
	3	-850	-750	-725	-625	-575	-450	-400	-375	-375
	4	-900	-800	-775	-675	-650	-525	-475	-450	-450
	5	-1000	-900	-875	-775	-700	-600	-550	-525	-525
	6	-1050	-975	-975	-875	-775	-675	-675	-650	-650
34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375
	3	-700	-600	-550	-500	-450	-375	-375	-375	-375
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750
44	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500	-500
	3	-850	-750	-700	-650	-575	-500	-500	-500	-500
	4	-900	-800	-775	-725	-675	-600	-600	-600	-600
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-75	175	375	425	475	475
	3	-250	-150	-100	-100	175	350	400	450	450
	4	-300	-225	-150	-125	0	225	375	425	425
	5	-425	-350	-250	-200	-100	50	325	375	375
	6	-650	-550	-450	-450	-350	-200	-175	-175	-175
	7	-725	-625	-525	-500	-425	-275	-250	-250	-250
31	1 & 2	-250	-175	-125	-100	175	300	300	425	425
	3	-300	-225	-150	-125	150	275	300	400	400
	4	-375	-300	-200	-200	-25	175	250	375	375
	5	-475	-400	-275	-275	-150	-75	250	325	325
	6	-700	-600	-500	-500	-375	-250	-250	-225	-225
	7	-775	-700	-575	-550	-450	-300	-300	-275	-275
41	1 & 2	-400	-350	-275	-250	-50	125	175	200	200
	3	-425	-375	-300	-275	-75	75	150	200	200
	4	-500	-425	-325	-300	-175	59.50	100	125	125
	5	-525	-450	-325	-325	-225	-100	0	125	125
	6	-725	-625	-550	-525	-450	-300	-275	-250	-250
	7	-800	-750	-675	-625	-550	-400	-350	-325	-325
51	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
61	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
71	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
12 & 22	1 & 2	-300	-250	-150	-125	50	75	225	350	350
	3	-350	-300	-175	-175	25	50	175	300	300
	4	-400	-325	-225	-225	-150	-50	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
32	1 & 2	-350	-300	-275	-175	0	25	50	125	125
	3	-400	-350	-300	-225	-25	-25	0	125	125
	4	-500	-400	-400	-275	-200	-100	0	100	100
	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
42	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
52	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
	7	-825	-750	-650	-625	-575	-475	-475	-475	-475
33	1 & 2	-550	-475	-425	-300	-250	-175	-175	-175	-175
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
	7	-950	-850	-775	-700	-650	-575	-550	-550	-550
43	1 & 2	-600	-525	-475	-400	-350	-250	-250	-250	-250
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-650	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
	7	-975	-900	-800	-775	-700	-600	-600	-600	-600
53	1 & 2	-775	-675	-650	-550	-525	-425	-400	-400	-400
	3	-775	-675	-650	-575	-525	-450	-425	-425	-425
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
	7	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
63	1 & 2	-900	-800	-775	-675	-625	-475	-425	-425	-425
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325	-325
	3	-675	-575	-525	-450	-400	-325	-325	-325	-325
	4	-800	-700	-650	-575	-500	-425	-425	-425	-425
	5	-900	-800	-750	-675	-625	-550	-550	-550	-550
	6	-1025	-950	-900	-825	-775	-700	-700	-700	-700
44	1 & 2	-775	-675	-625	-525	-475	-400	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475	-475
	3	-850	-750	-700	-625	-550	-475	-475	-475	-475
	4	-900	-800	-775	-700	-650	-575	-575	-575	-575
	5	-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-550
30-32	-325
33-34	-175
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-350
2	-500

Color	Leaf	Staple					Color	Leaf	Staple																																																																							
		33	34	35	36	37			33	34	35	36	37																																																																			
11 & 21	1 & 2	-50	225	825	885	920	43	1 & 2	-725	-650	-550	-475	-475																																																																			
	3	-50	200	750	860	895		3	-725	-650	-550	-475	-475																																																																			
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																																																			
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																																																			
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																																																			
	7	-650	-375	-175	-140	-100		7	-1100	-1050	-1000	-1000	-1000																																																																			
31	1 & 2	-125	175	775	860	895	53	1 & 2	-875	-775	-675	-675	-675																																																																			
	3	-125	150	725	810	845		3	-875	-775	-675	-675	-675																																																																			
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																																																			
	5	-375	-175	25	50	120		5	-1025	-925	-825	-825	-825																																																																			
	6	-475	-375	-110	-95	-40		6	-1125	-1025	-925	-925	-925																																																																			
	7	-675	-400	-200	-170	-115		7	-1375	-1275	-1250	-1250	-1250																																																																			
41	1 & 2	-350	25	225	310	320	<table><thead><tr><th colspan="2">Mike</th><th colspan="2">Uniformity</th></tr><tr><th>Range</th><th>Diff.</th><th>Unit</th><th>Points</th></tr></thead><tbody><tr><td colspan="2">24 & Below</td><td>-1200</td><td colspan="2">77.4 & below</td><td>-100</td></tr><tr><td colspan="2">25-26</td><td>-1000</td><td colspan="2">77.5-78.4</td><td>-90</td></tr><tr><td colspan="2">27-29</td><td>-900</td><td colspan="2">78.5-79.4</td><td>-80</td></tr><tr><td colspan="2">30-32</td><td>-425</td><td colspan="2">79.5-80.4</td><td>0</td></tr><tr><td colspan="2">33-34</td><td>-275</td><td colspan="2">Base 80.5-81.4</td><td>0</td></tr><tr><td colspan="2">Base 35-36</td><td>0</td><td colspan="2">81.5-82.4</td><td>0</td></tr><tr><td colspan="2">37-42</td><td>25</td><td colspan="2">82.5-83.4</td><td>30</td></tr><tr><td colspan="2">Base 43-49</td><td>0</td><td colspan="2">83.5-84.4</td><td>40</td></tr><tr><td colspan="2">50-52</td><td>-275</td><td colspan="2">84.5-85.4</td><td>50</td></tr><tr><td colspan="2">53 & Above</td><td>-475</td><td colspan="2">85.5 & Above</td><td>60</td></tr></tbody></table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below		-1200	77.4 & below		-100	25-26		-1000	77.5-78.4		-90	27-29		-900	78.5-79.4		-80	30-32		-425	79.5-80.4		0	33-34		-275	Base 80.5-81.4		0	Base 35-36		0	81.5-82.4		0	37-42		25	82.5-83.4		30	Base 43-49		0	83.5-84.4		40	50-52		-275	84.5-85.4		50	53 & Above		-475	85.5 & Above		60
	Mike		Uniformity																																																																													
	Range	Diff.	Unit	Points																																																																												
	24 & Below		-1200	77.4 & below		-100																																																																										
	25-26		-1000	77.5-78.4		-90																																																																										
	27-29		-900	78.5-79.4		-80																																																																										
30-32		-425	79.5-80.4		0																																																																											
33-34		-275	Base 80.5-81.4		0																																																																											
Base 35-36		0	81.5-82.4		0																																																																											
37-42		25	82.5-83.4		30																																																																											
Base 43-49		0	83.5-84.4		40																																																																											
50-52		-275	84.5-85.4		50																																																																											
53 & Above		-475	85.5 & Above		60																																																																											
3	-350	25	225	310	320																																																																											
4	-400	57.15	175	260	270																																																																											
5	-425	-300	-225	-215	-205																																																																											
6	-600	-475	-350	-340	-340																																																																											
7	-750	-625	-600	-595	-585																																																																											
51	1 & 2	-450	-275	-175	-140	-130																																																																										
	3	-450	-275	-175	-140	-130																																																																										
	4	-475	-350	-250	-200	-190																																																																										
	5	-575	-525	-450	-425	-425																																																																										
	6	-750	-650	-550	-550	-550																																																																										
	7	-950	-850	-825	-825	-825																																																																										
12 & 22	1 & 2	-275	50	300	360	420																																																																										
	3	-275	50	275	335	395																																																																										
	4	-375	25	250	310	370																																																																										
	5	-400	-225	-100	-100	-50																																																																										
	6	-550	-425	-300	-300	-250																																																																										
	7	-725	-600	-550	-550	-500																																																																										
32	1 & 2	-375	-100	125	210	220																																																																										
	3	-375	-100	125	210	220																																																																										
	4	-425	-225	0	85	95																																																																										
	5	-475	-475	-375	-375	-375																																																																										
	6	-675	-600	-500	-500	-500																																																																										
	7	-825	-775	-750	-750	-750																																																																										
42	1 & 2	-425	-250	-150	-100	-100																																																																										
	3	-425	-250	-150	-100	-100																																																																										
	4	-450	-325	-225	-175	-175																																																																										
	5	-525	-500	-400	-400	-400																																																																										
	6	-700	-625	-525	-525	-525																																																																										
	7	-900	-800	-775	-775	-775																																																																										
52	1 & 2	-475	-400	-325	-275	-275																																																																										
	3	-475	-400	-325	-275	-275																																																																										
	4	-650	-525	-450	-400	-400																																																																										
	5	-700	-600	-550	-550	-550																																																																										
	6	-800	-700	-650	-650	-650																																																																										
	7	-1050	-950	-950	-925	-925																																																																										

Color	Leaf	Staple				Color	Leaf	Staple																																																																																			
		34	35	36	37			34	35	36	37																																																																																
11 & 21	1 & 2	750	1225	1590	1690	33	1 & 2	-500	-500	-500	-500																																																																																
	3	685	1160	1390	1525		3	-500	-500	-500	-500																																																																																
	4	125	475	505	625		4	-600	-600	-600	-600																																																																																
	5	-125	75	130	190		5	-800	-800	-800	-800																																																																																
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075																																																																																
	7	-625	-525	-475	-425		7	-1225	-1225	-1225	-1225																																																																																
31	1 & 2	700	1200	1255	1390	43	1 & 2	-875	-875	-875	-875																																																																																
	3	675	1125	1130	1265		3	-875	-875	-875	-875																																																																																
	4	100	450	480	560		4	-925	-925	-925	-925																																																																																
	5	-200	0	55	115		5	-1075	-1075	-1075	-1075																																																																																
	6	-500	-325	-275	-225		6	-1225	-1225	-1225	-1225																																																																																
	7	-675	-575	-525	-475		7	-1425	-1425	-1425	-1425																																																																																
41	1 & 2	200	650	730	740	<table><tr><th colspan="2">Mike</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>27-29</td><td>-1250</td></tr><tr><td>30-32</td><td>-550</td></tr><tr><td>33-34</td><td>-350</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>25</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-450</td></tr><tr><th colspan="2">Strength</th></tr><tr><th colspan="2">(Grams per Tex)</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>23.5-24.4</td><td>-100</td></tr><tr><td>24.5-25.4</td><td>-100</td></tr><tr><td>25.5-26.4</td><td>-50</td></tr><tr><td>Base 26.5-28.4</td><td>0</td></tr><tr><td>28.5-29.4</td><td>0</td></tr><tr><td>29.5-30.4</td><td>25</td></tr><tr><td>30.5-32.4</td><td>50</td></tr><tr><td>32.5 & Above</td><td>50</td></tr><tr><th colspan="2">Uniformity</th></tr><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-60</td></tr><tr><td>77.5-78.4</td><td>-50</td></tr><tr><td>78.5-79.4</td><td>-40</td></tr><tr><td>79.5-80.4</td><td>0</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>30</td></tr><tr><td>83.5-84.4</td><td>40</td></tr><tr><td>84.5-85.4</td><td>50</td></tr><tr><td>85.5 & Above</td><td>60</td></tr><tr><th colspan="2">Extraneous Matter</th></tr><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-50</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-350</td></tr><tr><td>2</td><td>-925</td></tr></table>						Mike		Range	Diff.	27-29	-1250	30-32	-550	33-34	-350	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-450	Strength		(Grams per Tex)		Range	Diff.	23.5-24.4	-100	24.5-25.4	-100	25.5-26.4	-50	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Uniformity		Unit	Points	77.4 & below	-60	77.5-78.4	-50	78.5-79.4	-40	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50	85.5 & Above	60	Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-350	2	-925
	Mike																																																																																										
	Range	Diff.																																																																																									
	27-29	-1250																																																																																									
	30-32	-550																																																																																									
	33-34	-350																																																																																									
Base 35-36	0																																																																																										
37-42	25																																																																																										
Base 43-49	0																																																																																										
50-52	-450																																																																																										
Strength																																																																																											
(Grams per Tex)																																																																																											
Range	Diff.																																																																																										
23.5-24.4	-100																																																																																										
24.5-25.4	-100																																																																																										
25.5-26.4	-50																																																																																										
Base 26.5-28.4	0																																																																																										
28.5-29.4	0																																																																																										
29.5-30.4	25																																																																																										
30.5-32.4	50																																																																																										
32.5 & Above	50																																																																																										
Uniformity																																																																																											
Unit	Points																																																																																										
77.4 & below	-60																																																																																										
77.5-78.4	-50																																																																																										
78.5-79.4	-40																																																																																										
79.5-80.4	0																																																																																										
Base 80.5-81.4	0																																																																																										
81.5-82.4	0																																																																																										
82.5-83.4	30																																																																																										
83.5-84.4	40																																																																																										
84.5-85.4	50																																																																																										
85.5 & Above	60																																																																																										
Extraneous Matter																																																																																											
Level	Diff.																																																																																										
Prep																																																																																											
1	-50																																																																																										
2	-800																																																																																										
Other																																																																																											
1	-350																																																																																										
2	-925																																																																																										
51	1 & 2	-575	-125	-75	-75																																																																																						
	3	-600	-150	-100	-100																																																																																						
	4	-650	-200	-175	-175																																																																																						
	5	-750	-375	-325	-325																																																																																						
	6	-900	-800	-800	-800																																																																																						
	7	-1050	-1000	-1000	-1000																																																																																						
12 & 22	1 & 2	225	675	955	1015																																																																																						
	3	150	600	880	940																																																																																						
	4	25	425	475	540																																																																																						
	5	-250	-50	0	50																																																																																						
	6	-525	-400	-350	-300																																																																																						
	7	-775	-700	-650	-600																																																																																						
32	1 & 2	100	350	375	375																																																																																						
	3	50	300	325	325																																																																																						
	4	-100	200	200	200																																																																																						
	5	-525	-275	-275	-275																																																																																						
	6	-675	-475	-475	-475																																																																																						
	7	-850	-750	-750	-750																																																																																						
42	1 & 2	-400	-50	-25	-25																																																																																						
	3	-450	-100	-75	-75																																																																																						
	4	-500	-175	-150	-150																																																																																						
	5	-675	-350	-300	-300																																																																																						
	6	-800	-775	-775	-775																																																																																						
	7	-1000	-950	-950	-950																																																																																						
52	1 & 2	-725	-675	-675	-675																																																																																						
	3	-725	-675	-675	-675																																																																																						
	4	-825	-775	-775	-775																																																																																						
	5	-875	-825	-825	-825																																																																																						
	6	-1025	-1025	-1025	-1025																																																																																						
	7	-1225	-1225	-1225	-1225																																																																																						

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse.

1/

AMERICAN PIMA SPOT QUOTATIONS 2/

Color	Leaf	Staple		
		44	46	48
1	1	94.75	100.00	100.25
	2	94.50	99.75	100.25
	3	89.25	93.75	94.50
	4			
	5			
	6			
2	1	94.25	99.50	100.25
	2	93.50	99.00	99.75
	3	87.50	92.50	92.75
	4	82.75	88.75	89.50
	5			
	6			
3	1	88.75	94.25	95.25
	2	88.25	92.00	94.25
	3	81.00	86.00	87.00
	4	73.25	78.75	79.75
	5	73.25	76.25	77.50
	6			
4	1	80.50	85.50	86.50
	2	80.25	85.25	85.75
	3	80.00	85.00	85.00
	4	72.50	78.00	78.00
	5	68.50	72.75	72.75
	6			
5	1			
	2	62.50	69.75	69.75
	3	62.50	69.25	69.75
	4	62.50	63.75	63.75
	5	62.25	63.50	63.50
	6			
6	1			
	2	51.75	52.00	52.00
	3	51.75	52.00	52.00
	4	51.75	52.00	52.00
	5	51.50	51.75	51.75
	6	51.00	51.25	51.25

Mike

Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength

(Grams per Tex)	
Range	Diff.
35.4 and Below	-1000
35.5-36.4	-750
36.5-37.4	-500
37.5 and Above	0

Extraneous Matter

Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

2/ The current Pima spot quotations represent prices from 2006-crop sales last reported in March 2007.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-175	-33	271	493	618	637
	3	-275	-175	-113	-190	-38	237	437	532	556
	4	-338	-263	-175	-215	-125	114	246	324	346
	5	-425	-350	-250	-330	-242	-54	118	179	200
	6	-625	-525	-425	-455	-400	-318	-232	-201	-186
	7	-700	-600	-500	-585	-546	-450	-389	-356	-343
31	1 & 2	-275	-200	-150	-190	-50	221	436	516	541
	3	-325	-238	-175	-200	-58	196	407	459	484
	4	-388	-325	-213	-245	-167	68	211	270	286
	5	-475	-400	-275	-350	-263	-107	75	126	144
	6	-663	-563	-463	-470	-413	-346	-273	-242	-227
	7	-738	-650	-538	-600	-558	-468	-418	-385	-370
41	1 & 2	-375	-325	-238	-270	-158	79	214	266	269
	3	-400	-350	-263	-280	-167	57	186	241	244
	4	-475	-400	-288	-310	-229	60.36	118	177	180
	5	-513	-450	-338	-425	-313	-229	-121	-80	-77
	6	-700	-613	-525	-525	-483	-425	-368	-356	-356
	7	-775	-725	-650	-670	-638	-582	-546	-539	-537
51	1 & 2	-513	-463	-425	-440	-292	-236	-121	-99	-97
	3	-513	-463	-425	-475	-308	-268	-150	-124	-122
	4	-563	-513	-475	-500	-338	-318	-204	-182	-181
	5	-588	-563	-488	-560	-479	-418	-325	-304	-304
	6	-788	-713	-688	-670	-621	-582	-539	-529	-529
	7	-863	-813	-788	-775	-775	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-655	-635	-625	-625
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-88	96	254	349	366
	3	-363	-300	-200	-225	-100	71	225	309	326
	4	-400	-338	-238	-270	-175	-4	143	216	234
	5	-488	-438	-388	-420	-346	-204	-107	-61	-46
	6	-688	-613	-538	-525	-483	-404	-354	-343	-329
	7	-775	-700	-625	-650	-625	-564	-529	-514	-500
32	1 & 2	-350	-300	-275	-300	-183	-11	89	144	146
	3	-400	-338	-300	-315	-196	-36	57	130	131
	4	-463	-388	-363	-360	-254	-139	-14	34	35
	5	-538	-500	-450	-500	-413	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-271	-186	-71	-25	-25
	3	-450	-388	-375	-375	-296	-211	-100	-50	-50
	4	-500	-438	-438	-420	-317	-250	-150	-107	-107
	5	-588	-563	-513	-560	-450	-404	-311	-293	-293
	6	-838	-788	-663	-685	-621	-550	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-383	-371	-339	-332	-332
	3	-588	-513	-488	-515	-400	-393	-357	-350	-350
	4	-638	-588	-538	-535	-454	-450	-414	-407	-407
	5	-713	-663	-638	-615	-563	-543	-507	-507	-507
	6	-938	-888	-838	-790	-746	-696	-675	-675	-675
	7	-1013	-963	-938	-880	-871	-832	-818	-814	-814
62	1 & 2	-638	-563	-538	-610	-515	-430	-415	-415	-415
	3	-638	-563	-538	-630	-540	-470	-450	-445	-445
	4	-688	-638	-563	-660	-570	-500	-485	-485	-485
	5	-788	-713	-688	-760	-705	-615	-600	-600	-600
	6	-963	-913	-863	-960	-895	-795	-780	-780	-780

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
33	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
43	1 & 2	-625	-550	-500	-575	-475	-443	-411	-389	-389
	3	-625	-550	-500	-575	-475	-443	-411	-389	-389
	4	-675	-625	-550	-625	-525	-486	-439	-421	-421
	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
53	1 & 2	-763	-663	-638	-685	-650	-558	-521	-517	-517
	3	-763	-663	-638	-695	-654	-567	-529	-525	-525
	4	-813	-713	-688	-750	-700	-613	-575	-571	-571
	5	-888	-813	-763	-805	-792	-696	-658	-654	-654
	6	-988	-925	-888	-960	-908	-817	-792	-788	-788
	7	-1063	-1000	-975	-1020	-1033	-929	-917	-913	-913
63	1 & 2	-875	-775	-750	-855	-770	-670	-640	-635	-635
	3	-875	-775	-750	-855	-770	-670	-645	-640	-640
	4	-925	-825	-800	-895	-810	-720	-690	-685	-685
	5	-1025	-925	-900	-965	-900	-810	-780	-775	-775
	6	-1075	-1000	-1000	-1080	-995	-890	-875	-870	-870
34	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350	-350
	3	-688	-588	-538	-475	-425	-350	-350	-350	-350
	4	-813	-713	-663	-600	-525	-450	-450	-450	-450
	5	-913	-813	-763	-700	-650	-575	-575	-575	-575
	6	-1038	-963	-913	-850	-800	-725	-725	-725	-725
44	1 & 2	-775	-675	-625	-538	-488	-413	-413	-413	-413
	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488	-488
	3	-850	-750	-700	-638	-563	-488	-488	-488	-488
	4	-900	-800	-775	-713	-663	-588	-588	-588	-588
	5	-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-983
25-26	-929
27-29	-729
30-32	-361
33-34	-193
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-240
53 & Above	-346

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-43
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	43
32.5 & Above	43

Uniformity	
Unit	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	20
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-364
2	-731
Bark - (ET-OK and WT only)	
1	-225
2	-450