USDA
United States Department of Agriculture
Agricultural Marketing Service
Cotton Program
3275 Appling Road
Memphis, TN 38133
(901) 384-3016
mp_cn800

# Daily Spot Cotton Quotations

**Volume 90, No. 59** **23-Oct-07**

**Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 26.5 to 28.4 grams per tex and uniformity 80.5 to 81.4. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.**

| Growth Areas | UPLAND SPOT PRICE QUOTATIONS: Basis N.Y. Futures | | Color 41 Leaf 4 Staple 34 | Color 31 Leaf 3 Staple 35 | SPOT TRANSACTIONS: Usable sales provided to Cotton Program: Today | Season |
|---|---|---|---|---|---|---|
| | *Points* | | *Cents per pound* | | *Bales* | *Bales* |
| Southeast | -250 | Dec-07 | 62.76 | 64.01 | 278 | 25,082 |
| North Delta | -350 | Dec-07 | 61.76 | 63.51 | 3,329 | 73,418 |
| South Delta | -350 | Dec-07 | 61.76 | 63.51 | 78 | 8,522 |
| East TX-OK | -476 | Dec-07 | 60.50 | 62.75 | 800 | 22,242 |
| West Texas | -576 | Dec-07 | 59.50 | 62.50 | 3,295 | 181,032 |
| Desert SW | -825 | Dec-07 | 57.01 | 64.26 | 271 | 271 |
| SJ Valley | -675 | Dec-07 | 58.51 | 69.76 | 0 | 0 |
| | | | | | Upland Total | |
| Average | -500 | Dec-07 | 60.26 | 64.33 | **8,051** | **310,567** |
| Previous day | -489 | Dec-07 | 59.98 | 64.05 | | |

| | AMERICAN PIMA SPOT PRICE QUOTATIONS: Color 02, Leaf 2 - Staple 46 | Color 03, Leaf 3 - Staple 44 | Color 03, Leaf 3 - Staple 46 | AP Total | |
|---|---|---|---|---|---|
| American Pima | 99.00 | 81.00 | 86.00 | **0** | **0** |

**NEW YORK FUTURES - CONTRACT NO. 2 1/**
**COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER**

| Month | Today | Previous | Change |
|---|---|---|---|
| | *Cents per pound* | | |
| Dec-07 | 65.26 | 64.87 | 0.39 |
| Mar-08 | 69.42 | 69.00 | 0.42 |
| May-08 | 70.90 | 70.45 | 0.45 |
| Jul-08 | 72.28 | 71.80 | 0.48 |
| Oct-08 | 73.85 | 73.70 | 0.15 |
| Dec-08 | 75.50 | 75.30 | 0.20 |
| Mar-09 | 77.70 | 77.30 | 0.40 |
| May-09 | 78.75 | 78.35 | 0.40 |
| Jul-09 | 78.75 | 78.95 | -0.20 |
| Oct-09 | 78.75 | 78.95 | -0.20 |

**7-MARKET BASE QUOTATIONS FOR UPLAND COTTON**

**Season high**
9/27/2007 60.59

**Season low**
8/16/2007 50.34

**Oct 19 - Oct 25**

**ADJ. WORLD PRICE**
53.53

**CC ADJUSTMENT**
0.00

**LOAN DEFICIENCY PMT.**
0.00

**Pima Competitiveness Payment**
4.29

**PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/**

| | Color 11 | 21 | 31 | 41 | 51 | 12 | 22 | 32 |
|---|---|---|---|---|---|---|---|---|
| Staple 33 | | | | | | | | |
| Leaf 1 & 2 | -8 | -8 | -28 | -140 | -285 | -80 | -80 | -170 |
| 3 | -13 | -13 | -38 | -150 | -298 | -95 | -95 | -185 |
| 4 | -110 | -110 | -150 | -220 | -328 | NOT TENDERABLE | | |
| 5 | -228 | -228 | -250 | -295 | -450 | NOT TENDERABLE | | |
| Staple 34 | | | | | | | | |
| Leaf 1 & 2 | 215 | 215 | 160 | 65 | -165 | 80 | 80 | -18 |
| 3 | 185 | 185 | 135 | 50 | -193 | 65 | 65 | -43 |
| 4 | 125 | 125 | 75 | 0 | -248 | NOT TENDERABLE | | |
| 5 | -53 | -53 | -103 | -193 | -348 | NOT TENDERABLE | | |
| Staple 35 | | | | | | | | |
| Leaf 1 & 2 | 400 | 400 | 335 | 158 | -115 | 195 | 195 | 55 |
| 3 | 345 | 345 | 310 | 133 | -138 | 170 | 170 | 23 |
| 4 | 233 | 233 | 190 | 93 | -193 | NOT TENDERABLE | | |
| 5 | 135 | 135 | 90 | -95 | -303 | NOT TENDERABLE | | |

1/ Settlement prices provided by New York Cotton Exchange.

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

| Color | Leaf | Staple 32 | 33 | 34 | 35 | 36 & 37 |
|---|---|---|---|---|---|---|
| 11 & 21 | 1 & 2 | -250 | -150 | 50 | 125 | 175 |
| | 3 | -250 | -150 | 50 | 125 | 175 |
| | 4 | -250 | -150 | 50 | 75 | 175 |
| | 5 | -400 | -250 | -150 | 50 | 125 |
| | 6 | -500 | -350 | -325 | -250 | -225 |
| | 7 | -800 | -650 | -650 | -600 | -575 |
| 31 | 1 & 2 | -250 | -150 | 50 | 125 | 150 |
| | 3 | -250 | -150 | 50 | 125 | 125 |
| | 4 | -250 | -175 | 0 | 50 | 100 |
| | 5 | -400 | -250 | -150 | 25 | 75 |
| | 6 | -500 | -350 | -325 | -300 | -275 |
| | 7 | -800 | -650 | -650 | -650 | -625 |
| 41 | 1 & 2 | -300 | -150 | 50 | 100 | 125 |
| | 3 | -300 | -150 | 50 | 75 | 100 |
| | 4 | -300 | -175 | 62.76 | 50 | 100 |
| | 5 | -475 | -250 | -225 | -25 | 0 |
| | 6 | -575 | -475 | -475 | -450 | -425 |
| | 7 | -850 | -750 | -750 | -750 | -725 |
| 51 | 1 & 2 | -400 | -175 | -75 | -75 | -75 |
| | 3 | -475 | -200 | -150 | -125 | -100 |
| | 4 | -500 | -200 | -175 | -175 | -175 |
| | 5 | -600 | -425 | -350 | -300 | -275 |
| | 6 | -675 | -500 | -500 | -500 | -475 |
| | 7 | -925 | -800 | -800 | -800 | -775 |
| 61 | 1 & 2 | -575 | -400 | -350 | -325 | -325 |
| | 3 | -625 | -475 | -450 | -425 | -400 |
| | 4 | -675 | -525 | -500 | -475 | -450 |
| | 5 | -725 | -625 | -550 | -550 | -550 |
| | 6 | -900 | -825 | -775 | -775 | -775 |
| | 7 | -1025 | -900 | -850 | -850 | -850 |
| 71 | 1 & 2 | -875 | -750 | -700 | -700 | -700 |
| | 3 | -875 | -750 | -700 | -700 | -700 |
| | 4 | -875 | -750 | -700 | -700 | -700 |
| | 5 | -925 | -875 | -850 | -850 | -850 |
| | 6 | -1050 | -975 | -925 | -925 | -925 |
| | 7 | -1050 | -975 | -925 | -925 | -925 |
| 12 & 22 | 1 & 2 | -275 | -150 | 50 | 100 | 125 |
| | 3 | -275 | -150 | 50 | 100 | 125 |
| | 4 | -375 | -150 | -50 | 0 | 50 |
| | 5 | -425 | -325 | -250 | -250 | -175 |
| | 6 | -550 | -425 | -425 | -425 | -425 |
| | 7 | -825 | -725 | -725 | -725 | -700 |
| 32 | 1 & 2 | -325 | -175 | -25 | -25 | 25 |
| | 3 | -350 | -200 | -50 | -25 | 0 |
| | 4 | -450 | -200 | -150 | -125 | -75 |
| | 5 | -525 | -350 | -300 | -300 | -275 |
| | 6 | -600 | -450 | -450 | -450 | -425 |
| | 7 | -875 | -750 | -750 | -750 | -725 |
| 42 | 1 & 2 | -350 | -175 | -75 | -75 | -50 |
| | 3 | -425 | -200 | -100 | -75 | -50 |
| | 4 | -500 | -200 | -150 | -150 | -125 |
| | 5 | -600 | -375 | -350 | -325 | -300 |
| | 6 | -675 | -525 | -500 | -500 | -475 |
| | 7 | -925 | -800 | -800 | -800 | -775 |
| 52 | 1 & 2 | -450 | -250 | -175 | -175 | -175 |
| | 3 | -475 | -250 | -200 | -175 | -175 |
| | 4 | -500 | -300 | -275 | -250 | -250 |
| | 5 | -600 | -500 | -425 | -425 | -425 |
| | 6 | -775 | -750 | -700 | -700 | -700 |
| | 7 | -925 | -850 | -800 | -800 | -800 |
| 62 | 1 & 2 | -575 | -400 | -350 | -350 | -350 |
| | 3 | -625 | -475 | -450 | -425 | -400 |
| | 4 | -675 | -525 | -450 | -450 | -450 |
| | 5 | -775 | -700 | -650 | -650 | -650 |
| | 6 | -1125 | -1050 | -1000 | -1000 | -1000 |

| Color | Leaf | Staple 32 | 33 | 34 | 35 | 36 & 37 |
|---|---|---|---|---|---|---|
| 43 | 1 & 2 | -450 | -350 | -300 | -275 | -250 |
| | 3 | -450 | -350 | -300 | -275 | -250 |
| | 4 | -500 | -400 | -350 | -300 | -275 |
| | 5 | -600 | -550 | -500 | -500 | -500 |
| | 6 | -775 | -750 | -700 | -700 | -700 |
| | 7 | -925 | -850 | -800 | -800 | -800 |
| 53 | 1 & 2 | -600 | -500 | -400 | -400 | -400 |
| | 3 | -600 | -500 | -400 | -400 | -400 |
| | 4 | -650 | -550 | -450 | -450 | -450 |
| | 5 | -675 | -625 | -525 | -525 | -525 |
| | 6 | -875 | -825 | -725 | -725 | -725 |
| | 7 | -975 | -925 | -825 | -825 | -825 |
| 63 | 1 & 2 | -925 | -825 | -725 | -725 | -725 |
| | 3 | -925 | -825 | -725 | -725 | -725 |
| | 4 | -975 | -875 | -775 | -775 | -775 |
| | 5 | -1025 | -975 | -875 | -875 | -875 |
| | 6 | -1250 | -1200 | -1100 | -1100 | -1100 |

**Mike**

| Range | Diff. |
|---|---|
| 25-26 | -825 |
| 27-29 | -425 |
| 30-32 | -275 |
| 33-34 | -150 |
| Base 35-36 | 0 |
| 37-42 | 0 |
| Base 43-49 | 0 |
| 50-52 | -175 |
| 53 & Above | -300 |

**Strength**

(Grams per Tex)

| Range | Diff. |
|---|---|
| 20.5-21.4 | -425 |
| 21.5-22.4 | -350 |
| 22.5-23.4 | -300 |
| 23.5-24.4 | -250 |
| 24.5-25.4 | -200 |
| 25.5-26.4 | -50 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 50 |
| 32.5 & Above | 50 |

**Extraneous Matter**

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -100 |
| 2 | -800 |
| Other | |
| 1 | -375 |
| 2 | -800 |

**Uniformity**

| Unit | Points |
|---|---|
| 77.4 & below | -125 |
| 77.5-78.4 | -110 |
| 78.5-79.4 | -100 |
| 79.5-80.4 | -25 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 20 |
| 83.5-84.4 | 30 |
| 84.5-85.4 | 40 |
| 85.5 & Above | 50 |

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 & 37 |
| 11 & 21 | 1 & 2 | -250 | -175 | 75 | 225 | 325 |
| | 3 | -250 | -175 | 50 | 175 | 225 |
| | 4 | -275 | -200 | 50 | 100 | 175 |
| | 5 | -450 | -325 | 0 | 75 | 100 |
| | 6 | -500 | -475 | -350 | -325 | -325 |
| | 7 | -600 | -575 | -450 | -425 | -425 |
| 31 | 1 & 2 | -250 | -175 | 50 | 175 | 250 |
| | 3 | -250 | -175 | 25 | 175 | 225 |
| | 4 | -275 | -250 | 0 | 75 | 125 |
| | 5 | -450 | -325 | -50 | 75 | 100 |
| | 6 | -500 | -475 | -350 | -325 | -325 |
| | 7 | -600 | -575 | -450 | -425 | -425 |
| 41 | 1 & 2 | -350 | -250 | 25 | 75 | 75 |
| | 3 | -350 | -250 | 0 | 50 | 50 |
| | 4 | -375 | -275 | 61.76 | 25 | 25 |
| | 5 | -525 | -400 | -225 | -200 | -175 |
| | 6 | -575 | -500 | -400 | -375 | -375 |
| | 7 | -700 | -675 | -550 | -525 | -525 |
| 51 | 1 & 2 | -575 | -325 | -250 | -150 | -150 |
| | 3 | -600 | -350 | -325 | -225 | -225 |
| | 4 | -625 | -375 | -350 | -275 | -275 |
| | 5 | -700 | -600 | -425 | -375 | -375 |
| | 6 | -800 | -725 | -600 | -575 | -575 |
| | 7 | -850 | -850 | -675 | -625 | -625 |
| 61 | 1 & 2 | -675 | -450 | -350 | -325 | -325 |
| | 3 | -675 | -450 | -375 | -350 | -350 |
| | 4 | -700 | -475 | -400 | -375 | -375 |
| | 5 | -750 | -675 | -650 | -575 | -575 |
| | 6 | -875 | -775 | -775 | -750 | -750 |
| | 7 | -1025 | -925 | -875 | -850 | -850 |
| 71 | 1 & 2 | -1100 | -1000 | -850 | -800 | -800 |
| | 3 | -1100 | -1000 | -850 | -800 | -800 |
| | 4 | -1150 | -1050 | -900 | -850 | -850 |
| | 5 | -1175 | -1125 | -975 | -925 | -925 |
| | 6 | -1225 | -1175 | -1025 | -975 | -975 |
| | 7 | -1275 | -1225 | -1075 | -1025 | -1025 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 100 | 150 |
| | 3 | -275 | -125 | 25 | 100 | 125 |
| | 4 | -300 | -225 | -75 | 25 | 75 |
| | 5 | -500 | -375 | -175 | -150 | -125 |
| | 6 | -575 | -500 | -375 | -375 | -375 |
| | 7 | -675 | -650 | -525 | -500 | -500 |
| 32 | 1 & 2 | -375 | -250 | -100 | -25 | 0 |
| | 3 | -375 | -250 | -100 | -50 | 0 |
| | 4 | -400 | -275 | -200 | -100 | -75 |
| | 5 | -525 | -375 | -250 | -225 | -200 |
| | 6 | -625 | -600 | -475 | -450 | -425 |
| | 7 | -725 | -700 | -575 | -550 | -550 |
| 42 | 1 & 2 | -375 | -300 | -225 | -125 | -100 |
| | 3 | -400 | -325 | -275 | -150 | -125 |
| | 4 | -425 | -350 | -300 | -200 | -175 |
| | 5 | -550 | -400 | -350 | -300 | -275 |
| | 6 | -775 | -675 | -525 | -475 | -450 |
| | 7 | -875 | -775 | -625 | -600 | -600 |
| 52 | 1 & 2 | -625 | -400 | -325 | -300 | -300 |
| | 3 | -625 | -450 | -400 | -375 | -375 |
| | 4 | -650 | -475 | -425 | -400 | -400 |
| | 5 | -675 | -575 | -550 | -500 | -500 |
| | 6 | -825 | -775 | -700 | -675 | -675 |
| | 7 | -900 | -875 | -800 | -775 | -775 |
| 62 | 1 & 2 | -750 | -650 | -550 | -525 | -525 |
| | 3 | -750 | -650 | -600 | -575 | -575 |
| | 4 | -775 | -675 | -625 | -600 | -600 |
| | 5 | -875 | -825 | -750 | -725 | -725 |
| | 6 | -1025 | -975 | -850 | -825 | -825 |

| Color | Leaf | Staple | | | | |
|---|---|---|---|---|---|---|
| | | 32 | 33 | 34 | 35 | 36 & 37 |
| 43 | 1 & 2 | -775 | -575 | -400 | -375 | -375 |
| | 3 | -775 | -575 | -400 | -375 | -375 |
| | 4 | -800 | -600 | -425 | -400 | -400 |
| | 5 | -850 | -750 | -675 | -650 | -650 |
| | 6 | -950 | -850 | -775 | -750 | -750 |
| | 7 | -1100 | -1000 | -925 | -900 | -900 |
| 53 | 1 & 2 | -875 | -775 | -700 | -675 | -675 |
| | 3 | -875 | -775 | -700 | -675 | -675 |
| | 4 | -900 | -800 | -725 | -700 | -700 |
| | 5 | -950 | -900 | -825 | -800 | -800 |
| | 6 | -1150 | -1000 | -925 | -900 | -900 |
| | 7 | -1175 | -1125 | -1025 | -1000 | -1000 |
| 63 | 1 & 2 | -1050 | -950 | -875 | -850 | -850 |
| | 3 | -1050 | -950 | -875 | -850 | -850 |
| | 4 | -1075 | -975 | -900 | -875 | -875 |
| | 5 | -1125 | -1075 | -1000 | -975 | -975 |
| | 6 | -1175 | -1125 | -1000 | -975 | -975 |

**Mike**

| **Range** | **Diff.** |
|---|---|
| 25-26 | -1000 |
| 27-29 | -650 |
| 30-32 | -325 |
| 33-34 | -125 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -150 |
| 53 & Above | -275 |

**Strength**

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 20.5-21.4 | -300 |
| 21.5-22.4 | -250 |
| 22.5-23.4 | -200 |
| 23.5-24.4 | -175 |
| 24.5-25.4 | -150 |
| 25.5-26.4 | -25 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 50 |
| 32.5 & Above | 50 |

**Extraneous Matter**

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -50 |
| 2 | -800 |
| Other | |
| 1 | -375 |
| 2 | -785 |

**Uniformity**

| Unit | Points |
|---|---|
| 77.4 & below | -90 |
| 77.5-78.4 | -80 |
| 78.5-79.4 | -70 |
| 79.5-80.4 | 0 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 30 |
| 83.5-84.4 | 40 |
| 84.5-85.4 | 50 |
| 85.5 & Above | 60 |

| Color | Leaf | Staple 32 | 33 | 34 | 35 | 36 & 37 |
|---|---|---|---|---|---|---|
| 11 & 21 | 1 & 2 | -250 | -150 | 75 | 225 | 325 |
| | 3 | -250 | -150 | 50 | 175 | 225 |
| | 4 | -300 | -200 | 50 | 75 | 175 |
| | 5 | -375 | -300 | 25 | 75 | 100 |
| | 6 | -475 | -475 | -350 | -325 | -325 |
| | 7 | -575 | -575 | -450 | -425 | -425 |
| 31 | 1 & 2 | -250 | -150 | 50 | 175 | 250 |
| | 3 | -250 | -150 | 25 | 175 | 225 |
| | 4 | -300 | -250 | 0 | 75 | 125 |
| | 5 | -375 | -325 | -25 | 75 | 100 |
| | 6 | -475 | -475 | -350 | -325 | -325 |
| | 7 | -575 | -575 | -450 | -425 | -425 |
| 41 | 1 & 2 | -325 | -250 | 25 | 50 | 75 |
| | 3 | -325 | -250 | 0 | 25 | 50 |
| | 4 | -350 | -275 | 61.76 | 0 | 25 |
| | 5 | -525 | -400 | -200 | -150 | -150 |
| | 6 | -550 | -500 | -400 | -375 | -375 |
| | 7 | -675 | -625 | -500 | -475 | -475 |
| 51 | 1 & 2 | -575 | -325 | -250 | -150 | -150 |
| | 3 | -625 | -375 | -300 | -200 | -200 |
| | 4 | -650 | -400 | -325 | -250 | -250 |
| | 5 | -725 | -650 | -450 | -400 | -400 |
| | 6 | -850 | -775 | -600 | -575 | -575 |
| | 7 | -900 | -900 | -725 | -675 | -675 |
| 61 | 1 & 2 | -675 | -450 | -350 | -325 | -325 |
| | 3 | -725 | -500 | -400 | -375 | -375 |
| | 4 | -750 | -525 | -425 | -400 | -400 |
| | 5 | -800 | -675 | -650 | -575 | -575 |
| | 6 | -925 | -825 | -775 | -750 | -750 |
| | 7 | -1025 | -925 | -875 | -850 | -850 |
| 71 | 1 & 2 | -1100 | -1000 | -900 | -850 | -850 |
| | 3 | -1100 | -1000 | -900 | -850 | -850 |
| | 4 | -1150 | -1050 | -950 | -900 | -900 |
| | 5 | -1175 | -1125 | -1025 | -975 | -975 |
| | 6 | -1225 | -1175 | -1075 | -1025 | -1025 |
| | 7 | -1275 | -1225 | -1125 | -1075 | -1075 |
| 12 & 22 | 1 & 2 | -275 | -125 | 50 | 150 | 175 |
| | 3 | -275 | -125 | 25 | 150 | 150 |
| | 4 | -300 | -175 | 0 | 50 | 100 |
| | 5 | -500 | -350 | -100 | -25 | -25 |
| | 6 | -575 | -500 | -325 | -300 | -300 |
| | 7 | -625 | -575 | -425 | -400 | -400 |
| 32 | 1 & 2 | -400 | -250 | -75 | 0 | 25 |
| | 3 | -400 | -250 | -75 | -25 | 25 |
| | 4 | -425 | -275 | -175 | -75 | -50 |
| | 5 | -600 | -475 | -200 | -175 | -125 |
| | 6 | -700 | -650 | -475 | -450 | -425 |
| | 7 | -800 | -750 | -575 | -550 | -550 |
| 42 | 1 & 2 | -425 | -300 | -225 | -125 | -125 |
| | 3 | -475 | -350 | -275 | -175 | -175 |
| | 4 | -500 | -375 | -300 | -225 | -225 |
| | 5 | -700 | -550 | -375 | -350 | -325 |
| | 6 | -850 | -750 | -525 | -450 | -425 |
| | 7 | -900 | -800 | -625 | -600 | -600 |
| 52 | 1 & 2 | -625 | -400 | -325 | -300 | -300 |
| | 3 | -625 | -450 | -375 | -350 | -350 |
| | 4 | -650 | -475 | -400 | -375 | -375 |
| | 5 | -725 | -625 | -550 | -500 | -500 |
| | 6 | -875 | -775 | -650 | -625 | -625 |
| | 7 | -900 | -875 | -750 | -725 | -725 |
| 62 | 1 & 2 | -750 | -625 | -525 | -500 | -500 |
| | 3 | -800 | -675 | -575 | -550 | -550 |
| | 4 | -825 | -700 | -600 | -575 | -575 |
| | 5 | -925 | -825 | -700 | -675 | -675 |
| | 6 | -1075 | -925 | -800 | -775 | -775 |

| Color | Leaf | Staple 32 | 33 | 34 | 35 | 36 & 37 |
|---|---|---|---|---|---|---|
| 43 | 1 & 2 | -800 | -500 | -375 | -350 | -350 |
| | 3 | -800 | -500 | -375 | -350 | -350 |
| | 4 | -825 | -525 | -400 | -375 | -375 |
| | 5 | -850 | -675 | -625 | -600 | -600 |
| | 6 | -900 | -775 | -725 | -700 | -700 |
| | 7 | -1050 | -925 | -875 | -850 | -850 |
| 53 | 1 & 2 | -875 | -700 | -650 | -625 | -625 |
| | 3 | -875 | -700 | -650 | -625 | -625 |
| | 4 | -900 | -725 | -675 | -650 | -650 |
| | 5 | -975 | -875 | -775 | -750 | -750 |
| | 6 | -1150 | -975 | -900 | -875 | -875 |
| | 7 | -1175 | -1050 | -975 | -950 | -950 |
| 63 | 1 & 2 | -1000 | -875 | -825 | -800 | -800 |
| | 3 | -1000 | -875 | -825 | -800 | -800 |
| | 4 | -1025 | -900 | -850 | -825 | -825 |
| | 5 | -1075 | -1000 | -950 | -925 | -925 |
| | 6 | -1175 | -1050 | -950 | -925 | -925 |

**Mike**

| Range | Diff. |
|---|---|
| 25-26 | -1100 |
| 27-29 | -750 |
| 30-32 | -325 |
| 33-34 | -125 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -150 |
| 53 & Above | -275 |

**Strength**

| (Grams per Tex) Range | Diff. |
|---|---|
| 20.5-21.4 | -275 |
| 21.5-22.4 | -225 |
| 22.5-23.4 | -175 |
| 23.5-24.4 | -125 |
| 24.5-25.4 | -100 |
| 25.5-26.4 | -25 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 50 |
| 32.5 & Above | 50 |

**Extraneous Matter**

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -50 |
| 2 | -800 |
| Other | |
| 1 | -375 |
| 2 | -785 |

**Uniformity**

| Unit | Points |
|---|---|
| 77.4 & below | -90 |
| 77.5-78.4 | -80 |
| 78.5-79.4 | -70 |
| 79.5-80.4 | 0 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 30 |
| 83.5-84.4 | 40 |
| 84.5-85.4 | 50 |
| 85.5 & Above | 60 |

| Color | Leaf | Staple | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 26-29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 11 & 21 | 1 & 2 | -250 | -175 | -125 | -50 | 150 | 350 | 400 | 550 | 550 |
| | 3 | -300 | -200 | -125 | -100 | 125 | 275 | 275 | 400 | 400 |
| | 4 | -375 | -300 | -200 | -125 | 75 | 225 | 225 | 375 | 375 |
| | 5 | -425 | -350 | -250 | -225 | -125 | -25 | 150 | 275 | 275 |
| | 6 | -600 | -500 | -400 | -350 | -300 | -250 | -250 | -125 | -125 |
| | 7 | -675 | -575 | -475 | -450 | -400 | -325 | -325 | -200 | -200 |
| 31 | 1 & 2 | -300 | -225 | -175 | -100 | 125 | 225 | 300 | 425 | 425 |
| | 3 | -350 | -250 | -200 | -125 | 100 | 175 | 225 | 300 | 300 |
| | 4 | -400 | -350 | -225 | -200 | 25 | 150 | 200 | 275 | 275 |
| | 5 | -475 | -400 | -275 | -250 | -150 | -75 | 75 | 175 | 175 |
| | 6 | -625 | -525 | -425 | -375 | -325 | -275 | -275 | -175 | -175 |
| | 7 | -700 | -600 | -500 | -475 | -425 | -350 | -350 | -250 | -250 |
| 41 | 1 & 2 | -350 | -300 | -200 | -125 | 100 | 100 | 225 | 350 | 350 |
| | 3 | -375 | -325 | -225 | -150 | 75 | 100 | 175 | 300 | 300 |
| | 4 | -450 | -375 | -250 | -225 | -75 | 60.50 | 125 | 275 | 275 |
| | 5 | -500 | -450 | -350 | -275 | -175 | -125 | -50 | 50 | 50 |
| | 6 | -675 | -600 | -500 | -400 | -375 | -300 | -300 | -275 | -275 |
| | 7 | -750 | -700 | -625 | -500 | -475 | -425 | -400 | -400 | -400 |
| 51 | 1 & 2 | -500 | -450 | -400 | -300 | -225 | -125 | -125 | -75 | -75 |
| | 3 | -500 | -450 | -400 | -325 | -225 | -125 | -125 | -75 | -75 |
| | 4 | -550 | -500 | -450 | -350 | -250 | -200 | -175 | -125 | -125 |
| | 5 | -575 | -550 | -475 | -375 | -275 | -225 | -225 | -225 | -225 |
| | 6 | -750 | -675 | -650 | -450 | -450 | -400 | -400 | -400 | -400 |
| | 7 | -825 | -775 | -750 | -550 | -550 | -500 | -500 | -500 | -500 |
| 61 | 1 & 2 | -550 | -500 | -450 | -350 | -275 | -200 | -200 | -200 | -200 |
| | 3 | -550 | -500 | -450 | -350 | -275 | -200 | -200 | -200 | -200 |
| | 4 | -600 | -525 | -475 | -375 | -300 | -250 | -250 | -250 | -250 |
| | 5 | -625 | -575 | -525 | -425 | -375 | -275 | -275 | -275 | -275 |
| | 6 | -775 | -700 | -675 | -550 | -525 | -450 | -425 | -425 | -425 |
| | 7 | -850 | -800 | -775 | -650 | -625 | -550 | -525 | -525 | -525 |
| 71 | 1 & 2 | -625 | -550 | -475 | -400 | -325 | -275 | -275 | -275 | -275 |
| | 3 | -625 | -550 | -475 | -400 | -325 | -275 | -275 | -275 | -275 |
| | 4 | -650 | -575 | -550 | -475 | -400 | -350 | -350 | -350 | -350 |
| | 5 | -675 | -600 | -575 | -500 | -475 | -375 | -375 | -375 | -375 |
| | 6 | -850 | -775 | -750 | -675 | -625 | -525 | -525 | -525 | -525 |
| | 7 | -925 | -875 | -825 | -725 | -700 | -600 | -600 | -600 | -600 |
| 12 & 22 | 1 & 2 | -325 | -275 | -200 | -75 | 100 | 175 | 225 | 325 | 325 |
| | 3 | -375 | -300 | -225 | -125 | 50 | 150 | 175 | 250 | 250 |
| | 4 | -400 | -350 | -250 | -150 | 25 | 100 | 125 | 250 | 250 |
| | 5 | -475 | -425 | -375 | -325 | -275 | -200 | -75 | 100 | 100 |
| | 6 | -675 | -600 | -525 | -425 | -425 | -350 | -325 | -300 | -300 |
| | 7 | -775 | -700 | -625 | -525 | -500 | -425 | -400 | -375 | -375 |
| 32 | 1 & 2 | -350 | -300 | -275 | -225 | -50 | 100 | 150 | 250 | 250 |
| | 3 | -400 | -325 | -300 | -225 | -75 | 50 | 75 | 225 | 225 |
| | 4 | -425 | -375 | -325 | -250 | -150 | -25 | 0 | 50 | 50 |
| | 5 | -525 | -475 | -425 | -375 | -375 | -225 | -150 | 25 | 25 |
| | 6 | -700 | -650 | -550 | -475 | -475 | -400 | -400 | -375 | -375 |
| | 7 | -850 | -775 | -675 | -575 | -575 | -475 | -475 | -450 | -450 |
| 42 | 1 & 2 | -425 | -325 | -300 | -250 | -200 | -25 | 50 | 125 | 125 |
| | 3 | -425 | -350 | -350 | -275 | -225 | -25 | 0 | 75 | 75 |
| | 4 | -450 | -400 | -400 | -300 | -250 | -50 | -25 | 25 | 25 |
| | 5 | -575 | -550 | -500 | -425 | -400 | -275 | -225 | -225 | -225 |
| | 6 | -825 | -775 | -650 | -525 | -500 | -425 | -425 | -425 | -425 |
| | 7 | -925 | -875 | -775 | -625 | -600 | -525 | -500 | -500 | -500 |
| 52 | 1 & 2 | -550 | -475 | -450 | -375 | -350 | -300 | -300 | -300 | -300 |
| | 3 | -550 | -475 | -450 | -375 | -350 | -300 | -300 | -300 | -300 |
| | 4 | -600 | -550 | -500 | -400 | -375 | -325 | -325 | -325 | -325 |
| | 5 | -675 | -625 | -600 | -500 | -450 | -375 | -375 | -375 | -375 |
| | 6 | -900 | -850 | -800 | -700 | -650 | -525 | -525 | -525 | -525 |
| | 7 | -975 | -925 | -900 | -800 | -750 | -625 | -625 | -625 | -625 |
| 62 | 1 & 2 | -600 | -525 | -500 | -425 | -400 | -325 | -325 | -325 | -325 |
| | 3 | -600 | -525 | -500 | -425 | -400 | -325 | -325 | -325 | -325 |
| | 4 | -650 | -600 | -525 | -450 | -425 | -375 | -375 | -375 | -375 |
| | 5 | -750 | -675 | -650 | -575 | -550 | -450 | -450 | -450 | -450 |
| | 6 | -925 | -875 | -825 | -750 | -725 | -625 | -625 | -625 | -625 |

| Color | Leaf | Staple | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 26-29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 13 & 23 | 1 & 2 | -525 | -425 | -375 | -300 | -225 | -150 | -100 | -50 | -50 |
| | 3 | -525 | -450 | -400 | -325 | -250 | -175 | -125 | -75 | -75 |
| | 4 | -600 | -500 | -475 | -400 | -300 | -225 | -175 | -125 | -125 |
| | 5 | -725 | -625 | -600 | -500 | -425 | -350 | -300 | -250 | -250 |
| | 6 | -825 | -750 | -650 | -575 | -475 | -400 | -400 | -350 | -350 |
| | 7 | -900 | -825 | -725 | -650 | -575 | -500 | -500 | -450 | -450 |
| 33 | 1 & 2 | -600 | -525 | -475 | -375 | -300 | -200 | -150 | -100 | -100 |
| | 3 | -600 | -525 | -475 | -375 | -300 | -200 | -150 | -100 | -100 |
| | 4 | -650 | -600 | -525 | -450 | -350 | -250 | -200 | -150 | -150 |
| | 5 | -750 | -750 | -650 | -550 | -450 | -375 | -325 | -275 | -275 |
| | 6 | -875 | -825 | -725 | -625 | -550 | -450 | -450 | -400 | -400 |
| | 7 | -1000 | -900 | -825 | -725 | -625 | -550 | -550 | -500 | -500 |
| 43 | 1 & 2 | -650 | -575 | -525 | -450 | -350 | -250 | -200 | -150 | -150 |
| | 3 | -650 | -575 | -525 | -450 | -350 | -250 | -200 | -150 | -150 |
| | 4 | -700 | -650 | -575 | -525 | -400 | -275 | -225 | -175 | -175 |
| | 5 | -775 | -775 | -675 | -625 | -500 | -400 | -350 | -300 | -300 |
| | 6 | -925 | -875 | -750 | -700 | -600 | -500 | -500 | -450 | -450 |
| | 7 | -1025 | -950 | -850 | -775 | -675 | -575 | -575 | -525 | -525 |
| 53 | 1 & 2 | -750 | -650 | -625 | -525 | -525 | -400 | -350 | -325 | -325 |
| | 3 | -750 | -650 | -625 | -550 | -550 | -425 | -375 | -350 | -350 |
| | 4 | -800 | -700 | -675 | -625 | -550 | -475 | -425 | -400 | -400 |
| | 5 | -875 | -800 | -750 | -700 | -650 | -550 | -500 | -475 | -475 |
| | 6 | -975 | -900 | -875 | -800 | -750 | -650 | -650 | -625 | -625 |
| | 7 | -1050 | -975 | -950 | -875 | -850 | -725 | -725 | -700 | -700 |
| 63 | 1 & 2 | -850 | -750 | -725 | -625 | -575 | -450 | -400 | -375 | -375 |
| | 3 | -850 | -750 | -725 | -625 | -575 | -450 | -400 | -375 | -375 |
| | 4 | -900 | -800 | -775 | -675 | -650 | -525 | -475 | -450 | -450 |
| | 5 | -1000 | -900 | -875 | -775 | -700 | -600 | -550 | -525 | -525 |
| | 6 | -1050 | -975 | -975 | -875 | -775 | -675 | -675 | -650 | -650 |
| 34 | 1 & 2 | -700 | -600 | -550 | -500 | -450 | -375 | -375 | -375 | -375 |
| | 3 | -700 | -600 | -550 | -500 | -450 | -375 | -375 | -375 | -375 |
| | 4 | -825 | -725 | -675 | -625 | -550 | -475 | -475 | -475 | -475 |
| | 5 | -925 | -825 | -775 | -725 | -675 | -600 | -600 | -600 | -600 |
| | 6 | -1050 | -975 | -925 | -875 | -825 | -750 | -750 | -750 | -750 |
| 44 | 1 & 2 | -775 | -675 | -625 | -550 | -500 | -425 | -425 | -425 | -425 |
| | 3 | -800 | -700 | -650 | -600 | -550 | -475 | -475 | -475 | -475 |
| | 4 | -850 | -775 | -700 | -700 | -600 | -525 | -525 | -525 | -525 |
| | 5 | -950 | -850 | -825 | -775 | -700 | -625 | -625 | -625 | -625 |
| | 6 | -1075 | -1000 | -950 | -900 | -850 | -775 | -775 | -775 | -775 |
| 54 | 1 & 2 | -850 | -750 | -700 | -650 | -575 | -500 | -500 | -500 | -500 |
| | 3 | -850 | -750 | -700 | -650 | -575 | -500 | -500 | -500 | -500 |
| | 4 | -900 | -800 | -775 | -725 | -675 | -600 | -600 | -600 | -600 |
| | 5 | -975 | -875 | -850 | -800 | -725 | -650 | -650 | -650 | -650 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -875 |
| 25-26 | -825 |
| 27-29 | -575 |
| 30-32 | -300 |
| 33-34 | -150 |
| Base 35-36 | 0 |
| 37-42 | 15 |
| Base 43-49 | 0 |
| 50-52 | -240 |
| 53 & Above | -375 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 18.5-19.4 | -175 |
| 19.5-20.4 | -175 |
| 20.5-21.4 | -150 |
| 21.5-22.4 | -125 |
| 22.5-23.4 | -100 |
| 23.5-24.4 | -100 |
| 24.5-25.4 | -100 |
| 25.5-26.4 | -50 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 25 |
| 32.5 & Above | 25 |

Uniformity

| Unit | Points |
|---|---|
| 77.4 & below | -90 |
| 77.5-78.4 | -75 |
| 78.5-79.4 | -60 |
| 79.5-80.4 | 0 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 0 |
| 83.5-84.4 | 10 |
| 84.5-85.4 | 20 |
| 85.5 & Above | 30 |

Extraneous Matter

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -150 |
| 2 | -400 |
| Bark | |
| 1 | -225 |
| 2 | -450 |
| Other | |
| 1 | -375 |
| 2 | -525 |

| Color | Leaf | Staple | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 26-29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 11 & 21 | 1 & 2 | -200 | -125 | -75 | -75 | 175 | 375 | 425 | 475 | 475 |
| | 3 | -250 | -150 | -100 | -100 | 175 | 350 | 400 | 450 | 450 |
| | 4 | -300 | -225 | -150 | -125 | 0 | 225 | 375 | 425 | 425 |
| | 5 | -425 | -350 | -250 | -200 | -100 | 50 | 325 | 375 | 375 |
| | 6 | -650 | -550 | -450 | -450 | -350 | -200 | -175 | -175 | -175 |
| | 7 | -725 | -625 | -525 | -500 | -425 | -275 | -250 | -250 | -250 |
| 31 | 1 & 2 | -250 | -175 | -125 | -100 | 175 | 300 | 300 | 425 | 425 |
| | 3 | -300 | -225 | -150 | -125 | 150 | 275 | 300 | 400 | 400 |
| | 4 | -375 | -300 | -200 | -200 | -25 | 175 | 250 | 375 | 375 |
| | 5 | -475 | -400 | -275 | -275 | -150 | -75 | 250 | 325 | 325 |
| | 6 | -700 | -600 | -500 | -500 | -375 | -250 | -250 | -225 | -225 |
| | 7 | -775 | -700 | -575 | -550 | -450 | -300 | -300 | -275 | -275 |
| 41 | 1 & 2 | -400 | -350 | -275 | -250 | -50 | 125 | 175 | 200 | 200 |
| | 3 | -425 | -375 | -300 | -275 | -75 | 75 | 150 | 200 | 200 |
| | 4 | -500 | -425 | -325 | -300 | -175 | 59.50 | 100 | 125 | 125 |
| | 5 | -525 | -450 | -325 | -325 | -225 | -100 | 0 | 125 | 125 |
| | 6 | -725 | -625 | -550 | -525 | -450 | -300 | -275 | -250 | -250 |
| | 7 | -800 | -750 | -675 | -625 | -550 | -400 | -350 | -325 | -325 |
| 51 | 1 & 2 | -525 | -475 | -450 | -350 | -250 | -100 | -50 | -25 | -25 |
| | 3 | -525 | -475 | -450 | -350 | -250 | -100 | -50 | -25 | -25 |
| | 4 | -575 | -525 | -500 | -375 | -325 | -175 | -100 | -75 | -75 |
| | 5 | -600 | -575 | -500 | -400 | -350 | -200 | -150 | -100 | -100 |
| | 6 | -825 | -750 | -725 | -575 | -525 | -425 | -375 | -325 | -325 |
| | 7 | -900 | -850 | -825 | -650 | -600 | -500 | -450 | -425 | -425 |
| 61 | 1 & 2 | -550 | -500 | -475 | -375 | -275 | -175 | -175 | -175 | -175 |
| | 3 | -550 | -500 | -475 | -375 | -275 | -175 | -175 | -175 | -175 |
| | 4 | -600 | -550 | -525 | -400 | -350 | -250 | -225 | -225 | -225 |
| | 5 | -625 | -600 | -525 | -425 | -375 | -275 | -250 | -250 | -250 |
| | 6 | -850 | -775 | -750 | -600 | -550 | -500 | -475 | -425 | -425 |
| | 7 | -925 | -875 | -850 | -700 | -650 | -575 | -550 | -525 | -525 |
| 71 | 1 & 2 | -675 | -600 | -525 | -450 | -325 | -250 | -250 | -250 | -250 |
| | 3 | -675 | -600 | -525 | -450 | -325 | -250 | -250 | -250 | -250 |
| | 4 | -700 | -625 | -600 | -525 | -400 | -325 | -325 | -325 | -325 |
| | 5 | -725 | -650 | -625 | -550 | -475 | -350 | -350 | -350 | -350 |
| | 6 | -900 | -825 | -800 | -725 | -650 | -525 | -525 | -525 | -525 |
| | 7 | -975 | -925 | -875 | -775 | -725 | -600 | -600 | -600 | -600 |
| 12 & 22 | 1 & 2 | -300 | -250 | -150 | -125 | 50 | 75 | 225 | 350 | 350 |
| | 3 | -350 | -300 | -175 | -175 | 25 | 50 | 175 | 300 | 300 |
| | 4 | -400 | -325 | -225 | -225 | -150 | -50 | 125 | 250 | 250 |
| | 5 | -500 | -450 | -400 | -350 | -350 | -225 | -100 | -100 | -100 |
| | 6 | -700 | -625 | -550 | -500 | -500 | -400 | -350 | -350 | -350 |
| | 7 | -775 | -700 | -625 | -600 | -575 | -475 | -425 | -425 | -425 |
| 32 | 1 & 2 | -350 | -300 | -275 | -175 | 0 | 25 | 50 | 125 | 125 |
| | 3 | -400 | -350 | -300 | -225 | -25 | -25 | 0 | 125 | 125 |
| | 4 | -500 | -400 | -400 | -275 | -200 | -100 | 0 | 100 | 100 |
| | 5 | -550 | -525 | -475 | -475 | -425 | -275 | -200 | -200 | -200 |
| | 6 | -750 | -700 | -600 | -575 | -550 | -425 | -400 | -400 | -400 |
| | 7 | -875 | -800 | -700 | -675 | -600 | -525 | -475 | -475 | -475 |
| 42 | 1 & 2 | -450 | -400 | -350 | -275 | -225 | -100 | -25 | 100 | 100 |
| | 3 | -475 | -425 | -400 | -300 | -250 | -100 | -50 | 100 | 100 |
| | 4 | -550 | -475 | -475 | -375 | -275 | -125 | -50 | 75 | 75 |
| | 5 | -600 | -575 | -525 | -525 | -450 | -300 | -225 | -225 | -225 |
| | 6 | -850 | -800 | -675 | -600 | -575 | -450 | -425 | -425 | -425 |
| | 7 | -925 | -875 | -775 | -750 | -675 | -575 | -500 | -500 | -500 |
| 52 | 1 & 2 | -625 | -550 | -525 | -475 | -425 | -350 | -300 | -300 | -300 |
| | 3 | -625 | -550 | -525 | -475 | -425 | -350 | -300 | -300 | -300 |
| | 4 | -675 | -625 | -575 | -475 | -450 | -375 | -325 | -325 | -325 |
| | 5 | -750 | -700 | -675 | -575 | -525 | -425 | -375 | -375 | -375 |
| | 6 | -975 | -925 | -875 | -775 | -725 | -575 | -525 | -525 | -525 |
| | 7 | -1050 | -1000 | -975 | -875 | -825 | -675 | -625 | -625 | -625 |
| 62 | 1 & 2 | -675 | -600 | -575 | -550 | -500 | -400 | -375 | -375 | -375 |
| | 3 | -675 | -600 | -575 | -550 | -500 | -400 | -375 | -375 | -375 |
| | 4 | -725 | -675 | -600 | -575 | -525 | -450 | -425 | -425 | -425 |
| | 5 | -825 | -750 | -725 | -650 | -625 | -525 | -500 | -500 | -500 |
| | 6 | -1000 | -950 | -900 | -825 | -800 | -700 | -675 | -675 | -675 |

| Color | Leaf | Staple | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 26-29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 13 & 23 | 1 & 2 | -450 | -350 | -300 | -225 | -175 | -125 | -100 | -100 | -100 |
| | 3 | -450 | -400 | -325 | -250 | -200 | -150 | -125 | -125 | -125 |
| | 4 | -525 | -425 | -400 | -325 | -275 | -200 | -175 | -175 | -175 |
| | 5 | -650 | -550 | -525 | -425 | -400 | -325 | -300 | -300 | -300 |
| | 6 | -750 | -675 | -575 | -525 | -500 | -425 | -375 | -375 | -375 |
| | 7 | -825 | -750 | -650 | -625 | -575 | -475 | -475 | -475 | -475 |
| 33 | 1 & 2 | -550 | -475 | -425 | -300 | -250 | -175 | -175 | -175 | -175 |
| | 3 | -550 | -475 | -425 | -300 | -250 | -175 | -175 | -175 | -175 |
| | 4 | -600 | -550 | -475 | -375 | -325 | -225 | -225 | -225 | -225 |
| | 5 | -700 | -700 | -600 | -500 | -450 | -375 | -350 | -350 | -350 |
| | 6 | -825 | -775 | -675 | -600 | -600 | -450 | -450 | -450 | -450 |
| | 7 | -950 | -850 | -775 | -700 | -650 | -575 | -550 | -550 | -550 |
| 43 | 1 & 2 | -600 | -525 | -475 | -400 | -350 | -250 | -250 | -250 | -250 |
| | 3 | -600 | -525 | -475 | -400 | -350 | -250 | -250 | -250 | -250 |
| | 4 | -650 | -600 | -525 | -475 | -400 | -275 | -250 | -250 | -250 |
| | 5 | -725 | -725 | -625 | -575 | -500 | -400 | -375 | -375 | -375 |
| | 6 | -875 | -825 | -700 | -675 | -625 | -525 | -525 | -525 | -525 |
| | 7 | -975 | -900 | -800 | -775 | -700 | -600 | -600 | -600 | -600 |
| 53 | 1 & 2 | -775 | -675 | -650 | -550 | -525 | -425 | -400 | -400 | -400 |
| | 3 | -775 | -675 | -650 | -575 | -525 | -450 | -425 | -425 | -425 |
| | 4 | -825 | -725 | -700 | -675 | -600 | -475 | -450 | -450 | -450 |
| | 5 | -900 | -825 | -775 | -725 | -675 | -575 | -550 | -550 | -550 |
| | 6 | -1000 | -950 | -900 | -825 | -775 | -675 | -675 | -675 | -675 |
| | 7 | -1075 | -1025 | -1000 | -900 | -875 | -750 | -750 | -750 | -750 |
| 63 | 1 & 2 | -900 | -800 | -775 | -675 | -625 | -475 | -425 | -425 | -425 |
| | 3 | -900 | -800 | -775 | -675 | -625 | -475 | -450 | -450 | -450 |
| | 4 | -950 | -850 | -825 | -725 | -650 | -550 | -500 | -500 | -500 |
| | 5 | -1050 | -950 | -925 | -825 | -750 | -625 | -575 | -575 | -575 |
| | 6 | -1100 | -1025 | -1025 | -925 | -825 | -725 | -700 | -700 | -700 |
| 34 | 1 & 2 | -675 | -575 | -525 | -450 | -400 | -325 | -325 | -325 | -325 |
| | 3 | -675 | -575 | -525 | -450 | -400 | -325 | -325 | -325 | -325 |
| | 4 | -800 | -700 | -650 | -575 | -500 | -425 | -425 | -425 | -425 |
| | 5 | -900 | -800 | -750 | -675 | -625 | -550 | -550 | -550 | -550 |
| | 6 | -1025 | -950 | -900 | -825 | -775 | -700 | -700 | -700 | -700 |
| 44 | 1 & 2 | -775 | -675 | -625 | -525 | -475 | -400 | -400 | -400 | -400 |
| | 3 | -800 | -700 | -650 | -575 | -525 | -450 | -450 | -450 | -450 |
| | 4 | -875 | -775 | -725 | -675 | -575 | -500 | -500 | -500 | -500 |
| | 5 | -975 | -875 | -825 | -750 | -675 | -600 | -600 | -600 | -600 |
| | 6 | -1100 | -1025 | -975 | -900 | -850 | -775 | -775 | -775 | -775 |
| 54 | 1 & 2 | -850 | -750 | -700 | -625 | -550 | -475 | -475 | -475 | -475 |
| | 3 | -850 | -750 | -700 | -625 | -550 | -475 | -475 | -475 | -475 |
| | 4 | -900 | -800 | -775 | -700 | -650 | -575 | -575 | -575 | -575 |
| | 5 | -1000 | -900 | -850 | -775 | -700 | -625 | -625 | -625 | -625 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -875 |
| 25-26 | -825 |
| 27-29 | -550 |
| 30-32 | -325 |
| 33-34 | -175 |
| Base 35-36 | 0 |
| 37-42 | 15 |
| Base 43-49 | 0 |
| 50-52 | -240 |
| 53 & Above | -375 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 18.5-19.4 | -175 |
| 19.5-20.4 | -175 |
| 20.5-21.4 | -150 |
| 21.5-22.4 | -125 |
| 22.5-23.4 | -100 |
| 23.5-24.4 | -100 |
| 24.5-25.4 | -100 |
| 25.5-26.4 | -50 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 25 |
| 32.5 & Above | 25 |

Uniformity

| Unit | Points |
|---|---|
| 77.4 & below | -90 |
| 77.5-78.4 | -75 |
| 78.5-79.4 | -60 |
| 79.5-80.4 | 0 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 0 |
| 83.5-84.4 | 10 |
| 84.5-85.4 | 20 |
| 85.5 & Above | 30 |

Extraneous Matter

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -150 |
| 2 | -400 |
| Bark | |
| 1 | -225 |
| 2 | -450 |
| Other | |
| 1 | -350 |
| 2 | -500 |

| Color | Leaf | Staple 33 | 34 | 35 | 36 | 37 |
|---|---|---|---|---|---|---|
| 11 & 21 | 1 & 2 | -50 | 225 | 825 | 885 | 920 |
| | 3 | -50 | 200 | 750 | 860 | 895 |
| | 4 | -275 | 75 | 400 | 435 | 470 |
| | 5 | -350 | -150 | 75 | 150 | 235 |
| | 6 | -450 | -350 | -100 | -85 | -30 |
| | 7 | -650 | -375 | -175 | -140 | -100 |
| 31 | 1 & 2 | -125 | 175 | 775 | 860 | 895 |
| | 3 | -125 | 150 | 725 | 810 | 845 |
| | 4 | -325 | 50 | 375 | 410 | 445 |
| | 5 | -375 | -175 | 25 | 50 | 120 |
| | 6 | -475 | -375 | -110 | -95 | -40 |
| | 7 | -675 | -400 | -200 | -170 | -115 |
| 41 | 1 & 2 | -350 | 25 | 225 | 310 | 320 |
| | 3 | -350 | 25 | 225 | 310 | 320 |
| | 4 | -400 | 57.01 | 175 | 260 | 270 |
| | 5 | -425 | -300 | -225 | -215 | -205 |
| | 6 | -600 | -475 | -350 | -340 | -340 |
| | 7 | -750 | -625 | -600 | -595 | -585 |
| 51 | 1 & 2 | -450 | -275 | -175 | -140 | -130 |
| | 3 | -450 | -275 | -175 | -140 | -130 |
| | 4 | -475 | -350 | -250 | -200 | -190 |
| | 5 | -575 | -525 | -450 | -425 | -425 |
| | 6 | -750 | -650 | -550 | -550 | -550 |
| | 7 | -950 | -850 | -825 | -825 | -825 |
| 12 & 22 | 1 & 2 | -275 | 50 | 300 | 360 | 420 |
| | 3 | -275 | 50 | 275 | 335 | 395 |
| | 4 | -375 | 25 | 250 | 310 | 370 |
| | 5 | -400 | -225 | -100 | -100 | -50 |
| | 6 | -550 | -425 | -300 | -300 | -250 |
| | 7 | -725 | -600 | -550 | -550 | -500 |
| 32 | 1 & 2 | -375 | -100 | 125 | 210 | 220 |
| | 3 | -375 | -100 | 125 | 210 | 220 |
| | 4 | -425 | -225 | 0 | 85 | 95 |
| | 5 | -475 | -475 | -375 | -375 | -375 |
| | 6 | -675 | -600 | -500 | -500 | -500 |
| | 7 | -825 | -775 | -750 | -750 | -750 |
| 42 | 1 & 2 | -425 | -250 | -150 | -100 | -100 |
| | 3 | -425 | -250 | -150 | -100 | -100 |
| | 4 | -450 | -325 | -225 | -175 | -175 |
| | 5 | -525 | -500 | -400 | -400 | -400 |
| | 6 | -700 | -625 | -525 | -525 | -525 |
| | 7 | -900 | -800 | -775 | -775 | -775 |
| 52 | 1 & 2 | -475 | -400 | -325 | -275 | -275 |
| | 3 | -475 | -400 | -325 | -275 | -275 |
| | 4 | -650 | -525 | -450 | -400 | -400 |
| | 5 | -700 | -600 | -550 | -550 | -550 |
| | 6 | -800 | -700 | -650 | -650 | -650 |
| | 7 | -1050 | -950 | -950 | -925 | -925 |

| Color | Leaf | Staple 33 | 34 | 35 | 36 | 37 |
|---|---|---|---|---|---|---|
| 43 | 1 & 2 | -725 | -650 | -550 | -475 | -475 |
| | 3 | -725 | -650 | -550 | -475 | -475 |
| | 4 | -825 | -750 | -600 | -550 | -550 |
| | 5 | -925 | -825 | -625 | -600 | -600 |
| | 6 | -1025 | -925 | -875 | -875 | -875 |
| | 7 | -1100 | -1050 | -1000 | -1000 | -1000 |
| 53 | 1 & 2 | -875 | -775 | -675 | -675 | -675 |
| | 3 | -875 | -775 | -675 | -675 | -675 |
| | 4 | -975 | -875 | -775 | -775 | -775 |
| | 5 | -1025 | -925 | -825 | -825 | -825 |
| | 6 | -1125 | -1025 | -925 | -925 | -925 |
| | 7 | -1375 | -1275 | -1250 | -1250 | -1250 |

**Mike**

| Range | Diff. |
|---|---|
| 24 & Below | -1200 |
| 25-26 | -1000 |
| 27-29 | -900 |
| 30-32 | -425 |
| 33-34 | -275 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -275 |
| 53 & Above | -475 |

**Uniformity**

| Unit | Points |
|---|---|
| 77.4 & below | -100 |
| 77.5-78.4 | -90 |
| 78.5-79.4 | -80 |
| 79.5-80.4 | 0 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 30 |
| 83.5-84.4 | 40 |
| 84.5-85.4 | 50 |
| 85.5 & Above | 60 |

**Strength**

| (Grams per Tex) Range | Diff. |
|---|---|
| 20.5-21.4 | -450 |
| 21.5-22.4 | -300 |
| 22.5-23.4 | -150 |
| 23.5-24.4 | -100 |
| 24.5-25.4 | -100 |
| 25.5-26.4 | -50 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 50 |
| 32.5 & Above | 50 |

**Extraneous Matter**

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -50 |
| 2 | -800 |
| Other | |
| 1 | -350 |
| 2 | -800 |

| Color | Leaf | Staple 34 | 35 | 36 | 37 |
|---|---|---|---|---|---|
| 11 & 21 | 1 & 2 | 750 | 1225 | 1590 | 1690 |
| | 3 | 685 | 1160 | 1390 | 1525 |
| | 4 | 125 | 475 | 505 | 625 |
| | 5 | -125 | 75 | 130 | 190 |
| | 6 | -400 | -200 | -150 | -100 |
| | 7 | -625 | -525 | -475 | -425 |
| 31 | 1 & 2 | 700 | 1200 | 1255 | 1390 |
| | 3 | 675 | 1125 | 1130 | 1265 |
| | 4 | 100 | 450 | 480 | 560 |
| | 5 | -200 | 0 | 55 | 115 |
| | 6 | -500 | -325 | -275 | -225 |
| | 7 | -675 | -575 | -525 | -475 |
| 41 | 1 & 2 | 200 | 650 | 730 | 740 |
| | 3 | 150 | 600 | 680 | 690 |
| | 4 | 58.51 | 350 | 430 | 440 |
| | 5 | -425 | -200 | -195 | -185 |
| | 6 | -625 | -450 | -450 | -450 |
| | 7 | -825 | -725 | -725 | -725 |
| 51 | 1 & 2 | -575 | -125 | -75 | -75 |
| | 3 | -600 | -150 | -100 | -100 |
| | 4 | -650 | -200 | -175 | -175 |
| | 5 | -750 | -375 | -325 | -325 |
| | 6 | -900 | -800 | -800 | -800 |
| | 7 | -1050 | -1000 | -1000 | -1000 |
| 12 & 22 | 1 & 2 | 225 | 675 | 955 | 1015 |
| | 3 | 150 | 600 | 880 | 940 |
| | 4 | 25 | 425 | 475 | 540 |
| | 5 | -250 | -50 | 0 | 50 |
| | 6 | -525 | -400 | -350 | -300 |
| | 7 | -775 | -700 | -650 | -600 |
| 32 | 1 & 2 | 100 | 350 | 375 | 375 |
| | 3 | 50 | 300 | 325 | 325 |
| | 4 | -100 | 200 | 200 | 200 |
| | 5 | -525 | -275 | -275 | -275 |
| | 6 | -675 | -475 | -475 | -475 |
| | 7 | -850 | -750 | -750 | -750 |
| 42 | 1 & 2 | -400 | -50 | -25 | -25 |
| | 3 | -450 | -100 | -75 | -75 |
| | 4 | -500 | -175 | -150 | -150 |
| | 5 | -675 | -350 | -300 | -300 |
| | 6 | -800 | -775 | -775 | -775 |
| | 7 | -1000 | -950 | -950 | -950 |
| 52 | 1 & 2 | -725 | -675 | -675 | -675 |
| | 3 | -725 | -675 | -675 | -675 |
| | 4 | -825 | -775 | -775 | -775 |
| | 5 | -875 | -825 | -825 | -825 |
| | 6 | -1025 | -1025 | -1025 | -1025 |
| | 7 | -1225 | -1225 | -1225 | -1225 |

| Color | Leaf | Staple 34 | 35 | 36 | 37 |
|---|---|---|---|---|---|
| 33 | 1 & 2 | -500 | -500 | -500 | -500 |
| | 3 | -500 | -500 | -500 | -500 |
| | 4 | -600 | -600 | -600 | -600 |
| | 5 | -800 | -800 | -800 | -800 |
| | 6 | -1075 | -1075 | -1075 | -1075 |
| | 7 | -1225 | -1225 | -1225 | -1225 |
| 43 | 1 & 2 | -875 | -875 | -875 | -875 |
| | 3 | -875 | -875 | -875 | -875 |
| | 4 | -925 | -925 | -925 | -925 |
| | 5 | -1075 | -1075 | -1075 | -1075 |
| | 6 | -1225 | -1225 | -1225 | -1225 |
| | 7 | -1425 | -1425 | -1425 | -1425 |

**Mike**

| Range | Diff. |
|---|---|
| 27-29 | -1250 |
| 30-32 | -550 |
| 33-34 | -350 |
| Base 35-36 | 0 |
| 37-42 | 25 |
| Base 43-49 | 0 |
| 50-52 | -450 |

**Strength**

(Grams per Tex)

| Range | Diff. |
|---|---|
| 23.5-24.4 | -100 |
| 24.5-25.4 | -100 |
| 25.5-26.4 | -50 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 50 |
| 32.5 & Above | 50 |

**Uniformity**

| Unit | Points |
|---|---|
| 77.4 & below | -60 |
| 77.5-78.4 | -50 |
| 78.5-79.4 | -40 |
| 79.5-80.4 | 0 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 30 |
| 83.5-84.4 | 40 |
| 84.5-85.4 | 50 |
| 85.5 & Above | 60 |

**Extraneous Matter**

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -50 |
| 2 | -800 |
| Other | |
| 1 | -350 |
| 2 | -925 |

MP_CN011 23-Oct-07

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

**AMERICAN PIMA SPOT QUOTATIONS 2/**

| Color | Leaf | Staple 44 | Staple 46 | Staple 48 |
|---|---|---|---|---|
| 1 | 1 | 94.75 | 100.00 | 100.25 |
| | 2 | 94.50 | 99.75 | 100.25 |
| | 3 | 89.25 | 93.75 | 94.50 |
| | 4 | | | |
| | 5 | | | |
| | 6 | | | |
| 2 | 1 | 94.25 | 99.50 | 100.25 |
| | 2 | 93.50 | 99.00 | 99.75 |
| | 3 | 87.50 | 92.50 | 92.75 |
| | 4 | 82.75 | 88.75 | 89.50 |
| | 5 | | | |
| | 6 | | | |
| 3 | 1 | 88.75 | 94.25 | 95.25 |
| | 2 | 88.25 | 92.00 | 94.25 |
| | 3 | 81.00 | 86.00 | 87.00 |
| | 4 | 73.25 | 78.75 | 79.75 |
| | 5 | 73.25 | 76.25 | 77.50 |
| | 6 | | | |
| 4 | 1 | 80.50 | 85.50 | 86.50 |
| | 2 | 80.25 | 85.25 | 85.75 |
| | 3 | 80.00 | 85.00 | 85.00 |
| | 4 | 72.50 | 78.00 | 78.00 |
| | 5 | 68.50 | 72.75 | 72.75 |
| | 6 | | | |
| 5 | 1 | | | |
| | 2 | 62.50 | 69.75 | 69.75 |
| | 3 | 62.50 | 69.25 | 69.75 |
| | 4 | 62.50 | 63.75 | 63.75 |
| | 5 | 62.25 | 63.50 | 63.50 |
| | 6 | | | |
| 6 | 1 | | | |
| | 2 | 51.75 | 52.00 | 52.00 |
| | 3 | 51.75 | 52.00 | 52.00 |
| | 4 | 51.75 | 52.00 | 52.00 |
| | 5 | 51.50 | 51.75 | 51.75 |
| | 6 | 51.00 | 51.25 | 51.25 |

**Mike**

| Range | Diff. |
|---|---|
| 26 & Below | -1350 |
| 27-29 | -945 |
| 30-32 | -550 |
| 33-34 | -395 |
| 35 & Above | 0 |

**Strength**

(Grams per Tex)

| Range | Diff. |
|---|---|
| 35.4 and Below | -1000 |
| 35.5-36.4 | -750 |
| 36.5-37.4 | -500 |
| 37.5 and Above | 0 |

**Extraneous Matter**

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -610 |
| 2 | -895 |
| Other | |
| 1 | -515 |
| 2 | -835 |

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

2/ The current Pima spot quotations represent prices from 2006-crop sales last reported in March 2007.

| Color | Leaf | Staple | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 26-29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 11 & 21 | 1 & 2 | -225 | -150 | -100 | -175 | -33 | 271 | 493 | 618 | 637 |
| | 3 | -275 | -175 | -113 | -190 | -38 | 237 | 437 | 532 | 556 |
| | 4 | -338 | -263 | -175 | -215 | -125 | 114 | 246 | 324 | 346 |
| | 5 | -425 | -350 | -250 | -330 | -242 | -54 | 118 | 179 | 200 |
| | 6 | -625 | -525 | -425 | -455 | -400 | -318 | -232 | -201 | -186 |
| | 7 | -700 | -600 | -500 | -585 | -546 | -450 | -389 | -356 | -343 |
| 31 | 1 & 2 | -275 | -200 | -150 | -190 | -50 | 221 | 436 | 516 | 541 |
| | 3 | -325 | -238 | -175 | -200 | -58 | 196 | 407 | 459 | 484 |
| | 4 | -388 | -325 | -213 | -245 | -167 | 68 | 211 | 270 | 286 |
| | 5 | -475 | -400 | -275 | -350 | -263 | -107 | 75 | 126 | 144 |
| | 6 | -663 | -563 | -463 | -470 | -413 | -346 | -273 | -242 | -227 |
| | 7 | -738 | -650 | -538 | -600 | -558 | -468 | -418 | -385 | -370 |
| 41 | 1 & 2 | -375 | -325 | -238 | -270 | -158 | 79 | 214 | 266 | 269 |
| | 3 | -400 | -350 | -263 | -280 | -167 | 57 | 186 | 241 | 244 |
| | 4 | -475 | -400 | -288 | -310 | -229 | 60.26 | 118 | 177 | 180 |
| | 5 | -513 | -450 | -338 | -425 | -313 | -229 | -121 | -80 | -77 |
| | 6 | -700 | -613 | -525 | -525 | -483 | -425 | -368 | -356 | -356 |
| | 7 | -775 | -725 | -650 | -670 | -638 | -582 | -546 | -539 | -537 |
| 51 | 1 & 2 | -513 | -463 | -425 | -440 | -292 | -236 | -121 | -99 | -97 |
| | 3 | -513 | -463 | -425 | -475 | -308 | -268 | -150 | -124 | -122 |
| | 4 | -563 | -513 | -475 | -500 | -338 | -318 | -204 | -182 | -181 |
| | 5 | -588 | -563 | -488 | -560 | -479 | -418 | -325 | -304 | -304 |
| | 6 | -788 | -713 | -688 | -670 | -621 | -582 | -539 | -529 | -529 |
| | 7 | -863 | -813 | -788 | -775 | -775 | -729 | -696 | -689 | -689 |
| 61 | 1 & 2 | -550 | -500 | -463 | -530 | -370 | -285 | -270 | -270 | -270 |
| | 3 | -550 | -500 | -463 | -550 | -395 | -320 | -305 | -300 | -300 |
| | 4 | -600 | -538 | -500 | -580 | -435 | -365 | -345 | -340 | -340 |
| | 5 | -625 | -588 | -525 | -625 | -545 | -480 | -445 | -445 | -445 |
| | 6 | -813 | -738 | -713 | -770 | -700 | -655 | -635 | -625 | -625 |
| | 7 | -888 | -838 | -813 | -885 | -805 | -745 | -725 | -720 | -720 |
| 71 | 1 & 2 | -650 | -575 | -500 | -785 | -680 | -595 | -575 | -575 | -575 |
| | 3 | -650 | -575 | -500 | -785 | -680 | -595 | -575 | -575 | -575 |
| | 4 | -675 | -600 | -575 | -835 | -730 | -645 | -625 | -625 | -625 |
| | 5 | -700 | -625 | -600 | -865 | -815 | -715 | -695 | -695 | -695 |
| | 6 | -875 | -800 | -775 | -980 | -920 | -815 | -795 | -795 | -795 |
| | 7 | -950 | -900 | -850 | -1020 | -970 | -865 | -845 | -845 | -845 |
| 12 & 22 | 1 & 2 | -313 | -263 | -175 | -205 | -88 | 96 | 254 | 349 | 366 |
| | 3 | -363 | -300 | -200 | -225 | -100 | 71 | 225 | 309 | 326 |
| | 4 | -400 | -338 | -238 | -270 | -175 | -4 | 143 | 216 | 234 |
| | 5 | -488 | -438 | -388 | -420 | -346 | -204 | -107 | -61 | -46 |
| | 6 | -688 | -613 | -538 | -525 | -483 | -404 | -354 | -343 | -329 |
| | 7 | -775 | -700 | -625 | -650 | -625 | -564 | -529 | -514 | -500 |
| 32 | 1 & 2 | -350 | -300 | -275 | -300 | -183 | -11 | 89 | 144 | 146 |
| | 3 | -400 | -338 | -300 | -315 | -196 | -36 | 57 | 130 | 131 |
| | 4 | -463 | -388 | -363 | -360 | -254 | -139 | -14 | 34 | 35 |
| | 5 | -538 | -500 | -450 | -500 | -413 | -321 | -243 | -204 | -204 |
| | 6 | -725 | -675 | -575 | -595 | -567 | -500 | -446 | -432 | -432 |
| | 7 | -863 | -788 | -688 | -730 | -700 | -646 | -614 | -607 | -607 |
| 42 | 1 & 2 | -438 | -363 | -325 | -335 | -271 | -186 | -71 | -25 | -25 |
| | 3 | -450 | -388 | -375 | -375 | -296 | -211 | -100 | -50 | -50 |
| | 4 | -500 | -438 | -438 | -420 | -317 | -250 | -150 | -107 | -107 |
| | 5 | -588 | -563 | -513 | -560 | -450 | -404 | -311 | -293 | -293 |
| | 6 | -838 | -788 | -663 | -685 | -621 | -550 | -511 | -500 | -500 |
| | 7 | -925 | -875 | -775 | -815 | -758 | -707 | -675 | -671 | -671 |
| 52 | 1 & 2 | -588 | -513 | -488 | -510 | -383 | -371 | -339 | -332 | -332 |
| | 3 | -588 | -513 | -488 | -515 | -400 | -393 | -357 | -350 | -350 |
| | 4 | -638 | -588 | -538 | -535 | -454 | -450 | -414 | -407 | -407 |
| | 5 | -713 | -663 | -638 | -615 | -563 | -543 | -507 | -507 | -507 |
| | 6 | -938 | -888 | -838 | -790 | -746 | -696 | -675 | -675 | -675 |
| | 7 | -1013 | -963 | -938 | -880 | -871 | -832 | -818 | -814 | -814 |
| 62 | 1 & 2 | -638 | -563 | -538 | -610 | -515 | -430 | -415 | -415 | -415 |
| | 3 | -638 | -563 | -538 | -630 | -540 | -470 | -450 | -445 | -445 |
| | 4 | -688 | -638 | -563 | -660 | -570 | -500 | -485 | -485 | -485 |
| | 5 | -788 | -713 | -688 | -760 | -705 | -615 | -600 | -600 | -600 |
| | 6 | -963 | -913 | -863 | -960 | -895 | -795 | -780 | -780 | -780 |

| Color | Leaf | Staple | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 26-29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| 13 & 23 | 1 & 2 | -488 | -388 | -338 | -263 | -200 | -138 | -100 | -75 | -75 |
| | 3 | -488 | -425 | -363 | -288 | -225 | -163 | -125 | -100 | -100 |
| | 4 | -563 | -463 | -438 | -363 | -288 | -213 | -175 | -150 | -150 |
| | 5 | -688 | -588 | -563 | -463 | -413 | -338 | -300 | -275 | -275 |
| | 6 | -788 | -713 | -613 | -550 | -488 | -413 | -388 | -363 | -363 |
| | 7 | -863 | -788 | -688 | -638 | -575 | -488 | -488 | -463 | -463 |
| 33 | 1 & 2 | -575 | -500 | -450 | -338 | -275 | -292 | -275 | -258 | -258 |
| | 3 | -575 | -500 | -450 | -338 | -275 | -292 | -275 | -258 | -258 |
| | 4 | -625 | -575 | -500 | -413 | -338 | -358 | -342 | -325 | -325 |
| | 5 | -725 | -725 | -625 | -525 | -450 | -517 | -492 | -475 | -475 |
| | 6 | -850 | -800 | -700 | -613 | -575 | -658 | -658 | -642 | -642 |
| | 7 | -975 | -875 | -800 | -713 | -638 | -783 | -775 | -758 | -758 |
| 43 | 1 & 2 | -625 | -550 | -500 | -575 | -475 | -443 | -411 | -389 | -389 |
| | 3 | -625 | -550 | -500 | -575 | -475 | -443 | -411 | -389 | -389 |
| | 4 | -675 | -625 | -550 | -625 | -525 | -486 | -439 | -421 | -421 |
| | 5 | -750 | -750 | -650 | -700 | -650 | -643 | -596 | -586 | -586 |
| | 6 | -900 | -850 | -725 | -800 | -771 | -768 | -754 | -746 | -746 |
| | 7 | -1000 | -925 | -825 | -925 | -875 | -893 | -879 | -871 | -871 |
| 53 | 1 & 2 | -763 | -663 | -638 | -685 | -650 | -558 | -521 | -517 | -517 |
| | 3 | -763 | -663 | -638 | -695 | -654 | -567 | -529 | -525 | -525 |
| | 4 | -813 | -713 | -688 | -750 | -700 | -613 | -575 | -571 | -571 |
| | 5 | -888 | -813 | -763 | -805 | -792 | -696 | -658 | -654 | -654 |
| | 6 | -988 | -925 | -888 | -960 | -908 | -817 | -792 | -788 | -788 |
| | 7 | -1063 | -1000 | -975 | -1020 | -1033 | -929 | -917 | -913 | -913 |
| 63 | 1 & 2 | -875 | -775 | -750 | -855 | -770 | -670 | -640 | -635 | -635 |
| | 3 | -875 | -775 | -750 | -855 | -770 | -670 | -645 | -640 | -640 |
| | 4 | -925 | -825 | -800 | -895 | -810 | -720 | -690 | -685 | -685 |
| | 5 | -1025 | -925 | -900 | -965 | -900 | -810 | -780 | -775 | -775 |
| | 6 | -1075 | -1000 | -1000 | -1080 | -995 | -890 | -875 | -870 | -870 |
| 34 | 1 & 2 | -688 | -588 | -538 | -475 | -425 | -350 | -350 | -350 | -350 |
| | 3 | -688 | -588 | -538 | -475 | -425 | -350 | -350 | -350 | -350 |
| | 4 | -813 | -713 | -663 | -600 | -525 | -450 | -450 | -450 | -450 |
| | 5 | -913 | -813 | -763 | -700 | -650 | -575 | -575 | -575 | -575 |
| | 6 | -1038 | -963 | -913 | -850 | -800 | -725 | -725 | -725 | -725 |
| 44 | 1 & 2 | -775 | -675 | -625 | -538 | -488 | -413 | -413 | -413 | -413 |
| | 3 | -800 | -700 | -650 | -588 | -538 | -463 | -463 | -463 | -463 |
| | 4 | -863 | -775 | -713 | -688 | -588 | -513 | -513 | -513 | -513 |
| | 5 | -963 | -863 | -825 | -763 | -688 | -613 | -613 | -613 | -613 |
| | 6 | -1088 | -1013 | -963 | -900 | -850 | -775 | -775 | -775 | -775 |
| 54 | 1 & 2 | -850 | -750 | -700 | -638 | -563 | -488 | -488 | -488 | -488 |
| | 3 | -850 | -750 | -700 | -638 | -563 | -488 | -488 | -488 | -488 |
| | 4 | -900 | -800 | -775 | -713 | -663 | -588 | -588 | -588 | -588 |
| | 5 | -988 | -888 | -850 | -788 | -713 | -638 | -638 | -638 | -638 |

Mike

| Range | Diff. |
|---|---|
| 24 & Below | -983 |
| 25-26 | -929 |
| 27-29 | -729 |
| 30-32 | -361 |
| 33-34 | -193 |
| Base 35-36 | 0 |
| 37-42 | 19 |
| Base 43-49 | 0 |
| 50-52 | -240 |
| 53 & Above | -346 |

Strength

| (Grams per Tex) | |
|---|---|
| Range | Diff. |
| 18.5-19.4 | -175 |
| 19.5-20.4 | -175 |
| 20.5-21.4 | -292 |
| 21.5-22.4 | -229 |
| 22.5-23.4 | -171 |
| 23.5-24.4 | -136 |
| 24.5-25.4 | -121 |
| 25.5-26.4 | -43 |
| Base 26.5-28.4 | 0 |
| 28.5-29.4 | 0 |
| 29.5-30.4 | 25 |
| 30.5-32.4 | 43 |
| 32.5 & Above | 43 |

Uniformity

| Unit | Points |
|---|---|
| 77.4 & below | -92 |
| 77.5-78.4 | -80 |
| 78.5-79.4 | -69 |
| 79.5-80.4 | -4 |
| Base 80.5-81.4 | 0 |
| 81.5-82.4 | 0 |
| 82.5-83.4 | 20 |
| 83.5-84.4 | 30 |
| 84.5-85.4 | 40 |
| 85.5 & Above | 50 |

Extraneous Matter

| Level | Diff. |
|---|---|
| Prep | |
| 1 | -86 |
| 2 | -686 |
| Other (ET-OK and WT not included) | |
| 1 | -364 |
| 2 | -731 |
| Bark - (ET-OK and WT only) | |
| 1 | -225 |
| 2 | -450 |