USDA
United States Department of Agriculture
Agricultural Marketing Service
Cotton Program
3275 Appling Road
Memphis, TN 38133
(901) 384-3016
mp_cn800

Daily Spot Cotton Quotations

Volume 90, No. 64 **30-Oct-07**

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 26.5 to 28.4 grams per tex and uniformity 80.5 to 81.4. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS: Basis N.Y. Futures	Color 41 Leaf 4 Staple 34	Color 31 Leaf 3 Staple 35	SPOT TRANSACTIONS: Usable sales provided to Cotton Program: Today	Season
	Points	*Cents per pound*		*Bales*	*Bales*
Southeast	-250 Dec-07	61.37	62.62	0	27,718
North Delta	-300 Dec-07	60.87	62.62	0	74,406
South Delta	-300 Dec-07	60.87	62.62	277	13,954
East TX-OK	-337 Dec-07	60.50	62.75	0	25,379
West Texas	-412 Dec-07	59.75	62.75	926	190,510
Desert SW	-825 Dec-07	55.62	62.87	0	271
SJ Valley	-675 Dec-07	57.12	68.37	0	0
				Upland Total	
Average	-443 Dec-07	59.44	63.51	**1,203**	**332,238**
Previous day	-461 Dec-07	60.16	64.23		

	AMERICAN PIMA SPOT PRICE QUOTATIONS: Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total	
American Pima	99.00	81.00	86.00	**0**	**0**

NEW YORK FUTURES - CONTRACT NO. 2 1/
COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER

Month	Today	Previous	Change
	Cents per pound		
Dec-07	63.87	64.77	-0.90
Mar-08	68.58	69.20	-0.62
May-08	70.15	70.70	-0.55
Jul-08	71.41	72.05	-0.64
Oct-08	73.70	74.40	-0.70
Dec-08	75.20	75.85	-0.65
Mar-09	77.20	77.91	-0.71
May-09	78.15	79.30	-1.15
Jul-09	79.35	79.85	-0.50
Oct-09	79.35	79.85	-0.50

7-MARKET BASE QUOTATIONS FOR UPLAND COTTON

Season high
9/27/2007 60.59

Season low
8/16/2007 50.34

Oct 26 - Nov 01

ADJ. WORLD PRICE
54.96

CC ADJUSTMENT
0.00

LOAN DEFICIENCY PMT.
0.00

Pima Competitiveness Payment
6.69

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/

	Color 11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-3	-3	-23	-140	-285	-80	-80	-170
3	-8	-8	-33	-150	-298	-95	-95	-185
4	-110	-110	-150	-220	-328	NOT TENDERABLE		
5	-228	-228	-250	-295	-450	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	215	215	160	65	-165	80	80	-18
3	185	185	135	50	-193	65	65	-43
4	125	125	75	0	-248	NOT TENDERABLE		
5	-53	-53	-103	-193	-348	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	400	400	335	158	-115	195	195	55
3	345	345	310	133	-138	170	170	23
4	233	233	190	93	-193	NOT TENDERABLE		
5	135	135	90	-95	-303	NOT TENDERABLE		

1/ Settlement prices provided by New York Cotton Exchange.

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

Color	Leaf	Staple 32	33	34	35	36 & 37
11 & 21	1 & 2	-250	-125	50	125	175
	3	-250	-125	50	125	175
	4	-250	-150	50	75	175
	5	-400	-250	-150	50	125
	6	-500	-350	-325	-250	-225
	7	-800	-650	-650	-600	-575
31	1 & 2	-250	-125	50	125	150
	3	-250	-125	50	125	125
	4	-250	-175	0	50	100
	5	-400	-250	-150	25	75
	6	-500	-350	-325	-300	-275
	7	-800	-650	-650	-650	-625
41	1 & 2	-300	-150	50	100	125
	3	-300	-150	50	75	100
	4	-300	-175	61.37	50	100
	5	-475	-250	-225	-25	0
	6	-575	-475	-475	-450	-425
	7	-850	-750	-750	-750	-725
51	1 & 2	-400	-175	-75	-75	-75
	3	-475	-200	-150	-125	-100
	4	-500	-200	-175	-175	-175
	5	-600	-425	-350	-300	-275
	6	-675	-500	-500	-500	-475
	7	-925	-800	-800	-800	-775
61	1 & 2	-575	-400	-350	-325	-325
	3	-625	-475	-450	-425	-400
	4	-675	-525	-500	-475	-450
	5	-725	-625	-550	-550	-550
	6	-900	-825	-775	-775	-775
	7	-1025	-900	-850	-850	-850
71	1 & 2	-875	-750	-700	-700	-700
	3	-875	-750	-700	-700	-700
	4	-875	-750	-700	-700	-700
	5	-925	-875	-850	-850	-850
	6	-1050	-975	-925	-925	-925
	7	-1050	-975	-925	-925	-925
12 & 22	1 & 2	-275	-150	50	100	125
	3	-275	-150	50	100	125
	4	-375	-150	-50	0	50
	5	-425	-325	-250	-250	-175
	6	-550	-425	-425	-425	-425
	7	-825	-725	-725	-725	-700
32	1 & 2	-325	-175	-25	-25	25
	3	-350	-200	-50	-25	0
	4	-450	-200	-150	-125	-75
	5	-525	-350	-300	-300	-275
	6	-600	-450	-450	-450	-425
	7	-875	-750	-750	-750	-725
42	1 & 2	-350	-175	-75	-75	-50
	3	-425	-200	-100	-75	-50
	4	-500	-200	-150	-150	-125
	5	-600	-375	-350	-325	-300
	6	-675	-525	-500	-500	-475
	7	-925	-800	-800	-800	-775
52	1 & 2	-450	-250	-175	-175	-175
	3	-475	-250	-200	-175	-175
	4	-500	-300	-275	-250	-250
	5	-600	-500	-425	-425	-425
	6	-775	-750	-700	-700	-700
	7	-925	-850	-800	-800	-800
62	1 & 2	-575	-400	-350	-350	-350
	3	-625	-475	-450	-425	-400
	4	-675	-525	-450	-450	-450
	5	-775	-700	-650	-650	-650
	6	-1125	-1050	-1000	-1000	-1000

Color	Leaf	Staple 32	33	34	35	36 & 37
43	1 & 2	-450	-350	-300	-275	-250
	3	-450	-350	-300	-275	-250
	4	-500	-400	-350	-300	-275
	5	-600	-550	-500	-500	-500
	6	-775	-750	-700	-700	-700
	7	-925	-850	-800	-800	-800
53	1 & 2	-600	-500	-400	-400	-400
	3	-600	-500	-400	-400	-400
	4	-650	-550	-450	-450	-450
	5	-675	-625	-525	-525	-525
	6	-875	-825	-725	-725	-725
	7	-975	-925	-825	-825	-825
63	1 & 2	-925	-825	-725	-725	-725
	3	-925	-825	-725	-725	-725
	4	-975	-875	-775	-775	-775
	5	-1025	-975	-875	-875	-875
	6	-1250	-1200	-1100	-1100	-1100

Mike

Range	Diff.
25-26	-825
27-29	-425
30-32	-275
33-34	-150
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-175
53 & Above	-300

Strength

(Grams per Tex)

Range	Diff.
20.5-21.4	-425
21.5-22.4	-350
22.5-23.4	-300
23.5-24.4	-250
24.5-25.4	-200
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter

Level	Diff.
Prep	
1	-100
2	-800
Other	
1	-375
2	-800

Uniformity

Unit	Points
77.4 & below	-125
77.5-78.4	-110
78.5-79.4	-100
79.5-80.4	-25
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	20
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Color	Leaf	Staple				
		32	33	34	35	36 & 37
11 & 21	1 & 2	-250	-175	75	225	325
	3	-250	-175	50	175	225
	4	-275	-200	50	100	175
	5	-450	-325	0	75	100
	6	-500	-475	-350	-325	-325
	7	-600	-575	-450	-425	-425
31	1 & 2	-250	-175	50	175	250
	3	-250	-175	25	175	225
	4	-275	-250	0	75	125
	5	-450	-325	-50	75	100
	6	-500	-475	-350	-325	-325
	7	-600	-575	-450	-425	-425
41	1 & 2	-350	-250	25	75	75
	3	-350	-250	0	50	50
	4	-375	-275	60.87	25	25
	5	-525	-400	-225	-200	-175
	6	-575	-500	-400	-375	-375
	7	-700	-675	-550	-525	-525
51	1 & 2	-575	-325	-250	-150	-150
	3	-600	-350	-325	-225	-225
	4	-625	-375	-350	-275	-275
	5	-700	-600	-425	-375	-375
	6	-800	-725	-600	-575	-575
	7	-850	-850	-675	-625	-625
61	1 & 2	-675	-450	-350	-325	-325
	3	-675	-450	-375	-350	-350
	4	-700	-475	-400	-375	-375
	5	-750	-675	-650	-575	-575
	6	-875	-775	-775	-750	-750
	7	-1025	-925	-875	-850	-850
71	1 & 2	-1100	-1000	-850	-800	-800
	3	-1100	-1000	-850	-800	-800
	4	-1150	-1050	-900	-850	-850
	5	-1175	-1125	-975	-925	-925
	6	-1225	-1175	-1025	-975	-975
	7	-1275	-1225	-1075	-1025	-1025
12 & 22	1 & 2	-275	-125	50	100	150
	3	-275	-125	25	100	125
	4	-300	-225	-75	25	75
	5	-500	-375	-175	-150	-125
	6	-575	-500	-375	-375	-375
	7	-675	-650	-525	-500	-500
32	1 & 2	-375	-250	-100	-25	0
	3	-375	-250	-100	-50	0
	4	-400	-275	-200	-100	-75
	5	-525	-375	-250	-225	-200
	6	-625	-600	-475	-450	-425
	7	-725	-700	-575	-550	-550
42	1 & 2	-375	-300	-225	-125	-100
	3	-400	-325	-275	-150	-125
	4	-425	-350	-300	-200	-175
	5	-550	-400	-350	-300	-275
	6	-775	-675	-525	-475	-450
	7	-875	-775	-625	-600	-600
52	1 & 2	-625	-400	-325	-300	-300
	3	-625	-450	-400	-375	-375
	4	-650	-475	-425	-400	-400
	5	-675	-575	-550	-500	-500
	6	-825	-775	-700	-675	-675
	7	-900	-875	-800	-775	-775
62	1 & 2	-750	-650	-550	-525	-525
	3	-750	-650	-600	-575	-575
	4	-775	-675	-625	-600	-600
	5	-875	-825	-750	-725	-725
	6	-1025	-975	-850	-825	-825

Color	Leaf	Staple				
		32	33	34	35	36 & 37
43	1 & 2	-775	-575	-400	-375	-375
	3	-775	-575	-400	-375	-375
	4	-800	-600	-425	-400	-400
	5	-850	-750	-675	-650	-650
	6	-950	-850	-775	-750	-750
	7	-1100	-1000	-925	-900	-900
53	1 & 2	-875	-775	-700	-675	-675
	3	-875	-775	-700	-675	-675
	4	-900	-800	-725	-700	-700
	5	-950	-900	-825	-800	-800
	6	-1150	-1000	-925	-900	-900
	7	-1175	-1125	-1025	-1000	-1000
63	1 & 2	-1050	-950	-875	-850	-850
	3	-1050	-950	-875	-850	-850
	4	-1075	-975	-900	-875	-875
	5	-1125	-1075	-1000	-975	-975
	6	-1175	-1125	-1000	-975	-975

Mike

Range	Diff.
25-26	-1000
27-29	-650
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-150
53 & Above	-275

Strength

(Grams per Tex)

Range	Diff.
20.5-21.4	-300
21.5-22.4	-250
22.5-23.4	-200
23.5-24.4	-175
24.5-25.4	-150
25.5-26.4	-25
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter

Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

Uniformity

Unit	Points
77.4 & below	-90
77.5-78.4	-80
78.5-79.4	-70
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	30
83.5-84.4	40
84.5-85.4	50
85.5 & Above	60

Color	Leaf	Staple 32	33	34	35	36 & 37
11 & 21	1 & 2	-250	-150	75	225	325
	3	-250	-150	50	175	225
	4	-300	-200	50	75	175
	5	-375	-300	25	75	100
	6	-475	-475	-350	-325	-325
	7	-575	-575	-450	-425	-425
31	1 & 2	-250	-150	50	175	250
	3	-250	-150	25	175	225
	4	-300	-250	0	75	125
	5	-375	-325	-25	75	100
	6	-475	-475	-350	-325	-325
	7	-575	-575	-450	-425	-425
41	1 & 2	-325	-250	25	50	75
	3	-325	-250	0	25	50
	4	-350	-275	60.87	0	25
	5	-525	-400	-200	-150	-150
	6	-550	-500	-400	-375	-375
	7	-675	-625	-500	-475	-475
51	1 & 2	-575	-325	-250	-150	-150
	3	-625	-375	-300	-200	-200
	4	-650	-400	-325	-250	-250
	5	-725	-650	-450	-400	-400
	6	-850	-775	-600	-575	-575
	7	-900	-900	-725	-675	-675
61	1 & 2	-675	-450	-350	-325	-325
	3	-725	-500	-400	-375	-375
	4	-750	-525	-425	-400	-400
	5	-800	-675	-650	-575	-575
	6	-925	-825	-775	-750	-750
	7	-1025	-925	-875	-850	-850
71	1 & 2	-1100	-1000	-900	-850	-850
	3	-1100	-1000	-900	-850	-850
	4	-1150	-1050	-950	-900	-900
	5	-1175	-1125	-1025	-975	-975
	6	-1225	-1175	-1075	-1025	-1025
	7	-1275	-1225	-1125	-1075	-1075
12 & 22	1 & 2	-275	-125	50	150	175
	3	-275	-125	25	150	150
	4	-300	-175	0	50	100
	5	-500	-350	-100	-25	-25
	6	-575	-500	-325	-300	-300
	7	-625	-575	-425	-400	-400
32	1 & 2	-400	-250	-75	0	25
	3	-400	-250	-75	-25	25
	4	-425	-275	-175	-75	-50
	5	-600	-475	-200	-175	-125
	6	-700	-650	-475	-450	-425
	7	-800	-750	-575	-550	-550
42	1 & 2	-425	-300	-225	-125	-125
	3	-475	-350	-275	-175	-175
	4	-500	-375	-300	-225	-225
	5	-700	-550	-375	-350	-325
	6	-850	-750	-525	-450	-425
	7	-900	-800	-625	-600	-600
52	1 & 2	-625	-400	-325	-300	-300
	3	-625	-450	-375	-350	-350
	4	-650	-475	-400	-375	-375
	5	-725	-625	-550	-500	-500
	6	-875	-775	-650	-625	-625
	7	-900	-875	-750	-725	-725
62	1 & 2	-750	-625	-525	-500	-500
	3	-800	-675	-575	-550	-550
	4	-825	-700	-600	-575	-575
	5	-925	-825	-700	-675	-675
	6	-1075	-925	-800	-775	-775

Color	Leaf	Staple 32	33	34	35	36 & 37
43	1 & 2	-800	-500	-375	-350	-350
	3	-800	-500	-375	-350	-350
	4	-825	-525	-400	-375	-375
	5	-850	-675	-625	-600	-600
	6	-900	-775	-725	-700	-700
	7	-1050	-925	-875	-850	-850
53	1 & 2	-875	-700	-650	-625	-625
	3	-875	-700	-650	-625	-625
	4	-900	-725	-675	-650	-650
	5	-975	-875	-775	-750	-750
	6	-1150	-975	-900	-875	-875
	7	-1175	-1050	-975	-950	-950
63	1 & 2	-1000	-875	-825	-800	-800
	3	-1000	-875	-825	-800	-800
	4	-1025	-900	-850	-825	-825
	5	-1075	-1000	-950	-925	-925
	6	-1175	-1050	-950	-925	-925

Mike

Range	Diff.
25-26	-1100
27-29	-750
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-150
53 & Above	-275

Strength

(Grams per Tex)	
Range	Diff.
20.5-21.4	-275
21.5-22.4	-225
22.5-23.4	-175
23.5-24.4	-125
24.5-25.4	-100
25.5-26.4	-25
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter

Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

Uniformity

Unit	Points
77.4 & below	-90
77.5-78.4	-80
78.5-79.4	-70
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	30
83.5-84.4	40
84.5-85.4	50
85.5 & Above	60

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-250	-175	-125	-50	150	350	400	550	550
	3	-300	-200	-125	-100	125	275	275	400	400
	4	-375	-300	-200	-125	75	225	225	375	375
	5	-425	-350	-250	-225	-125	-25	150	275	275
	6	-600	-500	-400	-350	-300	-250	-250	-125	-125
	7	-675	-575	-475	-450	-400	-325	-325	-200	-200
31	1 & 2	-300	-225	-175	-100	125	225	300	425	425
	3	-350	-250	-200	-125	100	175	225	300	300
	4	-400	-350	-225	-200	25	150	200	275	275
	5	-475	-400	-275	-250	-150	-75	75	175	175
	6	-625	-525	-425	-375	-325	-275	-275	-175	-175
	7	-700	-600	-500	-475	-425	-350	-350	-250	-250
41	1 & 2	-350	-300	-200	-125	100	100	225	350	350
	3	-375	-325	-225	-150	75	100	175	300	300
	4	-450	-375	-250	-225	-75	60.50	125	275	275
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-300	-300	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-225	-125	-125	-75	-75
	3	-500	-450	-400	-325	-225	-125	-125	-75	-75
	4	-550	-500	-450	-350	-250	-200	-175	-125	-125
	5	-575	-550	-475	-375	-275	-225	-225	-225	-225
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	225	225
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-375	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-200	-50	25	100	100
	3	-425	-350	-350	-275	-225	-50	-25	50	50
	4	-450	-400	-400	-300	-250	-75	-50	0	0
	5	-575	-550	-500	-425	-400	-300	-250	-250	-250
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-350	-325	-325	-325	-325
	3	-550	-475	-450	-375	-350	-325	-325	-325	-325
	4	-600	-550	-500	-400	-375	-350	-350	-350	-350
	5	-675	-625	-600	-500	-450	-400	-400	-400	-400
	6	-900	-850	-800	-700	-650	-525	-525	-525	-525
	7	-975	-925	-900	-800	-750	-625	-625	-625	-625
62	1 & 2	-600	-525	-500	-425	-400	-350	-350	-350	-350
	3	-600	-525	-500	-425	-400	-350	-350	-350	-350
	4	-650	-600	-525	-450	-425	-375	-375	-375	-375
	5	-750	-675	-650	-575	-550	-450	-450	-450	-450
	6	-925	-875	-825	-750	-725	-625	-625	-625	-625

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
53	1 & 2	-750	-650	-625	-525	-525	-400	-375	-350	-350
	3	-750	-650	-625	-550	-550	-425	-400	-375	-375
	4	-800	-700	-675	-625	-550	-475	-450	-425	-425
	5	-875	-800	-750	-700	-650	-550	-525	-500	-500
	6	-975	-900	-875	-800	-750	-650	-650	-625	-625
	7	-1050	-975	-950	-875	-850	-725	-725	-700	-700
63	1 & 2	-850	-750	-725	-625	-575	-450	-400	-375	-375
	3	-850	-750	-725	-625	-575	-450	-400	-375	-375
	4	-900	-800	-775	-675	-650	-525	-475	-450	-450
	5	-1000	-900	-875	-775	-700	-600	-550	-525	-525
	6	-1050	-975	-975	-875	-775	-675	-675	-650	-650
34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375
	3	-700	-600	-550	-500	-450	-375	-375	-375	-375
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750
44	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500	-500
	3	-850	-750	-700	-650	-575	-500	-500	-500	-500
	4	-900	-800	-775	-725	-675	-600	-600	-600	-600
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike

Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength

(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity

Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter

Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-75	175	375	425	475	475
	3	-250	-150	-100	-100	175	350	400	450	450
	4	-300	-225	-150	-125	0	225	375	425	425
	5	-425	-350	-250	-200	-100	50	325	375	375
	6	-650	-550	-450	-450	-350	-200	-175	-175	-175
	7	-725	-625	-525	-500	-425	-275	-250	-250	-250
31	1 & 2	-250	-175	-125	-100	175	300	300	425	425
	3	-300	-225	-150	-125	150	275	300	400	400
	4	-375	-300	-200	-200	-25	175	250	375	375
	5	-475	-400	-275	-275	-150	-75	250	325	325
	6	-700	-600	-500	-500	-375	-250	-250	-225	-225
	7	-775	-700	-575	-550	-450	-300	-300	-275	-275
41	1 & 2	-400	-350	-275	-250	-50	125	175	200	200
	3	-425	-375	-300	-275	-75	75	150	200	200
	4	-500	-425	-325	-300	-175	59.75	100	125	125
	5	-525	-450	-325	-325	-225	-100	0	125	125
	6	-725	-625	-550	-525	-450	-300	-275	-250	-250
	7	-800	-750	-675	-625	-550	-400	-350	-325	-325
51	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
61	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
71	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
12 & 22	1 & 2	-300	-250	-150	-125	50	75	225	350	350
	3	-350	-300	-175	-175	25	50	175	300	300
	4	-400	-325	-225	-225	-150	-50	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
32	1 & 2	-350	-300	-275	-175	0	25	50	125	125
	3	-400	-350	-300	-225	-25	-25	0	125	125
	4	-500	-400	-400	-275	-200	-100	0	100	100
	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
42	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
52	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
	7	-825	-750	-650	-625	-575	-475	-475	-475	-475
33	1 & 2	-550	-475	-425	-300	-250	-175	-175	-175	-175
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
	7	-950	-850	-775	-700	-650	-575	-550	-550	-550
43	1 & 2	-600	-525	-475	-400	-350	-250	-250	-250	-250
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-650	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
	7	-975	-900	-800	-775	-700	-600	-600	-600	-600
53	1 & 2	-775	-675	-650	-550	-525	-425	-400	-400	-400
	3	-775	-675	-650	-575	-525	-450	-425	-425	-425
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
	7	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
63	1 & 2	-900	-800	-775	-675	-625	-475	-425	-425	-425
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325	-325
	3	-675	-575	-525	-450	-400	-325	-325	-325	-325
	4	-800	-700	-650	-575	-500	-425	-425	-425	-425
	5	-900	-800	-750	-675	-625	-550	-550	-550	-550
	6	-1025	-950	-900	-825	-775	-700	-700	-700	-700
44	1 & 2	-775	-675	-625	-525	-475	-400	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475	-475
	3	-850	-750	-700	-625	-550	-475	-475	-475	-475
	4	-900	-800	-775	-700	-650	-575	-575	-575	-575
	5	-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike

Range	Diff.
24 & Below	-875
25-26	-825
27-29	-550
30-32	-325
33-34	-175
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength

(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity

Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter

Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-350
2	-500

Color	Leaf	Staple 33	34	35	36	37
11 & 21	1 & 2	-50	225	825	885	920
	3	-50	200	750	860	895
	4	-275	75	400	435	470
	5	-350	-150	75	150	235
	6	-450	-350	-100	-85	-30
	7	-650	-375	-175	-140	-100
31	1 & 2	-125	175	775	860	895
	3	-125	150	725	810	845
	4	-325	50	375	410	445
	5	-375	-175	25	50	120
	6	-475	-375	-110	-95	-40
	7	-675	-400	-200	-170	-115
41	1 & 2	-350	25	225	310	320
	3	-350	25	225	310	320
	4	-400	55.62	175	260	270
	5	-425	-300	-225	-215	-205
	6	-600	-475	-350	-340	-340
	7	-750	-625	-600	-595	-585
51	1 & 2	-450	-275	-175	-140	-130
	3	-450	-275	-175	-140	-130
	4	-475	-350	-250	-200	-190
	5	-575	-525	-450	-425	-425
	6	-750	-650	-550	-550	-550
	7	-950	-850	-825	-825	-825
12 & 22	1 & 2	-275	50	300	360	420
	3	-275	50	275	335	395
	4	-375	25	250	310	370
	5	-400	-225	-100	-100	-50
	6	-550	-425	-300	-300	-250
	7	-725	-600	-550	-550	-500
32	1 & 2	-375	-100	125	210	220
	3	-375	-100	125	210	220
	4	-425	-225	0	85	95
	5	-475	-475	-375	-375	-375
	6	-675	-600	-500	-500	-500
	7	-825	-775	-750	-750	-750
42	1 & 2	-425	-250	-150	-100	-100
	3	-425	-250	-150	-100	-100
	4	-450	-325	-225	-175	-175
	5	-525	-500	-400	-400	-400
	6	-700	-625	-525	-525	-525
	7	-900	-800	-775	-775	-775
52	1 & 2	-475	-400	-325	-275	-275
	3	-475	-400	-325	-275	-275
	4	-650	-525	-450	-400	-400
	5	-700	-600	-550	-550	-550
	6	-800	-700	-650	-650	-650
	7	-1050	-950	-950	-925	-925

Color	Leaf	Staple 33	34	35	36	37
43	1 & 2	-725	-650	-550	-475	-475
	3	-725	-650	-550	-475	-475
	4	-825	-750	-600	-550	-550
	5	-925	-825	-625	-600	-600
	6	-1025	-925	-875	-875	-875
	7	-1100	-1050	-1000	-1000	-1000
53	1 & 2	-875	-775	-675	-675	-675
	3	-875	-775	-675	-675	-675
	4	-975	-875	-775	-775	-775
	5	-1025	-925	-825	-825	-825
	6	-1125	-1025	-925	-925	-925
	7	-1375	-1275	-1250	-1250	-1250

Mike

Range	Diff.
24 & Below	-1200
25-26	-1000
27-29	-900
30-32	-425
33-34	-275
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-275
53 & Above	-475

Uniformity

Unit	Points
77.4 & below	-100
77.5-78.4	-90
78.5-79.4	-80
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	30
83.5-84.4	40
84.5-85.4	50
85.5 & Above	60

Strength

(Grams per Tex) Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter

Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Color	Leaf	Staple 34	35	36	37
11 & 21	1 & 2	750	1225	1590	1690
	3	685	1160	1390	1525
	4	125	475	505	625
	5	-125	75	130	190
	6	-400	-200	-150	-100
	7	-625	-525	-475	-425
31	1 & 2	700	1200	1255	1390
	3	675	1125	1130	1265
	4	100	450	480	560
	5	-200	0	55	115
	6	-500	-325	-275	-225
	7	-675	-575	-525	-475
41	1 & 2	200	650	730	740
	3	150	600	680	690
	4	57.12	350	430	440
	5	-425	-200	-195	-185
	6	-625	-450	-450	-450
	7	-825	-725	-725	-725
51	1 & 2	-575	-125	-75	-75
	3	-600	-150	-100	-100
	4	-650	-200	-175	-175
	5	-750	-375	-325	-325
	6	-900	-800	-800	-800
	7	-1050	-1000	-1000	-1000
12 & 22	1 & 2	225	675	955	1015
	3	150	600	880	940
	4	25	425	475	540
	5	-250	-50	0	50
	6	-525	-400	-350	-300
	7	-775	-700	-650	-600
32	1 & 2	100	350	375	375
	3	50	300	325	325
	4	-100	200	200	200
	5	-525	-275	-275	-275
	6	-675	-475	-475	-475
	7	-850	-750	-750	-750
42	1 & 2	-400	-50	-25	-25
	3	-450	-100	-75	-75
	4	-500	-175	-150	-150
	5	-675	-350	-300	-300
	6	-800	-775	-775	-775
	7	-1000	-950	-950	-950
52	1 & 2	-725	-675	-675	-675
	3	-725	-675	-675	-675
	4	-825	-775	-775	-775
	5	-875	-825	-825	-825
	6	-1025	-1025	-1025	-1025
	7	-1225	-1225	-1225	-1225

Color	Leaf	Staple 34	35	36	37
33	1 & 2	-500	-500	-500	-500
	3	-500	-500	-500	-500
	4	-600	-600	-600	-600
	5	-800	-800	-800	-800
	6	-1075	-1075	-1075	-1075
	7	-1225	-1225	-1225	-1225
43	1 & 2	-875	-875	-875	-875
	3	-875	-875	-875	-875
	4	-925	-925	-925	-925
	5	-1075	-1075	-1075	-1075
	6	-1225	-1225	-1225	-1225
	7	-1425	-1425	-1425	-1425

Mike

Range	Diff.
27-29	-1250
30-32	-550
33-34	-350
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-450

Strength

(Grams per Tex)

Range	Diff.
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Uniformity

Unit	Points
77.4 & below	-60
77.5-78.4	-50
78.5-79.4	-40
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	30
83.5-84.4	40
84.5-85.4	50
85.5 & Above	60

Extraneous Matter

Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-925

MP_CN011 30-Oct-07

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS 2/

Color	Leaf	Staple 44	Staple 46	Staple 48
1	1	94.75	100.00	100.25
	2	94.50	99.75	100.25
	3	89.25	93.75	94.50
	4			
	5			
	6			
2	1	94.25	99.50	100.25
	2	93.50	99.00	99.75
	3	87.50	92.50	92.75
	4	82.75	88.75	89.50
	5			
	6			
3	1	88.75	94.25	95.25
	2	88.25	92.00	94.25
	3	81.00	86.00	87.00
	4	73.25	78.75	79.75
	5	73.25	76.25	77.50
	6			
4	1	80.50	85.50	86.50
	2	80.25	85.25	85.75
	3	80.00	85.00	85.00
	4	72.50	78.00	78.00
	5	68.50	72.75	72.75
	6			
5	1			
	2	62.50	69.75	69.75
	3	62.50	69.25	69.75
	4	62.50	63.75	63.75
	5	62.25	63.50	63.50
	6			
6	1			
	2	51.75	52.00	52.00
	3	51.75	52.00	52.00
	4	51.75	52.00	52.00
	5	51.50	51.75	51.75
	6	51.00	51.25	51.25

Mike

Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength

(Grams per Tex)

Range	Diff.
35.4 and Below	-1000
35.5-36.4	-750
36.5-37.4	-500
37.5 and Above	0

Extraneous Matter

Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

2/ The current Pima spot quotations represent prices from 2006-crop sales last reported in March 2007.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-175	-29	271	493	618	637
	3	-275	-175	-113	-190	-33	237	437	532	556
	4	-338	-263	-175	-215	-125	114	246	324	346
	5	-425	-350	-250	-330	-242	-54	118	179	200
	6	-625	-525	-425	-455	-400	-318	-232	-201	-186
	7	-700	-600	-500	-585	-546	-450	-389	-356	-343
31	1 & 2	-275	-200	-150	-190	-46	221	436	516	541
	3	-325	-238	-175	-200	-54	196	407	459	484
	4	-388	-325	-213	-245	-167	68	211	270	286
	5	-475	-400	-275	-350	-263	-107	75	126	144
	6	-663	-563	-463	-470	-413	-346	-273	-242	-227
	7	-738	-650	-538	-600	-558	-468	-418	-385	-370
41	1 & 2	-375	-325	-238	-270	-158	79	214	266	269
	3	-400	-350	-263	-280	-167	57	186	241	244
	4	-475	-400	-288	-310	-229	59.44	118	177	180
	5	-513	-450	-338	-425	-313	-229	-121	-80	-77
	6	-700	-613	-525	-525	-483	-425	-368	-356	-356
	7	-775	-725	-650	-670	-638	-582	-546	-539	-537
51	1 & 2	-513	-463	-425	-440	-292	-236	-121	-99	-97
	3	-513	-463	-425	-475	-308	-268	-150	-124	-122
	4	-563	-513	-475	-500	-338	-318	-204	-182	-181
	5	-588	-563	-488	-560	-479	-418	-325	-304	-304
	6	-788	-713	-688	-670	-621	-582	-539	-529	-529
	7	-863	-813	-788	-775	-775	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-655	-635	-625	-625
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-88	96	254	349	366
	3	-363	-300	-200	-225	-100	71	225	309	326
	4	-400	-338	-238	-270	-175	-4	143	216	234
	5	-488	-438	-388	-420	-346	-204	-107	-61	-46
	6	-688	-613	-538	-525	-483	-404	-354	-343	-329
	7	-775	-700	-625	-650	-625	-564	-529	-514	-500
32	1 & 2	-350	-300	-275	-300	-183	-11	89	144	146
	3	-400	-338	-300	-315	-196	-36	57	130	131
	4	-463	-388	-363	-360	-254	-139	-14	34	35
	5	-538	-500	-450	-500	-413	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-271	-189	-75	-29	-29
	3	-450	-388	-375	-375	-296	-214	-104	-54	-54
	4	-500	-438	-438	-420	-317	-254	-154	-111	-111
	5	-588	-563	-513	-560	-450	-407	-314	-296	-296
	6	-838	-788	-663	-685	-621	-550	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-383	-375	-343	-336	-336
	3	-588	-513	-488	-515	-400	-396	-361	-354	-354
	4	-638	-588	-538	-535	-454	-454	-418	-411	-411
	5	-713	-663	-638	-615	-563	-546	-511	-511	-511
	6	-938	-888	-838	-790	-746	-696	-675	-675	-675
	7	-1013	-963	-938	-880	-871	-832	-818	-814	-814
62	1 & 2	-638	-563	-538	-610	-515	-435	-420	-420	-420
	3	-638	-563	-538	-630	-540	-475	-455	-450	-450
	4	-688	-638	-563	-660	-570	-500	-485	-485	-485
	5	-788	-713	-688	-760	-705	-615	-600	-600	-600
	6	-963	-913	-863	-960	-895	-795	-780	-780	-780

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
33	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
43	1 & 2	-625	-550	-500	-575	-475	-443	-411	-389	-389
	3	-625	-550	-500	-575	-475	-443	-411	-389	-389
	4	-675	-625	-550	-625	-525	-486	-439	-421	-421
	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
53	1 & 2	-763	-663	-638	-685	-650	-558	-525	-521	-521
	3	-763	-663	-638	-695	-654	-567	-533	-529	-529
	4	-813	-713	-688	-750	-700	-613	-579	-575	-575
	5	-888	-813	-763	-805	-792	-696	-663	-658	-658
	6	-988	-925	-888	-960	-908	-817	-792	-788	-788
	7	-1063	-1000	-975	-1020	-1033	-929	-917	-913	-913
63	1 & 2	-875	-775	-750	-855	-770	-670	-640	-635	-635
	3	-875	-775	-750	-855	-770	-670	-645	-640	-640
	4	-925	-825	-800	-895	-810	-720	-690	-685	-685
	5	-1025	-925	-900	-965	-900	-810	-780	-775	-775
	6	-1075	-1000	-1000	-1080	-995	-890	-875	-870	-870
34	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350	-350
	3	-688	-588	-538	-475	-425	-350	-350	-350	-350
	4	-813	-713	-663	-600	-525	-450	-450	-450	-450
	5	-913	-813	-763	-700	-650	-575	-575	-575	-575
	6	-1038	-963	-913	-850	-800	-725	-725	-725	-725
44	1 & 2	-775	-675	-625	-538	-488	-413	-413	-413	-413
	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488	-488
	3	-850	-750	-700	-638	-563	-488	-488	-488	-488
	4	-900	-800	-775	-713	-663	-588	-588	-588	-588
	5	-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike

Range	Diff.
24 & Below	-983
25-26	-929
27-29	-729
30-32	-361
33-34	-193
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-240
53 & Above	-346

Strength

(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-43
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	43
32.5 & Above	43

Uniformity

Unit	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	20
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter

Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-364
2	-731
Bark - (ET-OK and WT only)	
1	-225
2	-450