



Daily Spot Cotton Quotations

Volume 90, No. 158

19-Mar-08

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 26.5 to 28.4 grams per tex and uniformity 80.5 to 81.4.

American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS				
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Usable sales provided to Cotton Program					
	N.Y. Futures	Staple 34	Staple 35	Today	Season				
	Points	Cents per pound		Bales	Bales				
Southeast	-600 May-08	66.02	67.77	0	124,817				
North Delta	-700 May-08	65.02	66.52	0	136,138				
South Delta	-700 May-08	65.02	66.52	0	27,542				
East TX-OK	-702 May-08	65.00	67.00	0	143,144				
West Texas	-752 May-08	64.50	67.50	907	950,674				
Desert SW	-975 May-08	62.27	67.77	0	29,428				
SJ Valley	-825 May-08	63.77	72.52	0	9,481				
Average	-751 May-08	64.51	67.94	Upland Total					
Previous day	-808 May-08	66.94	70.37	907	1,421,224				
American Pima	AMERICAN PIMA SPOT PRICE QUOTATIONS				AP Total	0	11,703		
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46						
	102.00	84.00	89.00						
NEW YORK FUTURES - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		Mar 14 - Mar 20				
Month	Cents per pound					ADJ. WORLD PRICE			
	Today	Previous	Change			65.07			
May-08	72.02	75.02	-3.00	Season high		CC ADJUSTMENT			
Jul-08	74.23	77.23	-3.00	3/5/2008 79.16		0.00			
Oct-08	77.43	80.43	-3.00			LOAN DEFICIENCY PMT.			
Dec-08	79.34	82.34	-3.00			0.00			
Mar-09	82.01	85.01	-3.00			Pima Competitiveness			
May-09	82.91	85.91	-3.00	Season low		Payment			
Jul-09	83.81	86.81	-3.00	8/16/2007 50.34		8.89			
Oct-09	84.31	87.31	-3.00						
Dec-09	84.59	87.59	-3.00						
Mar-10	86.50	89.19	-2.69						
PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/									
Staple 33	Color								
	11	21	31	41	51	12	22	32	
	13	13	-8	-135	-280	-80	-80	-170	
	3	8	-18	-145	-293	-95	-95	-185	
	4	-95	-95	-135	-215	-323	NOT TENDERABLE		
	5	-213	-213	-235	-290	-445	NOT TENDERABLE		
	Staple 34								
	Leaf 1 & 2	215	215	170	70	-160	80	80	-18
	3	185	185	145	55	-188	65	65	-43
	4	135	135	85	0	-243	NOT TENDERABLE		
	5	-53	-53	-103	-193	-343	NOT TENDERABLE		
	Staple 35								
	Leaf 1 & 2	355	355	300	163	-110	195	195	55
3	300	300	275	138	-133	170	170	23	
4	238	238	195	98	-188	NOT TENDERABLE			
5	130	130	85	-95	-298	NOT TENDERABLE			

1/ Settlement prices provided by New York Cotton Exchange.

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

MP_CN002

Color	Leaf	Staple					Color	Leaf	Staple																													
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																									
11 & 21	1 & 2	-225	-100	100	175	225	43	1 & 2	-450	-350	-300	-275	-250																									
	3	-225	-100	100	175	225		3	-450	-350	-300	-275	-250																									
	4	-225	-125	100	125	225		4	-500	-400	-350	-300	-275																									
	5	-375	-225	-150	50	125		5	-600	-550	-500	-500	-500																									
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700																									
	7	-800	-650	-650	-600	-575		7	-925	-850	-800	-800	-800																									
31	1 & 2	-225	-100	100	175	200	53	1 & 2	-600	-500	-400	-400	-400																									
	3	-225	-100	100	175	175		3	-600	-500	-400	-400	-400																									
	4	-225	-150	50	100	150		4	-650	-550	-450	-450	-450																									
	5	-375	-225	-150	25	75		5	-675	-625	-525	-525	-525																									
	6	-500	-350	-325	-300	-275		6	-875	-825	-725	-725	-725																									
	7	-800	-650	-650	-650	-625		7	-975	-925	-825	-825	-825																									
41	1 & 2	-275	-125	75	125	150	63	1 & 2	-925	-825	-725	-725	-725																									
	3	-275	-125	75	100	125		3	-925	-825	-725	-725	-725																									
	4	-275	-150	66.02	75	125		4	-975	-875	-775	-775	-775																									
	5	-450	-225	-225	-25	0		5	-1025	-975	-875	-875	-875																									
	6	-575	-475	-475	-450	-425		6	-1250	-1200	-1100	-1100	-1100																									
	7	-850	-750	-750	-750	-725																																
51	1 & 2	-400	-175	-75	-75	-75	Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>25-26</td><td>-825</td></tr><tr><td>27-29</td><td>-425</td></tr><tr><td>30-32</td><td>-275</td></tr><tr><td>33-34</td><td>-150</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>0</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-175</td></tr><tr><td>53 & Above</td><td>-300</td></tr></table>						Range	Diff.	25-26	-825	27-29	-425	30-32	-275	33-34	-150	Base 35-36	0	37-42	0	Base 43-49	0	50-52	-175	53 & Above	-300						
	Range	Diff.																																				
	25-26	-825																																				
	27-29	-425																																				
	30-32	-275																																				
	33-34	-150																																				
Base 35-36	0																																					
37-42	0																																					
Base 43-49	0																																					
50-52	-175																																					
53 & Above	-300																																					
3	-475	-200	-150	-125	-100																																	
4	-500	-200	-175	-175	-175																																	
5	-600	-425	-350	-300	-275																																	
6	-675	-500	-500	-500	-475																																	
7	-925	-800	-800	-800	-775																																	
61	1 & 2	-575	-400	-350	-325	-325																																
	3	-625	-475	-450	-425	-400																																
	4	-675	-525	-500	-475	-450																																
	5	-725	-625	-550	-550	-550																																
	6	-900	-825	-775	-775	-775																																
	7	-1025	-900	-850	-850	-850																																
71	1 & 2	-875	-750	-700	-700	-700	Strength <table><tr><th colspan="2">(Grams per Tex)</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>20.5-21.4</td><td>-425</td></tr><tr><td>21.5-22.4</td><td>-350</td></tr><tr><td>22.5-23.4</td><td>-300</td></tr><tr><td>23.5-24.4</td><td>-250</td></tr><tr><td>24.5-25.4</td><td>-200</td></tr><tr><td>25.5-26.4</td><td>-50</td></tr><tr><td>Base 26.5-28.4</td><td>0</td></tr><tr><td>28.5-29.4</td><td>0</td></tr><tr><td>29.5-30.4</td><td>25</td></tr><tr><td>30.5-32.4</td><td>50</td></tr><tr><td>32.5 & Above</td><td>50</td></tr></table>						(Grams per Tex)		Range	Diff.	20.5-21.4	-425	21.5-22.4	-350	22.5-23.4	-300	23.5-24.4	-250	24.5-25.4	-200	25.5-26.4	-50	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50
	(Grams per Tex)																																					
	Range	Diff.																																				
	20.5-21.4	-425																																				
	21.5-22.4	-350																																				
	22.5-23.4	-300																																				
23.5-24.4	-250																																					
24.5-25.4	-200																																					
25.5-26.4	-50																																					
Base 26.5-28.4	0																																					
28.5-29.4	0																																					
29.5-30.4	25																																					
30.5-32.4	50																																					
32.5 & Above	50																																					
3	-875	-750	-700	-700	-700																																	
4	-875	-750	-700	-700	-700																																	
5	-925	-875	-850	-850	-850																																	
6	-1050	-975	-925	-925	-925																																	
7	-1050	-975	-925	-925	-925																																	
12 & 22	1 & 2	-275	-150	50	100	125																																
	3	-275	-150	50	100	125																																
	4	-375	-150	-50	0	50																																
	5	-425	-325	-250	-250	-175																																
	6	-550	-425	-425	-425	-425																																
	7	-825	-725	-725	-725	-700																																
32	1 & 2	-325	-175	-25	-25	25																																
	3	-350	-200	-50	-25	0																																
	4	-450	-200	-150	-125	-75																																
	5	-525	-350	-300	-300	-275																																
	6	-600	-450	-450	-450	-425																																
	7	-875	-750	-750	-750	-725																																
42	1 & 2	-350	-175	-75	-75	-50	Extraneous Matter <table><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-100</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-375</td></tr><tr><td>2</td><td>-800</td></tr></table>						Level	Diff.	Prep		1	-100	2	-800	Other		1	-375	2	-800												
	Level	Diff.																																				
	Prep																																					
	1	-100																																				
	2	-800																																				
	Other																																					
1	-375																																					
2	-800																																					
3	-425	-200	-100	-75	-50																																	
4	-500	-200	-150	-150	-125																																	
5	-600	-375	-350	-325	-300																																	
6	-675	-525	-500	-500	-475																																	
7	-925	-800	-800	-800	-775																																	
52	1 & 2	-450	-250	-175	-175	-175	Uniformity <table><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-125</td></tr><tr><td>77.5-78.4</td><td>-110</td></tr><tr><td>78.5-79.4</td><td>-100</td></tr><tr><td>79.5-80.4</td><td>-25</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>20</td></tr><tr><td>83.5-84.4</td><td>30</td></tr><tr><td>84.5-85.4</td><td>40</td></tr><tr><td>85.5 & Above</td><td>50</td></tr></table>						Unit	Points	77.4 & below	-125	77.5-78.4	-110	78.5-79.4	-100	79.5-80.4	-25	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	20	83.5-84.4	30	84.5-85.4	40	85.5 & Above	50				
	Unit	Points																																				
	77.4 & below	-125																																				
	77.5-78.4	-110																																				
	78.5-79.4	-100																																				
	79.5-80.4	-25																																				
Base 80.5-81.4	0																																					
81.5-82.4	0																																					
82.5-83.4	20																																					
83.5-84.4	30																																					
84.5-85.4	40																																					
85.5 & Above	50																																					
3	-475	-250	-200	-175	-175																																	
4	-500	-300	-275	-250	-250																																	
5	-600	-500	-425	-425	-425																																	
6	-775	-750	-700	-700	-700																																	
7	-925	-850	-800	-800	-800																																	
62	1 & 2	-575	-400	-350	-350	-350																																
	3	-625	-475	-450	-425	-400																																
	4	-675	-525	-450	-450	-450																																
	5	-775	-700	-650	-650	-650																																
	6	-1125	-1050	-1000	-1000	-1000																																

Color	Leaf	Staple					Color	Leaf	Staple																																																																																				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																																																																																
11 & 21	1 & 2	-250	-175	75	200	275	43	1 & 2	-775	-575	-400	-375	-375																																																																																
	3	-250	-175	50	150	175		3	-775	-575	-400	-375	-375																																																																																
	4	-275	-200	50	100	175		4	-800	-600	-425	-400	-400																																																																																
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650																																																																																
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750																																																																																
	7	-600	-575	-450	-425	-425		7	-1100	-1000	-925	-900	-900																																																																																
31	1 & 2	-250	-175	50	150	200	53	1 & 2	-875	-775	-700	-675	-675																																																																																
	3	-250	-175	25	150	175		3	-875	-775	-700	-675	-675																																																																																
	4	-275	-250	0	75	125		4	-900	-800	-725	-700	-700																																																																																
	5	-450	-325	-50	75	100		5	-950	-900	-825	-800	-800																																																																																
	6	-500	-475	-350	-325	-325		6	-1150	-1000	-925	-900	-900																																																																																
	7	-600	-575	-450	-425	-425		7	-1175	-1125	-1025	-1000	-1000																																																																																
41	1 & 2	-350	-250	25	75	75	63	1 & 2	-1050	-950	-875	-850	-850																																																																																
	3	-350	-250	0	50	50		3	-1050	-950	-875	-850	-850																																																																																
	4	-375	-275	65.02	25	25		4	-1075	-975	-900	-875	-875																																																																																
	5	-525	-400	-225	-200	-175		5	-1125	-1075	-1000	-975	-975																																																																																
	6	-575	-500	-400	-375	-375		6	-1175	-1125	-1000	-975	-975																																																																																
	7	-700	-675	-550	-525	-525		Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>25-26</td><td>-1000</td></tr><tr><td>27-29</td><td>-650</td></tr><tr><td>30-32</td><td>-325</td></tr><tr><td>33-34</td><td>-125</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>25</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-150</td></tr><tr><td>53 & Above</td><td>-275</td></tr></table> Strength <table><tr><th colspan="2">(Grams per Tex)</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>20.5-21.4</td><td>-300</td></tr><tr><td>21.5-22.4</td><td>-250</td></tr><tr><td>22.5-23.4</td><td>-200</td></tr><tr><td>23.5-24.4</td><td>-175</td></tr><tr><td>24.5-25.4</td><td>-150</td></tr><tr><td>25.5-26.4</td><td>-25</td></tr><tr><td>Base 26.5-28.4</td><td>0</td></tr><tr><td>28.5-29.4</td><td>0</td></tr><tr><td>29.5-30.4</td><td>25</td></tr><tr><td>30.5-32.4</td><td>50</td></tr><tr><td>32.5 & Above</td><td>50</td></tr></table> Extraneous Matter <table><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-50</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-375</td></tr><tr><td>2</td><td>-785</td></tr></table> Uniformity <table><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-90</td></tr><tr><td>77.5-78.4</td><td>-80</td></tr><tr><td>78.5-79.4</td><td>-70</td></tr><tr><td>79.5-80.4</td><td>0</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>30</td></tr><tr><td>83.5-84.4</td><td>40</td></tr><tr><td>84.5-85.4</td><td>50</td></tr><tr><td>85.5 & Above</td><td>60</td></tr></table>						Range	Diff.	25-26	-1000	27-29	-650	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	(Grams per Tex)		Range	Diff.	20.5-21.4	-300	21.5-22.4	-250	22.5-23.4	-200	23.5-24.4	-175	24.5-25.4	-150	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Level	Diff.	Prep		1	-50	2	-800	Other		1	-375	2	-785	Unit	Points	77.4 & below	-90	77.5-78.4	-80	78.5-79.4	-70	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50
Range	Diff.																																																																																												
25-26	-1000																																																																																												
27-29	-650																																																																																												
30-32	-325																																																																																												
33-34	-125																																																																																												
Base 35-36	0																																																																																												
37-42	25																																																																																												
Base 43-49	0																																																																																												
50-52	-150																																																																																												
53 & Above	-275																																																																																												
(Grams per Tex)																																																																																													
Range	Diff.																																																																																												
20.5-21.4	-300																																																																																												
21.5-22.4	-250																																																																																												
22.5-23.4	-200																																																																																												
23.5-24.4	-175																																																																																												
24.5-25.4	-150																																																																																												
25.5-26.4	-25																																																																																												
Base 26.5-28.4	0																																																																																												
28.5-29.4	0																																																																																												
29.5-30.4	25																																																																																												
30.5-32.4	50																																																																																												
32.5 & Above	50																																																																																												
Level	Diff.																																																																																												
Prep																																																																																													
1	-50																																																																																												
2	-800																																																																																												
Other																																																																																													
1	-375																																																																																												
2	-785																																																																																												
Unit	Points																																																																																												
77.4 & below	-90																																																																																												
77.5-78.4	-80																																																																																												
78.5-79.4	-70																																																																																												
79.5-80.4	0																																																																																												
Base 80.5-81.4	0																																																																																												
81.5-82.4	0																																																																																												
82.5-83.4	30																																																																																												
83.5-84.4	40																																																																																												
84.5-85.4	50																																																																																												
85.5 & Above	60																																																																																												
51	1 & 2	-575	-325	-250	-150	-150																																																																																							
	3	-600	-350	-325	-225	-225																																																																																							
	4	-625	-375	-350	-275	-275																																																																																							
	5	-700	-600	-425	-375	-375																																																																																							
	6	-800	-725	-600	-575	-575																																																																																							
	7	-850	-850	-675	-625	-625																																																																																							
61	1 & 2	-675	-450	-350	-325	-325																																																																																							
	3	-675	-450	-375	-350	-350																																																																																							
	4	-700	-475	-400	-375	-375																																																																																							
	5	-750	-675	-650	-575	-575																																																																																							
	6	-875	-775	-775	-750	-750																																																																																							
	7	-1025	-925	-875	-850	-850																																																																																							
71	1 & 2	-1100	-1000	-850	-800	-800																																																																																							
	3	-1100	-1000	-850	-800	-800																																																																																							
	4	-1150	-1050	-900	-850	-850																																																																																							
	5	-1175	-1125	-975	-925	-925																																																																																							
	6	-1225	-1175	-1025	-975	-975																																																																																							
	7	-1275	-1225	-1075	-1025	-1025																																																																																							
12 & 22	1 & 2	-275	-125	50	100	150																																																																																							
	3	-275	-125	25	100	125																																																																																							
	4	-300	-225	-75	25	75																																																																																							
	5	-500	-375	-175	-150	-125																																																																																							
	6	-575	-500	-375	-375	-375																																																																																							
	7	-675	-650	-525	-500	-500																																																																																							
32	1 & 2	-375	-250	-100	-25	0																																																																																							
	3	-375	-250	-100	-50	0																																																																																							
	4	-400	-275	-200	-100	-75																																																																																							
	5	-525	-375	-250	-225	-200																																																																																							
	6	-625	-600	-475	-450	-425																																																																																							
	7	-725	-700	-575	-550	-550																																																																																							
42	1 & 2	-375	-300	-225	-125	-100																																																																																							
	3	-400	-325	-275	-150	-125																																																																																							
	4	-425	-350	-300	-200	-175																																																																																							
	5	-550	-400	-350	-300	-275																																																																																							
	6	-775	-675	-525	-475	-450																																																																																							
	7	-875	-775	-625	-600	-600																																																																																							
52	1 & 2	-625	-400	-325	-300	-300																																																																																							
	3	-625	-450	-400	-375	-375																																																																																							
	4	-650	-475	-425	-400	-400																																																																																							
	5	-675	-575	-550	-500	-500																																																																																							
	6	-825	-775	-700	-675	-675																																																																																							
	7	-900	-875	-800	-775	-775																																																																																							
62	1 & 2	-750	-650	-550	-525	-525																																																																																							
	3	-750	-650	-600	-575	-575																																																																																							
	4	-775	-675	-625	-600	-600																																																																																							
	5	-875	-825	-750	-725	-725																																																																																							
	6	-1025	-975	-850	-825	-825																																																																																							
	7																																																																																												

Color	Leaf	Staple					Color	Leaf	Staple																																																																																				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																																																																																
11 & 21	1 & 2	-250	-150	75	200	275	43	1 & 2	-800	-500	-375	-350	-350																																																																																
	3	-250	-150	50	150	175		3	-800	-500	-375	-350	-350																																																																																
	4	-300	-200	50	75	175		4	-825	-525	-400	-375	-375																																																																																
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600																																																																																
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700																																																																																
	7	-575	-575	-450	-425	-425		7	-1050	-925	-875	-850	-850																																																																																
31	1 & 2	-250	-150	50	150	200	53	1 & 2	-875	-700	-650	-625	-625																																																																																
	3	-250	-150	25	150	175		3	-875	-700	-650	-625	-625																																																																																
	4	-300	-250	0	75	125		4	-900	-725	-675	-650	-650																																																																																
	5	-375	-325	-25	75	100		5	-975	-875	-775	-750	-750																																																																																
	6	-475	-475	-350	-325	-325		6	-1150	-975	-900	-875	-875																																																																																
	7	-575	-575	-450	-425	-425		7	-1175	-1050	-975	-950	-950																																																																																
41	1 & 2	-325	-250	25	50	75	63	1 & 2	-1000	-875	-825	-800	-800																																																																																
	3	-325	-250	0	25	50		3	-1000	-875	-825	-800	-800																																																																																
	4	-350	-275	65.02	0	25		4	-1025	-900	-850	-825	-825																																																																																
	5	-525	-400	-200	-150	-150		5	-1075	-1000	-950	-925	-925																																																																																
	6	-550	-500	-400	-375	-375		6	-1175	-1050	-950	-925	-925																																																																																
	7	-675	-625	-500	-475	-475		Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>25-26</td><td>-1100</td></tr><tr><td>27-29</td><td>-750</td></tr><tr><td>30-32</td><td>-325</td></tr><tr><td>33-34</td><td>-125</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>25</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-150</td></tr><tr><td>53 & Above</td><td>-275</td></tr></table> Strength <table><tr><th colspan="2">(Grams per Tex)</th></tr><tr><th>Range</th><th>Diff.</th></tr><tr><td>20.5-21.4</td><td>-275</td></tr><tr><td>21.5-22.4</td><td>-225</td></tr><tr><td>22.5-23.4</td><td>-175</td></tr><tr><td>23.5-24.4</td><td>-125</td></tr><tr><td>24.5-25.4</td><td>-100</td></tr><tr><td>25.5-26.4</td><td>-25</td></tr><tr><td>Base 26.5-28.4</td><td>0</td></tr><tr><td>28.5-29.4</td><td>0</td></tr><tr><td>29.5-30.4</td><td>25</td></tr><tr><td>30.5-32.4</td><td>50</td></tr><tr><td>32.5 & Above</td><td>50</td></tr></table> Extraneous Matter <table><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-50</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-375</td></tr><tr><td>2</td><td>-785</td></tr></table> Uniformity <table><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-90</td></tr><tr><td>77.5-78.4</td><td>-80</td></tr><tr><td>78.5-79.4</td><td>-70</td></tr><tr><td>79.5-80.4</td><td>0</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>30</td></tr><tr><td>83.5-84.4</td><td>40</td></tr><tr><td>84.5-85.4</td><td>50</td></tr><tr><td>85.5 & Above</td><td>60</td></tr></table>						Range	Diff.	25-26	-1100	27-29	-750	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	(Grams per Tex)		Range	Diff.	20.5-21.4	-275	21.5-22.4	-225	22.5-23.4	-175	23.5-24.4	-125	24.5-25.4	-100	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Level	Diff.	Prep		1	-50	2	-800	Other		1	-375	2	-785	Unit	Points	77.4 & below	-90	77.5-78.4	-80	78.5-79.4	-70	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50
Range	Diff.																																																																																												
25-26	-1100																																																																																												
27-29	-750																																																																																												
30-32	-325																																																																																												
33-34	-125																																																																																												
Base 35-36	0																																																																																												
37-42	25																																																																																												
Base 43-49	0																																																																																												
50-52	-150																																																																																												
53 & Above	-275																																																																																												
(Grams per Tex)																																																																																													
Range	Diff.																																																																																												
20.5-21.4	-275																																																																																												
21.5-22.4	-225																																																																																												
22.5-23.4	-175																																																																																												
23.5-24.4	-125																																																																																												
24.5-25.4	-100																																																																																												
25.5-26.4	-25																																																																																												
Base 26.5-28.4	0																																																																																												
28.5-29.4	0																																																																																												
29.5-30.4	25																																																																																												
30.5-32.4	50																																																																																												
32.5 & Above	50																																																																																												
Level	Diff.																																																																																												
Prep																																																																																													
1	-50																																																																																												
2	-800																																																																																												
Other																																																																																													
1	-375																																																																																												
2	-785																																																																																												
Unit	Points																																																																																												
77.4 & below	-90																																																																																												
77.5-78.4	-80																																																																																												
78.5-79.4	-70																																																																																												
79.5-80.4	0																																																																																												
Base 80.5-81.4	0																																																																																												
81.5-82.4	0																																																																																												
82.5-83.4	30																																																																																												
83.5-84.4	40																																																																																												
84.5-85.4	50																																																																																												
85.5 & Above	60																																																																																												
51	1 & 2	-575	-325	-250	-150	-150																																																																																							
	3	-625	-375	-300	-200	-200																																																																																							
	4	-650	-400	-325	-250	-250																																																																																							
	5	-725	-650	-450	-400	-400																																																																																							
	6	-850	-775	-600	-575	-575																																																																																							
	7	-900	-900	-725	-675	-675																																																																																							
61	1 & 2	-675	-450	-350	-325	-325																																																																																							
	3	-725	-500	-400	-375	-375																																																																																							
	4	-750	-525	-425	-400	-400																																																																																							
	5	-800	-675	-650	-575	-575																																																																																							
	6	-925	-825	-775	-750	-750																																																																																							
	7	-1025	-925	-875	-850	-850																																																																																							
71	1 & 2	-1100	-1000	-900	-850	-850																																																																																							
	3	-1100	-1000	-900	-850	-850																																																																																							
	4	-1150	-1050	-950	-900	-900																																																																																							
	5	-1175	-1125	-1025	-975	-975																																																																																							
	6	-1225	-1175	-1075	-1025	-1025																																																																																							
	7	-1275	-1225	-1125	-1075	-1075																																																																																							
12 & 22	1 & 2	-275	-125	50	150	175																																																																																							
	3	-275	-125	25	150	150																																																																																							
	4	-300	-175	0	50	100																																																																																							
	5	-500	-350	-100	-25	-25																																																																																							
	6	-575	-500	-325	-300	-300																																																																																							
	7	-625	-575	-425	-400	-400																																																																																							
32	1 & 2	-400	-250	-75	0	25																																																																																							
	3	-400	-250	-75	-25	25																																																																																							
	4	-425	-275	-175	-75	-50																																																																																							
	5	-600	-475	-200	-175	-125																																																																																							
	6	-700	-650	-475	-450	-425																																																																																							
	7	-800	-750	-575	-550	-550																																																																																							
42	1 & 2	-425	-300	-225	-125	-125																																																																																							
	3	-475	-350	-275	-175	-175																																																																																							
	4	-500	-375	-300	-225	-225																																																																																							
	5	-700	-550	-375	-350	-325																																																																																							
	6	-850	-750	-525	-450	-425																																																																																							
	7	-900	-800	-625	-600	-600																																																																																							
52	1 & 2	-625	-400	-325	-300	-300																																																																																							
	3	-625	-450	-375	-350	-350																																																																																							
	4	-650	-475	-400	-375	-375																																																																																							
	5	-725	-625	-550	-500	-500																																																																																							
	6	-875	-775	-650	-625	-625																																																																																							
	7	-900	-875	-750	-725	-725																																																																																							
62	1 & 2	-750	-625	-525	-500	-500																																																																																							
	3	-800	-675	-575	-550	-550																																																																																							
	4	-825	-700	-600	-575	-575																																																																																							
	5	-925	-825	-700	-675	-675																																																																																							
	6	-1075	-925	-800	-775	-775																																																																																							

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	175	325	350	475	475
	3	-275	-175	-100	-75	150	250	225	325	325
	4	-350	-275	-175	-100	100	225	200	300	300
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-250	-275	-200	-200
	7	-650	-550	-450	-425	-375	-325	-350	-275	-275
31	1 & 2	-275	-200	-150	-75	150	225	275	350	350
	3	-325	-225	-175	-100	125	175	200	225	225
	4	-375	-325	-200	-175	50	150	175	200	200
	5	-450	-375	-250	-225	-125	-75	50	100	100
	6	-600	-500	-400	-350	-300	-275	-300	-250	-250
	7	-675	-575	-475	-450	-400	-350	-375	-325	-325
41	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	65.00	125	175	175
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-300	-325	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-475	-375	-250	-200	-200	-200	-200
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-175	-25	50	125	125
	3	-425	-350	-350	-275	-200	-25	0	75	75
	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-300	-275	-275	-275	-275
	3	-550	-475	-450	-375	-300	-275	-275	-275	-275
	4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-350	-350	-350	-350
	5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
53	1 & 2	-750	-650	-625	-525	-500	-375	-350	-325	-325
	3	-750	-650	-625	-550	-525	-400	-375	-350	-350
	4	-800	-700	-675	-625	-525	-450	-425	-400	-400
	5	-875	-800	-750	-700	-625	-525	-500	-475	-475
	6	-975	-900	-875	-800	-725	-625	-625	-600	-600
	7	-1050	-975	-950	-875	-825	-700	-700	-675	-675
63	1 & 2	-850	-750	-725	-625	-550	-425	-375	-350	-350
	3	-850	-750	-725	-625	-550	-425	-375	-350	-350
	4	-900	-800	-775	-675	-625	-500	-450	-425	-425
	5	-1000	-900	-875	-775	-675	-575	-525	-500	-500
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625
34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375
	3	-700	-600	-550	-500	-450	-375	-375	-375	-375
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750
44	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500	-500
	3	-850	-750	-700	-650	-575	-500	-500	-500	-500
	4	-900	-800	-775	-725	-675	-600	-600	-600	-600
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-175	-100	-50	-50	200	350	400	450	475
	3	-225	-125	-75	-75	200	325	375	425	450
	4	-275	-200	-125	-100	25	225	375	425	425
	5	-400	-325	-225	-175	-75	50	325	375	375
	6	-625	-525	-425	-425	-325	-200	-175	-175	-175
	7	-700	-600	-500	-475	-400	-275	-250	-250	-250
31	1 & 2	-225	-150	-100	-75	200	300	300	425	425
	3	-275	-200	-125	-100	175	275	300	400	400
	4	-350	-275	-175	-175	0	175	250	375	375
	5	-450	-375	-250	-250	-125	-75	250	325	325
	6	-675	-575	-475	-475	-350	-250	-250	-225	-225
	7	-750	-675	-550	-525	-425	-300	-300	-275	-275
41	1 & 2	-400	-350	-275	-250	-50	125	175	200	200
	3	-425	-375	-300	-275	-75	75	150	200	200
	4	-500	-425	-325	-300	-175	64.50	100	125	125
	5	-525	-450	-325	-325	-225	-100	0	125	125
	6	-725	-625	-550	-525	-450	-300	-275	-250	-250
	7	-800	-750	-675	-625	-550	-400	-350	-325	-325
51	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
61	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
71	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
12 & 22	1 & 2	-300	-250	-150	-125	50	75	225	350	350
	3	-350	-300	-175	-175	25	50	175	300	300
	4	-400	-325	-225	-225	-150	-50	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
32	1 & 2	-350	-300	-275	-175	0	25	50	125	125
	3	-400	-350	-300	-225	-25	-25	0	125	125
	4	-500	-400	-400	-275	-200	-100	0	100	100
	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
42	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
52	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
	7	-825	-750	-650	-625	-575	-475	-475	-475	-475
33	1 & 2	-550	-475	-425	-300	-250	-175	-175	-175	-175
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
	7	-950	-850	-775	-700	-650	-575	-550	-550	-550
43	1 & 2	-600	-525	-475	-400	-350	-250	-250	-250	-250
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-650	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
	7	-975	-900	-800	-775	-700	-600	-600	-600	-600
53	1 & 2	-775	-675	-650	-550	-525	-425	-400	-400	-400
	3	-775	-675	-650	-575	-525	-450	-425	-425	-425
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
	7	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
63	1 & 2	-900	-800	-775	-675	-625	-475	-425	-425	-425
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325	-325
	3	-675	-575	-525	-450	-400	-325	-325	-325	-325
	4	-800	-700	-650	-575	-500	-425	-425	-425	-425
	5	-900	-800	-750	-675	-625	-550	-550	-550	-550
	6	-1025	-950	-900	-825	-775	-700	-700	-700	-700
44	1 & 2	-775	-675	-625	-525	-475	-400	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475	-475
	3	-850	-750	-700	-625	-550	-475	-475	-475	-475
	4	-900	-800	-775	-700	-650	-575	-575	-575	-575
	5	-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-550
30-32	-325
33-34	-175
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple					Color	Leaf	Staple																																																				
		33	34	35	36	37			33	34	35	36	37																																																
11 & 21	1 & 2	-50	225	650	710	745	43	1 & 2	-725	-650	-550	-475	-475																																																
	3	-50	200	575	685	720		3	-725	-650	-550	-475	-475																																																
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																																
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																																
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																																
	7	-650	-375	-175	-140	-100		7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-125	175	600	685	720	53	1 & 2	-875	-775	-675	-675	-675																																																
	3	-125	150	550	635	670		3	-875	-775	-675	-675	-675																																																
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																																
	5	-375	-175	25	50	120		5	-1025	-925	-825	-825	-825																																																
	6	-475	-375	-110	-95	-40		6	-1125	-1025	-925	-925	-925																																																
	7	-675	-400	-200	-170	-115		7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-350	25	225	310	320	<table><tr><th colspan="2">Mike</th><th colspan="2">Uniformity</th></tr><tr><th>Range</th><th>Diff.</th><th>Unit</th><th>Points</th></tr><tr><td>24 & Below</td><td>-1200</td><td>77.4 & below</td><td>-100</td></tr><tr><td>25-26</td><td>-1000</td><td>77.5-78.4</td><td>-90</td></tr><tr><td>27-29</td><td>-900</td><td>78.5-79.4</td><td>-80</td></tr><tr><td>30-32</td><td>-425</td><td>79.5-80.4</td><td>0</td></tr><tr><td>33-34</td><td>-275</td><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>Base 35-36</td><td>0</td><td>81.5-82.4</td><td>0</td></tr><tr><td>37-42</td><td>25</td><td>82.5-83.4</td><td>30</td></tr><tr><td>Base 43-49</td><td>0</td><td>83.5-84.4</td><td>40</td></tr><tr><td>50-52</td><td>-275</td><td>84.5-85.4</td><td>50</td></tr><tr><td>53 & Above</td><td>-475</td><td>85.5 & Above</td><td>60</td></tr></table>							Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77.4 & below	-100	25-26	-1000	77.5-78.4	-90	27-29	-900	78.5-79.4	-80	30-32	-425	79.5-80.4	0	33-34	-275	Base 80.5-81.4	0	Base 35-36	0	81.5-82.4	0	37-42	25	82.5-83.4	30	Base 43-49	0	83.5-84.4	40	50-52	-275	84.5-85.4	50	53 & Above	-475	85.5 & Above	60
	Mike		Uniformity																																																										
	Range	Diff.	Unit	Points																																																									
	24 & Below	-1200	77.4 & below	-100																																																									
	25-26	-1000	77.5-78.4	-90																																																									
27-29	-900	78.5-79.4	-80																																																										
30-32	-425	79.5-80.4	0																																																										
33-34	-275	Base 80.5-81.4	0																																																										
Base 35-36	0	81.5-82.4	0																																																										
37-42	25	82.5-83.4	30																																																										
Base 43-49	0	83.5-84.4	40																																																										
50-52	-275	84.5-85.4	50																																																										
53 & Above	-475	85.5 & Above	60																																																										
3	-350	25	225	310	320																																																								
4	-400	62.27	175	260	270																																																								
5	-425	-300	-225	-215	-205																																																								
6	-600	-475	-350	-340	-340																																																								
7	-750	-625	-600	-595	-585																																																								
51	1 & 2	-450	-275	-175	-140	-130																																																							
	3	-450	-275	-175	-140	-130																																																							
	4	-475	-350	-250	-200	-190																																																							
	5	-575	-525	-450	-425	-425																																																							
	6	-750	-650	-550	-550	-550																																																							
	7	-950	-850	-825	-825	-825																																																							
12 & 22	1 & 2	-275	50	300	360	420																																																							
	3	-275	50	275	335	395																																																							
	4	-375	25	250	310	370																																																							
	5	-400	-225	-100	-100	-50																																																							
	6	-550	-425	-300	-300	-250																																																							
	7	-725	-600	-550	-550	-500																																																							
32	1 & 2	-375	-100	125	210	220																																																							
	3	-375	-100	125	210	220																																																							
	4	-425	-225	0	85	95																																																							
	5	-475	-475	-375	-375	-375																																																							
	6	-675	-600	-500	-500	-500																																																							
	7	-825	-775	-750	-750	-750																																																							
42	1 & 2	-425	-250	-150	-100	-100																																																							
	3	-425	-250	-150	-100	-100																																																							
	4	-450	-325	-225	-175	-175																																																							
	5	-525	-500	-400	-400	-400																																																							
	6	-700	-625	-525	-525	-525																																																							
	7	-900	-800	-775	-775	-775																																																							
52	1 & 2	-475	-400	-325	-275	-275																																																							
	3	-475	-400	-325	-275	-275																																																							
	4	-650	-525	-450	-400	-400																																																							
	5	-700	-600	-550	-550	-550																																																							
	6	-800	-700	-650	-650	-650																																																							
	7	-1050	-950	-950	-925	-925																																																							

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Color	Leaf	Staple				Color	Leaf	Staple																																																																																				
		34	35	36	37			34	35	36	37																																																																																	
11 & 21	1 & 2	750	950	1240	1315	33	1 & 2	-500	-500	-500	-500																																																																																	
	3	685	885	1040	1150		3	-500	-500	-500	-500																																																																																	
	4	125	475	505	625		4	-600	-600	-600	-600																																																																																	
	5	-125	75	130	190		5	-800	-800	-800	-800																																																																																	
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075																																																																																	
	7	-625	-525	-475	-425		7	-1225	-1225	-1225	-1225																																																																																	
31	1 & 2	700	925	980	1090	43	1 & 2	-875	-875	-875	-875																																																																																	
	3	675	875	880	990		3	-875	-875	-875	-875																																																																																	
	4	100	450	480	560		4	-925	-925	-925	-925																																																																																	
	5	-200	0	55	115		5	-1075	-1075	-1075	-1075																																																																																	
	6	-500	-325	-275	-225		6	-1225	-1225	-1225	-1225																																																																																	
	7	-675	-575	-525	-475		7	-1425	-1425	-1425	-1425																																																																																	
41	1 & 2	200	650	730	740	Mike <table><tr><th>Range</th><th>Diff.</th></tr><tr><td>27-29</td><td>-1250</td></tr><tr><td>30-32</td><td>-550</td></tr><tr><td>33-34</td><td>-350</td></tr><tr><td>Base 35-36</td><td>0</td></tr><tr><td>37-42</td><td>25</td></tr><tr><td>Base 43-49</td><td>0</td></tr><tr><td>50-52</td><td>-450</td></tr></table> Strength <table><tr><th colspan="2">(Grams per Tex)</th><th>Diff.</th></tr><tr><td>Range</td><td></td><td></td></tr><tr><td>23.5-24.4</td><td></td><td>-100</td></tr><tr><td>24.5-25.4</td><td></td><td>-100</td></tr><tr><td>25.5-26.4</td><td></td><td>-50</td></tr><tr><td>Base 26.5-28.4</td><td></td><td>0</td></tr><tr><td>28.5-29.4</td><td></td><td>0</td></tr><tr><td>29.5-30.4</td><td></td><td>25</td></tr><tr><td>30.5-32.4</td><td></td><td>50</td></tr><tr><td>32.5 & Above</td><td></td><td>50</td></tr></table> Uniformity <table><tr><th>Unit</th><th>Points</th></tr><tr><td>77.4 & below</td><td>-60</td></tr><tr><td>77.5-78.4</td><td>-50</td></tr><tr><td>78.5-79.4</td><td>-40</td></tr><tr><td>79.5-80.4</td><td>0</td></tr><tr><td>Base 80.5-81.4</td><td>0</td></tr><tr><td>81.5-82.4</td><td>0</td></tr><tr><td>82.5-83.4</td><td>30</td></tr><tr><td>83.5-84.4</td><td>40</td></tr><tr><td>84.5-85.4</td><td>50</td></tr><tr><td>85.5 & Above</td><td>60</td></tr></table> Extraneous Matter <table><tr><th>Level</th><th>Diff.</th></tr><tr><td>Prep</td><td></td></tr><tr><td>1</td><td>-50</td></tr><tr><td>2</td><td>-800</td></tr><tr><td>Other</td><td></td></tr><tr><td>1</td><td>-350</td></tr><tr><td>2</td><td>-925</td></tr></table>					Range	Diff.	27-29	-1250	30-32	-550	33-34	-350	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-450	(Grams per Tex)		Diff.	Range			23.5-24.4		-100	24.5-25.4		-100	25.5-26.4		-50	Base 26.5-28.4		0	28.5-29.4		0	29.5-30.4		25	30.5-32.4		50	32.5 & Above		50	Unit	Points	77.4 & below	-60	77.5-78.4	-50	78.5-79.4	-40	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50	85.5 & Above	60	Level	Diff.	Prep		1	-50	2	-800	Other		1	-350	2	-925
	Range	Diff.																																																																																										
	27-29	-1250																																																																																										
	30-32	-550																																																																																										
	33-34	-350																																																																																										
	Base 35-36	0																																																																																										
37-42	25																																																																																											
Base 43-49	0																																																																																											
50-52	-450																																																																																											
(Grams per Tex)		Diff.																																																																																										
Range																																																																																												
23.5-24.4		-100																																																																																										
24.5-25.4		-100																																																																																										
25.5-26.4		-50																																																																																										
Base 26.5-28.4		0																																																																																										
28.5-29.4		0																																																																																										
29.5-30.4		25																																																																																										
30.5-32.4		50																																																																																										
32.5 & Above		50																																																																																										
Unit	Points																																																																																											
77.4 & below	-60																																																																																											
77.5-78.4	-50																																																																																											
78.5-79.4	-40																																																																																											
79.5-80.4	0																																																																																											
Base 80.5-81.4	0																																																																																											
81.5-82.4	0																																																																																											
82.5-83.4	30																																																																																											
83.5-84.4	40																																																																																											
84.5-85.4	50																																																																																											
85.5 & Above	60																																																																																											
Level	Diff.																																																																																											
Prep																																																																																												
1	-50																																																																																											
2	-800																																																																																											
Other																																																																																												
1	-350																																																																																											
2	-925																																																																																											
51	1 & 2	-575	-125	-75	-75	41	1 & 2	-875	-875	-875	-875																																																																																	
	3	-600	-150	-100	-100		3	-875	-875	-875	-875																																																																																	
	4	-650	-200	-175	-175		4	-925	-925	-925	-925																																																																																	
	5	-750	-375	-325	-325		5	-1075	-1075	-1075	-1075																																																																																	
	6	-900	-800	-800	-800		6	-1225	-1225	-1225	-1225																																																																																	
	7	-1050	-1000	-1000	-1000		7	-1425	-1425	-1425	-1425																																																																																	
12 & 22	1 & 2	225	675	930	990	51	1 & 2	-575	-125	-75	-75																																																																																	
	3	150	600	880	940		3	-600	-150	-100	-100																																																																																	
	4	25	425	475	540		4	-650	-200	-175	-175																																																																																	
	5	-250	-50	0	50		5	-750	-375	-325	-325																																																																																	
	6	-525	-400	-350	-300		6	-900	-800	-800	-800																																																																																	
	7	-775	-700	-650	-600		7	-1050	-1000	-1000	-1000																																																																																	
32	1 & 2	100	350	375	375	12 & 22	1 & 2	225	675	930	990																																																																																	
	3	50	300	325	325		3	150	600	880	940																																																																																	
	4	-100	200	200	200		4	25	425	475	540																																																																																	
	5	-525	-275	-275	-275		5	-250	-50	0	50																																																																																	
	6	-675	-475	-475	-475		6	-525	-400	-350	-300																																																																																	
	7	-850	-750	-750	-750		7	-775	-700	-650	-600																																																																																	
42	1 & 2	-400	-50	-25	-25	32	1 & 2	100	350	375	375																																																																																	
	3	-450	-100	-75	-75		3	50	300	325	325																																																																																	
	4	-500	-175	-150	-150		4	-100	200	200	200																																																																																	
	5	-675	-350	-300	-300		5	-525	-275	-275	-275																																																																																	
	6	-800	-775	-775	-775		6	-675	-475	-475	-475																																																																																	
	7	-1000	-950	-950	-950		7	-850	-750	-750	-750																																																																																	
52	1 & 2	-725	-675	-675	-675	42	1 & 2	-400	-50	-25	-25																																																																																	
	3	-725	-675	-675	-675		3	-450	-100	-75	-75																																																																																	
	4	-825	-775	-775	-775		4	-500	-175	-150	-150																																																																																	
	5	-875	-825	-825	-825		5	-675	-350	-300	-300																																																																																	
	6	-1025	-1025	-1025	-1025		6	-800	-775	-775	-775																																																																																	
	7	-1225	-1225	-1225	-1225		7	-1000	-950	-950	-950																																																																																	

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse.

1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple		
		44	46	48
1	1	96.75	103.00	103.25
	2	96.50	102.75	103.25
	3	92.25	96.75	97.50
	4			
	5			
	6			
2	1	96.25	102.50	103.25
	2	95.50	102.00	102.75
	3	90.50	95.50	95.75
	4	82.75	88.75	89.50
	5			
	6			
3	1	90.75	96.25	97.25
	2	90.25	94.00	96.25
	3	84.00	89.00	90.00
	4	73.25	78.75	79.75
	5	73.25	76.25	77.50
	6			
4	1	80.50	85.50	86.50
	2	80.25	85.25	85.75
	3	80.00	85.00	85.00
	4	72.50	78.00	78.00
	5	68.50	72.75	72.75
	6			
5	1			
	2	62.50	69.75	69.75
	3	62.50	69.25	69.75
	4	62.50	63.75	63.75
	5	62.25	63.50	63.50
	6			
6	1			
	2	51.75	52.00	52.00
	3	51.75	52.00	52.00
	4	51.75	52.00	52.00
	5	51.50	51.75	51.75
	6	51.00	51.25	51.25

Mike

Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength

(Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter

Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-160	-17	271	418	521	541
	3	-250	-150	-88	-175	-21	237	362	436	460
	4	-313	-238	-150	-200	-113	121	250	320	342
	5	-400	-325	-225	-315	-229	-54	114	169	189
	6	-600	-500	-400	-445	-392	-318	-236	-212	-197
	7	-675	-575	-475	-575	-538	-450	-393	-366	-354
31	1 & 2	-250	-175	-125	-175	-33	229	368	434	455
	3	-300	-213	-150	-185	-42	204	343	381	401
	4	-363	-300	-188	-230	-154	75	214	266	283
	5	-450	-375	-250	-335	-250	-107	71	115	134
	6	-638	-538	-438	-460	-404	-346	-276	-253	-238
	7	-713	-625	-513	-590	-550	-468	-421	-396	-381
41	1 & 2	-375	-325	-238	-265	-154	82	218	266	269
	3	-400	-350	-263	-275	-163	61	182	224	226
	4	-475	-400	-288	-305	-225	64.51	121	166	169
	5	-513	-450	-338	-420	-308	-229	-121	-80	-77
	6	-700	-613	-525	-525	-483	-425	-371	-356	-356
	7	-775	-725	-650	-670	-638	-582	-546	-539	-537
51	1 & 2	-513	-463	-425	-440	-288	-232	-118	-95	-94
	3	-513	-463	-425	-475	-304	-264	-146	-120	-119
	4	-563	-513	-475	-500	-333	-314	-200	-179	-177
	5	-588	-563	-488	-560	-475	-414	-321	-300	-300
	6	-788	-713	-688	-670	-621	-582	-539	-529	-529
	7	-863	-813	-788	-775	-775	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-655	-635	-625	-625
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-88	96	254	345	362
	3	-363	-300	-200	-225	-100	71	225	309	326
	4	-400	-338	-238	-270	-175	-4	143	216	234
	5	-488	-438	-388	-420	-346	-204	-107	-61	-46
	6	-688	-613	-538	-525	-483	-404	-354	-343	-329
	7	-775	-700	-625	-650	-625	-564	-529	-514	-500
32	1 & 2	-350	-300	-275	-300	-183	-11	89	144	146
	3	-400	-338	-300	-315	-196	-36	57	126	128
	4	-463	-388	-363	-360	-254	-139	-14	34	35
	5	-538	-500	-450	-500	-408	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-267	-186	-71	-25	-25
	3	-450	-388	-375	-375	-292	-211	-100	-50	-50
	4	-513	-438	-438	-420	-313	-250	-150	-107	-107
	5	-588	-563	-513	-560	-446	-404	-311	-293	-293
	6	-838	-788	-663	-685	-621	-550	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-375	-368	-336	-329	-329
	3	-588	-513	-488	-515	-392	-389	-354	-346	-346
	4	-638	-588	-538	-535	-446	-446	-411	-404	-404
	5	-713	-663	-638	-615	-554	-539	-504	-504	-504
	6	-938	-888	-838	-790	-742	-693	-671	-671	-671
	7	-1013	-963	-938	-880	-867	-829	-814	-811	-811
62	1 & 2	-638	-563	-538	-610	-515	-430	-415	-415	-415
	3	-638	-563	-538	-630	-540	-470	-450	-445	-445
	4	-688	-638	-563	-660	-570	-495	-480	-480	-480
	5	-788	-713	-688	-760	-705	-610	-595	-595	-595
	6	-963	-913	-863	-960	-895	-790	-775	-775	-775

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
33	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
43	1 & 2	-625	-550	-500	-575	-475	-443	-411	-389	-389
	3	-625	-550	-500	-575	-475	-443	-411	-389	-389
	4	-675	-625	-550	-625	-525	-486	-439	-421	-421
	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
53	1 & 2	-763	-663	-638	-685	-646	-554	-521	-517	-517
	3	-763	-663	-638	-695	-650	-563	-529	-525	-525
	4	-813	-713	-688	-750	-696	-608	-575	-571	-571
	5	-888	-813	-763	-805	-788	-692	-658	-654	-654
	6	-988	-925	-888	-960	-904	-813	-788	-783	-783
	7	-1063	-1000	-975	-1020	-1029	-925	-913	-908	-908
63	1 & 2	-875	-775	-750	-855	-765	-665	-635	-630	-630
	3	-875	-775	-750	-855	-765	-665	-640	-635	-635
	4	-925	-825	-800	-895	-805	-715	-685	-680	-680
	5	-1025	-925	-900	-965	-895	-805	-775	-770	-770
	6	-1075	-1000	-1000	-1080	-990	-885	-870	-865	-865
34	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350	-350
	3	-688	-588	-538	-475	-425	-350	-350	-350	-350
	4	-813	-713	-663	-600	-525	-450	-450	-450	-450
	5	-913	-813	-763	-700	-650	-575	-575	-575	-575
	6	-1038	-963	-913	-850	-800	-725	-725	-725	-725
44	1 & 2	-775	-675	-625	-538	-488	-413	-413	-413	-413
	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488	-488
	3	-850	-750	-700	-638	-563	-488	-488	-488	-488
	4	-900	-800	-775	-713	-663	-588	-588	-588	-588
	5	-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-983
25-26	-929
27-29	-729
30-32	-361
33-34	-193
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-240
53 & Above	-346

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-43
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	43
32.5 & Above	43

Uniformity	
Unit	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	20
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-368
2	-735
Bark - (ET-OK and WT only)	
1	-225
2	-450