

Cotton Varieties Planted 2005 Crop

***U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee
August 2005***

mp_cn833

Cotton Varieties Planted, United States 2005 Crop

The Deltapine brand of Upland cottonseed was the most popular planted in the United States for the 2005-2006 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Bayer CropScience Fibermax brand was the second most popular followed by Stoneville, Paymaster, AFD Seed, Phytogen, CPCSD, All-Tex, and Sure-Grow.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 82.6 percent of the Upland cotton planted in the United States in 2005. Usage of transgenic varieties in 2005 varied from a high of 100 percent in Tennessee to a low of 43.5 percent in California. Texas producers planted transgenic varieties to 63.5 percent of their 5.8 million cotton acres. Other states planted from 91-99 percent transgenic except for New Mexico (80.2 percent) and Arizona (82.0 percent).

Deltapine brand varieties were the most popular planted in 2005, accounting for about 43.2 percent of the United States acreage. This brand accounted for 77.2 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 58.4 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 14.2 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 27.5 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 444 BG/RR, DP 434 RR, DP 451 B/RR, and DP 432 RR, accounting respectively for 17.9, 13.0, 2.2, 1.2, and 1.0 percent of the U.S. Upland cotton acreage.

Bayer CropScience Fibermax brand varieties were the second most popular planted in 2005, accounting for about 25.3 percent of the United States acreage. These varieties accounted for 9.1 percent of the acreage planted in the southeastern states, 4.6 percent in the south central states, 53.9 percent in the southwestern states, and 6.6 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 958, FM 960 BR, FM 832, FM 989 RR, FM 960 RR and FM 989 BR, accounting respectively for about 7.4, 3.5, 2.1, 2.1, 1.7, and 1.7 percent of the United States acreage planted to Upland cotton.

Stoneville brand varieties were the third most popular planted in 2005. These varieties accounted for about 13.9 percent of the acreage planted. They accounted for 8.8 percent of the acreage planted in the southeastern states, 32.3 percent of the acreage in the south central states, 4.2 percent in the southwestern states, and 5.8 percent in the western states. The most popular Stoneville varieties were ST 5599 BR, ST 4892 BR, and ST5242 BR accounting respectively for about 7.6, 2.1, and 1.7 percent of the United States acreage planted to Upland cotton.

Paymaster brand varieties were the fourth most popular planted in 2005, accounting for about 6.8 percent of the United States acreage. They accounted for 1.2 percent of the acreage planted in the southeastern states, 3.8 percent of the acreage in the south central states, and 13.6 percent in the southwestern states. The most popular Paymaster brand varieties were PM 1218 BG/RR and PM 2280 BG/RR, accounting respectively for about 1.6 and 1.0 percent of the United States acreage planted to Upland cotton.

AFD Seed brand varieties were the next most popular and accounted for about 3.0 percent of the U.S. acreage planted in 2005. Phytogen brand varieties were the next most popular and accounted for about 2.6 percent of the U.S. acreage planted in 2005. CPCSD varieties, planted primarily in California were the seventh most popular and accounted for about 1.3 percent of the 2005 cotton acreage.

Phytogen was the most popular brand of American Pima varieties planted in 2005. Phytogen variety PHY 800 Pima accounted for 60.9 percent of the United States Pima acreage and was the most popular variety planted in California (68.7 percent of California Pima acreage). Deltapine's DP 340 Pima was the second most planted American Pima variety and accounted for 13.7 percent of the U.S. crop. Deltapine's DP 744 Pima was the next most popular variety and accounted for 9.4 percent of the U.S. Pima acreage. The most popular American Pima variety planted in Texas and New Mexico was Deltapine DP 340, accounting respectively for 50.0 and 46.2 percent Pima acreage. Deltapine's DP 744 Pima was the most popular variety planted in Arizona, accounting for 36.2 percent of Arizona Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 2005 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

**Estimated percentage of Upland cotton planted to leading specified varieties, by growth area,
2005 crop**

Southeast	Deltapine	Deltapine	Deltapine	Stoneville	Deltapine	Bayer CropScience-Fibermax	Deltapine
	DP 555 BG/RR	DP 444 BG/RR	DP 449 BG/RR	ST 5599 BR	DP 451 B/RR	FM 960BR	DP 455 BG/RR
	42.33	12.25	4.35	4.31	4.27	2.70	2.61
South Central	Deltapine	Deltapine	Stoneville	Stoneville	Stoneville	Paymaster	Bayer CropScience-Fibermax
	DP 444 BG/RR	DP 555 BG/RR	ST 5599 BR	ST 4892 BR	ST 5242 BR	PM 1218 BG/RR	FM 960BR
	27.87	22.33	20.35	4.63	4.60	3.37	2.50
Southwest	Bayer CropScience-Fibermax	AFD Seed	Bayer CropScience-Fibermax	Bayer CropScience-Fibermax	Bayer CropScience-Fibermax	Deltapine	Bayer CropScience-Fibermax
	FM 958	AFD 3511RR	FM 960BR	FM 832	FM 989RR	DP 444 BG/RR	FM 960RR
	18.36	5.81	5.34	5.20	4.61	4.06	3.76
West	Phytogen	Deltapine	CPCSD	Phytogen	CPCSD	Deltapine	CPCSD
	PHY 72 Acala	DP 449 BG/RR	Acala Riata RR	PHY 710 R Acala	Acala Sierra RR	DP 448 B	Acala MAXXA
	36.49	17.50	13.02	9.45	7.09	5.22	4.60
US	Deltapine	Deltapine	Stoneville	Bayer CropScience-Fibermax	Bayer CropScience-Fibermax	AFD Seed	Deltapine
	DP 555 BG/RR	DP 444 BG/RR	ST 5599 BR	FM 958	FM 960BR	AFD 3511RR	DP 449 BG/RR
	17.89	13.04	7.59	7.43	3.52	2.30	2.20

**Estimated percentage of Upland cotton planted to leading specified brands by growth area,
2005 crop**

Southeast	Deltapine	Bayer CropScience-Fibermax	Stoneville	Sure-Grow	Paymaster	Phytogen	Beltwide Cotton Genetics
	77.15	9.12	8.78	3.04	1.19	0.46	0.02
South Central	Deltapine	Stoneville	Bayer CropScience-Fibermax	Paymaster	Sure-Grow	Phytogen	Beltwide Cotton Genetics
	58.43	32.31	4.59	3.84	0.41	0.25	0.17
Southwest	Bayer CropScience-Fibermax	Deltapine	Paymaster	AFD Seed	Stoneville	All-Tex	Beltwide Cotton Genetics
	53.86	14.18	13.55	7.56	4.15	3.16	1.27
West	Phytogen	Deltapine	CPCSD	Bayer CropScience-Fibermax	Stoneville	Acala	Sure-Grow
	36.14	27.52	21.50	6.60	5.80	0.43	0.10
US	Deltapine	Bayer CropScience-Fibermax	Stoneville	Paymaster	AFD Seed	Phytogen	CPCSD
	43.23	25.32	13.93	6.83	3.00	2.64	1.34

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2005

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Acala	1517-99	-	-	-	-	-	-	-	-	-	-	6.26	-	-	-	-	*	-	*
AFD Seed	AFD 2051	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
AFD Seed	AFD 2428	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*
AFD Seed	AFD 2485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.24	-	0.09
AFD Seed	AFD 3511RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.20	-	2.30
AFD Seed	AFD 3602RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.90	-	0.33
AFD Seed	EXPLORER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.31	-	0.11
AFD Seed	RAIDER 271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.35	-	0.13
AFD Seed	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.07	-	3.00
All-Tex	Atlas	-	-	-	-	-	-	-	-	-	-	-	-	4.08	-	-	0.53	-	0.28
All-Tex	Atlas RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.10	-	0.78
All-Tex	Excess	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Excess RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	-	*
All-Tex	Magnum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Patriot	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	*
All-Tex	Quickie	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Top-Pick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Warrior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
All-Tex	Xpress	-	-	-	-	-	-	-	-	-	-	-	-	0.72	-	-	*	-	*
All-Tex	Xpress RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.20	-	0.08
All-Tex	Total	-	-	-	-	-	-	-	-	-	-	-	-	4.80	-	-	3.13	-	1.25
Americot	Americot 262R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36	-	0.13
Americot	Americot 4207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	Americot 427R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*
Americot	Americot 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	Americot 821R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.45	-	0.17
Americot	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.90	-	0.33
Bayer CropScience-Fibermax	FM 5013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*
Bayer CropScience-Fibermax	FM 5017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	*
Bayer CropScience-Fibermax	FM 5024BXN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 5035LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.46	-	0.17
Bayer CropScience-Fibermax	FM 5044RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 5045BR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 800B2R	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	0.53	-	0.20
Bayer CropScience-Fibermax	FM 800BR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	-	0.10
Bayer CropScience-Fibermax	FM 800RR	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	0.22	-	0.08
Bayer CropScience-Fibermax	FM 819	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 819RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 832	-	-	-	-	-	-	-	*	-	-	1.00	-	-	-	-	5.55	-	2.07
Bayer CropScience-Fibermax	FM 832B	-	-	-	-	-	-	-	0.87	-	-	-	-	-	-	-	0.79	-	0.34
Bayer CropScience-Fibermax	FM 832LL	-	-	0.08	-	-	*	-	0.13	0.52	-	-	-	-	-	-	3.23	-	1.26
Bayer CropScience-Fibermax	FM 958	*	-	0.07	-	-	-	-	-	0.98	1.20	-	0.16	-	-	-	19.60	-	7.43
Bayer CropScience-Fibermax	FM 958B	-	-	0.26	-	-	-	-	-	-	-	-	*	-	-	0.10	0.90	-	0.36
Bayer CropScience-Fibermax	FM 958LL	-	0.07	0.08	0.95	-	0.13	-	*	0.16	0.05	-	0.13	-	0.08	0.14	1.14	2.00	0.53
Bayer CropScience-Fibermax	FM 960B2R	-	0.51	-	-	-	0.26	-	*	-	-	8.63	3.07	4.38	1.59	-	2.19	-	1.20
Bayer CropScience-Fibermax	FM 960BR	4.54	0.08	1.90	-	-	1.60	-	2.72	1.39	1.87	-	3.74	11.04	2.03	5.80	5.14	1.11	3.52
Bayer CropScience-Fibermax	FM 960RR	1.16	0.72	-	-	-	0.45	-	*	0.20	-	-	0.27	0.05	0.43	0.14	4.02	0.45	1.66
Bayer CropScience-Fibermax	FM 966	0.10	-	0.08	0.95	-	0.20	-	-	1.10	-	-	0.09	-	-	-	0.09	-	0.21
Bayer CropScience-Fibermax	FM 966LL	-	-	1.11	-	-	0.41	-	-	0.46	-	-	*	-	-	0.66	*	0.22	0.22

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Bayer CropScience-Fibermax	FM 981LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17	-	0.06
Bayer CropScience-Fibermax	FM 989	-	-	-	-	-	0.29	-	-	-	-	-	*	-	-	-	3.45	-	1.31
Bayer CropScience-Fibermax	FM 989B2R	-	0.71	-	-	-	*	-	-	-	-	35.55	0.81	-	-	-	0.20	-	0.30
Bayer CropScience-Fibermax	FM 989BR	1.72	0.06	0.13	-	-	0.60	-	-	-	-	1.74	2.36	-	0.24	-	3.52	5.67	1.66
Bayer CropScience-Fibermax	FM 989RR	-	3.37	0.05	-	-	0.43	-	-	-	-	-	1.57	-	0.36	0.12	4.92	-	2.05
Bayer CropScience-Fibermax	FM 991B2R	-	0.36	-	-	-	0.50	-	-	-	-	-	0.12	-	0.12	-	*	-	0.07
Bayer CropScience-Fibermax	FM 991BR	-	0.90	-	-	-	1.48	-	-	*	-	-	0.38	-	1.10	0.18	*	-	0.21
Bayer CropScience-Fibermax	FM 991RR	3.38	0.38	-	-	-	0.54	-	*	-	-	-	0.06	-	0.66	-	*	-	0.24
Bayer CropScience-Fibermax	Total	10.94	7.16	3.76	1.90	-	6.92	-	3.83	4.85	3.12	46.92	12.84	15.47	6.61	7.14	56.72	9.45	25.32
Beltwide Cotton Genetics	BCG 245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.29	-	0.11
Beltwide Cotton Genetics	BCG 24R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.30	-	0.11
Beltwide Cotton Genetics	BCG 28R	0.12	-	0.08	-	-	-	-	0.20	0.36	-	-	-	-	-	-	0.31	-	0.17
Beltwide Cotton Genetics	BCG 295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Beltwide Cotton Genetics	BCG 30R	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	0.22	-	0.09
Beltwide Cotton Genetics	BCG 50R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.21	-	0.08
Beltwide Cotton Genetics	Total	0.12	-	0.08	-	-	-	-	0.24	0.36	-	-	-	-	-	-	1.35	-	0.56
Bronco	Bronco 141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	Bronco 263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	Bronco 324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	Bronco 414	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	Bronco 655M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bronco	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Concho	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Concho	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Concho	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
CPCSD	Acala Fiesta RR	-	-	-	2.24	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09
CPCSD	Acala MAXXA	-	-	-	5.36	-	-	-	-	-	-	-	-	-	-	-	-	-	0.21
CPCSD	Acala Riata RR	-	-	-	15.17	-	-	-	-	-	-	-	-	-	-	-	-	-	0.60
CPCSD	Acala Sierra RR	-	-	-	8.25	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32
CPCSD	Acala Ultima	-	-	-	1.10	-	-	-	-	-	-	-	-	-	-	-	-	-	*
CPCSD	Acala Ultima EF	-	-	-	2.06	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
CPCSD	Total	-	-	-	34.19	-	-	-	-	-	-	-	-	-	-	-	-	-	1.34
Deltapine	DeltaPEARL	-	-	-	-	-	-	-	0.14	-	-	-	-	-	-	-	*	-	*
Deltapine	Deltapine Acala 90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.28	-	0.10
Deltapine	DP 20 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	-	*
Deltapine	DP 237B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Deltapine	DP 388	-	3.00	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	0.06
Deltapine	DP 393	*	0.98	0.13	-	-	-	-	0.31	-	-	-	0.07	-	*	-	-	0.22	0.05
Deltapine	DP 422 B/RR	0.41	-	-	-	-	0.05	-	-	-	-	-	*	-	-	-	-	-	*
Deltapine	DP 424 BGII/RR	-	0.54	-	-	-	0.07	-	*	0.08	-	0.77	0.38	-	0.24	-	0.12	-	0.10
Deltapine	DP 432 RR	1.81	2.28	1.43	-	-	0.17	-	1.01	2.24	2.74	-	1.92	0.20	0.39	2.33	0.30	6.00	1.01
Deltapine	DP 434 RR	1.51	1.90	1.81	-	-	0.17	-	2.12	3.22	0.20	-	3.05	0.76	1.04	-	1.45	4.89	1.48
Deltapine	DP 436 RR	1.55	0.11	1.80	-	3.89	0.55	-	-	0.63	0.41	-	0.59	-	0.12	0.12	*	-	0.42
Deltapine	DP 444 BG/RR	15.89	2.18	34.25	0.16	4.37	3.39	1.46	8.79	15.36	28.05	-	23.95	13.60	4.59	59.70	3.62	31.45	13.04
Deltapine	DP 445 BG/RR	0.38	0.13	0.29	-	-	-	-	0.58	1.73	-	-	1.69	0.38	0.07	0.90	0.13	2.12	0.46
Deltapine	DP 448 B	0.26	10.50	-	0.14	-	-	-	-	-	-	8.23	0.09	-	-	-	*	-	0.26
Deltapine	DP 449 BG/RR	4.65	30.72	0.34	4.45	13.08	1.82	-	3.60	0.59	-	10.91	8.23	-	1.95	0.56	0.24	-	2.20
Deltapine	DP 451 B/RR	0.94	*	0.13	-	-	0.33	-	0.47	0.40	2.82	-	11.91	-	0.32	0.99	*	23.44	1.22

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES	
Deltapine	DP 454 BG/RR	-	0.44	-	-	-	-	-	-	0.18	-	-	0.06	-	-	-	0.12	-	0.07	
Deltapine	DP 455 BG/RR	10.74	0.82	-	-	-	0.21	-	0.09	-	-	-	1.06	4.20	2.43	-	0.08	1.11	0.75	
Deltapine	DP 458 B/RR	2.09	-	-	-	1.95	0.96	-	-	-	-	-	0.12	-	-	-	0.12	-	0.25	
Deltapine	DP 468 BG/II/RR	-	-	-	-	-	-	-	-	-	-	-	0.38	-	-	-	-	-	*	
Deltapine	DP 488 BG/RR	0.56	-	-	-	-	0.69	-	-	0.30	-	8.19	0.80	0.38	3.11	0.40	0.35	-	0.42	
Deltapine	DP 491	0.28	-	-	-	-	0.06	-	-	-	-	-	-	-	-	-	0.53	-	0.22	
Deltapine	DP 493	0.20	-	-	-	-	0.19	-	0.55	0.07	-	-	-	-	*	-	-	-	0.06	
Deltapine	DP 494 RR	0.64	1.80	-	-	-	1.04	-	1.15	0.34	-	-	0.39	0.20	0.60	-	0.58	0.67	0.51	
Deltapine	DP 5415	1.90	-	-	*	8.31	0.25	-	0.34	-	-	-	0.06	-	-	-	0.29	-	0.29	
Deltapine	DP 5415 RR	0.62	-	1.55	0.07	5.46	1.16	-	*	-	0.66	-	0.74	-	2.22	-	0.60	-	0.64	
Deltapine	DP 543 BG II/RR	-	-	-	-	-	-	-	*	*	-	-	0.09	-	1.04	-	-	-	*	
Deltapine	DP 555 BG/RR	15.57	4.44	10.63	1.07	52.65	72.76	-	62.35	30.89	0.25	-	14.63	7.71	57.33	1.62	2.18	0.78	17.89	
Deltapine	DP 565	-	6.14	-	-	-	-	-	-	-	-	7.11	-	-	6.03	-	*	-	0.27	
Deltapine	DP 5690	*	-	-	-	-	0.92	-	-	-	-	0.46	-	-	-	-	-	1.92	-	0.80
Deltapine	DP 5690 RR	0.98	1.38	-	-	-	2.42	-	-	-	-	-	0.23	0.10	0.87	-	0.23	-	0.42	
Deltapine	DP 6207 Acala	-	-	-	0.42	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Deltapine	DP 655 B/RR	0.56	2.26	-	-	-	0.05	-	-	-	-	0.77	0.15	6.91	0.12	-	0.06	-	0.24	
Deltapine	NuCOTN 33 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Deltapine	NuCOTN 35 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Deltapine	Total	61.59	69.62	52.37	6.32	89.69	87.27	1.46	81.58	56.03	35.13	36.44	70.60	34.44	82.57	66.62	13.37	70.67	43.37	
Douglas King CT Seed	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Douglas King CT Seed	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*	
Douglas King CT Seed	212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*	
Douglas King CT Seed	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Douglas King CT Seed	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	*	
Paymaster	Paymaster HS 26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.63	-	0.61	
Paymaster	PM 1199 RR	0.30	0.09	0.24	-	-	-	-	-	0.36	1.04	-	*	-	-	1.09	0.13	0.45	0.21	
Paymaster	PM 1218 BG/RR	5.03	-	1.50	-	-	-	52.35	1.37	2.34	4.88	-	0.22	-	0.48	9.25	*	0.78	1.61	
Paymaster	PM 1560 BG/RR	-	-	-	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-	*	
Paymaster	PM 2145 RR	-	-	-	-	-	-	14.61	-	-	-	-	-	-	-	-	1.20	-	0.54	
Paymaster	PM 2167 RR	-	-	-	-	-	-	-	-	-	-	-	-	4.81	-	-	0.79	-	0.38	
Paymaster	PM 2200 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	-	*	
Paymaster	PM 2266 RR	-	-	-	-	-	-	-	-	-	-	-	-	1.10	-	-	1.56	-	0.60	
Paymaster	PM 2280 BG/RR	-	-	-	-	-	-	8.04	-	-	-	-	-	16.04	0.34	-	1.62	-	0.96	
Paymaster	PM 2326 BG/RR	-	-	-	-	-	-	-	-	-	-	-	-	1.80	-	-	0.99	-	0.40	
Paymaster	PM 2326 RR	-	-	-	-	-	-	1.63	-	-	-	-	-	3.65	-	-	1.92	-	0.79	
Paymaster	PM 2344 BG/RR	-	-	-	-	-	-	1.22	-	-	-	-	-	0.25	-	-	*	-	*	
Paymaster	PM 2379 RR	-	-	-	-	-	-	1.13	-	-	-	-	-	3.11	-	-	1.60	-	0.66	
Paymaster	PM 280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Paymaster	Total	5.33	0.09	1.74	-	-	0.05	78.98	1.37	2.70	5.92	-	0.25	30.76	0.82	10.34	11.57	1.23	6.83	
Phytogen	PHY 310 R	-	-	-	-	-	*	-	-	-	-	-	-	-	*	0.10	*	-	*	
Phytogen	PHY 410 R	0.09	-	0.07	-	-	0.24	-	0.14	0.19	-	-	0.51	-	-	0.10	0.08	-	0.12	
Phytogen	PHY 440 W	-	-	0.18	-	-	-	-	-	-	-	-	-	-	-	-	0.18	-	0.08	
Phytogen	PHY 470 WR	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	*	
Phytogen	PHY 480 WR	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.05	
Phytogen	PHY 510 R	-	-	-	-	-	0.44	-	-	-	-	-	0.10	-	-	-	-	-	*	
Phytogen	PHY 710 R Acala	-	0.22	-	10.65	-	-	-	-	-	-	2.27	-	-	-	-	-	-	0.43	
Phytogen	PHY 72 Acala	-	0.27	-	42.38	-	-	-	-	-	-	-	-	-	-	-	-	-	1.67	
Phytogen	PHY 78 Acala	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	
Phytogen	PSC 355	-	-	-	-	-	-	-	-	0.22	-	-	-	-	-	-	-	-	*	
Phytogen	Total	0.09	0.56	0.25	56.95	-	0.70	-	0.14	0.42	-	2.27	0.61	-	*	0.20	0.53	-	2.64	

Table 1. Continued

Variety	AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES	
Stoneville	AP 7126	-	0.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	BXN 47	0.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	MCS 0419 B2RF	-	0.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	MCS 0420 B2RF	-	1.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	MCS 0423 B2RF	-	0.28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	MCS 0426 B2RF	-	1.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	NG 1553 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	-	*	
Stoneville	NG 2448 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14	-	0.05	
Stoneville	NG 3969 R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Stoneville	ST 1553 R	-	-	-	-	-	8.04	-	-	-	-	-	-	-	-	0.45	-	0.22	
Stoneville	ST 2448 R	-	-	-	-	-	6.13	-	-	-	-	-	-	-	-	0.75	-	0.32	
Stoneville	ST 2454 R	-	-	-	-	-	-	-	-	-	-	0.26	1.02	-	-	0.38	-	0.18	
Stoneville	ST 3539 BR	-	-	-	-	-	1.22	-	-	-	-	-	-	-	-	0.17	-	0.07	
Stoneville	ST 3636 B2R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Stoneville	ST 4554 B2RF	-	1.92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 4563 B2	-	-	-	-	0.08	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 457	-	2.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 4575 BR	0.05	2.39	0.24	-	-	-	*	0.07	1.34	-	0.79	0.38	*	0.30	0.14	0.56	0.25	
Stoneville	ST 4646 B2R	0.08	-	0.33	-	-	-	*	-	2.46	1.55	0.32	-	0.12	-	0.10	-	0.18	
Stoneville	ST 4686 R	0.06	0.51	0.09	-	-	-	0.20	0.27	0.97	-	0.70	-	*	-	*	0.56	0.15	
Stoneville	ST 4691 B	0.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Stoneville	ST 474	-	0.31	-	0.08	-	-	-	-	0.20	-	-	-	-	-	-	-	*	
Stoneville	ST 4793 R	1.70	-	3.41	-	0.21	-	0.37	0.82	4.74	-	0.54	-	-	0.39	*	-	0.68	
Stoneville	ST 4892 BR	1.46	0.57	5.94	-	0.49	-	0.19	1.88	21.64	1.55	2.53	12.31	0.43	0.42	0.31	7.20	2.11	
Stoneville	ST 5242 BR	2.86	0.09	4.92	-	0.31	-	0.38	7.22	6.32	-	0.50	-	1.91	1.87	0.06	3.22	1.67	
Stoneville	ST 5303 R	*	-	-	-	0.06	-	-	-	-	-	0.51	-	0.29	-	*	0.22	0.06	
Stoneville	ST 5454 B2R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Stoneville	ST 5599 BR	4.94	6.02	26.65	0.34	5.89	1.59	11.51	25.28	15.17	-	7.09	0.76	5.53	12.72	0.63	6.45	7.59	
Stoneville	ST 6636 BR	-	-	-	-	-	0.72	-	-	*	-	-	-	1.04	-	-	-	0.09	
Stoneville	ST 6848 R	-	-	-	-	-	0.28	-	-	0.08	-	-	-	0.11	-	-	-	*	
Stoneville	Total	11.61	17.63	41.57	0.42	5.89	3.74	15.39	12.70	35.65	52.85	3.10	13.27	14.47	9.50	15.70	3.44	18.21	13.93
Sure-Grow	SG 105	-	-	-	-	-	-	-	-	0.33	-	-	-	-	-	-	-	*	
Sure-Grow	SG 125 BR	0.86	-	0.07	-	-	0.15	-	-	0.33	-	-	-	-	-	*	0.22	0.07	
Sure-Grow	SG 215 BG/RR	2.25	-	0.09	-	-	0.05	-	-	-	-	1.13	-	0.29	-	*	-	0.20	
Sure-Grow	SG 501 BR	2.02	-	0.07	-	3.64	0.53	-	-	0.66	-	0.50	-	-	-	-	0.22	0.22	
Sure-Grow	SG 521 R	2.77	0.17	-	-	-	0.26	-	0.14	-	-	0.81	-	0.20	-	*	-	0.21	
Sure-Grow	SG 747	1.92	-	-	-	-	-	-	-	1.66	-	-	-	-	-	*	-	0.14	
Sure-Grow	SG 96	-	0.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
Sure-Grow	Total	9.82	0.33	0.23	-	3.64	0.99	-	0.14	-	2.98	-	2.44	-	0.49	-	*	0.44	0.86
Tamcot	CAB-CS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Tamcot	Sphinx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Tamcot	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
West Gaines	WG 4207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.20	-	0.08	
West Gaines	WG 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17	-	0.06	
West Gaines	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.37	-	0.14	
Western	Western 180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
Misc		0.50	4.61	-	0.21	0.78	0.33	4.17	-	-	-	5.00	-	0.05	-	0.26	-	0.30	
Total		100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	99.99	100.00	99.84	100.00	99.88	
Total Transgenics		94.80	82.01	99.72	43.49	90.92	97.76	95.83	98.65	97.62	96.61	80.17	99.60	95.15	93.89	100.00	63.45	99.78	82.58

* Less than .05 percent Note: Totals may not add due to rounding.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Paymaster PM 2280 BG/RR	Deltapine DP 444 BG/RR	Paymaster PM 1218 BG/RR	Stoneville ST 4892 BR	Bayer CropScience-Fibermax FM 960BR	Deltapine DP 555 BG/RR	Deltapine DP 655 B/RR	Bayer CropScience-Fibermax FM 960B2R	All-Tex Atlas	Paymaster PM 2379 RR	Paymaster PM 2167 RR	Paymaster PM 2326 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	8.04	1.46	52.35	0.00	0.00	0.00	0.00	0.00	0.00	1.13	0.00	1.63	35.39	100.00
Oklahoma	16.04	13.60	0.00	12.31	11.04	7.71	6.91	4.38	4.08	3.11	4.81	3.65	12.35	100.00
Texas	3.34	9.13	0.07	3.65	6.10	1.64	0.09	4.12	3.20	3.22	0.33	1.48	63.65	100.00
OFFICE TOTAL	11.14	10.18	9.57	7.72	7.69	4.66	3.80	3.51	3.10	2.78	2.72	2.69	30.43	100.00

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 455 BG/RR	Deltapine DP 449 BG/RR	Stoneville ST 5599 BR	Paymaster PM 1218 BG/RR	Bayer CropScience-Fibermax FM 960BR	Bayer CropScience-Fibermax FM 991RR	Deltapine DP 5415	Stoneville ST 5242 BR	Sure-Grow SG 521 R	Deltapine DP 458 B/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Alabama	15.57	15.89	10.74	4.65	4.94	5.03	4.54	3.38	1.90	2.86	2.77	2.09	25.64	100.00
Florida	54.16	0.00	0.00	20.56	1.83	0.00	0.00	0.00	13.06	0.00	0.00	3.06	7.33	100.00
OFFICE TOTAL	18.97	14.49	9.79	6.05	4.67	4.59	4.14	3.08	2.88	2.61	2.53	2.18	24.03	100.00

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Bayer CropScience-Fibermax FM 832	Bayer CropScience-Fibermax FM 832LL	Deltapine DP 444 BG/RR	Deltapine DP 555 BG/RR	Bayer CropScience-Fibermax FM 989	Bayer CropScience-Fibermax FM 832B	Bayer CropScience-Fibermax FM 958B	Bayer CropScience-Fibermax FM 800B2R	Bayer CropScience-Fibermax FM 960B2R	Stoneville ST 5599 BR	Deltapine DP 491	Bayer CropScience-Fibermax FM 989RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	24.37	16.22	11.12	7.04	5.36	4.15	4.15	2.49	2.48	2.22	2.21	1.74	16.45	100.00

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 555 BG/RR	Stoneville ST 5599 BR	Deltapine DP 444 BG/RR	Stoneville ST 5242 BR	Deltapine DP 434 RR	Deltapine DP 432 RR	Deltapine DP 445 BG/RR	Bayer CropScience-Fibermax FM 960BR	Stoneville ST 4793 R	Deltapine DP 436 RR	Stoneville ST 4892 BR	Bayer CropScience-Fibermax FM 832LL	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	25.74	30.19	30.63	4.13	2.95	1.37	0.53	1.89	0.33	0.05	0.51	0.00	1.69	100.00
Mississippi	32.98	27.83	16.80	8.09	2.95	2.00	2.02	0.87	0.77	0.70	0.49	0.62	3.88	100.00
OFFICE TOTAL	30.95	28.50	20.69	6.98	2.95	1.82	1.60	1.16	0.65	0.52	0.50	0.45	3.25	100.00

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 451 B/RR	Stoneville ST 5599 BR	Deltapine DP 449 BG/RR	Bayer CropScience-Fibermax FM 960BR	Deltapine DP 434 RR	Bayer CropScience-Fibermax FM 960B2R	Stoneville ST 4892 BR	Bayer CropScience-Fibermax FM 989BR	Deltapine DP 432 RR	Deltapine DP 455 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
North Carolina	14.63	23.95	11.91	7.09	8.23	3.74	3.05	3.07	2.53	2.36	1.92	1.06	16.48	100.00
South Carolina	57.33	4.59	0.32	5.53	1.95	2.03	1.04	1.59	0.43	0.24	0.39	2.43	22.11	100.00
Virginia	0.78	31.45	23.44	6.45	0.00	1.11	4.89	0.00	7.20	5.67	6.00	1.11	11.91	100.00
OFFICE TOTAL	23.06	20.22	10.24	6.69	6.17	3.15	2.75	2.49	2.43	2.15	1.90	1.37	17.37	100.00

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Bayer CropScience-Fibermax FM 958	Bayer CropScience-Fibermax FM 960BR	Bayer CropScience-Fibermax FM 989BR	Deltapine DP 5690	AFD Seed AFD 3511RR	Bayer CropScience-Fibermax FM 832	Deltapine DP 555 BG/RR	Bayer CropScience-Fibermax FM 989	Deltapine DP 444 BG/RR	Bayer CropScience-Fibermax FM 989RR	Deltapine Deltapine Acala 90	Americot Americot 262R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	29.13	13.85	10.64	8.40	5.17	3.74	3.61	3.19	2.80	1.76	1.26	1.12	15.33	100.00

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Bayer CropScience-Fibermax FM 958	AFD Seed AFD 3511RR	Bayer CropScience-Fibermax FM 989RR	Bayer CropScience-Fibermax FM 960RR	Bayer CropScience-Fibermax FM 960BR	All-Tex Atlas RR	Paymaster PM 2326 RR	Bayer CropScience-Fibermax FM 989	Paymaster PM 2280 BG/RR	Paymaster Paymaster HS 26	Paymaster PM 2266 RR	Bayer CropScience-Fibermax FM 960B2R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	23.35	8.84	7.20	6.85	3.54	3.38	3.03	3.02	2.66	2.52	2.48	2.45	30.68	100.00

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 5690 RR	Stoneville ST 5599 BR	Deltapine DP 449 BG/RR	Bayer CropScience-Fibermax FM 960BR	Deltapine DP 5415 RR	Bayer CropScience-Fibermax FM 991BR	Deltapine DP 494 RR	Deltapine DP 458 B/RR	Deltapine DP 5690	Sure-Grow SG 501 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Florida	50.00	12.00	0.00	13.00	0.00	0.00	15.00	0.00	0.00	0.00	0.00	10.00	0.00	100.00
Georgia	72.76	3.39	2.42	1.59	1.82	1.60	1.16	1.48	1.04	0.96	0.92	0.53	10.32	100.00
OFFICE TOTAL	72.18	3.61	2.36	1.88	1.77	1.56	1.51	1.44	1.01	0.94	0.90	0.77	10.08	100.00

NOTE: Totals may not add due to rounding.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Stoneville ST 4892 BR	Paymaster PM 1218 BG/RR	Stoneville ST 5242 BR	Bayer CropScience-Fibermax FM 960BR	Stoneville ST 4793 R	Deltapine DP 432 RR	Deltapine DP 555 BG/RR	Deltapine DP 451 B/RR	Deltapine DP 436 RR	Deltapine DP 5415 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	36.82	24.20	9.57	2.50	5.46	1.92	5.42	1.48	0.42	0.06	2.97	2.59	6.60	100.00
Mississippi	9.50	6.35	11.63	15.53	0.00	3.69	1.35	3.82	16.62	1.40	0.00	0.00	30.10	100.00
Missouri	28.05	15.17	21.64	4.88	6.32	1.87	4.74	2.74	0.25	2.82	0.41	0.66	10.44	100.00
Tennessee	59.70	12.72	0.42	9.25	1.87	5.80	0.39	2.33	1.62	0.99	0.12	0.00	4.79	100.00
OFFICE TOTAL	40.38	16.59	9.43	6.50	3.96	3.40	3.17	2.27	2.16	1.15	1.13	1.02	8.85	100.00

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 449 BG/RR	Deltapine DP 448 B	Bayer CropScience-Fibermax FM 989B2R	Deltapine DP 565	Stoneville ST 5599 BR	Misc 0	Deltapine DP 555 BG/RR	Bayer CropScience-Fibermax FM 989RR	Deltapine DP 655 B/RR	Deltapine DP 388	Bayer CropScience-Fibermax FM 960B2R	Stoneville ST 4575 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arizona	30.72	10.50	0.71	6.14	6.02	4.61	4.44	3.37	2.26	3.00	0.51	2.39	25.34	100.00
California	75.44	2.36	0.00	0.00	5.74	3.58	10.04	0.00	0.00	0.00	0.00	0.00	2.84	100.00
New Mexico	10.91	8.23	35.55	7.11	0.00	5.00	0.00	0.00	0.77	0.00	8.63	0.00	23.79	100.00
Texas	50.00	0.00	0.00	5.00	0.00	5.00	0.00	0.00	17.50	0.00	0.00	0.00	22.50	100.00
OFFICE TOTAL	31.91	9.13	6.38	5.73	4.84	4.59	4.09	2.43	2.21	2.16	1.79	1.72	23.02	100.00

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Deltapine DP 555 BG/RR	Stoneville ST 5599 BR	Deltapine DP 444 BG/RR	Deltapine DP 449 BG/RR	Bayer CropScience-Fibermax FM 960BR	Deltapine DP 434 RR	Paymaster PM 1218 BG/RR	Stoneville ST 5242 BR	Deltapine DP 432 RR	Deltapine DP 494 RR	Bayer CropScience-Fibermax FM 832B	Deltapine DP 445 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	38.00	40.00	15.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00	0.00	5.00	100.00
Louisiana	62.35	11.51	8.79	3.60	2.72	2.12	1.37	0.38	1.01	1.15	0.87	0.58	3.55	100.00
Mississippi	31.94	32.81	0.00	0.00	6.20	7.42	0.00	13.12	2.26	0.00	0.00	0.88	5.36	100.00
OFFICE TOTAL	60.38	13.00	8.33	3.36	2.90	2.41	1.28	1.14	1.07	1.07	0.81	0.59	3.66	100.00

NOTE: Totals may not add due to rounding.

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2005

STATE	Phytogen PHY 72 Acala	CPCSD Acala Riata RR	Phytogen PHY 710 R Acala	CPCSD Acala Sierra RR	CPCSD Acala MAXXA	Phytogen PHY 78 Acala	CPCSD Acala Fiesta RR	CPCSD Acala Ultima EF	CPCSD Acala Ultima	Bayer CropScience-Fibermax FM 958LL	Bayer CropScience-Fibermax FM 966	Deltapine DP 555 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
California	45.03	16.12	11.32	8.77	5.70	4.16	2.38	2.19	1.17	1.01	1.01	0.51	0.63	100.00

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2005

State	BUTTON-WILLOW BR007 Pima	DELTAPINE DP 340 Pima	DELTAPINE DP 744 Pima	Hazera HA195	PHYTOGEN PHY 76 Pima	PHYTOGEN PHY 800 Pima	PHYTOGEN PHY 810R Pima	Public Pima S-6	Public Pima S-7	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona	32.77	7.41	36.16	0.00	6.99	16.67	0.00	0.00	0.00	100.00
California	0.00	8.91	5.87	3.80	5.40	68.68	7.17	0.00	0.17	100.00
New Mexico	0.00	46.16	45.35	0.00	0.00	0.00	5.31	3.18	0.00	100.00
Texas	0.00	50.00	25.00	0.00	0.00	15.00	0.00	5.00	5.00	100.00
United States	0.49	13.69	9.39	3.29	4.77	60.87	6.40	0.53	0.56	100.00

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2005

Classing Office	BUTTON-WILLOW BR007 Pima	DELTAPINE DP 340 Pima	DELTAPINE DP 744 Pima	Hazera HA195	PHYTOGEN PHY 76 Pima	PHYTOGEN PHY 800 Pima	PHYTOGEN PHY 810R Pima	Public Pima S-6	Public Pima S-7	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
PHOENIX:										
AZ	32.77	7.41	36.16	0.00	6.99	16.67	0.00	0.00	0.00	100.00
NM	0.00	46.16	45.35	0.00	0.00	0.00	5.31	3.18	0.00	100.00
TX	0.00	50.00	25.00	0.00	0.00	15.00	0.00	5.00	5.00	100.00
Office total	3.64	44.20	31.89	0.00	0.78	11.02	1.48	3.94	3.06	100.00
VISALIA	0.00	8.91	5.87	3.80	5.40	68.68	7.17	0.00	0.17	100.00
United States	0.49	13.69	9.39	3.29	4.77	60.87	6.40	0.53	0.56	100.00