

Cotton Varieties Planted 2006 Crop



***U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee
August 2006***

Revised September 22, 2006
mp_cn833

Cotton Varieties Planted, United States 2006 Crop

The Deltapine brand of Upland cottonseed was the most popular planted in the United States for the 2006-2007 season, according to the USDA, Agricultural Marketing Service's Cotton Program. The Bayer CropScience Fibermax brand was the second most popular followed by Stoneville, Paymaster, AFD Seed, Phytogen, All-Tex, and Americot.

Transgenic varieties - genetically engineered varieties resistant to worms, herbicides, or both - accounted for about 87.6 percent of the Upland cotton planted in the United States in 2006. Usage of transgenic varieties in 2006 varied from a high of 100 percent in Missouri to a low of 59.4 percent in California. Other states planted from 97-99 percent transgenic except for and Arizona (86.9 percent), New Mexico (82.8 percent), and Texas (74.9 percent).

Deltapine brand varieties were the most popular planted in 2006, accounting for about 47.9 percent of the United States acreage. This brand accounted for 85.8 percent of the acreage planted in the southeastern states (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia). It accounted for 72.3 percent of the acreage planted in the south central states (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee), 15.5 percent in the southwestern states (Texas, Oklahoma, and Kansas), and 31.7 percent of the acreage planted in the western states (Arizona, California, and New Mexico). Deltapine's most popular varieties were DP 555 BG/RR, DP 444 BG/RR, DP 445 BG/RR, and DP 449 BG/RR, accounting respectively for 17.3, 13.2, 4.7, and 1.8 percent of the U.S. Upland cotton acreage.

Bayer CropScience Fibermax brand varieties were the second most popular planted in 2006, accounting for about 26.7 percent of the United States acreage. These varieties accounted for 3.1 percent of the acreage planted in the southeastern states, 2.5 percent in the south central states, 54.8 percent in the southwestern states, and 8.2 percent in the western states. The most popular Bayer CropScience Fibermax varieties were FM 960 B2R, FM 958, FM 960 RR, FM 832, and FM 960 BR, accounting respectively for about 6.0, 5.4, 2.2, 1.7, and 1.7 percent of the United States acreage planted to Upland cotton.

Stoneville brand varieties were the third most popular planted in 2006. These varieties accounted for about 12.2 percent of the acreage planted. They accounted for 8.4 percent of the acreage planted in the southeastern states, 22.4 percent of the acreage in the south central states, 8.0 percent in the southwestern states, and 8.8 percent in the western states. The most popular Stoneville varieties were ST 5599 BR, ST 4554 B2RF, and ST5242 BR accounting respectively for about 3.7, 1.9, and 1.4 percent of the United States acreage planted to Upland cotton.

Paymaster brand varieties were the fourth most popular planted in 2006, accounting for about 2.7 percent of the United States acreage. They accounted for 0.3 percent of the acreage planted in the southeastern states, 0.3 percent of the acreage in the south central states, and 5.7 percent in the southwestern states. The most popular Paymaster brand varieties were PM 2280 BG/RR and PM 2145 RR, accounting respectively for about 0.8 and 0.5 percent of the United States acreage planted to Upland cotton.

AFD Seed brand varieties were the next most popular and accounted for about 2.5 percent of the U.S. acreage planted in 2006. Phytogen brand varieties were the next most popular and accounted for about 2.2 percent of the U.S. acreage planted in 2006. All-Tex varieties were the seventh most popular and accounted for about 1.8 percent of the 2006 cotton acreage.

Phytogen was the most popular brand of American Pima varieties planted in 2006. Phytogen variety PHY 800 Pima accounted for 49.8 percent of the United States Pima acreage and was the most popular variety planted in California (56.2 percent of California Pima acreage). Deltapine's DP 340 Pima was the second most planted American Pima variety and accounted for 32.8 percent of the U.S. crop. Deltapine's DP 744 Pima was the next most popular variety and accounted for 9.5 percent of the U.S. Pima acreage. The most popular American Pima variety planted in Texas, New Mexico, and Arizona was Deltapine DP 340, accounting respectively for 82.1, 51.2, and 51.0 percent Pima acreage.

Estimates of the percentage of the various varieties of cotton planted in the United States for 2006 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

**Estimated percentage of Upland cotton planted to leading specified varieties, by growth area,
2006 crop**

Southeast	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 455 BG/RR	Stoneville ST 5599 BR	Stoneville ST 5242 BR
	46.82	16.68	4.20	4.01	2.90	2.11	2.05
South Central	Deltapine DP 444 BG/RR	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Stoneville ST 5599 BR	Stoneville ST 4554 B2RF	Stoneville ST 5242 BR	Deltapine DP 432 RR
	27.88	20.14	12.52	10.02	4.17	3.19	2.93
Southwest	Bayer CropScience- Fibermax FM 960B2R	Bayer CropScience- Fibermax FM 958	Bayer CropScience- Fibermax FM 960RR	Bayer CropScience- Fibermax FM 832	Bayer CropScience- Fibermax FM 958LL	Bayer CropScience- Fibermax FM 989RR	Deltapine DP 444 BG/RR
	13.00	11.86	4.64	3.74	3.40	3.40	3.40
West	Phytogen PHY 72 Acala	Deltapine DP 449 BG/RR	Phytogen PHY 725 RF	Bayer CropScience- Fibermax FM 989B2R	CPCSD Acala Fiesta RR	Phytogen PHY 710 R Acala	Deltapine DP 448 B
	17.34	12.40	7.52	5.10	4.52	4.33	3.90
US	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Bayer CropScience- Fibermax FM 960B2R	Bayer CropScience- Fibermax FM 958	Deltapine DP 445 BG/RR	Bayer CropScience- Fibermax FM 960RR	Deltapine DP 449 BG/RR
	17.30	13.18	6.00	5.41	4.72	2.21	1.75

**Estimated percentage of Upland cotton planted to leading specified brands by growth area,
2006 crop**

Southeast	Deltapine	Stoneville	Bayer CropScience- Fibermax	Phytogen	Misc	Paymaster	Sure-Grow
	85.83	8.43	3.11	1.29	0.88	0.25	0.15
South Central	Deltapine	Stoneville	Bayer CropScience- Fibermax	Phytogen	Dyna-Gro	Paymaster	Beltwide Cotton Genetics
	72.28	22.44	2.48	1.23	0.53	0.32	0.30
Southwest	Bayer CropScience- Fibermax	Deltapine	Stoneville	Paymaster	AFD Seed	All-Tex	Americot
	54.79	15.47	8.04	5.65	5.49	3.85	2.21
West	Phytogen	Deltapine	CPCSD	Stoneville	Bayer CropScience- Fibermax	Misc	Dyna-Gro
	35.87	31.71	12.00	8.80	8.22	1.93	1.07
US	Deltapine	Bayer CropScience- Fibermax	Stoneville	Paymaster	AFD Seed	Phytogen	All-Tex
	47.89	26.66	12.21	2.72	2.50	2.23	1.75

Table 1. Estimated percentage of upland cotton planted to specified varieties, by states and United States, crop of 2006

Variety	AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
AFD Seed	AFD 2485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.50	-	0.21
AFD Seed	AFD 3070 F	-	-	-	-	-	-	-	-	-	-	-	1.14	-	-	*	-	*
AFD Seed	AFD 3074 F	-	-	-	-	-	-	-	-	-	-	-	0.97	-	-	0.07	-	*
AFD Seed	AFD 3511 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.54	-	1.52
AFD Seed	AFD 3602 RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.38	-	0.60
AFD Seed	AFD 5064 F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	-	*
AFD Seed	AFD 5065 B2F	-	-	-	-	-	-	-	-	-	-	-	0.40	-	-	0.06	-	*
AFD Seed	AFD 5062 LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
AFD Seed	EXPLORER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
AFD Seed	Total	-	-	-	-	-	-	-	-	-	-	-	2.51	-	-	5.71	-	2.51
All-Tex	Atlas	-	-	-	-	-	-	-	-	-	-	-	0.70	-	-	0.66	-	0.30
All-Tex	Atlas RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.22	-	0.52
All-Tex	Apex B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	-	*
All-Tex	Excess RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18	-	0.08
All-Tex	Marathon B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.09	-	*
All-Tex	Patriot	-	-	-	-	-	-	-	-	-	-	-	0.20	-	-	0.09	-	*
All-Tex	Patriot RR	-	-	-	-	-	-	-	-	-	-	-	0.14	-	-	1.32	-	0.57
All-Tex	Summit B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*
All-Tex	Titan B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Top-Pick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Warrior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
All-Tex	Xpress	-	-	-	-	-	-	-	-	-	-	-	0.09	-	-	*	-	*
All-Tex	Xpress RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07	-	*
All-Tex	45039 BGRF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.19	-	0.08
All-Tex	Total	-	-	-	-	-	-	-	-	-	-	-	1.13	-	-	4.03	-	1.76
Americot	AMX 262R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	-	0.11
Americot	AMX 427R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Americot	AMX 821R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.08	-	0.47
Americot	AMX 1504 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	*
Americot	AMX 1532 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.32	-	0.14
Americot	AMX 1621	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.51	-	0.22
Americot	AMX 8120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.06
Americot	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.35	-	1.01
Bayer CropScience-Fibermax	FM 800B2R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.46	-	0.63
Bayer CropScience-Fibermax	FM 800RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.31	-	0.13
Bayer CropScience-Fibermax	FM 832	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.97	-	1.71
Bayer CropScience-Fibermax	FM 832B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.64	-	0.28
Bayer CropScience-Fibermax	FM 832LL	-	-	-	-	-	-	0.57	-	-	-	-	-	-	-	2.95	-	1.30
Bayer CropScience-Fibermax	FM 955LLB2	-	0.35	-	0.32	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 958	-	-	-	-	-	-	-	-	-	-	0.12	-	-	-	12.60	-	5.43
Bayer CropScience-Fibermax	FM 958B	-	-	0.73	-	-	-	-	-	-	-	-	-	-	-	0.13	0.25	0.11
Bayer CropScience-Fibermax	FM 958LL	-	-	*	-	-	-	-	-	-	-	0.23	-	-	-	3.61	0.67	1.58
Bayer CropScience-Fibermax	FM 960B2	0.06	-	1.13	-	-	-	-	-	-	-	0.07	-	-	-	0.07	-	0.12
Bayer CropScience-Fibermax	FM 960B2R	0.43	0.13	-	-	-	-	0.06	0.13	-	0.68	0.76	42.47	-	-	11.82	-	6.02
Bayer CropScience-Fibermax	FM 960BR	1.52	-	-	-	0.66	3.33	0.96	0.74	-	-	0.18	2.44	0.55	4.35	2.73	1.18	1.70
Bayer CropScience-Fibermax	FM 960RR	0.90	-	0.26	-	0.60	0.26	-	0.09	-	-	0.10	0.17	-	0.08	4.92	-	2.22
Bayer CropScience-Fibermax	FM 965LLB2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.79	-	0.34
Bayer CropScience-Fibermax	FM 966	-	1.39	*	-	-	-	-	-	-	-	0.05	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 966LL	-	*	0.74	0.08	-	0.20	-	0.19	1.04	-	-	-	-	-	0.17	-	0.25

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Bayer CropScience-Fibermax	FM 981LL	-	0.13	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17	-	0.07
Bayer CropScience-Fibermax	FM 988LLB2	-	0.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bayer CropScience-Fibermax	FM 989	0.22	-	-	-	-	-	-	0.26	-	-	-	-	-	-	-	2.31	1.33	1.02
Bayer CropScience-Fibermax	FM 989B2R	0.09	0.77	-	-	-	-	-	-	-	-	55.88	*	0.65	-	-	3.02	1.18	1.52
Bayer CropScience-Fibermax	FM 989BR	0.09	0.09	-	-	-	0.28	-	*	-	-	-	0.66	-	-	-	0.35	0.67	0.23
Bayer CropScience-Fibermax	FM 989RR	-	-	-	-	-	0.31	-	-	-	-	-	0.07	-	-	-	3.61	-	1.59
Bayer CropScience-Fibermax	FM 991B2R	0.86	-	-	-	-	*	-	-	-	-	-	-	-	*	-	*	-	*
Bayer CropScience-Fibermax	FM 991BR	-	-	-	-	-	1.12	-	-	-	-	-	-	-	-	-	-	-	0.11
Bayer CropScience-Fibermax	FM 991RR	1.09	-	-	-	-	0.17	-	-	-	-	-	-	-	0.16	-	*	-	0.08
Bayer CropScience-Fibermax	FM 5024BXN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 5035LL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 9058F	-	0.18	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	-	0.07
Bayer CropScience-Fibermax	FM 9060F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Bayer CropScience-Fibermax	FM 9063B2F	-	3.30	-	0.15	-	-	-	0.34	-	-	0.68	-	-	1.16	-	0.09	-	0.11
Bayer CropScience-Fibermax	FM 9068F	-	0.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Bayer CropScience-Fibermax	Total	5.26	7.29	2.90	0.56	0.60	3.03	3.33	2.42	1.99	-	57.24	2.31	45.73	1.88	4.43	56.02	5.28	26.74
Beltwide Cotton Genetics	BCG 24R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.28	-	0.12
Beltwide Cotton Genetics	BCG 28R	-	-	-	-	-	-	-	0.32	0.21	-	-	-	-	-	-	0.22	-	0.13
Beltwide Cotton Genetics	BCG 30R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.26	-	0.11
Beltwide Cotton Genetics	BCG 50R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	-	0.05
Beltwide Cotton Genetics	BCG 245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.36	-	0.16
Beltwide Cotton Genetics	BCG 520R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Beltwide Cotton Genetics	BW-1505RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Beltwide Cotton Genetics	BW-2038B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Beltwide Cotton Genetics	BW-3255B2F	-	-	-	-	-	-	-	0.14	*	-	-	-	-	-	-	0.12	-	0.06
Beltwide Cotton Genetics	BW-4021B2F	-	-	-	-	-	-	-	0.05	-	-	-	-	*	-	-	0.07	-	*
Beltwide Cotton Genetics	BW-4630B2F	-	-	*	-	-	-	-	0.47	*	0.63	-	-	0.08	-	-	0.45	-	0.24
Beltwide Cotton Genetics	BW-6896B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Beltwide Cotton Genetics	BW-8391B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Beltwide Cotton Genetics	BW-9775B2F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.06	-	*
Beltwide Cotton Genetics	Total	-	-	*	-	-	-	-	0.98	0.25	0.63	-	-	0.13	-	-	2.08	-	0.98
CPCSD	Acala Daytona RF	-	-	-	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
CPCSD	Acala Fiesta RR	-	-	-	8.47	-	-	-	-	-	-	-	-	-	-	-	-	-	0.18
CPCSD	Acala NemX	-	-	-	0.34	-	-	-	-	-	-	-	-	-	-	-	-	-	*
CPCSD	Acala Riata RR	-	-	-	4.92	-	-	-	-	-	-	-	-	-	-	-	-	-	0.10
CPCSD	Acala Sierra RR	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08
CPCSD	Acala Ultima	-	-	-	0.08	-	-	-	-	-	-	-	-	-	-	-	-	-	*
CPCSD	Acala Ultima EF	-	-	-	0.48	-	-	-	-	-	-	-	-	-	-	-	-	-	*
CPCSD	Acala Ultima RF	-	-	-	0.87	-	-	-	-	-	-	-	-	-	-	-	-	-	*
CPCSD	Total	-	-	-	22.49	-	-	-	-	-	-	-	-	-	-	-	-	-	0.47
Croplan Genetics	CG 3020 B2RF	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	0.51	-	0.22
Croplan Genetics	CG 3520 B2RF	-	-	-	-	-	0.05	-	*	-	-	-	-	-	-	-	0.10	-	*
Croplan Genetics	CG 4020 B2RF	-	-	0.17	-	-	0.09	-	0.79	*	0.17	-	-	-	-	-	*	-	0.07
Croplan Genetics	Total	-	-	0.17	-	-	0.14	-	0.85	*	0.17	-	-	-	-	-	0.63	-	0.34
Deltapine	DeltaPEARL	0.07	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	Deltapine Acala 90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.59	-	0.25
Deltapine	DP 20 B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.43	-	0.18
Deltapine	DP 108 RF	-	-	-	-	-	-	0.11	-	-	-	-	0.06	-	*	-	0.06	-	*

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Deltapine	DP 110 RF	-	0.32	-	0.19	-	-	-	-	-	-	-	*	-	-	-	0.07	0.22	*
Deltapine	DP 113 B2RF	-	-	0.44	-	-	-	1.33	0.36	-	0.55	-	0.61	0.46	0.86	-	*	0.67	0.16
Deltapine	DP 117 B2RF	-	0.16	0.51	-	-	-	-	0.30	0.85	-	-	0.79	1.23	0.08	-	0.12	-	0.25
Deltapine	DP 143 B2RF	-	0.19	0.18	-	-	*	0.33	1.11	0.48	-	1.36	1.29	4.84	4.62	-	0.60	-	0.64
Deltapine	DP 147 RF	0.17	0.18	-	-	-	0.05	-	0.49	0.43	-	-	0.05	0.11	0.21	-	0.22	-	0.17
Deltapine	DP 156 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	0.50	-	-	-	*
Deltapine	DP 164 B2RF	-	8.95	-	0.51	-	*	-	1.75	2.21	-	0.68	0.32	0.25	0.83	-	0.20	-	0.49
Deltapine	DP 167 RF	-	0.49	0.11	-	-	*	-	*	1.09	-	-	*	-	0.52	-	*	-	0.12
Deltapine	DP 388	-	1.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 393	-	0.32	-	-	-	*	-	-	-	-	-	0.31	-	*	-	0.17	0.47	0.10
Deltapine	DP 422 B/RR	1.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	0.06
Deltapine	DP 424 BGII/RR	-	-	-	-	-	0.06	-	0.07	-	-	-	-	0.10	-	-	0.29	-	0.14
Deltapine	DP 432 RR	2.46	0.65	1.27	-	-	0.91	-	1.55	3.47	8.41	-	3.39	-	0.84	2.24	*	5.66	1.29
Deltapine	DP 434 RR	1.20	0.59	1.86	-	-	*	1.33	1.52	3.95	-	-	3.10	0.27	1.58	1.01	0.69	10.39	1.23
Deltapine	DP 436 RR	1.64	-	3.59	-	-	0.07	-	-	0.14	-	-	0.27	-	-	-	0.17	-	0.45
Deltapine	DP 444 BG/RR	20.41	1.77	29.30	0.60	1.28	3.04	0.56	5.00	13.18	31.16	-	36.91	4.26	9.59	70.41	3.40	45.85	13.23
Deltapine	DP 445 BG/RR	2.00	1.98	18.14	-	-	1.23	-	8.72	15.09	8.72	9.48	10.24	0.69	2.28	5.07	0.54	9.10	4.74
Deltapine	DP 448 B	-	10.46	-	-	-	0.24	-	0.06	-	-	-	-	0.17	-	-	-	-	0.13
Deltapine	DP 449 BG/RR	4.16	25.90	*	4.84	0.30	1.37	-	2.49	0.18	-	1.36	9.18	0.09	4.47	1.86	0.25	3.54	1.64
Deltapine	DP 451 B/RR	0.70	-	-	0.22	-	0.07	-	-	-	-	-	0.83	-	*	-	-	1.66	0.10
Deltapine	DP 454 BG/RR	1.33	-	0.68	-	-	0.46	-	0.47	2.32	-	-	1.50	-	2.41	-	0.08	0.54	0.53
Deltapine	DP 455 BG/RR	3.21	8.44	1.40	-	-	2.01	-	0.37	0.75	0.42	3.78	3.28	-	6.13	-	0.65	3.64	1.23
Deltapine	DP 458 B/RR	1.72	-	-	-	-	0.19	-	-	-	-	-	-	-	-	-	*	-	0.10
Deltapine	DP 468 BGII/RR	0.07	-	-	-	-	0.45	-	-	-	-	-	-	-	-	-	-	-	*
Deltapine	DP 488 BG/RR	1.01	-	-	-	0.98	0.16	-	0.05	0.12	-	0.83	0.21	*	0.48	-	1.34	-	0.67
Deltapine	DP 491	0.19	-	-	-	-	*	-	-	-	-	-	-	-	-	-	0.18	-	0.09
Deltapine	DP 493	-	-	0.06	-	-	0.21	-	0.32	-	-	-	-	-	-	-	0.07	-	0.07
Deltapine	DP 494 RR	0.43	-	0.12	-	-	2.38	-	1.14	0.91	-	-	0.13	0.10	1.08	-	0.15	-	0.47
Deltapine	DP 515 BG/RR	-	-	-	-	0.98	0.63	-	*	0.14	-	-	0.10	-	1.52	-	-	-	0.12
Deltapine	DP 543 BG II/RR	-	0.21	-	-	-	-	-	-	-	-	-	*	-	0.09	-	-	-	*
Deltapine	DP 555 BG/RR	33.91	1.45	7.61	1.38	82.34	76.67	-	56.63	31.55	0.68	-	8.95	-	46.27	-	2.48	0.29	17.37
Deltapine	DP 565	-	3.21	-	-	-	-	-	-	0.69	-	-	-	-	-	-	*	-	0.09
Deltapine	DP 655 B/RR	0.73	1.95	-	-	-	*	-	-	-	-	1.02	0.14	1.55	-	-	*	-	0.10
Deltapine	DP 2379	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Deltapine	DP 5415	0.22	-	-	0.53	-	0.09	-	-	-	-	-	-	-	-	-	0.43	-	0.21
Deltapine	DP 5415 RR	-	-	-	0.08	10.73	*	-	-	-	-	-	-	-	0.30	-	0.80	-	0.43
Deltapine	DP 5690	-	-	-	-	0.30	0.06	-	-	-	-	-	-	-	-	-	1.25	-	0.55
Deltapine	DP 5690 RR	0.61	-	-	-	-	0.47	-	-	-	-	-	0.09	-	1.26	-	0.33	-	0.24
Deltapine	Total	77.51	68.51	65.28	8.34	96.91	91.09	3.66	82.45	77.56	49.94	18.50	81.91	14.07	86.02	80.59	15.72	82.04	47.80
Dyna-Gro	DG OA265 BR	-	-	-	1.78	-	-	-	-	-	-	1.36	-	-	-	-	-	-	*
Dyna-Gro	DG 2100 B2RF	-	-	0.11	-	-	-	-	-	0.74	-	-	-	0.90	-	-	0.15	-	0.15
Dyna-Gro	DG 2215 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	1.79	-	-	*	-	0.05
Dyna-Gro	DG 2242 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.21	-	0.09
Dyna-Gro	DG 2520 B2RF	-	-	0.25	-	-	-	-	0.42	0.32	0.55	-	-	-	-	-	0.20	-	0.17
Dyna-Gro	Total	-	-	0.35	1.78	-	-	-	0.42	1.06	0.55	1.36	-	2.69	-	-	0.61	-	0.51
Paymaster	PM HS 26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.11	-	*
Paymaster	PM 280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.25	-	0.11
Paymaster	PM 1199 RR	-	-	0.25	-	-	-	-	-	-	-	-	-	-	-	-	*	1.18	*
Paymaster	PM 1218 BG/RR	0.73	-	0.54	-	-	0.07	-	0.16	-	0.17	-	0.20	-	0.05	0.34	-	-	0.12
Paymaster	PM 1560 BG/RR	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
Paymaster	PM 2140 B2RF	-	-	-	-	-	-	4.11	-	-	-	-	-	0.06	-	-	0.11	-	0.07

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Paymaster	PM 2145 RR	-	-	-	-	-	-	40.12	-	-	-	-	-	-	-	-	0.51	-	0.49
Paymaster	PM 2167 RR	-	-	-	-	-	-	3.56	-	-	-	-	-	0.41	-	-	0.13	-	0.09
Paymaster	PM 2266 RR	-	-	-	-	-	-	1.33	-	-	-	-	-	0.22	-	-	0.68	-	0.30
Paymaster	PM 2280 BG/RR	-	-	-	-	-	-	5.44	-	-	-	-	-	11.13	-	-	1.23	-	0.79
Paymaster	PM 2326 BG/RR	-	-	-	-	-	-	-	-	-	-	-	-	0.47	-	-	0.19	-	0.09
Paymaster	PM 2326 RR	-	-	-	-	-	-	1.33	-	-	-	-	-	-	-	-	0.76	-	0.34
Paymaster	PM 2344 BG/RR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Paymaster	PM 2379 RR	-	-	-	-	-	-	-	-	-	-	-	-	0.82	-	-	0.50	-	0.23
Paymaster	Total	0.73	-	0.79	-	-	0.09	55.89	0.16	-	0.17	-	0.20	13.11	0.05	0.34	4.52	1.18	2.73
Phytogen	NM 1517-99W Acala	-	-	-	-	-	-	-	-	-	-	13.36	-	-	-	-	-	-	*
Phytogen	PHY 72 Acala	-	-	-	32.49	-	-	-	-	-	-	-	-	-	-	-	-	-	0.68
Phytogen	PHY 78 Acala	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	0.14
Phytogen	PHY 125 RF	-	-	-	-	-	-	-	-	-	-	0.41	-	-	-	-	-	-	*
Phytogen	PHY 310 R	-	-	0.13	-	-	-	-	0.12	0.87	-	-	0.07	-	0.10	-	-	0.47	0.10
Phytogen	PHY 370 WR	-	-	0.19	-	-	0.77	-	*	0.10	-	-	0.35	-	0.17	-	-	0.52	0.12
Phytogen	PHY 410 R	-	-	-	-	-	0.30	-	*	0.62	-	-	0.14	-	-	-	-	*	0.09
Phytogen	PHY 425 RF	-	-	0.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Phytogen	PHY 440 W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.12	0.05
Phytogen	PHY 470 WR	-	-	-	-	-	0.17	-	-	0.51	-	-	*	-	*	0.20	0.14	-	0.13
Phytogen	PHY 480 WR	-	-	-	-	-	0.65	-	*	0.17	-	0.28	*	-	0.05	-	0.20	-	0.16
Phytogen	PHY 485 WRF	-	-	0.17	-	-	-	-	0.97	0.72	-	-	0.27	-	0.17	-	-	0.22	0.14
Phytogen	PHY 510 R	-	-	-	-	-	0.44	-	-	-	-	-	-	-	-	-	-	-	*
Phytogen	PHY 710 R Acala	-	-	-	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	0.17
Phytogen	PHY 715 RF	-	-	-	3.13	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07
Phytogen	PHY 725 RF	-	-	-	14.09	-	-	-	-	-	-	-	-	-	-	-	-	-	0.29
Phytogen	PHY 745 WRF	-	-	-	-	-	-	-	-	-	-	1.36	-	-	-	-	-	-	*
Phytogen	Total	-	-	0.54	64.71	-	2.33	-	1.17	2.99	-	15.41	0.91	-	0.52	0.20	0.46	1.21	2.24
Stoneville	BXN 47	0.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	MCS 0419 B2RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.13	-	0.05
Stoneville	MCS 0420 B2RF	-	-	-	0.74	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Stoneville	MCS 0423 B2RF	-	0.31	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Stoneville	MCS 0426 B2RF	-	0.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	NG 1553 R	-	-	-	-	-	-	23.67	-	-	-	-	-	-	-	-	1.13	-	0.65
Stoneville	NG 2448 R	-	-	-	-	-	-	4.44	-	-	-	-	-	0.11	-	-	2.39	-	1.06
Stoneville	NG 3273 B2RF	-	-	-	-	-	-	0.11	-	-	-	-	-	2.80	-	-	0.20	-	0.14
Stoneville	NG 3550 RF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.21	-	0.09
Stoneville	NG 3969 R	-	-	-	-	-	-	-	-	-	-	-	-	0.50	-	-	*	-	*
Stoneville	ST 457	-	2.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	ST 474	-	0.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	ST 1553 R	-	-	-	-	-	0.16	0.89	-	-	-	-	-	0.22	-	-	0.22	-	0.12
Stoneville	ST 2448 R	-	-	-	-	-	-	5.78	-	-	-	-	-	3.09	-	-	0.59	-	0.35
Stoneville	ST 2454 R	-	-	-	-	-	-	-	-	-	-	-	-	0.65	-	-	0.20	-	0.10
Stoneville	ST 3539 BR	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*	-	*
Stoneville	ST 3636 B2R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.15	-	0.06
Stoneville	ST 4357 B2RF	-	0.47	-	-	-	-	-	0.65	*	-	-	0.60	0.17	0.25	1.42	0.05	-	0.17
Stoneville	ST 4554 B2RF	-	2.74	2.86	0.95	-	-	-	1.45	0.46	15.08	0.41	3.72	6.28	3.31	7.77	0.58	-	1.89
Stoneville	ST 4575 BR	0.16	1.99	0.91	-	-	-	-	0.15	1.50	6.63	-	2.84	-	0.28	0.96	*	2.40	0.69
Stoneville	ST 4646 B2R	-	-	0.21	-	-	0.17	-	-	-	-	1.89	-	-	0.11	-	-	0.08	0.08
Stoneville	ST 4664 RF	0.09	1.67	0.21	-	-	*	-	0.16	*	2.72	-	0.14	0.17	*	-	0.16	-	0.22
Stoneville	ST 4700 B2RF	-	-	-	-	-	-	-	-	0.13	-	-	-	-	-	-	*	-	*
Stoneville	ST 4793 R	0.66	-	2.07	-	-	-	-	-	-	0.49	-	-	-	-	-	0.09	-	0.24
Stoneville	ST 4686 R	0.14	-	0.27	-	-	-	-	0.13	-	1.13	-	0.17	-	-	-	-	-	0.08

Table 1. Continued

Variety		AL	AZ	AR	CA	FL	GA	KS	LA	MS	MO	NM	NC	OK	SC	TN	TX	VA	UNITED STATES
Stoneville	ST 4892 BR	1.68	-	3.27	-	-	0.44	-	*	0.81	0.19	1.36	0.10	4.14	0.19	1.36	0.05	2.39	0.63
Stoneville	ST 5007 B2RF	-	-	-	-	-	-	-	-	0.13	-	-	-	-	-	-	-	-	*
Stoneville	ST 5454 B2R	-	0.78	0.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.07
Stoneville	ST 5242 BR	6.89	0.10	4.10	0.21	-	0.24	-	0.25	3.91	7.59	-	2.57	-	0.16	0.17	-	3.15	1.37
Stoneville	ST 5303 R	-	0.22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	ST 5599 BR	3.88	6.87	15.19	-	0.30	0.37	-	7.88	9.14	14.72	-	4.25	1.69	1.11	1.80	0.74	2.34	3.73
Stoneville	ST 6611 B2RF	-	1.19	-	-	-	0.27	-	0.79	-	-	-	0.28	-	4.79	-	*	-	0.19
Stoneville	ST 6622 RF	0.10	-	-	-	-	0.25	-	-	*	-	-	-	-	1.12	-	-	-	0.05
Stoneville	ST 6848 R	-	0.06	-	-	-	0.10	-	-	-	-	-	-	-	-	-	-	-	*
Stoneville	Total	14.08	19.98	29.82	1.90	0.30	2.05	34.90	11.47	16.12	48.55	3.66	14.67	19.82	11.35	13.47	7.07	10.28	12.18
Sure-Grow	SG 96	-	0.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Sure-Grow	SG 105	-	0.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Sure-Grow	SG 215 BG/RR	0.47	-	-	-	-	*	-	-	-	-	-	-	-	-	-	-	-	*
Sure-Grow	SG 501 BR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
Sure-Grow	SG 521 R	0.14	-	-	-	-	0.05	-	*	-	-	-	-	-	0.18	-	-	-	*
Sure-Grow	SG 821	-	0.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Sure-Grow	Total	0.61	0.34	-	-	-	0.07	-	*	-	-	-	-	-	0.18	-	*	-	*
Misc	Misc	1.81	3.88	0.11	0.22	2.19	1.20	2.22	*	*	-	3.83	-	0.82	-	0.96	0.78	-	0.68
	TOTAL	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
Total Transgenics		97.49	86.93	99.81	59.44	97.51	98.35	97.78	99.38	99.29	100.00	82.82	99.52	98.19	99.96	99.04	74.87	98.20	87.64

* Less than .05 percent Note: Totals may not add due to rounding.

Table 2. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer CropScience-Fibermax FM 958	Deltapine DP 444 BG/RR	Bayer CropScience-Fibermax FM 960BR	Deltapine DP 488 BG/RR	AFD Seed AFD 3511 RR	Paymaster PM 2280 BG/RR	AFD Seed AFD 3602 RR	Deltapine DP 5415 RR	Bayer CropScience-Fibermax FM 960RR	Paymaster PM 2145 RR	Bayer CropScience-Fibermax FM 800B2R	Deltapine DP 555 BG/RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Kansas	0.00	0.00	0.56	3.33	0.00	0.00	5.44	0.00	0.00	0.00	40.12	0.00	50.55	100.00
Oklahoma	42.47	0.00	4.26	2.44	0.05	0.00	11.13	0.00	0.00	0.17	0.00	0.00	39.49	100.00
Texas	26.94	9.32	7.74	6.64	5.94	4.94	1.72	3.93	3.53	3.25	0.00	2.40	23.64	100.00
OFFICE TOTAL	28.07	7.16	6.72	5.72	4.57	3.80	3.57	3.02	2.71	2.53	2.32	1.84	27.97	100.00

NOTE: Totals may not add due to rounding.

Table 3. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 5242 BR	Deltapine DP 449 BG/RR	Stoneville ST 5599 BR	Deltapine DP 455 BG/RR	Deltapine DP 432 RR	Misc Misc	Deltapine DP 445 BG/RR	Deltapine DP 4515 RR	Deltapine DP 458 B/RR	Stoneville ST 4892 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Alabama	33.91	20.41	6.89	4.16	3.88	3.21	2.46	1.81	2.00	0.00	1.72	1.68	17.87	100.00
Florida	77.34	1.40	0.00	0.00	0.00	0.00	0.00	3.13	0.00	15.33	0.00	0.00	2.80	100.00
OFFICE TOTAL	38.87	18.24	6.10	3.68	3.44	2.84	2.18	1.96	1.77	1.75	1.52	1.49	16.15	100.00

NOTE: Totals may not add due to rounding.

Table 4. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer CropScience-Fibermax FM 832	Bayer CropScience-Fibermax FM 832LL	Deltapine DP 555 BG/RR	Bayer CropScience-Fibermax FM 800B2R	Deltapine DP 444 BG/RR	Bayer CropScience-Fibermax FM 989	Bayer CropScience-Fibermax FM 960B2R	Bayer CropScience-Fibermax FM 832B	Deltapine DP 455 BG/RR	Americot AMX 1621	Misc Misc	Deltapine DP 20 B	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	22.02	16.64	9.13	5.55	5.01	4.28	4.25	3.66	2.97	2.95	2.79	2.48	18.27	100.00

NOTE: Totals may not add due to rounding.

Table 5. Dumas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Deltapine DP 434 RR	Stoneville ST 5242 BR	Deltapine DP 454 BG/RR	Deltapine DP 432 RR	Deltapine DP 164 B2RF	Deltapine DP 455 BG/RR	Stoneville ST 4575 BR	Deltapine DP 167 RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	19.09	25.63	25.23	15.97	1.17	2.73	1.95	0.00	0.00	2.70	0.00	0.31	5.22	100.00
Mississippi	33.61	16.03	12.91	9.78	4.40	3.00	2.56	2.79	2.28	0.78	1.66	1.20	8.99	100.00
OFFICE TOTAL	29.62	18.66	16.29	11.48	3.51	2.93	2.39	2.02	1.65	1.31	1.20	0.96	7.97	100.00

NOTE: Totals may not add due to rounding.

Table 6. Florence Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 444 BG/RR	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 455 BG/RR	Stoneville ST 5599 BR	Stoneville ST 4554 B2RF	Deltapine DP 434 RR	Deltapine DP 432 RR	Stoneville ST 4575 BR	Stoneville ST 5242 BR	Deltapine DP 143 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
North Carolina	36.91	8.95	10.24	9.18	3.28	4.25	3.72	3.10	3.39	2.84	2.57	1.29	10.27	100.00
South Carolina	9.59	46.27	2.28	4.47	6.13	1.11	3.31	1.58	0.84	0.28	0.16	4.62	19.35	100.00
Virginia	45.85	0.29	9.10	3.54	3.64	2.34	0.00	10.39	5.66	2.40	3.15	0.00	13.62	100.00
OFFICE TOTAL	31.20	17.02	8.29	7.64	3.98	3.36	3.33	3.31	2.97	2.21	2.05	1.97	12.67	100.00

NOTE: Totals may not add due to rounding.

Table 7. Lamesa Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer CropScience-Fibermax FM 958	Bayer CropScience-Fibermax FM 960B2R	Deltapine DP 5690	Bayer CropScience-Fibermax FM 960BR	Bayer CropScience-Fibermax FM 989B2R	Deltapine Deltapine Acala 90	Bayer CropScience-Fibermax FM 958LL	Deltapine DP 555 BG/RR	Bayer CropScience-Fibermax FM 989	Bayer CropScience-Fibermax FM 989BR	Bayer CropScience-Fibermax FM 989RR	Stoneville ST 5599 BR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	27.99	9.96	6.72	6.35	5.62	4.13	3.27	3.26	3.09	2.44	2.33	2.26	22.58	100.00

NOTE: Totals may not add due to rounding.

Table 8. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Bayer CropScience-Fibermax FM 958	Bayer CropScience-Fibermax FM 960B2R	Bayer CropScience-Fibermax FM 960RR	Bayer CropScience-Fibermax FM 989RR	Bayer CropScience-Fibermax FM 958LL	AFD Seed AFD 3511 RR	Stoneville NG 2448 R	Bayer CropScience-Fibermax FM 989B2R	All-Tex Patriot RR	Stoneville NG 1553 R	Bayer CropScience-Fibermax FM 989	Americot AMX 821R	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Texas	14.63	8.63	8.31	6.21	6.14	4.68	4.60	4.43	2.64	2.26	2.02	2.01	33.44	100.00

NOTE: Totals may not add due to rounding.

Table 9. Macon Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 444 BG/RR	Deltapine DP 494 RR	Deltapine DP 455 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 445 BG/RR	Misc Misc	Bayer CropScience-Fibermax FM 991BR	Deltapine DP 432 RR	Phytogen PHY 370 WR	Bayer CropScience-Fibermax FM 960BR	Phytogen PHY 480 WR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Florida	94.00	1.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	100.00
Georgia	76.67	3.04	2.38	2.01	1.37	1.23	1.20	1.12	0.91	0.77	0.66	0.65	7.98	100.00
OFFICE TOTAL	77.03	3.00	2.33	1.97	1.36	1.20	1.17	1.10	0.89	0.75	0.65	0.64	7.92	100.00

NOTE: Totals may not add due to rounding.

Table 10. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 444 BG/RR	Stoneville ST 5599 BR	Deltapine DP 445 BG/RR	Stoneville ST 4554 B2RF	Stoneville ST 5242 BR	Deltapine DP 432 RR	Stoneville ST 4892 BR	Stoneville ST 4575 BR	Bayer CropScience-Fibermax FM 960BR	Deltapine DP 436 RR	Stoneville ST 4793 R	Deltapine DP 434 RR	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	31.67	14.86	14.21	3.67	4.90	1.97	5.09	1.41	0.00	4.35	3.22	2.20	12.44	100.00
Mississippi	20.19	3.85	1.28	0.00	13.01	11.22	8.97	0.00	5.26	0.00	0.00	0.00	36.21	100.00
Missouri	31.16	14.72	8.72	15.08	7.59	8.41	0.19	6.63	0.00	0.00	0.49	0.00	7.02	100.00
Tennessee	70.41	1.80	5.07	7.77	0.17	2.24	1.36	0.96	4.35	0.00	0.00	1.01	4.86	100.00
OFFICE TOTAL	44.18	9.74	9.05	7.60	4.35	4.09	2.84	2.42	1.77	1.58	1.29	1.15	9.94	100.00

NOTE: Totals may not add due to rounding.

Table 11. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 449 BG/RR	Bayer CropScience-Fibermax FM 989B2R	Deltapine DP 448 B	Deltapine DP 164 B2RF	Deltapine DP 455 BG/RR	Stoneville ST 5599 BR	Misc Misc	Deltapine DP 445 BG/RR	Deltapine DP 565	Bayer CropScience-Fibermax FM 9063B2F	Phytogen NM 1517-99W Acala	Stoneville ST 4554 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arizona	25.42	0.75	10.27	8.79	8.71	6.75	3.89	1.59	3.16	3.31	0.00	2.69	24.66	100.00
California	82.56	0.00	0.00	8.72	0.00	0.00	3.72	0.00	0.00	0.00	0.00	0.00	5.00	100.00
New Mexico	1.36	55.88	0.00	0.68	3.78	0.00	3.83	9.48	0.00	0.68	13.36	0.41	10.55	100.00
Texas	9.67	58.46	0.00	4.66	1.50	0.00	3.90	1.47	8.64	0.00	0.00	0.00	11.70	100.00
OFFICE TOTAL	24.49	11.63	7.61	7.30	7.13	5.00	3.87	2.82	2.59	2.57	2.25	2.06	20.69	100.00

NOTE: Totals may not add due to rounding.

Table 12. Rayville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Deltapine DP 555 BG/RR	Deltapine DP 445 BG/RR	Stoneville ST 5599 BR	Deltapine DP 444 BG/RR	Deltapine DP 449 BG/RR	Deltapine DP 164 B2RF	Deltapine DP 434 RR	Deltapine DP 432 RR	Stoneville ST 4554 B2RF	Deltapine DP 143 B2RF	Deltapine DP 494 RR	Phytogen PHY 485 WRF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
Arkansas	45.50	4.90	6.70	15.60	2.60	0.00	4.40	0.00	3.80	5.00	0.00	9.50	2.00	100.00
Louisiana	56.63	8.72	7.88	5.00	2.49	1.75	1.52	1.55	1.45	1.11	1.14	0.97	9.79	100.00
Mississippi	46.15	28.73	6.34	0.00	0.00	6.63	2.67	0.00	0.00	0.00	0.56	0.00	8.91	100.00
OFFICE TOTAL	55.94	9.70	7.79	4.87	2.36	1.98	1.61	1.45	1.40	1.10	1.10	1.02	9.66	100.00

NOTE: Totals may not add due to rounding.

Table 13. Visalia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, crop of 2006

STATE	Phytogen PHY 72 Acala	Phytogen PHY 725 RF	CPCSD Acala Fiesta RR	Phytogen PHY 710 R Acala	Phytogen PHY 78 Acala	CPCSD Acala Riata RR	CPCSD Acala Sierra RR	CPCSD Acala Daytona RF	Phytogen PHY 715 RF	Dyna-Gro DG OA265 BR	Deltapine DP 555 BG/RR	Stoneville ST 4554 B2RF	OTHER	TOTAL
	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PERCENT	PCT.	PCT.
California	34.51	14.97	9.00	8.61	7.33	5.23	3.93	3.85	3.32	1.89	1.47	1.01	4.88	100.00

NOTE: Totals may not add due to rounding.

Table 14. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, crop of 2006

State	CPCSD Cobalt Pima	DELTAPINE DP 340	DELTAPINE DP 353	DELTAPINE DP 744	DELTAPINE DP HTO	Hazera HA195	PHYTOGEN PHY 800	PHYTOGEN PHY 810 R	PHYTOGEN PHY 820	Public Pima S-7	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona	0.00	51.03	1.95	19.49	4.28	0.00	18.08	5.17	0.00	0.00	100.00
California	0.26	27.23	0.00	8.28	1.76	0.36	56.22	5.24	0.65	0.00	100.00
New Mexico	0.00	51.18	0.00	34.63	0.00	0.00	10.75	3.44	0.00	0.00	100.00
Texas	0.00	82.11	1.26	7.64	0.00	0.00	5.31	0.00	0.00	3.68	100.00
United States	0.22	32.79	0.14	9.50	1.61	0.31	49.82	4.77	0.56	0.28	100.00

Table 15. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing offices, crop of 2006

Classing Office	CPCSD Cobalt Pima	DELTAPINE DP 340	DELTAPINE DP 353	DELTAPINE DP 744	DELTAPINE DP HTO	Hazera HA195	PHYTOGEN PHY 800	PHYTOGEN PHY 810 R	PHYTOGEN PHY 820	Public Pima S-7	TOTAL
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
PHOENIX:											
AZ	0.00	51.03	1.95	19.49	4.28	0.00	18.08	5.17	0.00	0.00	100.00
NM	0.00	51.18	0.00	34.63	0.00	0.00	10.75	3.44	0.00	0.00	100.00
TX	0.00	82.11	1.26	7.64	0.00	0.00	5.31	0.00	0.00	3.68	100.00
Office total	0.00	68.34	1.00	17.28	0.67	0.00	8.87	1.80	0.00	2.04	100.00
VISALIA	0.26	27.23	0.00	8.28	1.76	0.36	56.22	5.24	0.65	0.00	100.00
United States	0.22	32.79	0.14	9.50	1.61	0.31	49.82	4.77	0.56	0.28	100.00